VITAL STATISTICS OF THE UNITED STATES

1965

VOLUME II—MORTALITY

PART A

U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE

JOHN W. GARDNER, SECRETARY

PUBLIC HEALTH SERVICE

WILLIAM A. STEWART, SURGEON GENERAL

WASHINGTON: 1967

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402 - Price $3.75

NATIONAL CENTER FOR HEALTH STATISTICS

FORREST E. LINDER, PH.D., *Director*
THEODORE D. WOOLSEY, *Deputy Director*
OSWALD K. SAGEN, PH.D., *Assistant Director for State Relations*
WALT R. SIMMONS, M.A., *Statistical Advisor*
PHILIP S. LAWRENCE, Sc.D., *Planning Officer*
ALICE M. WATERHOUSE, M.D., *Medical Consultant*
JAMES E. KELLY, D.D.S., *Dental Advisor*
LOUIS R. STOLCIS, M.A., *Executive Officer*
DONALD GREEN, *Information Officer*

DIVISION OF VITAL STATISTICS

ROBERT D. GROVE, PH.D., *Director*
ANDERS S. LUNDE, PH.D., *Assistant Director*
ROBERT A. ISRAEL, M.S., *Chief, Mortality Statistics Branch*
ARTHUR A. CAMPBELL, *Chief, Natality Statistics Branch*
CHARLES R. COUNCIL, *Chief, Registration Methods Branch*
ARTHUR A. CAMPBELL, *Acting Chief, Marriage and Divorce Statistics Branch*
ALICE M. HETZEL, *Chief, Statistical Resources Section*

VITAL STATISTICS OF THE UNITED STATES, 1965

VOLUME II - MORTALITY

A brief summary of the contents for each section is listed below for the convenience of the reader. A complete table of contents is shown at the beginning of each section and is identified by a narrow black edge which can be located easily by fanning the pages. Each section is paged independently, using the section number as the identifying prefix.

PART A

Section 1. General Mortality

Summary tables containing crude, age-specific, and age-adjusted death rates; death rates by cause; maternal mortality. Detailed tabulations of deaths by cause for the United States and each State. Data shown by age, sex, color and race, cause of death, and month.

Section 2. Infant Mortality

Tabulations of infant deaths and infant mortality rates by age, color, sex, cause of death, and by State. Additional frequency tables by month of death and by population-size groups in metropolitan and nonmetropolitan counties.

Section 3. Fetal Mortality

Tabulations of numbers of deaths and ratios by age of mother, legitimacy, geographic areas; fetal death rates by plurality. Numbers of deaths by additional characteristics—month, birth order, attendant, period of gestation, birth weight.

Section 4. Accident Mortality

Deaths from motor vehicle accidents by type of vehicle and from nontransport accidents by place of accident. Figures tabulated by age, color, and sex for the United States and by color and sex for each State.

Section 5. Life Tables

Abridged life tables and interpolated values of the l_x and $\mathring{e}_x$ by single years of age for the national population by color and sex.

Section 6. Technical Appendix

Text discussion of factors affecting the collection, classification, and interpretation of the mortality statistics published in Volume II. Includes population tables for computing vital rates.

PART B

Section 7. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State, county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups and standard metropolitan statistical areas.

Section 8. Puerto Rico and Virgin Islands (U.S.)

Trend of the crude death rate. Frequency tabulations for most characteristics shown in other sections of Volume II.

SYMBOLS USED IN TABLES

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

Guide to tables in Section 1

[All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

	TABLE: 1	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17	-18	-19	-20	-21	-22	-23	-24	-25	-26	-27
	PAGE: 1	-2	-3	-4	-5	-6	-6	-6	-7	-8	-22	-29	-30	-31	-32	-36	-40	-41	-41	-42	-45	-46	-52	-53	-87	-92	-100	-162
Geographic area:																												
	Divisions											11[1]	12	13	14	15			18									
	States												12	13	14	15			18	19	20	21	22					27
	United States	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19[2]	20	21	22	23	24	25	26	27
Years:																												
	1900-1965	1[3]	2[3]									11[4]																
	1915-65																	17[5]										
	1956-65			3					8				12															
	1963-65 (3-year average)																		18									
	1965 only				4	5	6	7		9	10			13	14	15	16			19	20	21	22	23	24	25	26	27
Type of entry:																												
	Age-adjusted rates		2					7																				
	Number of deaths	1				5								13	14		16			19	20	21	22	23	24	25	26	27
	Percent distribution of deaths by cause						6																					
	Death rates	1	2	3	4		6	7	8	9	10	11	12	13		15	16	17	18					23				
Characteristics:																												
	Age			3	4	5				9	10			13			16										26	
	10-year age groups			3							10																	
	5-year age groups				4					9							16										26	
	Single years of age after 84					5																						
	Cause of death:																											
	Each cause																							23				
	Selected causes							7																				
	258 selected causes																								24	25	26	27
	60 selected causes								8	9	10				14	15												
	15 leading causes						6																					
	Maternal causes only																16	17	18									
	Color	1[6]	2[6]	3[6]	4	5		7		9	10						16	17[6]	18[7]			21		23				27
	Month																				20	21			24			
	Race[6]																						22			25	26	
	Sex	1[8]	2	3	4	5		7		9	10											21	22	23		25	26	27

[1] Deaths by place of occurrence.
[2] Deaths by place of occurrence and place of residence.
[3] Entire United States for 1933-65; death-registration States for 1900-1932.
[4] Data by 5-year averages for 1900-1959 and by single years for 1960-65.
[5] Entire United States for 1933-65; birth-registration States for 1915-32. Data by 5-year averages for 1915-39 and by single years for 1940-65.
[6] New Jersey did not require the reporting of color or race in 1962 and 1963.
[7] New Jersey did not require the reporting of color or race in 1963.
[8] For death rates only.

Guide to tables in Section 2

[All data are for infant deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE: 2	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12
PAGE: 2	-3	-3	-4	-5	-6	-7	-8	-22	-29	-32	-38	-56
Geographic area:												
Divisions					5	6						
Metropolitan and nonmetropolitan counties										10		
Population-size groups										10		
States					5	6	7	8				12
United States	1	2	3	4	5	6	7	8	9	10	11	12
Years:												
1915-65	1[1]											
1956-65			3	4								
1961-65					5	6						
1965 only		2					7	8	9	10	11	12
Type of entry:												
Number of infant deaths							7	8	9	10	11	12
Infant mortality rates (per 1,000 live births)	1				5	6						
Infant mortality rates (per 100,000 live births)		2	3	4								
Characteristics:												
Age:												
Under 1 year	1	2	3	4	5		7	8	9	10	11	12
Under 28 days	1	2	3			6	7	8	9	10	11	12
28 days to 11 months									9			12
Detailed age groups (under 1 day-11 months)		2	3				7	8[2]			11	
Cause of death (55 selected causes)				4					9	10	11	12
Color	1[3]	2	3[3]		5[3]	6[3]		8		10	11	12
Month								8	9			
Race							7					
Sex		2					7	8[2]			11	

[1] Entire United States for 1933-65; birth-registration States for 1915-32.
[2] For the United States only.
[3] New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 3

[All data are for fetal deaths occurring in the United States. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE: 3	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17
PAGE: 3	-3	-4	-4	-5	-5	-6	-8	-9	-12	-14	-16	-18	-20	-23	-24	-25	-28
Geographic area:																	
Divisions						6	7										
Metropolitan and non-metropolitan counties						6											
Population-size groups						6[1]											
Selected areas			3[2]	4[3]													
States	1[4]						7	8[5]	9		11	12	13			16	17
United States	1	2			5	6	7	8	9	10	11	12	13	14	15	16	17
Years:																	
1922-65		2[6]															
1961-65							7										
1965 only	1		3	4	5	6		8	9	10	11	12	13	14	15	16	17
Type of entry:																	
Number of fetal deaths	1	2	3	4	5	6		8	9	10	11	12	13	14	15	16	17
Percentage distribution			3														
Rates per 1,000 live births plus fetal deaths					5												
Ratios (per 1,000 live births)		2		4		6	7										
Minimum period required for reporting	1																
Characteristics:																	
Age of mother			3	4						10	11						
Attendant													13				
Color		2[7]		4	5	6	7[7]		9	10	11	12	13	14	15	16	17
Legitimacy status				4													
Month									9								
Period of gestation	1		3			6							13		15		17
Plural births					5									14	15		
Sex					5					10				14	15	16[1]	17[1]
Total-birth order										10		12					
Weight at birth														14		16	

[1]For the United States only.
[2]Combined totals for 9 States and New York City which require the reporting of early fetal deaths.
[3]Combined totals for 34 States which report legitimacy status.
[4]Fetal deaths by place of occurrence.
[5]Fetal deaths by place of occurrence and place of residence.
[6]Entire United States for 1933-65; birth-registration States for 1922-32.
[7]New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 4

[Frequencies only. All data are for deaths occurring in the United States. Data for geographic areas within the United States are by place of residence]

TABLE: 4	-1	-2	-3	-4	-5	-6
PAGE: 4	-3	-6	-12	-20	-22	-27
Geographic area:						
States					5	6
United States	1	2	3	4	5	6
Subject matter:						
Motor vehicle accidents by type of vehicle	1		3		5	
Nontransport accidents by place of accident		2		4		6
Characteristics:						
Age (5-year age groups)			3	4		
Color	1	2			5	6
Motor vehicle accidents by exact cause of death	1					
Nontransport accidents by exact cause of death		2				
Race			3	4		
Sex	1	2	3	4	5	6

Guide to tables in Section 5

TABLE: 5	-1	-2	-3	-4	-5	-6
PAGE: 5	-3	-4	-5	-6	-7	-8
Years:						
1900-1965						6[1]
1965 only	1	2	3	4		
Specified years and 1965					5[2]	
Type of entry:						
Proportion dying $({}_nq_x)$	1	2				
Number surviving (l_x)	1	2	3		5	
Number dying $({}_nd_x)$	1	2				
Stationary population $({}_nL_x \text{ and } T_x)$	1	2				
Average remaining lifetime (e^o_x)	1	2		4	5	
Estimated average length of life (e^o_0)						6
Characteristics:						
Age by:						
Single years			3	4		
5-year intervals	1	2			5	
Sex-color specific[3]		2	3	4	5	6
Sex specific	1		3	4		6
Color specific[3]		2	3	4		6
Total population	1		3	4		6

[1] Entire United States for 1929-65; death-registration States for 1900-1928.
[2] Entire United States for specified years from 1929 to 1965; death-registration States for specified years from 1900 to 1921.
[3] New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 6

[Population tables]

TABLE: 6	-1	-2	-3	-4	-5	-6
PAGE: 6	-15	-16	-16	-17	-18	-21
Geographic area:						
Birth-registration States[1]	1					
Death-registration States[1]	1					
Divisions[1]			3	4		6
Puerto Rico and Virgin Islands[1]			3			
States[1]			3	4		6
United States	1[2]	2[1]	3[1]	4[1]	5[1]	6[1]
Years:						
1900-1965[2,3]	1					
1951-59[1]					5	6
1965[1,4]		2	3	4		
Characteristics:						
Age		2			5	
Color		2			5	
Sex		2			5	

[1]Population exclusive of Armed Forces stationed abroad.
[2]Population both inclusive and exclusive of Armed Forces stationed abroad.
[3]Enumerated as of April 1, 1940, 1950, 1960, and estimated as of July 1 for all other years.
[4]Estimated as of July 1.

Guide to tables in Section 7

[All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

	TABLE: 7	-1	-2	-3	-4	-5	-6	-7	-8	-9
	PAGE: 7	-3	-61	-78	-95	-116	-129	-384	-388	-400
Geographic area:										
Counties		1[1]								9
Metropolitan and nonmetropolitan counties			2	3						9
Specified urban places		1								9
Standard metropolitan statistical areas					4				8	
States		1[1]	2	3			6	7[2]		9
United States		1	2	3		5		7		9
Population-size groups			2							9
Type of entry:										
Number of deaths—all ages		1	2	3	4	5	6	7	8	9
Number of fetal deaths		1	2							
Number of infant deaths		1	2							
Number of neontal deaths		1	2							
Fetal-death ratios (per 1,000 live births)			2							
Infant mortality rates (per 1,000 live births)			2							
Neonatal mortality rates (per 1,000 live births)			2							
Characteristics:										
Age:										
5-year age groups						5	6			
10-year age groups				3	4					
Cause of death:										
60 selected causes						5	6	7	8	
Selected causes										9
Color		1	2	3	4	5	6			
Sex				3	4	5	6			

[1] Deaths by place of occurrence and place of residence.
[2] By place of occurrence.

Guide to tables in Section 8

[All data are for deaths occurring in Puerto Rico or the Virgin Islands]

TABLE: 8	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16
PAGE: 8	-3	-3	-4	-8	-12	-12	-13	-13	-14	-14	-15	-16	-16	-16	-17	-17
Geographic area:																
Puerto Rico	1	2	3		5	6	7		9	10	11	12	13	14	15	16
Municipios							7[1]									
Virgin Islands	1	2		4	5	6		8	9	10	11	12	13	14	15	16
Islands								8[1]								
Specified urban place								8								
Years:																
1940-65	1															
1965 only		2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Type of entry:																
Number of deaths—all ages	1	2	3	4	5	6	7[1]	8[1]								
Number of fetal deaths							7	8				12	13	14	15	16
Number of infant deaths							7	8	9	10	11[2]					
Number of neonatal deaths							7	8	9	10	11					
Death rates—all ages	1															
Characteristics:																
Age of decedent			3	4						10						
Age of mother													13			
Cause of death:																
60 selected causes			3	4												
55 selected causes of infant mortality											11					
Motor vehicle accidents					5											
Nontransport accidents						6										
Color (for Virgin Islands only)		2		4	5	6		8	9	10	11	12	13	14	15	16
Month		2							9			12				
Period of gestation																16
Place of accident						6										
Sex		2	3	4	5	6				10						
Total-birth order														14		
Type of motor vehicle involved					5											
Weight at birth															15	

[1] Deaths by place of occurrence and place of residence.
[2] Number of deaths also shown for the age group 28 days to 11 months.

Section 1. General Mortality

Table		Page
1-1.	Deaths by color, and death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-65	1-2
1-2.	Age-adjusted death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-65	1-3
1-3.	Death rates by age, color, and sex: United States, 1956-65	1-4
1-4.	Death rates by age, color, and sex: United States, 1965	1-5
1-5.	Deaths at ages 85 years and over, by single years of age, color, and sex: United States, 1965	1-6
1-6.	Mortality from 15 leading causes of death: United States, 1965	1-6
1-7.	Age-adjusted death rates for selected causes, by color and sex: United States, 1965	1-6
1-8.	Death rates for 60 selected causes: United States, 1956-65	1-7
1-9.	Death rates for 60 selected causes, by 5-year age groups, color, and sex: United States, 1965	1-8
1-10.	Death rates for 60 selected causes, by 10-year age groups, color, and sex: United States, 1965	1-22
1-11.	Death rates for geographic divisions by place of occurrence: United States, 1900-1965	1-29
1-12.	Death rates: United States, each division and State, 1956-65	1-30
1-13.	Deaths and death rates by age: United States, each division and State, 1965	1-31
1-14.	Deaths from 60 selected causes: United States, each division and State, 1965	1-32
1-15.	Death rates for 60 selected causes: United States, each division and State, 1965	1-36
1-16.	Maternal deaths and maternal mortality rates for selected causes, by age and color: United States, 1965	1-40
1-17.	Maternal mortality rates by color: Birth-registration States or United States, 1915-65	1-41
1-18.	Maternal mortality rates by color: United States, each division and State, 1963-65 (3-year average)	1-41
1-19.	Deaths by State of occurrence distributed according to State of residence: United States and each State, 1965	1-42
1-20.	Deaths by month and State of occurrence: United States and each State, 1965	1-45
1-21.	Deaths by month, color, and sex: United States and each State, 1965	1-46
1-22.	Deaths by specified race and sex: United States and each State, 1965	1-52
1-23.	Deaths and death rates for each cause, by color and sex: United States, 1965	1-53
1-24.	Deaths from 258 selected causes, by month: United States, 1965	1-87
1-25.	Deaths from 258 selected causes, by specified race and sex: United States, 1965	1-92
1-26.	Deaths from 258 selected causes, by age, race, and sex: United States, 1965	1-100
1-27.	Deaths from 258 selected causes, by color and sex: United States and each State, 1965	1-162

Table 1-1. Deaths by Color, and Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-65

[Rates per 1,000 population residing in area for specified group]

Area and year	Number			Rate								
				Total			White			Nonwhite		
	Total	White	Nonwhite	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES												
1965	1,828,136	1,605,498	222,638	9.4	10.9	8.0	9.4	10.8	8.0	9.6	11.1	8.2
1964	1,798,051	1,578,674	219,377	9.4	10.8	8.0	9.4	10.8	8.0	9.7	11.1	8.3
1963[1]	1,813,549	1,533,015	216,662	9.6	11.1	8.2	9.5	11.0	8.1	10.1	11.5	8.7
1962[1]	1,756,720	1,488,113	206,583	9.5	10.9	8.1	9.4	10.8	8.0	9.8	11.2	8.5
1961	1,701,522	1,498,332	203,190	9.3	10.7	7.9	9.3	10.7	7.8	9.6	10.9	8.4
1960	1,711,982	1,505,335	206,647	9.5	11.0	8.1	9.5	11.0	8.0	10.1	11.5	8.7
1959	1,656,814	1,460,840	195,974	9.4	10.8	8.0	9.3	10.8	7.9	9.9	11.3	8.6
1958	1,647,886	1,451,077	196,809	9.5	11.0	8.1	9.4	10.9	8.0	10.3	11.6	9.0
1957	1,633,128	1,437,652	195,476	9.6	11.1	8.1	9.5	11.0	8.0	10.5	11.9	9.1
1956	1,564,476	1,380,915	183,561	9.4	10.8	7.9	9.3	10.8	7.8	10.1	11.4	8.8
1955	1,528,717	1,350,869	177,848	9.3	10.8	7.9	9.2	10.7	7.8	10.0	11.3	8.8
1954	1,481,091	1,306,989	174,102	9.2	10.7	7.8	9.1	10.6	7.6	10.1	11.4	8.8
1953	1,517,541	1,335,835	181,706	9.6	11.1	8.1	9.4	11.0	8.0	10.8	12.3	9.4
1952	1,496,838	1,315,022	181,816	9.6	11.1	8.1	9.4	11.0	8.0	11.0	12.5	9.6
1951	1,482,099	1,302,969	179,130	9.7	11.1	8.2	9.5	11.0	8.0	11.1	12.5	9.8
1950	1,452,454	1,276,085	176,369	9.6	11.1	8.2	9.5	10.9	8.0	11.2	12.5	9.9
1949	1,443,607	1,268,848	174,759	9.7	11.1	8.3	9.5	11.0	8.1	11.2	12.5	10.0
1948	1,444,337	1,270,589	173,748	9.9	11.3	8.5	9.7	11.2	8.3	11.4	12.7	10.1
1947	1,445,370	1,274,893	170,477	10.1	11.5	8.7	9.9	11.4	8.5	11.4	12.5	10.3
1946	1,395,617	1,232,337	163,280	10.0	11.3	8.6	9.8	11.2	8.5	11.1	12.2	10.0
1945	1,401,719	1,233,889	167,830	10.6	12.6	8.8	10.4	12.5	8.6	11.9	13.5	10.5
1944	1,411,338	1,238,829	172,509	10.6	12.4	9.0	10.4	12.2	8.8	12.4	13.8	11.1
1943	1,459,544	1,280,887	178,657	10.9	12.4	9.4	10.7	12.2	9.2	12.8	14.0	11.6
1942	1,385,187	1,209,944	175,243	10.3	11.7	9.0	10.1	11.4	8.7	12.7	14.0	11.4
1941	1,397,642	1,213,511	184,131	10.5	11.8	9.2	10.2	11.4	8.9	13.5	14.8	12.2
1940	1,417,269	1,231,223	186,046	10.8	12.0	9.5	10.4	11.6	9.2	13.8	15.1	12.6
1939	1,387,897	1,207,078	180,819	10.6	11.7	9.5	10.3	11.3	9.2	13.5	14.7	12.4
1938	1,381,391	1,195,431	185,960	10.6	11.7	9.6	10.3	11.3	9.2	14.0	15.2	12.9
1937	1,450,427	1,254,787	195,640	11.3	12.5	10.0	10.8	12.0	9.6	14.9	16.4	13.4
1936	1,479,228	1,278,379	200,849	11.6	12.7	10.4	11.1	12.3	9.9	15.4	16.9	13.9
1935	1,392,752	1,207,359	185,393	10.9	12.0	9.9	10.6	11.6	9.5	14.3	15.6	13.0
1934	1,396,903	1,207,197	189,706	11.1	12.1	10.0	10.6	11.7	9.6	14.8	16.0	13.5
1933	1,342,106	1,162,398	179,708	10.7	11.6	9.7	10.3	11.2	9.3	14.1	15.1	13.1
DEATH-REGISTRATION STATES[2]												
1932	1,293,269	1,122,470	170,799	10.9	11.7	10.0	10.5	11.3	9.6	14.5	15.4	13.5
1931	1,307,273	1,125,377	181,896	11.1	12.0	10.1	10.6	11.5	9.6	15.5	16.5	14.5
1930	1,327,240	1,136,884	190,356	11.3	12.3	10.4	10.8	11.7	9.8	16.3	17.4	15.3
1929	1,369,757	1,175,490	194,267	11.9	12.8	11.0	11.3	12.2	10.4	16.9	18.0	15.8
1928	1,361,987	1,168,269	193,718	12.0	12.8	11.1	11.4	12.3	10.5	17.1	18.0	16.2
1927	1,211,627	1,050,358	161,269	11.3	12.1	10.5	10.8	11.6	10.0	16.4	17.2	15.6
1926	1,257,256	1,093,850	163,406	12.1	12.9	11.3	11.6	12.3	10.8	17.8	18.7	16.9
1925	1,191,809	1,035,500	156,309	11.7	12.4	10.9	11.1	11.8	10.4	17.4	18.2	16.6
1924	1,151,076	997,617	153,459	11.6	12.3	10.9	11.0	11.8	10.3	17.1	17.9	16.3
1923	1,174,065	1,028,101	145,964	12.1	12.7	11.5	11.7	12.3	11.0	16.5	17.0	16.0
1922	1,083,952	951,452	132,500	11.7	12.3	11.1	11.3	11.9	10.7	15.2	15.7	14.8
1921	1,009,673	895,593	114,080	11.5	11.9	11.0	11.1	11.6	10.6	15.5	15.7	15.4
1920	1,118,070	990,859	127,211	13.0	13.4	12.6	12.6	13.0	12.1	17.7	17.8	17.5
1919	1,072,263	945,436	126,827	12.9	13.5	12.3	12.4	13.0	11.8	17.9	18.1	17.8
1918	1,430,079	1,282,533	147,546	18.1	19.8	16.4	17.5	19.3	15.8	25.6	26.7	24.4
1917	981,239	882,735	98,504	14.0	15.0	12.9	13.5	14.6	12.4	20.4	21.4	19.4
1916	924,971	842,597	82,374	13.8	14.8	12.8	13.4	14.4	12.4	19.1	19.9	18.4
1915	815,500	762,289	53,211	13.2	14.0	12.3	12.9	13.7	12.0	20.2	20.8	19.5
1914	810,914	758,600	52,314	13.3	14.2	12.4	13.0	13.9	12.1	20.2	20.9	19.4
1913	802,909	752,265	50,644	13.8	14.8	12.8	13.5	14.5	12.5	20.3	21.0	19.6
1912	745,771	709,531	36,240	13.6	14.5	12.7	13.4	14.3	12.4	20.6	21.3	19.7
1911	749,918	713,244	36,674	13.9	14.7	13.0	13.7	14.5	12.8	21.3	21.9	20.6
1910	696,856	669,475	27,381	14.7	15.6	13.7	14.5	15.4	13.6	21.7	22.3	21.0
1909	630,057	603,551	26,506	14.2	15.1	13.4	14.0	14.9	13.2	21.8	22.3	21.2
1908	567,245	542,800	24,445	14.7	15.5	13.8	14.5	15.3	13.6	22.4	22.8	22.0
1907	550,245	525,259	24,986	15.9	17.0	14.8	15.7	16.8	14.5	24.3	25.0	23.5
1906	531,005	506,553	24,452	15.7	16.7	14.7	15.5	16.5	14.4	24.2	24.7	23.6
1905	345,863	334,344	11,519	15.9	16.7	15.0	15.7	16.5	14.8	25.5	26.8	24.3
1904	349,855	338,301	11,554	16.4	17.3	15.5	16.2	17.1	15.3	26.1	27.6	24.7
1903	327,295	316,650	10,645	15.6	16.4	14.8	15.4	16.2	14.6	24.5	25.5	23.4
1902	318,636	308,550	10,086	15.5	16.4	14.6	15.3	16.2	14.4	23.6	24.8	22.3
1901	332,203	321,948	10,255	16.4	17.3	15.6	16.2	17.1	15.4	24.3	25.6	23.1
1900	343,217	332,810	10,407	17.2	17.9	16.5	17.0	17.7	16.3	25.0	25.7	24.4

[1] Figures by color exclude data for residents of New Jersey; see Technical Appendix.
[2] Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

Table 1-2. Age-Adjusted Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-65

[Rates per 1,000 population. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix]

Area and year	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES									
1965	7.4	9.4	5.7	7.1	9.1	5.3	10.3	12.4	8.5
1964	7.4	9.4	5.7	7.1	9.0	5.3	10.3	12.2	8.6
1963[1]	7.6	9.6	5.8	7.2	9.2	5.5	10.6	12.5	8.9
1962[1]	7.5	9.4	5.8	7.1	9.0	5.4	10.3	12.0	8.7
1961	7.4	9.2	5.7	7.0	8.9	5.4	10.0	11.6	8.6
1960	7.6	9.5	5.9	7.3	9.2	5.6	10.5	12.1	8.9
1959	7.5	9.3	5.9	7.2	9.0	5.5	10.3	11.9	8.8
1958	7.7	9.4	6.0	7.3	9.1	5.7	10.6	12.2	9.2
1957	7.8	9.6	6.1	7.4	9.2	5.8	10.8	12.4	9.4
1956	7.6	9.4	6.0	7.3	9.1	5.7	10.5	11.9	9.1
1955	7.7	9.3	6.1	7.4	9.1	5.7	10.4	11.9	9.1
1954	7.6	9.3	6.1	7.3	9.0	5.8	10.6	12.0	9.2
1953	8.0	9.8	6.4	7.7	9.4	6.1	11.4	13.0	9.9
1952	8.1	9.8	6.6	7.8	9.5	6.2	11.7	13.2	10.2
1951	8.3	9.9	6.7	7.9	9.6	6.3	11.9	13.3	10.5
1950	8.4	10.0	6.9	8.0	9.6	6.5	12.3	13.6	10.9
1949	8.5	10.1	7.0	8.1	9.7	6.6	12.3	13.5	11.1
1948	8.8	10.3	7.3	8.3	10.0	6.8	12.5	13.8	11.2
1947	9.0	10.5	7.5	8.6	10.1	7.1	12.5	13.6	11.4
1946	9.1	10.6	7.7	8.8	10.2	7.3	12.4	13.5	11.3
1945	9.5	11.1	8.0	9.1	10.7	7.5	13.1	14.5	11.9
1944	9.7	11.2	8.3	9.3	10.8	7.8	13.8	14.9	12.6
1943	10.2	11.6	8.7	9.7	11.2	8.2	14.5	15.7	13.4
1942	9.9	11.4	8.5	9.4	10.9	8.0	14.5	15.8	13.3
1941	10.3	11.7	8.9	9.7	11.2	8.3	15.6	16.9	14.3
1940	10.8	12.1	9.4	10.2	11.6	8.8	16.3	17.6	15.0
1939	10.7	12.0	9.5	10.2	11.4	8.9	16.0	17.1	14.9
1938	10.9	12.1	9.7	10.3	11.5	9.1	16.6	17.7	15.5
1937	11.7	13.1	10.3	11.1	12.4	9.7	17.8	19.2	16.3
1936	12.2	13.5	10.8	11.5	12.8	10.1	18.5	20.1	17.0
1935	11.6	12.9	10.4	11.1	12.3	9.8	17.3	18.5	16.1
1934	11.9	13.1	10.7	11.3	12.5	10.0	17.9	19.0	16.7
1933	11.6	12.7	10.5	11.0	12.2	9.9	17.2	18.1	16.4
DEATH-REGISTRATION STATES[2]									
1932	11.9	12.9	10.8	11.3	12.3	10.2	17.8	18.6	17.0
1931	12.1	13.2	11.0	11.4	12.5	10.3	19.0	19.9	18.1
1930	12.5	13.5	11.3	11.7	12.8	10.6	20.1	21.0	19.2
1929	13.2	14.2	12.1	12.4	13.5	11.4	21.0	21.9	20.0
1928	13.4	14.4	12.3	12.6	13.6	11.5	20.9	21.7	20.2
1927	12.6	13.5	11.6	11.9	12.8	10.9	19.8	20.4	19.3
1926	13.5	14.3	12.5	12.7	13.6	11.8	21.4	22.1	20.8
1925	13.0	13.8	12.2	12.3	13.2	11.4	20.9	21.4	20.4
1924	12.9	13.7	12.1	12.2	13.1	11.3	20.5	21.1	20.0
1923	13.5	14.2	12.8	12.9	13.7	12.1	19.8	20.0	19.7
1922	13.0	13.7	12.4	12.6	13.3	11.8	18.3	18.4	18.4
1921	12.7	13.2	12.1	12.2	12.7	11.6	18.2	18.0	18.6
1920	14.2	14.7	13.8	13.7	14.2	13.1	20.6	20.4	21.0
1919	14.0	14.6	13.4	13.4	14.1	12.8	20.5	20.3	20.8
1918	19.0	20.9	17.3	18.4	20.2	16.6	28.0	28.9	27.1
1917	15.3	16.5	14.0	14.7	16.0	13.4	23.4	24.1	22.7
1916	15.1	16.2	13.9	14.7	15.8	13.4	22.2	22.6	21.6
1915	14.4	15.4	13.4	14.1	15.1	13.0	23.1	23.5	22.6
1914	14.5	15.6	13.4	14.1	15.2	13.0	22.6	23.3	21.9
1913	15.0	16.1	13.7	14.6	15.8	13.4	22.7	23.3	22.0
1912	14.8	16.0	13.7	14.6	15.7	13.4	23.1	24.0	22.2
1911	15.2	16.2	14.1	14.9	15.9	13.8	23.7	24.4	22.9
1910	15.8	16.9	14.6	15.6	16.7	14.4	24.1	24.8	23.2
1909	15.3	16.3	14.2	15.0	16.1	14.0	24.1	24.8	23.3
1908	15.8	16.8	14.6	15.5	16.6	14.4	24.7	25.3	24.1
1907	17.1	18.4	15.7	16.8	18.2	15.4	26.6	27.5	25.7
1906	16.7	17.9	15.4	16.4	17.6	15.1	26.2	27.0	25.5
1905	16.7	17.8	15.7	16.5	17.6	15.4	28.3	29.7	26.9
1904	17.3	18.4	16.2	17.1	18.1	16.0	29.1	30.7	27.4
1903	16.5	17.4	15.5	16.2	17.2	15.3	27.2	28.5	25.9
1902	16.2	17.2	15.1	16.0	17.0	14.9	25.9	27.5	24.5
1901	17.2	18.2	16.2	17.0	18.0	16.0	26.9	28.4	25.5
1900	17.8	18.6	17.0	17.6	18.4	16.8	27.8	28.7	27.1

[1] Figures by color exclude data for residents of New Jersey; see Technical Appendix.
[2] Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

Table 1-3. Death Rates by Age, Color, and Sex: United States, 1956-65

[Rates per 1,000 population residing in area for specified group]

Year, color, and sex	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TOTAL												
1965	9.4	24.1	0.9	0.4	1.1	1.5	3.1	7.4	16.9	37.9	81.9	202.0
1964	9.4	24.6	1.0	0.4	1.1	1.5	3.1	7.4	17.0	37.8	81.8	200.2
1963	9.6	25.3	1.0	0.4	1.1	1.5	3.0	7.5	17.3	38.9	85.2	210.1
1962	9.5	25.3	1.0	0.4	1.0	1.5	3.0	7.4	16.9	38.0	84.3	204.7
1961	9.3	25.4	1.0	0.4	1.0	1.4	2.9	7.3	16.7	37.2	83.6	195.9
1960	9.5	27.0	1.1	0.5	1.1	1.5	3.0	7.6	17.4	38.2	87.5	198.6
1959	9.4	27.5	1.1	0.5	1.1	1.5	2.9	7.4	17.1	37.6	85.8	194.2
1958	9.5	28.1	1.1	0.5	1.1	1.5	3.0	7.5	17.4	38.4	87.9	198.0
1957	9.6	28.0	1.1	0.5	1.2	1.5	3.1	7.6	17.8	39.0	88.1	197.9
1956	9.4	28.2	1.1	0.5	1.2	1.5	3.0	7.5	17.4	38.1	87.9	192.3
MALE												
1965	10.9	27.1	1.0	0.5	1.6	2.0	3.9	9.7	23.1	50.5	98.2	212.8
1964	10.8	27.7	1.0	0.5	1.5	2.0	3.8	9.7	23.0	49.9	97.1	210.4
1963	11.1	28.6	1.1	0.5	1.5	1.9	3.8	9.8	23.2	51.1	100.7	224.6
1962	10.9	28.7	1.0	0.5	1.5	1.9	3.7	9.7	22.6	49.4	98.7	219.0
1961	10.7	28.6	1.1	0.5	1.5	1.8	3.7	9.6	22.4	48.1	97.8	209.1
1960	11.0	30.6	1.2	0.6	1.5	1.9	3.7	9.9	23.1	49.1	101.8	211.9
1959	10.8	31.1	1.2	0.6	1.5	1.9	3.7	9.7	22.8	47.9	99.1	205.4
1958	11.0	31.6	1.2	0.6	1.5	1.9	3.7	9.8	23.0	48.5	101.4	208.3
1957	11.1	31.6	1.2	0.6	1.7	1.9	3.8	9.9	23.5	49.2	101.0	207.3
1956	10.8	32.0	1.2	0.6	1.7	1.9	3.7	9.6	22.9	47.6	100.8	200.5
FEMALE												
1965	8.0	20.9	0.8	0.3	0.6	1.1	2.3	5.2	11.3	27.7	70.0	195.3
1964	8.0	21.4	0.9	0.3	0.6	1.1	2.3	5.2	11.4	27.8	70.4	193.8
1963	8.2	21.8	0.9	0.4	0.6	1.1	2.3	5.2	11.8	28.6	73.5	201.4
1962	8.1	21.9	0.9	0.4	0.6	1.1	2.3	5.2	11.6	28.3	73.3	196.0
1961	7.9	22.0	0.9	0.3	0.6	1.0	2.2	5.1	11.5	27.9	72.8	187.8
1960	8.1	23.2	1.0	0.4	0.6	1.1	2.3	5.3	12.0	28.7	76.3	190.1
1959	8.0	23.8	1.0	0.4	0.6	1.1	2.2	5.2	11.8	28.6	75.5	186.8
1958	8.1	24.5	1.0	0.4	0.6	1.1	2.3	5.4	12.1	29.4	77.4	191.0
1957	8.1	24.3	1.0	0.4	0.7	1.1	2.4	5.5	12.4	30.0	77.8	191.5
1956	7.9	24.3	1.0	0.4	0.7	1.1	2.3	5.3	12.2	29.6	77.5	186.6
WHITE												
1965	9.4	20.9	0.8	0.4	1.0	1.3	2.6	6.8	16.0	36.7	82.9	209.8
1964	9.4	21.5	0.8	0.4	1.0	1.3	2.6	6.8	16.0	36.7	82.7	207.0
1963[2]	9.5	22.2	0.9	0.4	1.0	1.3	2.6	6.8	16.2	37.5	85.8	215.5
1962[2]	9.4	22.4	0.9	0.4	1.0	1.2	2.6	6.8	15.9	36.8	85.0	209.2
1961	9.3	22.5	0.9	0.4	1.0	1.2	2.5	6.7	15.8	36.4	84.7	200.3
1960	9.5	23.6	1.0	0.4	1.0	1.2	2.6	6.9	16.3	37.4	88.3	203.5
1959	9.3	24.0	0.9	0.5	1.0	1.2	2.6	6.8	16.2	36.9	86.8	199.3
1958	9.4	24.5	1.0	0.4	1.0	1.2	2.6	6.9	16.4	37.6	88.9	203.3
1957	9.5	24.6	1.0	0.5	1.1	1.3	2.7	6.9	16.7	38.3	89.1	203.1
1956	9.3	25.0	1.0	0.4	1.1	1.3	2.6	6.8	16.4	37.5	88.9	197.8
WHITE MALE												
1965	10.8	23.7	0.9	0.5	1.5	1.7	3.4	9.0	22.2	49.3	99.7	222.4
1964	10.8	24.4	0.9	0.5	1.5	1.7	3.4	9.0	22.1	48.9	98.6	218.2
1963[2]	11.0	25.2	0.9	0.5	1.4	1.7	3.3	9.2	22.3	49.8	101.8	230.0
1962[2]	10.8	25.5	0.9	0.5	1.4	1.6	3.3	9.1	21.8	48.4	100.0	223.9
1961	10.7	25.6	1.0	0.5	1.4	1.6	3.3	9.0	21.6	47.4	99.4	213.9
1960	11.0	26.9	1.0	0.5	1.4	1.6	3.3	9.3	22.3	48.5	103.0	217.5
1959	10.8	27.4	1.0	0.6	1.5	1.6	3.3	9.1	22.0	47.3	100.5	210.9
1958	10.9	27.7	1.1	0.5	1.5	1.6	3.4	9.2	22.1	47.9	102.7	213.5
1957	11.0	28.0	1.1	0.6	1.6	1.7	3.4	9.2	22.5	48.6	102.4	211.6
1956	10.8	28.5	1.1	0.5	1.6	1.7	3.3	9.0	22.0	47.3	102.3	205.1
WHITE FEMALE												
1965	8.0	17.9	0.7	0.3	0.6	0.9	1.9	4.6	10.2	26.4	70.6	202.1
1964	8.0	18.5	0.8	0.3	0.6	0.9	1.9	4.6	10.3	26.7	71.1	200.0
1963[2]	8.1	19.0	0.8	0.3	0.6	0.9	1.9	4.6	10.5	27.3	73.9	206.6
1962[2]	8.0	19.1	0.8	0.3	0.5	0.9	1.9	4.6	10.4	27.1	73.8	199.7
1961	7.8	19.3	0.8	0.3	0.5	0.8	1.9	4.5	10.3	27.0	73.4	192.0
1960	8.0	20.1	0.9	0.3	0.5	0.9	1.9	4.6	10.8	27.8	77.0	194.8
1959	7.9	20.5	0.8	0.3	0.5	0.9	1.9	4.5	10.7	27.8	76.3	191.8
1958	8.0	21.2	0.9	0.4	0.5	0.9	1.9	4.6	11.0	28.5	78.1	196.5
1957	8.0	21.1	0.9	0.4	0.6	0.9	2.0	4.7	11.3	29.2	78.6	197.3
1956	7.8	21.4	0.9	0.4	0.6	0.9	1.9	4.6	11.1	28.8	78.4	192.7
NONWHITE												
1965	9.7	40.2	1.5	0.6	1.6	3.4	6.6	13.0	26.6	52.6	70.2	123.5
1964	9.7	40.6	1.6	0.6	1.6	3.3	6.6	13.2	27.1	50.6	69.8	128.0
1963[2]	10.1	41.3	1.7	0.6	1.6	3.2	6.5	13.2	27.9	53.0	74.4	145.7
1962[2]	9.8	41.2	1.7	0.6	1.6	3.1	6.3	12.9	27.0	49.7	72.0	144.0
1961	9.6	40.8	1.7	0.6	1.5	3.1	6.2	12.7	26.6	47.1	70.1	142.3
1960	10.1	46.3	1.9	0.6	1.6	3.2	6.3	13.4	27.7	47.8	76.3	139.1
1959	9.9	47.4	1.9	0.7	1.6	3.3	6.3	13.3	27.1	46.1	72.5	131.8
1958	10.3	49.8	2.0	0.6	1.6	3.4	6.2	14.0	28.2	47.8	74.8	134.0
1957	10.5	48.1	2.0	0.7	1.8	3.5	6.5	14.5	29.6	47.6	73.9	132.5
1956	10.1	47.6	1.9	0.7	1.8	3.4	6.4	14.0	29.0	44.9	72.5	126.0

See footnotes at end of table.

Table 1-3. Death Rates by Age, Color, and Sex: United States, 1956-65—Con.

[Rates per 1,000 population residing in area for specified group]

Year, color, and sex	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NONWHITE MALE												
1965	11.1	44.5	1.6	0.7	2.2	4.4	8.1	15.9	31.3	63.8	81.3	130.7
1964	11.1	45.1	1.7	0.7	2.1	4.3	8.1	15.7	31.5	61.4	79.2	134.3
1963[2]	11.5	46.0	1.9	0.7	2.2	4.0	7.6	15.7	31.8	64.4	85.0	161.6
1962[2]	11.2	45.6	1.8	0.7	2.1	3.9	7.4	15.3	30.5	59.5	80.5	161.0
1961	10.9	45.2	1.8	0.7	2.1	3.8	7.2	14.7	30.0	56.2	78.2	155.9
1960	11.5	51.9	2.1	0.8	2.1	3.9	7.3	15.5	31.5	56.6	86.6	152.4
1959	11.3	52.6	2.1	0.8	2.2	4.1	7.2	15.3	31.0	54.5	81.8	144.4
1958	11.6	55.6	2.0	0.7	2.2	4.1	7.0	15.7	32.0	56.1	84.4	156.1
1957	11.9	53.4	2.1	0.8	2.3	4.3	7.3	16.2	33.8	55.6	82.6	155.0
1956	11.4	53.7	2.1	0.8	2.4	4.1	7.0	15.5	32.7	51.8	81.2	144.5
NONWHITE FEMALE												
1965	8.2	35.9	1.4	0.5	1.0	2.5	5.4	10.4	22.2	42.9	60.9	117.9
1964	8.3	36.1	1.5	0.5	1.0	2.5	5.3	10.9	23.0	41.4	61.3	123.3
1963[2]	8.7	36.5	1.6	0.5	1.0	2.6	5.5	11.0	24.2	43.1	65.4	137.1
1962[2]	8.5	36.6	1.5	0.5	1.1	2.5	5.4	10.7	23.7	41.2	64.4	134.8
1961	8.4	36.4	1.6	0.5	1.1	2.5	5.3	10.8	23.4	38.9	62.9	132.0
1960	8.7	40.7	1.7	0.5	1.1	2.6	5.5	11.4	24.1	39.8	67.1	128.7
1959	8.6	42.2	1.7	0.5	1.2	2.6	5.4	11.4	23.4	38.5	64.1	122.3
1958	9.0	44.1	1.9	0.5	1.1	2.8	5.6	12.4	24.7	40.1	66.1	121.7
1957	9.1	42.9	1.8	0.6	1.3	2.8	5.9	12.9	25.6	40.3	65.9	120.3
1956	8.8	41.5	1.8	0.5	1.2	2.7	5.9	12.6	25.3	38.3	64.3	113.3

[1] Figures for age not stated included in "Total" but not distributed among age groups.
[2] Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Table 1-4. Death Rates by Age, Color, and Sex: United States, 1965

[Rates per 1,000 population in specified group]

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All ages[1]	9.4	10.9	8.0	9.4	10.8	8.0	9.6	11.1	8.2
Under 1 year	24.1	27.1	20.9	20.9	23.7	17.9	40.2	44.5	35.9
1-4 years	0.9	1.0	0.8	0.8	0.9	0.7	1.5	1.6	1.4
5-9 years	0.4	0.5	0.4	0.4	0.5	0.3	0.6	0.7	0.5
10-14 years	0.4	0.5	0.3	0.4	0.5	0.3	0.5	0.7	0.4
15-19 years	1.0	1.4	0.5	0.9	1.3	0.5	1.2	1.7	0.8
20-24 years	1.3	1.9	0.7	1.2	1.7	0.6	2.0	2.9	1.3
25-29 years	1.3	1.8	0.9	1.1	1.6	0.7	2.9	3.9	1.9
30-34 years	1.7	2.1	1.3	1.4	1.8	1.0	3.8	4.8	3.0
35-39 years	2.4	3.0	1.9	2.0	2.6	1.5	5.5	6.9	4.4
40-44 years	3.7	4.6	2.8	3.2	4.1	2.4	7.8	9.4	6.4
45-49 years	5.8	7.4	4.2	5.2	6.8	3.7	10.7	13.2	8.6
50-54 years	9.1	12.2	6.3	8.5	11.4	5.6	15.5	18.9	12.4
55-59 years	13.9	18.9	9.2	13.0	18.1	8.3	22.2	26.7	18.0
60-64 years	20.6	28.0	13.8	19.4	27.2	12.5	31.8	36.7	27.2
65-69 years	31.7	42.9	22.3	30.1	41.3	20.7	51.1	61.1	42.2
70-74 years	45.5	60.0	34.0	44.7	59.4	33.2	54.3	67.1	43.7
75-79 years	68.1	84.5	55.8	68.3	85.0	55.9	65.4	78.3	54.7
80-84 years	106.8	124.2	94.7	109.3	127.8	96.6	78.1	86.3	71.3
85 years and over	202.0	212.8	195.3	209.8	222.4	202.1	123.5	130.7	117.9

[1] Figures for age not stated included in "All ages" but not distributed among age groups.

274-315 O - 67 - 2

Table 1-5. Deaths at Ages 85 Years and Over, by Single Years of Age, Color, and Sex: United States, 1965

Age	Total			White		Nonwhite	
	Both sexes	Male	Female	Male	Female	Male	Female
85 years and over	217,147	87,882	129,265	82,523	122,896	5,359	6,369
85 years	35,649	15,744	19,905	14,779	18,869	965	1,036
86 years	30,404	13,072	17,332	12,390	16,605	682	727
87 years	27,487	11,600	15,887	10,994	15,216	606	671
88 years	23,962	9,959	14,003	9,434	13,458	525	545
89 years	21,622	8,709	12,913	8,254	12,363	455	550
90 years	18,540	7,290	11,250	6,803	10,660	487	590
91 years	13,717	5,222	8,495	4,919	8,124	303	371
92 years	11,707	4,363	7,344	4,123	7,017	240	327
93 years	9,343	3,519	5,824	3,298	5,534	221	290
94 years	7,226	2,597	4,629	2,402	4,391	195	238
95 years	5,582	1,949	3,633	1,770	3,388	179	245
96 years	3,801	1,303	2,498	1,182	2,348	121	150
97 years	2,646	863	1,783	775	1,672	88	111
98 years	1,883	595	1,288	536	1,176	59	112
99 years	1,235	390	845	344	758	46	87
100 years	837	248	589	196	489	52	100
101 years	498	157	341	134	301	23	40
102 years	339	105	234	73	199	32	35
103 years	221	53	168	37	130	16	38
104 years	158	50	108	34	87	16	21
105 years	115	36	79	21	62	15	17
106 years	40	12	28	8	17	4	11
107 years	36	12	24	5	14	7	10
108 years	26	8	18	3	4	5	14
109 years	23	6	17	3	7	3	10
110 years	11	3	8	-	3	3	5
111 years	13	6	7	2	2	4	5
112 years	3	2	1	1	-	1	1
113 years	4	2	2	1	-	1	2
114 years	4	2	2	1	1	1	1
115 years	7	2	5	1	1	1	4
116 years	2	1	1	-	-	1	1
117 years	3	2	1	-	-	2	1
120 years	1	-	1	-	-	-	1
121 years	2	-	2	-	-	-	2

Table 1-6. Mortality from 15 Leading Causes of Death: United States, 1965

[Rates per 100,000 population. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For method of ranking, see Technical Appendix]

Rank order	Cause of death	Rate	Percent of total deaths
	All causes	943.2	100.0
1	Diseases of heart—400-402,410-443	367.4	39.0
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	153.5	16.3
3	Vascular lesions affecting central nervous system—330-334	103.7	11.0
4	Accidents—E800-E962	55.7	5.9
...	Motor vehicle accidents—E810-E835	25.4	2.7
...	Other accidents—E800-E802,E840-E962	30.4	3.2
5	Influenza and pneumonia, except pneumonia of newborn—480-493	31.9	3.4
6	Certain diseases of early infancy—760-776	28.6	3.0
7	General arteriosclerosis—450	19.7	2.1
8	Diabetes mellitus—260	17.1	1.8
9	Other diseases of circulatory system—451-468	14.1	1.5
10	Other bronchopulmonic diseases—525-527	13.7	1.5
11	Cirrhosis of liver—581	12.8	1.4
12	Suicide—E963,E970-E979	11.1	1.2
13	Congenital malformations—750-759	10.1	1.1
14	Other hypertensive disease—444-447	6.0	0.6
15	Homicide—E964, E980-E985	5.5	0.6
...	All other causes—Residual	92.3	9.8

Table 1-7. Age-Adjusted Death Rates for Selected Causes, by Color and Sex: United States, 1965

[Based on age-specific death rates per 100,000 population in specified group. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All causes	741.8	943.9	565.7	707.2	909.3	531.7	1,033.9	1,238.2	851.9
Major cardiovascular-renal diseases—330-334,400-468,592-594	381.0	487.8	288.8	368.3	479.3	272.9	501.3	569.8	440.8
Diseases of cardiovascular system—330-334,400-468	376.4	482.2	285.1	364.5	474.5	269.8	489.1	555.8	430.1
Vascular lesions affecting central nervous system—330-334	73.1	79.1	67.9	67.5	73.8	62.1	129.6	134.2	125.5
Diseases of heart—400-402,410-443	275.6	369.7	194.1	270.6	368.6	185.9	319.4	376.1	269.2
General arteriosclerosis—450	12.0	13.4	11.0	12.0	13.4	10.9	12.3	13.6	11.3
Chronic and unspecified nephritis and other renal sclerosis—592-594	4.6	5.7	3.8	3.9	4.8	3.0	12.2	14.0	10.7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	127.9	150.2	109.9	125.8	148.0	108.1	147.7	173.3	125.2
Accidents—E800-E962	53.4	79.1	28.8	51.0	75.4	27.7	70.8	109.3	35.8
Motor vehicle accidents—E810-E835	26.6	40.1	13.7	26.2	39.4	13.7	29.2	46.4	13.7
Other accidents—E800-E802,E840-E962	26.8	39.0	15.1	24.8	36.0	14.0	41.5	63.0	22.1
Influenza and pneumonia, except pneumonia of newborn—480-493	23.4	29.8	18.2	21.0	26.9	16.1	41.7	52.3	32.3
Diabetes mellitus—260	13.5	12.5	14.4	12.5	11.9	12.9	23.6	18.1	28.6
Cirrhosis of liver—581	12.1	16.5	8.3	11.4	15.6	7.6	18.0	23.3	13.4
Tuberculosis, all forms—001-019	3.6	5.6	1.9	2.8	4.5	1.3	10.9	16.0	6.4

Table 1-8. Death Rates for 60 Selected Causes: United States, 1956-65

[Rates for 100,000 population residing in area. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Deaths are classified according to the Sixth Revision for 1956-57 and according to the Seventh Revision for 1958-65]

Cause of death	1965	1964	1963	1962	1961	1960	1959	1958	1957	1956
All causes	943.2	939.6	961.3	945.0	929.5	954.7	938.6	950.8	958.6	935.1
Tuberculosis, all forms---001-019	4.1	4.3	4.9	5.1	5.4	6.1	6.5	7.1	7.8	8.4
Tuberculosis of respiratory system---001-008	3.8	4.0	4.6	4.7	5.0	5.6	6.0	6.6	7.3	7.8
Tuberculosis, other forms---010-019	0.3	0.3	0.4	0.4	0.4	0.4	0.5	0.5	0.6	0.6
Syphilis and its sequelae---020-029	1.3	1.4	1.4	1.5	1.6	1.6	1.7	2.0	2.2	2.3
Dysentery, all forms---045-048	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3
Scarlet fever and streptococcal sore throat---050,051	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Diphtheria---055	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Whooping cough---056	0.0	0.0	0.1	0.0	0.0	0.1	0.2	0.1	0.1	0.2
Meningococcal infections---057	0.5	0.4	0.4	0.3	0.3	0.4	0.4	0.4	0.5	0.5
Acute poliomyelitis---080	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.1	0.3
Measles---085	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3
Other infective and parasitic diseases---030-044,049,052-054,058-074,081-084,086-138	3.0	3.1	3.2	3.1	3.1	3.2	3.1	3.0	2.8	2.7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	153.5	151.3	151.3	149.9	149.4	149.2	147.3	146.8	148.6	147.8
Malignant neoplasm of buccal cavity and pharynx---140-148	3.4	3.4	3.4	3.5	3.5	3.4	3.4	3.3	3.4	3.4
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary---150-156A,157-159	48.7	48.7	49.2	49.5	50.1	50.8	50.7	50.9	51.7	52.4
Malignant neoplasm of respiratory system, not specified as secondary---160-164	26.8	25.7	24.9	24.0	23.1	22.2	21.2	20.4	19.9	19.2
Malignant neoplasm of breast---170	14.0	13.7	13.5	13.4	13.4	13.4	13.1	13.1	13.3	13.3
Malignant neoplasm of genital organs---171-179	20.9	20.9	21.2	21.3	21.4	21.6	21.6	22.1	22.6	22.6
Malignant neoplasm of urinary organs---180-181	7.2	7.1	7.2	7.2	7.1	7.1	7.1	7.0	7.1	7.0
Malignant neoplasm of other and unspecified sites---156B,165,190-199	17.9	17.2	17.0	16.6	16.4	16.5	16.2	16.1	16.7	16.3
Leukemia and aleukemia---204	7.0	7.0	7.2	7.0	7.0	7.1	7.0	6.9	6.9	6.8
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues---200-203,205	7.8	7.7	7.6	7.4	7.4	7.2	7.1	6.9	7.0	6.8
Benign neoplasms and neoplasms of unspecified nature---210-239	2.6	2.6	2.6	2.5	2.6	2.7	2.8	2.9	3.0	2.9
Asthma---241	2.3	2.3	2.7	2.6	2.7	3.0	2.8	2.9	3.9	3.6
Diabetes mellitus---260	17.1	16.9	17.2	16.8	16.4	16.7	15.9	15.9	16.0	15.7
Anemias---290-293	1.8	1.8	1.8	1.8	1.8	1.9	1.8	1.8	1.8	1.9
Meningitis, except meningococcal and tuberculous---340	1.2	1.3	1.2	1.2	1.2	1.3	1.3	1.3	1.2	1.2
Major cardiovascular-renal diseases---330-334,400-468,592-594	516.4	514.3	527.3	521.2	511.4	521.8	515.9	523.5	523.5	510.5
Diseases of cardiovascular system---330-334,400-468	510.9	508.5	521.3	515.1	505.1	515.1	508.9	515.5	514.6	501.4
Vascular lesions affecting central nervous system---330-334	103.7	103.6	106.6	106.2	105.4	108.0	108.4	110.1	110.2	106.3
Diseases of heart---400-402,410-443	367.4	365.7	375.2	370.1	362.4	369.0	363.2	367.7	369.4	361.0
Rheumatic fever and chronic rheumatic heart disease---400-402,410-416	8.0	8.3	8.8	9.5	9.8	10.3	10.4	10.8	11.8	12.0
Arteriosclerotic heart disease, including coronary disease---420	288.6	285.0	289.8	283.8	274.4	275.6	268.6	266.2	265.6	255.5
Nonrheumatic chronic endocarditis and other myocardial degeneration---421,422	27.4	27.8	29.7	29.4	29.8	31.8	31.8	33.8	36.8	37.7
Other diseases of heart---430-434	15.1	14.5	14.5	13.9	13.8	14.3	13.8	14.2	12.8	12.6
Hypertensive heart disease---440-443	28.4	30.0	32.4	33.4	34.6	37.0	38.6	42.7	42.5	43.3
Other hypertensive disease---444-447	6.0	6.4	6.7	6.7	6.7	7.1	7.4	8.0	6.5	6.5
General arteriosclerosis---450	19.7	19.4	19.8	19.8	19.3	20.0	19.6	19.9	19.5	19.1
Other diseases of circulatory system---451-468	14.1	13.5	12.9	12.2	11.3	11.0	10.3	9.9	9.0	8.4
Chronic and unspecified nephritis and other renal sclerosis---592-594	5.5	5.8	6.0	6.1	6.3	6.7	7.0	8.0	8.8	9.1
Influenza and pneumonia, except pneumonia of newborn---480-493	31.9	31.1	37.5	32.3	30.1	37.3	31.2	33.1	35.8	28.2
Influenza---480-483	1.2	0.9	3.8	1.8	1.2	4.4	1.6	2.6	4.4	1.4
Pneumonia, except pneumonia of newborn---490-493	30.8	30.2	33.8	30.4	29.0	32.9	29.6	30.6	31.4	26.8
Bronchitis---500-502	3.0	2.8	2.9	2.5	2.2	2.4	2.2	2.3	2.1	1.9
Other bronchopulmonic diseases---525-527	13.7	12.2	12.3	10.8	9.7	9.6	8.5	8.2	8.1	7.0
Ulcer of stomach and duodenum---540,541	5.4	5.7	6.4	6.6	6.3	6.3	6.0	6.2	6.1	6.0
Appendicitis---550-553	0.9	0.9	0.9	1.0	1.0	1.0	1.0	1.1	1.2	1.3
Hernia and intestinal obstruction---560,561,570	5.2	5.2	5.3	5.2	5.0	5.1	5.2	5.1	5.0	5.1
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	4.1	4.3	4.4	4.4	4.3	4.4	4.4	4.5	4.7	4.5
Cirrhosis of liver---581	12.8	12.1	11.9	11.7	11.3	11.3	10.9	10.8	11.3	10.7
Cholelithiasis, cholecystitis, and cholangitis---584,585	2.4	2.4	2.5	2.6	2.6	2.6	2.5	2.7	2.9	3.1
Acute nephritis, and nephritis with edema including nephrosis---590,591	0.7	0.7	0.8	0.8	0.9	0.9	1.0	1.3	1.3	1.4
Infections of kidney---600	5.1	5.2	4.7	4.7	4.4	4.3	3.9	4.0	3.7	3.4
Hyperplasia of prostate---610	1.8	2.0	2.3	2.3	2.3	2.5	2.6	2.7	3.0	3.2
Deliveries and complications of pregnancy, childbirth, and the puerperium---640-689	0.6	0.7	0.8	0.8	0.9	0.9	0.9	0.9	1.0	1.0
Abortion---650-652	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.2	0.1
Other complications of pregnancy, childbirth, and the puerperium---640-649,660-689	0.5	0.6	0.6	0.6	0.7	0.7	0.7	0.8	0.9	0.9
Congenital malformations---750-759	10.1	10.6	11.0	11.4	12.0	12.2	12.3	12.4	12.8	12.6
Certain diseases of early infancy---760-776	28.6	31.5	33.2	34.5	35.9	37.4	38.5	39.8	39.1	38.6
Birth injuries, postnatal asphyxia, and atelectasis---760-762	11.9	13.2	14.3	15.2	15.8	16.6	17.1	18.2	17.8	17.7
Infections of newborn---763-768	2.0	2.3	2.3	2.4	2.6	2.7	2.9	3.2	3.0	2.8
Other diseases peculiar to early infancy, and immaturity unqualified---769-776	14.6	16.1	16.6	16.9	17.5	18.2	18.5	18.4	18.3	18.1
Symptoms, senility, and ill-defined conditions---780-795	12.1	13.2	11.9	10.6	10.4	11.4	10.8	11.4	11.2	11.3
All other diseases---Residual*	28.6	28.5	28.7	28.1	28.2	29.0	28.8	28.4	26.9	25.9
Accidents---E800-E962	55.7	54.3	53.4	52.3	50.4	52.3	52.2	52.3	55.9	56.7
Motor vehicle accidents---E810-E835	25.4	24.5	23.1	22.0	20.8	21.3	21.5	21.3	22.7	23.7
Other accidents---E800-E802,E840-E962	30.4	29.7	30.3	30.3	29.6	31.0	30.7	30.9	33.2	33.0
Suicide---E963,E970-E979	11.1	10.8	11.0	10.9	10.4	10.6	10.6	10.7	9.8	10.0
Homicide---E964,E980-E985	5.5	5.1	4.9	4.8	4.7	4.7	4.6	4.5	4.5	4.6

Table 1-9. Death Rates For 60 Selected Causes, by

(Rates per 100,000 population in specified group. Numbers after causes of death

	Cause of death, color, and sex	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	All causes	943.2	2,407.7	92.9	43.6	40.7	95.1	127.3
2	Male	1,088.4	2,713.0	100.8	50.5	51.3	135.6	185.8
3	Female	803.3	2,089.4	84.6	36.5	29.9	53.8	71.0
4	White	940.3	2,087.5	81.4	40.5	38.7	91.0	116.6
5	Male	1,084.9	2,373.9	89.3	47.2	49.0	130.8	171.9
6	Female	800.5	1,787.5	73.1	33.5	28.1	50.1	63.3
7	Nonwhite	965.0	4,016.9	153.6	62.4	53.0	123.7	204.7
8	Male	1,114.3	4,447.5	162.6	70.5	65.5	168.9	288.6
9	Female	824.3	3,590.8	144.5	54.3	40.5	78.8	125.7
10	Tuberculosis, all forms (001-019)	4.1	0.7	0.3	0.1	0.1	0.2	0.4
11	Male	6.1	0.7	0.2	0.1	0.1	0.2	0.5
12	Female	2.2	0.7	0.4	0.0	0.1	0.3	0.4
13	White	3.4	0.4	0.2	0.0	0.0	0.1	0.2
14	Male	5.2	0.5	0.1	0.0	0.0	0.1	0.2
15	Female	1.7	0.3	0.2	0.0	0.1	0.1	0.1
16	Nonwhite	9.3	2.3	1.1	0.3	0.2	0.9	2.2
17	Male	13.1	1.6	0.6	0.4	0.2	0.7	2.1
18	Female	5.6	3.2	1.7	0.1	0.3	1.1	2.4
19	Tuberculosis of respiratory system (001-008)	3.8	0.3	0.1	0.0	0.0	0.1	0.3
20	Male	5.7	0.4	0.1	0.0	0.0	0.1	0.3
21	Female	1.9	0.3	0.1	0.0	0.1	0.2	0.3
22	White	3.2	0.1	0.0	0.0	0.0	0.1	0.1
23	Male	4.9	0.2	0.0	0.0	0.0	0.1	0.1
24	Female	1.6	0.1	0.0	-	0.0	0.1	0.1
25	Nonwhite	8.2	1.4	0.5	0.1	0.1	0.5	1.6
26	Male	11.9	1.2	0.2	0.2	-	0.3	1.4
27	Female	4.7	1.6	0.7	0.1	0.2	0.7	1.8
28	Tuberculosis, other forms (010-019)	0.3	0.4	0.2	0.0	0.0	0.1	0.1
29	Male	0.4	0.4	0.2	0.0	0.0	0.1	0.2
30	Female	0.2	0.4	0.3	0.0	0.0	0.1	0.1
31	White	0.2	0.3	0.1	0.0	0.0	0.0	0.1
32	Male	0.2	0.4	0.1	0.0	0.0	0.0	0.1
33	Female	0.1	0.2	0.2	0.0	0.0	0.1	0.0
34	Nonwhite	1.1	0.9	0.7	0.1	0.1	0.4	0.6
35	Male	1.2	0.3	0.4	0.2	0.2	0.4	0.6
36	Female	0.9	1.6	1.0	0.1	0.1	0.4	0.6
37	Syphilis and its sequelae (020-029)	1.3	0.6	-	0.0	0.0	0.0	0.0
38	Male	1.8	0.7	-	0.0	0.0	0.0	0.0
39	Female	0.7	0.6	-	-	0.0	-	0.0
40	White	1.0	0.3	-	-	0.0	0.0	0.0
41	Male	1.5	0.4	-	-	0.0	0.0	0.0
42	Female	0.6	0.3	-	-	0.0	-	0.0
43	Nonwhite	2.8	2.2	-	0.0	-	0.0	0.1
44	Male	4.0	2.2	-	0.1	-	0.1	-
45	Female	1.7	2.2	-	-	-	-	0.2
46	Dysentery, all forms (045-048)	0.1	2.2	0.2	0.0	0.0	0.0	0.0
47	Male	0.1	2.2	0.2	0.0	0.0	0.0	0.0
48	Female	0.1	2.2	0.2	0.0	0.0	0.0	-
49	White	0.1	1.0	0.1	0.0	0.0	0.0	0.0
50	Male	0.1	1.0	0.2	0.0	0.0	0.0	0.0
51	Female	0.1	1.0	0.1	0.0	0.0	-	-
52	Nonwhite	0.5	8.3	0.6	0.2	0.0	0.0	-
53	Male	0.5	8.7	0.7	0.1	0.1	-	-
54	Female	0.5	7.9	0.6	0.3	-	0.1	-
55	Scarlet fever and streptococcal sore throat (050,051)	0.0	0.1	0.0	0.0	0.0	0.0	0.0
56	Male	0.0	0.1	0.1	0.0	0.0	0.0	-
57	Female	0.0	0.1	0.0	0.0	0.0	0.0	0.0
58	White	0.0	0.1	0.1	0.0	0.0	0.0	0.0
59	Male	0.0	0.1	0.1	0.0	-	0.0	-
60	Female	0.0	0.1	0.0	0.0	0.0	0.0	0.0
61	Nonwhite	0.1	0.2	-	0.0	0.1	0.0	0.1
62	Male	0.1	0.3	-	0.1	0.1	0.1	-
63	Female	0.1	-	-	-	0.1	-	0.1
64	Diphtheria (055)	.0.0	-	0.0	0.0	0.0	-	-
65	Male	0.0	-	0.1	0.0	0.0	-	-
66	Female	0.0	-	0.0	0.0	0.0	-	-
67	White	0.0	-	0.0	0.0	0.0	-	-
68	Male	0.0	-	0.0	0.0	0.0	-	-
69	Female	0.0	-	0.0	0.0	-	-	-
70	Nonwhite	0.0	-	0.1	0.1	0.1	-	-
71	Male	0.0	-	0.2	0.1	0.1	-	-
72	Female	0.0	-	-	0.1	0.1	-	-
73	Whooping cough (056)	0.0	1.1	0.1	-	-	-	-
74	Male	0.0	1.3	0.1	-	-	-	-
75	Female	0.0	0.8	0.1	-	-	-	-
76	White	0.0	0.6	0.0	-	-	-	-
77	Male	0.0	0.8	0.0	-	-	-	-
78	Female	0.0	0.4	0.0	-	-	-	-
79	Nonwhite	0.1	3.4	0.4	-	-	-	-
80	Male	0.2	4.0	0.5	-	-	-	-
81	Female	0.1	2.8	0.2	-	-	-	-
82	Meningococcal infections (057)	0.5	7.1	1.8	0.4	0.2	0.2	0.2
83	Male	0.5	7.9	1.9	0.5	0.2	0.3	0.3
84	Female	0.4	6.3	1.7	0.3	0.2	0.2	0.1
85	White	0.4	6.9	1.7	0.3	0.2	0.2	0.2
86	Male	0.5	8.1	1.9	0.4	0.2	0.2	0.2
87	Female	0.4	5.7	1.6	0.2	0.1	0.2	0.1
88	Nonwhite	0.8	8.0	1.9	0.8	0.3	0.3	0.4
89	Male	0.8	7.1	1.9	1.0	0.2	0.4	0.6
90	Female	0.7	8.9	1.9	0.7	0.5	0.2	0.2

[1]Figures for age not stated included in "Total" but not distributed among age groups.

5-Year Age Groups, Color, and Sex: United States, 1965

are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
134.3	169.3	243.1	369.4	578.7	913.7	1,385.6	2,056.5	3,167.1	4,546.7	6,811.5	10,684.5	20,199.7	1
184.0	213.2	302.7	464.9	743.4	1,215.6	1,887.7	2,803.9	4,285.0	6,003.5	8,446.2	12,417.7	21,278.9	2
86.2	126.9	186.1	279.1	422.7	627.5	917.1	1,380.1	2,231.9	3,402.2	5,581.9	9,474.9	19,526.4	3
113.4	140.1	203.6	321.3	524.0	845.2	1,302.1	1,944.2	3,005.7	4,471.4	6,832.3	10,928.2	20,982.5	4
157.0	179.3	257.4	411.4	682.3	1,144.4	1,809.5	2,715.5	4,126.3	5,941.2	8,502.8	12,776.8	22,243.4	5
70.7	101.7	151.3	235.3	373.1	560.2	828.6	1,249.5	2,071.3	3,321.6	5,587.1	9,657.9	20,213.2	6
287.2	384.3	554.1	777.3	1,074.9	1,546.3	2,217.2	3,183.2	5,110.8	5,430.5	6,544.2	7,811.5	12,345.3	7
392.9	479.6	686.5	936.3	1,317.2	1,887.4	2,665.3	3,666.7	6,114.5	6,713.6	7,833.9	8,629.6	13,070.7	8
194.0	301.6	442.8	636.8	857.5	1,237.1	1,798.1	2,723.7	4,220.7	4,371.7	5,472.5	7,128.2	11,794.4	9
0.7	1.5	2.5	3.6	4.7	6.8	9.4	12.0	15.2	18.5	23.2	26.5	37.4	10
0.8	1.6	2.8	4.4	6.6	10.5	15.6	20.4	27.0	33.6	40.2	44.8	58.8	11
0.6	1.3	2.2	2.9	2.8	3.3	3.7	4.3	5.3	6.6	10.4	13.8	24.0	12
0.3	0.7	1.4	2.2	3.3	5.2	7.7	10.0	12.6	16.7	21.2	24.8	35.0	13
0.3	0.6	1.6	2.9	4.5	8.1	12.9	17.3	22.6	30.5	36.8	42.5	55.0	14
0.2	0.7	1.2	1.6	2.1	2.4	2.8	3.5	4.3	6.0	9.6	12.7	22.9	15
3.7	7.4	11.5	15.6	17.3	22.2	26.8	31.4	46.6	38.8	48.1	46.8	62.1	16
4.6	9.6	13.2	17.6	26.5	33.3	42.8	50.4	78.4	69.0	81.4	69.0	95.1	17
2.9	5.5	10.0	13.9	9.1	12.1	11.8	13.2	18.4	13.9	20.4	28.2	37.0	18
0.5	1.3	2.3	3.4	4.3	6.4	9.0	11.3	14.5	17.3	22.0	25.0	35.3	19
0.6	1.5	2.6	4.1	6.2	9.8	15.0	19.5	25.9	31.8	38.5	42.4	55.7	20
0.4	1.2	2.0	2.6	2.4	3.1	3.3	3.9	5.0	6.0	9.6	12.8	22.7	21
0.2	0.6	1.2	2.1	3.1	5.0	7.4	9.5	12.0	15.8	20.2	23.6	33.3	22
0.2	0.6	1.5	2.8	4.3	7.8	12.5	16.7	21.7	29.1	35.3	40.6	52.3	23
0.2	0.6	1.0	1.5	1.9	2.3	2.6	3.1	4.0	5.4	8.9	11.9	21.7	24
2.7	6.9	10.4	14.0	15.2	19.0	24.8	29.0	44.1	35.1	45.8	41.0	56.8	25
3.6	8.9	12.0	15.9	24.4	28.6	40.3	47.2	74.4	63.0	77.1	62.0	87.8	26
2.0	5.1	9.1	12.2	7.0	10.2	10.2	11.6	17.2	12.1	19.7	23.5	33.3	27
0.1	0.1	0.2	0.3	0.4	0.5	0.4	0.7	0.7	1.1	1.1	1.6	2.0	28
0.1	0.1	0.3	0.2	0.4	0.7	0.6	0.9	1.2	1.8	1.7	2.3	3.1	29
0.1	0.1	0.2	0.3	0.4	0.2	0.3	0.4	0.4	0.6	0.7	1.0	1.4	30
0.0	0.1	0.1	0.1	0.2	0.2	0.3	0.5	0.6	0.9	1.0	1.2	1.7	31
0.0	0.1	0.2	0.1	0.3	0.3	0.4	0.7	0.9	1.4	1.5	1.9	2.7	32
-	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.3	0.5	0.7	0.7	1.2	33
1.0	0.5	1.0	1.7	2.1	3.2	2.0	2.4	2.5	3.7	2.3	5.8	5.3	34
1.0	0.7	1.1	1.6	2.1	4.7	2.5	3.2	4.0	6.0	4.2	7.0	7.3	35
1.0	0.4	1.0	1.7	2.2	1.9	1.6	1.7	1.2	1.8	0.7	4.7	3.7	36
0.1	0.1	0.1	0.3	0.8	1.5	2.7	4.4	7.1	8.7	9.1	9.3	7.1	37
0.1	0.2	0.1	0.4	1.1	2.3	3.9	6.7	11.8	15.2	14.3	14.5	8.7	38
0.1	0.1	0.1	0.2	0.5	0.7	1.5	2.3	3.3	3.6	5.2	5.7	6.0	39
0.1	0.1	0.1	0.1	0.4	0.9	1.8	3.4	5.8	7.8	8.5	8.6	6.6	40
0.1	0.1	0.1	0.2	0.6	1.4	2.8	5.3	9.6	13.9	13.5	13.5	7.5	41
0.0	0.1	0.1	0.1	0.2	0.4	0.9	1.7	2.6	3.0	4.8	5.2	6.1	42
0.4	0.8	0.4	1.8	3.7	6.9	10.9	14.1	23.8	19.7	16.9	17.9	11.6	43
0.6	1.2	0.3	2.8	5.0	11.2	14.9	20.0	37.0	29.9	24.6	25.4	19.5	44
0.1	0.4	0.6	1.0	2.5	3.0	7.2	8.5	12.1	11.2	10.6	11.8	5.6	45
-	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.6	1.0	46
-	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.3	0.3	0.5	0.7	1.2	47
-	-	0.0	0.0	0.0	0.1	0.1	0.0	0.2	0.2	0.1	0.4	0.9	48
-	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.2	0.2	0.4	0.8	49
-	0.0	-	0.1	0.1	0.0	0.1	0.1	0.2	0.2	0.4	0.7	1.1	50
-	-	0.0	-	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.2	0.7	51
-	-	0.2	0.2	-	0.4	-	0.7	1.4	0.7	0.8	2.6	3.2	52
-	-	0.3	0.2	-	0.6	-	1.2	0.9	1.1	1.7	1.4	2.4	53
-	-	0.1	0.3	-	0.2	-	0.3	2.0	0.4	-	3.5	3.7	54
0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.2	0.3	55
0.0	-	0.0	0.0	-	0.0	0.1	-	-	0.1	0.1	0.4	0.2	56
0.0	0.0	0.0	-	0.1	0.0	0.0	0.0	0.1	0.1	-	0.1	0.3	57
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.2	0.2	58
0.0	-	0.0	0.0	-	0.0	0.1	-	-	0.0	0.1	0.4	0.3	59
-	0.0	-	-	0.0	0.0	-	0.0	0.1	0.1	-	-	0.2	60
0.1	-	0.1	-	0.1	-	0.2	0.1	-	0.2	0.4	0.6	1.1	61
-	-	0.2	-	-	-	-	-	-	0.5	0.8	-	-	62
0.1	-	0.1	-	0.2	-	0.5	0.3	-	-	-	1.2	1.9	63
-	-	-	-	-	0.0	0.0	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	0.0	0.0	-	-	-	-	-	-	66
-	-	-	-	-	0.0	0.0	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	0.0	0.0	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	81
0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.2	82
0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.3	0.1	0.1	0.1	0.1	0.2	83
0.1	0.1	0.1	0.1	0.2	0.1	0.3	0.1	0.2	0.3	0.1	0.3	0.2	84
0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.2	85
0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.3	86
0.1	0.0	0.1	0.1	0.2	0.1	0.3	0.2	0.2	0.3	0.1	0.3	0.2	87
0.2	0.4	0.1	0.3	0.1	0.4	0.4	0.3	0.4	0.2	0.4	-	-	88
0.3	0.5	0.2	0.3	-	0.4	0.5	0.6	0.4	-	-	-	-	89
0.1	0.3	0.1	0.3	0.2	0.4	0.2	-	0.4	0.4	0.7	-	-	90

Table 1-9. Death Rates For 60 Selected Causes, by

(Rates per 100,000 population in specified group. Numbers after causes of death

	Cause of death, color, and sex	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Acute poliomyelitis (080)	0.0	0.1	0.0	0.0	0.0	-	-
2	Male	0.0	-	0.0	-	-	-	-
3	Female	0.0	0.1	0.0	0.0	0.0	-	-
4	White	0.0	0.0	0.0	0.0	0.0	-	-
5	Male	0.0	-	-	-	-	-	-
6	Female	0.0	0.1	0.0	0.0	0.0	-	-
7	Nonwhite	0.0	0.2	0.0	-	-	-	-
8	Male	0.0	-	0.1	-	-	-	-
9	Female	0.0	0.3	-	-	-	-	-
10	Measles (085)	0.1	1.8	0.8	0.3	0.0	0.0	0.0
11	Male	0.1	1.8	0.8	0.2	0.0	0.0	-
12	Female	0.1	1.7	0.7	0.4	0.1	0.0	0.0
13	White	0.1	1.3	0.6	0.3	0.1	0.0	0.0
14	Male	0.1	1.5	0.6	0.2	0.0	0.0	-
15	Female	0.1	1.1	0.5	0.4	0.1	0.0	0.0
16	Nonwhite	0.4	3.9	1.7	0.5	-	-	-
17	Male	0.3	3.4	1.5	0.5	-	-	-
18	Female	0.4	4.4	1.8	0.5	-	-	-
19	Other infective and parasitic diseases (030-044,049,052-054,058-074, 081-084,086-138)	3.0	19.2	2.6	1.1	0.6	0.8	0.9
20	Male	3.3	21.6	2.8	1.1	0.7	0.8	0.9
21	Female	2.8	16.7	2.3	1.1	0.5	0.9	1.0
22	White	2.7	15.4	2.2	1.1	0.5	0.7	0.7
23	Male	2.9	17.3	2.4	1.1	0.6	0.7	0.6
24	Female	2.5	13.4	2.0	1.0	0.5	0.8	0.8
25	Nonwhite	5.6	38.5	4.4	1.5	0.7	1.5	2.7
26	Male	6.0	43.8	5.0	1.3	0.9	1.5	2.6
27	Female	5.2	33.2	3.8	1.8	0.5	1.6	2.8
28	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	153.5	5.9	8.6	7.1	5.9	7.6	9.0
29	Male	169.7	6.0	9.1	7.9	6.5	9.3	10.6
30	Female	138.0	5.7	8.2	6.2	5.3	5.8	7.5
31	White	157.3	6.1	9.3	7.4	6.1	7.5	9.2
32	Male	173.2	6.1	9.8	8.4	6.6	9.3	11.1
33	Female	141.9	6.2	8.8	6.5	5.5	5.7	7.4
34	Nonwhite	125.9	4.5	5.0	4.8	4.6	7.9	7.9
35	Male	143.4	5.6	5.3	5.0	5.5	9.2	7.4
36	Female	109.4	3.5	4.7	4.6	3.7	6.6	8.4
37	Malignant neoplasm of buccal cavity and pharynx (140-148)	3.4	-	0.0	0.0	0.1	0.1	0.1
38	Male	5.2	-	0.0	0.0	0.1	0.1	0.2
39	Female	1.6	-	0.0	0.0	0.1	0.1	0.0
40	White	3.4	-	0.0	0.0	0.1	0.1	0.1
41	Male	5.2	-	0.0	0.0	0.1	0.1	0.1
42	Female	1.6	-	0.0	0.0	0.1	0.1	0.0
43	Nonwhite	3.0	-	-	-	0.0	0.3	0.1
44	Male	4.7	-	-	-	0.1	0.3	0.3
45	Female	1.5	-	-	-	-	0.4	-
46	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)	48.7	0.4	0.2	0.0	0.1	0.3	0.7
47	Male	53.9	0.3	0.2	0.1	0.1	0.3	0.7
48	Female	43.6	0.5	0.1	0.0	0.1	0.3	0.6
49	White	49.6	0.4	0.2	0.1	0.1	0.2	0.6
50	Male	54.2	0.3	0.3	0.1	0.1	0.2	0.7
51	Female	45.1	0.4	0.1	0.0	0.1	0.2	0.5
52	Nonwhite	41.8	0.6	0.0	-	0.2	0.6	1.2
53	Male	51.6	0.3	-	-	0.2	0.8	1.0
54	Female	32.6	0.9	0.1	-	0.2	0.3	1.4
55	Malignant neoplasm of respiratory system, not specified as secondary (160-164)	26.8	0.2	0.0	0.0	0.0	0.2	0.3
56	Male	46.0	0.3	0.0	0.0	0.0	0.2	0.4
57	Female	8.3	0.1	0.0	0.0	0.0	0.1	0.2
58	White	27.7	0.2	0.0	0.0	0.0	0.2	0.3
59	Male	47.4	0.3	0.0	0.0	-	0.2	0.4
60	Female	8.6	0.1	-	0.0	0.0	0.1	0.2
61	Nonwhite	20.6	-	0.1	0.1	0.0	0.3	0.2
62	Male	35.8	-	0.1	0.1	0.1	0.4	0.4
63	Female	6.3	-	0.2	0.1	-	0.2	0.1
64	Malignant neoplasm of breast (170)	14.0	-	-	0.0	-	0.0	0.1
65	Male	0.3	-	-	-	-	-	-
66	Female	27.2	-	-	0.0	-	0.0	0.2
67	White	14.6	-	-	0.0	-	0.0	0.1
68	Male	0.3	-	-	-	-	-	-
69	Female	28.4	-	-	0.0	-	0.0	0.2
70	Nonwhite	9.5	-	-	-	-	-	0.2
71	Male	0.2	-	-	-	-	-	-
72	Female	18.3	-	-	-	-	-	0.4
73	Malignant neoplasm of genital organs (171-179)	20.9	0.0	0.1	0.1	0.2	0.6	1.2
74	Male	17.7	-	0.1	0.0	0.1	0.6	1.3
75	Female	23.9	0.1	0.1	0.1	0.3	0.6	1.1
76	White	20.5	-	0.1	0.1	0.2	0.6	1.2
77	Male	17.5	-	0.2	0.0	0.1	0.7	1.5
78	Female	23.5	-	0.1	0.1	0.2	0.5	1.0
79	Nonwhite	23.3	0.2	-	0.1	0.4	0.5	0.9
80	Male	19.3	-	-	0.1	0.2	0.2	0.1
81	Female	27.0	0.3	-	0.1	0.6	0.8	1.7
82	Malignant neoplasm of urinary organs (180,181)	7.2	0.4	0.7	0.5	0.1	0.1	0.1
83	Male	9.6	0.6	0.7	0.4	0.1	0.1	0.1
84	Female	4.9	0.3	0.7	0.5	0.1	0.2	0.2
85	White	7.5	0.4	0.7	0.5	0.1	0.1	0.1
86	Male	10.1	0.5	0.7	0.4	0.0	0.0	0.1
87	Female	5.0	0.3	0.7	0.5	0.1	0.1	0.1
88	Nonwhite	4.6	0.5	0.8	0.3	0.1	0.3	0.2
89	Male	5.7	0.6	0.9	0.3	0.2	0.2	-
90	Female	3.6	0.3	0.8	0.4	0.1	0.5	0.5

[1]Figures for age not stated included in "Total" but not distributed among age groups.

5-Year Age Groups, Color, and Sex: United States, 1965–Con.

are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
0.0	0.0	0.0	0.0	-	-	0.0	-	-	-	-	-	-	1
0.0	0.1	-	0.0	-	-	-	-	-	-	-	-	-	2
0.0	-	0.0	0.0	-	-	0.0	-	-	-	-	-	-	3
0.0	0.0	0.0	0.0	-	-	0.0	-	-	-	-	-	-	4
0.0	0.1	-	0.0	-	-	-	-	-	-	-	-	-	5
0.0	-	0.0	0.0	-	-	0.0	-	-	-	-	-	-	6
-	0.1	-	-	-	-	-	-	-	-	-	-	-	7
-	0.2	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	0.0	-	0.0	0.0	-	0.0	-	-	-	-	-	0.1	10
-	-	-	0.0	0.0	-	-	-	-	-	-	-	-	11
-	0.0	-	-	-	-	0.0	-	-	-	-	-	0.2	12
-	0.0	-	0.0	0.0	-	0.0	-	-	-	-	-	0.1	13
-	-	-	0.0	0.0	-	-	-	-	-	-	-	-	14
-	0.0	-	-	-	-	0.0	-	-	-	-	-	0.2	15
-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	18
1.2	1.4	1.7	2.0	2.5	3.0	4.4	5.4	7.0	9.0	12.4	16.7	25.8	19
1.2	1.2	1.5	2.0	2.7	3.5	4.9	6.4	8.8	11.5	15.5	21.3	22.0	20
1.2	1.5	2.0	2.1	2.2	2.8	3.8	4.5	5.5	7.0	10.1	13.5	27.8	21
0.9	1.0	1.3	1.6	2.0	2.6	3.9	4.8	6.3	8.6	11.4	16.8	25.5	22
0.9	1.0	1.2	1.7	2.2	3.0	4.6	5.7	8.1	10.9	14.1	21.6	20.8	23
1.0	1.1	1.5	1.6	1.8	2.3	3.2	4.0	4.8	6.9	9.4	13.5	28.5	24
3.3	3.7	5.1	5.8	6.5	6.8	9.3	11.4	15.3	13.0	25.8	16.0	26.3	25
3.6	3.0	4.4	5.0	7.5	7.9	8.4	12.8	17.2	18.5	33.1	18.3	34.1	26
2.9	4.4	5.6	6.0	5.6	5.8	10.2	10.2	13.7	8.5	19.7	14.1	20.4	27
13.8	24.2	42.5	78.3	135.1	224.8	343.1	481.1	673.9	847.4	1,021.7	1,224.3	1,493.3	28
14.8	21.1	37.0	67.4	124.9	230.7	393.2	591.2	868.5	1,113.4	1,324.6	1,567.0	1,841.6	29
12.9	27.3	47.8	88.6	144.7	219.3	296.3	381.4	511.1	638.4	793.8	985.2	1,276.0	30
13.7	23.2	40.0	74.4	129.2	217.0	333.2	470.1	656.6	846.2	1,032.7	1,256.3	1,541.9	31
15.0	21.2	35.4	63.4	118.7	220.5	380.5	579.8	845.2	1,108.6	1,338.6	1,610.1	1,916.4	32
12.5	25.1	44.4	84.8	139.3	213.8	289.1	371.3	499.3	641.0	804.6	1,013.2	1,313.3	33
14.5	32.2	62.5	111.1	188.0	296.6	441.4	591.2	882.2	860.4	880.4	846.8	1,008.4	34
13.2	20.4	50.6	102.3	183.6	327.2	519.6	702.3	1,135.7	1,167.9	1,166.1	1,113.3	1,209.8	35
15.7	42.2	72.6	119.0	191.5	269.2	368.3	485.7	657.4	606.7	643.0	625.9	855.6	36
0.2	0.2	0.6	1.6	3.5	6.8	10.6	11.8	14.3	15.8	18.0	20.3	31.4	37
0.2	0.2	0.8	2.4	5.4	10.4	17.6	20.1	25.0	27.5	30.4	34.8	51.3	38
0.2	0.1	0.4	0.9	1.8	3.3	4.1	4.4	5.3	6.6	8.8	10.1	19.0	39
0.2	0.2	0.4	1.2	3.2	6.5	10.3	11.5	14.2	16.0	18.6	21.2	32.6	40
0.2	0.2	0.6	1.8	4.8	9.8	16.9	19.7	24.8	28.1	31.8	36.6	53.6	41
0.2	0.1	0.3	0.6	1.6	3.3	4.0	4.2	5.4	6.5	8.8	10.6	19.7	42
0.2	0.2	1.9	5.2	6.7	9.4	14.5	14.8	15.1	13.8	10.8	9.6	20.0	43
0.5	0.2	2.6	7.6	10.3	15.4	24.3	23.8	27.3	20.7	13.6	15.5	31.7	44
-	0.3	1.2	3.0	3.5	3.9	5.3	6.3	4.3	8.1	8.5	4.7	11.1	45
1.5	3.4	7.1	14.8	28.9	55.8	95.0	148.8	224.5	307.3	398.6	509.8	625.0	46
1.7	3.9	8.0	16.3	33.2	65.6	116.4	185.7	281.4	384.8	481.2	603.4	694.2	47
1.3	2.9	6.3	13.3	24.9	46.6	75.1	115.5	176.9	246.4	336.4	444.5	581.9	48
1.3	3.1	6.6	13.7	26.7	51.9	90.4	141.8	215.3	305.4	402.6	523.9	646.3	49
1.5	3.7	7.3	14.9	30.4	59.8	109.2	176.5	268.1	379.5	484.4	621.4	720.8	50
1.1	2.5	5.9	12.4	23.1	44.4	72.9	110.6	171.3	247.4	341.7	456.9	600.8	51
2.6	5.3	11.2	24.2	49.7	92.3	140.8	219.1	335.0	329.7	346.5	344.2	412.6	52
2.9	5.8	14.1	28.6	59.5	120.3	187.6	275.4	435.2	445.1	447.5	414.1	470.7	53
2.4	5.0	8.8	20.3	40.9	66.8	97.0	165.6	246.1	234.5	262.7	285.9	368.5	54
0.4	1.7	5.5	12.9	27.4	49.6	80.0	110.7	144.4	152.0	134.3	112.9	97.8	55
0.7	2.2	8.2	19.9	43.3	83.3	142.1	204.3	278.9	299.1	261.9	214.6	171.7	56
0.2	1.1	2.9	6.3	12.2	17.7	22.0	25.9	31.9	36.4	38.3	42.0	51.7	57
0.4	1.6	5.0	12.0	26.1	48.5	78.9	111.3	143.4	153.3	137.0	116.3	100.5	58
0.7	2.2	7.5	18.1	40.9	81.1	140.0	206.6	277.3	302.6	268.3	222.6	177.6	59
0.2	1.0	2.7	6.2	12.1	17.4	21.9	25.6	31.8	36.4	39.2	43.3	53.5	60
0.5	2.1	8.9	20.9	38.4	60.0	91.1	103.8	156.5	137.3	99.2	73.1	70.5	61
0.6	2.8	14.0	35.6	66.4	104.1	163.1	182.3	295.6	259.2	186.4	131.0	122.0	62
0.4	1.4	4.5	7.9	13.5	19.9	23.8	29.2	33.2	36.8	26.8	24.7	31.5	63
0.8	3.2	7.1	14.1	22.0	31.9	38.4	41.6	49.0	56.2	66.9	84.4	116.6	64
0.0	0.0	0.1	0.1	0.2	0.5	0.5	0.8	1.7	1.2	1.9	2.2	2.9	65
1.6	6.2	13.7	27.4	42.7	61.7	73.8	78.4	88.5	99.3	115.8	141.7	187.5	66
0.7	2.9	6.7	13.8	21.8	32.1	38.8	42.0	49.6	57.5	68.7	87.4	120.8	67
0.0	0.0	0.1	0.1	0.2	0.5	0.5	0.8	1.8	1.2	1.9	2.1	3.0	68
1.4	5.7	13.1	26.9	42.5	62.1	74.5	79.0	89.4	101.6	118.6	146.0	192.8	69
1.4	5.1	9.9	16.4	23.7	30.5	34.7	37.6	41.6	40.0	43.5	48.7	73.7	70
-	-	0.3	0.2	0.2	0.6	0.7	0.9	0.9	0.5	2.5	2.8	2.4	71
2.7	9.5	18.0	30.7	44.5	57.9	66.4	72.5	77.7	72.6	77.5	87.1	127.8	72
2.4	4.6	7.1	11.9	18.9	26.4	37.1	55.0	85.2	116.9	161.9	211.8	269.1	73
1.8	1.7	1.8	1.7	2.2	5.7	14.5	34.9	77.0	137.3	239.2	351.3	494.7	74
3.1	7.4	12.2	21.6	34.6	46.1	58.2	73.2	92.1	100.9	103.7	114.4	128.4	75
2.3	4.0	6.2	11.0	17.4	24.6	34.3	50.6	78.2	111.7	158.3	210.9	271.5	76
2.0	1.9	1.9	1.8	2.1	4.6	12.5	30.4	68.2	128.4	233.9	350.1	507.5	77
2.7	6.0	10.4	19.8	32.1	43.6	54.7	68.8	86.6	98.7	101.9	115.3	127.5	78
3.3	9.2	14.2	20.1	31.7	43.6	65.0	99.0	169.4	177.6	208.1	221.8	247.4	79
0.6	0.3	0.8	1.3	3.5	15.8	34.7	78.8	179.3	238.6	305.9	364.8	390.2	80
5.6	16.8	25.6	36.6	56.6	69.0	93.3	118.2	160.5	127.4	126.8	102.4	138.9	81
0.1	0.4	0.8	2.0	3.8	7.8	13.5	21.5	33.4	45.9	58.4	73.7	90.7	82
0.2	0.3	1.0	2.8	5.4	10.7	19.9	32.6	50.8	71.6	86.1	102.9	119.1	83
0.1	0.4	0.6	1.3	2.3	5.1	7.6	11.4	18.8	25.7	37.6	53.4	73.0	84
0.1	0.3	0.8	2.0	3.8	7.6	13.1	21.5	33.4	46.7	59.9	76.6	96.4	85
0.2	0.3	1.0	2.7	5.4	10.7	19.5	33.1	51.6	73.2	89.1	108.3	128.6	86
0.1	0.3	0.6	1.3	2.2	4.7	7.1	11.1	18.2	25.9	38.1	54.9	76.8	87
0.4	0.9	0.8	2.4	4.2	10.0	18.2	20.9	33.3	37.3	40.0	39.7	32.6	88
0.6	0.8	1.0	3.6	5.4	11.6	24.5	27.8	41.4	53.8	50.8	46.5	36.6	89
0.1	1.0	0.7	1.3	3.2	8.5	12.3	14.3	26.2	23.8	31.0	34.1	29.6	90

Table 1-9. Death Rates For 60 Selected Causes, by

(Rates per 100,000 population in specified group. Numbers after causes of death

	Cause of death, color, and sex	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--Con.							
1	Malignant neoplasm of other and unspecified sites (156B,165,190-199)	17.9	2.0	2.9	2.3	2.3	2.7	2.4
2	Male	19.8	2.0	2.8	2.5	2.4	3.5	2.9
3	Female	16.1	2.1	2.9	2.1	2.1	2.0	1.9
4	White	18.4	2.2	3.1	2.3	2.4	2.7	2.5
5	Male	20.4	2.1	3.0	2.6	2.5	3.6	3.1
6	Female	16.5	2.4	3.1	2.1	2.2	1.9	2.0
7	Nonwhite	13.7	0.9	1.8	2.0	1.6	2.8	1.4
8	Male	14.9	1.2	1.8	2.0	1.9	3.2	1.7
9	Female	12.7	0.6	1.8	2.1	1.4	2.5	1.2
10	Leukemia and aleukemia (204)	7.0	2.2	4.2	3.4	2.4	2.1	1.9
11	Male	8.2	2.3	4.5	3.8	2.6	2.5	2.1
12	Female	5.9	2.0	3.9	3.0	2.1	1.7	1.6
13	White	7.4	2.2	4.6	3.7	2.5	2.1	1.9
14	Male	8.7	2.2	4.9	4.2	2.7	2.5	2.1
15	Female	6.2	2.2	4.3	3.3	2.3	1.7	1.7
16	Nonwhite	4.1	1.9	2.1	1.6	1.6	2.0	1.7
17	Male	5.1	2.8	2.3	1.9	2.1	2.9	2.2
18	Female	3.2	0.9	1.8	1.4	1.1	1.2	1.2
19	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	7.8	0.6	0.5	0.7	0.8	1.4	2.3
20	Male	9.0	0.6	0.6	1.0	1.1	1.9	3.0
21	Female	6.6	0.7	0.4	0.4	0.5	0.9	1.7
22	White	8.1	0.7	0.6	0.7	0.8	1.5	2.4
23	Male	9.4	0.5	0.7	1.0	1.1	2.0	3.1
24	Female	6.9	0.8	0.4	0.4	0.5	1.0	1.7
25	Nonwhite	5.1	0.5	0.2	0.6	0.6	1.0	1.9
26	Male	6.2	0.6	0.2	0.7	0.8	1.2	1.8
27	Female	4.1	0.3	0.2	0.6	0.4	0.7	1.9
28	Benign neoplasms and neoplasms of unspecified nature (210-239)	2.6	2.7	0.7	0.6	0.5	0.7	0.7
29	Male	2.5	2.3	0.8	0.6	0.6	0.8	0.7
30	Female	2.7	3.1	0.6	0.5	0.5	0.6	0.7
31	White	2.6	2.7	0.7	0.5	0.6	0.6	0.7
32	Male	2.5	2.2	0.7	0.5	0.6	0.7	0.7
33	Female	2.6	3.3	0.6	0.6	0.5	0.6	0.7
34	Nonwhite	3.0	2.7	0.8	0.6	0.5	0.9	0.7
35	Male	2.7	3.1	0.9	1.1	0.1	1.1	0.6
36	Female	3.4	2.2	0.8	0.2	1.0	0.6	0.8
37	Asthma (241)	2.3	0.5	0.3	0.2	0.3	0.4	0.5
38	Male	2.8	0.6	0.2	0.2	0.3	0.3	0.3
39	Female	1.9	0.4	0.4	0.1	0.3	0.5	0.6
40	White	2.2	0.3	0.2	0.2	0.3	0.3	0.3
41	Male	2.7	0.3	0.1	0.2	0.2	0.2	0.2
42	Female	1.8	0.3	0.3	0.1	0.3	0.4	0.4
43	Nonwhite	3.3	1.4	0.8	0.4	0.6	1.2	1.6
44	Male	3.8	1.9	0.8	0.5	0.8	1.1	1.3
45	Female	2.8	0.9	0.9	0.3	0.5	1.3	1.9
46	Diabetes mellitus (260)	17.1	0.5	0.2	0.2	0.4	0.4	1.1
47	Male	14.3	0.5	0.2	0.2	0.3	0.3	1.1
48	Female	19.8	0.5	0.2	0.2	0.5	0.5	1.1
49	White	16.7	0.5	0.2	0.2	0.4	0.3	0.9
50	Male	14.2	0.5	0.3	0.1	0.3	0.2	0.9
51	Female	19.1	0.5	0.1	0.2	0.5	0.4	1.0
52	Nonwhite	20.1	0.5	0.1	0.3	0.5	1.1	1.9
53	Male	14.9	0.3	-	0.3	0.3	0.9	2.2
54	Female	25.0	0.6	0.2	0.3	0.7	1.3	1.6
55	Anemias (290-293)	1.8	2.7	1.1	0.5	0.3	0.4	0.6
56	Male	1.8	2.9	1.0	0.4	0.2	0.5	0.7
57	Female	1.8	2.5	1.2	0.5	0.4	0.4	0.6
58	White	1.7	1.8	0.6	0.3	0.2	0.3	0.3
59	Male	1.7	1.6	0.5	0.2	0.1	0.3	0.3
60	Female	1.7	2.0	0.6	0.4	0.3	0.2	0.3
61	Nonwhite	3.1	7.2	3.7	1.4	1.0	1.6	2.8
62	Male	3.1	9.6	3.5	1.4	1.0	1.6	3.3
63	Female	3.1	4.7	3.8	1.5	1.1	1.7	2.3
64	Meningitis, except meningococcal and tuberculous (340)	1.2	21.9	2.6	0.4	0.2	0.2	0.2
65	Male	1.4	23.7	2.8	0.4	0.2	0.2	0.2
66	Female	1.1	20.0	2.4	0.5	0.2	0.2	0.2
67	White	1.0	16.7	2.2	0.4	0.2	0.2	0.2
68	Male	1.1	18.9	2.5	0.4	0.2	0.2	0.1
69	Female	0.8	14.4	1.9	0.4	0.1	0.2	0.2
70	Nonwhite	3.2	47.9	4.8	0.6	0.3	0.5	0.7
71	Male	3.5	48.1	4.4	0.6	0.2	0.7	0.9
72	Female	2.9	47.8	5.2	0.7	0.3	0.3	0.5
73	Major cardiovascular-renal diseases (330-334,400-468,592-594)	516.4	15.4	2.4	1.6	2.6	5.3	9.3
74	Male	580.0	17.5	2.5	1.6	2.5	5.7	9.4
75	Female	455.0	13.2	2.4	1.7	2.7	4.9	9.2
76	White	526.3	13.2	2.0	1.4	2.2	4.6	7.6
77	Male	593.3	14.9	2.1	1.3	2.2	5.0	7.9
78	Female	461.5	11.4	1.9	1.5	2.3	4.3	7.3
79	Nonwhite	442.9	26.6	4.9	3.0	4.9	9.6	21.8
80	Male	480.3	31.1	4.7	3.0	4.3	10.5	20.5
81	Female	407.7	22.2	5.1	3.0	5.5	8.8	23.1
82	Diseases of cardiovascular system (330-334,400-468)	510.9	14.6	2.2	1.4	2.1	4.2	7.6
83	Male	573.8	16.7	2.3	1.4	2.0	4.5	7.4
84	Female	450.2	12.4	2.1	1.3	2.1	4.0	7.8
85	White	521.5	12.5	1.8	1.1	1.8	3.6	6.1
86	Male	587.9	14.3	1.9	1.2	1.8	3.8	6.1
87	Female	457.3	10.6	1.6	1.1	1.8	3.4	6.1
88	Nonwhite	432.4	25.2	4.4	2.7	3.9	8.6	19.0
89	Male	468.6	28.9	4.2	2.6	3.6	9.1	17.2
90	Female	398.2	21.5	4.7	2.7	4.3	8.1	20.7

[1]Figures for age not stated included in "Total" but not distributed among age groups.

5-Year Age Groups, Color, and Sex: United States, 1965—Con.

are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
3.6	5.2	8.0	11.5	18.1	27.6	41.3	52.8	69.6	81.5	96.6	115.0	166.2	1
4.1	5.9	9.1	12.5	20.4	31.8	49.7	64.6	86.0	98.4	114.7	132.3	187.4	2
3.0	4.6	6.9	10.5	15.9	23.6	33.6	42.3	55.8	68.2	82.9	102.9	153.0	3
3.6	5.4	7.8	11.2	17.8	27.1	40.4	52.1	68.5	81.9	98.0	118.5	171.8	4
4.2	6.2	9.1	12.3	20.3	31.2	49.2	63.7	85.4	99.5	117.4	136.6	196.5	5
3.1	4.7	6.6	10.2	15.5	23.2	32.2	41.6	54.5	68.1	83.6	106.1	156.7	6
3.0	3.9	9.0	13.3	20.1	32.0	50.8	60.5	82.0	76.7	77.7	73.7	110.5	7
3.5	4.1	9.1	14.0	21.5	37.3	54.5	73.0	92.5	85.3	83.1	87.3	109.8	8
2.5	3.7	8.9	12.8	18.8	27.3	47.5	48.5	72.7	69.5	73.2	62.4	111.1	9
1.8	2.2	2.7	3.2	4.4	7.0	10.5	15.2	22.6	33.9	44.4	54.3	60.7	10
2.2	2.5	3.2	3.8	4.7	8.4	12.9	19.6	28.9	47.7	58.4	72.4	78.9	11
1.4	2.0	2.2	2.7	4.1	5.7	8.2	11.2	17.3	23.1	33.9	41.7	49.4	12
1.9	2.1	2.7	3.2	4.4	7.1	10.5	15.4	22.8	35.1	45.9	57.6	64.6	13
2.2	2.4	3.1	3.8	4.7	8.6	13.0	20.1	29.0	49.3	60.4	77.2	84.1	14
1.5	1.9	2.3	2.6	4.1	5.7	8.2	11.2	17.5	23.9	35.2	44.1	52.6	15
1.4	2.9	2.7	3.5	4.3	6.1	9.8	13.3	20.3	20.6	25.0	16.0	22.1	16
2.1	3.1	4.1	3.7	4.9	6.5	10.9	15.1	26.4	29.3	35.6	22.5	34.1	17
0.8	2.7	1.5	3.3	3.8	5.8	8.8	11.6	14.8	13.5	16.2	10.6	13.0	18
2.9	3.5	3.6	6.2	8.1	11.8	16.5	23.7	31.0	37.9	42.6	42.1	35.7	19
3.8	4.3	4.8	7.9	10.1	14.3	19.6	28.7	38.8	45.8	50.7	52.9	41.4	20
2.1	2.7	2.6	4.5	6.1	9.5	13.7	19.1	24.5	31.6	36.6	34.6	32.2	21
3.1	3.6	3.6	6.3	7.9	11.7	16.6	23.8	31.2	38.8	43.6	44.0	37.4	22
4.0	4.4	4.8	7.9	9.9	14.2	19.6	29.0	39.0	46.7	51.5	55.4	44.7	23
2.2	2.8	2.5	4.7	6.1	9.4	13.7	19.1	24.8	32.5	37.7	36.1	32.9	24
1.7	2.5	3.9	5.2	9.2	12.8	16.5	22.3	29.0	27.3	29.6	19.9	18.9	25
2.4	3.3	4.6	7.6	11.9	15.6	19.3	25.2	37.0	35.3	40.7	26.8	12.2	26
1.1	1.8	3.3	3.0	6.8	10.2	13.9	19.6	21.9	20.6	20.4	14.1	24.1	27
0.7	1.2	1.7	2.4	3.4	4.1	5.6	6.4	7.8	9.4	10.8	14.4	20.4	28
0.7	1.0	1.3	1.9	2.8	3.7	6.3	7.0	8.5	11.4	12.2	15.6	19.6	29
0.8	1.3	2.0	2.8	4.0	4.4	5.0	5.8	7.1	7.8	9.7	13.6	20.8	30
0.7	1.1	1.4	2.1	3.1	3.8	5.4	6.1	7.3	9.1	10.8	14.8	21.1	31
0.7	0.9	1.1	1.8	2.5	3.5	6.2	6.7	8.2	11.2	12.7	16.3	20.5	32
0.8	1.2	1.8	2.4	3.5	4.0	4.7	5.6	6.7	7.4	9.5	13.8	21.5	33
1.0	2.1	3.3	4.5	6.5	6.9	8.1	9.2	12.8	13.3	10.4	10.3	12.6	34
1.0	1.5	2.8	2.6	4.9	5.3	7.9	10.1	12.8	14.1	6.8	8.5	12.2	35
1.1	2.6	3.7	6.2	8.0	8.3	8.3	8.3	12.9	12.6	13.4	11.8	13.0	36
0.6	0.9	1.1	1.6	2.4	3.6	5.0	7.5	9.4	10.8	12.3	13.8	14.6	37
0.4	0.7	0.9	1.5	2.7	3.5	5.9	10.0	14.3	17.0	19.4	19.8	22.0	38
0.9	1.0	1.3	1.8	2.2	3.6	4.2	5.2	5.3	5.8	6.9	9.7	10.0	39
0.4	0.5	0.7	1.2	1.9	3.2	4.6	7.2	9.1	11.1	12.5	14.2	14.7	40
0.3	0.4	0.5	1.0	2.0	3.1	5.4	9.5	13.9	17.6	20.0	20.4	22.6	41
0.6	0.7	0.9	1.4	1.9	3.4	3.9	5.1	5.0	6.0	6.9	10.0	9.9	42
2.0	3.3	3.9	5.3	7.1	6.9	9.3	10.7	13.0	6.6	9.6	9.0	13.7	43
1.1	3.5	4.1	6.0	9.0	7.9	11.4	15.4	18.9	9.8	12.7	12.7	17.1	44
2.8	3.1	3.9	4.6	5.5	5.9	7.4	6.3	7.8	4.0	7.0	5.9	11.1	45
2.1	3.1	4.0	5.4	8.6	15.5	27.6	46.2	75.9	112.9	153.4	189.8	220.0	46
2.3	3.7	4.9	5.9	9.6	15.4	25.3	41.3	65.8	99.4	132.8	172.0	207.5	47
2.0	2.6	3.1	5.0	7.6	15.6	29.7	50.6	84.3	123.5	168.9	202.2	227.8	48
2.0	3.0	3.4	4.4	6.9	12.6	23.1	40.9	69.3	109.4	153.7	193.3	226.3	49
2.1	3.7	4.2	5.3	8.5	13.8	22.9	38.7	62.6	96.6	133.4	177.7	216.2	50
1.8	2.3	2.6	3.7	5.4	11.5	23.2	42.9	74.9	119.4	168.9	203.9	232.4	51
3.3	4.3	8.4	13.7	24.1	42.7	72.4	98.9	154.9	154.1	149.2	148.7	157.9	52
3.8	3.8	10.1	11.2	20.1	31.4	49.3	67.0	103.1	131.0	126.3	111.3	134.1	53
2.8	4.7	7.0	15.8	27.6	53.1	94.0	129.2	200.8	173.1	168.3	180.0	175.9	54
0.5	0.6	0.6	0.7	0.9	1.1	1.7	3.4	5.1	7.7	13.2	21.2	37.3	55
0.6	0.6	0.6	0.6	0.7	1.1	1.8	3.5	6.0	8.9	16.2	26.2	39.0	56
0.4	0.6	0.7	0.7	1.1	1.1	1.6	3.3	4.4	6.7	10.9	17.6	36.3	57
0.2	0.3	0.3	0.4	0.7	0.8	1.5	3.1	5.0	7.7	13.4	22.0	39.8	58
0.2	0.2	0.3	0.4	0.5	1.0	1.7	3.3	6.0	9.1	16.5	27.5	42.9	59
0.2	0.3	0.3	0.4	0.9	0.7	1.3	3.0	4.3	6.6	11.0	18.3	38.0	60
2.5	3.1	3.2	3.1	2.6	3.4	4.1	6.1	6.2	7.6	11.2	10.9	11.6	61
3.2	3.5	3.3	2.6	2.6	2.6	3.2	5.8	6.6	7.1	13.6	12.7	4.9	62
2.0	2.7	3.2	3.6	2.5	4.1	4.9	6.3	5.9	8.1	9.2	9.4	16.7	63
0.3	0.3	0.4	0.5	0.7	0.9	1.0	1.3	1.7	1.7	1.8	2.9	3.3	64
0.4	0.5	0.4	0.5	0.8	1.2	1.2	1.6	2.1	2.1	2.1	2.7	3.9	65
0.2	0.2	0.3	0.4	0.5	0.6	0.8	1.0	1.4	1.5	1.6	3.0	2.9	66
0.2	0.2	0.3	0.3	0.5	0.6	0.7	1.1	1.3	1.6	1.7	2.6	3.2	67
0.3	0.3	0.3	0.4	0.5	0.7	0.9	1.4	1.7	2.1	1.8	2.8	4.0	68
0.2	0.2	0.2	0.2	0.4	0.4	0.6	0.8	1.1	1.3	1.6	2.5	2.6	69
1.0	1.1	1.2	1.8	2.4	3.8	3.6	3.5	6.6	2.9	3.8	5.8	4.2	70
1.7	2.0	1.3	2.1	3.7	5.3	4.7	4.1	7.5	1.6	5.9	1.4	2.4	71
0.3	0.4	1.1	1.6	1.2	2.4	2.5	3.0	5.9	4.0	2.1	9.4	5.6	72
17.0	32.2	66.7	130.2	239.7	422.0	693.9	1,117.7	1,848.1	2,835.6	4,562.1	7,635.8	15,263.2	73
18.5	38.7	89.2	186.6	350.1	625.2	1,015.1	1,579.1	2,509.2	3,688.4	5,476.8	8,539.9	15,477.5	74
15.5	25.9	45.3	76.8	135.1	229.4	394.1	700.1	1,295.0	2,165.6	3,874.1	7,004.9	15,129.5	75
13.0	24.8	53.6	110.8	214.7	385.5	646.1	1,047.2	1,743.9	2,783.0	4,578.8	7,823.6	15,896.2	76
14.5	31.6	76.1	168.5	327.6	595.4	981.0	1,533.9	2,421.1	3,654.6	5,526.9	8,816.4	16,235.3	77
11.4	18.2	31.8	55.8	107.0	185.5	333.6	608.7	1,179.3	2,101.2	3,872.1	7,141.4	15,689.3	78
46.5	86.4	170.0	293.7	466.6	759.7	1,169.3	1,825.3	3,102.3	3,452.8	4,347.7	5,422.4	8,900.0	79
49.3	94.6	199.8	345.5	561.9	906.9	1,353.7	2,019.7	3,523.8	4,073.9	4,918.6	5,622.5	8,997.6	80
44.1	79.2	145.0	248.0	380.9	626.5	996.8	1,640.5	2,728.5	2,940.4	3,873.2	5,255.3	8,825.9	81
14.9	29.7	63.6	126.4	233.9	415.0	684.7	1,106.1	1,831.7	2,813.9	4,530.5	7,582.7	15,161.6	82
15.9	35.7	85.2	182.2	343.0	616.1	1,004.4	1,565.5	2,489.1	3,660.8	5,436.9	8,472.4	15,349.4	83
13.9	23.9	42.9	73.5	130.5	224.3	386.3	690.3	1,281.6	2,148.6	3,848.8	6,961.8	15,044.4	84
11.3	22.9	51.2	108.1	210.3	379.8	638.9	1,037.8	1,730.7	2,764.3	4,550.2	7,773.3	15,798.7	85
12.4	29.1	73.0	165.3	322.1	587.9	971.9	1,522.7	2,404.5	3,630.4	5,491.4	8,752.5	16,114.0	86
10.3	16.8	30.0	53.6	103.8	181.7	328.2	601.1	1,168.9	2,086.7	3,848.7	7,100.5	15,606.3	87
40.9	79.6	161.1	280.9	447.6	740.2	1,140.3	1,790.4	3,047.2	3,397.3	4,276.5	5,335.9	8,755.8	88
42.9	87.1	188.3	331.4	539.6	883.2	1,327.0	1,982.6	3,463.9	4,007.1	4,824.6	5,518.3	8,804.9	89
39.0	73.0	138.4	236.2	365.0	610.8	965.7	1,607.7	2,677.7	2,894.2	3,821.1	5,183.5	8,718.5	90

Table 1-9. Death Rates for 60 Selected Causes, by

(Rates per 100,000 population in specified group. Numbers after causes of death

	Cause of death, color, and sex	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
	Major cardiovascular-renal diseases—Con.							
	Diseases of cardiovascular system—Con.							
1	Vascular lesions affecting central nervous system (330-334)	103.7	4.0	0.7	0.5	0.8	1.3	1.8
2	Male	98.3	5.1	0.7	0.5	0.8	1.4	1.8
3	Female	108.9	2.9	0.7	0.5	0.9	1.1	1.8
4	White	102.3	3.7	0.6	0.5	0.7	1.1	1.5
5	Male	96.3	4.8	0.6	0.5	0.6	1.3	1.6
6	Female	108.0	2.6	0.6	0.4	0.8	0.9	1.5
7	Nonwhite	114.7	5.5	1.4	0.6	1.4	2.2	3.6
8	Male	113.5	6.8	1.4	0.6	1.5	2.1	3.1
9	Female	115.9	4.1	1.4	0.7	1.3	2.3	4.1
10	Diseases of heart (400-402,410-443)	367.4	9.6	1.3	0.7	1.0	2.2	4.2
11	Male	434.0	10.4	1.3	0.8	1.0	2.5	4.5
12	Female	303.2	8.8	1.2	0.7	1.0	1.9	3.9
13	White	379.0	8.0	1.0	0.6	0.8	1.8	3.2
14	Male	449.7	8.7	1.1	0.8	0.9	2.0	3.6
15	Female	310.6	7.3	0.9	0.5	0.7	1.6	2.9
16	Nonwhite	281.8	17.4	2.7	1.8	2.2	5.0	11.1
17	Male	316.5	18.6	2.7	1.9	1.7	6.1	11.2
18	Female	249.2	16.1	2.8	1.8	2.7	4.0	11.1
19	Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)	8.0	0.3	0.1	0.2	0.4	0.9	1.5
20	Male	7.1	0.3	0.1	0.2	0.4	0.9	1.3
21	Female	8.8	0.3	0.1	0.3	0.4	0.9	1.6
22	White	8.3	0.2	0.0	0.1	0.3	0.6	1.1
23	Male	7.3	0.2	0.0	0.1	0.4	0.6	1.0
24	Female	9.2	0.3	0.0	0.1	0.2	0.7	1.2
25	Nonwhite	5.8	0.5	0.3	1.0	1.2	2.8	4.0
26	Male	5.4	0.9	0.3	0.8	0.8	3.4	3.6
27	Female	6.2	-	0.3	1.1	1.6	2.3	4.4
28	Arteriosclerotic heart disease, including coronary disease (420)	288.6	0.5	0.1	0.1	0.1	0.3	1.0
29	Male	357.5	0.6	0.1	0.1	0.1	0.3	1.2
30	Female	222.1	0.4	0.1	0.0	0.0	0.2	0.7
31	White	303.8	0.5	0.1	0.0	0.0	0.3	0.8
32	Male	377.4	0.5	0.0	0.1	0.1	0.3	1.0
33	Female	232.6	0.4	0.1	0.0	0.0	0.2	0.6
34	Nonwhite	175.8	0.8	0.2	0.1	0.2	0.3	2.1
35	Male	208.3	1.2	0.3	0.1	0.2	0.5	2.7
36	Female	145.2	0.3	0.1	0.1	0.2	0.2	1.6
37	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	27.4	0.9	0.2	0.1	0.1	0.2	0.4
38	Male	27.4	0.9	0.3	0.1	0.1	0.3	0.5
39	Female	27.5	0.9	0.2	0.1	0.1	0.1	0.3
40	White	27.9	0.7	0.2	0.1	0.1	0.2	0.4
41	Male	27.6	0.7	0.2	0.1	0.2	0.3	0.5
42	Female	28.2	0.6	0.1	0.1	0.1	0.1	0.3
43	Nonwhite	24.0	2.0	0.5	0.2	0.0	0.4	0.7
44	Male	25.5	1.9	0.6	0.3	0.1	0.7	0.9
45	Female	22.6	2.2	0.4	0.1	-	0.2	0.6
46	Other diseases of heart (430-434)	15.1	7.9	0.9	0.3	0.4	0.7	1.2
47	Male	17.0	8.6	0.9	0.4	0.3	0.9	1.2
48	Female	13.2	7.2	0.9	0.3	0.4	0.6	1.2
49	White	14.3	6.7	0.7	0.3	0.3	0.7	0.9
50	Male	16.1	7.4	0.8	0.3	0.3	0.8	1.0
51	Female	12.5	5.9	0.7	0.3	0.4	0.5	0.8
52	Nonwhite	20.9	14.1	1.7	0.6	0.8	1.1	3.3
53	Male	24.0	14.6	1.5	0.7	0.6	1.2	2.8
54	Female	18.1	13.6	2.0	0.5	0.9	1.0	3.7
55	Hypertensive heart disease (440-443)	28.4	-	-	0.0	0.0	0.1	0.2
56	Male	25.0	-	-	-	0.0	0.1	0.2
57	Female	31.6	-	-	0.0	0.0	0.1	0.1
58	White	24.7	-	-	-	0.0	0.0	0.1
59	Male	21.2	-	-	-	0.0	0.0	0.1
60	Female	28.2	-	-	-	0.0	0.0	0.1
61	Nonwhite	55.3	-	-	0.0	-	0.3	0.9
62	Male	53.3	-	-	-	-	0.4	1.2
63	Female	57.1	-	-	0.1	-	0.3	0.7
64	Other hypertensive disease (444-447)	6.0	-	-	0.0	0.0	0.0	0.2
65	Male	6.2	-	-	0.0	0.0	0.0	0.2
66	Female	5.8	-	-	-	0.0	0.0	0.2
67	White	5.4	-	-	-	0.0	0.0	0.1
68	Male	5.5	-	-	-	0.0	0.0	0.1
69	Female	5.4	-	-	-	0.0	0.0	0.1
70	Nonwhite	10.3	-	-	0.0	-	-	1.1
71	Male	11.8	-	-	0.1	-	-	1.4
72	Female	8.9	-	-	-	-	-	0.7
73	General arteriosclerosis (450)	19.7	-	0.0	-	-	-	0.)
74	Male	18.2	-	0.0	-	-	-	0.0
75	Female	21.1	-	-	-	-	-	0.0
76	White	20.7	-	0.0	-	-	-	0.0
77	Male	19.0	-	0.0	-	-	-	0.0
78	Female	22.3	-	-	-	-	-	0.0
79	Nonwhite	12.2	-	-	-	-	-	-
80	Male	12.4	-	-	-	-	-	-
81	Female	11.9	-	-	-	-	-	-
82	Other diseases of circulatory system (451-468)	14.1	1.0	0.2	0.1	0.2	0.7	1.4
83	Male	17.0	1.2	0.2	0.1	0.2	0.5	0.9
84	Female	11.2	0.7	0.2	0.1	0.2	1.0	1.9
85	White	14.2	0.7	0.2	0.1	0.2	0.7	1.2
86	Male	17.4	0.8	0.2	0.1	0.2	0.5	0.8
87	Female	11.1	0.6	0.1	0.1	0.2	0.8	1.5
88	Nonwhite	13.4	2.3	0.3	0.1	0.3	1.3	3.2
89	Male	14.5	3.4	0.2	0.1	0.3	0.8	1.5
90	Female	12.4	1.3	0.5	0.2	0.3	1.9	4.8

[1]Figures for age not stated included in "Total" but not distributed among age groups.

5-Year Age Groups, Color, and Sex: United States, 1965—Con.

are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
3.5	6.1	11.3	19.3	33.7	57.3	93.7	168.0	319.0	564.7	1,023.8	1,860.7	3,741.8	1
3.5	5.4	11.1	19.5	33.5	64.1	108.7	198.7	369.5	656.4	1,119.7	1,917.6	3,559.6	2
3.6	6.8	11.5	19.1	33.9	50.8	79.7	140.3	276.8	492.7	951.6	1,821.0	3,855.4	3
2.8	4.5	7.9	13.8	25.0	43.8	74.6	139.0	273.9	530.2	1,010.8	1,892.1	3,888.3	4
2.8	4.2	7.8	13.8	24.8	50.9	89.5	171.7	326.4	618.1	1,107.2	1,959.3	3,733.4	5
2.9	4.8	7.9	13.8	25.2	37.0	60.7	109.6	230.1	461.5	938.9	1,845.9	3,982.7	6
8.5	18.0	38.4	65.7	112.6	182.4	283.9	458.8	862.5	970.0	1,190.4	1,491.0	2,271.6	7
8.6	15.0	38.9	69.1	115.5	189.2	300.0	462.0	870.0	1,092.9	1,280.5	1,477.5	2,073.2	8
8.4	20.6	38.1	62.6	109.8	176.4	268.8	455.6	855.9	868.6	1,115.5	1,502.4	2,422.2	9
8.6	19.6	46.1	98.6	187.0	336.6	556.1	878.1	1,402.0	2,056.9	3,164.2	5,042.2	9,600.5	10
10.4	26.6	68.4	153.5	293.5	525.4	848.6	1,285.7	1,966.9	2,742.6	3,905.0	5,784.0	9,937.5	11
6.9	12.9	24.8	46.8	86.0	157.6	283.0	509.1	929.4	1,518.2	2,606.9	4,524.5	9,390.2	12
6.6	15.9	39.7	88.3	175.2	318.8	533.5	844.1	1,354.2	2,047.3	3,197.7	5,184.3	10,005.3	13
8.2	22.7	61.9	144.7	285.1	514.6	839.8	1,274.6	1,933.3	2,754.8	3,971.2	5,998.1	10,427.5	14
5.0	9.2	18.0	34.4	70.3	132.3	247.7	456.3	871.4	1,493.7	2,621.1	4,625.1	9,747.7	15
23.6	47.4	96.7	186.5	293.9	501.4	781.0	1,219.2	1,977.0	2,170.5	2,733.8	3,366.7	5,529.5	16
27.4	57.7	122.9	230.6	372.4	627.2	936.9	1,394.8	2,348.9	2,603.3	3,138.1	3,525.4	5,746.3	17
20.3	38.4	74.7	147.6	223.6	387.2	635.2	1,052.3	1,647.3	1,813.5	2,397.9	3,234.1	5,364.8	18
2.6	3.9	5.6	8.8	12.0	17.3	23.9	24.5	29.0	26.3	28.3	29.0	37.1	19
2.3	3.5	5.3	8.9	11.3	15.9	22.1	23.0	27.7	24.8	24.9	25.7	30.3	20
2.8	4.3	5.8	8.8	12.6	18.6	25.5	25.9	30.0	27.5	30.8	31.3	41.4	21
2.1	3.6	5.2	8.6	12.0	17.7	24.7	25.5	29.6	27.3	29.5	30.2	39.8	22
2.0	3.2	5.1	8.7	11.3	16.2	22.9	23.7	28.3	25.8	26.2	27.2	32.9	23
2.1	3.9	5.4	8.5	12.8	19.0	26.5	27.2	30.7	28.5	32.0	32.3	44.1	24
6.2	6.4	8.0	10.9	11.3	14.0	15.6	14.3	20.7	14.5	12.3	14.7	9.5	25
4.9	5.8	6.8	10.7	12.1	13.0	14.6	16.2	20.7	13.6	10.2	9.9	7.3	26
7.4	7.0	9.1	11.1	10.6	15.0	16.4	12.4	20.7	15.2	14.1	18.8	11.1	27
3.2	11.0	31.0	73.0	147.0	270.9	450.4	718.6	1,146.4	1,669.3	2,506.5	3,853.1	7,059.6	28
4.8	18.1	51.8	124.5	247.2	448.1	723.1	1,094.1	1,667.7	2,303.6	3,205.0	4,582.4	7,543.8	29
1.6	4.2	11.1	24.3	52.0	102.9	196.0	378.7	710.1	1,171.0	1,981.1	3,344.2	6,757.6	30
2.6	9.6	28.8	69.3	143.7	267.2	446.6	712.8	1,135.8	1,691.2	2,563.9	3,994.7	7,404.2	31
3.9	16.4	49.9	121.9	248.0	452.0	733.4	1,111.6	1,674.0	2,349.5	3,298.0	4,793.1	7,965.5	32
1.3	2.9	8.4	19.2	44.3	91.1	179.1	353.5	687.1	1,176.2	2,016.6	3,446.1	7,061.7	33
7.7	21.6	48.0	104.1	176.1	305.6	488.0	776.8	1,273.5	1,412.5	1,770.4	2,184.0	3,583.2	34
12.0	31.1	67.8	147.2	239.4	411.2	620.5	923.2	1,587.7	1,780.4	2,109.3	2,360.6	3,912.2	35
3.9	13.4	31.4	66.1	119.4	209.6	364.1	637.7	994.9	1,109.0	1,488.7	2,036.5	3,333.3	36
0.5	1.1	2.0	3.5	6.3	11.8	22.0	39.2	71.9	128.4	255.2	529.3	1,315.5	37
0.6	1.3	2.6	4.7	9.4	16.9	30.4	52.5	92.1	157.2	289.4	572.4	1,282.3	38
0.4	0.8	1.3	2.3	3.2	7.1	14.2	27.1	55.0	105.8	229.4	499.2	1,336.3	39
0.3	0.8	1.6	2.9	5.4	10.1	19.4	34.4	64.4	122.0	252.9	537.5	1,369.9	40
0.4	1.1	2.2	4.2	8.3	15.0	28.0	47.9	83.9	150.9	287.2	582.5	1,348.2	41
0.3	0.6	1.1	1.6	2.6	5.4	11.3	22.3	48.1	99.4	227.3	506.6	1,383.1	42
1.3	2.8	4.8	8.8	14.4	28.2	48.3	86.7	162.9	203.7	284.6	432.7	769.5	43
1.6	3.1	6.7	9.6	20.5	34.9	53.7	97.1	187.2	229.3	319.5	466.2	717.1	44
1.1	2.6	3.3	8.2	9.0	22.1	43.3	76.9	141.4	182.5	255.6	404.7	809.3	45
1.8	2.2	3.8	5.9	9.4	13.3	21.8	32.9	50.9	74.2	116.1	199.8	407.7	46
2.0	2.3	4.2	7.4	12.1	18.7	30.3	45.1	67.8	97.4	146.4	227.3	446.2	47
1.6	2.1	3.4	4.6	6.8	8.2	13.9	21.8	36.8	56.0	93.3	180.7	383.7	48
1.4	1.5	2.7	4.5	7.6	10.6	18.0	27.5	44.1	69.1	112.3	201.6	415.1	49
1.6	1.4	3.2	6.0	10.3	15.8	25.8	39.6	59.6	90.6	140.6	230.8	453.9	50
1.1	1.6	2.2	3.0	5.1	5.8	10.8	16.7	31.2	52.3	91.2	181.5	391.4	51
4.8	7.7	12.1	18.5	25.2	37.9	59.4	86.6	133.1	133.7	165.4	179.5	335.8	52
4.6	9.6	12.5	19.8	29.3	45.8	75.2	99.4	162.6	174.5	217.8	190.1	387.8	53
4.9	6.1	11.7	17.2	21.4	30.6	44.7	74.4	107.0	100.0	121.8	170.6	296.3	54
0.6	1.5	3.8	7.3	12.4	23.3	37.9	62.9	103.8	158.7	258.1	430.9	780.5	55
0.7	1.5	4.5	7.9	13.4	25.9	42.8	71.1	111.5	159.6	239.2	376.1	634.9	56
0.5	1.5	3.2	6.8	11.5	20.8	33.4	55.6	97.4	158.0	272.3	469.1	871.3	57
0.2	0.5	1.3	3.0	6.4	13.3	24.7	43.8	80.3	137.6	239.1	420.3	776.3	58
0.2	0.6	1.6	3.9	7.3	15.7	29.7	51.8	87.5	138.0	219.3	364.5	627.0	59
0.2	0.3	1.0	2.1	5.6	10.9	20.1	36.6	74.3	137.3	253.9	458.6	867.4	60
3.6	8.8	23.8	44.2	66.9	115.7	169.6	254.8	386.7	406.1	501.2	555.8	831.6	61
4.3	8.1	29.1	43.3	71.1	122.3	172.8	258.8	390.7	405.4	481.4	498.6	722.0	62
2.9	9.4	19.3	45.0	63.1	109.8	166.7	251.0	383.2	406.7	517.6	603.5	914.8	63
0.6	1.3	2.1	2.4	3.8	4.9	6.1	9.8	16.9	28.0	50.8	98.5	212.5	64
0.7	1.5	2.3	3.0	4.7	6.0	7.6	11.2	20.1	34.0	57.2	114.1	239.2	65
0.4	1.1	1.9	1.8	2.9	3.9	4.8	8.5	14.2	23.2	46.0	87.7	195.8	66
0.2	0.4	0.6	1.1	1.9	2.9	4.2	7.9	13.8	25.4	50.0	98.9	218.8	67
0.3	0.5	0.8	1.3	2.2	3.5	5.2	9.4	16.8	30.9	55.8	114.6	247.7	68
0.2	0.3	0.5	0.8	1.7	2.3	3.3	6.5	11.4	21.1	45.7	88.2	201.2	69
3.1	8.0	13.8	13.6	20.6	23.8	25.2	29.1	53.6	58.0	61.2	94.2	149.5	70
4.1	9.6	15.4	17.6	27.8	29.6	31.7	28.7	58.6	69.6	74.6	109.9	168.3	71
2.2	6.7	12.4	10.1	14.1	18.6	19.2	29.5	49.2	48.4	50.0	81.2	135.2	72
0.0	0.1	0.2	0.3	1.0	2.3	5.6	13.0	32.8	75.5	179.1	435.2	1,396.3	73
0.0	0.1	0.3	0.5	1.5	3.1	7.4	16.8	41.3	93.0	201.2	477.9	1,381.8	74
0.0	0.1	0.1	0.1	0.5	1.5	3.9	9.6	25.6	61.8	162.5	405.4	1,405.3	75
0.0	0.1	0.1	0.3	0.8	1.9	5.0	11.2	29.6	72.7	178.5	447.6	1,467.3	76
0.0	0.1	0.2	0.5	1.3	2.6	6.8	14.9	37.6	90.7	201.0	494.4	1,462.5	77
0.0	0.1	0.1	0.1	0.3	1.3	3.2	7.8	22.9	58.6	161.8	415.4	1,470.2	78
-	0.1	0.7	0.9	2.9	5.5	12.0	31.5	71.2	108.8	186.5	289.7	678.9	79
-	0.2	1.0	1.0	3.5	7.1	12.9	35.1	84.6	119.0	205.1	304.2	685.4	80
-	-	0.6	0.9	2.3	4.1	11.1	28.1	59.4	100.4	171.1	277.6	674.1	81
2.1	2.5	3.9	5.7	8.4	13.9	23.2	37.1	61.0	88.8	112.6	146.0	210.6	82
1.3	2.0	3.1	5.8	9.7	17.6	32.0	53.0	91.4	134.8	153.9	178.8	231.2	83
3.0	3.0	4.6	5.7	7.1	10.4	14.9	22.8	35.6	52.6	81.6	123.1	197.7	84
1.7	2.0	2.9	4.7	7.4	12.5	21.7	35.7	59.2	88.7	113.3	150.4	219.0	85
1.1	1.6	2.3	4.9	8.6	16.3	30.6	52.1	90.4	135.9	156.2	186.1	242.9	86
2.2	2.4	3.5	4.6	6.2	8.9	13.3	20.9	33.1	51.8	81.2	125.9	204.4	87
5.6	6.1	11.5	14.2	17.6	27.1	38.3	51.8	82.8	89.9	104.6	94.2	126.3	88
2.9	4.8	10.1	13.2	20.3	30.0	45.5	62.0	101.8	122.3	126.3	101.4	131.7	89
8.1	7.3	12.7	15.1	15.1	24.5	31.5	42.1	66.0	63.2	86.6	88.2	122.2	90

Table 1-9. Death Rates for 60 Selected Causes, by

(Rates per 100,000 population in specified group. Numbers after causes of death

	Cause of death, color, and sex	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
	Major cardiovascular-renal diseases—Con.							
1	Chronic and unspecified nephritis and other renal sclerosis (592-594)	5.5	0.8	0.2	0.3	0.5	1.0	1.7
2	Male	6.2	0.8	0.2	0.2	0.5	1.2	2.0
3	Female	4.8	0.8	0.3	0.3	0.6	0.9	1.4
4	White	4.8	0.7	0.2	0.3	0.5	1.0	1.6
5	Male	5.5	0.5	0.2	0.2	0.4	1.2	1.9
6	Female	4.1	0.8	0.2	0.3	0.5	0.9	1.3
7	Nonwhite	10.6	1.4	0.5	0.4	1.0	1.0	2.9
8	Male	11.7	2.2	0.5	0.4	0.7	1.4	3.3
9	Female	9.5	0.6	0.5	0.3	1.3	0.6	2.4
10	Influenza and pneumonia, except pneumonia of newborn (480-493)	31.9	208.3	11.4	2.3	1.8	2.1	2.3
11	Male	36.8	233.8	11.3	2.5	2.1	2.3	2.6
12	Female	27.3	181.8	11.5	2.2	1.6	1.8	2.0
13	White	30.1	147.2	8.4	1.9	1.7	1.9	2.0
14	Male	34.4	171.9	8.4	2.1	1.9	2.1	2.3
15	Female	25.9	121.4	8.4	1.7	1.4	1.6	1.7
16	Nonwhite	45.9	516.0	27.3	4.8	2.9	3.4	4.2
17	Male	54.7	550.6	27.4	4.8	3.0	3.7	4.6
18	Female	37.6	482.3	27.3	4.7	2.9	3.1	3.8
19	Influenza (480-483)	1.2	4.7	0.3	0.0	0.1	0.1	0.1
20	Male	1.1	4.9	0.4	0.1	0.1	0.1	0.1
21	Female	1.2	4.6	0.3	0.0	0.1	0.1	0.1
22	White	1.1	2.0	0.2	0.0	0.0	0.1	0.1
23	Male	1.0	2.3	0.2	0.0	0.1	0.1	0.1
24	Female	1.2	1.7	0.2	0.0	0.0	0.1	0.1
25	Nonwhite	1.7	18.3	1.2	0.1	0.1	0.1	0.1
26	Male	1.6	18.0	1.4	0.1	0.1	0.3	0.1
27	Female	1.8	18.7	0.9	0.1	0.2	-	0.1
28	Pneumonia, except pneumonia of newborn (490-493)	30.8	203.6	11.1	2.3	1.8	2.0	2.2
29	Male	35.7	228.9	11.0	2.4	2.0	2.2	2.5
30	Female	26.0	177.2	11.1	2.2	1.5	1.7	1.8
31	White	28.9	145.2	8.2	1.9	1.6	1.8	1.9
32	Male	33.3	169.6	8.2	2.0	1.9	2.0	2.2
33	Female	24.7	119.7	8.2	1.7	1.3	1.5	1.6
34	Nonwhite	44.2	497.7	26.1	4.6	2.8	3.3	4.1
35	Male	53.1	532.6	25.9	4.7	2.9	3.5	4.5
36	Female	35.8	463.6	26.4	4.6	2.7	3.1	3.7
37	Bronchitis (500-502)	3.0	12.2	1.1	0.2	0.1	0.1	0.2
38	Male	4.5	13.9	1.2	0.3	0.1	0.1	0.2
39	Female	1.6	10.4	1.0	0.1	0.1	0.0	0.1
40	White	3.1	9.9	1.0	0.2	0.1	0.1	0.1
41	Male	4.6	11.7	1.1	0.2	0.1	0.1	0.1
42	Female	1.6	8.1	1.0	0.1	0.0	0.0	0.1
43	Nonwhite	2.3	23.6	1.6	0.4	0.3	0.0	0.3
44	Male	3.2	25.2	1.8	0.7	0.2	0.1	0.4
45	Female	1.4	22.2	1.4	0.1	0.4	-	0.2
46	Other bronchopulmonic diseases (525-527)	13.7	35.4	1.0	0.1	0.1	0.2	0.3
47	Male	22.2	39.8	1.0	0.1	0.1	0.2	0.4
48	Female	5.4	30.9	1.0	0.2	0.2	0.2	0.3
49	White	14.4	27.9	0.8	0.1	0.1	0.2	0.3
50	Male	23.5	32.1	0.8	0.1	0.1	0.2	0.3
51	Female	5.6	23.5	0.9	0.2	0.2	0.2	0.3
52	Nonwhite	8.6	73.2	1.7	0.2	0.2	0.3	0.4
53	Male	13.1	79.2	1.9	-	0.1	0.4	0.6
54	Female	4.4	67.4	1.5	0.3	0.2	0.3	0.2
55	Ulcer of stomach and duodenum (540,541)	5.4	1.9	0.1	0.0	0.0	0.1	0.2
56	Male	7.7	2.2	0.1	0.0	0.1	0.1	0.4
57	Female	3.1	1.7	0.1	0.0	0.0	0.1	0.1
58	White	5.6	1.2	0.1	0.0	0.0	0.1	0.2
59	Male	8.0	1.3	0.1	0.0	0.0	0.1	0.3
60	Female	3.2	1.0	0.1	0.0	0.0	0.1	0.1
61	Nonwhite	3.8	5.8	0.0	0.0	0.1	0.1	0.6
62	Male	5.6	6.5	-	-	0.2	0.2	1.3
63	Female	2.2	5.1	0.1	0.1	-	-	-
64	Appendicitis (550-553)	0.9	0.4	0.2	0.3	0.3	0.3	0.2
65	Male	1.1	0.5	0.3	0.4	0.4	0.4	0.3
66	Female	0.6	0.3	0.2	0.2	0.2	0.2	0.1
67	White	0.8	0.3	0.2	0.3	0.3	0.2	0.2
68	Male	1.1	0.5	0.3	0.3	0.4	0.3	0.2
69	Female	0.6	0.1	0.2	0.2	0.2	0.1	0.2
70	Nonwhite	1.2	0.8	0.4	0.5	0.4	0.7	0.4
71	Male	1.6	0.6	0.5	0.7	0.5	0.6	0.3
72	Female	0.9	0.9	0.3	0.3	0.3	0.7	0.1
73	Hernia and intestinal obstruction (560,561,570)	5.2	22.1	0.4	0.1	0.1	0.2	0.2
74	Male	4.9	25.0	0.6	0.2	0.2	0.2	0.2
75	Female	5.4	19.1	0.3	0.1	0.1	0.2	0.3
76	White	5.2	22.1	0.3	0.1	0.1	0.2	0.2
77	Male	4.9	24.8	0.4	0.1	0.2	0.2	0.2
78	Female	5.5	19.1	0.2	0.1	0.0	0.1	0.3
79	Nonwhite	5.0	22.2	0.8	0.3	0.2	0.3	0.3
80	Male	5.2	25.8	1.2	0.5	0.2	0.3	0.1
81	Female	4.8	18.7	0.5	0.1	0.2	0.3	0.5
82	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	4.1	44.3	2.4	0.2	0.2	0.3	0.4
83	Male	4.0	48.6	2.8	0.2	0.2	0.3	0.3
84	Female	4.2	39.8	2.0	0.2	0.2	0.2	0.4
85	White	3.7	23.2	1.9	0.2	0.2	0.3	0.4
86	Male	3.6	26.0	2.2	0.2	0.2	0.3	0.3
87	Female	3.9	20.3	1.6	0.2	0.2	0.2	0.4
88	Nonwhite	6.7	150.4	5.1	0.4	0.3	0.1	0.4
89	Male	7.2	164.0	5.8	0.6	0.3	0.1	0.3
90	Female	6.2	137.0	4.4	0.2	0.2	0.2	0.5

[1]Figures for age not stated included in "Total" but not distributed among age groups.

5-Year Age Groups, Color, and Sex: United States, 1965—Con.

are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
2.1	2.5	3.1	3.8	5.8	7.0	9.2	11.6	16.4	21.6	31.7	53.1	101.6	1
2.6	3.0	4.0	4.4	7.1	9.1	10.7	13.6	20.1	27.6	39.9	67.4	128.1	2
1.6	1.9	2.3	3.3	4.6	5.1	7.7	9.8	13.4	17.0	25.5	43.1	85.0	3
1.6	1.9	2.4	2.7	4.4	5.6	7.2	9.3	13.2	18.8	28.6	50.3	97.5	4
2.1	2.5	3.1	3.2	5.5	7.5	9.1	11.2	16.6	24.2	35.5	64.0	121.3	5
1.1	1.3	1.8	2.2	3.3	3.9	5.4	7.6	10.4	14.5	23.5	40.9	83.1	6
5.6	6.8	8.9	12.9	19.0	19.6	28.9	34.9	55.1	55.5	71.2	86.5	144.2	7
6.3	7.4	11.5	14.1	22.4	23.7	26.7	37.1	59.9	66.8	94.1	104.2	192.7	8
5.0	6.3	6.6	11.8	15.9	15.8	31.0	32.8	50.8	46.2	52.1	71.8	107.4	9
2.9	4.4	6.5	9.1	12.2	18.2	26.7	41.0	71.3	122.9	222.6	425.9	1,062.6	10
3.1	5.1	7.5	11.2	15.9	25.0	37.7	56.6	103.7	174.9	302.7	539.5	1,213.1	11
2.7	3.7	5.5	7.2	8.8	11.9	16.4	26.9	44.1	82.1	162.3	346.6	968.7	12
2.2	3.0	4.4	6.8	10.1	15.7	23.1	36.0	64.7	116.6	220.0	434.4	1,110.5	13
2.3	3.3	5.1	8.1	12.5	21.4	32.7	50.8	94.4	167.0	289.2	552.5	1,280.3	14
2.1	2.6	3.7	5.5	7.8	10.3	14.2	22.5	39.9	77.2	161.1	353.3	1,006.9	15
8.2	14.7	23.2	29.0	31.8	41.8	61.8	91.5	150.7	196.8	255.0	325.0	580.0	16
9.4	19.3	28.5	38.0	47.9	58.4	87.1	112.8	211.9	264.1	348.3	402.8	634.1	17
7.1	10.8	18.7	21.0	17.4	26.7	38.2	71.3	96.5	141.3	177.5	260.0	538.9	18
0.1	0.2	0.2	0.2	0.3	0.5	0.9	1.4	2.4	4.6	8.1	20.0	52.7	19
0.2	0.1	0.1	0.2	0.4	0.4	1.2	1.5	2.9	5.3	8.9	21.1	50.1	20
0.1	0.2	0.2	0.2	0.3	0.6	0.6	1.2	2.0	4.1	7.5	19.2	54.2	21
0.1	0.1	0.2	0.2	0.3	0.5	0.8	1.2	2.2	3.9	7.8	20.7	54.7	22
0.1	0.1	0.2	0.2	0.4	0.4	1.0	1.5	2.6	4.7	8.9	21.6	52.6	23
0.1	0.1	0.1	0.2	0.2	0.6	0.7	0.9	1.8	3.2	7.1	20.0	56.1	24
0.1	0.5	0.4	0.3	0.6	1.0	1.9	3.4	5.4	13.0	11.2	12.2	31.6	25
0.3	0.3	-	0.2	0.7	0.6	3.5	2.0	5.3	11.4	8.5	15.5	29.3	26
-	0.7	0.7	0.4	0.5	1.3	0.5	4.7	5.5	14.3	13.4	9.4	33.3	27
2.8	4.2	6.3	8.9	11.9	17.7	25.8	39.6	68.9	118.3	214.5	405.9	1,010.0	28
2.9	5.0	7.4	10.9	15.5	24.6	36.5	55.1	100.8	169.6	293.9	518.4	1,163.0	29
2.7	3.5	5.3	7.0	8.5	11.3	15.8	25.6	42.1	78.0	154.8	327.3	914.5	30
2.1	2.9	4.2	6.6	9.8	15.2	22.3	34.8	62.5	112.7	212.2	413.8	1,055.8	31
2.1	3.2	4.9	7.9	12.1	21.0	31.7	49.4	91.7	162.3	290.3	530.8	1,227.8	32
2.0	2.5	3.5	5.3	7.5	9.7	13.6	21.7	38.2	73.9	154.0	333.3	950.8	33
8.0	14.2	22.8	28.7	31.2	40.9	59.9	88.1	145.3	183.8	243.8	312.8	548.4	34
9.0	18.9	28.5	37.9	47.2	57.8	83.7	110.7	206.6	252.7	339.8	387.3	604.9	35
7.1	10.1	18.0	20.5	16.9	25.4	37.7	66.7	91.0	126.9	164.1	250.6	505.6	36
0.2	0.2	0.4	0.7	1.3	2.5	4.7	7.9	12.7	16.9	21.8	24.8	39.4	37
0.1	0.2	0.4	0.9	1.7	3.7	7.5	13.2	22.9	32.0	39.0	42.2	62.7	38
0.2	0.1	0.3	0.6	1.0	1.4	2.0	3.0	4.3	5.1	8.8	12.6	24.9	39
0.1	0.2	0.3	0.6	1.3	2.5	4.8	8.1	12.9	17.6	22.8	25.8	41.7	40
0.1	0.2	0.3	0.9	1.6	3.6	7.7	13.6	23.3	33.2	40.6	44.3	66.6	41
0.1	0.1	0.3	0.4	1.0	1.5	2.0	3.2	4.2	5.4	9.5	13.1	26.5	42
0.7	0.2	0.7	1.4	1.6	2.2	4.1	5.2	11.0	9.3	9.2	12.2	16.8	43
0.3	0.2	1.0	1.3	2.8	4.1	5.7	9.3	18.1	19.0	20.3	19.7	29.3	44
1.0	0.1	0.4	1.6	0.5	0.6	2.5	1.4	4.7	1.3	-	5.9	7.4	45
0.4	0.6	1.4	2.9	6.3	12.6	24.1	43.2	71.0	89.0	108.9	109.3	130.4	46
0.4	0.7	1.8	3.5	9.0	19.9	41.4	77.0	134.8	173.1	208.3	201.2	230.0	47
0.4	0.5	1.1	2.3	3.7	5.6	8.0	12.6	17.6	23.0	34.1	45.1	68.3	48
0.3	0.6	1.3	2.7	5.8	12.2	24.3	44.5	73.3	93.1	113.4	114.0	136.6	49
0.3	0.6	1.6	3.2	8.2	19.4	42.0	79.5	139.5	181.4	217.7	210.7	241.8	50
0.3	0.5	1.0	2.2	3.6	5.4	7.9	13.0	18.2	24.0	35.5	47.5	72.4	51
0.7	1.1	2.6	4.6	10.6	15.6	22.1	29.7	42.9	41.3	51.9	53.8	68.4	52
0.6	1.5	3.4	6.7	17.0	24.3	35.4	51.9	79.7	77.7	96.6	101.4	129.3	53
0.7	0.7	1.9	2.7	4.8	7.6	9.7	8.5	10.2	11.2	14.8	14.1	22.2	54
0.3	0.7	1.2	2.6	4.3	7.1	10.7	15.0	21.3	28.9	41.7	54.4	81.8	55
0.5	1.0	1.6	3.8	6.4	10.9	17.3	24.4	35.3	47.9	66.5	80.4	116.2	56
0.2	0.4	0.7	1.4	2.3	3.4	4.6	6.4	9.5	14.0	23.1	36.3	60.3	57
0.3	0.6	1.0	2.4	4.0	6.8	10.5	15.1	21.2	29.7	42.6	56.6	87.2	58
0.4	0.9	1.4	3.5	5.9	10.5	17.0	25.0	35.4	49.4	68.4	83.7	125.9	59
0.2	0.4	0.7	1.2	2.2	3.3	4.4	6.2	9.4	14.4	23.3	38.0	63.7	60
0.7	1.4	2.4	4.3	7.2	9.3	12.9	13.6	22.2	19.4	30.8	28.8	26.3	61
1.1	2.1	3.6	6.5	11.0	14.8	19.8	19.1	33.9	31.5	44.1	45.1	31.7	62
0.4	0.7	1.4	2.4	3.8	4.3	6.5	8.3	11.7	9.4	19.7	15.3	22.2	63
0.2	0.2	0.3	0.5	0.7	0.9	1.4	1.9	2.8	4.0	5.4	8.0	10.9	64
0.2	0.2	0.4	0.7	0.9	1.4	1.7	2.8	4.4	5.6	7.8	12.8	12.3	65
0.1	0.3	0.1	0.3	0.5	0.5	1.1	1.2	1.5	2.8	3.6	4.7	10.0	66
0.1	0.2	0.2	0.4	0.6	0.8	1.3	1.7	2.5	3.8	5.3	8.2	10.6	67
0.1	0.1	0.4	0.6	0.8	1.1	1.6	2.6	3.8	5.2	7.4	13.1	12.7	68
0.1	0.3	0.1	0.2	0.4	0.4	1.0	1.0	1.5	2.7	3.8	4.8	9.4	69
0.4	0.5	0.4	1.0	1.9	2.3	2.0	4.1	6.0	7.1	6.5	6.4	13.7	70
0.5	0.7	0.5	1.3	2.4	3.7	1.7	4.9	10.6	10.3	12.7	9.9	9.8	71
0.3	0.3	0.4	0.7	1.5	1.1	2.3	3.3	2.0	4.5	1.4	3.5	16.7	72
0.4	0.5	1.0	1.4	2.3	4.0	6.2	10.6	16.6	25.7	40.3	68.0	119.2	73
0.3	0.6	0.7	1.4	2.1	3.9	6.6	11.5	18.7	28.9	41.7	66.7	112.1	74
0.5	0.5	1.3	1.5	2.6	4.2	5.9	9.9	14.9	23.1	39.2	68.9	123.6	75
0.3	0.5	0.7	1.1	2.0	3.6	5.8	9.7	15.5	25.2	40.6	71.0	124.7	76
0.3	0.5	0.5	1.1	1.9	3.5	6.0	10.6	17.5	28.0	41.7	70.4	117.3	77
0.4	0.4	1.0	1.2	2.2	3.6	5.7	8.9	13.8	22.9	39.8	71.4	129.3	78
1.0	1.1	3.1	4.0	5.0	8.3	10.2	19.8	29.8	31.4	36.2	32.7	63.2	79
0.5	1.0	2.6	3.7	4.1	7.5	12.9	20.0	32.2	39.1	41.5	28.2	68.3	80
1.5	1.1	3.6	4.2	5.8	9.1	7.6	19.6	27.7	25.1	31.7	36.5	59.3	81
0.7	0.7	1.0	1.4	1.9	3.0	4.2	6.7	11.0	15.5	23.4	35.0	64.4	82
0.7	0.7	1.1	1.5	2.2	3.3	4.7	7.1	12.1	16.4	20.9	30.1	56.2	83
0.7	0.6	0.9	1.3	1.7	2.6	3.9	6.3	10.0	14.7	25.3	38.4	69.5	84
0.7	0.6	0.9	1.3	1.9	2.8	4.3	6.5	10.9	15.5	24.2	36.7	69.1	85
0.7	0.6	1.0	1.4	2.2	3.3	4.7	7.0	12.4	16.6	21.7	32.3	60.1	86
0.7	0.6	0.9	1.2	1.6	2.4	3.9	6.2	9.6	14.6	26.0	39.6	74.5	87
0.7	1.0	1.5	2.1	2.6	4.2	4.1	8.1	11.8	14.7	13.5	15.4	16.8	88
0.6	1.3	2.0	2.1	2.4	3.9	4.5	8.4	8.8	13.6	11.0	7.0	22.0	89
0.7	0.7	1.1	2.2	2.7	4.5	3.7	7.7	14.5	15.7	15.5	22.4	13.0	90

Table 1-9. Death Rates for 60 Selected Causes, by

(Rates per 100,000 population in specified group. Numbers after causes of death

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Cirrhosis of liver (581)	12.8	0.8	0.2	0.1	0.1	0.2	0.5
2	Male	16.8	0.8	0.2	0.1	0.1	0.1	0.5
3	Female	8.8	0.7	0.2	0.1	0.2	0.3	0.6
4	White	12.5	0.7	0.2	0.1	0.1	0.2	0.3
5	Male	16.6	0.7	0.2	0.0	0.1	0.1	0.3
6	Female	8.5	0.6	0.2	0.1	0.1	0.3	0.3
7	Nonwhite	14.6	1.1	0.2	0.1	0.2	0.4	2.2
8	Male	18.3	1.2	0.2	0.1	-	0.3	1.8
9	Female	11.1	0.9	0.2	0.1	0.3	0.5	2.6
10	Cholelithiasis, cholecystitis, and cholangitis (584,585)	2.4	0.1	-	-	-	0.0	0.1
11	Male	2.1	0.1	-	-	-	0.0	-
12	Female	2.7	0.1	-	-	-	0.1	0.1
13	White	2.6	0.1	-	-	-	0.0	0.1
14	Male	2.2	0.1	-	-	-	0.0	-
15	Female	2.9	0.1	-	-	-	0.1	0.1
16	Nonwhite	1.1	0.2	-	-	-	0.1	0.1
17	Male	0.7	-	-	-	-	-	-
18	Female	1.5	0.3	-	-	-	0.2	0.2
19	Acute nephritis, and nephritis with edema including nephrosis (590,591)	0.7	0.5	0.4	0.2	0.2	0.3	0.3
20	Male	0.8	0.6	0.4	0.2	0.2	0.3	0.4
21	Female	0.6	0.5	0.4	0.2	0.2	0.2	0.2
22	White	0.6	0.6	0.3	0.2	0.2	0.2	0.3
23	Male	0.7	0.7	0.3	0.2	0.2	0.3	0.3
24	Female	0.5	0.5	0.3	0.2	0.1	0.2	0.2
25	Nonwhite	1.3	0.2	0.7	0.4	0.2	0.5	0.6
26	Male	1.5	-	1.0	0.5	0.2	0.3	1.0
27	Female	1.2	0.3	0.5	0.3	0.2	0.6	0.2
28	Infections of kidney (600)	5.1	1.0	0.1	0.1	0.1	0.3	0.4
29	Male	4.9	1.3	0.1	0.1	0.1	0.3	0.2
30	Female	5.2	0.7	0.1	0.1	0.1	0.4	0.5
31	White	4.7	0.6	0.1	0.1	0.1	0.3	0.3
32	Male	4.5	0.6	0.1	0.1	0.0	0.3	0.2
33	Female	4.8	0.6	0.1	0.1	0.1	0.3	0.4
34	Nonwhite	7.9	3.3	0.1	0.1	0.2	0.4	0.9
35	Male	7.8	5.0	0.1	0.1	0.2	0.1	0.8
36	Female	8.1	1.6	0.1	0.1	0.2	0.7	1.1
37	Hyperplasia of prostate (610)	1.8	-	-	-	-	-	-
38	Male	3.6	-	-	-	-	-	-
39	White	1.7	-	-	-	-	-	-
40	Male	3.5	-	-	-	-	-	-
41	Nonwhite	2.0	-	-	-	-	-	-
42	Male	4.1	-	-	-	-	-	-
43	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	0.6	-	-	-	0.0	0.7	1.8
44	Female	1.2	-	-	-	0.0	1.4	3.4
45	White	0.4	-	-	-	-	0.4	1.3
46	Female	0.8	-	-	-	-	0.7	2.5
47	Nonwhite	2.3	-	-	-	0.1	3.0	5.1
48	Female	4.5	-	-	-	0.2	5.9	9.9
49	Abortion (650-652)	0.1	-	-	-	-	0.2	0.4
50	Female	0.2	-	-	-	-	0.3	0.9
51	White	0.1	-	-	-	-	0.1	0.2
52	Female	0.1	-	-	-	-	0.1	0.5
53	Nonwhite	0.6	-	-	-	-	0.8	1.8
54	Female	1.1	-	-	-	-	1.7	3.5
55	Other complications of pregnancy, childbirth, and the puerperium (640-649,680-689)	0.5	-	-	-	0.0	0.5	1.3
56	Female	1.0	-	-	-	0.0	1.1	2.6
57	White	0.3	-	-	-	-	0.3	1.0
58	Female	0.6	-	-	-	-	0.6	2.1
59	Nonwhite	1.8	-	-	-	0.1	2.1	3.3
60	Female	3.4	-	-	-	0.2	4.3	6.4
61	Congenital malformations (750-759)	10.1	348.5	10.2	3.3	2.4	2.5	2.3
62	Male	10.9	364.6	10.2	3.4	2.6	2.9	2.6
63	Female	9.3	331.8	10.1	3.1	2.1	2.1	2.1
64	White	9.7	354.8	9.8	3.2	2.5	2.5	2.4
65	Male	10.5	368.1	9.8	3.3	2.7	2.9	2.6
66	Female	9.0	340.8	9.8	3.0	2.2	2.1	2.1
67	Nonwhite	12.4	316.6	12.1	3.7	2.1	2.8	1.9
68	Male	13.9	346.6	12.2	3.6	2.2	3.2	1.9
69	Female	11.1	287.0	11.9	3.7	1.9	2.4	1.8
70	Certain diseases of early infancy (760-776)	28.6	1,435.7	0.1	0.0	0.0	-	-
71	Male	34.2	1,650.1	0.0	0.0	0.0	-	-
72	Female	23.2	1,212.1	0.1	0.0	0.0	-	-
73	White	23.9	1,268.9	0.1	0.0	0.0	-	-
74	Male	28.9	1,473.5	0.0	0.0	0.0	-	-
75	Female	19.1	1,054.6	0.1	0.0	0.0	-	-
76	Nonwhite	63.0	2,273.7	0.1	-	-	-	-
77	Male	73.5	2,553.7	0.1	-	-	-	-
78	Female	53.1	1,995.6	0.1	-	-	-	-
79	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	11.9	600.1	-	-	0.0	-	-
80	Male	14.6	704.3	-	-	-	-	-
81	Female	9.4	491.5	-	-	0.0	-	-
82	White	10.4	550.5	-	-	0.0	-	-
83	Male	12.8	654.5	-	-	-	-	-
84	Female	8.0	441.6	-	-	0.0	-	-
85	Nonwhite	23.5	849.1	-	-	-	-	-
86	Male	27.6	959.3	-	-	-	-	-
87	Female	19.7	739.6	-	-	-	-	-

[1]Figures for age not stated included in "Total" but not distributed among age groups.

5-Year Age Groups, Color, and Sex: United States, 1965—Con.

are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
1.8	5.3	11.4	18.5	27.6	36.4	40.4	39.7	40.8	34.6	31.5	27.1	21.7	1
1.8	6.1	13.4	23.1	34.3	49.0	56.4	59.7	61.7	51.8	47.6	41.2	30.5	2
1.7	4.5	9.4	14.1	21.3	24.5	25.4	21.7	23.2	21.1	19.4	17.2	16.2	3
1.0	3.3	8.6	15.6	25.7	35.7	40.0	39.8	41.3	35.7	32.5	28.2	22.5	4
1.2	3.8	10.5	19.6	31.8	47.8	56.0	60.2	62.7	53.5	49.2	43.3	31.8	5
0.8	2.8	6.8	11.8	19.9	24.3	25.1	21.4	23.5	21.8	20.1	17.8	16.8	6
7.6	20.0	33.1	43.0	45.4	43.0	43.8	39.3	34.0	21.6	18.5	14.1	13.7	7
6.8	24.2	38.2	54.3	58.2	60.4	60.1	54.2	49.8	32.6	28.8	19.7	19.5	8
8.3	16.4	28.9	33.0	33.9	27.1	28.5	25.1	19.9	12.6	9.9	9.4	9.3	9
0.1	0.2	0.4	0.5	1.0	1.6	2.4	4.6	9.1	14.9	24.1	38.6	60.7	10
0.1	0.1	0.2	0.4	0.8	1.4	2.3	4.3	9.7	14.3	24.0	41.0	53.0	11
0.2	0.3	0.5	0.7	1.1	1.7	2.6	4.9	8.5	15.3	24.2	37.0	65.4	12
0.1	0.2	0.4	0.5	1.0	1.6	2.4	4.7	9.1	15.5	25.1	40.5	65.3	13
0.1	0.2	0.3	0.4	0.9	1.4	2.2	4.5	9.9	15.1	25.3	43.8	57.7	14
0.2	0.3	0.5	0.5	1.0	1.7	2.5	5.0	8.5	15.7	24.9	38.3	69.9	15
0.1	0.1	0.3	1.2	1.0	1.5	3.1	3.7	8.3	8.1	11.5	16.7	13.7	16
0.2	-	-	0.3	0.2	0.8	2.7	2.6	7.5	4.9	8.5	11.3	12.2	17
0.1	0.1	0.6	2.0	1.7	2.2	3.5	4.7	9.0	10.8	14.1	21.2	14.8	18
0.3	0.3	0.5	0.4	0.6	1.0	1.0	1.3	1.9	2.4	3.0	4.9	6.7	19
0.4	0.3	0.5	0.3	0.8	1.2	1.2	1.8	2.3	2.8	4.0	5.6	9.2	20
0.3	0.3	0.4	0.5	0.5	0.8	0.9	0.9	1.6	2.0	2.2	4.3	5.1	21
0.2	0.2	0.4	0.3	0.4	0.8	0.9	1.1	1.7	2.3	2.7	4.6	5.6	22
0.3	0.2	0.4	0.3	0.5	0.9	1.0	1.4	2.1	2.8	3.7	5.1	7.3	23
0.1	0.2	0.4	0.4	0.3	0.6	0.7	0.9	1.4	1.9	1.9	4.3	4.6	24
1.3	1.2	1.0	1.0	2.6	3.1	2.5	3.5	4.6	3.2	6.9	7.7	17.9	25
1.3	1.0	1.5	0.5	3.5	3.9	2.5	5.5	4.8	2.7	7.6	11.3	26.8	26
1.4	1.4	0.7	1.4	1.8	2.4	2.5	1.7	4.3	3.6	6.3	4.7	11.1	27
0.6	0.9	1.5	2.2	3.1	4.8	6.9	11.0	18.4	26.0	39.0	67.8	128.9	28
0.4	0.6	1.2	1.5	2.6	3.9	6.9	10.9	20.5	30.1	48.9	81.8	144.8	29
0.7	1.2	1.8	2.9	3.6	5.7	7.0	11.1	16.6	22.8	31.5	58.0	119.0	30
0.4	0.6	1.0	1.5	2.1	3.6	5.4	8.4	15.7	24.1	38.3	67.2	131.5	31
0.3	0.4	1.0	1.1	1.8	2.9	5.5	8.6	17.3	26.7	47.5	80.4	146.4	32
0.6	0.8	1.0	1.9	2.4	4.2	5.3	8.2	14.4	22.1	31.4	58.2	122.4	33
1.4	3.3	5.7	7.9	12.3	16.2	22.5	37.1	50.1	47.9	47.7	74.4	104.2	34
1.3	2.5	3.1	4.9	10.4	12.6	20.8	33.6	57.7	68.5	66.1	97.2	134.1	35
1.5	4.0	8.0	10.5	14.0	19.5	24.1	40.5	43.4	30.9	32.4	55.3	81.5	36
0.0	0.0	-	0.0	0.0	0.3	0.8	2.3	5.5	10.6	20.5	37.0	69.5	37
0.0	0.0	-	0.0	0.1	0.6	1.7	4.9	12.0	24.1	47.8	90.1	180.9	38
0.0	0.0	-	0.0	0.0	0.2	0.5	1.8	4.8	9.4	19.5	37.1	70.3	39
0.0	0.0	-	0.0	0.1	0.4	1.1	3.8	10.6	21.3	45.7	91.2	185.4	40
-	-	-	-	0.1	1.0	3.3	7.2	13.3	25.3	33.8	35.9	62.1	41
-	-	-	-	0.2	2.0	6.9	14.8	28.2	56.0	74.6	78.9	143.9	42
2.2	2.3	2.0	0.8	0.1	-	-	-	-	-	-	-	-	43
4.3	4.5	3.8	1.6	0.1	-	-	-	-	-	-	-	-	44
1.2	1.3	1.2	0.6	0.0	-	-	-	-	-	-	-	-	45
2.4	2.7	2.5	1.1	0.1	-	-	-	-	-	-	-	-	46
9.1	9.0	7.6	2.9	0.3	-	-	-	-	-	-	-	-	47
17.2	16.8	14.0	5.5	0.5	-	-	-	-	-	-	-	-	48
0.5	0.5	0.3	0.1	-	-	-	-	-	-	-	-	-	49
1.0	0.9	0.5	0.2	-	-	-	-	-	-	-	-	-	50
0.2	0.3	0.1	0.1	-	-	-	-	-	-	-	-	-	51
0.5	0.5	0.3	0.1	-	-	-	-	-	-	-	-	-	52
2.5	2.1	1.2	0.4	-	-	-	-	-	-	-	-	-	53
4.8	3.8	2.2	0.7	-	-	-	-	-	-	-	-	-	54
1.7	1.8	1.7	0.7	0.1	-	-	-	-	-	-	-	-	55
3.3	3.5	3.3	1.4	0.1	-	-	-	-	-	-	-	-	56
1.0	1.1	1.1	0.5	0.0	-	-	-	-	-	-	-	-	57
2.0	2.2	2.2	1.0	0.1	-	-	-	-	-	-	-	-	58
6.6	7.0	6.4	2.5	0.3	-	-	-	-	-	-	-	-	59
12.4	12.9	11.8	4.7	0.5	-	-	-	-	-	-	-	-	60
1.9	1.9	1.9	2.2	2.6	3.1	3.1	2.5	2.9	2.9	2.8	2.4	2.8	61
2.1	1.8	2.2	2.4	2.9	3.0	3.3	2.7	3.2	3.3	3.6	2.4	3.4	62
1.7	1.9	1.7	2.0	2.3	3.2	2.9	2.3	2.6	2.6	2.2	2.3	2.4	63
1.8	1.8	1.9	2.2	2.6	3.1	3.1	2.6	2.8	2.9	2.8	2.5	2.6	64
2.0	1.8	2.2	2.4	2.9	3.1	3.3	2.8	3.1	3.2	3.6	2.7	2.7	65
1.6	1.9	1.5	2.0	2.2	3.1	2.8	2.4	2.6	2.7	2.2	2.4	2.5	66
2.4	2.0	2.7	2.6	2.6	3.2	3.2	1.4	3.5	2.7	2.7	0.6	5.3	67
2.7	2.1	2.8	3.1	2.6	2.4	3.5	1.4	4.8	4.3	3.4	-	9.8	68
2.1	1.8	2.6	2.2	2.7	3.9	3.0	1.4	2.3	1.3	2.1	1.2	1.9	69
-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	87

Table 1-9. Death Rates for 60 Selected Causes, by

(Rates per 100,000 population in specified group. Numbers after causes of death

	Cause of death, color, and sex	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
	Certain diseases of early infancy--Con.							
1	Infections of newborn (763-768)	2.0	101.8	-	-	-	-	-
2	Male	2.4	117.3	-	-	-	-	-
3	Female	1.6	85.6	-	-	-	-	-
4	White	1.4	75.0	-	-	-	-	-
5	Male	1.7	87.4	-	-	-	-	-
6	Female	1.1	62.0	-	-	-	-	-
7	Nonwhite	6.6	236.8	-	-	-	-	-
8	Male	7.8	270.5	-	-	-	-	-
9	Female	5.4	203.2	-	-	-	-	-
10	Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)	14.6	733.8	0.1	0.0	0.0	-	-
11	Male	17.2	828.5	0.0	0.0	0.0	-	-
12	Female	12.2	635.0	0.1	0.0	0.0	-	-
13	White	12.1	643.4	0.1	0.0	0.0	-	-
14	Male	14.4	731.6	0.0	0.0	0.0	-	-
15	Female	10.0	551.0	0.1	0.0	0.0	-	-
16	Nonwhite	32.9	1,187.8	0.1	-	-	-	-
17	Male	38.1	1,323.9	0.1	-	-	-	-
18	Female	28.0	1,052.8	0.1	-	-	-	-
19	Symptoms, senility, and ill-defined conditions (780-795)	12.1	61.4	2.4	0.4	0.4	0.9	1.9
20	Male	14.6	70.2	2.5	0.5	0.4	1.2	2.2
21	Female	9.6	52.2	2.2	0.4	0.4	0.7	1.6
22	White	9.0	33.5	1.3	0.2	0.3	0.7	1.5
23	Male	11.2	39.3	1.3	0.2	0.3	0.9	1.7
24	Female	6.9	27.3	1.2	0.2	0.3	0.4	1.2
25	Nonwhite	34.8	202.2	8.2	1.4	1.3	2.6	4.8
26	Male	40.4	228.3	9.0	1.7	1.3	3.1	5.8
27	Female	29.5	176.3	7.4	1.1	1.2	2.1	3.8
28	All other diseases (residual)	28.6	61.0	8.3	4.1	3.9	5.5	6.2
29	Male	32.0	69.4	8.7	4.2	4.5	6.8	7.6
30	Female	25.3	52.2	7.8	4.0	3.4	4.3	4.9
31	White	27.8	54.2	7.9	3.9	3.8	5.2	5.4
32	Male	30.9	61.5	8.4	4.0	4.5	6.5	6.7
33	Female	24.9	46.6	7.4	3.8	3.2	3.8	4.2
34	Nonwhite	34.2	95.0	10.4	5.1	4.6	8.1	12.0
35	Male	40.3	109.9	10.6	5.4	4.4	8.5	14.2
36	Female	28.6	80.1	10.2	4.7	4.7	7.8	9.9
37	Accidents (E800-E962)	55.7	86.0	31.8	19.1	18.4	56.8	68.0
38	Male	77.9	95.8	37.4	24.6	26.8	89.4	113.4
39	Female	34.4	75.7	25.9	13.3	9.7	23.5	24.2
40	White	54.2	70.4	28.0	17.3	17.5	57.4	67.6
41	Male	75.1	81.5	33.5	22.8	25.4	90.1	112.5
42	Female	34.0	58.8	22.2	11.6	9.3	23.9	24.1
43	Nonwhite	67.1	164.2	52.1	29.4	23.7	52.5	71.1
44	Male	98.6	168.9	58.6	35.2	35.3	84.4	120.0
45	Female	37.3	159.8	45.5	23.6	12.0	20.9	25.1
46	Motor vehicle accidents (E810-E835)	25.4	8.5	10.5	9.6	8.2	40.2	49.3
47	Male	37.4	9.2	11.9	12.2	10.9	61.0	80.8
48	Female	13.8	7.6	8.9	6.8	5.4	19.1	19.0
49	White	25.3	8.9	9.9	9.1	8.4	41.9	50.1
50	Male	37.1	9.9	11.1	11.8	11.1	63.5	82.0
51	Female	13.9	7.8	8.8	6.4	5.6	19.8	19.3
52	Nonwhite	25.8	6.3	13.1	12.1	7.3	28.7	43.5
53	Male	39.7	5.9	16.4	14.9	9.9	43.2	71.7
54	Female	12.8	6.6	9.8	9.3	4.6	14.3	16.9
55	Other accidents (E800-E802,E840-E962)	30.4	77.5	21.3	9.5	10.1	16.5	18.7
56	Male	40.5	86.6	25.5	12.4	15.8	28.4	32.7
57	Female	20.6	68.1	17.0	6.5	4.2	4.4	5.2
58	White	28.9	61.5	18.0	8.2	9.1	15.5	17.4
59	Male	38.0	71.6	22.4	11.1	14.3	26.6	30.5
60	Female	20.1	51.0	13.4	5.2	3.7	4.1	4.8
61	Nonwhite	41.2	157.9	38.9	17.3	16.4	23.8	27.6
62	Male	59.0	163.0	42.1	20.2	25.5	41.2	48.3
63	Female	24.5	153.2	35.7	14.3	7.4	6.6	8.2
64	Suicide (E963,E970-E979)	11.1	...	...	0.0	0.5	4.0	8.9
65	Male	16.3	...	...	-	0.9	6.1	13.8
66	Female	6.1	...	...	0.0	0.2	1.9	4.3
67	White	11.9	...	...	0.0	0.6	4.1	9.0
68	Male	17.4	...	...	-	1.0	6.3	13.9
69	Female	6.6	...	...	0.0	0.1	1.8	4.3
70	Nonwhite	5.0	...	...	-	0.3	3.8	8.4
71	Male	7.7	...	...	-	0.5	5.2	13.1
72	Female	2.5	...	...	-	0.2	2.4	4.0
73	Homicide (E964,E980-E985)	5.5	5.5	1.1	0.6	0.7	4.3	10.0
74	Male	8.6	6.2	1.2	0.6	0.9	6.5	16.1
75	Female	2.6	4.8	1.1	0.6	0.4	2.1	4.2
76	White	3.0	4.5	0.9	0.5	0.4	2.2	4.8
77	Male	4.4	5.3	1.0	0.5	0.5	3.0	7.4
78	Female	1.6	3.6	0.8	0.5	0.3	1.3	2.3
79	Nonwhite	24.6	10.8	2.4	1.0	2.4	18.9	47.9
80	Male	40.1	11.2	2.4	1.1	3.6	30.8	80.5
81	Female	10.0	10.4	2.4	0.9	1.1	7.1	17.3

[1]Figures for age not stated included in "Total" but not distributed among age groups.

5-Year Age Groups, Color, and Sex: United States, 1965—Con.

are category numbers of the Seventh Revision of the International Lists, 1955),

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	18
2.2	3.8	5.1	7.0	10.3	14.4	19.3	25.3	35.7	42.8	61.4	96.8	265.0	19
2.5	4.0	6.2	8.9	13.5	20.2	27.6	36.8	51.2	61.6	83.9	121.0	288.1	20
1.9	3.6	4.1	5.3	7.3	9.0	11.5	15.0	22.8	28.0	44.5	80.0	250.6	21
1.2	2.2	3.0	4.8	7.1	10.3	13.9	17.7	25.2	32.4	48.8	80.2	236.7	22
1.5	2.4	3.7	6.3	9.7	15.5	20.9	28.0	38.0	49.6	68.6	98.9	255.5	23
1.0	2.0	2.3	3.4	4.5	5.4	7.2	8.4	14.6	18.9	34.0	67.2	225.2	24
9.0	15.3	21.7	25.5	39.6	52.2	73.3	102.1	161.9	165.1	223.8	293.6	560.0	25
10.3	16.1	27.2	31.5	48.5	63.9	93.6	122.0	204.8	198.9	270.3	353.5	590.2	26
7.8	14.5	17.2	20.1	31.6	41.6	54.4	83.2	123.8	137.2	185.2	243.5	537.0	27
7.5	10.4	14.7	20.2	27.3	34.2	47.3	62.7	89.3	118.3	159.9	225.7	379.3	28
8.4	11.0	15.5	22.6	31.9	40.2	57.9	78.2	113.4	149.9	199.8	272.6	415.5	29
6.6	9.7	13.9	18.0	23.0	28.5	37.5	48.6	69.0	93.5	129.8	193.0	356.6	30
6.0	7.7	11.8	16.4	24.0	31.4	45.2	60.0	85.2	117.4	160.9	231.4	392.1	31
6.6	8.2	12.2	18.4	27.9	36.1	55.2	74.8	107.8	148.2	199.9	280.0	431.0	32
5.4	7.2	11.4	14.5	20.4	26.8	35.8	46.7	66.4	93.3	131.7	198.1	368.4	33
18.2	29.9	37.8	52.4	57.1	60.4	68.9	89.7	138.3	129.2	147.3	158.3	250.5	34
22.2	32.8	43.7	59.2	69.6	78.3	84.4	111.3	178.9	169.6	200.0	194.4	285.4	35
14.7	27.3	32.7	46.4	45.8	44.2	54.4	69.1	102.3	96.0	103.5	128.2	224.1	36
52.3	46.2	45.7	47.3	52.1	56.8	61.3	68.1	79.3	104.8	158.3	275.2	606.1	37
87.7	74.4	72.4	73.5	79.2	87.0	93.2	100.8	113.4	142.5	195.0	309.6	592.0	38
18.0	19.0	20.1	22.5	26.4	28.2	31.6	38.5	50.7	75.1	130.7	251.2	615.0	39
49.2	43.1	42.0	43.2	48.8	53.6	58.5	64.9	75.4	103.5	161.0	283.1	636.0	40
82.1	69.0	65.9	66.9	73.3	81.5	87.5	96.4	107.6	140.3	197.0	317.2	617.5	41
16.9	17.8	18.8	20.7	25.4	27.1	31.5	36.5	48.5	74.7	134.1	259.6	647.2	42
75.1	68.7	74.4	82.0	81.9	86.4	88.9	100.4	126.1	119.9	123.8	182.7	305.3	43
131.1	116.5	127.6	132.0	134.5	139.4	149.0	143.5	180.2	167.9	172.0	229.6	375.6	44
25.7	27.3	29.4	37.8	34.9	38.0	32.6	59.5	78.1	80.3	83.8	143.5	251.9	45
33.1	26.5	24.7	24.5	24.8	26.0	28.2	29.9	33.2	38.3	44.5	47.4	40.3	46
54.5	41.6	37.8	36.6	36.4	37.7	40.3	42.2	46.6	55.7	66.3	79.9	70.5	47
12.4	12.0	12.2	13.0	13.9	14.8	16.8	18.8	22.0	24.6	28.0	24.8	21.5	48
31.7	25.6	23.8	23.3	24.0	25.1	27.5	29.1	32.3	38.5	45.8	48.7	41.5	49
51.8	39.7	35.9	34.6	34.9	36.0	38.5	40.6	44.9	55.5	68.1	82.0	72.8	50
11.9	11.7	12.1	12.5	13.6	14.7	17.2	18.7	21.7	25.2	29.2	25.9	22.4	51
43.4	33.5	31.9	34.5	32.5	34.3	34.8	38.1	44.5	35.9	27.7	32.1	28.4	52
74.8	56.2	54.1	53.8	50.9	54.2	58.4	58.0	66.5	58.2	45.8	57.7	51.2	53
15.7	13.9	13.2	17.4	16.1	16.1	12.7	19.3	25.0	17.5	12.7	10.6	11.1	54
19.2	19.7	21.0	22.8	27.2	30.8	33.1	38.2	46.1	66.5	113.8	227.8	565.9	55
33.2	32.8	34.6	36.9	42.8	49.3	52.8	58.6	66.8	86.8	128.6	229.8	521.5	56
5.6	7.0	7.9	9.5	12.5	13.3	14.7	19.7	28.8	50.6	102.7	226.5	593.5	57
17.5	17.6	18.2	19.9	24.8	28.5	31.0	35.8	43.1	65.0	115.2	234.4	594.5	58
30.3	29.3	30.0	32.2	38.4	45.5	49.0	55.8	62.7	84.8	128.9	235.2	544.7	59
5.0	6.0	6.7	8.1	11.8	12.4	14.2	17.7	26.8	49.5	105.0	233.8	624.8	60
31.7	35.1	42.4	47.5	49.3	52.1	54.1	62.3	81.6	84.0	96.2	150.6	276.8	61
56.3	60.3	73.5	78.2	83.6	85.2	90.6	85.5	113.7	109.8	126.3	171.8	324.4	62
10.1	13.4	16.2	20.4	18.8	21.9	19.9	40.2	53.1	62.8	71.1	132.9	240.7	63
11.3	13.3	15.8	17.5	18.7	22.8	24.7	22.8	22.3	21.6	24.1	24.4	24.4	64
16.3	18.3	21.1	24.0	25.5	33.1	37.8	36.8	36.5	38.5	45.6	49.0	52.5	65
6.5	8.4	10.8	11.4	12.3	13.1	12.4	10.2	10.4	8.3	7.8	7.2	6.8	66
11.5	13.8	16.7	18.5	19.8	24.4	26.4	24.2	23.3	22.9	25.0	26.0	26.0	67
16.5	18.9	21.8	25.0	26.7	35.2	40.3	38.9	37.8	41.2	47.8	52.9	57.7	68
6.6	8.7	11.7	12.3	13.2	14.0	13.4	10.9	11.2	8.6	8.1	7.6	6.7	69
10.0	9.7	9.4	9.1	8.6	8.5	7.4	9.3	10.6	5.9	11.5	5.1	7.4	70
14.9	13.5	15.3	14.8	14.2	12.8	12.9	15.7	21.1	8.2	20.3	8.5	7.3	71
5.6	6.4	4.4	4.0	3.7	4.6	2.3	3.3	1.2	4.0	4.2	2.4	7.4	72
11.9	11.8	10.9	8.9	7.4	6.5	5.6	4.2	3.8	2.8	2.3	3.5	2.4	73
19.3	18.3	17.3	13.8	11.4	10.7	9.2	6.8	6.7	4.5	4.0	5.5	3.9	74
4.9	5.6	4.7	4.3	3.5	2.5	2.3	1.9	1.4	1.5	1.1	2.0	1.5	75
5.1	5.2	5.1	4.5	4.0	3.9	3.5	3.2	2.4	2.2	1.8	2.9	1.9	76
7.9	7.8	8.1	6.6	6.0	6.1	5.6	4.8	3.9	3.1	3.0	4.4	3.0	77
2.3	2.8	2.1	2.5	2.1	1.8	1.5	1.7	1.2	1.4	0.9	1.8	1.3	78
62.2	60.6	56.4	46.5	37.9	30.6	27.3	14.5	20.3	10.8	8.8	10.3	7.4	79
106.8	101.3	95.3	77.7	62.7	54.4	45.5	26.4	39.2	20.1	16.1	16.9	12.2	80
22.8	25.3	23.7	18.8	15.8	8.9	10.2	3.3	3.5	3.1	2.8	4.7	3.7	81

Table 1-10. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color and Sex: United States, 1965

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death, color, and sex	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All causes	943.2	2,407.7	92.9	42.2	109.3	151.6	307.5	739.5	1,694.5	3,790.3	8,192.7	20,199.7
Male	1,088.4	2,713.0	100.8	50.9	157.3	198.4	385.2	970.1	2,305.6	5,046.4	9,823.2	21,278.9
Female	803.3	2,089.4	84.6	33.3	61.5	106.3	233.7	521.0	1,151.9	2,768.9	6,998.5	19,526.4
White	940.3	2,087.5	81.4	39.6	102.3	126.6	263.8	678.4	1,597.8	3,667.1	8,287.0	20,982.5
Male	1,084.9	2,373.9	89.3	48.1	148.7	168.0	335.8	904.3	2,222.5	4,929.5	9,974.6	22,243.4
Female	800.5	1,787.5	73.1	30.9	56.0	86.0	194.5	463.1	1,024.2	2,644.3	7,064.7	20,213.2
Nonwhite	965.0	4,016.9	153.6	58.0	158.3	335.1	664.3	1,299.3	2,660.2	5,257.0	7,019.5	12,345.3
Male	1,114.3	4,447.5	162.6	68.2	219.3	435.4	811.4	1,590.4	3,126.6	6,382.7	8,132.8	13,070.7
Female	824.3	3,590.8	144.5	47.9	99.2	247.3	537.7	1,036.8	2,220.8	4,281.0	6,092.5	11,794.4
Tuberculosis, all forms (001-019)	4.1	0.7	0.3	0.1	0.3	1.1	3.1	5.7	10.6	16.7	24.4	37.4
Male	6.1	0.7	0.2	0.1	0.3	1.2	3.8	8.5	17.8	29.9	41.8	58.8
Female	2.2	0.7	0.4	0.1	0.3	0.9	2.6	3.1	4.0	5.9	11.6	24.0
White	3.4	0.4	0.2	0.0	0.2	0.5	1.8	4.2	8.8	14.5	22.5	35.0
Male	5.2	0.5	0.1	0.0	0.2	0.5	2.3	6.2	14.9	26.1	38.8	55.0
Female	1.7	0.3	0.2	0.0	0.1	0.4	1.4	2.2	3.1	5.1	10.7	22.8
Nonwhite	9.3	2.3	1.1	0.2	1.5	5.5	13.5	19.8	28.9	43.0	47.6	62.1
Male	13.1	1.6	0.6	0.3	1.2	7.0	15.4	29.7	46.3	74.2	76.7	95.1
Female	5.6	3.2	1.7	0.2	1.7	4.2	11.9	10.5	12.5	16.3	23.3	37.0
Tuberculosis of respiratory system (001-008)	3.8	0.3	0.1	0.0	0.2	0.9	2.8	5.3	10.1	15.8	23.1	35.3
Male	5.7	0.4	0.1	0.0	0.2	1.1	3.4	7.9	17.1	28.5	39.9	55.7
Female	1.9	0.3	0.1	0.0	0.2	0.8	2.3	2.8	3.6	5.4	10.8	22.7
White	3.2	0.1	0.0	0.0	0.1	0.4	1.7	4.0	8.4	13.7	21.4	33.3
Male	4.9	0.2	0.0	0.0	0.1	0.4	2.1	6.0	14.4	24.9	37.1	52.3
Female	1.6	0.1	0.0	0.0	0.1	0.4	1.3	2.1	2.9	4.7	10.0	21.7
Nonwhite	8.2	1.4	0.5	0.1	1.0	4.8	12.2	17.0	26.7	40.0	44.0	58.8
Male	11.9	1.2	0.2	0.1	0.8	6.2	14.0	26.4	43.5	69.3	71.4	87.8
Female	4.7	1.6	0.7	0.1	1.2	3.5	10.6	8.5	10.8	14.8	21.1	33.3
Tuberculosis, other forms (010-019)	0.3	0.4	0.2	0.0	0.1	0.1	0.3	0.4	0.5	0.9	1.3	2.0
Male	0.4	0.4	0.2	0.0	0.1	0.1	0.3	0.6	0.7	1.5	1.9	3.1
Female	0.2	0.4	0.3	0.0	0.1	0.1	0.2	0.3	0.4	0.5	0.8	1.6
White	0.2	0.3	0.1	0.0	0.1	0.0	0.1	0.2	0.4	0.7	1.1	1.7
Male	0.2	0.4	0.1	0.0	0.1	0.1	0.1	0.3	0.5	1.2	1.6	2.7
Female	0.1	0.2	0.2	0.0	0.0	0.0	0.1	0.1	0.2	0.4	0.7	1.2
Nonwhite	1.1	0.9	0.7	0.1	0.5	0.8	1.4	2.6	2.2	3.0	3.6	5.3
Male	1.2	0.3	0.4	0.2	0.5	0.8	1.4	3.3	2.8	4.9	5.3	7.3
Female	0.9	1.6	1.0	0.1	0.5	0.7	1.3	2.0	1.6	1.5	2.2	3.7
Syphilis and its sequelae (020-029)	1.3	0.6	-	0.0	0.0	0.1	0.2	1.1	3.5	7.9	9.2	7.1
Male	1.8	0.7	-	0.0	0.0	0.2	0.3	1.7	5.2	13.3	14.4	8.7
Female	0.7	0.6	-	0.0	0.0	0.1	0.1	0.6	1.9	3.4	5.4	6.0
White	1.0	0.5	-	0.0	0.0	0.1	0.1	0.6	2.8	8.7	8.5	6.8
Male	1.5	0.4	-	0.0	0.0	0.1	0.2	1.0	4.0	11.5	13.5	7.8
Female	0.6	0.3	-	0.0	0.0	0.1	0.1	0.3	1.3	2.8	5.0	6.1
Nonwhite	2.8	2.2	-	0.0	0.1	0.6	1.1	5.2	12.4	21.9	17.3	11.6
Male	4.0	2.2	-	0.0	0.1	0.9	1.5	8.0	17.2	33.8	24.9	19.5
Female	1.7	2.2	-	-	0.1	0.3	0.8	2.7	7.8	11.7	11.0	5.6
Dysentery, all forms (045-048)	0.1	2.2	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.4	1.0
Male	0.1	2.2	0.2	0.0	0.0	0.0	0.1	0.1	0.2	0.3	0.5	1.2
Female	0.1	2.2	0.2	0.0	0.0	-	0.0	0.0	0.1	0.2	0.2	0.8
White	0.1	1.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.3	0.8
Male	0.1	1.0	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.5	1.2
Female	0.1	1.0	0.1	0.0	-	-	0.0	0.0	0.0	0.1	0.1	0.7
Nonwhite	0.5	8.3	0.6	0.1	0.0	-	0.2	0.2	0.3	1.1	1.4	3.2
Male	0.5	8.7	0.7	0.1	-	-	0.2	0.3	0.5	1.0	1.6	2.4
Female	0.5	7.9	0.6	0.1	0.1	-	0.2	0.1	0.1	1.3	1.3	3.7
Scarlet fever and streptococcal sore throat (050,051)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2
Male	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
Female	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2
White	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2
Male	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
Female	0.0	0.1	0.0	0.0	0.0	0.0	-	0.0	0.0	0.1	-	0.2
Nonwhite	0.1	0.2	-	0.1	0.1	0.0	0.1	0.0	0.2	0.1	0.5	1.2
Male	0.1	0.3	-	0.1	0.1	-	0.1	-	-	0.2	0.5	-
Female	0.1	-	-	0.0	0.1	0.1	0.1	0.1	0.4	-	0.4	1.5
Diphtheria (055)	0.0	-	0.0	0.0	-	-	-	0.0	0.0	-	-	-
Male	0.0	-	0.1	0.0	-	-	-	-	-	-	-	-
Female	0.0	-	0.0	0.0	-	-	-	0.0	0.0	-	-	-
White	0.0	-	0.0	0.0	-	-	-	0.0	0.0	-	-	-
Male	0.0	-	0.0	0.0	-	-	-	-	-	-	-	-
Female	0.0	-	0.0	0.0	-	-	-	0.0	0.0	-	-	-
Nonwhite	0.0	-	0.1	0.1	-	-	-	-	-	-	-	-
Male	0.0	-	0.2	0.1	-	-	-	-	-	-	-	-
Female	0.0	-	-	0.1	-	-	-	-	-	-	-	-
Whooping cough (056)	0.0	1.1	0.1	-	-	-	-	-	-	-	-	-
Male	0.0	1.3	0.1	-	-	-	-	-	-	-	-	-
Female	0.0	0.8	0.1	-	-	-	-	-	-	-	-	-
White	0.0	0.8	0.0	-	-	-	-	-	-	-	-	-
Male	0.0	0.8	0.0	-	-	-	-	-	-	-	-	-
Female	0.0	0.4	0.0	-	-	-	-	-	-	-	-	-
Nonwhite	0.1	3.4	0.4	-	-	-	-	-	-	-	-	-
Male	0.2	4.0	0.5	-	-	-	-	-	-	-	-	-
Female	0.1	2.8	0.2	-	-	-	-	-	-	-	-	-
Meningococcal infections (057)	0.5	7.1	1.8	0.3	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2
Male	0.5	7.9	1.9	0.3	0.3	0.1	0.1	0.1	0.2	0.1	0.1	0.2
Female	0.4	6.3	1.7	0.2	0.2	0.1	0.1	0.2	0.2	0.3	0.2	0.2
White	0.4	6.9	1.7	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2
Male	0.5	8.1	1.9	0.3	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.2
Female	0.4	5.7	1.6	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2
Nonwhite	0.8	8.0	1.9	0.6	0.5	0.5	0.2	0.2	0.5	0.5	0.2	-
Male	0.8	7.1	1.9	0.6	0.5	0.4	0.2	0.2	0.5	0.2	-	-
Female	0.7	8.9	1.9	0.6	0.2	0.2	0.2	0.3	0.1	0.4	0.4	-

[1] Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-10. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1965–Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death, color, and sex	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Acute poliomyelitis (080)	0.0	0.1	0.0	0.0	-	0.0	0.0	-	0.0	-	-	-
Male	0.0	-	0.0	-	-	0.0	0.0	-	-	-	-	-
Female	0.0	0.1	0.0	0.0	-	0.0	0.0	-	0.0	-	-	-
White	0.0	0.0	0.0	0.0	-	0.0	0.0	-	0.0	-	-	-
Male	0.0	-	-	-	-	0.0	0.0	-	-	-	-	-
Female	0.0	0.1	0.0	0.0	-	0.0	0.0	-	0.0	-	-	-
Nonwhite	0.0	0.2	0.0	-	-	0.0	-	-	-	-	-	-
Male	0.0	-	0.1	-	-	0.1	-	-	-	-	-	-
Female	0.0	0.3	-	-	-	-	-	-	-	-	-	-
Measles (085)	0.1	1.8	0.8	0.2	0.0	0.0	0.0	0.0	0.0	-	-	0.1
Male	0.1	1.8	0.8	0.1	0.0	-	0.0	0.0	-	-	-	-
Female	0.1	1.7	0.7	0.3	0.0	0.0	-	-	0.0	-	-	0.2
White	0.1	1.3	0.6	0.2	0.0	0.0	0.0	0.0	0.0	-	-	0.1
Male	0.1	1.5	0.6	0.1	0.0	-	0.0	0.0	-	-	-	-
Female	0.1	1.1	0.5	0.2	0.0	0.0	-	-	0.0	-	-	0.2
Nonwhite	0.4	3.9	1.7	0.3	-	-	-	-	-	-	-	-
Male	0.3	3.4	1.5	0.2	-	-	-	-	-	-	-	-
Female	0.4	4.4	1.8	0.3	-	-	-	-	-	-	-	-
Other infective and parasitic diseases (030-044,049,052-054, 058-074,081-084,086-138)	3.0	19.2	2.6	0.9	0.9	1.3	1.9	2.7	4.8	7.9	14.0	25.6
Male	3.3	21.6	2.8	0.9	0.8	1.2	1.8	3.1	5.6	10.0	17.5	22.0
Female	2.8	16.7	2.3	0.8	0.9	1.4	2.0	2.4	4.2	6.2	11.4	27.8
White	2.7	15.4	2.2	0.8	0.7	1.0	1.5	2.3	4.3	7.3	13.3	25.5
Male	2.9	17.3	2.4	0.9	0.7	0.9	1.4	2.6	5.1	9.3	16.7	20.8
Female	2.5	13.4	2.0	0.8	0.8	1.0	1.5	2.0	3.6	5.7	10.9	28.5
Nonwhite	5.6	38.5	4.4	1.2	2.0	3.5	5.3	6.6	10.3	14.3	22.1	26.3
Male	6.0	43.8	5.0	1.1	1.9	3.3	4.7	7.7	10.4	17.8	27.5	34.1
Female	5.2	33.2	3.8	1.2	2.1	3.7	5.8	5.7	10.2	11.3	17.6	20.4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	153.5	5.9	8.6	6.5	8.2	19.0	60.7	178.2	406.6	752.2	1,093.9	1,493.3
Male	169.7	6.0	9.1	7.2	9.9	17.9	52.4	175.7	483.6	977.0	1,408.6	1,841.6
Female	138.0	5.7	8.2	5.7	6.6	20.0	68.6	180.5	335.8	569.5	863.5	1,276.0
White	157.3	6.1	9.3	6.8	8.2	18.4	57.6	171.4	396.2	742.2	1,112.1	1,541.9
Male	173.2	6.1	9.8	7.6	10.1	18.0	49.7	167.6	471.4	961.8	1,432.1	1,916.4
Female	141.9	6.2	8.8	6.0	6.4	18.7	65.2	175.1	327.3	564.2	880.3	1,313.3
Nonwhite	125.9	4.5	5.0	4.7	7.9	23.2	86.5	239.7	510.1	872.2	867.8	1,008.4
Male	143.4	5.6	5.3	5.2	8.4	16.7	76.4	252.4	603.7	1,150.1	1,145.5	1,209.8
Female	109.4	3.5	4.7	4.2	7.4	28.8	95.3	228.2	421.9	633.8	636.6	855.6
Malignant neoplasm of buccal cavity and pharynx (140-148)	3.4	-	0.0	0.0	0.1	0.2	1.1	5.1	11.2	15.0	18.8	31.4
Male	5.2	-	0.0	0.0	0.1	0.2	1.6	7.8	18.7	26.1	31.9	51.3
Female	1.6	-	0.0	0.0	0.1	0.1	0.6	2.5	4.2	5.9	9.3	19.0
White	3.4	-	0.0	0.0	0.1	0.2	0.8	4.8	10.8	15.0	19.5	32.6
Male	5.2	-	0.0	0.1	0.1	0.2	1.2	7.2	18.2	26.3	33.4	53.6
Female	1.6	-	0.0	0.0	0.1	0.1	0.5	2.4	4.1	5.9	9.4	19.7
Nonwhite	3.0	-	-	0.0	0.2	0.2	3.5	8.0	14.6	14.5	10.3	20.0
Male	4.7	-	-	0.0	0.3	0.3	5.1	12.7	24.0	24.3	14.3	31.7
Female	1.5	-	-	-	0.2	0.1	2.1	3.7	5.8	6.1	7.0	11.1
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)	48.7	0.4	0.2	0.1	0.5	2.4	11.0	41.9	119.8	261.9	438.2	625.0
Male	53.9	0.3	0.2	0.1	0.5	2.8	12.2	48.7	148.0	327.2	523.6	694.2
Female	43.6	0.5	0.1	0.1	0.4	2.1	9.9	35.3	93.8	208.8	375.7	581.9
White	49.6	0.4	0.2	0.1	0.4	2.2	10.2	38.8	114.1	255.9	445.7	646.3
Male	54.2	0.3	0.3	0.1	0.4	2.6	11.2	44.5	139.9	317.4	531.5	720.8
Female	45.1	0.4	0.1	0.0	0.4	1.8	9.3	33.3	90.4	206.2	383.5	600.8
Nonwhite	41.8	0.6	0.0	0.1	0.9	4.0	17.6	70.0	176.7	332.6	345.7	412.6
Male	51.6	0.3	-	0.1	0.9	4.3	21.4	88.6	228.0	439.7	434.9	470.7
Female	32.6	0.9	0.1	0.1	0.8	3.7	14.4	53.1	128.3	240.7	271.4	368.5
Malignant neoplasm of respiratory system, not specified as secondary (160-164)	26.8	0.2	0.0	0.0	0.2	1.0	9.3	38.0	94.1	147.9	126.7	97.8
Male	46.0	0.3	0.0	0.0	0.3	1.5	14.1	62.5	170.5	287.9	245.5	171.7
Female	8.3	0.1	0.0	0.0	0.2	0.6	4.7	14.8	23.8	34.0	39.6	51.7
White	27.7	0.2	0.0	0.0	0.2	1.0	8.6	36.9	93.8	147.9	129.7	100.5
Male	47.4	0.3	0.0	0.0	0.3	1.4	12.9	60.2	170.4	288.5	252.6	177.6
Female	8.6	0.1	-	0.0	0.2	0.6	4.5	14.6	23.6	33.9	40.7	53.5
Nonwhite	20.6	-	0.1	0.1	0.3	1.3	14.8	48.7	97.0	147.8	89.4	70.5
Male	35.8	-	0.1	0.1	0.4	1.7	24.8	84.5	172.0	279.3	165.6	122.0
Female	6.3	-	0.2	0.0	0.2	0.9	6.2	16.5	26.3	34.9	26.0	31.5
Malignant neoplasm of breast (170)	14.0	-	-	0.0	0.1	2.0	10.6	26.8	39.9	52.2	73.1	116.6
Male	0.3	-	-	-	-	0.0	0.1	0.4	0.7	1.5	2.0	2.9
Female	27.2	-	-	0.0	0.1	3.9	20.7	51.8	75.9	93.5	125.2	187.5
White	14.6	-	-	0.0	0.0	1.8	10.3	26.8	40.2	53.2	75.4	120.8
Male	0.3	-	-	-	-	0.0	0.1	0.4	0.6	1.5	2.0	3.0
Female	28.4	-	-	0.0	0.1	3.5	20.2	51.9	76.6	95.0	128.5	192.8
Nonwhite	9.5	-	-	-	0.1	3.2	13.1	26.9	36.0	40.9	45.4	73.7
Male	0.2	-	-	-	-	-	0.2	0.4	0.8	0.7	2.6	2.4
Female	18.3	-	-	-	0.2	6.1	24.2	50.8	69.2	75.4	81.1	127.8
Malignant neoplasm of genital organs (171-179)	20.9	0.0	0.1	0.1	0.8	3.5	9.6	22.5	45.3	99.5	179.7	269.1
Male	17.7	-	0.1	0.1	0.9	1.8	1.8	3.9	23.8	103.7	278.1	494.7
Female	23.9	0.1	0.1	0.2	0.8	5.2	17.0	40.1	65.1	96.1	107.6	128.4
White	20.5	-	0.1	0.1	0.9	3.1	8.7	20.9	41.8	93.3	177.0	271.5
Male	17.5	-	0.2	0.1	1.0	1.9	1.8	3.3	20.6	94.8	273.9	507.5
Female	23.5	-	0.1	0.2	0.7	4.3	15.2	37.6	61.2	92.1	106.8	127.5
Nonwhite	23.3	0.2	-	0.2	0.7	6.2	17.1	37.3	80.6	173.1	213.2	247.4
Male	19.3	-	-	0.1	0.2	0.5	1.1	9.4	55.0	205.8	328.0	390.2
Female	27.0	0.3	-	0.3	1.2	11.1	31.0	62.5	104.7	145.1	117.6	138.9
Malignant neoplasm of urinary organs (180,181)	7.2	0.4	0.7	0.3	0.1	0.3	1.4	5.7	17.2	39.0	63.9	90.7
Male	9.6	0.6	0.7	0.2	0.1	0.3	1.9	8.0	25.7	60.0	92.0	119.1
Female	4.9	0.3	0.7	0.3	0.2	0.2	1.0	3.6	9.4	22.0	43.3	73.0
White	7.5	0.4	0.7	0.3	0.1	0.2	1.4	5.6	17.0	39.4	65.8	96.4
Male	10.1	0.5	0.7	0.2	0.1	0.2	1.9	7.9	25.7	61.1	95.7	128.6
Female	5.0	0.3	0.7	0.3	0.1	0.2	1.0	3.4	9.0	21.7	44.2	76.8
Nonwhite	4.6	0.5	0.8	0.2	0.3	0.6	1.6	7.0	19.4	35.2	39.9	32.6
Male	5.7	0.6	0.9	0.2	0.1	0.7	2.3	8.4	26.0	47.0	49.2	36.6
Female	3.6	0.3	0.8	0.2	0.5	0.6	1.0	5.7	13.2	25.1	32.2	29.6

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-10. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1965—Con

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death, color, and sex	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.												
Malignant neoplasm of other and unspecified sites (156B, 185,190-199)	17.9	2.0	2.9	2.3	2.6	4.4	9.7	22.6	46.6	74.9	103.1	166.2
Male	19.8	2.0	2.8	2.5	3.3	5.1	10.8	25.9	56.5	91.5	120.8	187.4
Female	16.1	2.1	2.9	2.1	1.9	3.8	8.7	19.6	37.6	61.5	90.2	153.0
White	18.4	2.2	3.1	2.4	2.7	4.5	9.6	22.3	45.8	74.6	105.3	171.8
Male	20.4	2.1	3.0	2.5	3.4	5.2	10.7	25.5	55.8	91.7	124.0	196.5
Female	16.5	2.4	3.1	2.2	2.0	3.9	8.5	19.2	36.8	60.7	91.7	156.7
Nonwhite	13.7	0.9	1.8	1.9	2.2	3.4	11.2	25.8	55.2	79.6	76.2	110.5
Male	14.9	1.2	1.8	2.0	2.5	3.8	11.5	29.1	63.0	89.3	84.7	109.8
Female	12.7	0.6	1.8	1.7	1.9	3.1	10.8	22.8	47.9	71.2	69.2	111.1
Leukemia and aleukemia (204)	7.0	2.2	4.2	2.9	2.0	2.0	3.0	5.7	12.6	27.7	48.0	60.7
Male	8.2	2.3	4.5	3.3	2.4	2.3	3.5	6.5	15.9	37.2	63.3	78.9
Female	5.9	2.0	3.9	2.6	1.6	1.7	2.5	4.9	9.8	20.0	36.7	49.4
White	7.4	2.2	4.6	3.1	2.0	2.0	3.0	5.7	12.8	28.3	50.1	64.6
Male	8.7	2.2	4.9	3.5	2.3	2.3	3.5	6.6	16.2	38.0	66.2	84.1
Female	6.2	2.2	4.3	2.8	1.7	1.7	2.5	4.9	9.8	20.5	38.4	52.8
Nonwhite	4.1	1.9	2.1	1.6	1.9	2.1	3.1	5.2	11.4	20.4	21.6	22.1
Male	5.1	2.8	2.3	2.0	2.6	2.8	3.9	5.6	12.8	27.7	30.7	34.1
Female	3.2	0.9	1.8	1.2	1.2	1.8	2.4	4.7	10.1	14.2	14.1	13.0
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	7.8	0.6	0.5	0.7	1.8	3.2	4.9	9.9	19.8	34.1	42.4	35.7
Male	9.0	0.6	0.6	1.0	2.4	4.0	6.4	12.1	23.7	41.9	51.5	41.4
Female	6.6	0.7	0.4	0.4	1.3	2.4	3.6	7.7	16.2	27.8	35.8	32.2
White	8.1	0.7	0.6	0.7	1.9	3.3	5.0	9.7	19.9	34.6	43.8	37.4
Male	9.4	0.5	0.7	1.1	2.5	4.2	6.4	11.9	23.9	42.4	52.9	44.7
Female	6.9	0.8	0.4	0.4	1.3	2.5	3.6	7.7	16.2	28.3	37.2	32.9
Nonwhite	5.1	0.5	0.2	0.6	1.4	2.1	4.5	10.9	19.2	28.2	26.0	18.9
Male	6.2	0.6	0.2	0.7	1.5	2.8	6.1	13.7	22.0	38.3	35.4	12.2
Female	4.1	0.3	0.2	0.5	1.3	1.5	3.2	8.4	16.5	21.3	18.1	24.1
Benign neoplasms and neoplasms of unspecified nature (210-239)	2.6	2.7	0.7	0.6	0.7	1.0	2.0	3.7	6.0	8.5	12.1	20.4
Male	2.5	2.3	0.8	0.6	0.7	0.8	1.8	3.2	6.6	9.8	13.4	19.6
Female	2.7	3.1	0.6	0.5	0.7	1.1	2.4	4.2	5.4	7.4	11.1	20.8
White	2.6	2.7	0.7	0.5	0.7	0.9	1.8	3.4	5.7	8.1	12.2	21.1
Male	2.5	2.2	0.7	0.6	0.7	0.8	1.5	3.0	6.4	9.5	13.9	20.5
Female	2.6	3.3	0.6	0.5	0.6	1.0	2.1	3.7	5.1	7.0	11.0	21.5
Nonwhite	3.0	2.7	0.8	0.6	0.8	1.5	3.9	6.7	8.8	13.0	10.3	12.6
Male	2.7	3.1	0.9	0.6	0.9	1.2	2.7	5.1	8.9	13.4	7.4	12.2
Female	3.4	2.2	0.8	0.6	0.7	1.8	4.9	8.2	8.3	12.7	12.8	13.0
Asthma (241)	2.3	0.5	0.3	0.2	0.4	0.7	1.4	3.0	6.2	10.0	12.8	14.6
Male	2.8	0.6	0.2	0.3	0.3	0.5	1.2	3.1	7.8	15.5	19.5	22.0
Female	1.9	0.4	0.4	0.2	0.5	0.9	1.5	2.9	4.7	5.5	7.9	10.0
White	2.2	0.3	0.2	0.2	0.3	0.5	1.0	2.5	5.8	10.0	13.1	14.7
Male	2.7	0.3	0.1	0.2	0.2	0.3	0.8	2.5	7.2	15.6	20.1	22.6
Female	1.8	0.3	0.3	0.2	0.4	0.6	1.2	2.6	4.5	5.5	8.0	9.9
Nonwhite	3.3	1.4	0.8	0.5	1.4	2.6	4.6	7.0	10.0	10.1	9.4	13.7
Male	3.8	1.9	0.8	0.6	1.2	2.3	5.0	8.5	13.2	14.8	12.7	17.1
Female	2.8	0.9	0.9	0.4	1.6	3.0	4.2	5.7	6.9	6.1	6.6	11.1
Diabetes mellitus (260)	17.1	0.5	0.2	0.3	0.7	2.6	4.7	11.9	36.1	92.6	168.4	220.0
Male	14.3	0.5	0.2	0.2	0.6	3.0	5.4	12.4	32.6	80.7	146.3	207.5
Female	19.8	0.5	0.2	0.4	0.7	2.3	4.1	11.5	39.4	102.3	181.0	227.8
White	16.7	0.5	0.2	0.3	0.6	2.5	3.9	9.6	31.3	87.4	167.8	228.3
Male	14.2	0.5	0.3	0.2	0.5	2.9	4.8	11.0	30.1	77.6	148.6	216.2
Female	19.1	0.5	0.1	0.4	0.6	2.1	3.1	8.3	32.4	95.3	181.6	232.4
Nonwhite	20.1	0.5	0.1	0.4	1.4	3.8	11.0	32.9	84.5	154.5	149.0	157.9
Male	14.9	0.3	-	0.3	1.5	3.8	10.7	25.6	57.4	115.6	120.6	134.1
Female	25.0	0.6	0.2	0.5	1.4	3.7	11.3	39.6	110.1	187.9	172.7	175.9
Anemias (290-293)	1.8	2.7	1.1	0.4	0.5	0.5	0.7	1.0	2.5	6.3	16.0	37.3
Male	1.8	2.9	1.0	0.3	0.8	0.8	0.8	0.9	2.8	7.3	19.7	39.0
Female	1.8	2.5	1.2	0.5	0.5	0.5	0.7	1.1	2.4	5.4	15.3	36.3
White	1.7	1.8	0.6	0.3	0.3	0.2	0.4	0.8	2.2	6.2	16.4	39.8
Male	1.7	1.6	0.5	0.2	0.3	0.2	0.3	0.7	2.4	7.4	20.3	42.9
Female	1.7	2.0	0.8	0.3	0.3	0.2	0.4	0.8	2.1	5.3	13.7	38.0
Nonwhite	3.1	7.2	5.7	1.2	2.1	2.8	3.2	2.9	5.0	6.9	11.1	11.8
Male	3.1	9.6	3.5	1.2	2.3	3.3	2.9	2.6	4.4	6.8	13.2	4.9
Female	3.1	4.7	3.8	1.3	1.9	2.3	3.4	3.2	5.5	6.9	9.3	16.7
Meningitis, except meningococcal and tuberculous (340)	1.2	21.9	2.6	0.3	0.2	0.3	0.4	0.8	1.1	1.7	2.2	3.3
Male	1.4	23.7	2.6	0.3	0.2	0.5	0.5	1.0	1.4	2.1	2.3	3.9
Female	1.1	20.0	2.4	0.3	0.2	0.2	0.3	0.5	0.9	1.5	2.1	2.9
White	1.0	16.7	2.2	0.3	0.2	0.2	0.3	0.5	0.9	1.5	2.0	3.2
Male	1.1	18.9	2.5	0.3	0.2	0.3	0.3	0.6	1.1	1.9	2.2	4.0
Female	0.8	14.4	1.9	0.3	0.2	0.2	0.2	0.4	0.7	1.2	1.9	2.8
Nonwhite	3.2	47.9	4.8	0.5	0.8	1.1	1.5	3.0	3.8	4.9	4.6	4.2
Male	3.5	48.1	4.4	0.4	0.8	1.9	1.7	4.5	4.4	4.9	4.2	2.4
Female	2.9	47.8	5.2	0.5	0.4	0.4	1.3	1.8	2.8	5.0	4.8	5.6
Major cardiovascular-renal diseases (330-334,400-468,592-594)	516.4	15.4	2.4	2.1	7.1	24.5	99.1	327.2	889.0	2,294.2	5,658.3	15,263.2
Male	580.0	17.5	2.5	2.0	7.3	28.5	138.7	482.2	1,272.5	3,031.6	6,538.9	15,477.5
Female	455.0	13.2	2.4	2.2	6.8	20.6	61.4	180.3	538.0	1,694.5	5,013.4	15,129.5
White	526.3	13.2	2.0	1.8	6.0	18.8	82.9	296.7	830.8	2,212.8	5,731.2	15,896.2
Male	595.3	14.9	2.1	1.7	6.3	25.0	123.2	456.2	1,233.1	2,987.0	6,659.7	16,235.3
Female	461.5	11.4	1.9	1.9	5.6	14.8	44.2	144.8	461.4	1,601.8	5,058.8	15,689.3
Nonwhite	442.9	26.6	4.9	3.9	14.9	66.2	231.1	606.1	1,470.1	3,262.6	4,750.7	8,900.0
Male	480.3	31.1	4.7	3.6	14.7	71.5	272.7	727.2	1,660.5	3,770.1	5,183.1	8,997.6
Female	407.7	22.2	5.1	4.2	15.0	61.5	195.4	496.9	1,290.7	2,827.1	4,390.7	8,825.9
Diseases of cardiovascular system (330-334,400-468)	510.9	14.6	2.2	1.7	5.7	22.2	95.6	320.8	878.7	2,275.4	5,619.0	15,161.6
Male	573.8	16.7	2.3	1.7	5.7	25.7	134.5	474.2	1,260.4	3,008.2	6,489.4	15,349.4
Female	450.2	12.4	2.1	1.7	5.7	18.9	58.6	175.5	527.3	1,679.4	4,961.5	15,044.4
White	521.5	12.5	1.8	1.4	4.7	17.1	80.4	291.8	822.6	2,197.1	5,694.9	15,798.7
Male	587.9	14.3	1.9	1.4	4.8	20.7	120.0	449.7	1,223.0	2,947.0	6,614.4	16,114.0
Female	457.3	10.6	1.6	1.4	4.6	13.5	42.2	141.2	455.0	1,589.5	5,029.0	15,606.3
Nonwhite	432.4	25.2	4.4	3.2	13.0	60.0	220.3	586.9	1,438.4	3,207.3	4,673.8	8,755.8
Male	468.6	28.9	4.2	3.1	12.5	64.8	259.8	704.2	1,629.0	3,707.1	5,085.2	8,804.9
Female	398.2	21.5	4.7	3.4	13.6	55.9	186.2	481.1	1,258.9	2,776.5	4,331.3	8,718.5

[1] Figures for age not stated included in "Total" but not distributed among age groups

Table 1-10. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1965-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death, color, and sex	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Major cardiovascular-renal diseases—Con.												
Diseases of cardiovascular system—Con.												
Vascular lesions affecting central nervous system (330-334)	103.7	4.0	0.7	0.7	1.5	4.8	15.4	45.0	127.9	430.0	1,322.2	3,741.8
Male	98.3	5.1	0.7	0.6	1.5	4.4	15.4	48.2	149.8	496.6	1,396.4	3,559.6
Female	108.9	2.9	0.7	0.7	1.4	5.2	15.4	42.0	107.8	375.9	1,267.9	3,855.4
White	102.3	3.7	0.6	0.6	1.3	3.7	10.9	34.0	104.3	389.6	1,323.8	3,888.3
Male	96.3	4.8	0.6	0.6	1.4	3.5	10.9	37.3	126.9	455.5	1,400.6	3,733.4
Female	108.0	2.6	0.6	0.6	1.2	3.8	11.0	30.9	83.4	336.1	1,268.1	3,982.7
Nonwhite	114.7	5.5	1.4	1.0	2.8	13.2	51.9	145.8	364.1	911.7	1,303.1	2,271.6
Male	113.5	6.8	1.4	1.0	2.5	11.7	54.0	150.8	374.6	696.8	1,354.5	2,073.2
Female	115.9	4.1	1.4	1.0	3.1	14.5	50.1	141.3	354.1	861.8	1,260.4	2,422.2
Diseases of heart (400-402,410-443)	367.4	9.6	1.3	0.9	3.1	14.1	72.9	258.8	704.3	1,697.8	3,833.9	9,600.5
Male	434.0	10.4	1.3	0.9	3.4	18.4	111.7	404.8	1,048.1	2,310.6	4,556.5	9,937.5
Female	303.2	8.8	1.2	0.9	2.8	9.9	36.0	120.4	387.9	1,199.6	3,304.7	9,390.2
White	379.0	8.0	1.0	0.7	2.4	11.2	64.5	244.2	676.5	1,667.0	3,903.2	10,005.3
Male	449.7	8.7	1.1	0.7	2.7	15.4	104.1	395.3	1,038.0	2,296.9	4,669.2	10,427.5
Female	310.6	7.3	0.9	0.6	2.2	7.1	26.4	100.1	344.6	1,156.6	3,348.5	9,747.7
Nonwhite	281.8	17.4	2.7	2.0	7.6	35.3	141.1	392.7	981.9	2,065.5	2,971.1	5,529.5
Male	316.5	18.6	2.7	1.8	8.2	42.2	176.7	494.5	1,147.8	2,462.8	3,283.6	5,746.3
Female	249.2	16.1	2.8	2.2	7.1	29.3	110.3	300.9	825.7	1,724.6	2,711.0	5,364.8
Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)	8.0	0.3	0.1	0.3	1.2	3.2	7.2	14.5	24.2	27.8	28.5	37.1
Male	7.1	0.3	0.1	0.3	1.1	2.9	7.1	13.5	22.5	26.5	25.2	30.3
Female	8.8	0.3	0.1	0.4	1.2	3.5	7.3	15.5	25.7	28.8	31.0	41.4
White	8.3	0.2	0.0	0.2	0.8	2.8	7.0	14.7	25.1	28.6	29.8	39.8
Male	7.3	0.2	0.0	0.2	0.8	2.6	6.9	13.6	23.2	27.2	26.5	32.9
Female	9.2	0.3	0.0	0.2	0.9	3.0	7.0	15.8	26.8	29.7	32.1	44.1
Nonwhite	5.8	0.5	0.3	1.1	3.3	6.3	9.5	12.6	15.0	17.9	13.2	9.5
Male	5.4	0.9	0.3	0.8	3.5	5.3	8.8	12.5	15.4	17.5	10.1	7.3
Female	6.2	-	0.3	1.4	3.2	7.2	10.0	12.7	14.6	18.2	15.9	11.1
Arteriosclerotic heart disease, including coronary disease (420)	288.6	0.5	0.1	0.1	0.6	7.1	52.4	206.5	573.8	1,382.6	2,986.8	7,059.6
Male	357.5	0.6	0.1	0.1	0.7	11.3	88.8	343.6	892.4	1,949.4	3,682.6	7,543.8
Female	222.1	0.4	0.1	0.0	0.4	2.9	17.8	76.4	280.7	921.6	2,477.1	6,757.6
White	303.8	0.5	0.1	0.0	0.5	6.0	49.6	203.0	569.2	1,386.4	3,072.0	7,404.2
Male	377.4	0.5	0.0	0.1	0.6	10.1	86.6	346.0	905.8	1,972.9	3,812.8	7,965.5
Female	232.6	0.4	0.1	0.0	0.4	2.1	13.9	66.8	260.1	911.3	2,535.5	7,061.7
Nonwhite	175.8	0.8	0.2	0.1	1.1	14.6	75.7	237.7	620.5	1,337.1	1,925.5	3,583.2
Male	208.3	1.2	0.3	0.2	1.4	21.4	107.5	321.7	759.9	1,674.0	2,203.7	3,912.2
Female	145.2	0.3	0.1	0.1	0.8	8.6	48.3	162.1	489.1	1,048.0	1,693.8	3,333.3
Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	27.4	0.9	0.2	0.1	0.3	0.8	2.8	8.9	29.9	97.4	352.9	1,315.5
Male	27.4	0.9	0.3	0.1	0.4	0.9	3.7	13.0	40.5	121.0	387.6	1,282.3
Female	27.5	0.9	0.2	0.1	0.2	0.6	1.8	5.1	20.2	78.3	327.6	1,336.3
White	27.9	0.7	0.2	0.1	0.3	0.6	2.3	7.6	26.3	90.4	354.0	1,369.9
Male	27.6	0.7	0.2	0.1	0.3	0.7	3.2	11.5	37.1	113.6	388.9	1,348.2
Female	28.2	0.6	0.1	0.1	0.2	0.4	1.3	4.0	16.4	71.6	328.7	1,383.1
Nonwhite	24.0	2.0	0.5	0.1	0.6	2.1	6.8	21.0	65.9	181.6	340.1	769.5
Male	25.5	1.9	0.6	0.2	0.8	2.3	8.1	27.4	73.7	206.1	374.6	717.1
Female	22.6	2.2	0.4	0.0	0.4	1.8	5.7	15.2	58.6	160.5	311.5	809.3
Other diseases of heart (430-434)	15.1	7.9	0.9	0.4	0.9	2.0	4.9	11.2	26.9	61.4	146.0	407.7
Male	17.0	8.6	0.9	0.4	1.0	2.1	5.8	15.2	37.1	80.9	174.5	446.2
Female	13.2	7.2	0.9	0.4	0.8	1.9	4.0	7.5	17.6	45.6	125.1	383.7
White	14.3	6.7	0.7	0.3	0.8	1.4	3.6	9.1	22.4	55.4	144.0	415.1
Male	16.1	7.4	0.8	0.3	0.9	1.5	4.6	12.9	32.1	73.4	171.7	453.9
Female	12.5	5.9	0.7	0.3	0.7	1.4	2.6	5.4	13.5	40.9	123.9	391.4
Nonwhite	20.9	14.1	1.7	0.7	2.0	6.2	15.2	31.2	71.9	133.4	170.7	335.8
Male	24.0	14.6	1.5	0.6	1.9	7.0	16.2	37.2	86.4	167.9	207.4	387.8
Female	18.1	13.6	2.0	0.7	2.2	5.5	14.4	25.8	58.2	103.8	140.1	296.3
Hypertensive heart disease (440-443)	28.4	-	-	0.0	0.1	1.0	5.6	17.6	49.4	128.6	319.7	780.5
Male	25.0	-	-	0.0	0.1	1.1	6.2	19.4	55.7	132.8	286.6	634.9
Female	31.6	-	-	0.0	0.1	1.0	5.0	15.9	43.7	125.2	343.9	871.3
White	24.7	-	-	0.0	0.0	0.3	2.2	9.7	33.5	106.2	303.5	776.3
Male	21.2	-	-	0.0	0.0	0.4	2.8	11.3	39.8	109.8	269.3	627.0
Female	28.2	-	-	0.0	0.0	0.2	1.6	8.1	27.8	103.2	328.2	867.4
Nonwhite	55.3	-	-	0.0	0.6	6.1	33.8	90.1	208.7	395.6	521.6	831.6
Male	53.3	-	-	-	0.7	6.1	36.2	95.6	212.4	397.3	487.8	722.0
Female	57.1	-	-	0.0	0.5	6.1	31.8	85.2	205.2	394.2	549.8	914.8
Other hypertensive disease (444-447)	6.0	-	-	0.0	0.1	0.9	2.2	4.3	7.8	21.9	67.8	212.5
Male	6.2	-	-	0.0	0.1	1.1	2.7	5.3	9.3	26.3	76.9	239.2
Female	5.8	-	-	0.0	0.1	0.7	1.9	3.4	6.5	18.3	61.2	195.8
White	5.4	-	-	0.0	0.1	0.3	0.8	2.4	5.9	19.1	67.4	218.8
Male	5.5	-	-	0.0	0.0	0.4	1.1	2.8	7.1	23.0	76.0	247.7
Female	5.4	-	-	0.0	0.1	0.2	0.6	2.0	4.8	15.8	61.1	201.2
Nonwhite	10.3	-	-	0.0	0.5	5.5	13.7	22.1	27.0	55.6	73.6	149.5
Male	11.8	-	-	0.0	0.6	6.8	16.5	28.7	30.3	63.5	87.8	168.3
Female	8.9	-	-	-	0.3	4.4	11.2	16.2	23.9	48.9	61.7	135.2
General arteriosclerosis (450)	19.7	-	0.0	-	0.0	0.1	0.3	1.6	9.0	52.1	270.5	1,396.3
Male	18.2	-	0.0	-	0.0	0.1	0.4	2.3	11.7	64.2	297.1	1,381.8
Female	21.1	-	-	-	0.0	0.1	0.1	1.0	6.6	42.2	250.9	1,405.3
White	20.7	-	0.0	-	0.0	0.1	0.2	1.3	7.8	49.0	274.1	1,467.3
Male	19.0	-	0.0	-	0.0	0.1	0.3	1.9	10.5	61.1	302.0	1,462.5
Female	22.3	-	-	-	0.0	0.1	0.1	0.8	5.3	39.3	253.8	1,470.2
Nonwhite	12.2	-	-	-	-	0.0	0.8	4.1	20.9	88.4	225.2	678.9
Male	12.4	-	-	-	-	0.1	1.0	5.2	23.1	100.0	242.3	685.4
Female	11.9	-	-	-	-	-	0.7	3.2	18.9	78.5	211.0	674.1
Other diseases of circulatory system (451-468)	14.1	1.0	0.2	0.1	1.1	2.3	4.8	11.1	29.6	73.5	124.5	210.6
Male	17.0	1.2	0.2	0.1	0.7	1.6	4.5	13.5	41.6	110.6	162.5	231.2
Female	11.2	0.7	0.2	0.2	1.4	3.0	5.2	8.7	18.6	43.4	96.7	197.7
White	14.2	0.7	0.2	0.1	0.9	1.8	3.8	9.8	28.1	72.5	126.5	219.0
Male	17.4	0.8	0.2	0.1	0.6	1.3	3.6	12.3	40.4	110.5	166.5	242.9
Female	11.1	0.6	0.1	0.2	1.2	2.3	4.0	7.5	16.8	41.7	97.4	204.4
Nonwhite	13.4	2.3	0.3	0.2	2.2	5.9	12.8	22.1	44.5	86.1	100.7	126.3
Male	14.5	3.4	0.2	0.2	1.1	3.8	11.6	25.0	53.1	110.9	116.9	131.7
Female	12.4	1.3	0.5	0.2	3.1	7.7	13.8	19.5	36.4	64.7	87.2	122.2

[1] Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-10. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1965--Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death, color, and sex	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Major cardiovascular-renal diseases--Con.												
Chronic and unspecified nephritis and other renal sclerosis (592-594)	5.5	0.8	0.2	0.4	1.3	2.3	3.5	6.4	10.3	18.8	39.3	101.6
Male	6.2	0.8	0.2	0.3	1.6	2.8	4.2	8.1	12.0	23.4	49.5	128.1
Female	4.8	0.8	0.3	0.5	1.1	1.8	2.8	4.8	8.7	15.0	31.9	85.0
White	4.8	0.7	0.2	0.4	1.3	1.8	2.6	5.0	8.2	15.7	36.3	97.5
Male	5.5	0.5	0.2	0.3	1.5	2.3	3.2	6.5	10.1	20.0	45.3	121.3
Female	4.1	0.8	0.2	0.4	1.1	1.2	2.0	3.6	6.4	12.3	29.8	85.1
Nonwhite	10.6	1.4	0.5	0.7	1.8	6.2	10.9	19.3	31.7	55.3	76.9	144.2
Male	11.7	2.2	0.5	0.5	2.2	6.9	12.8	23.0	31.5	63.0	97.9	192.7
Female	9.5	0.6	0.5	0.8	1.4	5.6	9.1	15.9	31.8	48.6	59.5	107.4
Influenza and pneumonia, except pneumonia of newborn (480-493)	31.9	208.3	11.4	2.1	2.2	3.6	7.8	15.1	33.3	94.6	295.1	1,062.6
Male	36.8	233.8	11.3	2.3	2.4	4.1	9.4	20.2	46.3	135.2	384.8	1,213.1
Female	27.3	181.8	11.5	1.9	1.9	3.2	6.4	10.3	21.3	61.6	229.3	968.7
White	30.1	147.2	8.4	1.8	1.9	2.6	5.6	12.8	29.0	88.1	296.2	1,110.5
Male	34.4	171.9	8.4	2.0	2.2	2.8	6.6	16.8	41.0	126.5	386.4	1,280.3
Female	25.9	121.4	8.4	1.6	1.6	2.4	4.6	9.0	18.1	57.0	230.8	1,006.9
Nonwhite	45.9	516.0	27.3	3.9	3.8	11.4	28.0	36.6	75.5	171.8	281.3	580.0
Male	54.7	550.6	27.4	4.0	4.1	14.2	33.3	53.0	98.9	235.3	368.8	634.1
Female	37.6	482.3	27.3	3.8	3.5	9.0	19.8	21.8	53.3	117.3	208.4	536.9
Influenza (480-483)	1.2	4.7	0.3	0.1	0.1	0.1	0.2	0.4	1.1	3.4	12.3	52.7
Male	1.1	4.9	0.4	0.1	0.1	0.2	0.2	0.4	1.4	3.9	13.1	50.1
Female	1.2	4.6	0.3	0.0	0.1	0.1	0.2	0.4	0.9	3.0	11.8	54.2
White	1.1	2.0	0.2	0.0	0.1	0.1	0.2	0.4	1.0	2.9	12.4	54.7
Male	1.0	2.3	0.2	0.1	0.1	0.1	0.2	0.4	1.2	3.6	13.3	52.6
Female	1.2	1.7	0.2	0.0	0.1	0.1	0.2	0.4	0.8	2.4	11.8	56.1
Nonwhite	1.7	18.3	1.2	0.1	0.1	0.3	0.5	0.8	2.8	8.9	11.5	51.6
Male	1.6	18.0	1.4	0.1	0.2	0.3	0.1	0.7	2.8	8.0	11.1	29.3
Female	1.8	18.7	0.9	0.1	0.1	0.4	0.6	0.9	2.4	9.6	11.9	33.3
Pneumonia, except pneumonia of newborn (490-493)	30.8	203.6	11.1	2.0	2.1	3.5	7.6	14.7	32.1	91.2	282.7	1,010.0
Male	35.7	228.9	11.0	2.2	2.3	3.9	9.2	19.8	45.0	131.3	371.7	1,163.0
Female	26.0	177.2	11.1	1.8	1.8	3.1	6.2	9.8	20.4	58.6	217.6	914.5
White	28.9	145.2	8.2	1.7	1.8	2.5	5.4	12.4	28.1	85.2	283.8	1,055.8
Male	33.3	169.6	8.2	1.9	2.1	2.6	6.4	16.4	39.8	123.0	373.1	1,227.8
Female	24.7	119.7	8.2	1.5	1.6	2.3	4.5	8.6	17.3	54.5	219.1	950.8
Nonwhite	44.2	497.7	26.1	3.8	3.6	11.1	25.7	35.8	72.9	182.9	289.7	548.4
Male	53.1	552.6	25.8	3.9	3.9	13.9	33.2	52.3	96.1	227.3	357.7	604.9
Female	35.8	463.6	26.4	3.7	3.4	8.6	19.3	20.9	50.9	107.7	196.5	505.6
Bronchitis (500-502)	3.0	12.2	1.1	0.2	0.1	0.2	0.5	1.9	6.2	14.6	22.8	39.4
Male	4.5	13.9	1.2	0.2	0.1	0.2	0.7	2.6	10.1	26.9	40.1	62.7
Female	1.6	10.4	1.0	0.1	0.1	0.2	0.4	1.2	2.5	4.6	10.2	24.9
White	3.1	9.9	1.0	0.1	0.1	0.1	0.5	1.9	6.3	15.0	23.9	41.7
Male	4.6	11.7	1.1	0.2	0.1	0.2	0.6	2.6	10.4	27.6	41.9	66.6
Female	1.6	8.1	1.0	0.1	0.1	0.1	0.4	1.2	2.5	4.8	10.8	26.5
Nonwhite	2.3	23.6	1.6	0.4	0.2	0.4	1.1	1.9	4.6	10.2	10.3	16.8
Male	3.2	25.2	1.8	0.5	0.2	0.2	1.1	3.4	7.3	18.5	20.1	29.3
Female	1.4	22.2	1.4	0.2	0.1	0.6	1.0	0.5	2.0	3.1	2.2	7.4
Other bronchopulmonic diseases (525-527)	13.7	35.4	1.0	0.1	0.2	0.5	2.2	9.3	32.9	79.1	109.0	130.4
Male	22.2	39.8	1.0	0.1	0.3	0.6	2.7	14.2	57.6	151.8	205.9	230.0
Female	5.4	30.9	1.0	0.2	0.2	0.4	1.7	4.6	10.1	20.1	58.1	68.3
White	14.4	27.9	0.8	0.1	0.2	0.4	2.0	8.9	33.6	82.2	113.6	136.6
Male	23.5	32.1	0.8	0.1	0.2	0.5	2.4	13.6	59.1	158.0	215.3	241.8
Female	5.6	23.5	0.9	0.2	0.2	0.4	1.6	4.4	10.2	20.8	39.9	72.4
Nonwhite	8.6	75.2	1.7	0.2	0.4	0.9	3.6	12.9	25.6	42.1	52.6	68.4
Male	13.1	79.2	1.9	0.0	0.5	1.1	5.0	20.5	43.0	78.8	98.4	129.3
Female	4.4	67.4	1.5	0.3	0.3	0.7	2.3	6.1	9.2	10.6	14.5	22.2
Ulcer of stomach and duodenum (540,541)	5.4	1.9	0.1	0.0	0.2	0.5	1.9	5.6	12.7	24.7	46.3	81.8
Male	7.7	2.2	0.1	0.0	0.2	0.7	2.8	8.5	20.5	40.9	71.3	116.2
Female	3.1	1.7	0.1	0.0	0.1	0.3	1.1	2.9	5.4	11.6	27.9	60.3
White	5.6	1.2	0.1	0.0	0.1	0.5	1.7	5.3	12.6	25.1	47.6	87.2
Male	8.0	1.3	0.1	0.0	0.2	0.8	2.5	8.1	20.6	41.6	73.7	125.9
Female	3.2	1.0	0.1	0.0	0.1	0.3	1.0	2.7	5.2	11.7	28.6	63.7
Nonwhite	3.8	5.8	0.0	0.1	0.3	1.1	3.4	8.2	13.2	20.9	30.0	26.3
Male	5.6	6.5	-	0.1	0.6	1.6	5.0	12.8	19.5	32.8	44.4	31.7
Female	2.2	5.1	0.1	0.0	-	0.6	1.9	4.0	7.3	10.6	18.1	22.2
Appendicitis (550-553)	0.9	0.4	0.2	0.3	0.3	0.2	0.4	0.8	1.6	3.4	6.3	10.9
Male	1.1	0.5	0.3	0.4	0.3	0.2	0.5	1.1	2.2	4.9	9.6	12.3
Female	0.6	0.3	0.2	0.2	0.2	0.2	0.2	0.5	1.1	2.1	4.0	10.0
White	0.8	0.3	0.2	0.3	0.2	0.2	0.3	0.7	1.5	3.1	6.3	10.6
Male	1.1	0.5	0.3	0.4	0.3	0.1	0.5	0.9	2.1	4.4	9.4	12.7
Female	0.6	0.1	0.2	0.2	0.1	0.2	0.2	0.4	1.0	2.0	4.1	9.4
Nonwhite	1.2	0.8	0.4	0.4	0.5	0.4	0.7	2.1	3.0	6.5	6.5	13.7
Male	1.6	0.6	0.5	0.6	0.6	0.6	0.9	3.0	5.2	10.5	11.6	9.8
Female	0.9	0.9	0.3	0.3	0.5	0.3	0.6	1.3	2.8	3.1	2.2	16.7
Hernia and intestinal obstruction (560,561,570)	5.2	22.1	0.4	0.1	0.2	0.5	1.2	3.2	8.3	20.7	50.2	119.2
Male	4.9	25.0	0.6	0.2	0.2	0.5	1.1	3.0	8.8	23.2	50.4	112.1
Female	5.4	19.1	0.3	0.1	0.2	0.5	1.4	3.3	7.7	18.6	50.0	123.6
White	5.2	22.1	0.3	0.1	0.2	0.4	0.9	2.8	7.6	19.9	51.4	124.7
Male	4.9	24.8	0.4	0.2	0.2	0.4	0.8	2.7	8.1	22.2	51.6	117.3
Female	5.5	19.1	0.2	0.1	0.2	0.4	1.1	2.9	7.2	18.0	51.2	129.3
Nonwhite	5.0	22.2	0.8	0.2	0.3	1.1	3.5	6.6	14.6	30.6	34.9	83.2
Male	5.2	25.8	1.2	0.3	0.2	0.7	3.2	5.7	16.2	35.3	36.5	88.3
Female	4.8	18.7	0.5	0.1	0.4	1.3	3.9	7.4	13.1	26.5	33.5	59.3
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	4.1	44.3	2.4	0.2	0.3	0.7	1.2	2.4	5.4	13.0	27.5	64.4
Male	4.0	48.6	2.8	0.2	0.3	0.7	1.3	2.7	5.8	14.0	24.1	56.2
Female	4.2	39.8	2.0	0.2	0.3	0.7	1.1	2.1	5.0	12.2	30.1	69.5
White	3.7	23.2	1.9	0.2	0.3	0.7	1.1	2.3	5.3	13.0	28.6	69.1
Male	3.6	26.0	2.2	0.2	0.3	0.7	1.2	2.7	5.7	14.3	25.4	60.1
Female	3.9	20.3	1.6	0.2	0.3	0.6	1.0	2.0	4.9	11.9	31.0	74.5
Nonwhite	6.7	150.4	5.1	0.3	0.2	0.8	1.8	3.3	5.9	13.1	14.2	16.8
Male	7.2	164.0	5.8	0.5	0.2	1.0	2.0	3.1	6.3	10.9	9.5	22.0
Female	6.2	137.0	4.4	0.2	0.3	0.7	1.6	3.5	5.5	15.0	18.1	13.0

[1]Figures for age not stated included in "Total" but not distributed among age groups.

'able 1-10. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1965–Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death, color, and sex	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
rrhosis of liver (581)	12.8	0.8	0.2	0.1	0.3	3.5	15.0	31.9	40.1	38.0	29.9	21.7
Male	16.8	0.8	0.2	0.1	0.3	3.9	18.4	41.4	57.9	57.3	45.4	30.5
Female	8.8	0.7	0.2	0.1	0.4	3.1	11.8	22.9	23.7	22.2	18.6	16.2
White	12.5	0.7	0.2	0.1	0.2	2.1	12.2	30.5	39.9	38.8	31.0	22.5
Male	16.6	0.7	0.2	0.1	0.2	2.5	15.1	39.5	57.9	58.7	47.1	31.8
Female	8.5	0.6	0.2	0.1	0.3	1.8	9.3	22.0	23.4	22.7	19.3	16.8
Nonwhite	14.6	1.1	0.2	0.1	1.2	13.7	38.0	44.2	41.7	28.3	16.8	13.7
Male	18.3	1.2	0.2	0.1	0.9	15.3	46.3	59.3	57.4	42.1	25.4	19.5
Female	11.1	0.9	0.2	0.2	1.4	12.3	30.9	30.7	26.9	16.5	9.7	9.3
olelithiasis, cholecystitis, and cholangitis (584,585)	2.4	0.1	-	-	0.1	0.2	0.5	1.2	3.5	11.7	29.3	60.7
Male	2.1	0.1	-	-	0.0	0.1	0.3	1.1	3.2	11.7	29.9	53.0
Female	2.7	0.1	-	-	0.1	0.2	0.6	1.4	3.7	11.6	28.9	65.4
White	2.6	0.1	-	-	0.0	0.2	0.4	1.2	3.5	12.0	30.6	65.3
Male	2.2	0.1	-	-	0.0	0.1	0.3	1.1	3.3	12.2	31.7	57.7
Female	2.9	0.1	-	-	0.1	0.2	0.5	1.3	3.6	11.8	29.8	69.9
Nonwhite	1.1	0.2	-	-	0.1	0.1	0.8	1.2	3.4	8.2	13.5	13.7
Male	0.7	-	-	-	-	0.1	0.2	0.5	2.7	6.3	9.5	12.2
Female	1.5	0.3	-	-	0.2	0.1	1.3	1.9	4.0	9.8	16.7	14.8
ute nephritis, and nephritis with edema including ephrosis (590,591)	0.7	0.5	0.4	0.2	0.3	0.3	0.4	0.8	1.2	2.1	3.7	6.7
Male	0.8	0.6	0.4	0.2	0.4	0.4	0.4	1.0	1.4	2.5	4.6	9.2
Female	0.6	0.5	0.4	0.2	0.2	0.3	0.5	0.6	0.9	1.8	3.0	5.1
White	0.6	0.6	0.3	0.2	0.3	0.2	0.4	0.6	1.0	2.0	3.4	5.6
Male	0.7	0.7	0.3	0.2	0.3	0.3	0.3	0.7	1.2	2.4	4.2	7.3
Female	0.5	0.5	0.3	0.2	0.2	0.2	0.4	0.5	0.8	1.6	2.8	4.6
Nonwhite	1.3	0.2	0.7	0.3	0.5	1.3	1.0	2.9	3.0	3.9	7.2	17.9
Male	1.5	-	1.0	0.4	0.6	1.1	1.0	3.7	3.9	3.9	9.0	26.8
Female	1.2	0.3	0.5	0.2	0.5	1.4	1.1	2.1	2.1	4.0	5.7	11.1
ifections of kidney (600)	5.1	1.0	0.1	0.1	0.3	0.7	1.8	3.9	8.8	21.8	49.2	128.9
Male	4.9	1.3	0.1	0.1	0.3	0.5	1.3	3.2	8.7	24.7	60.3	144.8
Female	5.2	0.7	0.1	0.1	0.4	0.9	2.3	4.6	8.9	19.4	41.1	119.0
White	4.7	0.6	0.1	0.1	0.3	0.5	1.2	2.8	6.8	19.5	48.6	131.5
Male	4.5	0.6	0.1	0.0	0.3	0.3	1.0	2.3	6.9	21.5	58.8	146.4
Female	4.8	0.6	0.1	0.1	0.4	0.7	1.5	3.2	6.7	17.9	41.1	122.4
Nonwhite	7.9	3.3	0.1	0.2	0.6	2.3	6.8	14.1	29.2	49.1	57.7	104.2
Male	7.8	5.0	0.1	0.1	0.4	1.9	4.0	11.5	26.7	62.5	77.8	134.1
Female	8.1	1.6	0.1	0.2	0.9	2.8	9.2	16.6	31.6	37.6	41.0	81.5
rperplasia of prostate (610)	1.8	-	-	-	-	0.0	0.0	0.2	1.5	7.8	26.4	69.5
Male	3.6	-	-	-	-	0.0	0.0	0.3	3.1	17.4	62.5	180.9
White	1.7	-	-	-	-	0.0	0.0	0.1	1.1	6.9	25.8	70.3
Male	3.5	-	-	-	-	0.0	0.0	0.2	2.4	15.4	61.3	185.4
Nonwhite	2.0	-	-	-	-	-	-	0.5	5.1	18.8	34.6	62.1
Male	4.1	-	-	-	-	-	-	1.1	10.5	40.6	76.2	143.9
eliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	0.6	-	-	0.0	1.2	2.2	1.4	0.0	-	-	-	-
Female	1.2	-	-	0.0	2.3	4.4	2.7	0.1	-	-	-	-
White	0.4	-	-	-	0.8	1.3	0.9	0.0	-	-	-	-
Female	0.8	-	-	-	1.5	2.6	1.8	0.0	-	-	-	-
Nonwhite	2.3	-	-	0.1	3.9	9.1	5.3	0.1	-	-	-	-
Female	4.5	-	-	0.1	7.6	17.0	9.8	0.3	-	-	-	-
Abortion (650-652)	0.1	-	-	-	0.3	0.5	0.2	-	-	-	-	-
Female	0.2	-	-	-	0.6	1.0	0.3	-	-	-	-	-
White	0.1	-	-	-	0.1	0.2	0.1	-	-	-	-	-
Female	0.1	-	-	-	0.3	0.5	0.2	-	-	-	-	-
Nonwhite	0.6	-	-	-	1.2	2.3	0.8	-	-	-	-	-
Female	1.1	-	-	-	2.5	4.3	1.5	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	0.5	-	-	0.0	0.9	1.7	1.2	0.0	-	-	-	-
Female	1.0	-	-	0.0	1.7	3.4	2.4	0.1	-	-	-	-
White	0.3	-	-	-	0.6	1.0	0.8	0.0	-	-	-	-
Female	0.6	-	-	-	1.3	2.1	1.6	0.0	-	-	-	-
Nonwhite	1.8	-	-	0.1	2.6	6.8	4.5	0.1	-	-	-	-
Female	3.4	-	-	0.1	5.2	12.7	8.4	0.3	-	-	-	-
ongenital malformations (750-759)	10.1	348.5	10.2	2.8	2.4	1.9	2.1	2.8	2.8	2.9	2.6	2.8
Male	10.9	364.6	10.2	3.0	2.8	1.9	2.3	2.9	3.0	3.3	3.2	3.4
Female	9.3	331.8	10.1	2.6	2.1	1.8	1.8	2.7	2.6	2.6	2.2	2.4
White	9.7	354.8	9.8	2.8	2.4	1.8	2.0	2.8	2.8	2.9	2.7	2.6
Male	10.5	368.1	9.8	3.0	2.8	1.9	2.3	3.0	3.1	3.1	3.3	2.7
Female	9.0	340.8	9.8	2.6	2.1	1.7	1.8	2.7	2.6	2.6	2.3	2.5
Nonwhite	12.4	316.6	12.1	2.9	2.4	2.2	2.6	2.9	2.4	3.1	1.9	5.3
Male	13.9	346.6	12.2	3.0	2.6	2.4	2.9	2.5	2.5	4.6	2.1	9.8
Female	11.1	287.0	11.9	2.8	2.1	2.0	2.4	3.2	2.3	1.9	1.8	1.9
ertain diseases of early infancy (760-776)	28.6	1,435.7	0.1	0.0	-	-	-	-	-	-	-	-
Male	34.2	1,650.1	0.0	0.0	-	-	-	-	-	-	-	-
Female	23.2	1,212.1	0.1	0.0	-	-	-	-	-	-	-	-
White	23.9	1,268.9	0.1	0.0	-	-	-	-	-	-	-	-
Male	28.9	1,473.5	0.0	0.0	-	-	-	-	-	-	-	-
Female	19.1	1,054.6	0.1	0.0	-	-	-	-	-	-	-	-
Nonwhite	63.0	2,273.7	0.1	-	-	-	-	-	-	-	-	-
Male	73.5	2,553.7	0.1	-	-	-	-	-	-	-	-	-
Female	53.1	1,995.6	0.1	-	-	-	-	-	-	-	-	-
Birth injuries, postnatal asphyxia, and atelectasis (760-762)	11.9	600.1	-	0.0	-	-	-	-	-	-	-	-
Male	14.6	704.3	-	-	-	-	-	-	-	-	-	-
Female	9.4	491.5	-	0.0	-	-	-	-	-	-	-	-
White	10.4	550.5	-	0.0	-	-	-	-	-	-	-	-
Male	12.8	654.5	-	-	-	-	-	-	-	-	-	-
Female	8.0	441.6	-	0.0	-	-	-	-	-	-	-	-
Nonwhite	23.5	849.1	-	-	-	-	-	-	-	-	-	-
Male	27.6	959.3	-	-	-	-	-	-	-	-	-	-
Female	19.7	739.6	-	-	-	-	-	-	-	-	-	-

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-10. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1965—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death, color, and sex	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Certain diseases of early infancy—Con.												
Infections of newborn (763-768)	2.0	101.8	-	-	-	-	-	-	-	-	-	
Male	2.4	117.3	-	-	-	-	-	-	-	-	-	
Female	1.6	85.6	-	-	-	-	-	-	-	-	-	
White	1.4	75.0	-	-	-	-	-	-	-	-	-	
Male	1.7	87.4	-	-	-	-	-	-	-	-	-	
Female	1.1	62.0	-	-	-	-	-	-	-	-	-	
Nonwhite	6.6	236.8	-	-	-	-	-	-	-	-	-	
Male	7.8	270.5	-	-	-	-	-	-	-	-	-	
Female	5.4	203.2	-	-	-	-	-	-	-	-	-	
Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)	14.6	733.8	0.1	0.0	-	-	-	-	-	-	-	
Male	17.2	828.5	0.0	0.0	-	-	-	-	-	-	-	
Female	12.2	635.0	0.1	0.0	-	-	-	-	-	-	-	
White	12.1	643.4	0.1	0.0	-	-	-	-	-	-	-	
Male	14.4	731.6	0.0	0.0	-	-	-	-	-	-	-	
Female	10.0	551.0	0.1	0.0	-	-	-	-	-	-	-	
Nonwhite	32.9	1,187.8	0.1	-	-	-	-	-	-	-	-	
Male	38.1	1,325.9	0.1	-	-	-	-	-	-	-	-	
Female	28.0	1,052.8	0.1	-	-	-	-	-	-	-	-	
Symptoms, senility, and ill-defined conditions (780-795)	12.1	61.4	2.4	0.4	1.3	3.0	6.1	12.3	22.1	38.9	74.1	265.4
Male	14.6	70.2	2.5	0.4	1.6	3.2	7.6	16.7	31.8	55.8	96.8	288.1
Female	9.6	52.2	2.2	0.4	1.1	2.7	4.7	8.1	13.2	25.2	57.4	250.4
White	9.0	33.5	1.3	0.3	1.0	1.7	3.9	8.6	15.6	28.5	59.9	236.7
Male	11.2	39.3	1.3	0.3	1.2	1.9	5.0	12.5	24.2	43.1	79.0	255.1
Female	6.9	27.3	1.2	0.2	0.8	1.5	2.9	4.9	7.8	16.6	46.1	225.2
Nonwhite	34.8	202.2	8.2	1.3	3.5	12.1	23.6	45.6	86.5	163.4	250.0	560.4
Male	40.4	228.3	9.0	1.5	4.2	13.2	29.3	55.9	108.7	202.2	301.6	590.1
Female	29.5	176.3	7.4	1.1	2.9	11.1	18.6	36.3	67.5	130.1	207.0	537.4
All other diseases (residual)	28.6	61.0	8.3	4.0	5.8	8.9	17.5	30.8	54.4	102.4	183.4	379.3
Male	32.0	69.4	8.7	4.3	7.1	9.7	19.1	35.9	67.1	129.8	225.0	415.8
Female	25.3	52.2	7.8	3.7	4.6	8.1	16.0	25.8	42.7	80.3	152.8	356.4
White	27.8	54.2	7.9	3.9	5.3	6.8	14.1	27.6	52.0	99.7	185.9	392.1
Male	30.9	61.5	8.4	4.2	6.6	7.4	15.4	31.9	64.1	125.7	227.5	431.4
Female	24.9	46.6	7.4	3.5	4.0	6.3	13.0	23.5	40.8	78.7	155.8	368.4
Nonwhite	34.2	95.0	10.4	4.8	9.8	24.0	45.0	58.7	78.4	134.2	151.4	250.8
Male	40.3	109.9	10.6	5.0	10.9	27.4	51.5	73.8	98.8	174.7	197.9	285.4
Female	28.6	80.1	10.2	4.7	8.7	20.9	39.4	45.0	61.1	99.4	112.8	224.1
Accidents (E800-E962)	55.7	86.0	31.8	18.7	61.7	49.3	46.5	54.4	64.4	90.8	200.0	606.1
Male	77.9	95.8	37.4	25.6	99.8	81.1	73.0	83.0	96.7	126.3	234.7	592.0
Female	34.4	75.7	25.9	11.6	23.8	18.5	21.3	27.2	34.8	61.9	174.6	615.0
White	54.2	70.4	28.0	17.4	61.9	46.2	42.6	51.1	61.5	88.1	204.3	636.0
Male	75.1	81.5	33.5	24.1	99.9	75.6	66.4	77.2	91.8	122.1	238.4	617.5
Female	34.0	58.8	22.2	10.5	24.0	17.3	19.8	26.2	33.8	60.5	179.7	647.2
Nonwhite	67.1	164.2	52.1	26.7	60.5	71.9	78.1	84.0	94.2	123.3	145.9	305.3
Male	98.6	168.9	58.6	35.2	99.4	123.9	129.8	136.8	146.5	174.7	195.7	375.6
Female	37.3	159.8	45.5	18.2	22.7	26.5	33.5	36.4	44.9	79.1	106.2	251.9
Motor vehicle accidents (E810-E835)	25.4	8.5	10.5	8.9	44.2	29.8	24.6	25.4	29.0	35.5	45.5	40.2
Male	37.4	9.2	11.9	11.6	69.6	48.1	37.2	37.1	41.2	50.7	71.0	70.5
Female	13.8	7.6	8.9	6.2	19.0	12.2	12.6	14.3	17.7	23.2	26.9	21.5
White	25.3	8.9	9.9	8.8	45.5	28.7	23.5	24.5	28.2	35.1	46.8	41.5
Male	37.1	9.9	11.1	11.5	71.8	45.8	35.2	35.4	39.5	49.6	72.9	72.8
Female	13.9	7.8	8.8	6.0	19.6	11.8	12.3	14.1	17.9	23.3	28.0	22.4
Nonwhite	25.8	6.3	13.1	9.8	35.0	38.5	33.2	33.4	36.3	40.6	29.3	28.4
Male	39.7	5.9	16.4	12.6	55.2	65.7	54.0	52.5	58.2	62.8	50.3	51.2
Female	12.8	6.6	9.8	7.1	15.5	14.8	15.2	16.1	15.7	21.5	11.9	11.1
Other accidents (E800-E802,E840-E962)	30.4	77.5	21.3	9.8	17.5	19.4	21.9	29.0	35.5	55.3	154.5	565.9
Male	40.5	86.6	25.5	14.0	30.2	33.0	35.8	45.9	55.4	75.6	183.7	521.5
Female	20.6	68.1	17.0	5.4	4.8	6.3	8.7	12.9	17.1	38.8	147.7	593.5
White	28.9	61.5	18.0	8.6	16.3	17.5	19.1	26.8	33.2	53.0	157.5	594.5
Male	38.0	71.6	22.4	12.8	28.3	29.8	31.2	41.8	52.1	72.5	165.5	544.7
Female	20.1	51.0	13.4	4.5	4.4	5.5	7.5	12.1	15.9	37.2	151.7	624.8
Nonwhite	41.2	157.9	38.9	16.9	25.4	33.4	45.0	50.6	57.8	82.7	116.6	276.8
Male	59.0	163.0	42.1	22.7	44.2	58.2	75.9	84.4	88.3	111.9	143.4	324.4
Female	24.5	153.2	35.7	11.0	7.3	11.7	18.3	20.2	29.2	57.6	94.3	240.7
Suicide (E963,E970-E979)	11.1	...	...	0.3	6.2	12.3	16.7	20.7	23.8	22.0	24.2	24.4
Male	16.3	...	...	0.4	9.4	17.3	22.6	29.1	37.3	37.4	46.8	52.5
Female	6.1	...	...	0.1	3.0	7.4	11.1	12.7	11.4	9.4	7.8	6.8
White	11.9	...	...	0.3	6.3	12.6	17.6	22.0	25.4	23.1	25.4	26.0
Male	17.4	...	...	0.5	9.6	17.7	23.4	30.8	39.7	39.3	49.5	57.7
Female	6.6	...	...	0.1	3.0	7.6	12.0	13.6	12.3	10.0	7.9	6.7
Nonwhite	5.0	...	...	0.1	5.8	9.8	9.2	8.6	8.3	8.4	9.1	7.4
Male	7.7	...	...	0.2	8.5	14.2	15.0	13.5	14.2	15.3	15.9	7.3
Female	2.5	...	...	0.1	3.1	6.0	4.2	4.1	2.8	2.5	3.5	7.4
Homicide (E964,E980-E985)	5.5	5.5	1.1	0.6	6.8	11.9	9.9	6.9	5.0	3.4	2.7	2.4
Male	8.6	6.2	1.2	0.7	10.7	18.8	15.5	11.1	8.1	5.7	4.5	3.9
Female	2.6	4.8	1.1	0.5	3.0	5.2	4.5	3.0	2.1	1.5	1.4	1.5
White	3.0	4.5	0.9	0.5	3.3	5.2	4.8	3.9	3.3	2.3	2.2	1.9
Male	4.4	5.3	1.0	0.5	4.9	7.8	7.3	6.0	5.2	3.5	3.5	3.0
Female	1.6	3.8	0.8	0.4	1.8	2.5	2.3	2.0	1.6	1.3	1.3	1.3
Nonwhite	24.6	10.8	2.4	1.6	31.3	61.4	51.5	34.4	21.4	16.0	9.4	7.4
Male	40.1	11.2	2.4	2.2	51.8	104.1	88.5	58.7	36.7	30.7	16.4	12.2
Female	10.0	10.4	2.4	1.0	11.6	24.0	21.3	12.5	7.0	3.3	3.5	3.7

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-11. Death Rates for Geographic Divisions by Place of Occurrence: United States, 1900–1965

[Prior to 1933, data for death-registration States only. Rates per 1,000 population in each area. Average rates computed from 5-year totals of deaths occurring in the area and corresponding population. Rates are shown for each division from the period when the division as a whole became part of the death-registration area]

Year	United States	Geographic division								
		New England[1]	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific
1965	9.4	10.5	10.3	9.6	10.2	9.2	9.6	8.6	7.9	8.3
1964	9.4	9.8	10.3	9.5	10.2	9.1	9.5	8.6	8.1	8.5
1963	9.6	10.4	10.5	9.8	10.4	9.3	9.9	8.8	8.1	8.5
1962	9.5	10.5	10.4	9.5	10.2	9.1	9.6	8.7	7.9	8.4
1961	9.3	10.4	10.3	9.3	9.9	8.8	9.3	8.4	7.9	8.4
1960	9.5	10.6	10.4	9.5	10.2	9.2	9.6	8.7	8.2	8.7
1955-59	9.4	10.6	10.4	9.5	10.0	8.9	9.3	8.4	8.2	8.7
1950-54	9.5	10.5	10.3	9.8	10.1	8.8	9.1	8.3	8.7	9.2
1945-49	10.0	11.0	10.9	10.3	10.5	9.1	9.4	8.6	9.7	9.9
1940-44	10.6	11.8	11.5	10.9	10.6	9.9	9.9	9.0	10.4	10.9
1935-39	11.0	11.8	11.2	11.1	10.6	11.1	10.8	9.9	11.3	11.7
1930-34	11.0	11.8	11.3	10.9	10.4	11.4	10.8	---	11.1	11.2
1925-29	11.7	12.4	12.4	11.6	---	---	11.7	---	---	11.6
1920-24	12.0	13.0	12.8	11.5	---	---	---	---	---	12.0
1915-19	14.5	16.0	15.8	---	---	---	---	---	---	---
1910-14	13.8	15.4	15.0	---	---	---	---	---	---	---
1905-09	15.2	16.2	---	---	---	---	---	---	---	---
1900-04	16.2	16.8	---	---	---	---	---	---	---	---

[1]Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts; see Technical Appendix.

Table 1-12. Death Rates: United States, Each Division and State, 1956-65

[Rates per 1,000 population in each area]

Division and State	1965	1964	1963	1962	1961	1960	1959	1958	1957	1956
United States	9.4	9.4	9.6	9.5	9.3	9.5	9.4	9.5	9.6	9.4
Geographic divisions:										
New England[1]	10.5	9.8	10.4	10.5	10.4	10.6	10.4	10.8	10.7	10.5
Middle Atlantic	10.3	10.4	10.6	10.4	10.4	10.5	10.4	10.4	10.6	10.3
East North Central	9.7	9.6	9.8	9.6	9.4	9.6	9.5	9.6	9.8	9.5
West North Central	10.1	10.2	10.3	10.1	9.9	10.1	10.0	10.1	10.2	9.7
South Atlantic	9.1	9.0	9.2	9.0	8.8	9.1	8.8	8.9	8.9	8.6
East South Central	9.5	9.5	9.8	9.5	9.2	9.5	9.3	9.7	9.5	9.1
West South Central	8.6	8.6	8.8	8.7	8.4	8.7	8.4	8.6	8.6	8.4
Mountain	7.8	7.9	8.0	7.8	7.7	8.1	8.0	8.0	8.1	8.0
Pacific	8.3	8.5	8.5	8.4	8.4	8.7	8.5	8.6	8.8	8.8
New England:										
Maine	10.9	11.0	11.2	11.2	10.8	11.1	11.3	11.1	10.8	10.8
New Hampshire	10.9	10.8	11.1	10.8	10.9	11.0	11.3	11.3	11.7	11.4
Vermont	11.6	11.4	11.4	11.1	11.1	11.4	11.3	11.3	11.7	11.7
Massachusetts[1]	11.0	9.8	10.5	10.8	10.8	11.0	10.7	11.3	11.1	10.9
Rhode Island	10.9	10.5	10.8	10.5	10.3	10.5	10.3	10.3	10.1	10.0
Connecticut	9.1	9.1	9.5	9.4	9.2	9.4	9.3	9.5	9.6	9.4
Middle Atlantic:										
New York	10.2	10.3	10.5	10.4	10.5	10.6	10.6	10.5	10.5	10.3
New Jersey	9.6	9.6	9.8	9.7	9.7	9.8	9.7	9.8	10.0	9.7
Pennsylvania	10.9	10.8	11.1	10.9	10.8	10.7	10.6	10.7	10.9	10.5
East North Central:										
Ohio	9.6	9.5	9.8	9.6	9.4	9.6	9.4	9.8	9.7	9.5
Indiana	9.8	9.7	10.1	9.7	9.5	9.7	9.6	9.7	9.8	9.6
Illinois	10.2	10.1	10.4	10.2	10.1	10.2	10.1	10.3	10.6	10.2
Michigan	9.0	8.8	9.0	8.8	8.6	8.7	8.6	8.6	8.8	8.6
Wisconsin	9.7	9.5	9.8	9.5	9.3	9.7	9.6	9.7	9.7	9.5
West North Central:										
Minnesota	9.2	9.4	9.3	9.1	9.0	9.3	9.2	9.3	9.5	9.1
Iowa	10.7	10.6	10.6	10.4	10.2	10.4	10.4	10.3	10.3	9.8
Missouri	11.2	11.1	11.5	11.2	10.9	11.2	11.0	11.2	11.3	10.7
North Dakota	8.5	8.6	8.5	8.5	8.2	8.6	8.6	8.6	9.0	8.5
South Dakota	9.3	9.4	9.4	9.3	9.1	9.7	9.4	9.5	9.4	9.0
Nebraska	10.0	10.1	10.0	9.8	9.7	10.0	9.9	9.9	9.9	9.5
Kansas	9.7	9.8	10.0	9.8	9.6	9.7	9.5	9.5	9.6	9.3
South Atlantic:										
Delaware	9.0	8.7	9.2	9.1	8.9	9.4	9.0	9.5	9.2	9.0
Maryland	8.8	8.5	9.0	8.8	8.8	9.0	8.6	9.1	9.2	8.9
District of Columbia	11.3	11.5	11.7	11.4	11.4	11.5	11.6	11.8	11.8	11.3
Virginia	8.3	8.4	8.6	8.5	8.3	8.7	8.4	8.5	8.6	8.4
West Virginia	10.6	10.3	10.7	10.2	9.8	9.7	9.5	9.6	9.7	9.1
North Carolina	8.5	8.3	8.5	8.3	8.0	8.4	8.0	8.2	8.0	7.7
South Carolina	8.5	8.5	8.7	8.3	8.3	8.7	8.4	8.6	8.4	8.3
Georgia	8.8	8.7	9.0	8.8	8.5	9.0	8.6	8.8	8.9	8.6
Florida	10.2	10.1	10.1	9.8	9.4	9.7	9.2	9.4	9.2	9.1
East South Central:										
Kentucky	9.8	9.7	10.2	9.8	9.6	9.9	9.6	9.9	10.0	9.6
Tennessee	9.1	9.2	9.5	9.2	9.0	9.2	9.0	9.3	9.1	8.7
Alabama	9.4	9.3	9.5	9.3	8.9	9.3	9.0	9.3	9.1	8.9
Mississippi	9.8	9.8	10.2	10.0	9.5	10.0	9.8	10.3	9.8	9.5
West South Central:										
Arkansas	9.8	10.0	10.3	10.1	9.6	10.0	9.6	9.9	9.6	9.3
Louisiana	9.1	9.0	9.1	9.0	8.7	9.1	8.8	9.2	9.0	8.6
Oklahoma	9.6	9.8	10.0	9.9	9.6	9.8	9.6	9.6	9.4	9.2
Texas	7.9	8.0	8.1	8.0	7.7	8.1	7.8	7.9	8.0	7.9
Mountain:										
Montana	9.3	9.8	9.4	9.2	9.2	9.7	9.8	9.4	9.7	9.9
Idaho	8.6	8.5	8.5	8.0	8.1	8.1	8.3	8.1	8.2	8.0
Wyoming	8.3	8.5	8.5	8.3	7.9	8.5	8.2	8.1	8.3	8.1
Colorado	8.2	8.5	8.4	8.5	8.3	8.7	8.7	8.7	8.7	8.5
New Mexico	6.6	6.8	6.9	6.7	8.6	6.9	6.7	6.9	7.2	6.9
Arizona	7.5	7.8	7.8	7.6	7.5	7.8	7.8	7.8	7.8	7.5
Utah	6.7	6.6	6.8	6.6	6.5	6.8	6.8	6.9	7.0	6.8
Nevada	7.3	7.5	7.5	7.8	8.4	8.9	8.6	8.6	8.2	8.1
Pacific:										
Washington	9.2	9.5	9.3	9.3	9.2	9.3	9.3	9.2	9.3	9.1
Oregon	9.6	9.6	9.7	9.5	9.4	9.5	9.6	9.0	9.2	9.1
California	8.2	8.4	8.4	8.3	8.3	8.8	8.3	8.5	8.7	8.8
Alaska[2]	5.3	5.8	5.4	5.4	5.4	5.8	5.1	5.2	5.4	5.5
Hawaii[3]	5.1	5.1	5.4	5.1	5.2	5.6	5.4	5.3	5.9	5.6

[1] Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts, primarily to residents of Massachusetts; see Technical Appendix.
[2] Figures for 1956-58 are by place of occurrence.
[3] Figures for 1956-59 are by place of occurrence.

Table 1-13. Deaths and Death Rates by Age: United States, Each Division and State, 1965

[Rates per 100,000 population in each area]

Division and State	Number							Rate					
	Total	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over	Not stated	Total[1]	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States	1,828,136	108,262	32,799	125,371	450,313	1,110,841	550	943.2	529.8	58.1	209.6	1,155.2	6,119.0
Geographic divisions:													
New England	116,969	5,410	1,464	5,944	26,433	77,658	60	1,050.7	475.0	47.4	177.1	1,116.3	6,514.9
Middle Atlantic	376,022	17,762	4,919	22,208	95,800	235,226	107	1,033.8	503.0	50.1	197.3	1,170.3	6,412.9
East North Central	368,213	20,524	6,365	23,577	88,809	228,898	40	965.3	506.0	56.5	205.0	1,139.7	6,360.0
West North Central	160,982	7,710	2,735	8,454	33,029	109,021	33	1,013.9	462.2	59.0	187.1	1,028.6	5,983.6
South Atlantic	261,810	19,052	5,628	22,693	72,222	142,095	120	911.7	611.4	65.5	245.4	1,342.7	5,849.9
East South Central	121,380	9,197	2,696	9,492	29,602	70,308	85	947.5	659.8	68.3	242.5	1,215.2	6,216.4
West South Central	158,958	11,832	3,672	12,495	39,478	91,466	15	857.9	566.4	65.0	218.2	1,130.5	5,738.1
Mountain	60,271	4,700	1,553	5,199	14,489	34,298	32	775.1	515.4	63.9	217.7	1,060.7	5,745.1
Pacific	203,531	12,075	3,767	15,309	50,451	121,871	58	832.0	476.9	53.9	193.8	1,062.6	5,743.2
New England:													
Maine	10,822	512	166	540	2,183	7,413	8	1,089.8	478.5	57.6	189.5	1,119.5	6,678.4
New Hampshire	7,313	322	110	345	1,572	4,959	5	1,093.1	466.7	57.3	168.3	1,164.4	6,793.2
Vermont	4,608	215	77	239	932	3,145	-	1,160.7	488.6	65.3	206.0	1,150.6	6,988.9
Massachusetts	58,897	2,568	683	2,932	13,367	39,310	37	1,101.1	469.5	46.7	183.9	1,157.3	6,519.1
Rhode Island	9,683	438	99	430	2,225	6,490	1	1,086.8	492.1	40.9	157.5	1,158.9	6,831.6
Connecticut	25,646	1,355	329	1,458	6,154	16,341	9	905.3	478.8	41.8	164.9	1,008.9	6,166.4
Middle Atlantic:													
New York	185,029	8,931	2,309	11,330	46,987	115,400	72	1,023.7	506.6	48.5	201.2	1,146.6	6,237.8
New Jersey	65,021	3,330	878	4,106	16,996	39,688	23	959.7	500.0	47.3	191.7	1,144.5	6,309.7
Pennsylvania	125,972	5,501	1,732	6,772	31,817	80,138	12	1,093.3	499.2	54.1	194.4	1,222.3	6,739.9
East North Central:													
Ohio	98,440	5,006	1,632	6,162	23,675	61,960	5	960.7	471.4	53.6	197.1	1,151.5	6,535.9
Indiana	47,831	2,700	915	3,061	10,840	30,307	8	978.9	512.3	63.1	206.3	1,124.5	6,489.7
Illinois	108,153	6,164	1,716	7,224	27,221	65,814	14	1,015.9	550.4	57.5	225.8	1,188.7	6,304.0
Michigan	73,625	4,541	1,379	5,155	18,446	44,091	13	895.7	507.4	53.9	205.0	1,121.3	6,289.7
Wisconsin	40,164	2,113	723	1,975	8,627	26,726	-	969.0	467.5	58.5	168.1	1,030.7	6,087.9
West North Central:													
Minnesota	32,559	1,664	602	1,669	6,720	21,902	2	915.9	421.3	55.5	167.7	961.4	5,659.4
Iowa	29,424	1,213	478	1,355	5,743	20,629	6	1,066.1	425.6	59.5	178.3	1,016.5	6,014.3
Missouri	50,369	2,417	789	2,802	10,970	33,367	24	1,119.8	535.9	63.2	213.2	1,152.3	6,355.6
North Dakota	5,569	329	109	335	1,119	3,676	1	854.1	444.6	53.2	180.1	895.2	5,929.0
South Dakota	6,529	376	134	379	1,214	4,426	-	928.7	475.9	62.9	203.8	919.7	5,748.1
Nebraska	14,814	730	240	733	2,975	10,136	-	1,003.0	462.0	56.9	177.1	1,022.3	5,825.3
Kansas	21,718	981	383	1,181	4,288	14,885	-	972.2	434.1	58.3	177.9	959.3	5,860.2
South Atlantic:													
Delaware	4,540	296	74	317	1,202	2,648	3	899.0	519.3	49.0	198.1	1,265.3	6,789.7
Maryland	30,880	2,121	579	2,561	8,742	16,877	-	877.0	546.6	54.8	221.9	1,281.8	6,618.4
District of Columbia	9,013	648	117	1,054	2,808	4,386	-	1,125.2	668.0	60.9	402.3	1,577.5	6,091.7
Virginia	37,148	2,738	780	3,127	10,106	20,380	17	833.7	572.8	59.0	210.4	1,237.0	6,368.8
West Virginia	19,186	1,000	345	1,272	4,751	11,803	15	1,058.8	568.2	63.1	241.8	1,240.5	6,485.2
North Carolina	41,693	3,461	1,098	4,074	11,478	21,563	19	848.5	645.7	72.1	250.4	1,278.2	6,091.2
South Carolina	21,723	2,001	619	2,342	6,802	9,934	25	854.2	676.0	74.1	286.0	1,574.5	5,878.1
Georgia	36,134	3,208	958	3,769	11,126	19,041	32	875.0	637.8	70.5	265.8	1,399.5	5,969.0
Florida	59,493	3,579	1,058	4,177	15,207	35,463	9	1,024.9	611.8	66.1	232.7	1,383.7	4,932.3
East South Central:													
Kentucky	31,063	1,803	567	2,161	7,115	19,411	6	977.1	531.9	59.2	225.1	1,170.2	6,261.6
Tennessee	35,122	2,354	723	2,570	8,714	20,756	5	913.2	594.4	63.6	209.5	1,154.2	6,177.4
Alabama	32,535	2,555	838	3,003	8,510	17,570	59	939.5	668.8	76.7	280.4	1,293.3	6,186.6
Mississippi	22,660	2,485	568	1,758	5,263	12,571	15	975.9	897.1	74.7	267.6	1,268.2	6,254.2
West South Central:													
Arkansas	19,287	1,169	421	1,208	4,429	12,060	-	984.0	546.3	73.3	216.9	1,141.5	5,798.1
Louisiana	32,190	2,848	860	2,819	8,571	17,088	4	910.9	660.8	75.1	260.8	1,339.2	6,472.7
Oklahoma	23,825	1,192	418	1,403	5,382	15,424	6	959.5	488.5	60.4	188.3	1,072.1	5,755.2
Texas	83,656	6,623	1,973	7,065	21,096	46,894	5	792.8	551.9	61.0	211.3	1,075.2	5,491.1
Mountain:													
Montana	6,597	406	145	493	1,463	4,088	2	934.4	520.5	65.9	244.1	1,067.9	6,193.9
Idaho	5,939	410	159	396	1,290	3,681	3	858.2	546.7	71.6	199.0	962.7	5,842.9
Wyoming	2,808	177	77	258	612	1,684	-	825.9	478.4	75.5	266.0	941.5	5,806.9
Colorado	16,220	1,064	384	1,223	3,618	9,930	1	823.8	501.9	65.2	197.6	1,007.8	5,841.2
New Mexico	6,825	780	220	807	1,674	3,343	1	663.3	557.1	63.8	263.7	1,027.0	5,571.7
Arizona	12,000	1,068	283	1,100	3,280	6,253	16	745.8	550.5	57.4	219.1	1,223.9	5,299.2
Utah	6,682	526	197	521	1,505	3,931	2	674.9	420.8	58.6	170.8	934.8	5,780.9
Nevada	3,200	269	88	401	1,047	1,388	7	727.3	527.5	71.0	253.8	1,325.3	6,034.8
Pacific:													
Washington	27,475	1,347	502	1,727	6,248	17,646	5	918.9	450.5	57.2	195.1	1,020.9	5,921.5
Oregon	18,160	859	402	1,054	4,150	11,690	5	955.8	477.2	71.3	181.4	1,014.7	5,758.6
California	152,907	9,169	2,703	11,919	38,639	90,437	40	821.7	475.3	51.7	195.7	1,080.8	5,727.5
Alaska	1,335	305	65	258	364	337	6	527.7	802.6	72.2	266.0	1,011.1	5,616.7
Hawaii	3,654	395	95	351	1,050	1,761	2	513.9	459.3	41.7	143.3	905.2	4,891.7

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-14. Deaths From 60 Selected Causes:

[Numbers after causes of death are category numbers

	Division and State	Total	Tuberculosis, all forms (001-019)	Tuberculosis of respiratory system (001-008)	Tuberculosis, other forms (010-019)	Syphilis and its sequelae (020-029)	Dysentery, all forms (045-048)	Scarlet fever and streptococcal sore throat (050,051)	Diphtheria (055)	Whooping cough (056)	Meningococcal infections (057)	Acute poliomyelitis (080)	Measles (085)	Other infective and parasitic diseases (residual)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	Malignant neoplasm of buccal cavity and pharynx (140-148)	Malignant neoplasm of digestive organs and peritoneum, not spec. as secondary (150-156A,157-159)
1	United States	1,828,136	7,934	7,358	576	2,434	243	63	18	55	890	16	276	5,904	297,588	6,501	94,305
	Geographic divisions:																
2	New England	116,969	398	382	16	161	3	2	-	1	50	1	15	305	20,223	474	6,921
3	Middle Atlantic	376,022	1,839	1,717	122	419	25	6	-	6	120	2	22	963	65,950	1,454	22,569
4	East North Central	368,213	1,407	1,324	83	414	14	7	-	2	154	-	35	962	61,175	1,222	20,039
5	West North Central	160,982	436	405	31	212	8	6	3	5	59	1	17	488	26,069	464	8,426
6	South Atlantic	261,810	1,194	1,097	97	400	43	17	4	13	173	3	51	1,106	39,572	932	11,322
7	East South Central	121,380	788	734	54	132	27	11	6	8	86	-	32	446	16,922	434	4,870
8	West South Central	158,958	828	755	73	298	85	9	4	14	102	6	69	760	24,674	544	7,190
9	Mountain	60,271	317	284	33	97	12	3	-	-	39	1	21	270	8,692	164	2,578
10	Pacific	203,531	727	660	67	301	26	2	1	6	107	2	14	604	34,311	813	10,390
	New England:																
11	Maine	10,822	29	28	1	8	-	1	-	1	6	-	3	20	1,764	37	604
12	New Hampshire	7,313	9	9	-	10	-	-	-	-	6	-	-	11	1,216	20	388
13	Vermont	4,608	21	21	-	5	-	-	-	-	2	-	1	13	698	10	207
14	Massachusetts	58,897	225	216	9	96	-	1	-	-	25	1	6	148	10,208	249	3,516
15	Rhode Island	9,683	30	30	-	14	2	-	-	-	4	-	-	23	1,753	39	653
16	Connecticut	25,646	84	78	6	28	1	-	-	-	7	-	5	90	4,584	119	1,553
	Middle Atlantic:																
17	New York	185,029	916	849	67	176	11	2	-	3	54	2	8	446	33,267	734	11,417
18	New Jersey	65,021	295	270	25	45	11	3	-	1	26	-	2	171	12,025	288	4,167
19	Pennsylvania	125,972	628	598	30	198	3	1	-	2	40	-	12	346	20,658	432	6,985
	East North Central:																
20	Ohio	98,440	374	357	17	122	2	2	-	-	39	-	13	242	16,326	366	5,305
21	Indiana	47,831	195	186	9	53	2	-	-	1	18	-	3	161	7,679	132	2,427
22	Illinois	108,153	431	404	27	114	4	2	-	1	46	-	8	234	18,030	385	6,032
23	Michigan	73,625	293	268	25	87	6	3	-	-	28	-	5	216	12,388	219	3,996
24	Wisconsin	40,164	114	109	5	38	-	-	-	-	23	-	6	109	6,752	120	2,279
	West North Central:																
25	Minnesota	32,559	68	63	5	36	2	1	1	1	19	-	3	94	5,627	81	1,940
26	Iowa	29,424	43	40	3	25	1	2	1	-	11	-	1	80	4,716	67	1,501
27	Missouri	50,369	219	209	10	93	1	-	-	3	18	-	6	164	7,890	173	2,445
28	North Dakota	5,569	11	10	1	7	-	-	-	-	5	-	-	15	873	12	293
29	South Dakota	6,529	26	19	7	5	3	-	1	1	1	-	-	16	1,026	16	344
30	Nebraska	14,814	27	25	2	15	-	1	-	-	2	1	1	46	2,503	49	876
31	Kansas	21,718	42	39	3	31	1	2	-	-	3	-	6	73	3,434	66	1,027
	South Atlantic:																
32	Delaware	4,540	20	19	1	9	2	-	-	-	3	-	-	14	745	13	229
33	Maryland	30,880	201	183	18	55	3	1	-	-	17	-	-	125	5,251	126	1,597
34	District of Columbia	9,013	102	93	9	18	-	-	1	-	4	-	1	35	1,475	54	479
35	Virginia	37,148	155	135	20	57	5	3	-	3	19	-	4	145	5,553	130	1,520
36	West Virginia	19,186	89	84	5	28	1	3	-	-	3	-	7	44	2,785	45	873
37	North Carolina	41,693	160	151	9	53	3	-	1	1	39	-	8	172	5,511	126	1,440
38	South Carolina	21,723	101	97	4	48	9	4	-	7	26	1	6	98	2,728	50	775
39	Georgia	38,134	150	134	16	54	15	4	1	2	31	1	16	214	5,167	144	1,403
40	Florida	59,493	216	201	15	78	5	2	1	-	31	1	9	259	10,357	244	3,006
	East South Central:																
41	Kentucky	31,063	204	192	12	43	3	3	-	-	26	-	6	105	4,603	152	1,388
42	Tennessee	35,122	248	229	19	20	5	4	-	1	28	-	7	118	5,124	121	1,497
43	Alabama	32,535	260	245	15	39	6	3	5	4	19	-	11	112	4,275	100	1,133
44	Mississippi	22,660	76	68	8	30	13	1	1	3	13	-	8	111	2,920	61	852
	West South Central:																
45	Arkansas	19,287	109	99	10	35	8	-	-	1	6	1	8	86	2,797	54	788
46	Louisiana	32,190	173	159	14	77	8	1	1	3	31	1	16	195	4,815	99	1,438
47	Oklahoma	23,825	110	98	12	33	7	1	-	3	11	-	3	79	3,788	84	1,114
48	Texas	83,656	436	399	37	153	62	7	3	7	54	4	42	400	13,274	307	3,850
	Mountain:																
49	Montana	6,597	22	20	2	7	-	-	-	-	3	-	-	17	930	21	298
50	Idaho	5,939	11	9	2	11	-	-	-	-	5	-	2	16	839	17	253
51	Wyoming	2,808	4	4	-	9	-	-	-	-	3	-	-	13	375	7	111
52	Colorado	16,220	61	57	4	22	3	1	-	-	7	1	3	74	2,353	40	707
53	New Mexico	6,825	68	61	7	13	2	-	-	-	7	-	7	36	902	12	271
54	Arizona	12,000	121	109	12	13	7	2	-	-	9	-	7	72	1,875	43	537
55	Utah	6,682	13	9	4	13	-	-	-	-	3	-	2	34	920	16	264
56	Nevada	3,200	17	15	2	9	-	-	-	-	2	-	-	8	498	8	137
	Pacific:																
57	Washington	27,475	58	48	10	50	3	-	-	1	12	-	1	57	4,499	104	1,375
58	Oregon	18,160	39	35	4	16	1	1	-	-	9	-	1	52	2,927	58	882
59	California	152,907	596	545	51	230	20	1	1	5	80	2	11	456	26,010	612	7,800
60	Alaska	1,335	12	11	1	-	-	-	-	-	5	-	-	18	143	4	45
61	Hawaii	3,654	22	21	1	5	2	-	-	-	1	-	1	21	732	35	288

United States, Each Division and State, 1965

of the Seventh Revision of the International Lists, 1955]

Malignant neoplasm of respiratory system, not specified as secondary (160-164)	Malignant neoplasm of breast (170)	Malignant neoplasm of genital organs (171-179)	Malignant neoplasm of urinary organs (180,181)	Malignant neoplasm of other and unspecified sites (156B,165, 190-199)	Leukemia and aleukemia (204)	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	Benign neoplasms and neoplasms of unspecified nature (210-239)	Asthma (241)	Diabetes mellitus (260)	Anemias (290-293)	Meningitis, except meningococcal and tuberculous (340)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Diseases of cardiovascular system (330-334,400-468)	Vascular lesions affecting central nervous system (330-334)	Diseases of heart (400-402, 410-443)	Rheumatic fever and chronic rheumatic heart disease (400-402, 410-416)	Arteriosclerotic heart disease, including coronary disease (420)	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	
52,039	27,048	40,454	13,901	34,644	13,628	15,068	5,058	4,520	33,174	3,539	2,363	1,000,787	990,192	201,057	712,087	15,471	559,293	53,178	1
3,297	1,999	2,457	954	2,274	865	982	357	273	2,146	209	116	66,435	65,833	12,234	48,033	1,033	40,644	2,397	2
11,449	6,394	8,035	3,180	7,130	2,560	3,179	1,131	730	7,522	632	453	212,553	210,604	34,304	161,496	4,190	130,523	11,296	3
10,529	5,639	8,508	3,019	6,288	2,814	3,117	873	883	8,122	705	378	208,419	206,404	40,375	149,083	3,221	119,977	9,590	4
3,991	2,372	3,786	1,263	2,931	1,363	1,473	373	447	2,836	301	134	91,370	90,520	20,103	63,028	1,229	50,634	4,548	5
7,438	3,433	5,759	1,710	5,299	1,737	1,942	824	636	4,232	568	428	138,610	136,911	30,941	95,455	1,703	68,906	9,139	6
2,944	1,342	2,769	675	2,238	842	808	313	306	1,882	271	191	64,658	63,720	16,445	42,279	645	30,931	3,308	7
4,761	1,922	3,465	1,043	3,250	1,300	1,199	405	419	2,703	375	263	82,381	81,128	18,746	56,408	681	43,172	3,604	8
1,370	800	1,279	405	1,086	513	497	192	255	950	129	103	28,795	28,477	5,836	20,047	738	15,748	1,296	9
6,260	3,147	4,396	1,652	4,148	1,634	1,871	590	571	2,781	349	297	107,566	106,595	22,073	76,258	2,031	58,758	8,000	10
294	142	247	99	180	78	83	30	32	158	22	12	6,357	6,290	1,225	4,489	72	3,581	380	11
202	123	162	65	136	58	62	20	15	158	9	4	4,265	4,224	852	2,873	50	2,392	154	12
114	71	100	39	76	36	45	11	8	69	7	1	2,590	2,568	527	1,822	34	1,521	124	13
1,650	1,042	1,216	459	1,177	443	456	168	148	1,054	110	64	33,235	32,943	6,049	24,245	560	20,608	1,103	14
294	156	227	85	143	65	91	27	18	236	17	12	5,627	5,582	895	4,307	80	3,777	140	15
743	465	505	207	562	185	245	101	52	471	44	23	14,361	14,226	2,686	10,297	237	8,765	496	16
5,818	3,366	3,937	1,632	3,502	1,251	1,610	577	345	3,359	284	260	103,965	103,068	16,092	80,315	2,170	67,172	4,163	17
2,191	1,179	1,494	573	1,178	428	527	196	115	1,300	112	72	36,943	36,621	5,678	28,489	739	22,780	2,267	18
3,440	1,849	2,604	975	2,450	881	1,042	358	270	2,863	236	121	71,645	70,915	12,534	52,692	1,281	40,571	4,866	19
2,921	1,492	2,344	852	1,538	685	823	223	210	2,346	178	98	55,864	55,369	11,143	39,472	900	30,850	2,857	20
1,319	661	1,146	368	889	364	373	92	126	1,004	104	48	27,101	26,831	6,152	18,283	383	14,448	1,178	21
3,185	1,714	2,470	845	1,729	793	877	290	227	1,840	192	110	62,953	62,333	10,861	47,094	857	38,607	2,965	22
2,177	1,090	1,658	604	1,419	557	668	189	209	2,149	164	82	39,537	39,115	7,769	28,076	707	23,082	1,364	23
927	682	890	350	713	415	376	79	111	783	67	40	22,964	22,756	4,450	16,158	374	12,990	1,226	24
720	503	827	278	599	324	355	73	89	571	51	24	18,455	18,339	4,356	12,537	318	10,329	721	25
652	457	748	242	521	249	279	74	87	563	54	15	17,248	17,122	3,860	11,826	177	9,523	946	26
1,456	702	1,054	332	1,003	363	362	129	141	775	101	55	28,295	27,965	6,054	19,649	381	15,405	1,515	27
123	87	126	58	81	42	51	13	22	94	8	5	3,113	3,094	658	2,183	50	1,834	124	28
147	86	156	55	110	50	62	14	11	126	18	8	3,626	3,588	784	2,534	40	2,042	176	29
355	216	351	122	222	145	167	28	45	282	26	13	8,336	8,259	1,828	5,780	110	4,671	434	30
538	321	524	176	395	190	197	42	52	425	43	14	12,297	12,153	2,563	8,519	153	6,830	632	31
164	62	104	24	98	34	17	15	4	100	9	11	2,544	2,518	348	1,996	34	1,383	263	32
1,028	526	654	236	645	187	252	125	61	700	68	46	16,357	16,183	2,458	12,600	266	7,704	2,689	33
274	155	195	60	147	42	69	32	35	147	11	21	4,169	4,108	803	2,877	69	1,795	346	34
1,032	456	803	264	810	235	303	103	85	567	77	70	19,793	19,563	4,246	13,714	207	9,999	1,345	35
486	230	394	128	389	121	119	46	61	296	30	19	10,699	10,588	2,081	7,649	147	5,912	586	36
879	493	872	210	882	306	303	151	97	662	91	54	22,406	22,110	5,451	15,092	218	10,893	1,164	37
503	230	453	109	335	140	133	74	35	357	61	46	11,670	11,497	3,046	7,581	90	5,225	641	38
914	436	867	190	742	232	239	107	85	539	87	67	20,039	19,738	5,586	12,647	190	9,150	906	39
2,158	845	1,417	489	1,251	440	507	171	173	864	134	94	30,933	30,606	6,922	21,299	482	16,845	1,199	40
809	355	671	191	571	234	232	92	94	556	65	48	17,398	17,210	3,901	11,899	189	8,948	944	41
861	433	862	210	653	265	222	83	94	469	71	53	19,359	19,097	4,931	12,691	202	9,815	953	42
774	338	751	154	612	194	219	82	68	541	85	44	16,688	16,411	4,569	10,614	142	7,426	826	43
500	216	485	120	402	149	135	56	50	316	50	46	11,213	11,002	3,044	7,075	112	4,742	585	44
536	181	439	123	401	143	132	58	33	244	29	24	10,665	10,489	2,635	7,126	75	5,546	358	45
959	395	635	200	647	237	205	87	92	746	90	63	16,653	16,395	3,397	11,785	116	8,756	794	46
645	268	567	162	545	230	173	56	75	404	54	34	13,010	12,786	3,156	8,671	102	6,988	477	47
2,621	1,078	1,824	558	1,657	690	689	204	219	1,309	202	142	42,053	41,458	9,558	28,826	388	21,882	1,975	48
154	75	139	39	100	50	54	29	19	113	16	7	3,374	3,340	712	2,312	62	1,782	192	49
133	69	132	38	95	57	45	25	30	121	12	4	3,136	3,097	713	2,123	66	1,710	130	50
57	33	64	18	51	17	17	8	9	58	9	4	1,392	1,379	303	948	28	726	85	51
287	248	340	111	320	152	148	47	44	203	28	18	8,317	8,237	1,603	5,814	220	4,648	317	52
137	95	121	40	128	50	48	27	34	104	17	18	2,647	2,592	554	1,773	88	1,277	145	53
375	145	264	93	203	105	110	21	86	177	29	36	5,352	5,304	1,023	3,800	128	3,116	201	54
128	93	157	37	120	55	50	24	22	126	12	11	3,164	3,129	665	2,246	123	1,688	144	55
99	42	62	29	69	27	25	11	11	48	6	5	1,413	1,399	263	1,031	23	801	82	56
747	413	583	239	512	247	279	84	63	484	55	35	15,326	15,203	3,206	10,721	245	8,587	711	57
564	219	409	146	321	173	155	49	50	267	30	19	10,121	10,044	2,269	6,936	200	5,672	317	58
4,780	2,461	3,321	1,237	3,225	1,179	1,395	434	431	1,912	253	227	80,118	79,396	16,224	57,163	1,532	43,476	6,895	59
29	8	22	3	20	7	5	3	3	7	2	8	382	379	70	262	9	192	9	60
140	46	61	27	70	28	37	20	24	111	9	8	1,619	1,573	304	1,176	45	831	68	61

Table 1-14. Deaths From 60 Selected Causes:

[Numbers after causes of death are category numbers

	Division and State	Other diseases of heart (430-434)	Hypertensive heart disease (440-443)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic and unspecified nephritis and other renal sclerosis (592-594)	Influenza and pneumonia, except pneumonia of newborn (480-493)	Influenza (480-483)	Pneumonia, except pneumonia of newborn (490-493)	Bronchitis (500-502)	Other bronchopulmonic diseases (525-527)	Ulcer of stomach and duodenum (540-541)	Appendicitis (550-553)	Hernia and intestinal obstruction (560,561,570)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	Cirrhosis of liver (581)
1	United States-----	29,177	54,968	11,667	38,102	27,279	10,595	61,903	2,295	59,608	5,772	26,518	10,424	1,694	10,003	7,899	24,715
	Geographic divisions:																
2	New England----------	1,327	2,632	783	2,766	2,017	602	4,594	146	4,448	484	1,538	736	101	646	472	1,776
3	Middle Atlantic------	4,167	11,320	2,256	7,140	5,408	1,949	12,847	205	12,642	1,088	4,223	2,338	358	2,018	1,500	6,313
4	East North Central---	5,260	11,035	2,645	9,057	5,244	2,015	11,207	427	10,780	1,155	5,173	2,237	344	1,987	1,424	4,467
5	West North Central---	2,648	3,969	1,054	3,949	2,386	850	5,623	366	5,257	467	2,313	840	156	955	603	1,401
6	South Atlantic-------	5,275	10,432	1,982	4,472	4,061	1,699	9,441	378	9,063	756	3,919	1,259	250	1,349	1,189	3,037
7	East South Central---	2,570	4,825	898	2,509	1,589	938	4,333	268	4,065	358	1,656	526	109	618	721	828
8	West South Central---	4,480	4,471	933	2,868	2,173	1,253	5,531	325	5,206	526	2,465	747	159	946	869	1,523
9	Mountain-------------	1,091	1,174	317	1,235	1,042	318	2,336	80	2,256	298	1,461	409	71	388	357	803
10	Pacific--------------	2,359	5,110	799	4,106	3,359	971	5,991	100	5,891	640	3,770	1,332	146	1,096	764	4,567
	New England:																
11	Maine----------------	150	306	69	344	163	67	356	50	306	56	143	59	14	65	46	91
12	New Hampshire--------	88	189	59	319	121	41	232	15	217	24	112	51	7	46	27	97
13	Vermont--------------	42	101	40	110	69	22	182	13	169	21	82	28	3	22	28	41
14	Massachusetts--------	700	1,274	362	1,189	1,098	292	2,629	47	2,582	250	758	394	47	310	218	1,025
15	Rhode Island---------	99	211	86	158	136	45	268	3	265	47	134	56	15	58	36	132
16	Connecticut----------	248	551	167	646	430	135	927	18	909	86	309	148	15	145	117	390
	Middle Atlantic:																
17	New York-------------	1,381	5,429	1,090	3,116	2,455	897	7,185	76	7,109	639	1,981	1,316	164	923	744	3,810
18	New Jersey-----------	732	1,971	401	1,163	890	322	1,966	30	1,936	177	715	382	65	344	300	1,081
19	Pennsylvania---------	2,054	3,920	765	2,861	2,063	730	3,696	99	3,597	272	1,527	640	129	751	456	1,422
	East North Central:																
20	Ohio-----------------	1,360	3,505	695	2,545	1,514	495	2,581	145	2,436	379	1,481	618	87	553	409	1,191
21	Indiana--------------	770	1,504	350	1,406	640	270	1,354	67	1,287	100	755	266	39	256	188	469
22	Illinois-------------	1,551	3,114	858	2,248	1,272	620	4,014	72	3,942	320	1,183	668	94	539	395	1,392
23	Michigan-------------	1,092	1,831	462	1,716	1,092	422	2,091	97	1,994	257	1,254	441	73	390	293	1,042
24	Wisconsin------------	487	1,081	280	1,142	726	208	1,167	46	1,121	99	500	244	51	249	139	373
	West North Central:																
25	Minnesota------------	398	771	161	761	524	116	995	27	968	92	442	153	26	161	123	274
26	Iowa-----------------	472	708	204	800	432	126	1,001	63	938	70	472	155	35	174	112	205
27	Missouri-------------	995	1,353	373	1,131	758	330	1,927	115	1,812	138	690	232	45	332	179	517
28	North Dakota---------	86	89	32	139	82	19	189	6	183	24	51	30	8	40	31	50
29	South Dakota---------	135	141	45	146	79	38	197	13	184	17	107	37	4	38	21	38
30	Nebraska-------------	211	354	75	375	201	77	579	53	526	50	205	103	15	75	56	134
31	Kansas---------------	351	553	164	597	310	144	735	89	646	76	346	130	23	135	81	183
	South Atlantic:																
32	Delaware-------------	80	236	24	86	64	26	98	2	96	8	95	21	1	17	22	63
33	Maryland-------------	460	1,481	180	482	463	174	965	17	948	102	437	141	28	180	126	565
34	District of Columbia-	85	582	63	124	241	61	432	-	432	26	96	56	13	51	34	314
35	Virginia-------------	640	1,523	289	736	578	230	1,399	53	1,346	105	550	181	37	196	132	377
36	West Virginia--------	359	645	171	437	250	111	706	26	680	73	302	84	14	102	69	159
37	North Carolina-------	1,034	1,783	370	667	530	296	1,471	63	1,408	124	459	182	31	205	190	345
38	South Carolina-------	482	1,143	177	389	304	173	739	56	683	35	281	85	26	106	140	138
39	Georgia--------------	839	1,562	301	661	543	301	1,755	88	1,667	124	577	215	42	188	180	307
40	Florida--------------	1,296	1,477	407	890	1,088	327	1,876	73	1,803	159	1,122	294	58	304	296	769
	East South Central:																
41	Kentucky-------------	747	1,071	193	776	441	188	1,155	49	1,106	94	464	151	26	172	146	233
42	Tennessee------------	465	1,256	273	742	460	262	1,282	69	1,213	127	540	167	44	160	156	257
43	Alabama--------------	839	1,381	237	607	384	277	1,125	90	1,035	73	401	138	16	145	168	225
44	Mississippi----------	519	1,117	195	384	304	211	771	60	711	64	251	70	23	141	251	113
	West South Central:																
45	Arkansas-------------	548	599	142	333	253	176	670	58	612	64	267	81	20	112	65	139
46	Louisiana------------	769	1,350	174	559	480	258	1,116	44	1,072	86	432	126	26	202	180	289
47	Oklahoma-------------	591	513	152	491	316	224	742	56	686	57	384	130	27	130	80	223
48	Texas----------------	2,572	2,009	465	1,485	1,124	595	3,003	167	2,836	319	1,382	410	86	502	544	872
	Mountain:																
49	Montana--------------	146	130	22	184	110	34	207	5	202	17	120	32	5	46	30	70
50	Idaho----------------	89	128	40	111	110	39	170	12	158	25	142	31	3	36	34	36
51	Wyoming--------------	65	44	13	55	60	13	126	5	121	15	55	21	8	19	10	26
52	Colorado-------------	300	329	90	407	323	80	802	22	780	69	351	123	15	99	65	209
53	New Mexico-----------	148	115	42	130	93	55	234	9	225	50	143	43	11	50	72	108
54	Arizona--------------	137	218	75	220	186	48	496	12	484	77	434	91	16	75	100	211
55	Utah-----------------	141	150	21	90	107	35	231	14	217	32	128	49	9	43	33	63
56	Nevada---------------	65	60	14	38	53	14	70	1	69	13	88	19	4	20	13	80
	Pacific:																
57	Washington-----------	484	694	105	762	409	123	800	25	775	80	443	162	20	125	112	311
58	Oregon---------------	272	475	62	475	302	77	528	4	524	52	297	115	11	90	60	259
59	California-----------	1,514	3,746	610	2,814	2,585	722	4,474	62	4,412	484	2,962	1,032	111	856	545	3,932
60	Alaska---------------	47	5	3	30	14	3	68	7	61	6	20	7	1	8	27	19
61	Hawaii---------------	42	190	19	25	49	46	121	2	119	18	48	16	3	17	20	46

E965-1, E940-E949

United States, Each Division and State, 1965–Con.

of the Seventh Revision of the International Lists, 1955]

Cholelithiasis, cholecystitis, and cholangitis (564,585)	Acute nephritis, and nephritis with edema including nephrosis (590,591)	Infections of kidney (600)	Hyperplasia of prostate (610)	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	Abortion (650-652)	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	Infections of newborn (763-768)	Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)	Symptoms, senility, and ill-defined conditions (780-795)	All other diseases (residual)	Accidents (E800-E962)	Motor vehicle accidents (E810-E835)	Other accidents (E800-E802, E840-E962)	Suicide (E963, E970-E979)	Homicide (E964, E980-E985)	
4,666	1,325	9,813	3,413	1,189	235	954	19,512	55,398	23,149	3,926	28,323	23,414	55,393	108,004	49,163	58,841	21,507	10,712	1
310	84	554	184	33	4	29	1,150	2,937	1,224	172	1,541	661	3,486	5,247	1 944	3,303	1,033	248	2
976	228	1,668	692	233	69	164	3,477	9,793	4,271	547	4,975	4,271	10,865	15,944	6,300	9,644	3,362	1,455	3
1,056	289	1,788	712	189	29	160	4,034	10,974	5,472	717	4,785	1,920	10,220	19,879	9,529	10,350	4,019	1,589	4
472	97	677	346	65	14	51	1,573	4,014	1,645	219	2,150	1,551	4,943	9,831	4,574	5,257	1,753	537	5
509	208	1,844	478	243	40	203	2,941	9,429	3,583	785	5,061	4,948	8,649	17,525	8,058	9,467	3,281	2,681	6
278	114	856	290	113	10	103	1,318	4,214	1,431	418	2,365	4,590	3,621	8,327	3,986	4,341	1,209	1,222	7
393	140	1,098	279	152	21	131	1,887	5,768	2,110	511	3,147	3,213	5,078	11,680	5,609	6,071	1,674	1,435	8
187	40	311	127	40	6	34	806	2,240	829	134	1,277	1,350	2,203	5,516	2,568	2,948	1,111	341	9
485	125	1,017	305	121	42	79	2,326	6,029	2,584	423	3,022	910	6,328	14,055	6,595	7,460	4,065	1,204	10
25	11	66	24	3	-	3	86	273	130	15	128	88	312	512	216	296	129	20	11
12	6	30	17	1	-	1	80	164	60	12	92	77	202	309	138	171	81	15	12
16	2	25	19	-	-	-	59	99	42	2	55	60	141	291	131	160	59	4	13
145	43	265	85	16	2	14	547	1,402	524	95	783	248	1,792	2,672	905	1,767	439	123	14
27	7	50	10	1	-	1	88	243	135	11	97	26	262	376	115	261	59	25	15
85	15	118	29	12	2	10	290	756	333	37	386	162	777	1,087	439	648	266	61	16
483	88	865	381	146	49	97	1,738	4,967	2,143	292	2,532	1,135	4,690	7,603	2,874	4,729	1,659	837	17
184	47	300	104	45	11	34	658	1,823	879	92	852	257	1,682	2,783	1,138	1,645	570	221	18
309	93	503	207	42	9	33	1,081	3,003	1,249	163	1,591	2,879	4,493	5,558	2,288	3,270	1,133	397	19
267	59	540	164	42	4	38	1,064	2,680	1,208	141	1,331	680	2,877	5,177	2,369	2,808	1,134	418	20
124	42	228	84	26	1	25	514	1,405	611	70	724	232	1,480	2,972	1,531	1,441	527	183	21
263	96	513	221	56	8	48	1,081	3,312	2,135	336	841	432	2,508	5,008	2,311	2,697	1,021	555	22
240	57	312	162	54	15	39	920	2,430	1,028	114	1,288	334	2,188	4,490	2,264	2,226	869	372	23
162	35	195	81	11	1	10	455	1,147	490	56	601	242	1,167	2,232	1,054	1,178	468	61	24
107	12	146	63	12	3	9	388	872	374	31	467	194	972	1,993	908	1,085	363	56	25
87	13	107	52	7	2	5	273	627	263	31	333	87	912	1,754	813	941	315	45	26
119	37	216	114	24	6	18	446	1,251	496	90	665	928	1,480	2,955	1,349	1,606	541	308	27
16	6	21	18	3	-	3	59	174	65	6	103	38	190	392	178	214	57	6	28
23	4	29	11	3	-	3	55	177	56	8	113	92	206	514	252	262	59	15	29
60	10	54	44	4	-	4	148	416	194	21	201	38	435	849	397	452	174	39	30
60	15	104	44	12	3	9	204	497	197	32	268	174	748	1,374	677	697	244	68	31
5	3	21	3	3	-	3	50	156	76	3	77	13	154	251	110	141	55	25	32
45	12	129	46	27	7	20	359	1,166	447	100	619	126	1,052	1,715	742	973	395	254	33
18	7	124	19	10	2	8	76	400	109	15	276	241	301	551	140	411	71	122	34
67	25	247	71	27	4	23	461	1,421	548	97	776	548	1,351	2,473	1,037	1,436	510	331	35
54	11	103	56	14	2	12	191	533	225	32	276	606	551	1,189	484	705	194	64	36
85	37	299	60	39	7	32	526	1,619	647	110	862	1,006	1,416	3,221	1,636	1,585	481	488	37
40	24	158	35	35	4	31	243	833	275	109	449	595	639	1,798	849	949	227	275	38
44	43	296	74	48	6	42	435	1,518	549	185	784	614	1,295	2,790	1,400	1,390	468	542	39
151	46	467	114	40	8	32	600	1,783	707	134	942	1,199	1,890	3,537	1,660	1,877	880	580	40
82	19	203	74	13	-	13	321	874	322	67	485	267	958	1,980	876	1,104	345	240	41
96	17	248	80	25	3	22	386	1,179	464	98	617	662	1,042	2,269	1,149	1,120	380	321	42
62	46	234	67	36	5	31	354	1,163	370	132	661	1,866	994	2,444	1,237	1,207	329	407	43
38	32	171	69	39	2	37	257	998	275	121	602	1,795	627	1,634	724	910	155	254	44
39	23	136	29	10	2	8	190	499	158	46	295	591	495	1,436	657	779	174	143	45
50	17	276	57	41	4	37	435	1,427	492	150	785	223	1,052	2,495	1,071	1,424	265	343	46
74	29	153	55	14	1	13	210	583	221	37	325	593	768	1,551	759	792	241	113	47
230	71	533	138	87	14	73	1,052	3,259	1,239	278	1,742	1,806	2,763	6,198	3,122	3,076	994	836	48
22	2	30	11	2	-	2	72	205	62	10	133	236	237	601	278	323	95	20	49
11	3	23	18	2	-	2	66	192	67	10	115	78	173	581	235	346	78	25	50
9	1	14	5	1	-	1	32	90	35	6	49	23	118	279	128	151	61	11	51
50	6	87	32	10	4	6	213	541	193	31	317	95	611	1,236	532	704	351	73	52
25	12	35	22	9	-	9	110	364	129	31	204	405	270	807	425	382	113	60	53
47	11	86	23	10	2	8	154	459	180	35	244	177	387	1,025	498	527	218	96	54
20	2	27	6	5	-	5	103	249	121	8	120	291	277	642	299	343	109	19	55
3	3	9	10	1	-	1	56	140	42	3	95	45	130	345	173	172	86	37	56
57	13	89	44	13	3	10	261	653	269	29	355	238	900	1,906	822	1,084	432	88	57
51	14	90	31	1	-	1	168	376	149	26	201	191	541	1,326	670	656	300	77	58
361	95	811	224	104	39	65	1,791	4,676	2,077	330	2,269	411	4,720	10,305	4,952	5,353	3,236	990	59
3	-	3	4	3	-	3	36	104	31	11	62	32	61	280	57	223	46	24	60
13	3	24	2	-	-	-	70	220	58	27	135	38	106	238	94	144	51	25	61

Table 1-15. Death Rates for 60 Selected Causes:

[Rates per 100,000 population in each area. Numbers after causes of death

	Division and State	Total	Tuberculosis, all forms (001-019)	Tuberculosis of respiratory system (001-008)	Tuberculosis, other forms (010-019)	Syphilis and its sequelae (020-029)	Dysentery, all forms (045-048)	Scarlet fever and streptococcal sore throat (050,051)	Diphtheria (055)	Whooping cough (056)	Meningococcal infections (057)	Acute poliomyelitis (080)	Measles (085)	Other infective and parasitic diseases (residual)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	Malignant neoplasm of buccal cavity and pharynx (140-148)	Malignant neoplasm of digestive organs and peritoneum, not spec. as secondary (150-156,157-159)
1	United States----	943.2	4.1	3.8	0.3	1.3	0.1	0.0	0.0	0.0	0.5	0.0	0.1	3.0	153.5	3.4	48.7
	Geographic divisions:																
2	New England----------	1,050.7	3.6	3.4	0.1	1.4	0.0	0.0	-	0.0	0.4	0.0	0.1	2.7	181.7	4.3	62.2
3	Middle Atlantic------	1,033.8	5.1	4.7	0.3	1.2	0.1	0.0	-	0.0	0.3	0.0	0.1	2.6	181.3	4.0	62.1
4	East North Central---	965.3	3.7	3.5	0.2	1.1	0.0	0.0	-	0.0	0.4	-	0.1	2.5	160.4	3.2	52.5
5	West North Central---	1,013.9	2.7	2.6	0.2	1.3	0.1	0.0	0.0	0.0	0.4	0.0	0.1	3.1	164.2	2.9	53.1
6	South Atlantic-------	911.7	4.2	3.8	0.3	1.4	0.1	0.1	0.0	0.0	0.6	0.0	0.2	3.9	137.8	3.2	39.4
7	East South Central---	947.5	6.2	5.7	0.4	1.0	0.2	0.1	0.0	0.1	0.7	-	0.2	3.5	132.1	3.4	38.0
8	West South Central---	857.9	4.5	4.1	0.4	1.6	0.5	0.0	0.0	0.1	0.6	0.0	0.4	4.1	133.2	2.9	38.8
9	Mountain-------------	775.1	4.1	3.7	0.4	1.2	0.2	0.0	-	-	0.5	0.0	0.3	3.5	111.8	2.1	33.2
10	Pacific--------------	832.0	3.0	2.7	0.3	1.2	0.1	0.0	0.0	0.0	0.4	0.0	0.1	2.5	140.3	3.3	42.5
	New England:																
11	Maine----------------	1,089.8	2.9	2.8	0.1	0.8	-	0.1	-	0.1	0.6	-	0.3	2.0	177.6	3.7	60.8
12	New Hampshire--------	1,093.1	1.3	1.3	-	1.5	-	-	-	-	0.9	-	-	1.6	181.8	3.0	58.0
13	Vermont--------------	1,160.7	5.3	5.3	-	1.3	-	-	-	-	0.5	-	0.3	3.3	175.8	2.5	52.1
14	Massachusetts--------	1,101.1	4.2	4.0	0.2	1.8	-	0.0	-	-	0.5	0.0	0.1	2.8	190.8	4.7	65.7
15	Rhode Island---------	1,086.8	3.4	3.4	-	1.6	0.2	-	-	-	0.4	-	-	2.6	196.7	4.4	73.3
16	Connecticut----------	905.3	3.0	2.8	0.2	1.0	0.0	-	-	-	0.2	-	0.2	3.2	161.8	4.2	54.8
	Middle Atlantic:																
17	New York-------------	1,023.7	5.1	4.7	0.4	1.0	0.1	0.0	-	0.0	0.3	0.0	0.0	2.5	184.0	4.1	63.2
18	New Jersey-----------	959.7	4.4	4.0	0.4	0.7	0.2	0.0	-	0.0	0.4	-	0.0	2.5	177.5	4.3	61.5
19	Pennsylvania---------	1,093.3	5.5	5.2	0.3	1.7	0.0	0.0	-	0.0	0.3	-	0.1	3.0	179.3	3.7	60.6
	East North Central:																
20	Ohio-----------------	960.7	3.6	3.5	0.2	1.2	0.0	0.0	-	-	0.4	-	0.1	2.4	159.3	3.6	51.8
21	Indiana--------------	978.9	4.0	3.8	0.2	1.1	0.0	-	-	0.0	0.4	-	0.1	3.3	157.2	2.7	49.7
22	Illinois-------------	1,015.9	4.0	3.8	0.3	1.1	0.0	0.0	-	0.0	0.4	-	0.1	2.2	169.4	3.6	56.7
23	Michigan-------------	895.7	3.6	3.3	0.3	1.1	0.1	0.0	-	-	0.3	-	0.1	2.6	150.7	2.7	48.6
24	Wisconsin------------	969.0	2.8	2.6	0.1	0.9	-	-	-	-	0.6	-	0.1	2.6	162.9	2.9	55.0
	West North Central:																
25	Minnesota------------	915.9	1.9	1.8	0.1	1.0	0.1	0.0	0.0	0.0	0.5	-	0.1	2.6	158.3	2.3	54.6
26	Iowa-----------------	1,066.1	1.6	1.4	0.1	0.9	0.0	0.1	0.0	-	0.4	-	0.0	2.9	170.9	2.4	54.4
27	Missouri-------------	1,119.8	4.9	4.6	0.2	2.1	0.0	-	-	0.1	0.4	-	0.1	3.6	175.4	3.8	54.4
28	North Dakota---------	854.1	1.7	1.5	0.2	1.1	-	-	-	-	0.8	-	-	2.3	133.9	1.8	44.9
29	South Dakota---------	928.7	3.7	2.7	1.0	0.7	0.4	-	0.1	0.1	0.1	-	-	2.3	145.9	2.3	48.9
30	Nebraska-------------	1,003.0	1.8	1.7	0.1	1.0	-	0.1	-	-	0.1	0.1	0.1	3.1	169.5	3.3	59.3
31	Kansas---------------	972.2	1.9	1.7	0.1	1.4	0.0	0.1	-	-	0.1	-	0.3	3.3	153.7	3.0	46.0
	South Atlantic:																
32	Delaware-------------	899.0	4.0	3.8	0.2	1.8	0.4	-	-	-	0.6	-	-	2.8	147.5	2.6	45.3
33	Maryland-------------	877.0	5.7	5.2	0.5	1.6	0.1	0.0	-	-	0.5	-	-	3.6	149.1	3.6	45.4
34	District of Columbia-	1,125.2	12.7	11.6	1.1	2.2	-	-	0.1	-	0.5	-	0.1	4.4	184.1	6.7	59.8
35	Virginia-------------	833.7	3.5	3.0	0.4	1.3	0.1	0.1	-	0.1	0.4	-	0.1	3.3	124.6	2.9	34.1
36	West Virginia--------	1,058.8	4.9	4.6	0.3	1.5	0.1	0.2	-	-	0.2	-	0.4	2.4	153.7	2.5	48.2
37	North Carolina-------	848.5	3.3	3.1	0.2	1.1	0.1	-	0.0	0.0	0.8	-	0.2	3.5	112.1	2.6	29.3
38	South Carolina-------	854.2	4.0	3.8	0.2	1.9	0.4	0.2	-	0.3	1.0	0.0	0.2	3.9	107.3	2.0	30.5
39	Georgia--------------	875.0	3.4	3.1	0.4	1.2	0.3	0.1	0.0	0.0	0.7	0.0	0.4	4.9	118.6	3.3	32.2
40	Florida--------------	1,024.9	3.7	3.5	0.3	1.3	0.1	0.0	0.0	-	0.5	0.0	0.2	4.5	178.4	4.2	51.8
	East South Central:																
41	Kentucky-------------	977.1	6.4	6.0	0.4	1.4	0.1	0.1	-	-	0.8	-	0.2	3.3	144.8	4.8	43.7
42	Tennessee------------	913.2	6.4	6.0	0.5	0.5	0.1	0.1	-	0.0	0.7	-	0.2	3.1	133.2	3.1	38.9
43	Alabama--------------	939.5	7.5	7.1	0.4	1.1	0.2	0.1	0.1	0.1	0.5	-	0.3	3.2	123.4	2.9	32.7
44	Mississippi----------	975.9	3.3	2.9	0.3	1.3	0.6	0.0	0.0	0.1	0.6	-	0.3	4.8	125.8	2.6	36.7
	West South Central:																
45	Arkansas-------------	984.0	5.6	5.1	0.5	1.8	0.4	-	-	0.1	0.3	0.1	0.4	4.4	142.7	2.8	40.2
46	Louisiana------------	910.9	4.9	4.5	0.4	2.2	0.2	0.0	0.0	0.1	0.9	0.0	0.5	5.5	136.2	2.8	40.7
47	Oklahoma-------------	959.5	4.4	3.9	0.5	1.3	0.3	0.0	-	0.1	0.4	-	0.1	3.2	152.6	3.4	44.9
48	Texas----------------	792.8	4.1	3.8	0.4	1.4	0.6	0.1	0.0	0.1	0.5	0.0	0.4	3.8	125.8	2.9	36.5
	Mountain:																
49	Montana--------------	934.4	3.1	2.8	0.3	1.0	-	-	-	-	0.4	-	-	2.4	131.7	3.0	42.2
50	Idaho----------------	858.2	1.6	1.3	0.3	1.6	-	-	-	-	0.7	-	0.3	2.3	121.2	2.5	36.6
51	Wyoming--------------	825.9	1.2	1.2	-	2.6	-	-	-	-	0.9	-	-	3.8	110.3	2.1	32.6
52	Colorado-------------	823.8	3.1	2.9	0.2	1.1	0.2	0.1	-	-	0.4	0.1	0.2	3.8	119.5	2.0	35.9
53	New Mexico-----------	663.3	6.6	5.9	0.7	1.3	0.2	-	-	-	0.7	-	0.7	3.5	87.7	1.2	26.3
54	Arizona--------------	745.8	7.5	6.8	0.7	0.8	0.4	0.1	-	-	0.6	-	0.4	4.5	116.5	2.7	33.4
55	Utah-----------------	674.9	1.3	0.9	0.4	1.3	-	-	-	-	0.3	-	0.2	3.4	92.9	1.6	26.7
56	Nevada---------------	727.3	3.9	3.4	0.5	2.0	-	-	-	-	0.5	-	-	1.8	113.2	1.8	31.1
	Pacific:																
57	Washington-----------	918.9	1.9	1.6	0.3	1.7	0.1	-	-	0.0	0.4	-	0.0	1.9	150.5	3.5	46.0
58	Oregon---------------	955.8	2.1	1.8	0.2	0.8	0.1	0.1	-	-	0.5	-	0.1	2.7	154.1	3.1	46.4
59	California-----------	821.7	3.2	2.9	0.3	1.2	0.1	0.0	0.0	0.0	0.4	0.0	0.1	2.5	139.8	3.3	41.9
60	Alaska---------------	527.7	4.7	4.3	0.4	-	-	-	-	-	2.0	-	-	7.1	56.5	1.6	17.8
61	Hawaii---------------	513.9	3.1	3.0	0.1	0.7	0.3	-	-	-	0.1	-	0.1	3.0	103.0	4.9	40.5

United States, Each Division and State, 1965

are category numbers of the Seventh Revision of the International Lists, 1955]

Malignant neoplasm of respiratory system, not specified as secondary (160-164)	Malignant neoplasm of breast (170)	Malignant neoplasm of genital organs (171-179)	Malignant neoplasm of urinary organs (180,181)	Malignant neoplasm of other and unspecified sites (156B,165, 190-199)	Leukemia and aleukemia (204)	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	Benign neoplasms and neoplasms of unspecified nature (210-239)	Asthma (241)	Diabetes mellitus (260)	Anemias (290-293)	Meningitis, except meningococcal and tuberculous (340)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Diseases of cardiovascular system (330-334,400-468)	Vascular lesions affecting central nervous system (330-334)	Diseases of heart (400-402, 410-443)	Rheumatic fever and chronic rheumatic heart disease (400-402, 410-416)	Arteriosclerotic heart disease, including coronary disease (420)	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	
26.8	14.0	20.9	7.2	17.9	7.0	7.8	2.6	2.3	17.1	1.8	1.2	516.4	510.9	103.7	367.4	8.0	288.6	27.4	1
29.6	18.0	22.1	8.6	20.4	7.8	8.8	3.2	2.5	19.3	1.9	1.0	596.8	591.4	109.9	431.5	9.3	365.1	21.5	2
31.5	17.6	22.1	8.7	19.6	7.0	8.7	3.1	2.0	20.7	1.7	1.2	584.4	579.0	94.3	444.0	11.5	358.9	31.1	3
27.6	14.8	22.3	7.9	16.5	7.4	8.2	2.3	2.3	21.3	1.8	1.0	546.4	541.1	105.9	390.9	8.4	314.5	25.1	4
25.1	14.9	23.8	8.0	18.5	8.6	9.3	2.3	2.8	17.9	1.9	0.8	575.5	570.1	126.6	397.0	7.7	318.9	28.6	5
25.9	12.0	20.1	6.0	18.5	6.0	6.8	2.9	2.2	14.7	2.0	1.5	482.7	476.8	107.7	332.4	5.9	240.0	31.8	6
23.0	10.5	21.6	5.3	17.5	6.6	6.3	2.4	2.4	14.7	2.1	1.5	504.7	497.4	128.4	330.0	5.0	241.5	25.8	7
25.7	10.4	18.7	5.6	17.5	7.0	6.5	2.2	2.3	14.6	2.0	1.4	444.6	437.8	101.2	304.4	3.7	233.0	19.5	8
17.6	10.3	16.4	5.2	14.0	6.6	6.4	2.5	3.3	12.2	1.7	1.3	370.3	366.2	75.1	257.8	9.5	202.5	16.7	9
25.6	12.9	18.0	6.8	17.0	6.7	7.6	2.4	2.3	11.4	1.4	1.2	439.7	435.8	90.2	311.7	8.3	240.2	32.7	10
29.6	14.3	24.9	10.0	18.1	7.9	8.4	3.0	3.2	15.9	2.2	1.2	640.2	633.4	123.4	452.1	7.3	360.6	38.3	11
30.2	18.4	24.2	9.7	20.3	8.7	9.3	3.0	2.2	23.6	1.3	0.6	637.5	631.4	127.4	429.4	7.5	357.5	23.0	12
28.7	17.9	25.2	9.8	19.1	9.1	11.3	2.8	2.0	17.4	1.8	0.3	652.4	646.9	132.7	458.9	8.6	383.1	31.2	13
30.8	19.5	22.7	8.6	22.0	8.3	8.5	3.1	2.8	19.7	2.1	1.2	621.3	615.9	113.1	453.3	10.5	385.3	20.6	14
33.0	17.5	25.5	9.5	16.0	7.3	10.2	3.0	2.0	26.5	1.9	1.3	631.5	626.5	100.4	483.4	9.0	423.9	15.7	15
26.2	16.4	17.8	7.3	19.8	6.5	8.6	3.6	1.8	16.6	1.6	0.8	506.9	502.2	94.8	363.5	8.4	309.4	17.5	16
32.2	18.6	21.8	9.0	19.4	6.9	8.9	3.2	1.9	18.6	1.6	1.4	575.2	570.2	89.0	444.3	12.0	371.6	23.0	17
32.3	17.4	22.1	8.5	17.4	6.3	7.8	2.9	1.7	19.2	1.7	1.1	545.3	540.5	83.8	420.5	10.9	336.2	33.5	18
29.9	16.0	22.6	8.5	21.3	7.6	9.0	3.1	2.3	24.8	2.0	1.1	621.8	615.5	108.8	457.3	11.1	352.1	42.2	19
28.5	14.6	22.9	8.3	15.0	6.7	8.0	2.2	2.0	22.9	1.7	1.0	545.2	540.3	108.7	385.2	8.8	301.1	27.9	20
27.0	13.5	23.5	7.5	18.2	7.4	7.6	1.9	2.6	20.5	2.1	1.0	554.7	549.1	125.9	374.2	7.8	295.7	24.1	21
29.9	16.1	23.2	7.9	16.2	7.4	8.2	2.7	2.1	17.3	1.8	1.0	591.3	585.5	102.0	442.4	8.0	362.6	27.9	22
26.5	13.3	20.2	7.3	17.3	6.8	8.1	2.3	2.5	26.1	2.0	1.0	481.0	475.9	94.5	341.6	8.6	280.8	16.6	23
22.4	16.5	21.5	8.4	17.2	10.0	9.1	1.9	2.7	18.9	1.6	1.0	554.0	549.0	107.4	389.8	9.0	313.4	29.6	24
20.3	14.1	23.3	7.8	16.8	9.1	10.0	2.1	2.5	16.1	1.4	0.7	519.1	515.9	122.5	352.7	8.9	290.5	20.3	25
23.6	16.6	27.1	8.8	18.9	9.0	10.1	2.7	3.2	20.4	2.0	0.5	624.9	620.4	139.9	428.5	6.4	345.0	34.3	26
32.4	15.6	23.4	7.4	22.3	8.1	8.0	2.9	3.1	17.2	2.2	1.2	629.1	621.7	134.6	436.8	8.5	342.5	33.7	27
18.9	13.3	19.3	8.9	12.4	6.4	7.8	2.0	3.4	14.4	1.2	0.8	477.5	474.5	100.9	334.8	7.7	281.3	19.0	28
20.9	12.2	22.2	7.8	15.6	7.1	8.8	2.0	1.6	17.9	2.6	1.1	515.8	510.4	111.5	360.5	5.7	290.5	25.0	29
24.0	14.6	23.8	8.3	15.0	9.8	11.3	1.9	3.0	19.1	1.8	0.9	564.4	559.2	123.8	391.3	7.4	316.2	29.4	30
24.1	14.4	23.5	7.9	17.7	8.5	8.8	1.9	2.3	19.0	1.9	0.6	550.4	544.0	114.7	381.3	6.8	305.7	28.3	31
32.5	12.3	20.6	4.8	19.4	6.7	3.4	3.0	0.8	19.8	1.8	2.2	503.8	498.6	68.9	395.2	6.7	273.9	52.1	32
29.2	14.9	18.6	6.7	18.3	5.3	7.2	3.6	1.7	19.9	1.9	1.3	464.6	459.6	69.8	357.9	7.6	218.8	76.4	33
34.2	19.4	24.3	7.5	18.4	5.2	8.6	4.0	4.4	18.4	1.4	2.6	520.5	512.9	100.2	359.2	8.6	224.1	43.2	34
23.2	10.2	18.0	5.9	18.2	5.3	6.8	2.3	1.9	12.7	1.7	1.6	444.2	439.0	95.3	307.8	4.6	224.4	30.2	35
26.8	12.7	21.7	7.1	21.5	6.7	6.6	2.5	3.4	16.3	1.7	1.0	590.5	584.3	114.8	422.1	8.1	326.3	32.3	36
17.9	10.0	17.7	4.3	17.9	6.2	6.2	3.1	2.0	13.5	1.9	1.1	456.0	449.9	110.9	307.1	4.4	221.7	23.7	37
19.8	9.0	17.8	4.3	13.2	5.5	5.2	2.9	1.4	14.0	2.4	1.8	458.9	452.1	119.8	298.1	3.5	205.5	25.2	38
21.0	10.0	19.9	4.4	17.0	5.3	5.5	2.5	2.0	12.4	2.0	1.5	459.8	452.9	128.2	290.2	4.4	210.0	20.8	39
37.2	14.6	24.4	8.4	21.6	7.6	8.7	2.9	3.0	14.9	2.3	1.6	532.9	527.2	119.2	366.9	8.3	290.2	20.7	40
25.4	11.2	21.1	6.0	18.0	7.4	7.3	2.9	3.0	17.5	2.0	1.5	547.3	541.4	122.7	374.3	5.9	281.5	29.7	41
22.4	11.3	22.4	5.5	17.0	6.9	5.8	2.2	2.4	12.2	1.8	1.4	503.4	496.5	128.2	330.0	5.3	255.2	24.8	42
22.4	9.8	21.7	4.4	17.7	5.6	6.3	2.4	2.0	15.6	2.5	1.3	481.9	473.9	131.9	306.5	4.1	214.4	23.9	43
21.5	9.3	20.9	5.2	17.3	6.4	5.8	2.4	2.2	13.6	2.2	2.0	482.9	473.8	131.1	304.7	4.8	204.2	25.2	44
27.3	9.2	22.4	6.3	20.5	7.3	6.7	3.0	1.7	12.4	1.5	1.2	544.1	535.2	134.4	363.6	3.8	283.0	18.3	45
27.1	11.2	18.0	5.7	18.3	6.7	5.8	2.5	2.6	21.1	2.5	1.8	471.2	463.9	96.1	333.5	3.3	247.8	22.5	46
26.0	10.8	22.8	6.5	21.9	9.3	7.0	2.3	3.0	16.3	2.2	1.4	524.0	514.9	127.1	349.2	4.1	281.4	19.2	47
24.8	10.2	17.3	5.3	15.7	6.5	6.5	1.9	2.1	12.4	1.9	1.3	398.5	392.9	90.6	273.2	3.7	207.4	18.7	48
21.8	10.6	19.7	5.5	14.2	7.1	7.6	4.1	2.7	16.0	2.3	1.0	477.9	473.1	100.8	327.5	8.8	252.4	27.2	49
19.2	10.0	19.1	5.5	13.7	8.2	6.5	3.6	4.3	17.5	1.7	0.6	453.2	447.5	103.0	306.8	9.5	247.1	18.8	50
16.8	9.7	18.8	5.3	15.0	5.0	5.0	2.4	2.6	17.1	2.6	1.2	409.4	405.6	89.1	278.8	8.2	213.5	25.0	51
14.6	12.6	17.3	5.6	16.3	7.7	7.5	2.4	2.2	10.3	1.4	0.9	422.4	418.3	81.4	295.3	11.2	236.1	16.1	52
13.3	9.2	11.8	3.9	12.4	4.9	4.7	2.6	3.3	10.1	1.7	1.7	257.2	251.9	53.8	172.3	8.6	124.1	14.1	53
23.3	9.0	16.4	5.8	12.6	6.5	6.8	1.3	5.3	11.0	1.8	2.2	332.6	329.6	63.6	236.2	8.0	193.7	12.5	54
12.9	9.4	15.9	3.7	12.1	5.6	5.1	2.4	2.2	12.7	1.2	1.1	319.6	316.1	67.2	226.9	12.4	170.5	14.5	55
22.5	9.5	14.1	6.6	15.7	6.1	5.7	2.5	2.5	10.9	1.4	1.1	321.1	318.0	59.8	234.3	5.2	182.0	18.6	56
25.0	13.8	19.5	8.0	17.1	8.3	9.3	2.8	2.1	16.2	1.8	1.2	512.6	508.5	107.2	358.6	8.2	287.2	23.8	57
29.7	11.5	21.5	7.7	16.9	9.1	8.2	2.6	2.6	14.1	1.6	1.0	532.7	528.6	119.4	365.1	10.5	298.5	16.7	58
25.7	13.2	17.8	6.6	17.3	6.3	7.5	2.3	2.3	10.3	1.4	1.2	430.6	426.7	87.2	307.2	8.2	233.6	37.1	59
11.5	3.2	8.7	1.2	7.9	2.8	2.0	1.2	1.2	2.8	0.8	3.2	151.0	149.8	27.7	103.6	3.6	75.9	3.6	60
19.7	6.5	8.6	3.8	9.8	3.9	5.2	2.8	3.4	15.6	1.3	1.1	227.7	221.2	42.8	165.4	6.3	116.9	9.6	61

Table 1-15. Death Rates for 60 Selected Causes:

[Rates per 100,000 population in each area. Numbers after causes of death

	Division and State	Other diseases of heart (430-434)	Hypertensive heart disease (440-443)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic and unspecified nephritis and other renal sclerosis (592-594)	Influenza and pneumonia, except pneumonia of newborn (480-493)	Influenza (480-483)	Pneumonia, except pneumonia of newborn (490-493)	Bronchitis (500-502)	Other bronchopulmonic diseases (525-527)	Ulcer of stomach and duodenum (540-541)	Appendicitis (550-553)	Hernia and intestinal obstruction (560,561,570)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	Cirrhosis of liver (581)
1	United States	15.1	28.4	6.0	19.7	14.1	5.5	31.9	1.2	30.8	3.0	13.7	5.4	0.9	5.2	4.1	12.8
	Geographic divisions:																
2	New England	11.9	23.6	7.0	24.8	18.1	5.4	41.3	1.3	40.0	4.3	13.8	6.6	0.9	5.8	4.2	16.0
3	Middle Atlantic	11.5	31.1	6.2	19.6	14.9	5.4	35.3	0.6	34.8	3.0	11.6	6.4	1.0	5.5	4.1	17.4
4	East North Central	13.8	28.9	6.9	23.7	13.7	5.3	29.4	1.1	28.3	3.0	13.6	5.9	0.9	5.2	3.7	11.7
5	West North Central	16.7	25.0	6.6	24.9	15.0	5.4	35.4	2.3	33.1	2.9	14.6	5.3	1.0	6.0	3.8	8.8
6	South Atlantic	18.4	36.3	6.9	15.6	14.1	5.9	32.9	1.3	31.6	2.6	13.6	4.4	0.9	4.7	4.1	10.6
7	East South Central	20.1	37.7	7.0	19.6	12.4	7.3	33.8	2.1	31.7	2.8	12.9	4.1	0.9	4.8	5.6	6.5
8	West South Central	24.2	24.1	5.0	15.5	11.7	6.8	29.9	1.8	28.1	2.8	13.3	4.0	0.9	5.1	4.7	8.2
9	Mountain	14.0	15.1	4.1	15.9	13.4	4.1	30.0	1.0	29.0	3.8	18.8	5.3	0.9	5.0	4.6	10.3
10	Pacific	9.6	20.9	3.3	16.8	13.7	4.0	24.5	0.4	24.1	2.6	15.4	5.4	0.6	4.5	3.1	18.7
	New England:																
11	Maine	15.1	30.8	6.9	34.6	16.4	6.7	35.9	5.0	30.8	5.6	14.4	5.9	1.4	6.5	4.6	9.2
12	New Hampshire	13.2	28.3	8.8	47.7	18.1	6.1	34.7	2.2	32.4	3.6	16.7	7.6	1.0	6.9	4.0	14.5
13	Vermont	10.6	25.4	10.1	27.7	17.4	5.5	45.8	3.3	42.6	5.3	20.7	7.1	0.8	5.5	7.1	10.3
14	Massachusetts	13.1	23.8	6.8	22.2	20.5	5.5	49.1	0.9	48.3	4.7	14.2	7.4	0.9	5.8	4.1	19.2
15	Rhode Island	11.1	23.7	9.7	17.7	15.3	5.1	30.1	0.3	29.7	5.3	15.0	6.3	1.7	6.5	4.0	14.8
16	Connecticut	8.8	19.4	5.9	22.8	15.2	4.8	32.7	0.6	32.1	3.0	10.9	5.2	0.5	5.1	4.1	13.8
	Middle Atlantic:																
17	New York	7.6	30.0	6.0	17.2	13.6	5.0	39.8	0.4	39.3	3.5	11.0	7.3	0.9	5.1	4.1	21.1
18	New Jersey	10.8	29.1	5.9	17.2	13.1	4.8	29.0	0.4	28.6	2.6	10.6	5.6	1.0	5.1	4.4	16.0
19	Pennsylvania	17.8	34.0	6.6	24.8	17.9	6.3	32.1	0.9	31.2	2.4	13.3	5.6	1.1	6.5	4.0	12.3
	East North Central:																
20	Ohio	13.3	34.2	6.8	24.8	14.8	4.8	25.2	1.4	23.8	3.7	14.5	6.0	0.8	5.4	4.0	11.6
21	Indiana	15.8	30.8	7.2	28.8	13.1	5.5	27.7	1.4	26.3	2.0	15.5	5.4	0.8	5.2	3.8	9.6
22	Illinois	14.6	29.3	8.1	21.1	11.9	5.8	37.7	0.7	37.0	3.0	11.1	6.3	0.9	5.1	3.7	13.1
23	Michigan	13.3	22.3	5.6	20.9	13.3	5.1	25.4	1.2	24.3	3.1	15.3	5.4	0.9	4.7	3.6	12.7
24	Wisconsin	11.7	26.1	6.8	27.6	17.5	5.0	28.2	1.1	27.0	2.4	12.1	5.9	1.2	6.0	3.4	9.0
	West North Central:																
25	Minnesota	11.2	21.7	4.5	21.4	14.7	3.3	28.0	0.8	27.2	2.6	12.4	4.3	0.7	4.5	3.5	7.7
26	Iowa	17.1	25.7	7.4	29.0	15.7	4.6	36.3	2.3	34.0	2.5	17.1	5.6	1.3	6.3	4.1	7.4
27	Missouri	22.1	30.1	8.3	25.1	16.9	7.3	42.8	2.6	40.3	3.1	15.3	5.2	1.0	7.4	4.0	11.5
28	North Dakota	13.2	13.7	4.9	21.3	12.6	2.9	29.0	0.9	28.1	3.7	7.8	4.6	1.2	6.1	4.8	7.7
29	South Dakota	19.2	20.1	6.4	20.8	11.2	5.4	28.0	1.8	26.2	2.4	15.2	5.3	0.6	5.4	3.0	5.4
30	Nebraska	14.3	24.0	5.1	25.4	13.6	5.2	39.2	3.6	35.6	3.4	1.39	7.0	1.0	5.1	3.8	9.1
31	Kansas	15.7	24.8	7.3	26.7	13.9	6.4	32.9	4.0	28.9	3.4	15.5	5.8	1.0	6.0	3.6	8.2
	South Atlantic:																
32	Delaware	15.8	46.7	4.8	17.0	12.7	5.1	19.4	0.4	19.0	1.6	18.8	4.2	0.2	3.4	4.4	12.5
33	Maryland	13.1	42.1	5.1	13.7	13.1	4.9	27.4	0.5	26.9	2.9	12.4	4.0	0.8	5.1	3.6	16.0
34	District of Columbia	10.6	72.7	7.9	15.5	30.1	7.6	53.9	-	53.9	3.2	12.0	7.0	1.6	6.4	4.2	39.2
35	Virginia	14.4	34.2	6.5	16.5	13.0	5.2	31.4	1.2	30.2	2.4	12.3	4.1	0.8	4.4	3.0	8.5
36	West Virginia	19.8	35.6	9.4	24.1	13.8	6.1	39.0	1.4	37.5	4.0	16.7	4.6	0.8	5.6	3.8	8.8
37	North Carolina	21.0	36.3	7.5	13.6	10.8	6.0	29.9	1.3	28.7	2.5	9.3	3.7	0.6	4.2	3.9	7.0
38	South Carolina	19.0	44.9	7.0	15.3	12.0	6.8	29.1	2.2	26.9	1.4	11.0	3.3	1.0	4.2	5.5	5.4
39	Georgia	19.3	35.8	6.9	15.2	12.5	6.9	40.3	2.0	38.3	2.8	13.2	4.9	1.0	4.3	4.1	7.0
40	Florida	22.3	25.4	7.0	15.3	18.7	5.6	32.3	1.3	31.1	2.7	19.3	5.1	1.0	5.2	5.1	13.2
	East South Central:																
41	Kentucky	23.5	33.7	6.1	24.4	13.9	5.9	36.3	1.5	34.8	3.0	14.6	4.7	0.8	5.4	4.6	7.3
42	Tennessee	12.1	32.7	7.1	19.3	12.0	6.8	33.3	1.8	31.5	3.3	14.0	4.3	1.1	4.2	4.1	6.7
43	Alabama	24.2	39.9	6.8	17.5	11.1	8.0	32.5	2.6	29.9	2.1	11.6	4.0	0.5	4.2	4.9	6.5
44	Mississippi	22.4	48.1	8.4	16.5	13.1	9.1	33.2	2.6	30.6	2.8	10.8	3.0	1.0	6.1	10.8	4.9
	West South Central:																
45	Arkansas	28.0	30.6	7.2	17.0	12.9	9.0	34.2	3.0	31.2	3.3	13.6	4.1	1.0	5.7	3.3	7.1
46	Louisiana	21.8	38.2	4.9	15.8	13.6	7.3	31.6	1.2	30.3	2.4	12.2	3.6	0.7	5.7	5.1	8.2
47	Oklahoma	23.8	20.7	6.1	19.8	12.7	9.0	29.9	2.3	27.6	2.3	15.5	5.2	1.1	5.2	3.2	9.0
48	Texas	24.4	19.0	4.4	14.1	10.7	5.6	28.5	1.6	26.9	3.0	13.1	3.9	0.8	4.8	5.2	8.3
	Mountain:																
49	Montana	20.7	18.4	3.1	26.1	15.6	4.8	29.3	0.7	28.6	2.4	17.0	4.5	0.7	6.5	4.2	9.9
50	Idaho	12.9	18.5	5.8	16.0	15.9	5.6	24.6	1.7	22.8	3.6	20.5	4.5	0.4	5.2	4.9	5.2
51	Wyoming	19.1	12.9	3.8	16.2	17.6	3.8	37.1	1.5	35.6	4.4	16.2	6.2	2.4	5.6	2.9	7.6
52	Colorado	15.2	16.7	4.6	20.7	16.4	4.1	40.7	1.1	39.6	3.5	17.8	6.2	0.8	5.0	3.3	10.6
53	New Mexico	14.4	11.2	4.1	12.6	9.0	5.3	22.7	0.9	21.9	4.9	13.9	4.2	1.1	4.9	7.0	10.5
54	Arizona	8.5	13.5	4.7	13.7	11.6	3.0	30.8	0.7	30.1	4.8	27.0	5.7	1.0	4.7	6.2	13.1
55	Utah	14.2	15.2	2.1	9.1	10.8	3.5	23.3	1.4	21.9	3.2	12.9	4.9	0.9	4.3	3.3	6.4
56	Nevada	14.8	13.6	3.2	8.6	12.0	3.2	15.9	0.2	15.7	3.0	20.0	4.3	0.9	4.5	3.0	18.2
	Pacific:																
57	Washington	16.2	23.2	3.5	25.5	13.7	4.1	26.8	0.8	25.9	2.7	14.8	5.4	0.7	4.2	3.7	10.4
58	Oregon	14.3	25.0	3.3	25.0	15.9	4.1	27.8	0.2	27.6	2.7	15.6	6.1	0.6	4.7	3.2	13.6
59	California	8.1	20.1	3.3	15.1	13.9	3.9	24.0	0.3	23.7	2.6	15.9	5.5	0.6	4.6	2.9	21.1
60	Alaska	18.6	2.0	1.2	11.9	5.5	1.2	26.9	2.8	24.1	2.4	7.9	2.8	0.4	3.2	10.7	7.5
61	Hawaii	5.9	26.7	2.7	3.5	6.9	6.5	17.0	0.3	16.7	2.5	6.8	2.3	0.4	2.4	2.8	6.5

United States, Each Division and State, 1965—Con.

are category numbers of the Seventh Revision of the International Lists, 1955]

Cholelithiasis, cholecystitis, and cholangitis (584,585)	Acute nephritis, and nephritis with edema including nephrosis (590,591)	Infections of kidney (600)	Hyperplasia of prostate (610)	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	Abortion (650-652)	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	Infections of newborn (763-768)	Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)	Symptoms, senility, and ill-defined conditions (780-795)	All other diseases (residual)	Accidents (E800-E962)	Motor vehicle accidents (E810-E835)	Other accidents (E800-E802, E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	
2.4	0.7	5.1	1.8	0.6	0.1	0.5	10.1	28.6	11.9	2.0	14.6	12.1	28.6	55.7	25.4	30.4	11.1	5.5	1
2.8	0.8	5.0	1.7	0.3	0.0	0.3	10.3	26.4	11.0	1.5	13.8	5.9	31.3	47.1	17.5	29.7	9.3	2.2	2
2.7	0.6	4.6	1.9	0.6	0.2	0.5	9.6	26.9	11.7	1.5	13.7	11.7	29.9	43.8	17.3	26.5	9.2	4.0	3
2.8	0.8	4.7	1.9	0.5	0.1	0.4	10.6	28.8	14.3	1.9	12.5	5.0	26.8	52.1	25.0	27.1	10.5	4.2	4
3.0	0.6	4.3	2.2	0.4	0.1	0.3	9.9	25.3	10.4	1.4	13.5	9.8	31.1	61.9	28.8	33.1	11.0	3.4	5
1.8	0.7	6.4	1.7	0.8	0.1	0.7	10.2	32.8	12.5	2.7	17.6	17.2	30.1	61.0	28.1	33.0	11.4	9.3	6
2.2	0.9	6.7	2.3	0.9	0.1	0.8	10.3	32.9	11.2	3.3	18.5	35.8	28.3	65.0	31.1	33.9	9.4	9.5	7
2.1	0.8	5.9	1.5	0.8	0.1	0.7	10.2	31.1	11.4	2.8	17.0	17.3	27.4	63.0	30.3	32.8	9.0	7.7	8
2.4	0.5	4.0	1.6	0.5	0.1	0.4	10.4	28.8	10.7	1.7	16.4	17.4	28.3	70.9	33.0	37.9	14.3	4.4	9
2.0	0.5	4.2	1.2	0.5	0.2	0.3	9.5	24.6	10.6	1.7	12.4	3.7	25.9	57.5	27.0	30.5	16.6	4.9	10
2.5	1.1	6.6	2.4	0.3	-	0.3	8.7	27.5	13.1	1.5	12.9	8.9	31.4	51.6	21.8	29.8	13.0	2.0	11
1.8	0.9	4.5	2.5	0.1	-	0.1	12.0	24.5	9.0	1.8	13.8	11.5	30.2	46.2	20.6	25.6	12.1	2.2	12
4.0	0.5	6.3	4.8	-	-	-	14.9	24.9	10.6	0.5	13.9	15.1	35.5	73.3	33.0	40.3	14.9	1.0	13
2.7	0.8	5.0	1.6	0.3	0.0	0.3	10.2	26.2	9.8	1.8	14.6	4.6	33.5	50.0	16.9	33.0	8.2	2.3	14
3.0	0.8	5.6	1.1	0.1	-	0.1	9.9	27.3	15.2	1.2	10.9	2.9	29.4	42.2	12.9	29.3	6.6	2.8	15
3.0	0.5	4.2	1.0	0.4	0.1	0.4	10.2	26.7	11.8	1.3	13.6	5.7	27.4	38.4	15.5	22.9	9.4	2.2	16
2.7	0.5	4.8	2.1	0.8	0.3	0.5	9.6	27.5	11.9	1.6	14.0	6.3	25.9	42.1	15.9	26.2	9.2	4.6	17
2.7	0.7	4.4	1.5	0.7	0.2	0.5	9.7	26.9	13.0	1.4	12.6	3.8	24.8	41.1	16.8	24.3	8.4	3.3	18
2.7	0.8	4.4	1.8	0.4	0.1	0.3	9.4	26.1	10.8	1.4	13.8	25.0	39.0	48.2	19.9	28.4	9.8	3.4	19
2.6	0.6	5.3	1.6	0.4	0.0	0.4	10.4	26.2	11.8	1.4	13.0	6.6	28.1	50.5	23.1	27.4	11.1	4.1	20
2.5	0.9	4.7	1.7	0.5	0.0	0.5	10.5	28.8	12.5	1.4	14.8	4.7	30.3	60.8	31.3	29.5	10.8	3.7	21
2.5	0.9	4.8	2.1	0.5	0.1	0.5	10.2	31.1	20.1	3.2	7.9	4.1	23.6	47.0	21.7	25.3	9.6	5.2	22
2.9	0.7	3.8	2.0	0.7	0.2	0.5	11.2	29.6	12.5	1.4	15.7	4.1	26.6	54.6	27.5	27.1	10.6	4.5	23
3.9	0.8	4.7	2.0	0.3	0.0	0.2	11.0	27.7	11.8	1.4	14.5	5.8	28.2	53.8	25.4	28.4	11.3	1.5	24
3.0	0.3	4.1	1.8	0.3	0.1	0.3	10.9	24.5	10.5	0.9	13.1	5.5	27.3	56.1	25.5	30.5	10.2	1.6	25
3.2	0.5	3.9	1.9	0.3	0.1	0.2	9.9	22.7	9.5	1.1	12.1	3.2	33.0	63.6	29.5	34.1	11.4	1.6	26
2.6	0.8	4.8	2.5	0.5	0.1	0.4	9.9	27.8	11.0	2.0	14.8	20.6	32.9	65.7	30.0	35.7	12.0	6.8	27
2.5	0.9	3.2	2.8	0.5	-	0.5	9.0	26.7	10.0	0.9	15.8	5.8	29.1	60.1	27.3	32.8	8.7	0.9	28
3.3	0.6	4.1	1.6	0.4	-	0.4	7.8	25.2	8.0	1.1	16.1	13.1	29.3	73.1	35.8	37.3	8.4	2.1	29
4.1	0.7	3.7	3.0	0.3	-	0.3	10.0	28.2	13.1	1.4	13.6	2.6	29.5	57.5	26.9	30.6	11.8	2.6	30
2.7	0.7	4.7	2.0	0.5	0.1	0.4	9.1	22.2	8.8	1.4	12.0	7.8	33.5	61.5	30.3	31.2	10.9	3.0	31
1.0	0.6	4.2	0.6	0.6	-	0.6	9.9	30.9	15.0	0.6	15.2	2.6	30.5	49.7	21.8	27.9	10.9	5.0	32
1.3	0.3	3.7	1.3	0.8	0.2	0.6	10.2	33.1	12.7	2.8	17.6	3.6	29.9	48.7	21.1	27.6	11.2	7.2	33
2.2	0.9	15.5	2.4	1.2	0.2	1.0	9.5	49.9	13.6	1.9	34.5	30.1	37.6	68.8	17.5	51.3	8.9	15.2	34
1.5	0.8	5.5	1.6	0.6	0.1	0.5	10.3	31.9	12.3	2.2	17.4	12.3	30.3	55.5	23.3	32.2	11.4	7.4	35
3.0	0.6	5.7	3.1	0.8	0.1	0.7	10.5	29.4	12.4	1.8	15.2	33.4	30.4	65.6	26.7	38.9	10.7	3.5	36
1.7	0.8	6.1	1.2	0.8	0.1	0.7	10.7	32.9	13.2	2.2	17.5	20.5	28.8	65.5	33.3	32.3	9.8	9.9	37
1.6	0.9	6.2	1.4	1.4	0.2	1.2	9.6	32.8	10.8	4.3	17.7	23.4	25.1	70.7	33.4	37.3	8.9	10.8	38
1.0	1.0	6.8	1.7	1.1	0.1	1.0	10.0	34.8	12.6	4.2	18.0	14.1	29.7	64.0	32.1	31.9	10.7	12.4	39
2.6	0.8	8.0	2.0	0.7	0.1	0.6	10.3	30.7	12.2	2.3	16.2	20.7	32.6	60.9	28.6	32.3	15.2	10.0	40
2.6	0.6	6.4	2.3	0.4	-	0.4	10.1	27.5	10.1	2.1	15.3	8.4	30.1	62.3	27.6	34.7	10.9	7.5	41
2.5	0.4	6.4	2.1	0.7	0.1	0.6	10.0	30.7	12.1	2.5	16.0	17.2	27.1	59.0	29.9	29.1	9.9	8.3	42
1.8	1.3	6.8	1.9	1.0	0.1	0.9	10.2	33.6	10.7	3.8	19.1	53.9	28.7	70.6	35.7	34.9	9.5	11.8	43
1.6	1.4	7.4	3.0	1.7	0.1	1.6	11.1	43.0	11.8	5.2	25.9	77.3	27.0	70.4	31.2	39.2	6.7	10.9	44
2.0	1.2	6.9	1.5	0.5	0.1	0.4	9.7	25.5	8.1	2.3	15.1	30.2	25.3	73.3	33.5	39.7	8.9	7.3	45
1.4	0.5	7.8	1.6	1.2	0.1	1.0	12.3	40.4	13.9	4.2	22.2	6.3	29.8	70.6	30.3	40.3	7.5	9.7	46
3.0	1.2	6.2	2.2	0.6	0.0	0.5	8.5	23.5	8.9	1.5	13.1	23.9	30.9	62.5	30.6	31.9	9.7	4.6	47
2.2	0.7	5.1	1.3	0.8	0.1	0.7	10.0	30.9	11.7	2.6	16.5	17.1	26.2	58.7	29.6	29.2	9.4	7.9	48
3.1	0.3	4.2	1.6	0.3	-	0.3	10.2	29.0	8.8	1.4	18.8	33.4	33.6	85.1	39.4	45.8	13.5	2.8	49
1.6	0.4	3.3	2.6	0.3	-	0.3	9.5	27.7	9.7	1.4	16.6	11.3	25.0	84.0	34.0	50.0	11.3	3.6	50
2.6	0.3	4.1	1.5	0.3	-	0.3	9.4	26.5	10.3	1.8	14.4	6.8	34.7	82.1	37.6	44.4	17.9	3.2	51
2.5	0.3	4.4	1.6	0.5	0.2	0.3	10.8	27.5	9.8	1.6	16.1	4.8	31.0	62.8	27.0	35.8	17.8	3.7	52
2.4	1.2	3.4	2.1	0.9	-	0.9	10.7	35.4	12.5	3.0	19.8	39.4	26.2	78.4	41.3	37.1	11.0	5.8	53
2.9	0.7	5.3	1.4	0.6	0.1	0.5	9.6	28.5	11.2	2.2	15.2	11.0	24.1	63.7	31.0	32.8	13.5	6.0	54
2.0	0.2	2.7	0.6	0.5	-	0.5	10.4	25.2	12.2	0.8	12.1	29.4	28.0	64.8	30.2	34.6	11.0	1.9	55
0.7	0.7	2.0	2.3	0.2	-	0.2	12.7	31.8	9.5	0.7	21.6	10.2	29.5	78.4	39.3	39.1	19.5	8.4	56
1.9	0.4	3.0	1.5	0.4	0.1	0.3	8.7	21.8	9.0	1.0	11.9	8.0	30.1	63.7	27.5	36.3	14.4	2.9	57
2.7	0.7	4.7	1.6	0.1	-	0.1	8.8	19.8	7.8	1.4	10.6	10.1	28.5	69.8	35.3	34.5	15.8	4.1	58
1.9	0.5	4.4	1.2	0.6	0.2	0.3	9.6	25.1	11.2	1.8	12.2	2.2	25.4	55.4	26.6	28.8	17.4	5.3	59
1.2	-	1.2	1.6	1.2	-	1.2	14.2	41.1	12.3	4.3	24.5	12.6	24.1	110.7	22.5	88.1	18.2	9.5	60
1.8	0.4	3.4	0.3	-	-	-	9.8	30.9	8.2	3.8	19.0	5.3	14.9	33.5	13.2	20.3	7.2	3.5	61

Table 1-16. Maternal Deaths and Maternal Mortality Rates for Selected Causes, by Age and Color: United States, 1965

[Maternal deaths are those assigned to deliveries and complications of pregnancy, childbirth, and the puerperium, category numbers 640-689 of the Seventh Revision of the International Lists, 1955. Rates per 100,000 live births in specified group]

Cause of death and color	Total	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years[1] and over
NUMBER OF DEATHS								
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)--	1,189	119	234	245	248	234	102	7
White-----	656	52	152	122	130	132	64	4
Nonwhite--	533	67	82	123	118	102	38	3
Sepsis of pregnancy, childbirth, and puerperium (640,641,681,682,684)----------	147	15	29	37	33	19	14	-
White-----	86	8	19	22	18	14	5	-
Nonwhite--	61	7	10	15	15	5	9	-
Toxemias of pregnancy and puerperium, except abortion with toxemia (642,685,686)----------	211	29	45	42	40	37	18	-
White-----	108	10	36	20	17	16	9	-
Nonwhite--	103	19	9	22	23	21	9	-
Hemorrhage of pregnancy and childbirth (643,644,670-672)----------	187	8	37	27	39	52	22	2
White-----	119	4	29	12	20	34	18	2
Nonwhite--	68	4	8	15	19	18	4	-
Ectopic pregnancy (645)----------	70	9	11	18	14	13	4	1
White-----	27	5	4	9	3	2	3	1
Nonwhite--	43	4	7	9	11	11	1	-
Abortion without mention of sepsis or toxemia (650)----------	67	8	18	18	14	9	-	-
White-----	29	4	9	5	5	6	-	-
Nonwhite--	38	4	9	13	9	3	-	-
Abortion with sepsis (651)----------	158	19	35	37	35	21	11	-
White-----	74	5	18	17	20	8	6	-
Nonwhite--	84	14	17	20	15	13	5	-
Abortion with toxemia, without mention of sepsis (652)----------	10	-	5	2	3	-	-	-
White-----	3	-	2	1	-	-	-	-
Nonwhite--	7	-	3	1	3	-	-	-
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication (646-649,660,673-680,683,687-689)----------	339	31	54	64	70	83	33	4
White-----	210	16	35	36	47	52	23	1
Nonwhite--	129	15	19	28	23	31	10	3
RATE PER 100,000 LIVE BIRTHS								
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)--	31.6	19.9	17.5	26.5	46.8	82.7	124.8	151.7
White-----	21.0	11.7	13.4	15.4	29.1	55.8	93.7	107.4
Nonwhite--	83.7	43.9	39.9	91.5	141.8	220.0	283.9	337.1
Sepsis of pregnancy, childbirth, and puerperium (640,641,681,682,684)----------	3.9	2.5	2.2	4.0	6.2	6.7	17.1	-
White-----	2.8	1.8	1.7	2.8	4.0	5.9	7.3	-
Nonwhite--	9.6	4.6	4.9	11.2	16.0	10.8	67.2	-
Toxemias of pregnancy and puerperium, except abortion with toxemia (642,685,686)----------	5.6	4.8	3.4	4.5	7.6	13.1	22.0	-
White-----	3.5	2.2	3.2	2.5	3.8	6.8	13.2	-
Nonwhite--	16.2	12.5	4.4	16.4	27.6	45.3	67.2	-
Hemorrhage of pregnancy and childbirth (643,644,670-672)----------	5.0	1.3	2.8	2.9	7.4	18.4	26.9	43.3
White-----	3.8	0.9	2.6	1.5	4.5	14.4	26.3	53.7
Nonwhite--	10.7	2.6	3.9	11.2	22.8	38.8	29.9	-
Ectopic pregnancy (645)----------	1.9	1.5	0.8	1.9	2.6	4.6	4.9	21.7
White-----	0.9	1.1	0.4	1.1	0.7	0.8	4.4	26.9
Nonwhite--	6.8	2.6	3.4	6.7	13.2	23.7	7.5	-
Abortion without mention of sepsis or toxemia (650)----------	1.8	1.3	1.3	1.9	2.6	3.2	-	-
White-----	0.9	0.9	0.8	0.6	1.1	2.5	-	-
Nonwhite--	6.0	2.6	4.4	9.7	10.8	6.5	-	-
Abortion with sepsis (651)----------	4.2	3.2	2.6	4.0	6.6	7.4	13.5	-
White-----	2.4	1.1	1.6	2.1	4.5	3.4	8.8	-
Nonwhite--	13.2	9.2	8.3	14.9	18.0	28.0	37.4	-
Abortion with toxemia, without mention of sepsis (652)----------	0.3	-	0.4	0.2	0.6	-	-	-
White-----	0.1	-	0.2	0.1	-	-	-	-
Nonwhite--	1.1	-	1.5	0.7	3.6	-	-	-
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication (646-649,660,673-680,683,687-689)----------	9.0	5.2	4.0	6.9	13.2	29.3	40.4	86.7
White-----	6.7	3.6	3.1	4.5	10.5	22.0	33.7	26.9
Nonwhite--	20.3	9.8	9.2	20.8	27.6	66.9	74.7	337.1

[1]Rates computed by relating deaths to women 45 years and over to live births to women 45-49 years.

Table 1-17 Maternal Mortality Rates by Color: Birth-Registration States or United States, 1915-65

[Prior to 1933, data are for birth-registration States only. Rates per 100,000 live births in specified group. Deaths are classified according to the International Lists used at the time]

Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1965	31.6	21.0	83.7	1949	90.3	68.1	234.8
1964	33.3	22.3	89.9	1948	116.6	89.4	301.0
1963[1]	35.8	24.0	96.9	1947	134.5	108.6	334.6
1962[1]	35.2	23.8	95.9	1946	156.7	130.7	358.9
1961	36.9	24.9	101.3	1945	207.2	172.1	454.8
1960	37.1	26.0	97.9	1944	227.9	189.4	506.0
1959	37.4	25.8	102.1	1943	245.2	210.5	509.9
1958	37.6	26.3	101.8	1942	258.7	221.8	544.0
1957	41.0	27.5	118.3	1941	316.5	266.0	678.1
1956	40.9	28.7	110.7	1940	376.0	319.8	773.5
1955	47.0	32.8	130.3	1935-39	493.9	439.9	875.5
1954	52.4	37.2	143.8	1930-34[2]	636.0	575.4	1,080.7
1953	61.1	44.1	166.1	1925-29	668.6	615.0	1,163.7
1952	67.8	48.9	188.1	1920-24	689.5	649.2	1,134.3
1951	75.0	54.9	201.3	1915-19	727.9	700.3	1,253.5
1950	83.3	61.1	221.6				

[1]Figures by color exclude data for residents of New Jersey; see Technical Appendix.
[2]For 1932-34, Mexicans are included with "Nonwhite."

Table 1-18. Maternal Mortality Rates by Color: United States, Each Division and State, 1963-65 (3-Year Average)

[Maternal deaths are those assigned to deliveries and complications of pregnancy, childbirth, and the puerperium, category numbers 640-689 of the Seventh Revision of the International Lists, 1955. Rates per 100,000 live births in specified group, 1963-65. Asterisk indicates rate based on a frequency of less than 20]

Division and State	Total	White	Nonwhite	Division and State	Total	White	Nonwhite
United States[1]	33.6	22.4	90.2	South Atlantic:			
Geographic divisions:				Delaware	*26.8	*22.4	*43.7
New England	18.0	15.4	69.0	Maryland	29.6	20.1	63.1
Middle Atlantic[1]	35.5	23.4	107.0	District of Columbia	67.6	*6.8	88.4
East North Central	26.1	19.6	74.7	Virginia	37.1	21.6	84.8
West North Central	22.9	19.6	67.5	West Virginia	42.5	40.6	*81.5
South Atlantic	43.8	22.8	93.6	North Carolina	43.7	16.9	101.7
East South Central	54.7	25.3	126.0	South Carolina	63.1	25.5	115.9
West South Central	43.7	32.2	84.2	Georgia	52.6	27.4	98.4
Mountain	30.1	24.3	90.7	Florida	39.9	20.4	93.1
Pacific	25.9	21.9	53.0				
				East South Central:			
New England:				Kentucky	27.9	22.7	*83.0
Maine	*28.6	*29.0	-	Tennessee	40.7	22.6	104.5
New Hampshire	*9.8	*9.9	-	Alabama	72.2	31.9	141.7
Vermont	*11.7	*11.8	-	Mississippi	82.9	25.9	132.2
Massachusetts	16.4	15.5	*36.9				
Rhode Island	*14.9	*13.6	*43.4	West South Central:			
Connecticut	20.8	*12.4	*107.5	Arkansas	44.3	23.6	95.1
				Louisiana	49.0	28.5	79.9
Middle Atlantic:				Oklahoma	35.6	28.5	*75.4
New York	40.9	26.5	118.0	Texas	43.2	35.2	86.3
New Jersey	36.9	25.0	97.9				
Pennsylvania	25.9	17.9	87.5	Mountain:			
				Montana	*22.4	*22.0	*26.8
East North Central:				Idaho	*25.9	*24.2	*93.8
Ohio	24.6	19.7	65.3	Wyoming	*28.0	*24.4	*110.6
Indiana	24.8	20.0	77.3	Colorado	25.1	23.7	*54.0
Illinois	25.3	17.7	61.5	New Mexico	40.5	*27.7	*125.7
Michigan	34.7	25.8	103.0	Arizona	45.6	34.8	*98.9
Wisconsin	15.9	11.9	*106.8	Utah	*16.9	*13.0	*158.9
				Nevada	*17.2	*15.7	*28.5
West North Central:							
Minnesota	14.5	14.8		Pacific:			
Iowa	17.7	16.7	*67.8	Washington	17.6	15.0	*56.4
Missouri	34.2	27.0	75.6	Oregon	*10.8	*8.2	*80.1
North Dakota	*16.3	*12.2	*97.8	California	29.0	24.5	61.3
South Dakota	*15.1	*11.9	*45.4	Alaska	*45.4	*20.2	*97.7
Nebraska	*20.8	*18.5	*64.7	Hawaii	*9.7	*12.5	*8.5
Kansas	28.0	24.3	*76.0				

[1]Figures by color exclude data for residents of New Jersey for 1963; see Technical Appendix.

Table 1-19. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1965

[Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	All deaths occurring in State	Deaths of residents occurring in county of residence	Total deaths of non-residents	Deaths of intra-state non-residents	Deaths of interstate nonresidents by State of residence													
					Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
United States	1,828,136	1,501,469	326,667	264,132	62,535	1,022	42	552	1,122	2,129	461	926	269	1,027	2,348	1,139	36	516
Alabama	32,358	27,012	5,346	4,501	845	...	-	-	8	7	1	1	1	3	221	224	-	-
Alaska	1,347	1,030	317	263	54	-	...	1	-	13	-	-	-	-	-	-	-	-
Arizona	12,345	10,678	1,667	770	897	3	-	...	12	213	41	4	1	-	6	1	-	8
Arkansas	19,136	14,625	4,511	3,540	971	6	-	3	...	23	1	3	-	2	12	7	-	2
California	152,671	136,370	16,301	14,408	1,893	13	1	169	15	...	51	6	2	6	38	10	17	26
Colorado	16,677	12,212	4,465	3,547	918	5	-	29	6	91	...	-	1	3	17	1	-	12
Connecticut	25,400	22,158	3,242	2,562	680	1	-	2	-	9	1	...	2	5	30	5	-	-
Delaware	4,710	3,837	873	434	439	-	-	-	-	1	1	3	...	7	4	1	-	-
District of Columbia	10,381	7,986	2,395	...	2,395	10	-	2	1	19	-	8	6	...	30	22	-	-
Florida	60,857	51,350	9,507	5,795	3,712	119	-	2	17	28	4	85	7	16	...	285	-	2
Georgia	38,440	28,385	10,055	8,610	1,445	293	-	1	1	12	1	2	1	3	286	...	1	-
Hawaii	3,776	3,531	245	87	158	1	-	5	-	59	2	-	-	-	4	1	...	2
Idaho	5,709	4,585	1,124	838	286	-	-	5	6	49	3	-	-	-	2	-	1	...
Illinois	106,530	91,972	14,558	11,984	2,574	25	-	15	31	97	10	10	1	7	123	10	1	2
Indiana	47,376	38,742	8,634	7,075	1,559	5	-	5	7	28	2	1	-	2	48	2	1	-
Iowa	29,484	22,707	6,777	5,528	1,249	2	-	8	6	38	8	-	-	2	5	1	-	1
Kansas	21,412	16,502	4,910	3,705	1,205	3	-	10	9	54	43	-	-	3	5	3	-	1
Kentucky	30,952	23,870	7,082	5,681	1,401	12	-	1	5	11	-	10	1	1	29	10	-	-
Louisiana	32,397	24,636	7,761	6,876	885	56	-	5	96	30	6	4	-	-	56	15	-	-
Maine	10,805	8,928	1,877	1,525	352	-	-	-	-	4	-	25	-	2	16	-	-	1
Maryland	30,629	21,558	9,071	6,978	2,093	10	-	3	1	12	2	8	100	697	73	10	1	1
Massachusetts	59,245	49,000	10,245	8,555	1,690	3	-	-	3	24	2	260	1	4	70	7	1	-
Michigan	73,137	60,588	12,549	11,312	1,237	12	-	8	9	30	2	3	1	4	106	11	-	-
Minnesota	33,187	25,474	7,713	5,986	1,727	4	1	8	-	50	10	1	-	3	26	4	-	2
Mississippi	22,299	17,846	4,453	3,730	723	184	-	4	25	15	1	-	1	2	42	11	-	-
Missouri	51,101	37,031	14,070	11,385	2,685	11	1	8	145	50	13	-	-	-	36	3	1	3
Montana	6,544	5,157	1,387	1,157	230	-	-	6	-	14	6	-	-	-	1	1	-	15
Nebraska	14,868	11,327	3,541	2,811	730	1	1	6	1	30	35	1	1	2	6	-	-	2
Nevada	3,412	2,722	690	214	476	2	-	16	2	275	6	2	-	-	4	-	3	8
New Hampshire	7,287	5,849	1,438	835	603	-	-	3	-	2	-	14	-	1	12	-	-	-
New Jersey	63,377	52,985	10,392	8,433	1,959	1	-	3	1	20	1	31	22	13	86	7	-	-
New Mexico	6,933	5,332	1,601	1,041	560	-	-	102	3	75	50	2	-	-	5	1	-	1
New York	184,617	161,952	22,665	19,257	3,408	10	-	6	-	82	7	271	13	17	255	15	1	1
North Carolina	41,991	32,459	9,532	8,197	1,335	9	-	2	-	6	1	5	3	24	132	60	-	1
North Dakota	5,565	3,686	1,879	1,434	445	-	-	2	-	11	-	-	-	-	-	-	-	2
Ohio	97,939	83,514	14,425	12,069	2,356	10	-	7	9	40	1	4	2	8	145	4	1	1
Oklahoma	23,265	18,758	4,507	3,943	564	1	-	9	53	40	20	2	-	3	5	3	-	-
Oregon	18,158	14,877	3,281	2,617	664	-	8	7	1	162	6	1	-	-	3	1	3	70
Pennsylvania	125,497	107,644	17,853	15,100	2,753	2	-	1	2	19	3	22	89	15	107	7	2	-
Rhode Island	9,706	8,288	1,418	949	469	-	-	-	-	4	1	89	-	1	11	1	-	-
South Carolina	21,283	17,394	3,889	3,330	559	9	-	1	2	4	-	2	2	9	35	100	-	1
South Dakota	6,544	4,513	2,031	1,580	451	-	-	1	-	9	5	-	-	-	2	-	-	2
Tennessee	36,883	28,913	7,970	5,218	2,752	152	-	3	460	8	2	2	2	6	76	250	-	-
Texas	84,124	68,294	15,830	13,897	1,933	37	-	31	176	140	31	6	1	2	68	25	-	-
Utah	6,933	5,599	1,334	899	435	1	1	39	-	64	26	-	-	1	1	1	-	114
Vermont	4,855	3,592	1,063	688	375	-	-	-	-	2	-	21	-	3	5	-	-	-
Virginia	36,416	22,514	13,902	12,405	1,497	6	-	2	4	12	2	9	6	121	62	14	-	-
Washington	27,596	23,977	3,619	2,762	857	1	27	5	2	76	4	3	-	1	2	1	1	220
West Virginia	19,388	14,115	5,273	3,677	1,596	1	-	-	1	4	1	1	1	26	10	3	-	-
Wisconsin	40,006	33,271	6,735	5,570	1,165	-	2	2	2	24	2	3	1	2	27	1	-	1
Wyoming	2,788	2,124	664	374	290	1	-	4	-	39	46	1	-	-	3	-	1	14

Table 1-19. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1965—Con.

[Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	Deaths of interstate nonresidents by State of residence—Con.																		
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.
United States	4,197	2,014	1,189	1,511	1,512	678	369	2,344	1,342	1,725	1,099	1,084	1,953	283	676	264	629	3,603	452
Alabama	16	18	3	1	12	28	-	2	2	11	-	114	8	-	-	1	1	1	1
Alaska	-	-	1	-	-	1	-	-	-	1	3	-	-	-	-	1	-	1	-
Arizona	67	23	24	21	6	1	2	2	11	37	37	4	12	10	15	14	4	9	51
Arkansas	45	6	8	22	1	56	-	1	-	12	2	27	208	-	3	-	-	2	3
California	111	26	42	21	8	16	6	17	38	58	47	5	45	21	26	165	1	39	27
Colorado	29	10	26	103	5	4	1	7	6	15	13	-	35	6	89	3	-	12	71
Connecticut	8	1	-	-	1	-	14	6	112	7	2	1	9	-	1	-	7	47	1
Delaware	1	1	-	1	-	-	-	128	3	2	-	-	-	-	-	-	-	109	-
District of Columbia	21	13	2	1	16	4	3	1,349	17	12	2	1	8	1	2	-	1	31	-
Florida	268	138	26	9	49	13	31	48	155	267	35	13	40	2	6	3	28	219	3
Georgia	26	11	2	1	14	8	-	9	5	15	1	12	9	-	2	1	1	20	-
Hawaii	13	2	-	1	-	2	-	2	4	3	1	1	1	1	-	-	1	3	1
Idaho	-	1	-	4	-	-	-	-	-	1	-	1	1	14	-	3	-	-	5
Illinois	...	744	114	16	80	11	4	6	13	189	38	26	349	4	21	2	2	26	6
Indiana	556	...	5	2	184	5	1	1	2	266	7	3	17	-	3	-	-	2	2
Iowa	489	3	...	12	3	-	-	1	2	10	89	3	176	3	200	-	-	7	1
Kansas	31	7	19	...	5	2	-	-	1	10	4	-	653	1	63	3	-	1	9
Kentucky	91	378	3	5	...	7	-	3	7	48	5	5	12	-	1	-	-	16	2
Louisiana	13	7	4	2	11	...	-	3	1	4	2	194	6	-	2	-	1	8	6
Maine	2	2	-	-	-	1	...	5	118	3	-	-	1	-	1	-	91	22	-
Maryland	14	3	2	2	6	6	5	...	14	9	3	3	9	-	1	2	2	86	-
Massachusetts	15	4	2	1	6	2	127	20	...	7	2	1	4	1	-	-	336	78	-
Michigan	180	120	12	6	22	4	1	6	6	...	9	7	18	-	2	-	-	8	2
Minnesota	132	46	233	10	3	3	-	3	4	54	...	2	19	42	36	1	1	11	3
Mississippi	37	5	1	-	10	207	-	7	-	6	2	...	11	-	1	2	-	2	-
Missouri	1,070	36	87	919	18	7	1	4	2	18	17	17	...	1	13	-	1	4	8
Montana	4	4	1	2	1	-	-	-	1	3	11	-	2	...	2	-	-	2	-
Nebraska	22	5	324	127	1	1	-	-	-	3	10	2	23	3	...	-	-	-	2
Nevada	8	2	4	7	-	1	-	1	1	5	2	-	8	2	4	...	-	-	2
New Hampshire	3	1	-	-	1	-	114	5	166	3	1	-	3	-	-	-	...	11	-
New Jersey	13	3	1	-	2	2	11	39	32	16	3	-	6	2	-	-	5	...	-
New Mexico	9	9	2	13	2	3	-	5	1	9	6	2	8	2	2	4	1	2	...
New York	45	15	7	3	13	5	26	43	172	34	9	7	13	1	3	2	13	1,426	2
North Carolina	14	5	4	-	14	5	2	34	19	9	1	6	4	-	1	-	2	38	-
North Dakota	5	-	-	2	-	-	-	-	-	1	296	-	-	32	4	-	-	2	-
Ohio	72	255	9	7	399	4	2	15	12	323	7	3	19	1	1	-	2	20	-
Oklahoma	17	3	8	115	-	5	-	-	-	6	1	1	47	-	5	-	-	2	12
Oregon	7	2	3	3	-	5	-	1	-	5	8	-	3	10	2	5	1	1	3
Pennsylvania	24	16	-	5	4	6	1	200	19	25	7	2	4	1	-	-	1	1,228	1
Rhode Island	-	-	-	-	-	1	4	1	294	1	2	1	1	-	1	-	1	7	-
South Carolina	8	2	-	-	3	3	-	10	5	3	-	2	1	-	-	-	-	11	1
South Dakota	5	1	73	2	-	-	-	-	-	4	105	5	4	23	105	-	-	-	1
Tennessee	48	30	3	1	376	15	1	4	4	29	1	576	90	-	1	-	-	6	-
Texas	69	22	26	45	11	213	1	10	18	31	22	32	42	5	13	7	1	17	208
Utah	3	-	5	2	1	-	-	-	2	1	6	-	8	7	1	40	1	2	7
Vermont	2	-	-	-	-	-	5	2	47	2	-	-	-	-	-	-	121	8	-
Virginia	22	7	6	1	26	8	6	152	21	15	5	4	5	-	3	-	2	37	3
Washington	10	2	7	6	-	2	-	2	-	10	13	-	3	52	-	4	-	2	-
West Virginia	7	10	-	-	197	7	-	188	1	8	2	-	-	1	-	-	-	13	3
Wisconsin	539	14	83	5	1	3	-	1	3	110	252	1	6	4	1	1	-	4	2
Wyoming	6	1	7	5	-	1	-	1	1	4	8	-	2	30	39	-	-	-	3

Table 1-19. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1965—Con.

[Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	Deaths of interstate nonresidents by State of residence—Con.																		All deaths of residents of State
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
United States	3,820	1,037	449	2,857	1,124	666	3,228	446	999	436	991	1,465	184	328	2,229	736	1,394	1,323	310	1,828,136
Alabama	14	9	1	12	1	-	6	-	14	-	73	22	-	-	3	1	1	3	-	32,535
Alaska	2	-	-	-	-	4	-	-	-	-	-	2	-	-	-	24	-	-	-	1,335
Arizona	31	-	7	36	18	11	12	2	2	5	7	58	15	-	4	14	4	27	5	12,000
Arkansas	2	-	-	7	266	1	2	-	-	-	42	187	1	-	3	1	-	4	-	19,287
California	135	6	19	62	48	132	63	4	4	9	13	101	34	3	13	125	4	34	11	152,907
Colorado	26	3	5	13	24	7	15	-	-	24	1	61	19	1	4	6	1	12	96	16,220
Connecticut	309	5	1	10	1	1	24	37	1	-	1	1	1	9	5	-	1	1	-	25,646
Delaware	10	3	-	9	-	-	141	-	-	-	2	1	-	-	6	-	5	-	-	4,540
District of Columbia	49	21	-	15	2	1	64	-	16	-	11	12	1	1	589	4	20	7	-	9,013
Florida	779	71	1	304	5	9	258	24	37	2	68	28	-	13	66	4	50	73	2	59,493
Georgia	42	80	1	27	1	-	22	-	394	-	107	9	-	-	14	2	7	1	-	38,134
Hawaii	12	-	1	4	1	6	4	-	-	-	-	6	1	2	1	8	-	1	1	3,654
Idaho	2	-	2	-	2	46	6	-	-	1	-	6	35	-	-	74	-	-	16	5,939
Illinois	68	10	6	80	13	5	31	1	2	7	40	37	5	-	14	15	10	245	2	108,153
Indiana	9	1	-	300	-	4	17	-	-	1	23	18	-	-	5	2	4	18	-	47,831
Iowa	7	-	4	7	9	3	5	-	-	51	5	10	-	-	1	1	1	72	3	29,424
Kansas	8	3	2	8	187	2	4	-	-	5	3	30	1	-	3	5	-	3	1	21,718
Kentucky	37	6	-	266	1	1	13	2	6	-	204	9	-	1	50	-	140	1	1	31,063
Louisiana	12	6	1	4	15	-	7	-	5	-	14	281	-	-	2	-	2	2	2	32,190
Maine	33	1	-	1	1	-	7	6	2	-	-	1	-	2	2	-	-	2	-	10,822
Maryland	98	29	1	38	1	3	321	6	21	-	12	3	1	2	287	3	179	3	-	30,880
Massachusetts	249	4	2	12	3	2	37	318	6	-	2	10	-	42	11	2	3	5	1	58,897
Michigan	44	3	3	261	4	3	39	-	5	1	18	22	-	1	7	2	8	227	-	73,625
Minnesota	13	2	251	18	15	6	10	-	-	171	4	17	1	-	6	19	2	476	4	32,559
Mississippi	7	2	1	9	8	-	5	-	2	-	79	22	-	-	3	4	1	4	-	22,660
Missouri	23	3	-	21	51	-	5	2	2	2	15	35	2	-	6	4	7	11	2	50,369
Montana	4	1	44	5	3	8	1	2	-	5	-	3	3	-	-	33	1	4	37	6,597
Nebraska	4	-	5	3	1	1	6	-	-	51	3	11	1	-	1	6	3	2	23	14,814
Nevada	9	1	3	6	3	25	7	1	-	1	1	9	26	-	1	11	-	5	2	3,200
New Hampshire	46	-	-	4	-	-	3	9	-	-	-	1	-	195	4	1	-	-	-	7,313
New Jersey	800	10	-	19	1	1	748	4	3	1	3	12	-	6	19	-	6	5	1	65,021
New Mexico	15	2	-	11	25	2	10	1	3	2	2	146	7	-	2	4	-	8	1	6,825
New York	...	25	1	83	3	1	588	14	16	1	8	27	-	44	53	6	15	5	1	185,029
North Carolina	56	...	1	19	-	-	38	-	385	1	101	5	-	1	306	2	18	1	-	41,693
North Dakota	2	-	...	-	1	4	-	-	-	63	1	6	-	-	-	7	-	3	1	5,569
Ohio	66	15	1	...	7	1	324	-	3	-	14	15	1	2	17	6	489	12	-	98,440
Oklahoma	3	2	-	6	...	1	9	1	1	4	3	167	1	-	1	2	4	-	1	23,825
Oregon	6	-	5	5	8	...	4	-	1	3	-	4	3	-	1	297	-	4	2	18,160
Pennsylvania	381	15	1	363	4	-	...	1	12	-	4	4	-	1	40	1	110	3	-	125,972
Rhode Island	29	2	-	-	-	1	13	...	1	-	-	1	-	-	-	-	-	-	1	9,683
South Carolina	36	238	-	9	2	-	16	1	...	-	8	4	-	1	26	1	2	1	-	21,723
South Dakota	-	-	52	2	5	-	1	-	-	...	-	5	-	-	1	5	-	5	28	6,529
Tennessee	7	94	-	56	5	-	11	2	17	-	...	21	-	-	383	-	6	4	-	35,122
Texas	68	16	7	40	360	13	23	1	8	4	16	...	6	1	16	16	7	15	6	83,656
Utah	2	1	2	4	5	8	5	-	-	1	-	5	...	-	1	6	1	2	58	6,682
Vermont	149	-	-	-	-	-	3	4	-	-	-	-	-	...	1	-	-	-	-	4,608
Virginia	77	334	-	48	4	-	81	1	28	1	73	6	-	-	...	2	278	3	-	37,148
Washington	7	1	7	9	4	345	5	1	-	4	3	2	1	-	2	...	3	6	1	27,475
West Virginia	13	9	-	627	1	-	203	-	1	-	4	-	-	-	249	2	...	2	-	19,186
Wisconsin	12	2	8	11	1	5	5	1	1	6	2	10	-	-	-	3	1	...	-	40,164
Wyoming	7	1	3	3	4	3	6	-	-	9	1	12	18	-	-	5	-	1	...	2,808

Table 1-20. Deaths by Month and State of Occurrence: United States and Each State, 1965

Area	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	1,828,136	164,856	153,574	165,064	150,285	150,759	144,288	146,784	143,279	139,821	153,031	152,106	164,289
Alabama	32,358	2,807	2,738	3,139	2,615	2,641	2,360	2,607	2,496	2,442	2,782	2,723	3,008
Alaska	1,347	114	80	99	101	102	123	144	113	114	115	108	134
Arizona	12,345	1,166	1,021	1,193	1,056	984	937	982	937	918	994	1,015	1,142
Arkansas	19,136	1,651	1,646	1,871	1,583	1,504	1,509	1,554	1,527	1,400	1,615	1,569	1,707
California	152,671	13,625	12,215	13,002	12,724	12,503	12,034	12,271	12,341	12,030	12,974	12,667	14,285
Colorado	16,677	1,418	1,390	1,481	1,330	1,393	1,291	1,366	1,367	1,254	1,414	1,388	1,585
Connecticut	25,400	2,571	2,306	2,039	2,065	2,125	1,924	2,018	1,932	1,973	2,166	2,112	2,169
Delaware	4,710	410	375	397	411	415	362	390	368	366	401	399	416
District of Columbia	10,381	941	815	856	867	803	854	824	846	808	859	927	981
Florida	60,857	5,707	5,453	6,077	5,030	4,911	4,616	4,588	4,519	4,357	4,831	4,999	5,769
Georgia	38,440	3,448	3,246	3,628	2,911	3,183	2,850	2,987	3,158	2,936	3,232	3,248	3,613
Hawaii	3,776	358	319	349	300	313	282	313	292	302	312	336	300
Idaho	5,709	435	375	481	533	485	495	505	477	459	517	441	506
Illinois	106,530	9,601	9,120	9,656	8,566	8,734	8,526	8,761	8,342	8,088	8,779	8,861	9,496
Indiana	47,376	4,052	3,808	4,425	4,118	3,926	3,837	3,820	3,697	3,497	3,993	4,036	4,167
Iowa	29,484	2,590	2,579	2,695	2,374	2,420	2,302	2,325	2,236	2,305	2,509	2,541	2,608
Kansas	21,412	1,917	1,941	1,983	1,737	1,728	1,621	1,732	1,708	1,623	1,786	1,732	1,904
Kentucky	30,952	2,667	2,471	2,806	2,646	2,479	2,483	2,485	2,403	2,278	2,611	2,684	2,939
Louisiana	32,397	2,884	2,835	3,189	2,579	2,633	2,395	2,692	2,452	2,507	2,662	2,580	2,989
Maine	10,805	1,030	940	926	915	853	868	864	893	828	901	842	945
Maryland	30,629	2,760	2,477	2,763	2,521	2,546	2,500	2,463	2,392	2,399	2,568	2,483	2,757
Massachusetts	59,245	5,866	5,495	5,062	4,678	4,804	4,810	4,547	4,506	4,383	4,937	4,976	5,181
Michigan	73,137	6,181	6,285	6,551	6,017	6,095	5,918	5,951	5,885	5,681	6,066	6,155	6,352
Minnesota	33,187	2,799	2,652	2,955	2,699	2,699	2,673	2,686	2,706	2,698	2,810	2,869	2,941
Mississippi	22,299	1,922	1,911	2,135	1,742	1,785	1,726	1,757	1,698	1,714	1,915	1,895	2,099
Missouri	51,101	4,568	4,412	4,809	4,184	4,078	4,011	4,033	3,950	3,794	4,299	4,364	4,549
Montana	6,544	555	481	540	535	608	567	509	554	541	532	551	571
Nebraska	14,868	1,308	1,242	1,322	1,245	1,219	1,148	1,171	1,180	1,193	1,279	1,208	1,353
Nevada	3,412	302	259	314	289	294	248	298	282	292	268	292	274
New Hampshire	7,287	735	645	600	573	589	582	590	602	543	575	600	653
New Jersey	63,377	6,166	5,404	5,230	5,205	5,315	5,026	5,035	4,793	4,777	5,427	5,380	5,619
New Mexico	6,933	632	488	593	612	571	575	568	591	512	573	579	639
New York	184,617	17,741	15,120	15,934	15,348	15,518	14,776	14,692	14,358	14,083	15,478	15,277	16,292
North Carolina	41,991	3,772	3,361	3,864	3,329	3,377	3,336	3,488	3,368	3,169	3,566	3,472	3,889
North Dakota	5,565	464	449	447	424	461	456	478	518	470	485	460	453
Ohio	97,939	8,559	8,104	8,921	8,282	8,232	7,845	7,735	7,715	7,567	8,183	8,013	8,783
Oklahoma	23,265	2,044	2,032	2,311	1,937	1,843	1,731	2,018	1,851	1,794	1,978	1,885	1,841
Oregon	18,158	1,520	1,432	1,572	1,495	1,525	1,518	1,542	1,429	1,490	1,473	1,487	1,675
Pennsylvania	125,497	11,524	10,902	11,367	10,405	10,413	9,898	9,960	9,629	9,480	10,527	10,299	11,093
Rhode Island	9,706	918	822	851	762	832	742	759	769	803	794	826	848
South Carolina	21,283	1,958	1,832	1,931	1,687	1,737	1,559	1,636	1,705	1,633	1,820	1,830	1,955
South Dakota	6,544	557	538	605	568	560	530	599	492	485	525	506	579
Tennessee	36,883	3,185	2,971	3,579	3,050	3,001	2,826	3,033	2,846	2,858	3,057	3,117	3,360
Texas	84,124	7,456	7,405	7,831	6,670	6,960	6,527	6,846	6,576	6,464	6,900	6,848	7,641
Utah	6,933	530	546	622	590	597	570	581	568	556	573	581	619
Vermont	4,655	440	436	393	397	368	357	369	364	389	383	361	398
Virginia	36,416	3,236	3,003	3,428	3,019	3,021	2,863	2,825	2,912	2,672	3,119	3,024	3,294
Washington	27,596	2,334	2,113	2,418	2,369	2,355	2,277	2,308	2,114	2,178	2,308	2,358	2,464
West Virginia	19,388	1,729	1,561	1,827	1,674	1,600	1,556	1,607	1,520	1,418	1,587	1,654	1,655
Wisconsin	40,006	3,459	3,309	3,784	3,315	3,393	3,230	3,188	3,063	3,080	3,339	3,291	3,555
Wyoming	2,788	244	214	233	203	228	238	234	239	220	234	257	244

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1965

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	1,828,136	164,856	153,574	165,064	150,285	150,759	144,288	146,784	143,279	139,821	153,031	152,106	164,289
Male	1,035,200	93,123	86,331	93,188	84,920	85,804	81,827	83,254	81,533	79,730	86,708	85,916	92,866
Female	792,936	71,733	67,243	71,876	65,365	64,955	62,461	63,530	61,746	60,091	66,323	66,190	71,423
White	1,605,498	144,528	134,961	144,728	132,318	132,554	127,114	128,777	125,776	122,822	134,327	133,686	143,907
Male	910,511	81,669	76,110	81,953	74,914	75,567	72,114	73,276	71,643	70,142	76,114	75,663	81,346
Female	694,987	62,859	58,851	62,775	57,404	56,987	55,000	55,501	54,133	52,680	58,213	58,023	62,561
Nonwhite	222,638	20,328	18,613	20,336	17,967	18,205	17,174	18,007	17,503	16,999	18,704	18,420	20,382
Male	124,689	11,454	10,221	11,235	10,006	10,237	9,713	9,978	9,890	9,588	10,594	10,253	11,520
Female	97,949	8,874	8,392	9,101	7,961	7,968	7,461	8,029	7,613	7,411	8,110	8,167	8,862
Alabama	32,535	2,829	2,741	3,144	2,622	2,684	2,399	2,614	2,516	2,448	2,791	2,731	3,016
Male	18,604	1,578	1,536	1,749	1,505	1,571	1,391	1,500	1,449	1,436	1,581	1,594	1,714
Female	13,931	1,251	1,205	1,395	1,117	1,113	1,008	1,114	1,067	1,012	1,210	1,137	1,302
White	21,299	1,820	1,759	2,051	1,751	1,755	1,578	1,702	1,680	1,634	1,852	1,772	1,945
Male	12,535	1,058	1,037	1,186	1,041	1,064	923	1,003	993	991	1,056	1,062	1,121
Female	8,764	762	722	865	710	691	655	699	687	643	796	710	824
Nonwhite	11,236	1,009	982	1,093	871	929	821	912	836	814	939	959	1,071
Male	6,069	520	499	563	464	507	468	497	456	445	525	532	593
Female	5,167	489	483	530	407	422	353	415	380	369	414	427	478
Alaska	1,335	115	84	109	104	101	116	136	102	111	114	105	138
Male	906	79	58	76	62	65	82	92	69	70	83	71	99
Female	429	36	26	33	42	36	34	44	33	41	31	34	39
White	835	71	54	77	57	60	71	87	62	69	61	67	99
Male	603	54	39	54	35	43	54	62	43	50	46	47	76
Female	232	17	15	23	22	17	17	25	19	19	15	20	23
Nonwhite	500	44	30	32	47	41	45	49	40	42	53	38	39
Male	303	25	19	22	27	22	28	30	26	20	37	24	23
Female	197	19	11	10	20	19	17	19	14	22	16	14	16
Arizona	12,000	1,101	940	1,127	1,000	971	940	982	957	926	982	973	1,101
Male	7,406	683	578	695	604	624	590	607	570	567	622	600	666
Female	4,594	418	362	432	396	347	350	375	387	359	360	373	435
White	10,772	1,001	835	1,016	893	880	835	878	864	829	886	876	979
Male	6,667	624	512	628	542	564	527	550	520	510	559	536	595
Female	4,105	377	323	388	351	316	308	328	344	319	327	340	384
Nonwhite	1,228	100	105	111	107	91	105	104	93	97	96	97	122
Male	739	59	66	67	62	60	63	57	50	57	63	64	71
Female	489	41	39	44	45	31	42	47	43	40	33	33	51
Arkansas	19,287	1,682	1,634	1,871	1,617	1,530	1,507	1,564	1,539	1,412	1,618	1,591	1,722
Male	11,463	998	952	1,137	947	914	909	897	922	838	959	958	1,032
Female	7,824	684	682	734	670	616	598	667	617	574	659	633	690
White	14,814	1,319	1,227	1,430	1,238	1,192	1,163	1,210	1,171	1,086	1,226	1,215	1,337
Male	9,002	804	747	884	754	724	707	714	718	663	738	730	819
Female	5,812	515	480	546	484	468	456	496	453	423	488	485	518
Nonwhite	4,473	363	407	441	379	338	344	354	368	326	392	376	385
Male	2,461	194	205	253	193	190	202	183	204	175	221	228	213
Female	2,012	169	202	188	186	148	142	171	164	151	171	148	172
California	152,907	13,565	12,146	12,980	12,703	12,531	12,098	12,368	12,441	12,105	13,033	12,711	14,226
Male	86,751	7,663	6,764	7,390	7,205	7,200	6,888	7,117	7,051	6,884	7,338	7,211	8,040
Female	66,156	5,902	5,382	5,590	5,498	5,331	5,210	5,251	5,390	5,221	5,695	5,500	6,186
White	142,140	12,629	11,288	12,060	11,827	11,650	11,241	11,509	11,540	11,263	12,115	11,796	13,222
Male	80,292	7,111	6,260	6,851	6,683	6,690	6,373	6,586	6,488	6,392	6,775	6,665	7,418
Female	61,848	5,518	5,028	5,209	5,144	4,960	4,868	4,923	5,052	4,871	5,340	5,131	5,804
Nonwhite	10,767	936	858	920	876	881	857	859	901	842	918	915	1,004
Male	6,459	552	504	539	522	510	515	531	563	492	563	546	622
Female	4,308	384	354	381	354	371	342	328	338	350	355	369	382
Colorado	16,220	1,398	1,379	1,445	1,308	1,371	1,240	1,291	1,303	1,207	1,359	1,375	1,544
Male	9,235	788	748	817	738	769	719	744	755	715	789	774	879
Female	6,985	610	631	628	570	602	521	547	548	492	570	601	665
White	15,694	1,352	1,334	1,396	1,270	1,332	1,197	1,235	1,257	1,180	1,319	1,322	1,500
Male	8,928	762	725	790	716	743	692	714	726	696	768	744	852
Female	6,766	590	609	606	554	589	505	521	531	484	551	578	648
Nonwhite	526	46	45	49	38	39	43	56	46	27	40	53	44
Male	307	26	23	27	22	26	27	30	29	19	21	30	27
Female	219	20	22	22	16	13	16	26	17	8	19	23	17
Connecticut	25,646	2,594	2,331	2,092	2,092	2,145	1,929	2,012	1,947	1,995	2,180	2,147	2,182
Male	14,052	1,408	1,252	1,129	1,171	1,185	1,006	1,127	1,069	1,059	1,214	1,195	1,237
Female	11,594	1,186	1,079	963	921	960	923	885	878	936	966	952	945
White	24,562	2,499	2,245	2,001	2,002	2,040	1,853	1,919	1,860	1,921	2,093	2,051	2,078
Male	13,443	1,356	1,201	1,081	1,120	1,120	971	1,075	1,017	1,015	1,171	1,137	1,179
Female	11,119	1,143	1,044	920	882	920	882	844	843	906	922	914	899
Nonwhite	1,084	95	86	91	90	105	76	93	87	74	87	96	104
Male	609	52	51	48	51	65	35	52	52	44	43	58	58
Female	475	43	35	43	39	40	41	41	35	30	44	38	46
Delaware	4,540	397	357	384	402	401	341	375	361	351	392	380	399
Male	2,616	244	223	237	205	240	193	210	191	193	219	230	231
Female	1,924	153	134	147	197	161	148	165	170	158	173	150	168
White	3,766	330	297	318	327	328	291	307	293	296	335	317	327
Male	2,151	201	186	198	162	197	165	165	148	159	188	192	190
Female	1,615	129	111	120	165	131	126	142	145	137	147	125	137
Nonwhite	774	67	60	66	75	73	50	68	68	55	57	63	72
Male	465	43	37	39	43	43	28	45	43	34	31	38	41
Female	309	24	23	27	32	30	22	23	25	21	26	25	31
District of Columbia	9,013	814	704	779	734	719	731	702	713	721	737	779	880
Male	4,862	448	399	395	395	354	401	368	395	390	416	416	485
Female	4,151	366	305	384	339	365	330	334	318	331	321	363	395
White	4,085	371	323	328	350	339	326	322	320	318	337	365	386
Male	2,096	205	174	166	184	154	176	154	159	164	183	183	194
Female	1,989	166	149	162	166	185	150	168	161	154	154	182	192
Nonwhite	4,928	443	381	451	384	380	405	380	393	403	400	414	494
Male	2,766	243	225	229	211	200	225	214	236	226	233	233	291
Female	2,162	200	156	222	173	180	180	166	157	177	167	181	203

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1965—Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Florida	59,493	5,335	4,969	5,544	4,747	4,889	4,672	4,773	4,675	4,492	4,916	4,936	5,545
Male	35,589	3,192	2,963	3,298	2,857	2,907	2,742	2,821	2,837	2,701	2,901	2,973	3,397
Female	23,904	2,143	2,006	2,246	1,890	1,982	1,930	1,952	1,838	1,791	2,015	1,963	2,148
White	49,695	4,387	4,141	4,594	4,005	4,064	3,982	4,021	3,903	3,812	4,084	4,129	4,573
Male	30,008	2,611	2,512	2,756	2,448	2,447	2,371	2,398	2,396	2,315	2,436	2,503	2,815
Female	19,687	1,776	1,629	1,838	1,557	1,617	1,611	1,623	1,507	1,497	1,648	1,626	1,758
Nonwhite	9,798	948	828	950	742	825	690	752	772	680	832	807	972
Male	5,581	581	451	542	409	460	371	423	441	386	465	470	582
Female	4,217	367	377	408	333	365	319	329	331	294	367	337	390
Georgia	38,134	3,410	3,219	3,585	2,896	3,137	2,825	2,983	3,112	2,904	3,219	3,247	3,597
Male	21,563	1,953	1,805	2,014	1,618	1,728	1,624	1,659	1,784	1,668	1,854	1,800	2,056
Female	16,571	1,457	1,414	1,571	1,278	1,409	1,201	1,324	1,328	1,236	1,365	1,447	1,541
White	25,206	2,194	2,063	2,350	1,879	2,123	1,918	1,985	2,083	1,943	2,173	2,123	2,372
Male	14,675	1,329	1,197	1,372	1,083	1,195	1,135	1,105	1,193	1,132	1,275	1,251	1,408
Female	10,531	865	866	978	796	928	783	880	890	811	898	872	964
Nonwhite	12,928	1,216	1,156	1,235	1,017	1,014	907	998	1,029	961	1,046	1,124	1,225
Male	6,888	624	608	642	535	533	489	554	591	536	579	549	648
Female	6,040	592	548	593	482	481	418	444	438	425	467	575	577
Hawaii	3,654	345	307	332	292	306	272	309	285	288	301	324	293
Male	2,248	202	190	202	175	193	175	200	176	175	179	195	186
Female	1,406	143	117	130	117	113	97	109	109	113	122	129	107
White	1,096	113	80	96	89	108	85	88	83	77	88	101	88
Male	648	59	49	60	45	72	55	63	45	42	48	59	51
Female	448	54	31	36	44	36	30	25	38	35	40	42	37
Nonwhite	2,558	232	227	236	203	198	187	221	202	211	213	223	205
Male	1,600	143	141	142	130	121	120	137	131	133	131	136	135
Female	958	89	86	94	73	77	67	84	71	78	82	87	70
Idaho	5,939	466	406	507	552	509	512	500	485	458	549	465	530
Male	3,616	266	244	313	350	319	304	313	303	272	351	277	304
Female	2,323	200	162	194	202	190	208	187	182	186	198	188	226
White	5,834	455	397	494	547	502	504	493	472	447	545	457	521
Male	3,538	258	238	305	346	313	300	309	292	262	347	270	298
Female	2,296	197	159	189	201	189	204	184	180	185	198	187	223
Nonwhite	105	11	9	13	5	7	8	7	13	11	4	8	9
Male	78	8	6	8	4	6	4	4	11	10	4	7	6
Female	27	3	3	5	1	1	4	3	2	1	-	1	3
Illinois	108,153	9,736	9,279	9,813	8,740	8,842	8,660	8,919	8,494	8,195	8,875	8,976	9,624
Male	60,871	5,459	5,206	5,546	4,865	5,021	4,898	4,987	4,818	4,614	5,047	5,029	5,401
Female	47,282	4,277	4,073	4,267	3,875	3,821	3,762	3,952	3,676	3,581	3,828	3,947	4,223
White	95,844	8,661	8,277	8,675	7,789	7,828	7,685	7,871	7,527	7,258	7,802	7,980	8,491
Male	53,965	4,853	4,657	4,922	4,343	4,468	4,307	4,398	4,256	4,075	4,422	4,466	4,798
Female	41,879	3,808	3,620	3,753	3,446	3,360	3,378	3,473	3,271	3,183	3,380	3,514	3,693
Nonwhite	12,309	1,075	1,002	1,138	951	1,014	975	1,048	967	937	1,073	996	1,133
Male	6,906	606	549	624	522	553	591	569	562	539	625	563	603
Female	5,403	469	453	514	429	461	384	479	405	398	448	433	530
Indiana	47,831	4,117	3,843	4,487	4,146	3,961	3,882	3,835	3,723	3,509	4,030	4,086	4,212
Male	26,725	2,307	2,155	2,489	2,316	2,228	2,167	2,115	2,099	1,984	2,269	2,299	2,297
Female	21,106	1,810	1,688	1,998	1,830	1,733	1,715	1,720	1,624	1,525	1,761	1,787	1,915
White	44,816	3,843	3,597	4,220	3,900	3,720	3,640	3,599	3,494	3,281	3,776	3,818	3,928
Male	25,011	2,154	2,010	2,340	2,179	2,090	2,023	1,985	1,968	1,851	2,125	2,143	2,143
Female	19,805	1,689	1,587	1,880	1,721	1,630	1,617	1,614	1,526	1,430	1,651	1,675	1,785
Nonwhite	3,015	274	246	267	246	241	242	236	229	228	254	268	284
Male	1,714	153	145	149	137	138	144	130	131	133	144	156	154
Female	1,301	121	101	118	109	103	98	106	98	95	110	112	130
Iowa	29,424	2,600	2,587	2,682	2,381	2,393	2,311	2,325	2,238	2,293	2,485	2,529	2,600
Male	16,540	1,451	1,466	1,514	1,357	1,405	1,311	1,286	1,273	1,287	1,355	1,411	1,424
Female	12,884	1,149	1,121	1,168	1,024	988	1,000	1,039	965	1,006	1,130	1,118	1,176
White	29,097	2,572	2,556	2,654	2,360	2,364	2,285	2,302	2,210	2,267	2,454	2,509	2,564
Male	16,367	1,436	1,449	1,498	1,346	1,390	1,300	1,273	1,258	1,272	1,341	1,402	1,402
Female	12,730	1,136	1,107	1,156	1,014	974	985	1,029	952	995	1,113	1,107	1,162
Nonwhite	327	28	31	28	21	29	26	23	28	26	31	20	36
Male	173	15	17	16	11	15	11	13	15	15	14	9	22
Female	154	13	14	12	10	14	15	10	13	11	17	11	14
Kansas	21,718	1,943	1,976	1,989	1,791	1,755	1,634	1,779	1,741	1,633	1,818	1,744	1,915
Male	12,250	1,137	1,090	1,127	995	984	923	1,013	975	916	1,009	1,006	1,075
Female	9,468	806	886	862	796	771	711	766	766	717	809	738	840
White	20,642	1,841	1,894	1,883	1,708	1,659	1,542	1,674	1,659	1,555	1,736	1,667	1,824
Male	11,649	1,085	1,047	1,062	952	937	870	949	924	872	962	960	1,029
Female	8,993	756	847	821	756	722	672	725	735	683	774	707	795
Nonwhite	1,076	102	82	106	83	96	92	105	82	78	82	77	91
Male	601	52	43	65	43	47	53	64	51	44	47	46	46
Female	475	50	39	41	40	49	39	41	31	34	35	31	45
Kentucky	31,063	2,666	2,525	2,834	2,649	2,514	2,510	2,470	2,393	2,292	2,610	2,669	2,931
Male	17,794	1,496	1,452	1,603	1,495	1,415	1,474	1,475	1,390	1,342	1,490	1,505	1,657
Female	13,269	1,170	1,073	1,231	1,154	1,099	1,036	995	1,003	950	1,120	1,164	1,274
White	27,995	2,393	2,281	2,550	2,385	2,240	2,283	2,231	2,162	2,065	2,358	2,417	2,630
Male	16,115	1,354	1,329	1,439	1,336	1,265	1,358	1,344	1,260	1,212	1,352	1,376	1,490
Female	11,880	1,039	952	1,111	1,049	975	925	887	902	853	1,006	1,041	1,140
Nonwhite	3,068	273	244	284	264	274	227	239	231	227	252	252	301
Male	1,679	142	123	164	159	150	116	131	130	130	138	129	167
Female	1,389	131	121	120	105	124	111	108	101	97	114	123	134
Louisiana	32,190	2,864	2,810	3,170	2,561	2,613	2,383	2,684	2,451	2,480	2,643	2,584	2,947
Male	18,203	1,659	1,558	1,747	1,467	1,458	1,317	1,518	1,400	1,369	1,526	1,489	1,695
Female	13,987	1,205	1,252	1,423	1,094	1,155	1,066	1,166	1,051	1,111	1,117	1,095	1,252
White	20,160	1,789	1,752	1,998	1,641	1,657	1,486	1,643	1,516	1,535	1,654	1,629	1,860
Male	11,708	1,038	1,024	1,148	950	939	818	976	900	861	988	956	1,110
Female	8,452	751	728	850	691	718	668	667	616	674	666	673	750
Nonwhite	12,030	1,075	1,058	1,172	920	956	897	1,041	935	945	989	955	1,087
Male	6,495	621	534	599	517	519	499	542	500	508	538	533	585
Female	5,535	454	524	573	403	437	398	499	435	437	451	422	502

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1965—Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Maine	10,822	1,055	949	949	927	867	870	834	841	816	914	841	959
Male	5,935	587	512	495	522	450	492	478	461	459	494	463	522
Female	4,887	468	437	454	405	417	378	356	380	357	420	378	437
White	10,789	1,055	946	948	925	865	867	831	838	813	910	838	953
Male	5,917	587	511	495	520	449	489	477	460	458	491	462	518
Female	4,872	468	435	453	405	416	378	354	378	355	419	376	435
Nonwhite	33	-	3	1	2	2	3	3	3	3	4	3	6
Male	18	-	1	-	2	1	3	1	1	1	3	1	4
Female	15	-	2	1	-	1	-	2	2	2	1	2	2
Maryland	30,880	2,798	2,515	2,741	2,558	2,541	2,534	2,487	2,434	2,367	2,569	2,552	2,784
Male	17,406	1,562	1,399	1,566	1,474	1,403	1,410	1,401	1,398	1,354	1,414	1,438	1,587
Female	13,474	1,236	1,116	1,175	1,084	1,138	1,124	1,086	1,036	1,013	1,155	1,114	1,197
White	24,917	2,265	2,033	2,236	2,069	2,059	2,026	1,962	1,937	1,908	2,084	2,079	2,259
Male	13,914	1,239	1,116	1,277	1,164	1,114	1,100	1,115	1,111	1,083	1,128	1,174	1,293
Female	11,003	1,026	917	959	905	945	926	847	826	825	956	905	966
Nonwhite	5,963	533	482	505	489	482	508	525	497	459	485	473	525
Male	3,492	323	283	289	310	289	310	286	287	271	286	264	294
Female	2,471	210	199	216	179	193	198	239	210	188	199	209	231
Massachusetts	58,897	5,838	5,488	5,053	4,658	4,769	4,765	4,516	4,490	4,330	4,879	4,948	5,163
Male	31,290	3,101	2,861	2,641	2,444	2,498	2,514	2,453	2,439	2,330	2,571	2,636	2,802
Female	27,607	2,737	2,627	2,412	2,214	2,271	2,251	2,063	2,051	2,000	2,308	2,312	2,361
White	57,449	5,683	5,351	4,947	4,528	4,630	4,665	4,396	4,399	4,231	4,753	4,834	5,032
Male	30,485	3,025	2,784	2,581	2,368	2,425	2,460	2,390	2,395	2,276	2,492	2,571	2,718
Female	26,964	2,658	2,567	2,366	2,160	2,205	2,205	2,006	2,004	1,955	2,261	2,263	2,314
Nonwhite	1,448	155	137	106	130	139	100	120	91	99	126	114	131
Male	805	76	77	60	76	73	54	63	44	54	79	65	84
Female	643	79	60	46	54	66	46	57	47	45	47	49	47
Michigan	73,625	6,230	6,379	6,655	6,087	6,140	5,937	5,932	5,868	5,705	6,074	6,193	6,425
Male	42,534	3,640	3,701	3,836	3,530	3,511	3,474	3,441	3,344	3,320	3,513	3,540	3,684
Female	31,091	2,590	2,678	2,819	2,557	2,629	2,463	2,491	2,524	2,385	2,561	2,653	2,741
White	66,572	5,605	5,802	5,976	5,516	5,538	5,400	5,366	5,304	5,143	5,516	5,573	5,833
Male	38,483	3,250	3,386	3,440	3,199	3,157	3,150	3,104	3,022	3,007	3,221	3,197	3,350
Female	28,089	2,355	2,416	2,536	2,317	2,381	2,250	2,262	2,282	2,136	2,295	2,376	2,483
Nonwhite	7,053	625	577	679	571	602	537	566	564	562	558	620	592
Male	4,051	390	315	396	331	354	324	337	322	313	292	343	334
Female	3,002	235	262	283	240	248	213	229	242	249	266	277	258
Minnesota	32,559	2,774	2,631	2,947	2,649	2,672	2,602	2,587	2,599	2,635	2,737	2,803	2,923
Male	18,938	1,617	1,549	1,718	1,536	1,545	1,523	1,506	1,522	1,529	1,610	1,666	1,617
Female	13,621	1,157	1,082	1,229	1,113	1,127	1,079	1,081	1,077	1,106	1,127	1,137	1,306
White	32,162	2,734	2,603	2,914	2,624	2,635	2,573	2,555	2,561	2,606	2,697	2,773	2,887
Male	18,716	1,598	1,534	1,700	1,524	1,525	1,509	1,486	1,501	1,510	1,583	1,652	1,594
Female	13,446	1,136	1,069	1,214	1,100	1,110	1,064	1,069	1,060	1,096	1,114	1,121	1,293
Nonwhite	397	40	28	33	25	37	29	32	38	29	40	30	36
Male	222	19	15	18	12	20	14	20	21	19	27	14	23
Female	175	21	13	15	13	17	15	12	17	10	13	16	13
Mississippi	22,660	1,965	1,942	2,166	1,767	1,815	1,757	1,792	1,714	1,736	1,944	1,927	2,135
Male	12,818	1,099	1,087	1,180	1,020	1,041	1,051	1,000	958	992	1,091	1,093	1,206
Female	9,842	866	855	986	747	774	706	792	756	744	853	834	929
White	12,396	1,004	1,038	1,202	983	1,011	967	958	927	972	1,059	1,090	1,185
Male	7,256	584	601	668	599	589	587	564	549	585	593	641	696
Female	5,140	420	437	534	384	422	380	394	378	387	466	449	489
Nonwhite	10,264	961	904	964	784	804	790	834	787	764	885	837	950
Male	5,562	515	486	512	421	452	464	436	409	407	498	452	510
Female	4,702	446	418	452	363	352	326	398	378	357	387	385	440
Missouri	50,369	4,527	4,351	4,783	4,061	4,031	3,927	4,013	3,889	3,749	4,236	4,313	4,489
Male	28,175	2,557	2,418	2,612	2,298	2,254	2,218	2,270	2,211	2,113	2,411	2,398	2,415
Female	22,194	1,970	1,933	2,171	1,763	1,777	1,709	1,743	1,678	1,636	1,825	1,915	2,074
White	45,137	4,049	3,918	4,293	3,653	3,581	3,545	3,627	3,478	3,325	3,802	3,862	4,004
Male	25,253	2,300	2,188	2,349	2,065	2,000	1,999	2,055	1,976	1,878	2,157	2,153	2,133
Female	19,884	1,749	1,730	1,944	1,588	1,581	1,546	1,572	1,502	1,447	1,645	1,709	1,871
Nonwhite	5,232	478	433	490	408	450	382	386	411	424	434	451	485
Male	2,922	257	230	263	233	254	219	215	235	235	254	245	282
Female	2,310	221	203	227	175	196	163	171	176	189	180	206	203
Montana	6,597	575	498	547	545	620	564	501	537	540	536	564	570
Male	4,119	365	304	355	331	373	365	315	346	353	316	349	347
Female	2,478	210	194	192	214	247	199	186	191	187	220	215	223
White	6,324	558	478	529	519	598	538	469	510	515	519	543	548
Male	3,949	356	295	344	314	360	347	289	326	339	308	339	332
Female	2,375	202	183	185	205	238	191	180	184	176	211	204	216
Nonwhite	273	17	20	18	26	22	26	32	27	25	17	21	22
Male	170	9	9	11	17	13	18	26	20	14	8	10	15
Female	103	8	11	7	9	9	8	6	7	11	9	11	7
Nebraska	14,814	1,302	1,251	1,325	1,256	1,196	1,137	1,177	1,167	1,176	1,262	1,212	1,353
Male	8,548	726	728	791	736	665	662	669	697	672	742	717	743
Female	6,266	576	523	534	520	531	475	508	470	504	520	495	610
White	14,414	1,269	1,220	1,291	1,223	1,163	1,096	1,149	1,129	1,139	1,233	1,180	1,322
Male	8,309	704	708	770	713	651	635	647	675	656	722	696	732
Female	6,105	565	512	521	510	512	461	502	454	483	511	484	590
Nonwhite	400	33	31	34	33	33	41	28	38	37	29	32	31
Male	239	22	20	21	23	14	27	22	22	16	20	21	11
Female	161	11	11	13	10	19	14	6	16	21	9	11	20
Nevada	3,200	296	256	297	271	282	225	271	246	258	253	270	275
Male	2,081	189	163	198	179	174	151	185	155	178	171	169	169
Female	1,119	107	93	99	92	108	74	86	91	80	82	101	106
White	2,960	275	238	269	249	258	214	253	221	244	237	247	255
Male	1,935	177	156	180	165	160	146	173	139	170	160	153	156
Female	1,025	98	82	89	84	98	68	80	82	74	77	94	99
Nonwhite	240	21	18	28	22	24	11	18	25	14	16	23	20
Male	146	12	7	18	14	14	5	12	16	8	11	16	13
Female	94	9	11	10	8	10	6	6	9	6	5	7	7

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1965—Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
New Hampshire	7,313	734	674	619	601	590	579	564	563	540	590	598	661
Male	3,997	384	372	343	314	344	320	313	323	274	352	315	343
Female	3,316	350	302	276	287	246	259	251	240	266	238	283	318
White	7,303	733	672	619	600	590	579	564	563	540	587	596	660
Male	3,991	384	371	343	314	344	320	313	323	274	350	313	342
Female	3,312	349	301	276	286	246	259	251	240	266	237	283	318
Nonwhite	10	1	2	-	1	-	-	-	-	-	3	2	1
Male	6	-	1	-	-	-	-	-	-	-	2	2	1
Female	4	1	1	-	1	-	-	-	-	-	1	-	-
New Jersey	65,021	6,337	5,563	5,410	5,410	5,460	5,165	5,140	4,848	4,872	5,552	5,514	5,750
Male	35,873	3,516	3,036	2,955	3,011	3,052	2,839	2,795	2,717	2,704	3,041	3,020	3,187
Female	29,148	2,821	2,527	2,455	2,399	2,408	2,326	2,345	2,131	2,168	2,511	2,494	2,563
White	58,733	5,725	5,084	4,879	4,858	4,954	4,666	4,655	4,364	4,365	4,994	4,958	5,231
Male	32,356	3,181	2,774	2,664	2,704	2,773	2,559	2,530	2,446	2,426	2,715	2,704	2,880
Female	26,377	2,544	2,310	2,215	2,154	2,181	2,107	2,125	1,918	1,939	2,279	2,254	2,351
Nonwhite	6,288	612	479	531	552	506	499	485	484	507	558	556	519
Male	3,517	335	262	291	307	279	280	265	271	278	326	316	307
Female	2,771	277	217	240	245	227	219	220	213	229	232	240	212
New Mexico	6,825	613	488	569	603	570	550	552	569	521	583	571	636
Male	4,122	352	287	354	371	339	338	346	362	275	365	340	393
Female	2,703	261	201	215	232	231	212	206	207	246	218	231	243
White	6,173	547	440	523	540	520	487	500	515	480	518	521	582
Male	3,736	312	259	324	335	312	302	311	326	257	329	309	360
Female	2,437	235	181	199	205	208	185	189	189	223	189	212	222
Nonwhite	652	66	48	46	63	50	63	52	54	41	65	50	54
Male	386	40	28	30	36	27	36	35	36	18	36	31	33
Female	266	26	20	16	27	23	27	17	18	23	29	19	21
New York	185,029	17,808	15,253	16,066	15,382	15,543	14,770	14,662	14,374	14,049	15,468	15,282	16,372
Male	101,272	9,759	8,401	8,695	8,393	8,619	8,120	8,056	7,876	7,717	8,392	8,286	8,958
Female	83,757	8,049	6,852	7,371	6,989	6,924	6,650	6,606	6,498	6,332	7,076	6,996	7,414
White	168,043	16,157	13,905	14,602	13,928	14,150	13,457	13,269	13,021	12,760	14,028	13,915	14,851
Male	91,820	8,832	7,650	7,880	7,602	7,822	7,414	7,265	7,104	6,995	7,586	7,555	8,115
Female	76,223	7,325	6,255	6,722	6,326	6,328	6,043	6,004	5,917	5,765	6,442	6,360	6,736
Nonwhite	16,986	1,651	1,348	1,464	1,454	1,393	1,313	1,393	1,353	1,289	1,440	1,367	1,521
Male	9,452	927	751	815	791	797	706	791	772	722	806	731	843
Female	7,534	724	597	649	663	596	607	602	581	567	634	636	678
North Carolina	41,693	3,766	3,352	3,833	3,312	3,370	3,302	3,429	3,339	3,133	3,537	3,466	3,854
Male	24,136	2,153	1,919	2,232	1,962	1,974	1,889	1,970	1,936	1,844	2,055	1,990	2,212
Female	17,557	1,613	1,433	1,601	1,350	1,396	1,413	1,459	1,403	1,289	1,482	1,476	1,642
White	29,730	2,635	2,335	2,747	2,351	2,394	2,332	2,474	2,440	2,233	2,531	2,534	2,724
Male	17,431	1,514	1,344	1,613	1,425	1,416	1,346	1,468	1,437	1,341	1,480	1,474	1,573
Female	12,299	1,121	991	1,134	926	978	986	1,006	1,003	892	1,051	1,060	1,151
Nonwhite	11,963	1,131	1,017	1,086	961	976	970	955	899	900	1,006	932	1,130
Male	6,705	639	575	619	537	558	543	502	499	503	575	516	639
Female	5,258	492	442	467	424	418	427	453	400	397	431	416	491
North Dakota	5,569	466	448	452	433	453	460	472	506	466	481	467	465
Male	3,428	280	260	281	266	271	275	291	320	281	309	304	290
Female	2,141	186	188	171	167	182	185	181	186	185	172	163	175
White	5,437	455	436	441	428	444	450	459	491	458	471	451	453
Male	3,346	275	252	275	263	264	270	284	310	276	303	293	281
Female	2,091	180	184	166	165	180	180	175	181	182	168	158	172
Nonwhite	132	11	12	11	5	9	10	13	15	8	10	16	12
Male	82	5	8	6	3	7	5	7	10	5	6	11	9
Female	50	6	4	5	2	2	5	6	5	3	4	5	3
Ohio	98,440	8,617	8,183	8,983	8,364	8,242	7,831	7,808	7,743	7,568	8,210	8,035	8,856
Male	54,841	4,816	4,555	5,080	4,543	4,649	4,390	4,333	4,285	4,292	4,623	4,378	4,897
Female	43,599	3,801	3,628	3,903	3,821	3,593	3,441	3,475	3,458	3,276	3,587	3,657	3,959
White	89,955	7,912	7,445	8,268	7,577	7,552	7,173	7,146	7,079	6,916	7,476	7,343	8,068
Male	50,130	4,417	4,146	4,659	4,109	4,270	4,028	3,963	3,930	3,922	4,202	4,026	4,458
Female	39,825	3,495	3,299	3,609	3,468	3,282	3,145	3,183	3,149	2,994	3,274	3,317	3,610
Nonwhite	8,485	705	738	715	787	690	658	662	664	652	734	692	788
Male	4,711	399	409	421	434	379	362	370	355	370	421	352	439
Female	3,774	306	329	294	353	311	296	292	309	282	313	340	349
Oklahoma	23,825	2,101	2,084	2,366	1,994	1,878	1,768	2,068	1,890	1,847	2,027	1,922	1,880
Male	14,015	1,244	1,233	1,307	1,175	1,143	1,019	1,200	1,075	1,114	1,197	1,179	1,129
Female	9,810	857	851	1,059	819	735	749	868	815	733	830	743	751
White	21,465	1,869	1,890	2,126	1,787	1,692	1,586	1,870	1,713	1,662	1,821	1,729	1,720
Male	12,696	1,116	1,125	1,189	1,058	1,034	913	1,096	983	1,002	1,088	1,065	1,027
Female	8,769	753	765	937	729	658	673	774	730	660	733	664	693
Nonwhite	2,360	232	194	240	207	186	182	198	177	185	206	193	160
Male	1,319	128	108	118	117	109	106	104	92	112	109	114	102
Female	1,041	104	86	122	90	77	76	94	85	73	97	79	58
Oregon	18,160	1,529	1,452	1,572	1,497	1,520	1,522	1,524	1,416	1,494	1,477	1,496	1,661
Male	10,864	909	862	958	900	902	934	891	822	920	858	921	987
Female	7,296	620	590	614	597	618	588	633	594	574	619	575	674
White	17,806	1,496	1,427	1,551	1,469	1,489	1,499	1,488	1,386	1,465	1,447	1,467	1,622
Male	10,640	889	847	944	886	887	917	861	804	899	837	905	964
Female	7,166	607	580	607	583	602	582	627	582	566	610	562	658
Nonwhite	354	33	25	21	28	31	23	36	30	29	30	29	39
Male	224	20	15	14	14	15	17	30	18	21	21	16	23
Female	130	13	10	7	14	16	6	6	12	8	9	13	16
Pennsylvania	125,972	11,550	10,955	11,429	10,424	10,433	9,930	10,035	9,696	9,514	10,538	10,325	11,143
Male	69,635	6,344	5,997	6,312	5,666	5,792	5,484	5,570	5,406	5,310	5,924	5,634	6,196
Female	56,337	5,206	4,958	5,117	4,758	4,641	4,446	4,465	4,290	4,204	4,614	4,691	4,947
White	115,853	10,610	10,114	10,572	9,652	9,579	9,103	9,212	8,895	8,690	9,655	9,518	10,253
Male	63,954	5,799	5,533	5,839	5,246	5,311	5,035	5,121	4,941	4,826	5,436	5,169	5,698
Female	51,899	4,811	4,581	4,733	4,406	4,268	4,068	4,091	3,954	3,864	4,219	4,349	4,555
Nonwhite	10,119	940	841	857	772	854	827	823	801	824	883	807	890
Male	5,681	545	464	473	420	481	449	449	465	484	488	465	498
Female	4,438	395	377	384	352	373	378	374	336	340	395	342	392

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1965—Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Rhode Island	9,683	930	818	837	765	826	744	761	763	792	785	823	839
Male	5,324	521	448	483	406	450	403	421	421	436	422	454	459
Female	4,359	409	370	354	359	376	341	340	342	356	363	369	380
White	9,444	907	803	819	743	809	718	745	742	766	774	798	820
Male	5,185	508	438	473	393	440	388	410	411	425	415	436	448
Female	4,259	399	365	346	350	369	330	335	331	341	359	362	372
Nonwhite	239	23	15	18	22	17	26	16	21	26	11	25	19
Male	139	13	10	10	13	10	15	11	10	11	7	18	11
Female	100	10	5	8	9	7	11	5	11	15	4	7	8
South Carolina	21,723	1,999	1,873	1,991	1,704	1,778	1,589	1,675	1,735	1,688	1,865	1,840	1,986
Male	12,482	1,131	1,085	1,164	972	1,038	896	956	984	991	1,055	1,064	1,146
Female	9,241	868	788	827	732	740	693	719	751	697	810	776	840
White	13,147	1,193	1,126	1,205	1,017	1,095	956	1,017	1,046	1,029	1,138	1,123	1,202
Male	7,751	665	686	727	599	649	551	597	602	611	662	692	710
Female	5,396	528	440	478	418	446	405	420	444	418	476	431	492
Nonwhite	8,576	806	747	786	687	683	633	658	689	659	727	717	784
Male	4,731	466	399	437	373	389	345	359	382	380	393	372	436
Female	3,845	340	348	349	314	294	288	299	307	279	334	345	348
South Dakota	6,529	555	536	624	556	544	538	584	488	492	531	499	582
Male	3,865	327	334	382	334	307	316	327	313	295	308	299	323
Female	2,664	228	202	242	222	237	222	257	175	197	223	200	259
White	6,182	525	508	594	529	508	516	535	453	467	502	485	560
Male	3,666	313	317	363	316	288	302	308	288	279	293	289	310
Female	2,516	212	191	231	213	220	214	227	165	188	209	196	250
Nonwhite	347	30	28	30	27	36	22	49	35	25	29	14	22
Male	199	14	17	19	18	19	14	19	25	16	15	10	13
Female	148	16	11	11	9	17	8	30	10	9	14	4	9
Tennessee	35,122	3,047	2,847	3,414	2,915	2,856	2,659	2,847	2,703	2,736	2,911	2,985	3,202
Male	19,829	1,683	1,608	1,954	1,602	1,659	1,446	1,604	1,545	1,578	1,642	1,636	1,872
Female	15,293	1,364	1,239	1,460	1,313	1,197	1,213	1,243	1,158	1,158	1,269	1,349	1,330
White	28,213	2,431	2,272	2,743	2,366	2,300	2,115	2,298	2,204	2,205	2,343	2,362	2,574
Male	16,120	1,357	1,291	1,597	1,311	1,350	1,166	1,323	1,285	1,279	1,336	1,309	1,516
Female	12,093	1,074	981	1,146	1,055	950	949	975	919	926	1,007	1,053	1,058
Nonwhite	6,909	616	575	671	549	556	544	549	499	531	568	623	628
Male	3,709	326	317	357	291	309	280	281	260	299	306	327	356
Female	3,200	290	258	314	258	247	264	268	239	232	262	296	272
Texas	83,656	7,388	7,330	7,756	6,609	6,898	6,542	6,832	6,601	6,448	6,860	6,797	7,595
Male	48,605	4,308	4,176	4,471	3,879	4,011	3,841	4,002	3,823	3,759	3,989	3,920	4,426
Female	35,051	3,080	3,154	3,285	2,730	2,887	2,701	2,830	2,778	2,689	2,871	2,877	3,169
White	70,775	6,224	6,273	6,559	5,580	5,802	5,552	5,779	5,591	5,429	5,806	5,770	6,410
Male	41,391	3,638	3,588	3,808	3,301	3,392	3,297	3,407	3,276	3,187	3,395	3,338	3,764
Female	29,384	2,586	2,685	2,751	2,279	2,410	2,255	2,372	2,315	2,242	2,411	2,432	2,646
Nonwhite	12,881	1,164	1,057	1,197	1,029	1,096	990	1,053	1,010	1,019	1,054	1,027	1,185
Male	7,214	670	588	663	578	619	544	595	547	572	594	582	662
Female	5,667	494	469	534	451	477	446	458	463	447	460	445	523
Utah	6,682	514	534	594	583	579	547	568	547	529	539	542	606
Male	3,868	299	304	358	326	357	295	311	321	307	314	330	346
Female	2,814	215	230	236	257	222	252	257	226	222	225	212	260
White	6,538	504	523	577	569	566	538	554	540	520	523	532	592
Male	3,782	292	299	350	322	348	289	303	315	301	304	323	336
Female	2,756	212	224	227	247	218	249	251	225	219	219	209	256
Nonwhite	144	10	11	17	14	13	9	14	7	9	16	10	14
Male	86	7	5	8	4	9	6	8	6	6	10	7	10
Female	58	3	6	9	10	4	3	6	1	3	6	3	4
Vermont	4,608	457	434	388	386	365	360	371	340	373	377	359	398
Male	2,501	236	240	217	212	191	200	200	182	228	202	190	205
Female	2,107	221	194	171	174	174	160	171	158	145	175	169	195
White	4,602	456	434	388	386	365	360	371	338	373	376	359	396
Male	2,495	235	240	217	212	191	200	200	180	228	201	190	201
Female	2,107	221	194	171	174	174	160	171	158	145	175	169	195
Nonwhite	6	1	-	-	-	-	-	-	2	-	1	-	2
Male	6	1	-	-	-	-	-	-	2	-	1	-	2
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	37,148	3,307	3,037	3,495	3,090	3,048	2,920	2,889	2,986	2,745	3,181	3,067	3,383
Male	21,254	1,842	1,702	2,008	1,808	1,799	1,682	1,631	1,710	1,582	1,821	1,766	1,903
Female	15,894	1,465	1,335	1,487	1,282	1,249	1,238	1,258	1,276	1,163	1,360	1,301	1,480
White	27,870	2,455	2,244	2,654	2,331	2,314	2,182	2,179	2,239	2,062	2,390	2,300	2,520
Male	15,961	1,354	1,244	1,540	1,373	1,365	1,241	1,252	1,304	1,197	1,377	1,317	1,397
Female	11,909	1,101	1,000	1,114	958	949	941	927	935	865	1,013	983	1,123
Nonwhite	9,278	852	793	841	759	734	738	710	747	683	791	767	863
Male	5,293	488	458	468	435	434	441	379	406	385	444	449	506
Female	3,985	364	335	373	324	300	297	331	341	298	347	318	357
Washington	27,475	2,321	2,096	2,407	2,353	2,324	2,273	2,315	2,114	2,167	2,297	2,346	2,462
Male	16,085	1,388	1,189	1,395	1,386	1,327	1,308	1,351	1,249	1,285	1,335	1,402	1,470
Female	11,390	933	907	1,012	967	997	965	964	865	882	962	944	992
White	26,602	2,257	2,040	2,325	2,285	2,247	2,192	2,232	2,051	2,103	2,224	2,277	2,369
Male	15,538	1,343	1,162	1,339	1,346	1,281	1,260	1,305	1,205	1,241	1,293	1,359	1,404
Female	11,064	914	878	986	939	966	932	927	846	862	931	918	965
Nonwhite	873	64	56	82	68	77	81	83	63	64	73	69	93
Male	547	45	27	56	40	46	48	46	44	44	42	43	66
Female	326	19	29	26	28	31	33	37	19	20	31	26	27
West Virginia	19,186	1,729	1,543	1,838	1,645	1,551	1,521	1,565	1,509	1,424	1,577	1,626	1,658
Male	11,300	1,029	897	1,050	975	939	896	962	889	834	924	941	964
Female	7,886	700	646	788	670	612	625	603	620	590	653	685	694
White	17,957	1,626	1,436	1,711	1,544	1,443	1,434	1,458	1,420	1,331	1,492	1,508	1,554
Male	10,577	966	837	974	922	876	845	890	836	791	870	869	901
Female	7,380	660	599	737	622	567	589	568	584	540	622	639	653
Nonwhite	1,229	103	107	127	101	108	87	107	89	93	85	118	104
Male	723	63	60	76	53	63	51	72	53	43	54	72	63
Female	506	40	47	51	48	45	36	35	36	50	31	46	41

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1965—Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Wisconsin	40,164	3,498	3,357	3,834	3,329	3,393	3,217	3,166	3,064	3,075	3,345	3,314	3,572
Male	23,047	1,996	1,933	2,149	1,883	2,004	1,820	1,847	1,778	1,796	1,891	1,900	2,050
Female	17,117	1,502	1,424	1,685	1,446	1,389	1,397	1,319	1,286	1,279	1,454	1,414	1,522
White	39,477	3,435	3,312	3,788	3,263	3,333	3,149	3,108	3,006	3,027	3,289	3,261	3,506
Male	22,658	1,963	1,906	2,126	1,845	1,969	1,786	1,818	1,743	1,763	1,859	1,867	2,013
Female	16,819	1,472	1,406	1,662	1,418	1,364	1,363	1,290	1,263	1,264	1,430	1,394	1,493
Nonwhite	687	63	45	46	66	60	68	58	58	48	56	53	66
Male	389	33	27	23	38	35	34	29	35	33	32	33	37
Female	298	30	18	23	28	25	34	29	23	15	24	20	29
Wyoming	2,808	253	220	250	214	233	221	226	224	216	244	257	250
Male	1,719	152	132	170	139	143	142	130	139	128	154	145	145
Female	1,089	101	88	80	75	90	79	96	85	88	90	112	105
White	2,721	239	215	241	208	229	214	222	219	209	238	249	238
Male	1,669	144	129	165	136	140	138	128	136	126	148	141	138
Female	1,052	95	86	76	72	89	76	94	83	83	90	108	100
Nonwhite	87	14	5	9	6	4	7	4	5	7	6	8	12
Male	50	8	3	5	3	3	4	2	3	2	6	4	7
Female	37	6	2	4	3	1	3	2	2	5	-	4	5

Table 1-22. Deaths by Specified Race and Sex: United States and Each State, 1965

Area	All races			White		Negro		Indian[1]		Chinese		Japanese		Other races	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
United States	1,828,136	1,035,200	792,936	910,511	694,987	117,328	93,902	2,919	2,143	1,337	334	1,543	885	1,562	685
Alabama	32,535	18,604	13,931	12,535	8,764	6,067	5,165	1	2	1	-	-	-	-	-
Alaska	1,335	906	429	603	232	34	22	256	174	1	-	-	-	12	1
Arizona	12,000	7,406	4,594	6,667	4,105	294	157	433	328	8	1	-	2	4	1
Arkansas	19,287	11,463	7,824	9,002	5,812	2,455	2,003	2	1	-	1	-	-	4	7
California	152,907	86,751	66,156	80,292	61,848	4,825	3,654	174	143	514	144	570	284	376	83
Colorado	16,220	9,235	6,985	8,928	6,766	250	187	16	18	4	-	29	9	8	5
Connecticut	25,646	14,052	11,594	13,443	11,119	595	472	4	1	4	-	1	2	5	-
Delaware	4,540	2,616	1,924	2,151	1,615	463	309	-	-	1	-	-	-	1	-
District of Columbia	9,013	4,862	4,151	2,096	1,989	2,734	2,154	4	-	19	4	-	1	9	3
Florida	59,493	35,589	23,904	30,008	19,687	5,561	4,210	10	5	4	1	1	-	5	1
Georgia	38,134	21,563	16,571	14,675	10,531	6,886	6,036	-	-	1	1	-	2	1	1
Hawaii	3,654	2,248	1,406	648	448	33	17	3	1	150	78	691	484	[2]723	[3]378
Idaho	5,939	3,616	2,323	3,538	2,296	6	4	56	19	-	-	12	4	4	-
Illinois	108,153	60,871	47,282	53,965	41,879	6,758	5,352	21	26	66	6	40	16	21	3
Indiana	47,831	26,725	21,106	25,011	19,805	1,706	1,296	-	3	6	-	1	-	1	2
Iowa	29,424	16,540	12,884	16,367	12,730	164	147	7	7	1	-	-	-	1	-
Kansas	21,718	12,250	9,468	11,649	8,993	587	457	10	12	2	-	1	1	1	5
Kentucky	31,063	17,794	13,269	16,115	11,880	1,676	1,389	1	-	1	-	-	-	1	-
Louisiana	32,190	18,203	13,987	11,708	8,452	6,467	5,527	13	5	3	1	4	1	8	1
Maine	10,822	5,935	4,887	5,917	4,872	6	6	10	9	1	-	-	-	1	-
Maryland	30,880	17,406	13,474	13,914	11,003	3,465	2,466	5	1	11	3	1	-	10	1
Massachusetts	58,897	31,290	27,607	30,485	26,964	732	632	7	4	50	4	3	-	13	3
Michigan	73,625	42,534	31,091	38,483	28,089	3,982	2,957	43	36	15	5	4	2	7	2
Minnesota	32,559	18,938	13,621	18,716	13,446	138	102	70	66	4	2	4	3	6	2
Mississippi	22,660	12,818	9,842	7,256	5,140	5,541	4,687	15	12	5	2	-	-	1	1
Missouri	50,369	28,175	22,194	25,253	19,884	2,892	2,294	3	2	10	1	2	-	15	13
Montana	6,597	4,119	2,478	3,949	2,375	17	3	146	99	2	-	5	1	-	-
Nebraska	14,814	8,548	6,266	8,309	6,105	194	132	41	28	1	-	3	1	-	-
Nevada	3,200	2,081	1,119	1,935	1,025	90	63	51	27	4	1	-	2	1	1
New Hampshire	7,313	3,997	3,316	3,991	3,312	4	4	-	-	1	-	-	-	1	-
New Jersey	65,021	35,873	29,148	32,356	26,377	3,405	2,679	2	3	9	4	5	7	96	78
New Mexico	6,825	4,122	2,703	3,736	2,437	92	53	291	212	1	1	1	-	1	-
New York	185,029	101,272	83,757	91,820	76,223	8,925	7,388	96	65	287	39	29	11	115	31
North Carolina	41,693	24,136	17,557	17,431	12,299	6,540	5,156	161	100	-	-	-	1	4	1
North Dakota	5,569	3,428	2,141	3,346	2,091	4	1	77	48	1	-	-	-	-	1
Ohio	98,440	54,841	43,599	50,130	39,825	4,668	3,757	7	6	17	2	5	2	14	7
Oklahoma	23,825	14,015	9,810	12,696	8,769	996	778	320	260	1	1	1	-	1	2
Oregon	18,160	10,864	7,296	10,640	7,166	115	78	50	36	27	6	21	6	11	4
Pennsylvania	125,972	69,635	56,337	63,954	51,899	5,622	4,411	4	-	30	3	1	1	24	23
Rhode Island	9,683	5,324	4,359	5,185	4,259	128	96	3	2	6	2	-	-	2	-
South Carolina	21,723	12,482	9,241	7,751	5,396	4,730	3,845	1	-	-	-	-	-	-	-
South Dakota	6,529	3,865	2,664	3,666	2,516	7	5	191	141	-	-	1	1	-	1
Tennessee	35,122	19,829	15,293	16,120	12,093	3,706	3,199	1	-	2	1	-	-	-	-
Texas	83,656	48,605	35,051	41,391	29,384	7,177	5,649	13	6	18	8	2	2	4	2
Utah	6,682	3,868	2,814	3,782	2,756	16	15	38	33	3	1	27	7	2	2
Vermont	4,608	2,501	2,107	2,495	2,107	6	-	-	-	-	-	-	-	-	-
Virginia	37,148	21,254	15,894	15,961	11,909	5,273	3,976	8	2	6	2	1	1	5	4
Washington	27,475	16,085	11,390	15,538	11,064	248	163	150	112	37	7	73	31	39	13
West Virginia	19,186	11,300	7,886	10,577	7,380	720	503	1	1	1	1	-	-	1	1
Wisconsin	40,164	23,047	17,117	22,658	16,819	316	238	69	59	1	-	-	-	3	1
Wyoming	2,808	1,719	1,089	1,669	1,052	12	8	34	28	-	1	4	-	-	-

[1]Includes deaths among Aleuts and Eskimos; see Technical Appendix.
[2]Includes 328 deaths among Hawaiians and Part-Hawaiians. (In addition there were 17 deaths among Hawaiians and Part-Hawaiians residing in other States.)
[3]Includes 281 deaths among Hawaiians and Part-Hawaiians. (In addition there were 11 deaths among Hawaiians and Part-Hawaiians residing in other States.)

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	All causes	1,828,136	1,035,200	792,936	910,511	694,987	124,689	97,949	943.2	1,088.4	803.3	1,084.9	800.5	1,114.3	824.3
	I. Infective and parasitic diseases														
001-008	Tuberculosis of respiratory system	7,358	5,446	1,912	4,115	1,349	1,331	563	3.8	5.7	1.9	4.9	1.6	11.9	4.7
001	Respiratory tuberculosis with mention of occupational disease of lung	307	305	2	265	2	40	-	0.2	0.3	0.0	0.3	0.0	0.4	-
002	Pulmonary tuberculosis	6,555	4,855	1,700	3,645	1,182	1,210	518	3.4	5.1	1.7	4.3	1.4	10.8	4.4
A	Active	5,895	4,384	1,511	3,250	1,022	1,134	489	3.0	4.6	1.5	3.9	1.2	10.1	4.1
B	Inactive	660	471	189	395	160	76	29	0.3	0.5	0.2	0.5	0.2	0.7	0.2
003	Pleural tuberculosis	282	137	145	112	122	25	23	0.1	0.1	0.1	0.1	0.1	0.2	0.2
.0	Pleurisy specified as tuberculous	20	12	8	8	5	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Pleurisy with effusion without mention of cause	262	125	137	104	117	21	20	0.1	0.1	0.1	0.1	0.1	0.2	0.2
004	Primary tuberculosis complex with symptoms	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
005	*Tracheobronchial glandular tuberculosis with symptoms*	4	2	2	1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere	-	-	-	-	-	-	-	-	-	-	-	-	-	-
007	Other respiratory tuberculosis	4	2	2	1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
008	Tuberculosis, unspecified site	204	144	60	90	41	54	19	0.1	0.2	0.1	0.1	0.0	0.5	0.2
A	Active	178	127	51	79	33	48	18	0.1	0.1	0.1	0.1	0.0	0.4	0.2
B	Inactive	26	17	9	11	8	6	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
010-019	Tuberculosis, other forms	576	343	233	208	125	135	108	0.3	0.4	0.2	0.2	0.1	1.2	0.9
010	Tuberculosis of meninges and central nervous system	143	77	66	44	30	33	36	0.1	0.1	0.1	0.1	0.0	0.3	0.3
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	43	18	25	9	10	9	15	0.0	0.0	0.0	0.0	0.0	0.1	0.1
012	Tuberculosis of bones and joints, active or unspecified	58	35	23	28	21	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Active or unspecified tuberculosis of vertebral column	48	30	18	23	16	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	Active or unspecified tuberculosis of hip	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Active or unspecified tuberculosis of knee	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.3	Active or unspecified tuberculosis of other and unspecified bones and joints	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
013	Late effects of tuberculosis of bones and joints	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.0	Late effects of tuberculosis of vertebral column	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.1	Late effects of tuberculosis of hip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Late effects of tuberculosis of knee	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Late effects of tuberculosis of other and unspecified bones and joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-
014	Tuberculosis of skin and subcutaneous cellular tissue	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Primary tuberculosis of skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Erythema nodosum specified as tuberculous	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Lupus	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	*Other* tuberculosis of skin and subcutaneous cellular tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-
015	Tuberculosis of lymphatic system	5	5	-	2	-	3	-	0.0	0.0	-	0.0	-	0.0	-
016	Tuberculosis of genitourinary system	67	42	25	33	19	9	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
017	Tuberculosis of adrenal glands	18	11	7	6	3	5	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
018	Tuberculosis of other organs	18	16	2	13	2	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Tuberculosis of eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Tuberculosis of ear	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other	18	16	2	13	2	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
019	Disseminated tuberculosis	218	136	82	70	37	66	45	0.1	0.1	0.1	0.1	0.0	0.6	0.4
.0	Acute miliary tuberculosis specified as nonpulmonary	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Acute miliary tuberculosis, unspecified	2	2	-	-	-	2	-	0.0	0.0	-	-	-	0.0	-
.2	Other forms of disseminated tuberculosis	216	134	82	70	37	64	45	0.1	0.1	0.1	0.1	0.0	0.6	0.4

274-315 O - 67 -5

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	I. Infective and parasitic diseases—Con.														
020-029	Syphilis and its sequelae	2,434	1,732	702	1,288	501	444	201	1.3	1.8	0.7	1.5	0.6	4.0	1.7
020	Congenital syphilis	34	20	14	10	7	10	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Interstitial keratitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Juvenile neurosyphilis	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
.2	Other congenital syphilis	32	19	13	9	7	10	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
021	Early syphilis	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.0	Primary, syphilis, except extragenital chancre	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Extragenital chancre	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Secondary syphilis	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.3	Early syphilis, relapse following treatment	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Early syphilis, unspecified stage	-	-	-	-	-	-	-	-	-	-	-	-	-	-
022	Aneurysm of aorta	1,504	1,079	425	903	342	176	83	0.8	1.1	0.4	1.1	0.4	1.8	0.7
023	Other cardiovascular syphilis	549	399	150	213	75	186	75	0.3	0.4	0.2	0.3	0.1	1.7	0.6
024	Tabes dorsalis	43	31	12	31	11	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
025	General paralysis of insane	96	66	30	45	24	21	6	0.0	0.1	0.0	0.1	0.0	0.2	0.1
026	Other syphilis of central nervous system	157	106	51	70	32	36	19	0.1	0.1	0.1	0.1	0.0	0.3	0.2
027	Other forms of late syphilis	25	15	10	11	5	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
028	Latent syphilis	2	1	1	-	-	1	1	0.0	0.0	0.0	-	-	0.0	0.0
.0	Early latent	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Late latent	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.2	Unspecified	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
029	Syphilis, unqualified	23	14	9	5	5	9	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
030-039	Gonococcal infection and other venereal diseases	20	13	7	5	2	8	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
030	Acute or unspecified gonorrhea	4	3	1	-	-	3	1	0.0	0.0	0.0	-	-	0.0	0.0
031	Chronic gonococcal infection of genitourinary system	-	-	-	-	-	-	-	-	-	-	-	-	-	-
032	Gonococcal infection of joint	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Gonococcal infection of eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Gonococcal infection of other sites	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
035	Late effects of gonococcal infection	4	4	-	3	-	1	-	0.0	0.0	-	0.0	-	0.0	-
036	Chancroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-
037	Lymphogranuloma venereum	6	4	2	-	-	4	2	0.0	0.0	0.0	-	-	0.0	0.0
038	Granuloma inguinale, venereal	3	1	2	1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
039	Other and unspecified venereal diseases	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
040-049	Infectious diseases commonly arising in intestinal tract	368	207	159	127	85	80	74	0.2	0.2	0.2	0.2	0.1	0.7	0.6
040	Typhoid fever	6	2	4	1	2	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
041	Paratyphoid fever	7	6	1	6	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
042	Other Salmonella infections	80	44	36	28	25	16	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Without food as vehicle of infection	73	41	32	26	22	15	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	With food as vehicle of infection	7	3	4	2	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
043	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
044	Brucellosis (undulant fever)	6	3	3	2	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
045	Bacillary dysentery	99	53	46	28	16	25	30	0.1	0.1	0.0	0.0	0.0	0.2	0.3
.0	Flexner-Boyd group	7	5	2	3	-	2	2	0.0	0.0	0.0	0.0	-	0.0	0.0
.1	Schmitz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Sonne	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.4	Bacillary, other and unspecified	90	46	44	24	18	22	28	0.0	0.0	0.0	0.0	0.0	0.2	0.2
046	Amebiasis	66	46	20	34	13	12	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Without mention of liver abscess	50	31	19	25	12	6	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	With liver abscess	16	15	1	9	1	6	-	0.0	0.0	0.0	0.0	0.0	0.1	-
047	Other protozoal dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-
048	Unspecified forms of dysentery	78	42	36	21	19	21	17	0.0	0.0	0.0	0.0	0.0	0.2	0.1

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	I. Infective and parasitic diseases—Con.														
	Infectious diseases commonly arising in intestinal tract—Con.														
049	Food poisoning (infection and intoxication)	24	11	13	7	7	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.0	Staphylococcal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Botulism	8	6	2	3	-	3	2	0.0	0.0	0.0	0.0	-	0.0	0.0
.2	Unspecified	16	5	11	4	7	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
050-064	Other bacterial diseases	3,765	2,054	1,711	1,579	1,294	475	417	1.9	2.2	1.7	1.9	1.5	4.2	3.5
050	Scarlet fever	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
051	Streptococcal sore throat	58	28	30	21	20	7	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1
052	Erysipelas	12	5	7	5	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-
053	Septicemia and pyemia	2,443	1,318	1,125	1,026	857	292	268	1.3	1.4	1.1	1.2	1.0	2.6	2.3
.0	Streptococcus	71	37	34	33	29	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Staphylococcus	240	135	105	109	90	26	15	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.2	Pneumococcus	40	20	20	16	14	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.3	Other specified organism	192	101	91	73	72	28	19	0.1	0.1	0.1	0.1	0.1	0.3	0.2
.4	Organism unspecified	1,900	1,025	875	795	652	230	223	1.0	1.1	0.9	0.9	0.8	2.1	1.9
054	Bacterial toxemia	37	18	19	12	16	6	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
055	Diphtheria	18	10	8	5	5	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
056	Whooping cough	55	34	21	14	9	20	12	0.0	0.0	0.0	0.0	0.0	0.2	0.1
.0	Without mention of pneumonia	23	14	9	7	3	7	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	With pneumonia	32	20	12	7	6	13	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
057	Meningococcal infections	890	483	407	394	320	89	87	0.5	0.5	0.4	0.5	0.4	0.8	0.7
.0	Meningococcal meningitis	445	246	199	197	157	49	42	0.2	0.3	0.2	0.2	0.2	0.4	0.4
.1	Acute and unspecified meningococcemia	442	236	206	196	161	40	45	0.2	0.2	0.2	0.2	0.2	0.4	0.4
.2	Chronic meningococcemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other forms of meningococcal infection	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
058	Plague	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.0	Bubonic	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.1	Pneumonic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
059	Tularemia	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
060	Leprosy	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
.0	Lepromatous leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Neuroleprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Mixed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unspecified	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
061	Tetanus	181	112	69	64	44	48	25	0.1	0.1	0.1	0.1	0.1	0.4	0.2
062	Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-
063	Gas gangrene	54	32	22	27	14	5	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
064	Other bacterial diseases	6	6	-	4	-	2	-	0.0	0.0	-	0.0	-	0.0	-
.0	Epidemic arthritic erythema	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Rat-bite fever due to Streptobacillus moniliformis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Melioidosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other	6	6	-	4	-	2	-	0.0	0.0	-	0.0	-	0.0	-
070-074	Spirochetal diseases, except syphilis	15	13	2	7	1	6	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
070	Vincent's infection	4	3	1	1	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
071	Relapsing fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Louse-borne	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Tick-borne	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
072	Leptospirosis	11	10	1	6	-	4	1	0.0	0.0	0.0	0.0	-	0.0	0.0
.0	Leptospirosis icterohaemorrhagica (Weil's disease)	3	2	1	-	-	2	1	0.0	0.0	0.0	-	-	0.0	0.0
.1	Other and unspecified	8	8	-	6	-	2	-	0.0	0.0	-	0.0	-	0.0	-
073	Yaws	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	I. Infective and parasitic diseases—Con.														
	Spirochetal diseases, except syphilis—Con.														
074	Other spirochetal infections	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Rat-bite fever due to Spirochaeta morsus muris (sodoku)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080-096	Diseases attributable to viruses	2,458	1,176	1,282	981	1,090	195	192	1.3	1.2	1.3	1.2	1.3	1.7	1.6
080	Acute poliomyelitis	16	7	9	5	8	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Specified as bulbar or polioencephalitis	8	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	With other paralysis	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Specified as nonparalytic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unspecified	7	3	4	1	3	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
081	Late effects of acute poliomyelitis	128	85	43	79	42	6	1	0.1	0.1	0.0	0.1	0.0	0.1	0.0
082	Acute infectious encephalitis	500	252	248	209	214	43	34	0.3	0.3	0.3	0.2	0.2	0.4	0.3
.0	Arthropod-borne encephalitis	12	10	2	7	2	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Lymphocytic choriomeningitis	72	33	39	29	30	4	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.2	Lethargic encephalitis	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other and unspecified infectious encephalitis	413	208	205	172	180	36	25	0.2	0.2	0.2	0.2	0.2	0.3	0.2
083	Late effects of acute infectious encephalitis	63	42	21	41	19	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Postencephalitic Parkinsonism	35	25	10	25	10	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Postencephalitic personality and character disorders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Postencephalitic psychosis	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
.3	Other postencephalitic conditions	25	14	11	13	9	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	276	129	147	91	101	38	46	0.1	0.1	0.1	0.1	0.1	0.3	0.4
.0	Without mention of pneumonia	103	46	57	37	44	9	13	0.1	0.0	0.1	0.0	0.1	0.1	0.1
.1	With pneumonia	173	83	90	54	57	29	33	0.1	0.1	0.1	0.1	0.1	0.3	0.3
086	Rubella (German measles)	16	7	9	5	8	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
087	Chickenpox	143	66	77	56	67	10	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
088	Herpes zoster	78	30	48	29	48	1	-	0.0	0.0	0.0	0.0	0.1	0.0	-
089	Mumps	31	20	11	17	9	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
090	Dengue	-	-	-	-	-	-	-	-	-	-	-	-	-	-
091	Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
092	Infectious hepatitis	707	290	417	247	359	43	58	0.4	0.3	0.4	0.3	0.4	0.4	0.5
093	Glandular fever (infectious mononucleosis)	28	10	18	9	14	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
094	Rabies	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
095	Trachoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
096	Other diseases attributable to viruses	470	237	233	192	200	45	33	0.2	0.2	0.2	0.2	0.2	0.4	0.3
.0	Herpes febrilis	39	22	17	20	15	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Infectious keratoconjunctivitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Psittacosis and ornithosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Cowpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Epidemic hiccough	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Epidemic myalgia (Bornholm disease)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Foot and mouth disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Sandfly fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Rift Valley fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other	431	215	216	172	185	43	31	0.2	0.2	0.2	0.2	0.2	0.4	0.3
100-108	Typhus and other rickettsial diseases	17	9	8	8	6	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100	Louse-borne epidemic typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
101	Flea-borne endemic typhus (murine)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
102	Brill's disease, not specified as louse- or flea-borne	-	-	-	-	-	-	-	-	-	-	-	-	-	-
103	Tabardillo (Mexican typhus), not specified as louse- or flea-borne	-	-	-	-	-	-	-	-	-	-	-	-	-	-
104	Tick-borne typhus	16	8	8	8	6	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
105	Mite-borne typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Volhynian fever (trench fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	I. Infective and parasitic diseases—Con.														
	Typhus and other rickettsial diseases—Con.														
107	Typhus, unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Other rickettsial diseases	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
110-117	Malaria	8	8	-	7	-	1	-	0.0	0.0	-	0.0	-	0.0	-
110	Vivax malaria (benign tertian)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111	Malariae malaria (quartan)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112	Falciparum malaria (malignant tertian)	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	-
113	Ovale malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
114	Mixed malarial infections	-	-	-	-	-	-	-	-	-	-	-	-	-	-
115	Blackwater fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
116	Other and unspecified forms of malaria	4	4	-	3	-	1	-	0.0	0.0	-	0.0	-	0.0	-
117	Recurrent induced malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120-138	Other infective and parasitic diseases	816	468	348	346	211	122	137	0.4	0.5	0.4	0.4	0.2	1.1	1.2
120	Leishmaniasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Visceral (kala-azar)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Cutaneous (Oriental sore)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Mucocutaneous (American)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Trypanosomiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	African (*sleeping sickness*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	South American (Chagas' disease)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Other protozoal diseases	10	6	4	6	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Coccidiosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Toxoplasmosis	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Other	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
123	Schistosomiasis	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	-
.0	Vesical (*S. haematobium*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Intestinal (*S. mansoni*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Oriental (*S. japonicum*)	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
.3	Other and unspecified schistosomiasis	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
124	Other trematode infestation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Clonorchiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Paragonimiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125	Hydatid disease	7	4	3	4	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
126	Other cestode infestation	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
127	Filariasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128	Trichinosis	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
129	Ancylostomiasis	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
130	Infestation with worms of other, mixed, and unspecified type	59	32	27	8	6	24	21	0.0	0.0	0.0	0.0	0.0	0.2	0.2
.0	Ascariasis	48	26	22	6	5	20	17	0.0	0.0	0.0	0.0	0.0	0.2	0.1
.1	Oxyuriasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Mixed intestinal helminth infestation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other	11	6	5	2	1	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
131	Dermatophytosis	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
132	Actinomycosis	26	24	2	18	2	6	-	0.0	0.0	0.0	0.0	0.0	0.1	-
133	Coccidioidomycosis	52	40	12	29	6	11	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
134	Other fungus infections	337	212	125	189	97	23	28	0.2	0.2	0.1	0.2	0.1	0.2	0.2
.0	Blastomycosis	29	17	12	12	7	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Cryptococcis (torulosis)	62	47	15	40	9	7	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.2	Histoplasmosis	74	56	18	53	15	3	3	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.3	Moniliasis	93	46	47	40	41	6	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.4	Sporotrichosis	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.5	Other	77	46	31	44	23	2	8	0.0	0.0	0.0	0.1	0.0	0.0	0.1

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	I. Infective and parasitic diseases—Con. Other infective and parasitic diseases—Con.														
135	Scabies	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136	Pediculosis	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
137	Other arthropod infestation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138	Other infective and parasitic diseases	308	139	169	81	89	58	80	0.2	0.1	0.2	0.1	0.1	0.5	0.7
.0	Sarcoid of Boeck	260	113	147	58	77	55	70	0.1	0.1	0.1	0.1	0.1	0.5	0.6
.1	Other	48	26	22	23	12	3	10	0.0	0.0	0.0	0.0	0.0	0.0	0.1
	II. Neoplasms														
140-148	Malignant neoplasm of buccal cavity and pharynx	6,501	4,924	1,577	4,400	1,402	524	175	3.4	5.2	1.6	5.2	1.6	4.7	1.5
140	Malignant neoplasm of lip	172	149	23	148	20	1	3	0.1	0.2	0.0	0.2	0.0	0.0	0.0
.0	Upper lip	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Lower lip	52	43	9	42	8	1	1	0.0	0.0	0.0	0.1	0.0	0.0	0.0
.8	Both lips	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Lip, unspecified (including commissure)	112	102	10	102	8	-	2	0.1	0.1	0.0	0.1	0.0	-	0.0
141	Malignant neoplasm of tongue	1,611	1,232	379	1,091	352	141	27	0.8	1.3	0.4	1.3	0.4	1.3	0.2
.0	Base of tongue	179	148	31	134	29	14	2	0.1	0.2	0.0	0.2	0.0	0.1	0.0
.7	Other specified parts of tongue	32	22	10	21	10	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.8	Multiple parts of tongue	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Part unspecified	1,400	1,062	338	936	313	126	25	0.7	1.1	0.3	1.1	0.4	1.1	0.2
142	Malignant neoplasm of salivary gland	590	383	207	345	188	38	19	0.3	0.4	0.2	0.4	0.2	0.3	0.2
.0	Parotid gland	441	273	168	245	157	28	11	0.2	0.3	0.2	0.3	0.2	0.3	0.1
.7	Other salivary gland	89	69	20	64	15	5	5	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.8	Multiple salivary glands	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Gland unspecified	57	38	19	33	16	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
143	Malignant neoplasm of floor of mouth	419	333	86	288	70	45	16	0.2	0.4	0.1	0.3	0.1	0.4	0.1
144	Malignant neoplasm of other parts of mouth, and of mouth, unspecified	1,031	703	328	628	295	75	33	0.5	0.7	0.3	0.7	0.3	0.7	0.3
145	Malignant neoplasm of oral mesopharynx	543	436	107	393	93	43	14	0.3	0.5	0.1	0.5	0.1	0.4	0.1
.0	Tonsil (excluding pillars)	474	383	91	345	78	38	13	0.2	0.4	0.1	0.4	0.1	0.3	0.1
.7	Other specified parts of mesopharynx	67	51	16	46	15	5	1	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.8	Multiple parts of mesopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Part unspecified	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
146	Malignant neoplasm of nasopharynx	489	373	116	316	94	57	22	0.3	0.4	0.1	0.4	0.1	0.5	0.2
147	Malignant neoplasm of hypopharynx	414	347	67	317	61	30	6	0.2	0.4	0.1	0.4	0.1	0.3	0.1
148	Malignant neoplasm of pharynx, unspecified	1,232	968	264	874	229	94	35	0.6	1.0	0.3	1.0	0.3	0.8	0.3
150-159	Malignant neoplasm of digestive organs and peritoneum	95,604	51,929	43,675	46,069	39,745	5,860	3,930	49.3	54.6	44.2	54.9	45.8	52.4	33.1
150	Malignant neoplasm of esophagus	5,542	4,236	1,306	3,341	1,048	895	258	2.9	4.5	1.3	4.0	1.2	8.0	2.2
151	Malignant neoplasm of stomach	18,027	11,059	6,968	9,383	6,085	1,676	883	9.3	11.6	7.1	11.2	7.0	15.0	7.4
152	Malignant neoplasm of small intestine, including duodenum	745	406	339	369	320	37	19	0.4	0.4	0.3	0.4	0.4	0.3	0.2
.0	Duodenum	215	119	96	110	89	9	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.7	Other specified parts of small intestine	257	145	112	127	106	18	6	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.8	Multiple parts of small intestine	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Part unspecified	270	141	129	131	123	10	6	0.1	0.1	0.1	0.2	0.1	0.1	0.1
153	Malignant neoplasm of large intestine, except rectum	32,000	14,897	17,103	13,858	15,858	1,039	1,245	16.5	15.7	17.3	16.5	18.3	9.3	10.5
.0	Cecum, appendix, and ascending colon	4,498	2,014	2,484	1,879	2,337	135	147	2.3	2.1	2.5	2.2	2.7	1.2	1.2
.1	Transverse colon, including hepatic and splenic flexures	1,551	725	826	686	770	59	56	0.8	0.8	0.8	0.8	0.9	0.5	0.5
.2	Descending colon	1,196	559	637	528	590	31	47	0.6	0.6	0.6	0.6	0.7	0.3	0.4
.3	Sigmoid colon	6,022	2,862	3,160	2,715	2,973	147	187	3.1	3.0	3.2	3.2	3.4	1.3	1.6
.7	Multiple parts of large intestine	59	35	24	34	23	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Large intestine (including colon), part unspecified	17,022	7,950	9,072	7,340	8,329	610	743	8.8	8.4	9.2	8.7	9.6	5.5	6.3
.9	Intestinal tract, part unspecified	1,652	752	900	696	836	56	64	0.9	0.8	0.9	0.8	1.0	0.5	0.5
154	Malignant neoplasm of rectum	10,533	5,962	4,571	5,519	4,214	443	357	5.4	6.3	4.6	6.6	4.9	4.0	3.0

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	II. Neoplasms—Con.														
	Malignant neoplasm of digestive organs and peritoneum—Con.														
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	6,589	2,928	3,661	2,578	3,430	350	231	3.4	3.1	3.7	3.1	4.0	3.1	1.9
.0	Liver	2,084	1,369	715	1,125	648	244	67	1.1	1.4	0.7	1.3	0.7	2.2	0.6
.1	Gallbladder and extrahepatic gall ducts, including ampulla of Vater	4,502	1,559	2,943	1,453	2,779	106	164	2.3	1.6	3.0	1.7	3.2	0.9	1.4
.8	Multiple sites	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-
156	Malignant neoplasm of liver (secondary and unspecified)	4,494	2,379	2,115	2,046	1,904	333	211	2.3	2.5	2.1	2.4	2.2	3.0	1.8
A	Not stated whether primary or secondary	3,195	1,703	1,492	1,451	1,338	252	154	1.6	1.8	1.5	1.7	1.5	2.3	1.3
B	Secondary	1,299	676	623	595	566	81	57	0.7	0.7	0.6	0.7	0.7	0.7	0.5
157	Malignant neoplasm of pancreas	16,002	9,237	6,765	8,264	6,150	973	615	8.3	9.7	6.9	9.8	7.1	8.7	5.2
158	Malignant neoplasm of peritoneum	782	396	386	362	353	34	33	0.4	0.4	0.4	0.4	0.4	0.3	0.3
159	Malignant neoplasm of unspecified digestive organs	890	429	461	349	383	80	78	0.5	0.5	0.5	0.4	0.4	0.7	0.7
160-165	Malignant neoplasm of respiratory system	53,651	44,877	8,774	40,772	7,961	4,105	813	27.7	47.2	8.9	48.6	9.2	36.7	6.8
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	617	367	250	330	223	37	27	0.3	0.4	0.3	0.4	0.3	0.3	0.2
.0	Nose (internal) and nasal cavities	120	70	50	66	48	4	2	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.1	Eustachian tube and middle ear	27	12	15	10	14	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Maxillary sinus	364	217	147	190	127	27	20	0.2	0.2	0.1	0.2	0.1	0.2	0.2
.7	Other specified sinus (accessory)	54	38	16	38	15	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Multiple sites	11	5	6	3	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.9	Site unspecified	41	25	16	25	13	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
161	Malignant neoplasm of larynx	2,629	2,326	303	2,073	268	253	35	1.4	2.4	0.3	2.5	0.3	2.3	0.3
162	Malignant neoplasm of bronchus and trachea, and of lung specified as primary	20,354	17,570	2,784	15,954	2,545	1,616	239	10.5	18.5	2.8	19.0	2.9	14.4	2.0
.0	Trachea	98	68	30	64	24	4	6	0.1	0.1	0.0	0.1	0.0	0.0	0.1
.1	Bronchus and lung	20,230	17,483	2,747	15,872	2,514	1,611	233	10.4	18.4	2.8	18.9	2.9	14.4	2.0
.2	Pleura	16	10	6	10	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.8	Multiple sites	10	9	1	8	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
163	Malignant neoplasm of lung, unspecified as to whether primary or secondary	28,129	23,309	4,820	21,230	4,382	2,079	438	14.5	24.5	4.9	25.3	5.0	18.6	3.7
164	Malignant neoplasm of mediastinum	310	226	84	206	76	20	8	0.2	0.2	0.1	0.2	0.1	0.2	0.1
165	Malignant neoplasm of thoracic organs (secondary)	1,612	1,079	533	979	467	100	66	0.8	1.1	0.5	1.2	0.5	0.9	0.6
170-181	Malignant neoplasm of breast and genitourinary organs	81,403	26,217	55,186	23,394	49,366	2,823	5,820	42.0	27.6	55.9	27.9	56.9	25.2	49.0
170	Malignant neoplasm of breast	27,048	243	26,805	221	24,627	22	2,178	14.0	0.3	27.2	0.3	28.4	0.2	18.3
171	Malignant neoplasm of cervix uteri	8,053	...	8,053	...	6,392	...	1,661	4.2	...	8.2	...	7.4	...	14.0
172	Malignant neoplasm of corpus uteri	1,680	...	1,680	...	1,489	...	191	0.9	...	1.7	...	1.7	...	1.6
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	63	...	63	...	47	...	16	0.0	...	0.1	...	0.1	...	0.1
174	Malignant neoplasm of uterus, unspecified	4,042	...	4,042	...	3,426	...	616	2.1	...	4.1	...	3.9	...	5.2
175	Malignant neoplasm of ovary, fallopian tube, and broad ligament	8,933	...	8,933	...	8,281	...	652	4.6	...	9.1	...	9.5	...	5.5
.0	Ovary	8,807	...	8,807	...	8,173	...	634	4.5	...	8.9	...	9.4	...	5.3
.1	Fallopian tube and broad ligament	110	...	110	...	92	...	18	0.1	...	0.1	...	0.1	...	0.2
.8	Multiple sites	13	...	13	...	13	...	-	0.0	...	0.0	...	0.0	...	-
.9	Site unspecified	3	...	3	...	3	...	-	0.0	...	0.0	...	0.0	...	-
176	Malignant neoplasm of other and unspecified female genital organs	803	...	803	...	725	...	78	0.4	...	0.8	...	0.8	...	0.7
.0	Vulva	471	...	471	...	416	...	55	0.2	...	0.5	...	0.5	...	0.5
.1	Vagina	272	...	272	...	252	...	20	0.1	...	0.3	...	0.3	...	0.2
.7	Other specified sites	9	...	9	...	9	...	-	0.0	...	0.0	...	0.0	...	-
.8	Multiple sites	3	...	3	...	3	...	-	0.0	...	0.0	...	0.0	...	-
.9	Site unspecified	48	...	48	...	45	...	3	0.0	...	0.0	...	0.1	...	0.0
177	Malignant neoplasm of prostate	15,911	15,911	...	13,819	...	2,092	...	8.2	16.7	...	16.5	...	18.7	...
178	Malignant neoplasm of testis	711	711	...	688	...	23	...	0.4	0.7	...	0.8	...	0.2	...

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965—Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	II. Neoplasms—Con.														
	Malignant neoplasm of breast and genitourinary organs—Con.														
179	Malignant neoplasm of other and unspecified male genital organs	258	258	...	213	...	45	...	0.1	0.3	...	0.3	...	0.4	...
.0	Penis	206	206	...	167	...	39	...	0.1	0.2	...	0.2	...	0.3	...
.1	Scrotum	23	23	...	20	...	3	...	0.0	0.0	...	0.0	...	0.0	...
.7	Other specified sites	21	21	...	19	...	2	...	0.0	0.0	...	0.0	...	0.0	...
.8	Multiple sites	1	1	...	1	...	-	...	0.0	0.0	...	0.0	...	-	...
.9	Site unspecified	7	7	...	6	...	1	...	0.0	0.0	...	0.0	...	0.0	...
180	Malignant neoplasm of kidney	5,634	3,508	2,126	3,266	1,981	242	145	2.9	3.7	2.2	3.9	2.3	2.2	1.2
181	Malignant neoplasm of bladder and other urinary organs	8,267	5,586	2,681	5,187	2,398	399	283	4.3	5.9	2.7	6.2	2.8	3.6	2.4
.0	Bladder	8,110	5,516	2,594	5,131	2,326	385	268	4.2	5.8	2.6	6.1	2.7	3.4	2.3
.7	Other urinary organs	150	68	82	54	67	14	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.8	Multiple sites	7	2	5	2	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
190-199	Malignant neoplasm of other and unspecified sites	31,733	17,042	14,691	15,561	13,306	1,481	1,385	16.4	17.9	14.9	18.5	15.3	13.2	11.7
190	Malignant melanoma of skin	2,687	1,529	1,158	1,489	1,131	40	27	1.4	1.6	1.2	1.8	1.3	0.4	0.2
.0	Lips	3	3	-	2	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.1	Eyelids, including canthi	4	-	4	-	4	-	-	0.0	-	0.0	-	0.0	-	-
.2	Ear and external auricular canal	18	15	3	15	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other and unspecified parts of face	65	36	29	36	29	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Scalp and neck	88	55	33	54	33	1	-	0.0	0.1	0.0	0.1	0.0	0.0	-
.5	Trunk	294	197	97	192	95	5	2	0.2	0.2	0.1	0.2	0.1	0.0	0.0
.6	Upper limb	141	71	70	70	68	1	2	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.7	Lower limb	243	86	157	77	148	9	9	0.1	0.1	0.2	0.1	0.2	0.1	0.1
.8	Multiple sites	11	7	4	7	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Site unspecified	1,820	1,059	761	1,036	747	23	14	0.9	1.1	0.8	1.2	0.9	0.2	0.1
191	Other malignant neoplasm of skin	1,918	1,182	736	1,103	674	79	62	1.0	1.2	0.7	1.3	0.8	0.7	0.5
.0	Lips	99	88	11	88	11	-	-	0.1	0.1	0.0	0.1	0.0	-	-
.1	Eyelids, including canthi	27	18	9	17	8	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Ear and external auricular canal	96	62	34	61	32	1	2	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.3	Other and unspecified parts of face	633	394	239	370	226	24	13	0.3	0.4	0.2	0.4	0.3	0.2	0.1
.4	Scalp and neck	229	162	67	152	62	10	5	0.1	0.2	0.1	0.2	0.1	0.1	0.0
.5	Trunk	241	113	128	99	113	14	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.6	Upper limb	63	45	18	43	18	2	-	0.0	0.0	0.0	0.1	0.0	0.0	-
.7	Lower limb	65	32	33	28	25	4	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.8	Multiple sites	36	26	10	24	10	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.9	Site unspecified	429	242	187	221	169	21	18	0.2	0.3	0.2	0.3	0.2	0.2	0.2
192	Malignant neoplasm of eye	338	172	166	161	154	11	12	0.2	0.2	0.2	0.2	0.2	0.1	0.1
193	Malignant neoplasm of brain and other parts of nervous system	7,014	4,108	2,906	3,859	2,734	249	172	3.6	4.3	2.9	4.6	3.1	2.2	1.4
.0	Brain	5,620	3,295	2,325	3,109	2,203	186	122	2.9	3.5	2.4	3.7	2.5	1.7	1.0
.1	Spinal cord	135	74	61	62	50	12	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Meninges	61	34	27	29	22	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Peripheral nerves	36	24	12	18	12	6	-	0.0	0.0	0.0	0.0	0.0	0.1	-
.4	Sympathetic nervous system	318	181	137	165	119	16	18	0.2	0.2	0.1	0.2	0.1	0.1	0.2
.8	Multiple sites	14	12	2	10	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.9	Site unspecified	830	488	342	466	326	22	16	0.4	0.5	0.3	0.6	0.4	0.2	0.1
194	Malignant neoplasm of thyroid gland	1,052	360	692	335	640	25	52	0.5	0.4	0.7	0.4	0.7	0.2	0.4
195	Malignant neoplasm of other endocrine glands	465	279	186	254	170	25	16	0.2	0.3	0.2	0.3	0.2	0.2	0.1
.0	Suprarenal gland	324	200	124	185	114	15	10	0.2	0.2	0.1	0.2	0.1	0.1	0.1
.1	Parathyroid gland	11	5	6	3	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Thymus	88	49	39	44	36	5	3	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.3	Pituitary gland and craniopharyngeal duct	18	10	8	9	6	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Pineal gland	9	8	1	7	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.7	Other specified glands	14	6	8	5	7	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Multiple glands	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	II. Neoplasms—Con.														
	Malignant neoplasm of other and unspecified sites—Con.														
196	Malignant neoplasm of bone	1,813	1,092	721	988	646	104	75	0.9	1.1	0.7	1.2	0.7	0.9	0.6
.0	Bones of the skull and face	261	153	108	132	92	21	16	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.1	Lower jaw bone	184	133	51	129	45	4	6	0.1	0.1	0.1	0.2	0.1	0.0	0.1
.2	Vertebral column (excluding sacrum and coccyx)	285	174	111	155	97	19	14	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.3	Ribs, sternum, and clavicle	54	30	24	27	21	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Long bones of upper limb, and scapula	83	46	37	43	34	3	3	0.0	0.0	0.0	0.1	0.0	0.0	0.0
.5	Upper limb, short bones	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.6	Pelvic bones, sacrum, coccyx	157	91	66	87	65	4	1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.7	Lower limb, long bones	336	192	144	168	130	24	14	0.2	0.2	0.1	0.2	0.1	0.2	0.1
.8	Lower limb, short bones	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Multiple sites and site unspecified	443	267	176	241	158	26	18	0.2	0.3	0.2	0.3	0.2	0.2	0.2
197	Malignant neoplasm of connective tissue	1,262	692	570	623	514	69	56	0.7	0.7	0.6	0.7	0.6	0.6	0.5
.0	*Head, face, and neck*	61	44	17	41	15	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Trunk	218	121	97	106	89	15	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Upper limb (including shoulder)	68	42	26	36	24	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.3	Lower limb (including hip)	257	141	116	129	105	12	11	0.1	0.1	0.1	0.2	0.1	0.1	0.1
.8	Multiple sites	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Site unspecified	653	342	311	309	278	33	33	0.3	0.4	0.3	0.4	0.3	0.3	0.3
198	Secondary and unspecified malignant neoplasm of lymph nodes	184	127	57	115	51	12	6	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Head, face, and neck	95	70	25	67	22	3	3	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.1	Intrathoracic	5	5	-	3	-	2	-	0.0	0.0	-	0.0	-	0.0	-
.2	Intra-abdominal	11	5	6	5	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.3	Axillary and upper limb	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Inguinal and lower limb	8	4	4	4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.7	Other specified sites	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.8	Multiple sites	6	2	4	2	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Site unspecified	51	35	16	28	14	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
199	Malignant neoplasm of other and unspecified sites	15,000	7,501	7,499	6,634	6,592	867	907	7.7	7.9	7.6	7.9	7.6	7.7	7.6
A	Of other specified sites, not specified as secondary	1,121	677	444	618	392	59	52	0.6	0.7	0.4	0.7	0.5	0.5	0.4
B	Primary site not indicated	13,879	6,824	7,055	6,016	6,200	808	855	7.2	7.2	7.1	7.2	7.1	7.2	7.2
200-205	Neoplasms of lymphatic and hematopoietic tissues	28,696	16,433	12,263	15,178	11,388	1,255	875	14.8	17.3	12.4	18.1	13.1	11.2	7.4
200	Lymphosarcoma and reticulosarcoma	7,250	4,134	3,116	3,870	2,970	264	146	3.7	4.3	3.2	4.6	3.4	2.4	1.2
.0	Reticulum cell sarcoma	1,947	1,104	843	1,021	801	83	42	1.0	1.2	0.9	1.2	0.9	0.7	0.4
.1	Lymphosarcoma	3,980	2,294	1,686	2,166	1,615	128	71	2.1	2.4	1.7	2.6	1.9	1.1	0.6
.2	Other primary malignant neoplasms of lymphoid tissue	1,323	736	587	683	554	53	33	0.7	0.8	0.6	0.8	0.6	0.5	0.3
201	Hodgkin's disease	3,394	2,066	1,328	1,920	1,234	146	94	1.8	2.2	1.3	2.3	1.4	1.3	0.8
202	Other forms of lymphoma (reticulosis)	1,117	622	495	578	458	44	37	0.6	0.7	0.5	0.7	0.5	0.4	0.3
.0	Giant follicular lymphomas (Brill-Symmers' disease)	132	66	66	65	65	1	1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.1	Other	985	556	429	513	393	43	36	0.5	0.6	0.4	0.6	0.5	0.4	0.3
203	Multiple myeloma (plasmocytoma)	3,235	1,727	1,508	1,497	1,298	230	210	1.7	1.8	1.5	1.8	1.5	2.1	1.8
204	Leukemia and aleukemia	13,628	7,840	5,788	7,274	5,403	566	385	7.0	8.2	5.9	8.7	6.2	5.1	3.2
.0	Lymphatic leukemia	3,161	1,992	1,169	1,862	1,100	130	69	1.6	2.1	1.2	2.2	1.3	1.2	0.6
.1	Myeloid leukemia	2,252	1,207	1,045	1,108	974	99	71	1.2	1.3	1.1	1.3	1.1	0.9	0.6
.2	Monocytic leukemia	1,070	606	464	567	429	39	35	0.6	0.6	0.5	0.7	0.5	0.3	0.3
.3	Acute leukemia	5,799	3,237	2,562	3,010	2,399	227	163	3.0	3.4	2.6	3.6	2.8	2.0	1.4
.4	Other and unspecified leukemia	1,346	798	548	727	501	71	47	0.7	0.8	0.6	0.9	0.6	0.6	0.4
205	Mycosis fungoides	72	44	28	39	25	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
210-229	Benign neoplasm	2,350	977	1,373	844	1,125	133	248	1.2	1.0	1.4	1.0	1.3	1.2	2.1
210	Benign neoplasm of buccal cavity and pharynx	5	2	3	2	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
211	Benign neoplasm of other parts of digestive system	227	136	91	125	78	11	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
212	Benign neoplasm of respiratory system	154	90	64	79	61	11	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0
213	Benign neoplasm of breast	5	-	5	-	5	-	-	0.0	-	0.0	-	0.0	-	-
214	Uterine fibromyoma	209	...	209	...	103	...	106	0.1	...	0.2	...	0.1	...	0.9
215	Other benign neoplasm of uterus	29	...	29	...	23	...	6	0.0	...	0.0	...	0.0	...	0.1

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	II. Neoplasms—Con.														
	Benign neoplasm—Con.														
216	Benign neoplasm of ovary	115	...	115	...	101	...	14	0.1	...	0.1	...	0.1	...	0.1
217	Benign neoplasm of other female genital organs	2	...	2	...	1	...	1	0.0	...	0.0	...	0.0	...	0.0
218	Benign neoplasm of male genital organs	-	-	...	-	...	-	...	-	-	...	-	...	-	...
219	Benign neoplasm of kidney and other urinary organs	29	19	10	17	9	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
220	Benign melanoma of skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
221	Pilonidal cyst	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
222	Other benign neoplasm of skin	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
223	Benign neoplasm of brain and other parts of nervous system	1,006	429	577	370	509	59	68	0.5	0.5	0.6	0.4	0.6	0.5	0.6
224	Benign neoplasm of endocrine glands	324	178	146	143	128	35	18	0.2	0.2	0.1	0.2	0.1	0.3	0.2
225	Benign neoplasm of bone and cartilage	14	7	7	6	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
226	Lipoma	19	10	9	10	8	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
227	Other benign neoplasm of muscular and connective tissue	61	37	24	31	22	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
228	Hemangioma and lymphangioma	94	44	50	39	41	5	9	0.0	0.0	0.1	0.0	0.0	0.0	0.1
229	Benign neoplasm of other and unspecified organs and tissues	52	21	31	18	27	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
230-239	Neoplasm of unspecified nature	2,708	1,429	1,279	1,265	1,128	164	151	1.4	1.5	1.3	1.5	1.3	1.5	1.3
230	Neoplasm of unspecified nature of digestive organs	320	159	161	144	146	15	15	0.2	0.2	0.2	0.2	0.2	0.1	0.1
231	Neoplasm of unspecified nature of respiratory organs	275	185	90	161	81	24	9	0.1	0.2	0.1	0.2	0.1	0.2	0.1
232	Neoplasm of unspecified nature of breast	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
233	Neoplasm of unspecified nature of uterus	6	...	6	...	5	...	1	0.0	...	0.0	...	0.0	...	0.0
234	Neoplasm of unspecified nature of ovary	18	...	18	...	16	...	2	0.0	...	0.0	...	0.0	...	0.0
235	Neoplasm of unspecified nature of other female genital organs	-	...	-	...	-	...	-	-	...	-	...	-	...	-
236	Neoplasm of unspecified nature of other genitourinary organs	94	54	40	46	36	8	4	0.0	0.1	0.0	0.1	0.0	0.1	0.0
237	Neoplasm of unspecified nature of brain and other parts of nervous system	1,707	918	789	821	702	97	87	0.9	1.0	0.8	1.0	0.8	0.9	0.7
238	Neoplasm of unspecified nature of skin and musculoskeletal system	24	10	14	8	12	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
239	Neoplasm of unspecified nature of other and unspecified organs	262	103	159	85	129	18	30	0.1	0.1	0.2	0.1	0.1	0.2	0.3
	III. Allergic, endocrine system, metabolic, and nutritional diseases														
240-245	Allergic disorders	4,633	2,703	1,930	2,273	1,597	430	333	2.4	2.8	2.0	2.7	1.8	3.8	2.8
240	Hay fever	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
241	Asthma	4,520	2,649	1,871	2,226	1,544	423	327	2.3	2.8	1.9	2.7	1.8	3.8	2.8
242	Angioneurotic edema	16	7	9	7	9	-	-	0.0	0.0	0.0	0.0	0.0	-	-
243	Urticaria	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
244	Allergic eczema	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
245	Other allergic disorders	89	42	47	35	41	7	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
250-254	Diseases of thyroid gland	877	196	681	164	590	32	91	0.5	0.2	0.7	0.2	0.7	0.3	0.8
250	Simple goiter	29	1	28	1	21	-	7	0.0	0.0	0.0	0.0	0.0	-	0.1
251	Nontoxic nodular goiter	26	6	20	4	17	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
252	Thyrotoxicosis with or without goiter	438	96	342	71	284	25	58	0.2	0.1	0.3	0.1	0.3	0.2	0.5
.0	Toxic diffuse goiter	409	94	315	69	262	25	53	0.2	0.1	0.3	0.1	0.3	0.2	0.4
.1	Toxic nodular goiter	29	2	27	2	22	-	5	0.0	0.0	0.0	0.0	0.0	-	0.0
253	Myxedema and cretinism	342	84	258	80	244	4	14	0.2	0.1	0.3	0.1	0.3	0.0	0.1
254	Other diseases of thyroid gland	42	9	33	8	24	1	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1
260	Diabetes mellitus	33,174	13,588	19,586	11,922	16,610	1,666	2,976	17.1	14.3	19.8	14.2	19.1	14.9	25.0
270-277	Diseases of other endocrine glands	1,005	504	501	420	420	84	81	0.5	0.5	0.5	0.5	0.5	0.8	0.7
270	Disorders of pancreatic internal secretion other than diabetes mellitus	109	68	41	46	26	22	15	0.1	0.1	0.0	0.1	0.0	0.2	0.1

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	III. Allergic, endocrine system, metabolic, and nutritional diseases—Con.														
	Diseases of other endocrine glands—Con.														
271	Diseases of parathyroid gland	45	23	22	20	20	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Hyperparathyroidism	33	19	14	16	13	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Hypoparathyroidism	11	4	7	4	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Other and unspecified	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
272	Diseases of pituitary gland	252	129	123	109	92	20	31	0.1	0.1	0.1	0.1	0.1	0.2	0.3
273	Diseases of thymus gland	68	49	19	41	12	8	7	0.0	0.1	0.0	0.0	0.0	0.1	0.1
274	Diseases of adrenal glands	454	203	251	176	229	27	22	0.2	0.2	0.3	0.2	0.3	0.2	0.2
275	Ovarian dysfunction	-	...	-	...	-	...	-	-	...	-	...	-	...	-
276	Testicular dysfunction	-	-	...	-	...	-	...	-	-	...	-	...	-	...
277	Polyglandular dysfunction and other diseases of endocrine glands	77	32	45	28	41	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
280-289	Avitaminoses and other metabolic diseases	4,447	2,207	2,240	1,911	1,903	296	337	2.3	2.3	2.3	2.3	2.2	2.6	2.8
280	Beriberi	32	24	8	17	6	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
281	Pellagra	22	9	13	6	11	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
282	Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
283	Active rickets	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-
284	Late effects of rickets	-	-	-	-	-	-	-	-	-	-	-	-	-	-
285	Osteomalacia	6	3	3	2	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
286	Other avitaminoses and nutritional deficiency states	1,481	713	768	578	642	135	126	0.8	0.7	0.8	0.7	0.7	1.2	1.1
.0	Steatorrhea and sprue	39	18	21	18	20	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Vitamin A deficiency	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Vitamin B deficiency, except beriberi and pellagra	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.3	Vitamin C deficiency, except scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Vitamin D deficiency, except rickets and osteomalacia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Malnutrition, unqualified	1,279	618	661	502	550	116	111	0.7	0.6	0.7	0.6	0.6	1.0	0.9
.6	Kwashiorkor (protein malnutrition)	7	4	3	3	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.7	Other and multiple deficiency states	155	73	82	55	68	18	14	0.1	0.1	0.1	0.1	0.1	0.2	0.1
287	Obesity, not specified as of endocrine origin	1,156	491	665	447	543	44	122	0.6	0.5	0.7	0.5	0.6	0.4	1.0
288	Gout	137	111	26	99	20	12	6	0.1	0.1	0.0	0.1	0.0	0.1	0.1
289	Other metabolic diseases	1,611	855	756	762	678	93	78	0.8	0.9	0.8	0.9	0.8	0.8	0.7
A	Cystic fibrosis	610	307	303	289	285	18	18	0.3	0.3	0.3	0.3	0.3	0.2	0.2
.0	Lipidosis (disturbance of lipid metabolism)	158	99	59	92	56	7	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.1	Amyloidosis	171	102	69	86	63	16	6	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Other	672	347	325	295	274	52	51	0.3	0.4	0.3	0.4	0.3	0.5	0.4
	IV. Diseases of the blood and blood-forming organs														
290-299	Diseases of blood and blood-forming organs	5,561	2,804	2,757	2,337	2,301	467	456	2.9	2.9	2.8	2.8	2.7	4.2	3.8
290	Pernicious and other hyperchromic anemias	423	180	243	167	228	13	15	0.2	0.2	0.2	0.2	0.3	0.1	0.1
.0	Pernicious anemia	358	151	207	140	195	11	12	0.2	0.2	0.2	0.2	0.2	0.1	0.1
.1	Subacute combined degeneration of spinal cord	15	7	8	7	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Other hyperchromic anemias	50	22	28	20	25	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
291	Iron deficiency anemias (hypochromic anemias)	115	63	52	52	41	11	11	0.1	0.1	0.1	0.1	0.0	0.1	0.1
292	Other anemias of specified type	1,989	1,040	949	802	716	238	233	1.0	1.1	1.0	1.0	0.8	2.1	2.0
.0	Familial acholuric jaundice	130	60	70	53	62	7	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Acute hemolytic anemia	37	15	22	14	16	1	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.2	Other hemolytic anemias	98	52	46	46	39	6	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1
.3	Leuko-erythroblastic anemia	349	200	149	194	139	6	10	0.2	0.2	0.2	0.2	0.2	0.1	0.1
.4	Aplastic anemia	976	494	482	465	448	29	36	0.5	0.5	0.5	0.6	0.5	0.3	0.3
.5	Nonregenerative anemia	35	22	13	20	13	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.6	Sickle cell anemia	358	191	167	4	1	187	166	0.2	0.2	0.2	0.0	0.0	1.7	1.4
.7	Other specified anemias	6	6	-	6	-	-	-	0.0	0.0	-	0.0	-	-	-
293	Anemia of unspecified type	1,012	460	552	375	448	85	104	0.5	0.5	0.6	0.4	0.5	0.8	0.9
294	Polycythemia	516	309	207	278	195	31	12	0.3	0.3	0.2	0.3	0.2	0.3	0.1
295	Hemophilia	59	57	2	44	1	13	1	0.0	0.1	0.0	0.1	0.0	0.1	0.0
296	Purpura and other hemorrhagic conditions	741	345	396	311	351	34	45	0.4	0.4	0.4	0.4	0.4	0.3	0.4
297	Agranulocytosis	221	106	115	103	106	3	9	0.1	0.1	0.1	0.1	0.1	0.0	0.1

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	IV. Diseases of the blood and blood-forming organs—Con.														
	Diseases of blood and blood-forming organs—Con.														
298	Diseases of spleen	237	122	115	103	103	19	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.0	Hepatolienal fibrosis	104	55	49	45	44	10	5	0.1	0.1	0.0	0.1	0.1	0.1	0.0
.1	Other	133	67	66	58	59	9	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
299	Other diseases of blood and blood-forming organs	248	122	126	102	112	20	14	0.1	0.1	0.1	0.1	0.1	0.2	0.1
	V. Mental, psychoneurotic, and personality disorders														
300-309	Psychoses	1,585	955	630	808	561	147	69	0.8	1.0	0.6	1.0	0.6	1.3	0.6
300	Schizophrenic disorders (dementia praecox)	128	57	71	51	62	6	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Simple type	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Hebephrenic type	10	6	4	5	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Catatonic type	24	10	14	9	10	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Paranoid type	32	15	17	14	17	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.4	Acute schizophrenic	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	Latent schizophrenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Schizo-affective psychosis	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.7	Other and unspecified	57	24	33	21	28	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
301	Manic-depressive reaction	24	9	15	7	14	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Manic and circular	5	2	3	1	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Depressive	8	4	4	3	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Other	11	3	8	3	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-
302	Involutional melancholia	8	2	6	2	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
303	Paranoia and paranoid states	-	-	-	-	-	-	-	-	-	-	-	-	-	-
304	Senile psychosis	279	107	172	100	161	7	11	0.1	0.1	0.2	0.1	0.2	0.1	0.1
305	Presenile psychosis	131	59	72	55	68	4	4	0.1	0.1	0.1	0.1	0.1	0.0	0.0
307	Alcoholic psychosis	520	466	54	376	36	90	18	0.3	0.5	0.1	0.4	0.0	0.8	0.2
309	Other and unspecified psychoses	495	255	240	217	214	38	26	0.3	0.3	0.2	0.3	0.2	0.3	0.2
310-318	Psychoneurotic disorders	65	13	52	11	51	2	1	0.0	0.0	0.1	0.0	0.1	0.0	0.0
310	Anxiety reaction without mention of somatic symptoms	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-
311	Hysterical reaction without mention of anxiety reaction	37	8	29	6	28	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
312	Phobic reaction	-	-	-	-	-	-	-	-	-	-	-	-	-	-
313	Obsessive-compulsive reaction	-	-	-	-	-	-	-	-	-	-	-	-	-	-
314	Neurotic-depressive reaction	9	4	5	4	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.0	Neurocirculatory asthenia	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.1	Other heart manifestations specified as of psychogenic origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other circulatory manifestations of psychogenic origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Mucous colitis specified as of psychogenic origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Irritability of colon specified as of psychogenic origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Gastric neuroses	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other digestive manifestations specified as of psychogenic origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.0	Psychogenic reactions affecting respiratory system	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.1	Psychogenic reactions affecting genitourinary system	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Pruritus of psychogenic origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other cutaneous neuroses	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Psychogenic reactions affecting musculoskeletal system	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Psychogenic reactions affecting other systems	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	V. Mental, psychoneurotic, and personality disorders—Con.														
	Psychoneurotic disorders—Con.														
318	Psychoneurotic disorders, other, mixed, and unspecified types	10	-	10	-	10	-	-	0.0	-	0.0	-	0.0	-	-
.0	Hypochondriacal reaction	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Depersonalization	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Occupational neurosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Asthenic reaction	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.4	Mixed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Of other and unspecified types	9	-	9	-	9	-	-	0.0	-	0.0	-	0.0	-	-
320-326	Disorders of character, behavior, and intelligence	3,338	2,417	921	1,801	672	616	249	1.7	2.5	0.9	2.1	0.8	5.5	2.1
320	Pathological personality	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
.0	Schizoid personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Paranoid personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Cyclothymic personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Inadequate personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Antisocial personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Asocial personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Sexual deviation	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.7	Other and unspecified	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
321	Immature personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Emotional instability	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Passive dependency	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Aggressiveness	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Enuresis characterizing immature personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other symptomatic habits except speech impediments	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Other and unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
322	Alcoholism	2,665	2,046	619	1,502	424	544	195	1.4	2.2	0.6	1.8	0.5	4.9	1.6
.0	Acute	887	672	215	475	154	197	61	0.5	0.7	0.2	0.6	0.2	1.8	0.5
.1	Chronic	1,156	878	278	661	189	217	89	0.6	0.9	0.3	0.8	0.2	1.9	0.7
.2	Unspecified	622	496	126	366	81	130	45	0.3	0.5	0.1	0.4	0.1	1.2	0.4
323	Other drug addiction	153	92	61	57	33	35	28	0.1	0.1	0.1	0.1	0.0	0.3	0.2
324	Primary childhood behavior disorders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
325	Mental deficiency	518	278	240	241	215	37	25	0.3	0.3	0.2	0.3	0.2	0.3	0.2
.0	Idiocy	16	12	4	12	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Imbecility	3	3	-	2	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.2	Moron	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Borderline intelligence	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Mongolism	267	136	131	120	119	16	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.5	Other and unspecified types	230	126	104	106	92	20	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1
326	Other and unspecified character, behavior, and intelligence disorders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Specific learning defects	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Stammering and stuttering of nonorganic origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other speech impediments of nonorganic origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Acute situational maladjustment	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other and unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	VI. Diseases of the nervous system and sense organs														
330-334	Vascular lesions affecting central nervous system	201,057	93,520	107,537	80,823	93,768	12,697	13,769	103.7	98.3	108.9	98.3	108.0	113.5	115.9
330	Subarachnoid hemorrhage	8,272	3,590	4,682	2,974	3,824	616	858	4.3	3.8	4.7	3.5	4.4	5.5	7.2
331	Cerebral hemorrhage	109,193	51,239	57,954	43,414	49,572	7,825	8,382	56.3	53.9	58.7	51.7	57.1	69.9	70.5
332	Cerebral embolism and thrombosis	63,680	29,636	34,044	26,455	30,651	3,181	3,393	32.9	31.2	34.5	31.5	35.3	28.4	28.6
333	Spasm of cerebral arteries	7	3	4	2	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
334	Other and ill-defined vascular lesions affecting central nervous system	19,905	9,052	10,853	7,978	9,717	1,074	1,136	10.3	9.5	11.0	9.5	11.2	9.6	9.6

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs—Con.														
340-345	Inflammatory diseases of central nervous system	5,182	2,656	2,526	2,053	2,028	603	498	2.7	2.8	2.6	2.4	2.3	5.4	4.2
340	Meningitis, except meningococcal and tuberculous	2,363	1,313	1,050	920	706	393	344	1.2	1.4	1.1	1.1	0.8	3.5	2.9
.0	H. influenzae	391	215	176	168	126	47	50	0.2	0.2	0.2	0.2	0.1	0.4	0.4
.1	Pneumococcus	548	288	260	193	165	95	95	0.3	0.3	0.3	0.2	0.2	0.8	0.8
.2	Due to other specified organism	240	136	104	112	76	24	28	0.1	0.1	0.1	0.1	0.1	0.2	0.2
.3	With no organism specified as cause	1,184	674	510	447	339	227	171	0.6	0.7	0.5	0.5	0.4	2.0	1.4
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	49	21	28	14	22	7	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
342	Intracranial and intraspinal abscess	276	172	104	132	90	40	14	0.1	0.2	0.1	0.2	0.1	0.4	0.1
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	415	233	182	181	153	52	29	0.2	0.2	0.2	0.2	0.2	0.5	0.2
344	Late effects of intracranial abscess or pyogenic infection	549	310	238	241	199	69	40	0.3	0.3	0.2	0.3	0.2	0.6	0.3
A	Hydrocephalus not otherwise specified	331	181	150	130	117	51	33	0.2	0.2	0.2	0.2	0.1	0.5	0.3
B	Other late effects of intracranial abscess or pyogenic infection	218	129	89	111	82	18	7	0.1	0.1	0.1	0.1	0.1	0.2	0.1
345	Multiple sclerosis	1,530	607	923	565	858	42	65	0.8	0.6	0.9	0.7	1.0	0.4	0.5
350-357	Other diseases of central nervous system	9,137	5,024	4,113	4,347	3,645	677	468	4.7	5.3	4.2	5.2	4.2	6.1	3.9
350	Paralysis agitans	3,003	1,592	1,411	1,537	1,373	55	38	1.5	1.7	1.4	1.8	1.6	0.5	0.3
351	Cerebral spastic infantile paralysis	690	381	309	321	244	60	65	0.4	0.4	0.3	0.4	0.3	0.5	0.5
352	Other cerebral paralysis	540	294	246	231	205	63	41	0.3	0.3	0.2	0.3	0.2	0.6	0.3
353	Epilepsy	1,881	1,136	745	803	563	333	182	1.0	1.2	0.8	1.0	0.6	3.0	1.5
.0	Petit mal	13	9	4	6	3	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Grand mal	400	251	149	186	121	65	28	0.2	0.3	0.2	0.2	0.1	0.6	0.2
.2	Status epilepticus	489	273	216	179	167	94	49	0.3	0.3	0.2	0.2	0.2	0.8	0.4
.3	Other and unspecified	979	603	376	432	272	171	104	0.5	0.6	0.4	0.5	0.3	1.5	0.9
354	Migraine	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
355	Other diseases of brain	1,322	659	663	565	565	94	98	0.7	0.7	0.7	0.7	0.7	0.8	0.8
356	Motor neuron disease and muscular atrophy	1,438	815	623	773	597	42	26	0.7	0.9	0.6	0.9	0.7	0.4	0.2
.0	Progressive muscular atrophy	104	53	51	48	49	5	2	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.1	Amyotrophic lateral sclerosis	1,225	703	522	666	500	37	22	0.6	0.7	0.5	0.8	0.6	0.3	0.2
.2	Spinal type of muscular atrophy	88	47	41	47	39	-	2	0.0	0.0	0.0	0.1	0.0	-	0.0
.3	Other and unspecified manifestations	21	12	9	12	9	-	-	0.0	0.0	0.0	0.0	0.0	-	-
357	Other diseases of spinal cord	262	146	116	116	98	30	18	0.1	0.2	0.1	0.1	0.1	0.3	0.2
360-369	Diseases of nerves and peripheral ganglia	231	126	105	112	90	14	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1
360	Facial paralysis	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
361	Trigeminal neuralgia	14	3	11	3	11	-	-	0.0	0.0	0.0	0.0	0.0	-	-
362	Brachial neuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
363	Sciatica	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
364	Polyneuritis and polyradiculitis	163	92	71	84	58	8	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
365	Erythredema polyneuritica	-	-	-	-	-	-	-	-	-	-	-	-	-	-
366	Other and unspecified forms of neuralgia and neuritis	15	7	8	7	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-
367	Other diseases of cranial nerves	7	4	3	3	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
368	Other diseases of peripheral nerves except autonomic	26	19	7	14	7	5	-	0.0	0.0	0.0	0.0	0.0	0.0	-
369	Diseases of peripheral autonomic nervous system	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
370-379	Inflammatory diseases of eye	12	7	5	7	3	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
370	Conjunctivitis and ophthalmia	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
371	Blepharitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
372	Hordeolum (sty)	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
373	Iritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
374	Keratitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
375	Choroiditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
376	Other inflammation of uveal tract	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
377	Inflammation of optic nerve and retina	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
378	Inflammation of lachrymal glands and ducts	-	-	-	-	-	-	-	-	-	-	-	-	-	-
379	Other inflammatory diseases of eye	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs—Con.														
380-389	Other diseases and conditions of eye	53	25	28	20	25	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
380	Refractive errors	-	-	-	-	-	-	-	-	-	-	-	-	-	-
381	Corneal ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-
382	Corneal opacity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
383	Pterygium	-	-	-	-	-	-	-	-	-	-	-	-	-	-
384	Strabismus	4	3	1	3	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
385	Cataract	28	11	17	7	15	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
386	Detachment of retina	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
387	Glaucoma	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
388	Other diseases of eye	9	3	6	2	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
389	Blindness	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Blindness, both eyes, specifically defined	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Blindness, both eyes, not specifically defined	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Blindness, one eye, specifically defined	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Blindness, one eye, not specifically defined	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-398	Diseases of ear and mastoid process	241	124	117	97	87	27	30	0.1	0.1	0.1	0.1	0.1	0.2	0.3
390	Otitis externa	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
391	Otitis media without mention of mastoiditis	165	84	81	60	57	24	24	0.1	0.1	0.1	0.1	0.1	0.2	0.2
.0	Acute	16	8	8	5	8	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Chronic	14	9	5	7	4	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	135	67	68	48	45	19	23	0.1	0.1	0.1	0.1	0.1	0.2	0.2
392	Otitis media with mastoiditis	17	9	8	8	6	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Acute	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.1	Chronic	10	6	4	5	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	6	3	3	3	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
393	Mastoiditis without mention of otitis media	48	26	22	24	19	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Acute	8	4	4	3	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Chronic	15	8	7	7	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	25	14	11	14	10	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
394	Other inflammatory diseases of ear	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
395	Ménière's disease	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
396	Other diseases of ear and mastoid process	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
397	Deaf mutism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
398	Other deafness	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Deafness, both ears	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Deafness, one ear, and partial deafness in other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Deafness, one ear	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Impairment of hearing, one or both ears	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	VII. Diseases of the circulatory system														
400-402	Rheumatic fever	483	259	224	202	173	57	51	0.2	0.3	0.2	0.2	0.2	0.5	0.4
400	Rheumatic fever without mention of heart involvement	16	6	10	5	10	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
401	Rheumatic fever with heart involvement	464	252	212	197	161	55	51	0.2	0.3	0.2	0.2	0.2	0.5	0.4
.0	Active rheumatic pericarditis	143	86	57	70	47	16	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Active rheumatic endocarditis	44	19	25	16	19	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.2	Active rheumatic myocarditis	25	12	13	9	10	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Active rheumatic fever with other and multiple types of heart involvement	252	135	117	102	85	33	32	0.1	0.1	0.1	0.1	0.1	0.3	0.3
402	Chorea	3	1	2	-	2	1	-	0.0	0.0	0.0	-	0.0	0.0	-
.0	Without mention of heart involvement	3	1	2	-	2	1	-	0.0	0.0	0.0	-	0.0	0.0	-
.1	With heart involvement	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	VII. Diseases of the circulatory system—Con.														
410-416	Chronic rheumatic heart disease	14,988	6,511	8,477	5,961	7,788	550	689	7.7	6.8	8.6	7.1	9.0	4.9	5.8
410	Diseases of mitral valve	5,999	2,383	3,616	2,211	3,366	172	250	3.1	2.5	3.7	2.6	3.9	1.5	2.1
411	Diseases of aortic valve specified as rheumatic	1,741	1,162	579	1,098	547	64	32	0.9	1.2	0.6	1.3	0.6	0.6	0.3
412	Diseases of tricuspid valve	36	16	20	11	18	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
413	Diseases of pulmonary valve specified as rheumatic	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
414	Other endocarditis specified as rheumatic	762	308	454	288	421	20	33	0.4	0.3	0.5	0.3	0.5	0.2	0.3
415	Other myocarditis specified as rheumatic	209	100	109	88	101	12	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
416	Other heart disease specified as rheumatic	6,239	2,540	3,699	2,263	3,335	277	364	3.2	2.7	3.7	2.7	3.8	2.5	3.1
420-422	Arteriosclerotic and degenerative heart disease	612,471	366,127	246,344	339,972	226,413	26,155	19,931	316.0	384.9	249.6	405.1	260.8	233.7	167.7
420	Arteriosclerotic heart disease, including coronary disease	559,293	340,077	219,216	316,770	201,967	23,307	17,249	288.6	357.5	222.1	377.4	232.6	208.3	145.2
.0	Arteriosclerotic heart disease so described	152,455	75,304	77,151	68,909	71,291	6,395	5,860	78.7	79.2	78.2	82.1	82.1	57.1	49.3
.1	Heart disease specified as involving coronary arteries	406,499	264,577	141,922	247,691	130,557	16,886	11,365	209.7	278.2	143.8	295.1	150.4	150.9	95.6
.2	Angina pectoris without mention of coronary disease	339	196	143	170	119	26	24	0.2	0.2	0.1	0.2	0.1	0.2	0.2
421	Chronic endocarditis not specified as rheumatic	3,963	2,287	1,676	2,015	1,482	272	194	2.0	2.4	1.7	2.4	1.7	2.4	1.6
.0	Of mitral valve, specified as nonrheumatic	147	77	70	66	59	11	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Of aortic valve, not specified as rheumatic	2,347	1,528	819	1,393	741	135	78	1.2	1.6	0.8	1.7	0.9	1.2	0.7
.2	Of tricuspid valve, specified as nonrheumatic	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.3	Of pulmonary valve, not specified as rheumatic	106	60	46	52	42	8	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.4	Other and ill-defined, not specified as rheumatic	1,362	622	740	504	639	118	101	0.7	0.7	0.7	D 0.6	0.7	1.1	0.9
422	Other myocardial degeneration	49,215	23,763	25,452	21,187	22,964	2,576	2,488	25.4	25.0	25.8	25.2	26.4	23.0	20.9
.0	Fatty degeneration	44	15	29	14	27	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	With arteriosclerosis	40,467	19,426	21,041	17,435	19,105	1,991	1,936	20.9	20.4	21.3	20.8	22.0	17.8	16.3
.2	Other	8,704	4,322	4,382	3,738	3,832	584	550	4.5	4.5	4.4	4.5	4.4	5.2	4.6
430-434	Other diseases of heart	29,177	16,197	12,980	13,515	10,835	2,682	2,145	15.1	17.0	13.2	16.1	12.5	24.0	18.1
430	Acute and subacute endocarditis	716	454	262	395	222	59	40	0.4	0.5	0.3	0.5	0.3	0.5	0.3
.0	Acute and subacute bacterial endocarditis	661	424	237	375	201	49	36	0.3	0.4	0.2	0.4	0.2	0.4	0.3
.1	Other acute endocarditis	55	30	25	20	21	10	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
431	Acute myocarditis not specified as rheumatic	996	557	439	456	349	101	90	0.5	0.6	0.4	0.5	0.4	0.9	0.8
432	Acute pericarditis specified as nonrheumatic	93	51	42	38	36	13	6	0.0	0.1	0.0	0.0	0.0	0.1	0.1
433	Functional disease of heart	8,643	4,277	4,366	3,801	3,870	476	496	4.5	4.5	4.4	4.5	4.5	4.3	4.2
.0	Heart block	4,091	2,175	1,916	1,886	1,601	289	315	2.1	2.3	1.9	2.2	1.8	2.6	2.7
.1	Other disorders of heart rhythm	4,524	2,088	2,436	1,901	2,257	187	179	2.3	2.2	2.5	2.3	2.6	1.7	1.5
.2	Other functional diseases of heart	28	14	14	14	12	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
434	Other and unspecified diseases of heart	18,729	10,858	7,871	8,825	6,358	2,033	1,513	9.7	11.4	8.0	10.5	7.3	18.2	12.7
.0	Kyphoscoliotic heart disease	214	94	120	86	110	8	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Congestive heart failure	10,493	5,498	4,995	4,609	4,218	889	777	5.4	5.8	5.1	5.5	4.9	7.9	6.5
.2	Left ventricular failure	545	301	244	258	215	43	29	0.3	0.3	0.2	0.3	0.2	0.4	0.2
.3	Other disease of heart	349	197	152	163	133	34	19	0.2	0.2	0.2	0.2	0.2	0.3	0.2
.4	Unspecified disease of heart	7,128	4,768	2,360	3,709	1,682	1,059	678	3.7	5.0	2.4	4.4	1.9	9.5	5.7
440-443	Hypertensive heart disease	54,968	23,737	31,231	17,770	24,441	5,967	6,790	28.4	25.0	31.6	21.2	28.2	53.3	57.1
440	Essential benign hypertensive heart disease	271	96	175	56	123	40	52	0.1	0.1	0.2	0.1	0.1	0.4	0.4
441	Essential malignant hypertensive heart disease	470	278	192	145	114	133	78	0.2	0.3	0.2	0.2	0.1	1.2	0.7
442	Hypertensive heart disease with arteriolar nephrosclerosis	12,027	5,727	6,300	4,719	5,342	1,008	958	6.2	6.0	6.4	5.6	6.2	9.0	8.1
443	Other and unspecified hypertensive heart disease	42,200	17,636	24,564	12,850	18,862	4,786	5,702	21.8	18.5	24.9	15.3	21.7	42.8	48.0
444-447	Other hypertensive disease	11,667	5,942	5,725	4,624	4,672	1,318	1,053	6.0	6.2	5.8	5.5	5.4	11.8	8.9
444	Essential benign hypertension	2,997	1,193	1,804	934	1,513	259	291	1.5	1.3	1.8	1.1	1.7	2.3	2.4
445	Essential malignant hypertension	1,639	941	698	446	372	495	326	0.8	1.0	0.7	0.5	0.4	4.4	2.7
446	Hypertension with arteriolar nephrosclerosis	6,848	3,727	3,121	3,185	2,709	542	412	3.5	3.9	3.2	3.8	3.1	4.8	3.5
447	Other hypertensive disease without mention of heart	183	81	102	59	78	22	24	0.1	0.1	0.1	0.1	0.1	0.2	0.2

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	VII. Diseases of the circulatory system—Con.														
450-456	Diseases of arteries	53,057	27,175	25,882	25,071	23,810	2,104	2,072	27.4	28.6	28.2	29.9	27.4	18.8	17.4
450	General arteriosclerosis	38,102	17,299	20,803	15,907	19,385	1,392	1,418	19.7	18.2	21.1	19.0	22.3	12.4	11.9
.0	Without mention of gangrene	35,693	16,040	19,653	14,770	18,343	1,270	1,310	18.4	16.9	19.9	17.6	21.1	11.3	11.0
.1	With mention of gangrene as a consequence	2,409	1,259	1,150	1,137	1,042	122	108	1.2	1.3	1.2	1.4	1.2	1.1	0.9
451	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm	10,964	7,911	3,053	7,426	2,756	485	297	5.7	8.3	3.1	8.8	3.2	4.3	2.5
452	Other aneurysm, except of heart and aorta	761	426	335	377	288	49	47	0.4	0.4	0.3	0.4	0.3	0.4	0.4
453	Peripheral vascular disease	205	137	68	120	63	17	5	0.1	0.1	0.1	0.1	0.1	0.2	0.0
.0	Raynaud's disease	16	5	11	5	11	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Thromboangiitis obliterans	71	58	13	48	13	10	-	0.0	0.1	0.0	0.1	0.0	0.1	-
.2	Chilblains	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other	118	74	44	67	39	7	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0
454	Arterial embolism and thrombosis	1,058	595	463	537	413	58	50	0.5	0.6	0.5	0.6	0.5	0.5	0.4
455	Gangrene of unspecified cause	302	159	143	130	114	29	29	0.2	0.2	0.1	0.2	0.1	0.3	0.2
456	Other diseases of arteries	1,665	648	1,017	574	791	74	226	0.9	0.7	1.0	0.7	0.9	0.7	1.9
460-468	Diseases of veins and other diseases of circulatory system	12,324	6,333	5,991	5,427	5,173	906	818	6.4	6.7	6.1	6.5	6.0	8.1	6.9
460	Varicose veins of lower extremities	265	88	177	77	162	11	15	0.1	0.1	0.2	0.1	0.2	0.1	0.1
461	Hemorrhoids	42	31	11	23	10	8	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
462	Varicose veins of other specified sites	413	267	146	244	132	23	14	0.2	0.3	0.1	0.3	0.2	0.2	0.1
.0	Varicocele	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Varicose veins of esophagus	386	254	132	231	119	23	13	0.2	0.3	0.1	0.3	0.1	0.2	0.1
.2	Other	27	13	14	13	13	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
463	Phlebitis and thrombophlebitis of lower extremities	1,359	649	710	574	632	75	78	0.7	0.7	0.7	0.7	0.7	0.7	0.7
464	Phlebitis and thrombophlebitis of other sites	1,109	527	582	465	508	62	74	0.6	0.6	0.6	0.6	0.6	0.6	0.8
465	Pulmonary embolism and infarction	6,066	3,201	2,865	2,701	2,447	500	418	3.1	3.4	2.9	3.2	2.8	4.5	3.5
466	Other venous embolism and thrombosis	2,247	1,111	1,136	951	986	160	150	1.2	1.2	1.2	1.1	1.1	1.4	1.3
467	Other diseases of circulatory system	768	438	330	378	268	60	62	0.4	0.5	0.3	0.5	0.3	0.5	0.5
.0	Hypotension	69	40	29	32	19	8	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	Diseases of capillaries	42	16	26	16	21	-	5	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Other and unspecified circulatory diseases	657	382	275	330	228	52	47	0.3	0.4	0.3	0.4	0.3	0.5	0.4
468	Certain diseases of lymph nodes and lymph channels	55	21	34	14	28	7	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Chronic lymphadenitis	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.1	Nonspecific mesenteric lymphadenitis	15	7	8	3	6	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Lymphadenitis, unqualified	17	7	10	6	10	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.3	Noninfective diseases of lymphatic channels	22	7	15	5	12	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	VIII. Diseases of the respiratory system														
470-475	Acute upper respiratory infections	745	417	328	310	246	107	82	0.4	0.4	0.3	0.4	0.3	1.0	0.7
470	Acute nasopharyngitis (common cold)	68	37	31	13	14	24	17	0.0	0.0	0.0	0.0	0.0	0.2	0.1
471	Acute sinusitis	8	6	2	3	2	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
472	Acute pharyngitis	80	41	39	33	34	8	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Sore throat, unqualified	9	6	3	4	2	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Other	71	35	36	29	32	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
473	Acute tonsillitis	36	17	19	15	11	2	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
474	Acute laryngitis and tracheitis	219	126	93	97	71	29	22	0.1	0.1	0.1	0.1	0.1	0.3	0.2
475	Acute upper respiratory infections of multiple or unspecified sites	334	190	144	149	114	41	30	0.2	0.2	0.1	0.2	0.1	0.4	0.3
480-483	Influenza	2,295	1,084	1,231	881	1,021	183	210	1.2	1.1	1.2	1.0	1.2	1.6	1.8
480	Influenza with pneumonia	1,268	615	653	490	520	125	133	0.7	0.6	0.7	0.6	0.6	1.1	1.1
481	Influenza with other respiratory manifestations, and influenza unqualified	928	406	522	361	460	45	62	0.5	0.4	0.5	0.4	0.5	0.4	0.5
482	Influenza with digestive manifestations, but without respiratory symptoms	64	28	36	18	27	10	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	35	15	20	12	14	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1

274-315 O - 67 - 6

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	VIII. Diseases of the respiratory system—Con.														
490-493	Pneumonia	59,608	33,909	25,699	27,967	21,442	5,942	4,257	30.8	35.7	26.0	33.3	24.7	53.1	35.8
490	Lobar pneumonia	8,955	5,466	3,489	4,378	2,824	1,088	665	4.6	5.7	3.5	5.2	3.3	9.7	5.6
491	Bronchopneumonia	32,719	18,402	14,317	15,535	12,227	2,867	2,090	16.9	19.3	14.5	18.5	14.1	25.6	17.6
492	Primary atypical pneumonia	5,693	3,191	2,502	2,602	2,035	589	467	2.9	3.4	2.5	3.1	2.3	5.3	3.9
493	Pneumonia, other and unspecified	12,241	6,850	5,391	5,452	4,356	1,398	1,035	6.3	7.2	5.5	6.5	5.0	12.5	8.7
500-502	Bronchitis	5,772	4,238	1,534	3,883	1,369	355	165	3.0	4.5	1.6	4.6	1.6	3.2	1.4
500	Acute bronchitis	1,004	599	405	490	337	109	68	0.5	0.6	0.4	0.6	0.4	1.0	0.6
501	Bronchitis, unqualified	746	416	330	330	270	86	60	0.4	0.4	0.3	0.4	0.3	0.8	0.5
502	Chronic bronchitis	4,022	3,223	799	3,063	762	160	37	2.1	3.4	0.8	3.6	0.9	1.4	0.3
.0	Bronchitis with emphysema	3,157	2,644	513	2,535	492	109	21	1.6	2.8	0.5	3.0	0.6	1.0	0.2
.1	Other	865	579	286	528	270	51	16	0.4	0.6	0.3	0.6	0.3	0.5	0.1
510-527	Other diseases of respiratory system	31,349	24,597	6,752	22,700	6,043	1,897	709	16.2	25.9	6.8	27.0	7.0	17.0	6.0
510	Hypertrophy of tonsils and adenoids	77	35	42	32	34	3	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.0	Without mention of tonsillectomy or adenoidectomy	6	3	3	3	1	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	With tonsillectomy or adenoidectomy	71	32	39	29	33	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
511	Peritonsillar abscess (quinsy)	13	7	6	5	5	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
512	Chronic pharyngitis and nasopharyngitis	4	2	2	2	-	-	2	0.0	0.0	0.0	0.0	-	-	0.0
.0	Chronic pharyngitis	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Chronic nasopharyngitis	3	1	2	1	-	-	2	0.0	0.0	0.0	0.0	-	-	0.0
513	Chronic sinusitis	69	40	29	27	27	13	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
514	Deflected nasal septum	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
515	Nasal polyp	4	3	1	1	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
516	Chronic laryngitis	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
517	Other diseases of upper respiratory tract	199	111	88	90	75	21	13	0.1	0.1	0.1	0.1	0.1	0.2	0.1
518	Empyema	267	195	72	153	59	42	13	0.1	0.2	0.1	0.2	0.1	0.4	0.1
519	Pleurisy	183	113	70	88	62	25	8	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.0	Without mention of effusion or tuberculosis	90	54	36	39	33	15	3	0.0	0.1	0.0	0.0	0.0	0.1	0.0
.1	With effusion, with mention of a bacterial cause other than tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other specified forms of effusion, except tuberculous	93	59	34	49	29	10	5	0.0	0.1	0.0	0.1	0.0	0.1	0.0
520	Spontaneous pneumothorax	115	89	26	71	24	18	2	0.1	0.1	0.0	0.1	0.0	0.2	0.0
521	Abscess of lung	601	440	161	333	124	107	37	0.3	0.5	0.2	0.4	0.1	1.0	0.3
522	Pulmonary congestion and hypostasis	1,701	837	864	692	768	145	96	0.9	0.9	0.9	0.8	0.9	1.3	0.8
523	Pneumoconiosis due to silica and silicates (occupational)	1,544	1,527	17	1,470	17	57	-	0.8	1.6	0.0	1.8	0.0	0.5	-
.0	Silicosis	443	431	12	405	12	26	-	0.2	0.5	0.0	0.5	0.0	0.2	-
.1	Anthracosilicosis	900	898	2	889	2	9	-	0.5	0.9	0.0	1.1	0.0	0.1	-
.2	Asbestosis	22	20	2	18	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.3	Other, including pneumoconiosis unspecified	179	178	1	158	1	20	-	0.1	0.2	0.0	0.2	0.0	0.2	-
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	52	42	10	41	10	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
525	Other chronic interstitial pneumonia	4,223	2,673	1,550	2,299	1,276	374	274	2.2	2.8	1.6	2.7	1.5	3.3	2.3
526	Bronchiectasis	1,708	1,094	614	997	590	97	24	0.9	1.2	0.6	1.2	0.7	0.9	0.2
527	Other diseases of lung and pleural cavity	20,587	17,388	3,199	16,398	2,970	990	229	10.6	18.3	3.2	19.5	3.4	8.8	1.9
.0	Pulmonary collapse (1 year and over)	192	96	96	73	86	23	10	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.1	Emphysema without mention of bronchitis	18,684	16,151	2,513	15,367	2,397	784	116	9.6	17.0	2.5	18.3	2.8	7.0	1.0
.2	Other	1,731	1,141	590	958	487	183	103	0.9	1.2	0.6	1.1	0.6	1.6	0.9
	IX. Diseases of the digestive system														
530-539	Diseases of buccal cavity and esophagus	948	544	404	497	357	47	47	0.5	0.6	0.4	0.6	0.4	0.4	0.4
530	Dental caries	7	4	3	3	1	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Dental caries, unqualified	5	3	2	3	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	With pulp exposure	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	IX. Diseases of the digestive system—Con.														
	Diseases of buccal cavity and esophagus—Con.														
530	Dental caries—Con.														
.2	With periapical abscess	2	1	1	-	-	1	1	0.0	0.0	0.0	-	-	0.0	0.0
.3	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531	Abscesses of supporting structures of teeth	17	8	9	5	6	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Pericoronal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Periodontal (parietal)	6	4	2	2	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Other and unspecified	11	4	7	3	4	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
532	Other inflammatory diseases of supporting structures of teeth	10	7	3	6	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Gingivitis, except ulcerative	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Periodontitis (pyorrhea, inflammatory)	3	2	1	1	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0
.2	Periodontosis (pyorrhea, degenerative)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other	5	4	1	4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
533	Disorders of occlusion, eruption, and tooth development	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.0	Malocclusion	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Disorders of first dentition	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Impacted teeth	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unerupted teeth	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Partially erupted teeth	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Congential anomalies of teeth	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Chronic dental fluorosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
534	Toothache from unspecified cause	-	-	-	-	-	-	-	-	-	-	-	-	-	-
535	Other diseases of teeth and supporting structures	35	17	18	14	12	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
536	Stomatitis	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
537	Diseases of salivary glands	99	28	71	28	65	-	6	0.1	0.0	0.1	0.0	0.1	-	0.1
538	Other diseases of buccal cavity	24	12	12	10	9	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
539	Diseases of esophagus	752	466	286	429	260	37	26	0.4	0.5	0.3	0.5	0.3	0.3	0.2
.0	Functional disorders of esophagus	52	28	24	24	21	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Other	700	438	262	405	239	33	23	0.4	0.5	0.3	0.5	0.3	0.3	0.2
540–545	Diseases of stomach and duodenum	11,791	8,263	3,528	7,529	3,203	734	325	6.1	8.7	3.6	9.0	3.7	6.6	2.7
540	Ulcer of stomach	5,403	3,633	1,770	3,266	1,611	367	159	2.8	3.8	1.8	3.9	1.9	3.3	1.3
.0	Without mention of perforation	3,571	2,423	1,148	2,187	1,063	236	85	1.8	2.5	1.2	2.6	1.2	2.1	0.7
.1	With perforation	1,832	1,210	622	1,079	548	131	74	0.9	1.3	0.6	1.3	0.6	1.2	0.6
541	Ulcer of duodenum	5,021	3,728	1,293	3,488	1,191	260	102	2.6	3.9	1.3	4.1	1.4	2.3	0.9
.0	Without mention of perforation	3,075	2,301	774	2,148	723	153	51	1.6	2.4	0.8	2.6	0.8	1.4	0.4
.1	With perforation	1,946	1,427	519	1,320	468	107	51	1.0	1.5	0.5	1.6	0.5	1.0	0.4
542	Gastrojejunal ulcer	241	173	68	159	60	14	8	0.1	0.2	0.1	0.2	0.1	0.1	0.1
.0	Without mention of perforation	159	116	43	108	38	8	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.1	With perforation	82	57	25	51	22	6	3	0.0	0.1	0.0	0.1	0.0	0.1	0.0
543	Gastritis and duodenitis	456	290	166	257	136	33	30	0.2	0.3	0.2	0.3	0.2	0.3	0.3
544	Disorders of function of stomach	125	70	55	56	45	14	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Disorders of gastric secretion	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Disorders of gastric motility	76	46	30	39	25	7	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.2	Other	46	23	23	16	18	7	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
545	Other diseases of stomach and duodenum	545	369	176	323	160	46	16	0.3	0.4	0.2	0.4	0.2	0.4	0.1
550–553	Appendicitis	1,694	1,072	622	895	519	177	103	0.9	1.1	0.6	1.1	0.6	1.6	0.9
550	Acute appendicitis	1,564	991	573	827	476	164	97	0.8	1.0	0.6	1.0	0.5	1.5	0.8
.0	Without mention of peritonitis	146	95	51	85	45	10	6	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	With peritonitis	1,418	896	522	742	431	154	91	0.7	0.9	0.5	0.9	0.5	1.4	0.8
551	Appendicitis, unqualified	117	71	46	61	41	10	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0
552	Other appendicitis	5	3	2	1	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
553	Other diseases of appendix	8	7	1	6	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	IX. Diseases of the digestive system—Con.														
560,561	Hernia of abdominal cavity	3,277	1,695	1,582	1,519	1,436	176	146	1.7	1.8	1.6	1.8	1.7	1.6	1.2
560	Hernia of abdominal cavity without mention of obstruction	1,390	729	661	663	602	66	59	0.7	0.8	0.7	0.8	0.7	0.6	0.5
.0	Inguinal	125	113	12	90	10	23	2	0.1	0.1	0.0	0.1	0.0	0.2	0.0
.1	Femoral	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Umbilical	222	111	111	98	97	13	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.3	Ventral (incisional)	126	48	78	46	69	2	9	0.1	0.1	0.1	0.1	0.1	0.0	0.1
.4	Of other specified site	820	386	434	363	405	23	29	0.4	0.4	0.4	0.4	0.5	0.2	0.2
.5	Of unspecified site	92	69	23	64	18	5	5	0.0	0.1	0.0	0.1	0.0	0.0	0.0
561	Hernia of abdominal cavity with obstruction	1,887	966	921	856	834	110	87	1.0	1.0	0.9	1.0	1.0	1.0	0.7
.0	Inguinal	553	462	91	394	85	68	6	0.3	0.5	0.1	0.5	0.1	0.6	0.1
.1	Femoral	200	52	148	52	141	-	7	0.1	0.1	0.1	0.1	0.2	-	0.1
.2	Umbilical	238	72	166	67	135	5	31	0.1	0.1	0.2	0.1	0.2	0.0	0.3
.3	Ventral (incisional)	310	66	244	59	218	7	26	0.2	0.1	0.2	0.1	0.3	0.1	0.2
.4	Of other specified site	246	104	142	91	134	13	8	0.1	0.1	0.1	0.1	0.2	0.1	0.1
.5	Of unspecified site	340	210	130	193	121	17	9	0.2	0.2	0.1	0.2	0.1	0.2	0.1
570-578	Other diseases of intestines and peritoneum	19,020	9,169	9,851	7,633	8,445	1,536	1,406	9.8	9.6	10.0	9.1	9.7	13.7	11.8
570	Intestinal obstruction without mention of hernia	6,726	2,973	3,753	2,565	3,327	408	426	3.5	3.1	3.8	3.1	3.8	3.6	3.6
.0	Intussusception	95	58	37	42	30	16	7	0.0	0.1	0.0	0.1	0.0	0.1	0.1
.1	Paralytic ileus	282	127	155	104	136	23	19	0.1	0.1	0.2	0.1	0.2	0.2	0.2
.2	Mesenteric infarction	2,497	1,138	1,359	1,035	1,227	103	132	1.3	1.2	1.4	1.2	1.4	0.9	1.1
.3	Volvulus	1,051	554	497	462	443	92	54	0.5	0.6	0.5	0.6	0.5	0.8	0.5
.4	Impaction of intestine	206	70	136	68	129	2	7	0.1	0.1	0.1	0.1	0.1	0.0	0.1
.5	Other	2,595	1,026	1,569	854	1,362	172	207	1.3	1.1	1.6	1.0	1.6	1.5	1.7
571	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	3,443	1,781	1,662	1,100	1,099	681	563	1.8	1.9	1.7	1.3	1.3	6.1	4.7
.0	Ages between 4 weeks and 2 years	1,903	1,076	827	515	372	561	455	1.0	1.1	0.8	0.6	0.4	5.0	3.8
.1	Ages 2 years and over	1,540	705	835	585	727	120	108	0.8	0.7	0.8	0.7	0.8	1.1	0.9
572	Chronic enteritis and ulcerative colitis	4,000	1,731	2,269	1,636	2,123	95	146	2.1	1.8	2.3	1.9	2.4	0.8	1.2
.0	Regional enteritis	220	110	110	102	107	8	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.1	Diverticulitis	2,852	1,197	1,655	1,145	1,551	52	104	1.5	1.3	1.7	1.4	1.8	0.5	0.9
.2	Ulcerative colitis	834	384	450	358	420	26	30	0.4	0.4	0.5	0.4	0.5	0.2	0.3
.3	Other	94	40	54	31	45	9	9	0.0	0.0	0.1	0.0	0.1	0.1	0.1
573	Functional disorders of intestines	39	12	27	11	24	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Constipation	6	2	4	1	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Mucous colitis	7	-	7	-	4	-	3	0.0	-	0.0	-	0.0	-	0.0
.2	Irritability of colon	6	1	5	1	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other	20	9	11	9	11	-	-	0.0	0.0	0.0	0.0	0.0	-	-
574	Anal fissure and fistula	6	4	2	3	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
575	Abscess of anal and rectal regions	79	52	27	39	22	13	5	0.0	0.1	0.0	0.0	0.0	0.1	0.0
576	Peritonitis	831	445	386	383	328	62	60	0.4	0.5	0.4	0.5	0.4	0.6	0.5
577	Peritoneal adhesion	62	25	37	22	38	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
578	Other diseases of intestines and peritoneum	3,834	2,146	1,688	1,874	1,488	272	202	2.0	2.3	1.7	2.2	1.7	2.4	1.7
580-587	Diseases of liver, gallbladder, and pancreas	35,170	21,019	14,151	18,481	12,308	2,538	1,843	18.1	22.1	14.3	22.0	14.2	22.7	15.5
580	Acute and subacute yellow atrophy of liver	463	220	243	189	211	31	32	0.2	0.2	0.2	0.2	0.2	0.3	0.3
581	Cirrhosis of liver	24,715	15,984	8,731	13,931	7,409	2,053	1,322	12.8	16.8	8.8	16.8	8.5	18.3	11.1
.0	Without mention of alcoholism	16,286	10,249	6,037	9,053	5,226	1,196	811	8.4	10.8	6.1	10.8	6.0	10.7	6.8
.1	With alcoholism	8,429	5,735	2,694	4,878	2,183	857	511	4.3	6.0	2.7	5.8	2.5	7.7	4.3
582	Suppurative hepatitis and liver abscess	131	74	57	57	44	17	13	0.1	0.1	0.1	0.1	0.1	0.2	0.1
583	Other diseases of liver	1,068	534	534	462	453	72	81	0.6	0.6	0.5	0.6	0.5	0.6	0.7
584	Cholelithiasis	2,957	1,241	1,716	1,207	1,626	34	90	1.5	1.3	1.7	1.4	1.9	0.3	0.8
585	Cholecystitis and cholangitis, without mention of calculi	1,709	719	990	676	907	43	83	0.9	0.8	1.0	0.8	1.0	0.4	0.7
586	Other diseases of gallbladder and biliary ducts	1,297	550	747	515	695	35	52	0.7	0.6	0.8	0.6	0.8	0.3	0.4

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	IX. Diseases of the digestive system—Con. Diseases of liver, gallbladder, and pancreas—Con.														
587	Diseases of pancreas	2,830	1,697	1,133	1,444	963	253	170	1.5	1.8	1.1	1.7	1.1	2.3	1.4
.0	Acute pancreatitis	2,429	1,443	986	1,227	840	216	146	1.3	1.5	1.0	1.5	1.0	1.9	1.2
.1	Chronic pancreatitis	270	175	95	146	79	29	16	0.1	0.2	0.1	0.2	0.1	0.3	0.1
.2	Other diseases of pancreas	131	79	52	71	44	8	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	X. Diseases of the genitourinary system														
590-594	Nephritis and nephrosis	11,920	6,623	5,297	5,143	4,033	1,480	1,264	6.2	7.0	5.4	6.1	4.8	13.2	10.6
590	Acute nephritis	547	294	253	207	189	87	64	0.3	0.3	0.3	0.2	0.2	0.8	0.5
591	Nephritis with edema, including nephrosis	778	436	342	352	269	84	73	0.4	0.5	0.3	0.4	0.3	0.8	0.6
592	Chronic nephritis	7,497	4,196	3,301	3,287	2,534	909	767	3.9	4.4	3.3	3.9	2.9	8.1	6.5
593	Nephritis not specified as acute or chronic	2,965	1,608	1,357	1,222	1,006	386	351	1.5	1.7	1.4	1.5	1.2	3.4	3.0
594	Other renal sclerosis	133	89	44	75	35	14	9	0.1	0.1	0.0	0.1	0.0	0.1	0.1
600-609	Other diseases of urinary system	13,969	7,156	6,813	5,821	5,644	1,335	1,169	7.2	7.5	6.9	6.9	6.5	11.9	9.8
600	Infections of kidney	9,813	4,652	5,161	3,775	4,204	877	957	5.1	4.9	5.2	4.5	4.8	7.8	8.1
.0	Pyelitis, pyelocystitis, and pyelonephritis	9,586	4,540	5,046	3,684	4,107	856	939	4.9	4.8	5.1	4.4	4.7	7.6	7.9
.1	Abscess of kidney and perirenal tissue	125	54	71	47	62	7	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Other	102	58	44	44	35	14	9	0.1	0.1	0.0	0.1	0.0	0.1	0.1
601	Hydronephrosis	268	160	108	143	91	17	17	0.1	0.2	0.1	0.2	0.1	0.2	0.1
602	Calculi of kidney and ureter	1,105	558	547	506	483	52	64	0.6	0.6	0.6	0.6	0.6	0.5	0.5
603	Other diseases of kidney and ureter	1,007	595	412	475	329	120	83	0.5	0.6	0.4	0.6	0.4	1.1	0.7
604	Calculi of other parts of urinary system	100	75	25	65	22	10	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
605	Cystitis	372	224	148	192	140	32	8	0.2	0.2	0.1	0.2	0.2	0.3	0.1
606	Other diseases of bladder	298	229	69	188	60	41	9	0.2	0.2	0.1	0.2	0.1	0.4	0.1
607	Urethritis (nonvenereal)	13	11	2	6	2	5	-	0.0	0.0	0.0	0.0	0.0	0.0	-
608	Stricture of urethra	177	172	5	91	5	81	-	0.1	0.2	0.0	0.1	0.0	0.7	-
609	Other diseases of urethra	816	480	336	380	308	100	28	0.4	0.5	0.3	0.5	0.4	0.9	0.2
610-617	Diseases of male genital organs	3,935	3,935	...	3,390	...	545	...	2.0	4.1	...	4.0	...	4.9	...
610	Hyperplasia of prostate	3,413	3,413	...	2,953	...	460	...	1.8	3.6	...	3.5	...	4.1	...
611	Prostatitis	214	214	...	175	...	39	...	0.1	0.2	...	0.2	...	0.3	...
612	Other diseases of prostate	187	187	...	170	...	17	...	0.1	0.2	...	0.2	...	0.2	...
613	Hydrocele	8	8	...	5	...	3	...	0.0	0.0	...	0.0	...	0.0	...
614	Orchitis and epididymitis	18	18	...	15	...	3	...	0.0	0.0	...	0.0	...	0.0	...
615	Redundant prepuce and phimosis	5	5	...	5	...	-	...	0.0	0.0	...	0.0	...	-	...
616	Sterility, male	-	-	...	-	...	-	...	-	-	...	-	...	-	...
617	Other diseases of male genital organs	90	90	...	67	...	23	...	0.0	0.1	...	0.1	...	0.2	...
620-626	Diseases of breast, ovary, fallopian tube, and parametrium	240	1	239	1	144	-	95	0.1	0.0	0.2	0.0	0.2	-	0.8
620	Chronic cystic disease of breast	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
621	Other diseases of breast	5	-	5	-	5	-	-	0.0	-	0.0	-	0.0	-	-
.0	Acute mastitis not associated with lactation	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.1	Hypertrophy of breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other	4	-	4	-	4	-	-	0.0	-	0.0	-	0.0	-	-
622	Acute salpingitis and oophoritis	8	...	8	...	5	...	3	0.0	...	0.0	...	0.0	...	0.0
623	Chronic salpingitis and oophoritis	2	...	2	...	-	...	2	0.0	...	0.0	...	-	...	0.0
624	Salpingitis and oophoritis, unqualified	65	...	65	...	28	...	37	0.0	...	0.1	...	0.0	...	0.3
625	Other diseases of ovary and fallopian tube	17	...	17	...	14	...	3	0.0	...	0.0	...	0.0	...	0.0
626	Diseases of parametrium and pelvic peritoneum (female)	142	...	142	...	92	...	50	0.1	...	0.1	...	0.1	...	0.4
630-637	Diseases of uterus and other female genital organs	391	...	391	...	312	...	79	0.2	...	0.4	...	0.4	...	0.7
630	Infective disease of uterus, vagina, and vulva	43	...	43	...	29	...	14	0.0	...	0.0	...	0.0	...	0.1
.0	Cervicitis	6	...	6	...	6	...	-	0.0	...	0.0	...	0.0	...	-
.1	Other infective diseases of uterus	33	...	33	...	19	...	14	0.0	...	0.0	...	0.0	...	0.1
.2	Vaginitis and vulvitis	4	...	4	...	4	...	-	0.0	...	0.0	...	0.0	...	

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	X. Diseases of the genitourinary system—Con. Diseases of uterus and other female genital organs—Con.														
631	Uterovaginal prolapse	88	...	88	...	79	...	9	0.0	...	0.1	...	0.1	...	0.1
632	Malposition of uterus	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
633	Other diseases of uterus	189	...	189	...	139	...	50	0.1	...	0.2	...	0.2	...	0.4
634	Disorders of menstruation	15	...	15	...	13	...	2	0.0	...	0.0	...	0.0	...	0.0
635	Menopausal symptoms	-	...	-	...	-	...	-	-	...	-	...	-	...	-
636	Sterility, female	-	...	-	...	-	...	-	-	...	-	...	-	...	-
637	Other diseases of female genital organs	55	...	55	...	51	...	4	0.0	...	0.1	...	0.1	...	0.0
.0	Leukorrhea	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Other	55	...	55	...	51	...	4	0.0	...	0.1	...	0.1	...	0.0
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium														
640-649	Complications of pregnancy	369	...	369	...	196	...	173	0.2	...	0.4	...	0.2	...	1.5
640	Pyelitis and pyelonephritis of pregnancy	6	...	6	...	5	...	1	0.0	...	0.0	...	0.0	...	0.0
641	Other infections of genitourinary tract during pregnancy	6	...	6	...	2	...	4	0.0	...	0.0	...	0.0	...	0.0
642	Toxemias of pregnancy	197	...	197	...	103	...	94	0.1	...	0.2	...	0.1	...	0.8
.0	Hypertensive disease arising during pregnancy	22	...	22	...	4	...	18	0.0	...	0.0	...	0.0	...	0.2
.1	Renal disease arising during pregnancy	8	...	8	...	4	...	4	0.0	...	0.0	...	0.0	...	0.0
.2	Preeclampsia of pregnancy	24	...	24	...	16	...	8	0.0	...	0.0	...	0.0	...	0.1
.3	Eclampsia of pregnancy	78	...	78	...	37	...	41	0.0	...	0.1	...	0.0	...	0.3
.4	Hyperemesis gravidarum	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0
.5	Other	64	...	64	...	42	...	22	0.0	...	0.1	...	0.0	...	0.2
643	Placenta previa	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
644	Other hemorrhage of pregnancy	6	...	6	...	3	...	3	0.0	...	0.0	...	0.0	...	0.0
645	Ectopic pregnancy	70	...	70	...	27	...	43	0.0	...	0.1	...	0.0	...	0.4
.0	Without mention of sepsis	57	...	57	...	23	...	34	0.0	...	0.1	...	0.0	...	0.3
.1	With sepsis	13	...	13	...	4	...	9	0.0	...	0.0	...	0.0	...	0.1
646	Anemia of pregnancy	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0
647	Pregnancy with malposition of fetus in uterus	-	...	-	...	-	...	-	-	...	-	...	-	...	-
648	Other complications arising from pregnancy	82	...	82	...	55	...	27	0.0	...	0.1	...	0.1	...	0.2
.0	Threatened abortion	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Hydatidiform mole	6	...	6	...	4	...	2	0.0	...	0.0	...	0.0	...	0.0
.2	Placental abnormalities not classified elsewhere	2	...	2	...	1	...	1	0.0	...	0.0	...	0.0	...	0.0
.3	Other	74	...	74	...	50	...	24	0.0	...	0.1	...	0.1	...	0.2
650-652	Abortion	235	...	235	...	106	...	129	0.1	...	0.2	...	0.1	...	1.1
650	Abortion without mention of sepsis or toxemia	67	...	67	...	29	...	38	0.0	...	0.1	...	0.0	...	0.3
.0	Spontaneous or unspecified	27	...	27	...	11	...	16	0.0	...	0.0	...	0.0	...	0.1
.1	Induced for medical or legal indications	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.2	Induced for other reasons	37	...	37	...	17	...	20	0.0	...	0.0	...	0.0	...	0.2
.3	Other	2	...	2	...	-	...	2	0.0	...	0.0	...	-	...	0.0
651	Abortion with sepsis	158	...	158	...	74	...	84	0.1	...	0.2	...	0.1	...	0.7
.0	Spontaneous or unspecified	98	...	98	...	45	...	53	0.1	...	0.1	...	0.1	...	0.4
.1	Induced for medical or legal indications	3	...	3	...	3	...	-	0.0	...	0.0	...	0.0	...	-
.2	Induced for other reasons	55	...	55	...	26	...	29	0.0	...	0.1	...	0.0	...	0.2
.3	Other	2	...	2	...	-	...	2	0.0	...	0.0	...	-	...	0.0
652	Abortion with toxemia, without mention of sepsis	10	...	10	...	3	...	7	0.0	...	0.0	...	0.0	...	0.1
.0	Spontaneous or unspecified	6	...	6	...	1	...	5	0.0	...	0.0	...	0.0	...	0.0
.1	Induced for medical or legal indications	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Induced for other reasons	3	...	3	...	2	...	1	0.0	...	0.0	...	0.0	...	0.0
.3	Other	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0
660	Delivery without mention of complication	29	...	29	...	17	...	12	0.0	...	0.0	...	0.0	...	0.1

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium—Con.														
670-678	Delivery with specified complication	363	...	363	...	229	...	134	0.2	...	0.4	...	0.3	...	1.1
670	Delivery complicated by placenta previa or antepartum hemorrhage	77	...	77	...	48	...	29	0.0	...	0.1	...	0.1	...	0.2
671	Delivery complicated by retained placenta	17	...	17	...	10	...	7	0.0	...	0.0	...	0.0	...	0.1
672	Delivery complicated by other postpartum hemorrhage	86	...	86	...	57	...	29	0.0	...	0.1	...	0.1	...	0.2
673	Delivery complicated by abnormality of bony pelvis	2	...	2	...	2	...	-	0.0	...	0.0	...	0.0	...	-
674	Delivery complicated by disproportion or malposition of fetus	29	...	29	...	18	...	11	0.0	...	0.0	...	0.0	...	0.1
675	Delivery complicated by prolonged labor of other origin	9	...	9	...	5	...	4	0.0	...	0.0	...	0.0	...	0.0
676	Delivery with laceration of perineum, without mention of other laceration	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0
677	Delivery with other trauma	54	...	54	...	34	...	20	0.0	...	0.1	...	0.0	...	0.2
678	Delivery with other complications of childbirth	88	...	88	...	55	...	33	0.0	...	0.1	...	0.1	...	0.3
680-689	Complications of the puerperium	193	...	193	...	108	...	85	0.1	...	0.2	...	0.1	...	0.7
680	Puerperal urinary infection without other sepsis	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0
681	Sepsis of childbirth and the puerperium	52	...	52	...	31	...	21	0.0	...	0.1	...	0.0	...	0.2
682	Puerperal phlebitis and thrombosis	36	...	36	...	18	...	18	0.0	...	0.0	...	0.0	...	0.2
683	Pyrexia of unknown origin during the puerperium	-	...	-	...	-	...	-	-	...	-	...	-	...	-
684	Puerperal pulmonary embolism	47	...	47	...	30	...	17	0.0	...	0.0	...	0.0	...	0.1
685	Puerperal eclampsia	12	...	12	...	3	...	9	0.0	...	0.0	...	0.0	...	0.1
686	Other forms of puerperal toxemia	2	...	2	...	2	...	-	0.0	...	0.0	...	0.0	...	-
687	Cerebral hemorrhage in the puerperium	22	...	22	...	13	...	9	0.0	...	0.0	...	0.0	...	0.1
688	Other and unspecified complication of the puerperium	20	...	20	...	10	...	10	0.0	...	0.0	...	0.0	...	0.1
.0	Anemia of puerperium	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Puerperal psychosis	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.2	Sudden death from unknown cause in the puerperium	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.3	Other	19	...	19	...	9	...	10	0.0	...	0.0	...	0.0	...	0.1
689	Mastitis and other disorders of lactation	1	...	1	..	1	...	-	0.0	...	0.0	...	0.0	...	-
	XII. Diseases of the skin and cellular tissue														
690-698	Infections of skin and subcutaneous tissue	481	249	232	197	191	52	41	0.2	0.3	0.2	0.2	0.2	0.5	0.3
690	Boil and carbuncle	36	22	14	19	13	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Of face	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Of neck	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Of trunk	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.3	Of upper arm and forearm	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Of hand	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Of buttock	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Of other parts of lower extremity	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
.7	Of other and multiple sites	19	10	9	9	8	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Of unspecified site	6	5	1	4	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
691	Cellulitis of finger and toe	3	2	1	1	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0
692	Other cellulitis and abscess without mention of lymphangitis	347	173	174	140	145	33	29	0.2	0.2	0.2	0.2	0.2	0.3	0.2
.0	Of head and neck	48	18	30	12	27	6	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	Of trunk	86	51	35	43	28	8	7	0.0	0.1	0.0	0.1	0.0	0.1	0.1
.2	Of upper arm and forearm	17	9	8	8	8	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.3	Of hand, except fingers	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Of leg	116	51	65	41	51	10	14	0.1	0.1	0.1	0.0	0.1	0.1	0.1
.5	Of foot, except toes	9	6	3	4	3	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.6	Of other, multiple, and unspecified sites	69	37	32	31	27	6	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
693	Other cellulitis and abscess with lymphangitis	9	7	2	6	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Of head and neck	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Of trunk	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Of upper arm and forearm	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XII. Diseases of the skin and cellular tissue—Con.														
	Infections of skin and subcutaneous tissue—Con.														
693	Other cellulitis and abscess with lymphangitis—Con.														
.3	Of hand, except fingers	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Of leg	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.5	Of foot, except toes	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Of other, multiple, and unspecified sites	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
694	Acute lymphadenitis	3	-	3	-	1	-	2	0.0	-	0.0	-	0.0	-	0.0
695	Impetigo	6	2	4	-	1	2	3	0.0	0.0	0.0	-	0.0	0.0	0.0
696	Infectious warts	-	-	-	-	-	-	-	-	-	-	-	-	-	-
697	Molluscum contagiosum	-	-	-	-	-	-	-	-	-	-	-	-	-	-
698	Other local infections of skin and subcutaneous tissue	77	43	34	31	29	12	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
700-716	Other diseases of skin and subcutaneous tissue	1,704	540	1,164	426	924	114	240	0.9	0.6	1.2	0.5	1.1	1.0	2.0
700	Seborrheic dermatitis	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
701	Eczema	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
702	Occupational dermatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Due to plants	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Due to oils and greases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Due to solvents	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Due to drugs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Due to other chemicals	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Due to radiation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
703	Other dermatitis	22	7	15	6	10	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Due to plants	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Due to oils and greases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Due to solvents	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Due to drugs	5	2	3	1	-	1	3	0.0	0.0	0.0	0.0	-	0.0	0.0
.4	Due to other chemicals	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Due to radiation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Due to other specified agents	4	1	3	1	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.7	Unqualified	13	4	9	4	8	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
704	Pemphigus	110	37	73	27	63	10	10	0.1	0.0	0.1	0.0	0.1	0.1	0.1
.0	Dermatitis and herpetiformis	4	4	-	3	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.1	Other	106	33	73	24	63	9	10	0.1	0.0	0.1	0.0	0.1	0.1	0.1
705	Erythematous conditions	392	93	299	80	237	13	62	0.2	0.1	0.3	0.1	0.3	0.1	0.5
.0	Toxic erythema	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Erythema multiforme (erythema iris)	20	6	14	5	9	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Erythema nodosum	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.3	Rosacea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Lupus erythematosus	322	61	261	53	209	8	52	0.2	0.1	0.3	0.1	0.2	0.1	0.4
.5	Other and unqualified	48	26	22	22	17	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
706	Psoriasis and similar disorders	15	7	8	6	7	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Psoriasis	15	7	8	6	7	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Parapsoriasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Pityriasis rosea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other and unspecified pityriasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
707	Lichen planus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
708	Pruritus and related conditions	4	2	2	1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Pruritus ani	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.1	Pruritus of genital organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Prurigo	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Lichenification and lichen simplex chronicus	3	2	1	1	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0
.4	Dermatitis factitia (artefacta)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Other pruritic conditions	-	-	-	-	-	-	-	-	-	-	-	-	-	-
709	Corns and callosities	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XII. Diseases of the skin and cellular tissue—Con.														
	Other diseases of skin and subcutaneous tissue—Con.														
710	Other hypertrophic and atrophic conditions of skin	525	149	376	120	297	29	79	0.3	0.2	0.4	0.1	0.3	0.3	0.7
.0	Scleroderma and dermatomyositis	522	146	376	118	297	28	79	0.3	0.2	0.4	0.1	0.3	0.3	0.7
.1	Keratoderma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Hereditary edema of legs (Milroy's disease)	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.3	Striae atrophicae	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Keloid scar	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Other hypertrophic and atrophic conditions of skin	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
711	Other dermatoses	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
712	Diseases of nail	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
713	Diseases of hair and hair follicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-
714	Diseases of sweat and sebaceous glands	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.0	Diseases of sweat glands	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.1	Acne	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other diseases of sebaceous glands	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
715	Chronic ulcer of skin	616	230	386	176	305	54	81	0.3	0.2	0.4	0.2	0.4	0.5	0.7
716	Other diseases of skin	14	11	3	7	2	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	XIII. Diseases of the bones and organs of movement														
720-727	Arthritis and rheumatism, except rheumatic fever	2,071	724	1,347	671	1,256	53	91	1.1	0.8	1.4	0.8	1.4	0.5	0.8
720	Acute arthritis due to pyogenic organisms	35	17	18	13	16	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
721	Acute nonpyogenic arthritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
722	Rheumatoid arthritis and allied conditions	1,386	471	915	453	868	18	47	0.7	0.5	0.9	0.5	1.0	0.2	0.4
.0	Rheumatoid arthritis	1,350	443	907	427	861	16	46	0.7	0.5	0.9	0.5	1.0	0.1	0.4
.1	Spondylitis ankylopoietica	36	28	8	26	7	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Chronic rheumatoid nodular fibrositis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
723	Osteoarthritis (arthrosis) and allied conditions	282	112	170	100	163	12	7	0.1	0.1	0.2	0.1	0.2	0.1	0.1
.0	Osteoarthritis (arthrosis)	245	83	162	81	156	2	6	0.1	0.1	0.2	0.1	0.2	0.0	0.1
.1	Spondylitis osteoarthritica (spondylarthrosis)	37	29	8	19	7	10	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.2	Adult osteochondrosis of spine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
724	Other specified forms of arthritis	10	4	6	4	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
725	Arthritis, unspecified	287	99	188	85	160	14	28	0.1	0.1	0.2	0.1	0.2	0.1	0.2
726	Muscular rheumatism	61	17	44	13	39	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Lumbago	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Myofibrosis of humeroscapular region	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Torticollis not specified as congenital, psychogenic, or traumatic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other muscular rheumatism, fibrositis, and myalgia	61	17	44	13	39	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
727	Rheumatism, unspecified	10	4	6	3	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
730-738	Osteomyelitis and other diseases of bone and joint	664	282	382	249	345	33	37	0.3	0.3	0.4	0.3	0.4	0.3	0.3
730	Osteomyelitis and periostitis	172	91	81	78	62	13	19	0.1	0.1	0.1	0.1	0.1	0.1	0.2
.0	Acute osteomyelitis	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Chronic osteomyelitis	53	31	22	27	15	4	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.2	Unspecified osteomyelitis	113	57	56	48	44	9	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.3	Periostitis without mention of osteomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
731	Osteitis deformans	111	53	58	48	49	5	9	0.1	0.1	0.1	0.1	0.1	0.0	0.1
732	Osteochondrosis	4	2	2	1	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
733	Other diseases of bone	281	86	195	77	188	9	7	0.1	0.1	0.2	0.1	0.2	0.1	0.1
734	Internal derangement of knee joint	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
735	Displacement of intervertebral disk	48	31	17	28	17	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
736	Affection of sacroiliac joint	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
737	Ankylosis of joint	11	5	6	5	4	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Of spine	7	3	4	3	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Of shoulder	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Of elbow	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XIII. Diseases of the bones and organs of movement—Con.														
	Osteomyetitis and other diseases of bone and joint—Con.														
737	Ankylosis of joint—Con.														
.3	Of wrist	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Of finger	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Of hip	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.6	Of knee	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Of ankle	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.8	Of other and multiple sites	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Of unspecified site	-	-	-	-	-	-	-	-	-	-	-	-	-	-
738	Other diseases of joint	33	13	20	11	20	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
740-749	Other diseases of musculoskeletal system	1,114	718	396	671	357	47	39	0.6	0.8	0.4	0.8	0.4	0.4	0.3
740	Bunion	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	4	-	4	-	4	-	-	0.0	-	0.0	-	0.0	-	-
742	Synovitis, bursitis, and tenosynovitis of occupational origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
743	Infective myositis and other inflammatory diseases of tendon and fascia	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
744	Other diseases of muscle, tendon, and fascia	1,005	670	335	627	300	43	35	0.5	0.7	0.3	0.7	0.3	0.4	0.3
.0	Myasthenia gravis	267	123	144	111	127	12	17	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Inborn defect of muscle	689	518	171	490	158	28	13	0.4	0.5	0.2	0.6	0.2	0.3	0.1
.2	Other	49	29	20	26	15	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
745	Curvature of spine	90	41	49	39	46	2	3	0.0	0.0	0.0	0.0	0.1	0.0	0.0
746	Flatfoot	-	-	-	-	-	-	-	-	-	-	-	-	-	-
747	Hallux valgus and varus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748	Clubfoot	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
749	Other deformities	10	5	5	3	5	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
	XIV. Congenital malformations														
750-759	Congenital malformations	19,512	10,375	9,137	8,825	7,822	1,550	1,315	10.1	10.9	9.3	10.5	9.0	13.9	11.1
750	Monstrosity	1,120	415	705	383	655	32	50	0.6	0.4	0.7	0.5	0.8	0.3	0.4
751	Spina bifida and meningocele	1,323	547	776	490	726	57	50	0.7	0.6	0.8	0.6	0.8	0.5	0.4
A	Without mention of hydrocephalus	588	235	353	202	323	33	30	0.3	0.2	0.4	0.2	0.4	0.3	0.3
B	With mention of hydrocephalus	735	312	423	288	403	24	20	0.4	0.3	0.4	0.3	0.5	0.2	0.2
752	Congenital hydrocephalus	1,173	612	561	490	460	122	101	0.6	0.6	0.6	0.6	0.5	1.1	0.9
753	Other congenital malformations of nervous system and sense organs	714	355	359	312	306	43	53	0.4	0.4	0.4	0.4	0.4	0.4	0.4
.0	Congenital cataract	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Other	713	354	359	311	306	43	53	0.4	0.4	0.4	0.4	0.4	0.4	0.4
754	Congenital malformations of circulatory system	9,955	5,439	4,516	4,623	3,765	816	751	5.1	5.7	4.6	5.5	4.3	7.3	6.3
.0	Tetralogy of Fallot	546	301	245	270	221	31	24	0.3	0.3	0.2	0.3	0.3	0.3	0.2
.1	Patent ductus arteriosus (Botalli)	356	179	177	143	138	36	39	0.2	0.2	0.2	0.2	0.2	0.3	0.3
.2	Interventricular septal defect	760	389	371	335	313	54	58	0.4	0.4	0.4	0.4	0.4	0.5	0.5
.3	Interauricular septal defect	551	232	319	197	278	35	41	0.3	0.2	0.3	0.2	0.3	0.3	0.3
.4	Fibroelastosis cordis	366	186	180	138	117	48	63	0.2	0.2	0.2	0.2	0.1	0.4	0.5
.5	Other and unspecified malformations of heart	5,545	3,042	2,503	2,565	2,067	477	436	2.9	3.2	2.5	3.1	2.4	4.3	3.7
.6	Coarctation of aorta	316	208	108	183	96	25	12	0.2	0.2	0.1	0.2	0.1	0.2	0.1
.7	Other circulatory malformations	1,515	902	613	792	535	110	78	0.8	0.9	0.6	0.9	0.6	1.0	0.7
755	Cleft palate and harelip	55	21	34	17	27	4	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
756	Congenital malformations of digestive system	1,372	804	568	651	468	153	100	0.7	0.8	0.6	0.8	0.5	1.4	0.8
.0	Congenital hypertrophic pyloric stenosis	62	41	21	32	15	9	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	Imperforate anus	99	73	26	57	23	16	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.2	Other	1,211	690	521	562	430	128	91	0.6	0.7	0.5	0.7	0.5	1.1	0.8
757	Congenital malformations of genitourinary system	1,542	919	623	807	561	112	62	0.8	1.0	0.6	1.0	0.6	1.0	0.5
.0	Undescended testicle	2	2	...	1	...	1	...	0.0	0.0	...	0.0	...	0.0	...
.1	Polycystic disease of kidney	1,017	555	462	503	414	52	48	0.5	0.6	0.5	0.6	0.5	0.5	0.4
.2	Congenital malformations of external genital organs	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.3	Other	521	360	161	302	147	58	14	0.3	0.4	0.2	0.4	0.2	0.5	0.1

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XIV. Congenital malformations—Con.														
	Congenital malformations—Con.														
758	Congenital malformations of bone and joint	305	161	144	133	120	28	24	0.2	0.2	0.1	0.2	0.1	0.3	0.2
.0	Congenital dislocation of hip	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.1	Chondrodystrophy	61	26	35	23	28	3	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.2	Congenital malformations of skull	58	33	25	26	21	7	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.3	Brittle bones	49	23	26	16	22	7	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.4	Cervical rib	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Congenital abnormalities of lumbosacral region	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Other congenital malformations of bone and joint	134	77	57	66	49	11	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
759	Other and unspecified congenital malformation not elsewhere classified	1,953	1,102	851	919	734	183	117	1.0	1.2	0.9	1.1	0.8	1.6	1.0
.0	Of respiratory system	486	288	198	241	180	47	18	0.3	0.3	0.2	0.3	0.2	0.4	0.2
.1	Of skin	34	15	19	11	17	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Of muscle	173	95	78	88	73	7	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.3	Other and unspecified	1,260	704	556	579	464	125	92	0.7	0.7	0.6	0.7	0.5	1.1	0.8
	XV. Certain diseases of early infancy														
760-769	Birth injuries, asphyxia, and infections of newborn	27,792	16,576	11,216	12,526	8,156	4,050	3,060	14.3	17.4	11.4	14.9	9.4	36.2	25.8
760	Intracranial and spinal injury at birth	2,463	1,565	898	1,168	632	397	266	1.3	1.6	0.9	1.4	0.7	3.5	2.2
.0	Without mention of immaturity	1,355	859	496	677	365	182	131	0.7	0.9	0.5	0.8	0.4	1.6	1.1
.5	With immaturity	1,108	706	402	491	267	215	135	0.6	0.7	0.4	0.6	0.3	1.9	1.1
761	Other birth injury	5,257	3,151	2,106	2,670	1,733	481	373	2.7	3.3	2.1	3.2	2.0	4.3	3.1
.0	Without mention of immaturity	1,574	920	654	731	518	189	136	0.8	1.0	0.7	0.9	0.6	1.7	1.1
.5	With immaturity	3,683	2,231	1,452	1,939	1,215	292	237	1.9	2.3	1.5	2.3	1.4	2.6	2.0
762	Postnatal asphyxia and atelectasis	15,429	9,153	6,276	6,942	4,578	2,211	1,698	8.0	9.6	6.4	8.3	5.3	19.8	14.3
.0	Without mention of immaturity	4,107	2,460	1,647	1,895	1,213	565	434	2.1	2.6	1.7	2.3	1.4	5.0	3.7
.5	With immaturity	11,322	6,693	4,629	5,047	3,365	1,646	1,264	5.8	7.0	4.7	6.0	3.9	14.7	10.6
763	Pneumonia of newborn	2,773	1,616	1,157	1,058	718	558	439	1.4	1.7	1.2	1.3	0.8	5.0	3.7
.0	Without mention of immaturity	1,987	1,174	813	745	483	429	330	1.0	1.2	0.8	0.9	0.6	3.8	2.8
.5	With immaturity	786	442	344	313	235	129	109	0.4	0.5	0.3	0.4	0.3	1.2	0.9
764	Diarrhea of newborn	367	226	141	86	52	140	89	0.2	0.2	0.1	0.1	0.1	1.3	0.7
.0	Without mention of immaturity	292	182	110	71	37	111	73	0.2	0.2	0.1	0.1	0.0	1.0	0.6
.5	With immaturity	75	44	31	15	15	29	16	0.0	0.0	0.0	0.0	0.0	0.3	0.1
765	Ophthalmia neonatorum	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Without mention of immaturity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	With immaturity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
766	Pemphigus neonatorum	5	5	-	4	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.0	Without mention of immaturity	5	5	-	4	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.5	With immaturity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767	Umbilical sepsis	44	28	16	17	9	11	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Without mention of immaturity	36	23	13	14	8	9	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.5	With immaturity	8	5	3	3	1	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
768	Other sepsis of newborn	737	435	302	274	195	161	107	0.4	0.5	0.3	0.3	0.2	1.4	0.9
.0	Without mention of immaturity	395	237	158	154	99	83	59	0.2	0.2	0.2	0.2	0.1	0.7	0.5
.5	With immaturity	342	198	144	120	96	78	48	0.2	0.2	0.1	0.1	0.1	0.7	0.4
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	717	397	320	307	239	90	81	0.4	0.4	0.3	0.4	0.3	0.8	0.7
.0-.4	Without mention of immaturity	309	173	136	133	97	40	39	0.2	0.2	0.1	0.2	0.1	0.4	0.3
.0	Attributed to "toxemia of pregnancy"	65	39	26	25	17	14	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	Attributed to maternal diabetes	79	43	36	38	30	5	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.2	Attributed to maternal rubella	117	62	55	44	35	18	20	0.1	0.1	0.1	0.1	0.0	0.2	0.2
.3	Attributed to toxoplasmosis	9	5	4	5	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.4	Attributed to other or unspecified diseases of the mother during pregnancy	39	24	15	21	12	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XV. Certain diseases of early infancy—Con.														
	Birth injuries, asphyxia, and infections of newborn—Con.														
769	Neonatal disorders arising from certain diseases of the mother during pregnancy—Con.														
.5-.9	With immaturity	408	224	184	174	142	50	42	0.2	0.2	0.2	0.2	0.2	0.4	0.4
.5	Attributed to "toxemia of pregnancy"	143	77	66	55	51	22	15	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.6	Attributed to maternal diabetes	100	65	35	53	32	12	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.7	Attributed to maternal rubella	13	6	7	5	5	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Attributed to toxoplasmosis	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Attributed to other or unspecified diseases of the mother during pregnancy	150	75	75	60	53	15	22	0.1	0.1	0.1	0.1	0.1	0.1	0.2
770-776	Other diseases peculiar to early infancy	27,606	15,928	11,678	11,753	8,431	4,175	3,247	14.2	16.7	11.8	14.0	9.7	37.3	27.3
770	Hemolytic disease of newborn (erythroblastosis)	1,485	794	691	726	645	68	46	0.8	0.8	0.7	0.9	0.7	0.6	0.4
.0	Erythroblastosis, without mention of nervous affection or immaturity	1,032	552	480	504	447	48	33	0.5	0.6	0.5	0.6	0.5	0.4	0.3
.1	Kernicterus, without mention of immaturity	40	27	13	22	11	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity	5	4	1	4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	Erythroblastosis, without mention of nervous affection but with immaturity	394	201	193	189	183	12	10	0.2	0.2	0.2	0.2	0.2	0.1	0.1
.6	Kernicterus with immaturity	14	10	4	7	3	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771	Hemorrhagic disease of newborn	477	284	193	196	135	88	58	0.2	0.3	0.2	0.2	0.2	0.8	0.5
.0	Without mention of immaturity	273	159	114	108	76	51	38	0.1	0.2	0.1	0.1	0.1	0.5	0.3
.5	With immaturity	204	125	79	88	59	37	20	0.1	0.1	0.1	0.1	0.1	0.3	0.2
772	Nutritional maladjustment	438	263	175	93	66	170	109	0.2	0.3	0.2	0.1	0.1	1.5	0.9
.0	Without mention of immaturity	366	216	150	79	56	137	94	0.2	0.2	0.2	0.1	0.1	1.2	0.8
.5	With immaturity	72	47	25	14	10	33	15	0.0	0.0	0.0	0.0	0.0	0.3	0.1
773	Ill-defined diseases peculiar to early infancy	9,695	5,856	3,839	4,628	2,884	1,228	955	5.0	6.2	3.9	5.5	3.3	11.0	8.0
.0	Without mention of immaturity	2,177	1,404	773	1,108	591	296	182	1.1	1.5	0.8	1.3	0.7	2.6	1.5
.5	With immaturity	7,518	4,452	3,066	3,520	2,293	932	773	3.9	4.7	3.1	4.2	2.6	8.3	6.5
774	Immaturity with mention of any other subsidiary condition	1,079	617	462	432	329	185	133	0.6	0.6	0.5	0.5	0.4	1.7	1.1
776	Immaturity, unqualified	14,432	8,114	6,318	5,678	4,372	2,436	1,946	7.4	8.5	6.4	6.8	5.0	21.8	16.4
	XVI. Symptoms, senility, and ill-defined conditions														
780-789	Symptoms referable to systems or organs	3,147	1,799	1,348	1,403	1,057	396	291	1.6	1.9	1.4	1.7	1.2	3.5	2.4
780	Certain symptoms referable to nervous system and special senses	142	83	59	58	46	25	13	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.0	Coma and stupor	30	19	11	14	8	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Delirium	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Convulsions	106	61	45	41	35	20	10	0.1	0.1	0.0	0.0	0.0	0.2	0.1
.3	Jacksonian epilepsy	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Abnormal involuntary movement	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.5	Disturbance of coordination	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Vertigo	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Disturbance of sleep	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Disturbance of memory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Meningismus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
781	Other symptoms referable to nervous system and special senses	52	28	24	25	21	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Disturbance of vision except defective sight	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Oculomotor disturbance	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Photophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Disturbance of hearing except deafness	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Disturbance of cranial nerves except optic, oculomotor, and auditory	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	Stammering and stuttering	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Other disturbance of speech, including alexia and agraphia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Other disturbance of sensation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Encephalopathy	49	26	23	23	20	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Hallucinations	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XVI. Symptoms, senility, and ill-defined conditions—Con.														
	Symptoms referable to systems or organs—Con.														
782	Symptoms referable to cardiovascular and lymphatic system	2,303	1,328	975	1,037	770	291	205	1.2	1.4	1.0	1.2	0.9	2.6	1.7
.0	Precordial pain	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Palpitation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Tachycardia	4	2	2	1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Pallor and cyanosis (not of newborn)	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-
.4	Acute heart failure, undefined	2,169	1,262	907	988	713	276	194	1.1	1.3	0.9	1.2	0.8	2.5	1.8
.5	Syncope or collapse	13	8	5	7	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Edema and dropsy (not of newborn)	11	5	6	2	3	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Enlargement of lymph node	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.8	Splenomegaly	7	4	3	3	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Shock without mention of trauma	94	44	50	36	45	8	5	0.0	0.0	0.1	0.0	0.1	0.1	0.0
783	Symptoms referable to respiratory system	173	104	69	81	54	23	15	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.0	Epistaxis	6	4	2	3	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Hemoptysis	145	86	59	67	49	19	10	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.2	Dyspnea	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Cough	5	2	3	-	-	2	3	0.0	0.0	0.0	-	-	0.0	0.0
.4	Excess of sputum	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Change in voice	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Stridor	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Pain in chest	13	10	3	9	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
784	Symptoms referable to upper gastrointestinal tract	201	108	93	96	82	12	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Anorexia	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.1	Nausea and vomiting	21	10	11	7	7	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Pylorospasm	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Heartburn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Dysphagia	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.5	Hematemesis	178	97	81	88	74	9	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.6	Excessive salivation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Hiccough	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Eructation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
785	Symptoms referable to abdomen and lower gastrointestinal tract	117	61	56	46	35	15	21	0.1	0.1	0.1	0.1	0.0	0.1	0.2
.0	Abdominal swelling (not referable to any particular organ)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Hepatomegaly	10	6	4	5	-	1	4	0.0	0.0	0.0	0.0	-	0.0	0.0
.2	Jaundice (not of newborn)	25	13	12	11	9	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Ascites	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Flatulence	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Abdominal pain	30	16	14	12	11	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Diarrhea, age 2 years and over	47	24	23	18	12	6	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.7	Incontinence of feces	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Melena (age 1 year and over)	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.9	Visible peristalsis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
786	Symptoms referable to genitourinary system	18	9	9	8	6	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Pain referable to urinary system	2	1	1	-	-	1	1	0.0	0.0	0.0	-	-	0.0	0.0
.1	Retention of urine	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Incontinence of urine	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Frequency of micturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Polyuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Oliguria, anuria (not of newborn)	7	2	5	2	3	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.6	Priapism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Pain referable to genital organs, including dyspareunia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
787	Symptoms referable to limbs and back	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.0	Transient paralysis of limb, cause unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Pain in limb	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Swelling of limb	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Pain in joint	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Swelling of joint	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Pain in back	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Difficulty in walking	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Abnormality of gait	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XVI. Symptoms, senility, and ill-defined conditions—Con. Symptoms referable to systems or organs—Con.														
788	Other general symptoms	135	73	62	49	42	24	20	0.1	0.1	0.1	0.1	0.0	0.2	0.2
.0	Dehydration	38	22	16	13	11	9	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	Excessive sweating	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Rash	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.3	Subcutaneous nodules	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Loss of weight	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Tetany	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Acidosis	16	7	9	6	4	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Alkalosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Pyrexia of unknown origin	64	34	30	24	24	10	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.9	Other specified symptoms not classifiable elsewhere	16	10	6	6	3	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
789	Abnormal urinary constituents of unspecified cause	5	4	1	2	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Albuminuria, unqualified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Albuminuria, orthostatic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Pyuria and bacteriuria	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.3	Chyluria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Hematuria	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.5	Hemoglobinuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Glycosuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Acetonuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
790-795	Senility and ill-defined diseases	20,267	12,130	8,137	8,001	4,922	4,129	3,215	10.5	12.8	8.2	9.5	5.7	36.9	27.1
790	Nervousness and debility	56	24	32	18	28	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Nervousness	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Debility and undue fatigue	52	24	28	18	24	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.2	Depression	4	-	4	-	4	-	-	0.0	-	0.0	-	0.0	-	-
791	Headache	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
792	Uremia	699	422	277	318	208	104	69	0.4	0.4	0.3	0.4	0.2	0.9	0.8
794	Senility without mention of psychosis	2,188	885	1,303	686	1,049	199	254	1.1	0.9	1.3	0.8	1.2	1.8	2.1
795	Ill-defined and unknown causes of mortality	17,323	10,799	6,524	6,979	3,636	3,820	2,888	8.9	11.4	6.6	8.3	4.2	34.1	24.3
.0	Other ill-defined conditions	2,099	1,351	748	886	453	465	295	1.1	1.4	0.8	1.1	0.5	4.2	2.5
.2	Sudden death (cause unknown)	1,256	855	401	628	248	227	153	0.6	0.9	0.4	0.7	0.3	2.0	1.3
.3	Found dead (cause unknown)	290	184	106	114	61	70	45	0.1	0.2	0.1	0.1	0.1	0.6	0.4
.4	Died without sign of disease	8,187	5,248	2,939	3,440	1,545	1,808	1,394	4.2	5.5	3.0	4.1	1.8	16.2	11.7
.5	Other unknown and unspecified causes	5,491	3,161	2,330	1,911	1,329	1,250	1,001	2.8	3.3	2.4	2.3	1.5	11.2	8.4
	XVII. Accidents, poisonings, and violence														
E800-E802	Railway accidents	962	870	92	678	79	192	13	0.5	0.9	0.1	0.8	0.1	1.7	0.1
E800	Railway accident involving railroad employee	163	163	-	150	-	13	-	0.1	0.2	-	0.2	-	0.1	-
E801	Railway accident involving passenger	11	8	3	5	3	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E802	Railway accident involving other and unspecified person	788	699	89	523	76	176	13	0.4	0.7	0.1	0.6	0.1	1.6	0.1
E810-E825	Motor vehicle traffic accidents	48,050	34,770	13,280	30,425	11,798	4,345	1,482	24.8	36.6	13.5	36.3	13.6	38.8	12.5
E810	Motor vehicle traffic accident involving collision with railway train	1,556	1,108	448	1,017	416	91	32	0.8	1.2	0.5	1.2	0.5	0.8	0.3
E811	Motor vehicle traffic accident involving collision with streetcar	5	5	-	4	-	1	-	0.0	0.0	-	0.0	-	0.0	-
E812	Motor vehicle traffic accident to pedestrian	8,117	5,787	2,330	4,614	1,878	1,173	454	4.2	6.1	2.4	5.5	2.2	10.5	3.8
E813	Motor vehicle traffic accident to pedal cyclist	622	560	62	498	58	64	6	0.3	0.6	0.1	0.6	0.1	0.6	0.1
E814	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with nonmotor vehicle or object	59	54	5	53	4	1	1	0.0	0.1	0.0	0.1	0.0	0.0	0.0
E815	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	962	899	63	871	59	28	4	0.5	0.9	0.1	1.0	0.1	0.3	0.0
E816	Other motor vehicle traffic accident involving two or more motor vehicles	17,738	11,576	6,160	10,381	5,651	1,195	509	9.2	12.2	6.2	12.4	6.5	10.7	4.3

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Con.														
	Motor vehicle traffic accidents—Con.														
E817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle	87	55	32	52	26	3	6	0.0	0.1	0.0	0.1	0.0	0.0	0.1
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object	1,829	1,434	395	1,244	344	190	51	0.9	1.5	0.4	1.5	0.4	1.7	0.4
E820	Motor vehicle traffic accident while boarding and alighting	33	20	13	16	13	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E821	Motor vehicle traffic accident to rider of motorcycle without antecedent collision	463	421	42	404	41	17	1	0.2	0.4	0.0	0.5	0.0	0.2	0.0
E822	Motor vehicle traffic accident involving overturning in roadway	1,132	891	241	775	212	116	29	0.6	0.9	0.2	0.9	0.2	1.0	0.2
E823	Motor vehicle traffic accident involving running off roadway	10,433	8,297	2,136	7,356	1,893	941	243	5.4	8.7	2.2	8.8	2.2	8.4	2.0
E824	Other noncollision motor vehicle traffic accident	878	671	207	561	174	110	33	0.5	0.7	0.2	0.7	0.2	1.0	0.3
E825	Motor vehicle traffic accident of unspecified nature	4,138	2,992	1,146	2,581	1,033	411	113	2.1	3.1	1.2	3.1	1.2	3.7	1.0
E830–E835	Motor vehicle nontraffic accidents	1,113	814	299	719	260	95	39	0.6	0.9	0.3	0.9	0.3	0.8	0.3
E830	Motor vehicle nontraffic accident to pedestrian	651	435	216	379	188	56	28	0.3	0.5	0.2	0.5	0.2	0.5	0.2
E831	Motor vehicle nontraffic accident to pedal cyclist	6	5	1	5	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
E832	Motor vehicle nontraffic accident to rider or passenger of motorcycle	31	28	3	26	3	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E833	Other motor vehicle nontraffic accident involving two or more motor vehicles	16	14	2	14	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E834	Motor vehicle nontraffic accident while boarding and alighting	17	7	10	6	8	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E835	Motor vehicle nontraffic accident of other and unspecified nature	392	325	67	289	59	36	8	0.2	0.3	0.1	0.3	0.1	0.3	0.1
E840–E845	Other road vehicle accidents	319	222	97	205	95	17	2	0.2	0.2	0.1	0.2	0.1	0.2	0.0
E840	Streetcar accident to pedestrian	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E841	Other streetcar accident, except collision with motor vehicle	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E842	Accident to pedestrian caused by pedal cycle	11	4	7	3	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	78	58	20	52	19	6	1	0.0	0.1	0.0	0.1	0.0	0.1	0.0
E844	Accident to pedestrian caused by other nonmotor road vehicle	5	5	-	5	-	-	-	0.0	0.0	-	0.0	-	-	-
E845	Other nonmotor road vehicle accidents	221	153	68	143	68	10	-	0.1	0.2	0.1	0.2	0.1	0.1	-
E850–E858	Water transport accidents	1,493	1,364	129	1,173	111	191	18	0.8	1.4	0.1	1.4	0.1	1.7	0.2
E850	Submersion of occupant of small boat	1,232	1,129	103	972	86	157	17	0.6	1.2	0.1	1.2	0.1	1.4	0.1
E851	Other water transport injury by submersion	82	79	3	66	3	13	-	0.0	0.1	0.0	0.1	0.0	0.1	-
E852	Fall on stairs and ladders in water transport	5	5	-	5	-	-	-	0.0	0.0	-	0.0	-	-	-
E853	Other falls from one level to another in water transport	30	29	1	18	1	11	-	0.0	0.0	0.0	0.0	0.0	0.1	-
E854	Falls on same level in water transport	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E855	Unspecified falls in water transport	6	3	3	2	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E856	Machinery accident in water transport	9	9	-	8	-	1	-	0.0	0.0	-	0.0	-	0.0	-
E857	Other specified accidents in water transport	121	102	19	95	18	7	1	0.1	0.1	0.0	0.1	0.0	0.1	0.0
E858	Water transport accident of unspecified cause	7	7	-	6	-	1	-	0.0	0.0	-	0.0	-	0.0	-
E860–E866	Aircraft accidents	1,529	1,317	212	1,284	202	33	10	0.8	1.4	0.2	1.5	0.2	0.3	0.1
E860	Accident to personnel in military aircraft	308	307	1	291	1	16	-	0.2	0.3	0.0	0.3	0.0	0.1	-
E861	Injury to occupant by accident to commercial "transport" aircraft	181	142	39	141	39	1	-	0.1	0.1	0.0	0.2	0.0	0.0	-
E862	Other injury in commercial "transport" aircraft	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E863	Injury to occupant by accident to other specified aircraft	424	369	55	367	55	2	-	0.2	0.4	0.1	0.4	0.1	0.0	-
E864	Aircraft accident at airfield to person not in aircraft	8	8	-	8	-	-	-	0.0	0.0	-	0.0	-	-	-
E865	Aircraft accident elsewhere to person not in aircraft	33	22	11	11	1	11	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1
E866	Other and unspecified aircraft accidents	575	469	106	466	106	3	-	0.3	0.5	0.1	0.6	0.1	0.0	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965–Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Con.														
E870–E888	Accidental poisoning by solid and liquid substances	2,110	1,159	951	866	794	293	157	1.1	1.2	1.0	1.0	0.9	2.6	1.3
E870	Accidental poisoning by morphine and other opium derivatives	69	59	10	45	6	14	4	0.0	0.1	0.0	0.1	0.0	0.1	0.0
E871	Accidental poisoning by barbituric acid and derivatives	544	212	332	197	317	15	15	0.3	0.2	0.3	0.2	0.4	0.1	0.1
E872	Accidental poisoning by aspirin and salicylates	175	89	86	69	67	20	19	0.1	0.1	0.1	0.1	0.1	0.2	0.2
E873	Accidental poisoning by bromides	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E874	Accidental poisoning by other analgesic and soporific drugs	345	199	146	137	126	62	20	0.2	0.2	0.1	0.2	0.1	0.6	0.2
E875	Accidental poisoning by sulfonamides	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E876	Accidental poisoning by strychnine	5	1	4	-	4	1	-	0.0	0.0	0.0	-	0.0	0.0	-
E877	Accidental poisoning by belladonna, hyoscine, and atropine	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E878	Accidental poisoning by other and unspecified drugs	245	112	133	97	119	15	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
E879	Accidental poisoning by noxious foodstuffs	8	4	4	3	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E880	Accidental poisoning by alcohol	201	161	40	107	25	54	15	0.1	0.2	0.0	0.1	0.0	0.5	0.1
E881	Accidental poisoning by petroleum products	36	22	14	13	4	9	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1
E882	Accidental poisoning by industrial solvents	48	37	11	23	10	14	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	47	24	23	19	12	5	11	0.0	0.0	0.0	0.0	0.0	0.0	0.1
E884	Accidental poisoning by mercury and its compounds	10	8	2	7	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E885	Accidental poisoning by lead and its compounds	65	41	24	15	8	26	16	0.0	0.0	0.0	0.0	0.0	0.2	0.1
E886	Accidental poisoning by arsenic and antimony, and their compounds	31	20	11	12	8	8	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E887	Accidental poisoning by fluorides	7	5	2	2	1	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E888	Accidental poisoning by other and unspecified solid and liquid substances	267	161	106	116	78	45	28	0.1	0.2	0.1	0.1	0.1	0.4	0.2
E890–E895	Accidental poisoning by gases and vapors	1,526	1,106	420	975	345	131	75	0.8	1.2	0.4	1.2	0.4	1.2	0.6
E890	Accidental poisoning by utility (illuminating) gas	330	218	112	186	85	32	27	0.2	0.2	0.1	0.2	0.1	0.3	0.2
E891	Accidental poisoning by motor vehicle exhaust gas	743	565	178	522	161	43	17	0.4	0.6	0.2	0.6	0.2	0.4	0.1
E892	Accidental poisoning by other carbon monoxide gas	311	215	96	178	70	37	26	0.2	0.2	0.1	0.2	0.1	0.3	0.2
E893	Accidental poisoning by cyanide gas	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
E894	Accidental poisoning by other specified gases and vapors	125	94	31	80	26	14	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0
E895	Accidental poisoning by unspecified gases and vapors	15	12	3	7	3	5	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E900–E904	Accidental falls	19,984	9,972	10,012	8,895	9,511	1,077	501	10.3	10.5	10.1	10.6	11.0	9.6	4.2
E900	Fall on stairs	2,143	1,299	844	1,109	792	190	52	1.1	1.4	0.9	1.3	0.9	1.7	0.4
E901	Fall from ladders	354	330	24	314	21	16	3	0.2	0.3	0.0	0.4	0.0	0.1	0.0
E902	Other falls from one level to another	3,305	2,314	991	1,964	873	350	118	1.7	2.4	1.0	2.3	1.0	3.1	1.0
E903	Fall on same level	5,738	2,541	3,197	2,335	3,089	206	108	3.0	2.7	3.2	2.8	3.6	1.8	0.9
E904	Unspecified falls	8,444	3,488	4,956	3,173	4,736	315	220	4.4	3.7	5.0	3.8	5.5	2.8	1.9
E910–E936	Other accidents	28,669	21,232	7,437	16,765	5,451	4,467	1,986	14.8	22.3	7.5	20.0	6.3	39.9	16.7
E910	Blow from falling or projected object or missile	1,493	1,414	79	1,193	65	221	14	0.8	1.5	0.1	1.4	0.1	2.0	0.1
E911	Accident caused by vehicle	85	84	1	72	1	12	-	0.0	0.1	0.0	0.1	0.0	0.1	-
E912	Accident caused by machinery	2,054	1,968	86	1,763	82	205	4	1.1	2.1	0.1	2.1	0.1	1.8	0.0
E913	Accident caused by cutting and piercing instruments	136	110	26	62	20	48	6	0.1	0.1	0.0	0.1	0.0	0.4	0.1
E914	Accident caused by electric current	1,071	998	73	886	66	112	7	0.6	1.0	0.1	1.1	0.1	1.0	0.1
E915	Accident caused by explosion of pressure vessel	51	48	3	44	3	4	-	0.0	0.1	0.0	0.1	0.0	0.0	-
E916	Accident caused by fire and explosion of combustible material	7,347	4,383	2,964	3,184	1,994	1,199	970	3.8	4.6	3.0	3.8	2.3	10.7	8.2
E917	Accident caused by hot substance, corrosive liquid, and steam	418	239	179	165	123	74	56	0.2	0.3	0.2	0.2	0.1	0.7	0.5
E918	Accident caused by radiation	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-
E919	Accident caused by firearm	2,344	2,034	310	1,641	211	393	99	1.2	2.1	0.3	2.0	0.2	3.5	0.8
E920	Foreign body entering eye and adnexa	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,507	897	610	753	486	144	124	0.8	0.9	0.6	0.9	0.6	1.3	1.0

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Con.														
	Other accidents—Con.														
E922	Inhalation and ingestion of other object causing obstruction or suffocation	329	192	137	153	97	39	40	0.2	0.2	0.1	0.2	0.1	0.3	0.3
E923	Foreign body entering other orifice	1,138	704	434	530	336	174	98	0.6	0.7	0.4	0.6	0.4	1.6	0.8
E924	Accidental mechanical suffocation in bed and cradle	728	411	317	282	190	129	127	0.4	0.4	0.3	0.3	0.2	1.2	1.1
E925	Accidental mechanical suffocation in other and unspecified circumstances	612	472	140	378	91	94	49	0.3	0.5	0.1	0.5	0.1	0.8	0.4
E926	Lack of care of infants under 1 year of age	9	7	2	3	1	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E927	Accidents caused by bites and stings of venomous animals and insects	54	35	19	29	13	6	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
E928	Other accidents caused by animals	126	99	27	89	23	10	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0
E929	Accidental drowning	5,485	4,545	940	3,518	807	1,027	133	2.8	4.8	1.0	4.2	0.9	9.2	1.1
E930	High and low air pressure	6	6	-	6	-	-	-	0.0	0.0	-	0.0	-	-	-
E931	Excessive heat and insolation	106	79	27	48	19	31	8	0.1	0.1	0.0	0.1	0.0	0.3	0.1
E932	Excessive cold	298	234	64	166	46	68	18	0.2	0.2	0.1	0.2	0.1	0.6	0.2
E933	Hunger, thirst, and exposure	197	142	55	90	38	52	17	0.1	0.1	0.1	0.1	0.0	0.5	0.1
E934	Cataclysm	431	231	200	192	176	39	24	0.2	0.2	0.2	0.2	0.2	0.3	0.2
E935	Lightning	149	119	30	101	19	18	11	0.1	0.1	0.0	0.1	0.0	0.2	0.1
E936	Other and unspecified accidents	2,493	1,780	713	1,417	543	363	170	1.3	1.9	0.7	1.7	0.6	3.2	1.4
E940-E946	Complications due to nontherapeutic medical and surgical procedures	168	85	83	66	63	19	20	0.1	0.1	0.1	0.1	0.1	0.2	0.2
E940	Generalized vaccinia following vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E941	Postvaccinal encephalitis	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E942	Other complications of smallpox vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E943	Postimmunization jaundice and hepatitis	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E944	Other complications of prophylactic inoculation	8	4	4	4	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E945	Complications of anesthesia for nontherapeutic purpose	7	4	3	4	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E946	Other complications due to nontherapeutic medical and surgical procedures	148	74	74	55	56	19	18	0.1	0.1	0.1	0.1	0.1	0.2	0.2
E950-E959	Therapeutic misadventure and late complications of therapeutic procedures	1,326	636	690	555	595	81	95	0.7	0.7	0.7	0.7	0.7	0.7	0.8
E950	Therapeutic misadventure in surgical treatment	717	356	361	308	310	48	51	0.4	0.4	0.4	0.4	0.4	0.4	0.4
E951	Therapeutic misadventure in infusion or transfusion	136	85	51	80	47	5	4	0.1	0.1	0.1	0.1	0.1	0.0	0.0
E952	Therapeutic misadventure in local applications	19	3	16	3	16	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E953	Therapeutic misadventure in administration of drugs or biologicals	201	97	104	82	88	15	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1
E954	Therapeutic misadventure in anesthesia	60	23	37	17	25	6	12	0.0	0.0	0.0	0.0	0.0	0.1	0.1
E955	Other and unspecified therapeutic misadventure	67	37	30	34	27	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E956	Late complication of surgical operation	115	33	82	29	73	4	9	0.1	0.0	0.1	0.0	0.1	0.0	0.1
E957	Late complication of amputation stump	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E958	Late complication of irradiation	7	-	7	-	7	-	-	0.0	-	0.0	-	0.0	-	-
E959	Late complications of other forms of treatment	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E960-E965	Late effects of injury and poisoning	795	552	243	447	208	105	35	0.4	0.6	0.2	0.5	0.2	0.9	0.3
E960	Late effect of motor vehicle accident	158	122	36	107	30	15	6	0.1	0.1	0.0	0.1	0.0	0.1	0.1
E961	Late effect of accidental poisoning	13	9	4	9	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E962	Late effect of other accidental injury	584	384	200	302	173	82	27	0.3	0.4	0.2	0.4	0.2	0.7	0.2
E963	Late effect of self-inflicted injury	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E964	Late effect of injury purposely inflicted by another person (not in war)	12	11	1	3	-	8	1	0.0	0.0	0.0	0.0	-	0.1	0.0
E965	Late effects of injuries due to war operations	22	22	-	22	-	-	-	0.0	0.0	-	0.0	-	-	-

274-315 O - 67 - 7

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Con.														
E970-E979	Suicide	21,501	15,486	6,015	14,620	5,716	866	299	11.1	16.3	6.1	17.4	6.6	7.7	2.5
E970	Suicide from poisoning by analgesic and soporific substances	2,786	911	1,875	883	1,819	28	56	1.4	1.0	1.9	1.1	2.1	0.3	0.5
A	By morphine and other opium derivatives	6	2	4	2	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
B	By barbituric acid and derivatives	1,965	652	1,313	632	1,276	20	37	1.0	0.7	1.3	0.8	1.5	0.2	0.3
C	By acetylsalicylic acid	36	9	27	9	26	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
D	By methyl salicylate	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E	By other salicylates	40	11	29	10	29	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
F	By bromides	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-
G	By antipyretic substances, not elsewhere classified	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
H	By other analgesic and soporific substances	608	189	419	183	405	6	14	0.3	0.2	0.4	0.2	0.5	0.1	0.1
M	By unspecified drugs	123	47	76	46	73	1	3	0.1	0.0	0.1	0.1	0.1	0.0	0.0
E971	Suicide from poisoning by other solid and liquid substances	775	415	360	375	333	40	27	0.4	0.4	0.4	0.4	0.4	0.4	0.2
A	By strychnine	46	32	14	32	14	-	-	0.0	0.0	0.0	0.0	0.0	-	-
B	By phenol compounds	17	12	5	12	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
C	By lye and potash	53	20	33	13	30	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
D	By cresol compounds	6	2	4	2	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E	By mercury and its compounds	11	4	7	3	7	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
F	By arsenic and its compounds	56	35	21	30	20	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G	By fluorides	25	7	18	5	13	2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
H	By other and unspecified solid and liquid substances	561	303	258	278	240	25	18	0.3	0.3	0.3	0.3	0.3	0.2	0.2
E972	Suicide from poisoning by gases in domestic use	155	100	55	95	55	5	-	0.1	0.1	0.1	0.1	0.1	0.0	-
E973	Suicide from poisoning by other gases	2,279	1,753	526	1,726	522	27	4	1.2	1.8	0.5	2.1	0.6	0.2	0.0
A	By motor vehicle exhaust gas	2,120	1,625	495	1,600	491	25	4	1.1	1.7	0.5	1.9	0.6	0.2	0.0
B	By other motor exhaust gas	7	5	2	4	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
C	By other carbon monoxide	133	108	25	107	25	1	-	0.1	0.1	0.0	0.1	0.0	0.0	-
D	By other poisonous gases	19	15	4	15	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E974	Suicide by hanging and strangulation	3,197	2,453	744	2,298	689	155	55	1.6	2.6	0.8	2.7	0.8	1.4	0.5
E975	Suicide by submersion (drowning)	570	311	259	262	241	49	18	0.3	0.3	0.3	0.3	0.3	0.4	0.2
E976	Suicide by firearm and explosive	9,898	8,457	1,441	8,025	1,365	432	76	5.1	8.9	1.5	9.6	1.6	3.9	0.6
E977	Suicide by cutting and piercing instruments	409	297	112	278	107	19	5	0.2	0.3	0.1	0.3	0.1	0.2	0.0
E978	Suicide by jumping from high place	764	474	290	397	250	77	40	0.4	0.5	0.3	0.5	0.3	0.7	0.3
E979	Suicide by other and unspecified means	668	315	353	281	335	34	18	0.3	0.3	0.4	0.3	0.4	0.3	0.2
E980-E985	Homicide (not in war)	10,700	8,137	2,563	3,657	1,379	4,480	1,184	5.5	8.6	2.6	4.4	1.6	40.0	10.0
E980	Nonaccidental poisoning by another person	37	21	16	15	14	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E981	Assault by firearm and explosive	6,158	4,807	1,351	2,152	772	2,655	579	3.2	5.1	1.4	2.6	0.9	23.7	4.9
E982	Assault by cutting and piercing instruments	2,292	1,847	445	555	154	1,292	291	1.2	1.9	0.5	0.7	0.2	11.5	2.4
E983	Assault by other means	1,935	1,184	751	775	439	409	312	1.0	1.2	0.8	0.9	0.5	3.7	2.6
E984	Injury by intervention of police	271	271	-	154	-	117	-	0.1	0.3	-	0.2	-	1.0	-
E985	Execution	7	7	-	6	-	1	-	0.0	0.0	-	0.0	-	0.0	-
E990-E999	Injury resulting from operations of war	8	8	-	7	-	1	-	0.0	0.0	-	0.0	-	0.0	-
E990	Injury due to war operations by gas and chemicals	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E991	Injury due to war operations by gunshot	4	4	-	3	-	1	-	0.0	0.0	-	0.0	-	0.0	-
E992	Injury due to war operations by grenade and landmine	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E993	Injury due to war operations by bomb	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E994	Injury due to war operations by marine mine, depth charge, and torpedo	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E995	Injury due to war operations by explosion of artillery shell	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E996	Injury due to war operations by explosion of undetermined origin	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E997	Injury due to war operations by aircraft destruction	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E998	Injury due to war operations by other and unspecified means	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E999	Injury due to war operations but occurring after cessation of hostilities	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-24. Deaths From 258 Selected Causes, by Month: United States, 1965

[Number after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	1,828,136	164,856	153,574	165,064	150,285	150,759	144,288	146,784	143,279	139,821	153,031	152,106	164,289
I. Infective and parasitic diseases	17,833	1,719	1,611	1,716	1,527	1,545	1,380	1,350	1,373	1,292	1,419	1,377	1,524
Tuberculosis, all forms-001-019	7,934	763	700	741	697	697	633	636	635	561	615	614	642
Tuberculosis of respiratory system-001-008	7,358	707	657	707	644	635	579	587	589	517	570	579	587
Tuberculosis of meninges and central nervous system-010	143	15	11	10	14	21	10	16	11	5	13	4	13
Tuberculosis of intestines, peritoneum, and mesenteric glands-011	43	4	4	-	3	5	5	3	2	6	3	5	3
Tuberculosis of bones and joints-012,013	60	4	6	4	2	5	6	3	4	7	5	7	7
Tuberculosis of other organs and systems-014-018	112	9	8	8	12	9	12	9	12	10	7	7	9
Disseminated tuberculosis-019	218	24	14	12	22	22	21	18	17	16	17	12	23
Syphilis and its sequelae-020-029	2,434	256	214	223	218	197	185	184	172	176	205	209	195
Congenital syphilis-020	34	7	4	1	1	-	2	7	1	4	1	3	3
Early syphilis-021	1	-	-	-	-	-	1	-	-	-	-	-	-
Aneurysm of aorta-022	1,504	152	131	137	134	126	110	108	100	109	139	134	124
Other cardiovascular syphilis-023	549	56	56	56	56	45	43	40	42	35	45	40	35
Tabes dorsalis-024	43	4	3	1	3	2	5	4	3	6	3	5	4
General paralysis of insane-025	96	13	4	3	4	7	10	9	11	9	5	10	11
Other syphilis of central nervous system-026	157	23	11	17	17	13	12	7	13	10	9	14	11
All other syphilis-027-029	50	1	5	8	3	4	2	9	2	3	3	3	7
Gonococcal infection-030-035	9	2	-	1	-	2	1	1	-	2	-	-	-
Typhoid fever-040	6	-	1	-	1	1	-	1	-	2	-	-	-
Paratyphoid fever and other Salmonella infections-041,042	87	9	9	13	2	5	5	5	5	14	7	8	5
Cholera-043	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis (undulant fever)-044	6	-	-	1	-	1	1	1	1	-	1	-	-
Dysentery, all forms-045-048	243	19	18	13	19	22	22	19	27	22	31	17	14
Food poisoning (infection and intoxication)-049	24	2	4	1	2	2	1	3	2	-	2	2	3
Scarlet fever-050	5	1	-	1	-	2	1	-	-	-	-	-	-
Streptococcal sore throat-051	58	10	9	7	3	2	2	1	3	5	4	6	6
Erysipelas-052	12	1	-	1	2	1	-	2	-	1	2	1	1
Septicemia and pyemia-053	2,443	217	216	230	191	219	174	195	201	202	182	186	230
Diphtheria-055	18	1	4	-	1	1	-	-	2	1	3	5	-
Whooping cough-056	55	4	9	6	1	5	4	3	7	4	5	6	1
Meningococcal infections-057	890	95	96	122	91	67	51	42	38	49	62	66	111
Plague-058	1	-	-	-	-	-	-	-	1	-	-	-	-
Leprosy-060	3	-	1	2	-	-	-	-	-	-	-	-	-
Tetanus-061	181	8	8	10	10	21	27	19	23	18	11	13	13
Anthrax-062	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis-080	16	1	-	1	-	3	1	4	3	-	1	1	1
Late effects of acute poliomyelitis-081	128	18	7	14	9	12	10	5	8	11	7	8	19
Acute infectious encephalitis-082	500	42	45	50	31	24	44	39	46	46	51	39	43
Late effects of acute infectious encephalitis-083	63	7	3	8	3	3	4	5	13	3	4	7	3
Smallpox-084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles-085	276	29	31	48	44	41	26	18	6	3	4	11	15
Yellow fever-091	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis-092	707	71	66	66	51	59	57	51	53	53	72	39	69
Rabies-094	2	-	-	-	-	1	-	-	-	-	-	-	1
Tick-borne typhus-104	16	-	-	-	1	3	3	8	-	1	-	-	-
All other rickettsial diseases-100-103,105-108	1	-	-	-	-	-	-	-	-	1	-	-	-
Malaria-110-117	8	1	-	1	1	1	1	-	-	-	-	1	2
Schistosomiasis-123	4	-	-	1	-	-	1	-	-	-	-	1	1
Hydatid disease-125	7	1	1	1	1	2	-	-	1	-	-	-	-
Filariasis-127	-	-	-	-	-	-	-	-	-	-	-	-	-
Ancylostomiasis-129	2	-	-	-	1	-	-	-	1	-	-	-	-
Other diseases due to helminths-124,126,128,130	66	5	4	7	3	4	8	5	4	3	7	6	10
All other infective and parasitic diseases-036-039, 054,059,063-074,086-090,093,095,096,120-122,131-138	1,628	156	165	147	144	147	118	103	121	114	143	131	139
II. Neoplasms	302,646	25,839	23,313	25,466	24,727	25,530	24,942	25,269	25,364	24,683	26,049	25,400	26,064
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	297,588	25,351	22,922	25,035	24,291	25,122	24,520	24,855	24,943	24,283	25,640	24,966	25,660
Malignant neoplasm of buccal cavity and pharynx-140-148	6,501	547	487	536	521	547	568	505	546	552	584	519	589
Of lip-140	172	20	15	15	16	15	15	13	16	16	11	9	11
Of tongue-141	1,611	131	116	151	146	137	131	122	115	141	141	125	155
Of other and unspecified parts of buccal cavity-142-144	2,040	186	132	161	154	168	183	165	190	180	169	165	187
Of pharynx-145-148	2,678	210	224	209	205	227	239	205	225	215	263	220	236
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary-150-156A,157-159	94,305	8,076	7,180	7,972	7,704	8,084	7,811	7,854	8,016	7,767	7,982	7,867	7,992
Of esophagus-150	5,542	471	424	448	420	460	461	471	530	430	479	476	472
Of stomach-151	18,027	1,549	1,377	1,536	1,463	1,620	1,498	1,515	1,505	1,476	1,460	1,515	1,513
Of small intestine, including duodenum-152	745	69	53	47	65	68	66	65	59	60	61	60	72
Of large intestine, except rectum-153	32,000	2,747	2,454	2,688	2,635	2,699	2,656	2,750	2,654	2,606	2,738	2,686	2,687
Cecum, appendix, and ascending colon-153.0	4,498	421	326	398	334	363	383	381	382	356	405	363	386
Transverse colon, including hepatic and splenic flexures-153.1	1,551	122	144	146	136	127	135	104	126	134	129	124	124
Descending colon-153.2	1,196	99	97	121	109	96	108	83	90	89	108	98	98
Sigmoid colon-153.3	6,022	563	486	518	513	490	491	494	542	455	490	491	489
Multiple parts of large intestine-153.7	59	8	1	6	3	7	5	8	2	5	5	2	7
Large intestine (including colon), part unspecified-153.8	17,022	1,409	1,277	1,350	1,393	1,489	1,392	1,537	1,373	1,416	1,462	1,467	1,457
Intestinal tract, part unspecified-153.9	1,652	125	123	149	147	127	142	143	139	151	139	141	126
Of rectum-154	10,533	940	775	925	856	877	901	794	899	894	908	902	862
Of biliary passages and of liver (stated to be primary site)-155	6,589	553	527	570	561	562	526	525	549	560	552	551	553
Liver-155.0	2,084	186	174	175	173	182	152	160	165	175	168	206	168
Other and multiple sites of biliary passages-155.1,155.8	4,505	367	353	395	388	380	374	365	384	385	384	345	385
Of liver not stated whether primary or secondary-156	3,195	265	263	244	266	284	244	291	270	272	277	255	264
Of pancreas-157	16,002	1,345	1,190	1,348	1,292	1,376	1,314	1,303	1,410	1,332	1,377	1,306	1,409
Of peritoneum and of unspecified digestive organs-158,159	1,672	137	117	166	146	138	145	140	140	137	130	116	160

Table 1-24. Deaths From 258 Selected Causes, by Month: United States, 1965—Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
II. Neoplasms—Con.													
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.													
Malignant neoplasm of respiratory system, not specified as secondary---160-164	52,039	4,403	4,042	4,345	4,163	4,409	4,164	4,337	4,340	4,272	4,536	4,374	4,654
Of larynx---161	2,629	255	215	219	215	187	217	217	197	226	212	249	220
Of bronchus and trachea, and of lung specified as primary---162	20,354	1,776	1,590	1,739	1,630	1,689	1,615	1,728	1,711	1,623	1,736	1,675	1,842
Of lung, unspecified as to whether primary or secondary---163	28,129	2,294	2,173	2,299	2,229	2,449	2,252	2,323	2,361	2,353	2,507	2,383	2,506
Of other parts of respiratory system---160,164	927	78	64	88	89	84	80	69	71	70	81	67	86
Malignant neoplasm of breast---170	27,048	2,248	2,084	2,258	2,304	2,235	2,307	2,202	2,266	2,197	2,329	2,277	2,341
Malignant neoplasm of genital organs---171-179	40,454	3,611	3,141	3,481	3,335	3,311	3,381	3,381	3,340	3,218	3,456	3,390	3,409
Of cervix uteri---171	8,053	714	636	654	663	646	667	680	691	629	715	691	667
Of other and unspecified parts of uterus---172-174	5,785	519	452	524	480	445	498	487	502	445	478	487	468
Of ovary, fallopian tube, and broad ligament---175	8,933	764	689	771	755	748	767	715	744	712	766	742	760
Of other and unspecified female genital organs---176	803	86	66	58	57	70	63	74	73	62	74	59	61
Of prostate---177	15,911	1,448	1,235	1,379	1,303	1,324	1,306	1,345	1,247	1,279	1,351	1,325	1,369
Of all other and unspecified male genital organs-178,179	969	80	63	95	77	78	80	80	83	91	72	86	84
Malignant neoplasm of urinary organs---180,181	13,901	1,129	1,087	1,181	1,159	1,186	1,117	1,162	1,173	1,192	1,195	1,144	1,176
Of kidney---180	5,634	466	425	471	443	500	449	470	472	492	474	467	505
Of bladder and other urinary organs---181	8,267	663	662	710	716	686	668	692	701	700	721	677	671
Malignant neoplasm of other and unspecified sites---156B,165,190-199	34,644	2,957	2,616	2,882	2,808	2,971	2,832	2,996	2,855	2,786	3,013	2,912	3,016
Of skin---190,191	4,605	401	352	387	391	411	367	364	395	353	416	389	379
Of eye---192	338	31	27	30	30	26	31	24	24	34	32	26	23
Of brain and other parts of nervous system---193	7,014	583	513	617	560	610	611	586	575	565	582	610	602
Of thyroid gland---194	1,052	102	71	92	84	78	94	92	87	82	102	77	91
Of bone---196	1,813	146	129	148	158	173	121	156	155	155	170	137	165
Of connective tissue---197	1,262	106	91	125	104	85	106	115	94	104	103	115	114
Of other specified sites, not stated to be secondary---195,199A	1,586	138	117	118	120	131	141	132	131	122	139	142	155
Of unspecified sites---156B,165,198,199B	16,974	1,450	1,316	1,365	1,361	1,457	1,361	1,527	1,394	1,371	1,469	1,416	1,487
Leukemia and aleukemia---204	13,628	1,131	1,097	1,111	1,089	1,142	1,098	1,156	1,144	1,124	1,207	1,152	1,177
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues---200-203,205	15,068	1,249	1,188	1,269	1,208	1,237	1,242	1,262	1,263	1,175	1,338	1,331	1,306
Lymphosarcoma and reticulosarcoma---200	7,250	615	576	595	599	614	607	595	608	586	640	610	605
Hodgkin's disease---201	3,394	289	245	312	262	274	274	297	282	247	308	314	290
Other neoplasms of lymphatic and hematopoietic tissues---202,203,205	4,424	345	367	362	347	349	361	370	373	342	390	407	411
Benign neoplasms and neoplasms of unspecified nature-210-239	5,058	488	391	431	436	408	422	414	421	400	409	434	404
Benign neoplasms of female genital organs---214-217	355	38	20	46	30	31	31	29	31	17	30	28	24
Benign neoplasm of brain and other parts of nervous system---223	1,006	88	82	87	90	81	80	90	81	85	79	89	74
Other benign neoplasms---210-213,218-222,224-229	989	85	85	88	87	82	80	68	80	78	83	89	84
Neoplasm of unspecified nature of female genital organs---233-235	24	-	2	3	1	4	2	-	1	3	3	4	1
Neoplasm of unspecified nature of brain and other parts of nervous system---237	1,707	157	125	125	133	138	153	150	167	135	146	143	135
Other neoplasms of unspecified nature-230-232,236,238,239	977	120	77	82	95	72	76	77	61	82	68	81	86
III. Allergic, endocrine system, metabolic, and nutritional diseases----	44,136	4,050	3,735	4,189	3,650	3,601	3,364	3,551	3,393	3,200	3,768	3,668	3,967
Asthma---241	4,520	424	437	456	379	336	307	346	299	317	437	387	395
Nontoxic goiter---250,251	55	8	9	4	8	5	6	1	1	3	5	2	3
Thyrotoxicosis with or without goiter---252	438	36	37	42	42	46	44	21	40	28	39	30	33
All other diseases of thyroid gland---253,254	384	32	31	39	33	32	27	32	27	30	39	33	29
Diabetes mellitus---260	33,174	3,019	2,760	3,090	2,735	2,736	2,579	2,671	2,589	2,424	2,769	2,798	3,004
Diseases of thymus gland---273	68	5	4	11	4	4	1	8	9	4	7	8	3
Diseases of adrenal gland---274	454	41	36	47	39	36	30	53	29	40	37	22	44
Pellagra---281	22	3	2	2	5	-	1	2	1	2	2	1	1
Other avitaminoses and nutritional deficiency states---280,282-286	1,521	166	124	150	154	106	113	122	125	88	116	115	142
Cystic fibrosis---289A	610	65	47	57	40	48	36	47	49	50	56	52	63
All other allergic, endocrine, and metabolic diseases--240, 242-245,270-272,275-277,287,288,289.0,289.1,289.2	2,890	251	248	291	211	252	220	248	224	214	261	220	250
IV. Diseases of the blood and blood-forming organs----	5,561	530	469	524	411	445	443	486	456	402	469	452	474
Anemias---290-293	3,539	340	304	340	268	273	279	312	265	262	296	292	308
Pernicious and other hyperchromic anemias---290	423	35	40	37	40	31	30	42	35	30	23	34	46
Anemias of other and unspecified type---291-293	3,116	305	264	303	228	242	249	270	230	232	273	258	262
Purpura and other hemorrhagic conditions---296	741	74	56	77	50	76	54	59	67	47	62	59	60
Other diseases of blood and blood-forming organs---294,295,297-299	1,281	116	109	107	93	96	110	115	124	93	111	101	106
V. Mental, psychoneurotic, and personality disorders--	4,988	462	376	433	370	377	374	372	389	410	443	449	533
Senile psychosis---304	279	26	22	36	17	20	28	18	19	33	15	22	23
Alcoholic psychosis---307	520	43	24	45	37	53	39	45	52	40	44	45	53
Other psychoses---300-303,305,306,308,309	786	59	69	64	68	63	60	58	62	67	75	63	78
Alcoholism---322	2,665	259	205	232	192	186	209	187	195	206	254	249	291
Mental deficiency---325	518	55	44	41	37	37	31	41	42	38	38	50	64
Other disorders of personality---310-321,323,324,326	220	20	12	15	19	18	7	23	19	26	17	20	24
VI. Diseases of the nervous system and sense organs---	215,913	19,685	18,527	19,806	17,592	17,505	16,699	17,193	16,710	16,351	18,086	17,984	19,775
Vascular lesions affecting central nervous system---330-334	201,057	18,274	17,287	18,453	16,421	16,293	15,594	16,007	15,528	15,201	16,842	16,725	18,432
Subarachnoid hemorrhage---330	8,272	794	663	756	723	655	664	616	627	637	725	704	708
Cerebral hemorrhage---331	109,193	9,739	9,253	10,232	9,033	8,931	8,386	8,709	8,446	8,192	9,210	9,062	10,000
Cerebral embolism and thrombosis---332	63,680	6,036	5,743	5,591	5,096	5,183	4,954	4,999	4,881	4,878	5,226	5,215	5,878
Other vascular lesions affecting central nervous system---333,334	19,912	1,705	1,628	1,874	1,569	1,524	1,590	1,683	1,574	1,494	1,681	1,744	1,846

Table 1-24. Deaths From 258 Selected Causes, by Month: United States, 1965—Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VI. Diseases of the nervous system and sense organs—Con.													
Meningitis, except meningococcal and tuberculous—340	2,363	275	221	245	199	198	154	146	150	146	186	210	233
Multiple sclerosis—345	1,530	146	122	132	121	134	112	119	130	113	131	138	132
Paralysis agitans—350	3,003	264	251	271	231	241	234	256	280	250	231	236	258
Cerebral spastic infantile paralysis—351	690	81	58	72	54	59	39	42	50	49	66	44	76
Epilepsy—353	1,881	167	146	178	151	159	151	163	140	155	166	158	147
Inflammatory diseases of eye—370-379	12	1	2	1	1	2	-	-	1	1	1	-	2
Cataract—385	28	-	2	3	3	3	-	3	1	3	3	6	1
Glaucoma—387	5	-	-	2	-	-	1	1	1	-	-	-	-
Otitis media and mastoiditis—391-393	230	28	15	19	20	20	11	22	16	15	20	21	23
Other diseases of nervous system and sense organs—341-344,352,354-369,380-384,386,388-390,394-398	5,114	449	423	430	391	396	403	434	413	418	440	446	471
VII. Diseases of the circulatory system	789,135	72,631	67,840	72,714	65,697	65,335	61,607	62,143	59,662	59,525	65,139	65,499	71,343
Diseases of heart—400-402,410-443	712,087	65,727	61,258	65,666	59,429	59,072	55,739	56,076	53,765	53,572	58,575	58,986	64,222
Rheumatic fever—400-402	483	51	41	55	45	43	35	30	42	31	29	31	50
Chronic rheumatic heart disease—410-416	14,988	1,439	1,357	1,374	1,309	1,293	1,155	1,153	1,128	1,096	1,226	1,207	1,251
Diseases of mitral valve—410	5,999	552	561	542	543	506	483	452	445	448	493	489	485
Diseases of aortic valve specified as rheumatic—411	1,741	173	163	144	150	155	147	133	137	132	142	127	138
Diseases of pulmonary valve and other endocarditis, specified as rheumatic—413,414	764	77	64	70	64	63	57	56	44	61	62	76	70
Other rheumatic heart diseases—412,415,416	6,484	637	569	618	552	569	468	512	502	455	529	515	558
Arteriosclerotic heart disease, including coronary disease—420	559,293	51,484	47,665	51,213	46,606	46,301	43,825	44,243	42,351	42,435	46,137	46,637	50,396
Arteriosclerotic heart disease so described—420.0	152,455	14,404	13,443	14,430	12,756	12,159	11,888	11,802	11,341	11,231	12,501	12,672	13,828
Heart disease specified as involving coronary arteries—420.1	406,499	37,046	34,190	36,732	33,828	34,119	31,912	32,412	30,986	31,182	33,610	33,937	36,545
Angina pectoris without mention of coronary disease—420.2	339	34	32	51	22	23	25	29	24	22	26	28	23
Chronic endocarditis not specified as rheumatic—421	3,963	367	369	393	319	291	329	303	305	270	318	342	357
Of mitral valve, specified as nonrheumatic—421.0	147	6	18	12	14	13	14	9	9	8	18	11	15
Of aortic valve, not specified as rheumatic—421.1	2,347	213	207	235	199	155	206	179	177	170	185	202	219
Of other valves, not specified as rheumatic—421.2-421.4	1,469	148	144	146	106	123	109	115	119	92	115	129	123
Other myocardial degeneration—422	49,215	4,540	4,411	4,727	4,105	4,024	3,845	3,734	3,717	3,617	4,029	3,956	4,510
With arteriosclerosis—422.1	40,467	3,706	3,644	3,882	3,358	3,280	3,157	3,100	3,056	2,953	3,315	3,276	3,740
Without mention of arteriosclerosis—422.0,422.2	8,748	834	767	845	747	744	688	634	661	664	714	680	770
Other diseases of heart—430-434	29,177	2,619	2,460	2,796	2,448	2,377	2,236	2,337	2,215	2,217	2,365	2,393	2,714
Acute and subacute endocarditis—430	716	65	56	66	62	66	52	64	57	57	51	66	54
Acute myocarditis and acute pericarditis, not specified as rheumatic—431,432	1,089	106	104	110	98	91	75	60	87	84	76	99	99
Functional disease of heart—433	8,643	789	716	774	721	714	639	688	701	636	751	708	806
Other and unspecified diseases of heart—434	18,729	1,659	1,584	1,846	1,567	1,506	1,470	1,525	1,370	1,440	1,487	1,520	1,755
Hypertensive heart disease—440-443	54,968	5,227	4,955	5,108	4,597	4,743	4,314	4,276	4,007	3,906	4,471	4,420	4,944
Hypertensive heart disease with arteriolar nephrosclerosis—442	12,027	1,154	1,044	1,078	1,047	1,054	946	934	903	903	941	950	1,073
Other hypertensive heart disease—440,441,443	42,941	4,073	3,911	4,030	3,550	3,689	3,368	3,342	3,104	3,003	3,530	3,470	3,871
Other hypertensive disease—444-447	11,667	1,094	1,016	1,027	987	979	929	898	851	888	963	953	1,082
Hypertension with arteriolar nephrosclerosis—446	6,848	634	625	625	556	558	530	513	504	541	587	554	621
Essential hypertension and other hypertensive disease without mention of heart—444,445,447	4,819	460	391	402	431	421	399	385	347	347	376	399	461
Diseases of arteries—450-456	53,057	4,718	4,520	4,928	4,380	4,300	4,099	4,168	4,028	4,087	4,470	4,483	4,876
General arteriosclerosis—450	38,102	3,442	3,317	3,570	3,089	3,084	2,957	3,012	2,885	2,883	3,151	3,227	3,485
Aortic aneurysm, nonsyphilitic, and dissecting aneurysm—451	10,964	947	865	1,007	940	879	841	836	825	874	970	936	1,044
Gangrene of unspecified cause—455	302	29	30	25	26	30	28	17	21	28	24	22	22
Other arterial diseases—452-454,456	3,689	300	308	326	325	307	273	303	297	302	325	298	325
Diseases of veins and other diseases of circulatory system—460-468	12,324	1,092	1,046	1,093	901	984	840	1,001	1,018	978	1,131	1,077	1,163
VIII. Diseases of the respiratory system	99,769	10,354	10,984	11,286	8,176	7,170	6,566	6,548	6,326	6,081	8,009	8,400	9,869
Acute upper respiratory infections—470-475	745	103	84	93	80	47	40	41	33	33	47	68	76
Influenza—480-483	2,295	220	542	676	223	69	30	24	36	53	117	132	173
Pneumonia, except pneumonia of newborn—490-493	59,608	6,474	6,861	6,748	4,924	4,125	3,719	3,749	3,704	3,526	4,770	4,971	6,037
Lobar pneumonia—490	8,955	1,037	1,008	1,003	768	621	522	541	562	512	701	746	934
Bronchopneumonia—491	32,719	3,544	3,763	3,596	2,705	2,316	2,122	2,103	2,068	2,011	2,602	2,684	3,205
Primary atypical pneumonia—492	5,693	648	686	640	453	377	339	342	318	328	451	508	603
Pneumonia, other and unspecified—493	12,241	1,245	1,404	1,509	998	811	736	763	756	675	1,016	1,033	1,295
Acute bronchitis—500	1,004	137	148	120	84	70	53	45	50	38	64	81	114
Bronchitis, chronic and unqualified—501,502	4,768	450	470	499	377	373	341	326	307	318	374	452	481
Hypertrophy of tonsils and adenoids—510	77	4	2	8	9	9	12	4	7	4	5	7	6
Empyema and abscess of lung—518,521	868	85	78	92	74	65	63	64	59	60	65	81	82
Pleurisy—519	183	17	17	18	12	19	9	19	11	14	19	14	14
Other chronic interstitial pneumonia—525	4,223	437	420	447	337	332	291	311	257	271	334	367	419
Bronchiectasis—526	1,708	171	161	162	144	152	130	120	103	106	163	134	162
Other diseases of lung and pleural cavity—527	20,587	1,924	1,828	2,050	1,616	1,615	1,616	1,561	1,493	1,402	1,729	1,783	1,970
Emphysema without mention of bronchitis—527.1	18,664	1,738	1,644	1,853	1,472	1,490	1,486	1,411	1,379	1,270	1,560	1,592	1,769
All other diseases of lung and pleural cavity—527.0,527.2	1,923	186	184	197	144	125	130	150	114	132	169	191	201
Other respiratory diseases—511-517,520,522-524	3,703	332	373	273	296	294	262	284	266	256	322	310	335
IX. Diseases of the digestive system	71,900	6,563	5,870	6,189	5,857	5,903	5,566	5,755	5,770	5,735	6,081	6,132	6,479
Diseases of teeth and supporting structures—530-535	70	4	6	5	10	5	4	9	4	5	9	8	1
Ulcer of stomach—540	5,403	481	439	457	457	444	378	399	414	441	444	538	511
Ulcer of duodenum—541	5,021	448	449	456	416	405	430	342	377	401	415	436	446
Gastritis and duodenitis—543	456	50	35	49	40	45	37	29	25	36	32	35	43
Appendicitis—550-553	1,694	156	115	142	143	133	145	161	160	145	126	132	136
Hernia and intestinal obstruction—560,561,570	10,003	915	808	880	850	831	775	826	846	773	789	860	850
Gastroenteritis and colitis, except ulcerative, age 4 weeks and over—571	3,443	411	319	326	227	244	222	260	263	256	298	291	326

Table 1-24. Deaths From 258 Selected Causes, by Month: United States, 1965—Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IX. Diseases of the digestive system—Con.													
Chronic enteritis and ulcerative colitis—572	4,000	344	331	326	319	358	323	344	330	342	344	337	302
Cirrhosis of liver—581	24,715	2,200	2,002	2,109	2,013	2,000	1,888	1,949	1,976	1,934	2,178	2,132	2,334
Without mention of alcoholism—581.0	16,286	1,427	1,331	1,417	1,320	1,301	1,257	1,274	1,298	1,253	1,476	1,392	1,540
With alcoholism—581.1	8,429	773	671	692	693	699	631	675	678	681	702	740	794
Cholelithiasis, cholecystitis, and cholangitis—584,585	4,666	413	394	395	402	424	364	394	374	416	394	337	359
Other diseases of digestive system—536-539, 542,544,545,573-580,582,583,586,587	12,429	1,141	972	1,044	980	1,014	1,000	1,042	1,001	986	1,052	1,026	1,171
X. Diseases of the genitourinary system	30,455	2,782	2,485	2,764	2,614	2,524	2,438	2,448	2,486	2,317	2,542	2,442	2,613
Nephritis and nephrosis—590-594	11,920	1,143	1,020	1,134	1,036	1,001	958	911	902	874	980	945	1,016
Acute nephritis—590	547	72	41	55	42	48	49	43	47	34	40	35	41
Nephritis with edema, including nephrosis—591	778	80	62	73	70	72	49	55	58	44	70	70	75
Chronic and unspecified nephritis and other renal sclerosis—592-594	10,595	991	917	1,006	924	881	860	813	797	796	870	840	900
Infections of kidney—600	9,813	901	776	851	816	816	814	799	804	740	816	784	896
Calculi of urinary system—602,604	1,205	93	99	94	125	98	82	86	126	100	107	88	107
Other diseases of urinary system—601,603,605-609	2,951	245	233	280	243	234	236	240	276	215	264	240	245
Hyperplasia of prostate—610	3,413	304	275	306	295	281	261	312	281	275	282	283	258
Diseases of breast—620,621	6	1	1	-	-	-	1	-	2	-	-	-	1
Other diseases of genital organs—611-617,622-637	1,147	95	81	99	99	94	86	100	95	113	93	102	90
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	1,189	92	96	90	95	84	105	104	120	97	110	102	94
Sepsis of pregnancy, childbirth, and puerperium—640,641,681,682,684	147	9	10	16	14	4	9	19	19	10	20	7	10
Toxemias of pregnancy and puerperium, except abortion with toxemia—642,685,686	211	18	22	11	20	12	21	17	17	16	18	24	15
Hemorrhage of pregnancy and childbirth—643,644,670-672	187	14	14	9	20	15	22	14	21	19	10	16	13
Ectopic pregnancy—645	70	7	3	2	3	3	6	7	9	7	7	5	11
Abortion without mention of sepsis or toxemia—650	67	7	3	5	4	7	8	5	7	3	7	7	4
Abortion with sepsis—651	158	15	12	13	14	12	11	13	15	14	12	15	12
Abortion with toxemia, without mention of sepsis—652	10	-	4	1	1	-	-	-	1	-	-	2	1
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication—646-649,660,673-680,683,687-689	339	22	28	33	19	31	28	29	31	28	36	26	28
XII. Diseases of the skin and cellular tissue	2,185	178	168	197	177	177	194	175	188	172	186	190	183
Infections of skin and subcutaneous tissue—690-698	481	40	44	48	32	45	41	33	50	38	34	39	37
Other diseases of skin and subcutaneous tissue—700-716	1,704	138	124	149	145	132	153	142	138	134	152	151	146
XIII. Diseases of the bones and organs of movement	3,849	318	315	341	319	342	302	294	272	288	351	336	371
Arthritis and spondylitis—720-725	2,000	166	163	180	168	180	167	159	135	142	196	162	182
Muscular rheumatism and rheumatism unspecified—726,727	71	4	5	5	8	8	4	7	9	7	1	8	5
Osteomyelitis and periostitis—730	172	13	15	11	14	19	12	14	11	13	14	14	22
Ankylosis and acquired musculoskeletal deformities—737,745-749	113	8	11	9	13	8	9	4	10	9	5	18	9
Inborn defect of muscle—744.1	689	51	53	68	55	65	52	50	44	46	60	68	77
Other diseases of musculoskeletal system—731-736,738-744.0,744.2	804	76	68	68	61	62	58	60	63	71	75	66	76
XIV. Congenital malformations	19,512	1,861	1,717	1,721	1,529	1,557	1,603	1,563	1,489	1,624	1,620	1,545	1,683
Spina bifida and meningocele—751	1,323	134	124	113	92	104	98	131	90	122	109	91	115
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	1,887	178	161	185	145	141	147	129	123	154	178	157	189
Congenital malformations of circulatory system—754	9,955	975	875	870	785	824	839	782	755	816	820	793	821
Other congenital malformations—750,755-759	6,347	574	557	553	507	488	519	521	521	532	513	504	558
XV. Certain diseases of early infancy	55,398	4,659	4,094	4,645	4,507	4,928	4,946	5,025	4,874	4,557	4,556	4,248	4,359
XVI. Symptoms, senility, and ill-defined conditions	23,414	2,109	1,943	2,175	1,896	1,934	1,829	1,981	1,734	1,691	1,973	1,940	2,209
Senility without mention of psychosis—794	2,188	210	201	206	193	163	164	183	169	142	173	180	204
Symptoms, ill-defined, and unknown causes—780-793,795	21,226	1,899	1,742	1,969	1,703	1,771	1,665	1,798	1,565	1,549	1,800	1,760	2,005
XVII. Accidents, poisonings, and violence	140,253	11,024	10,031	10,808	11,141	11,802	11,930	12,527	12,673	11,396	12,230	11,942	12,749
Accidents—E800-E962	108,004	8,441	7,704	8,154	8,414	8,958	9,303	9,677	9,791	8,682	9,534	9,339	10,007
Railway accidents—E800-E802	962	62	60	59	83	113	85	98	86	93	94	65	64
Motor vehicle accidents—E810-E835	49,163	3,478	3,118	3,297	3,670	4,059	4,111	4,243	4,733	4,202	4,804	4,426	5,022
Motor vehicle traffic accidents—E810-E825	48,050	3,410	3,065	3,249	3,579	3,950	3,987	4,118	4,590	4,103	4,692	4,351	4,956
Motor vehicle traffic accident involving collision with railway train—E810	1,556	163	132	119	92	105	102	113	118	125	146	158	183
Motor vehicle traffic accident to pedestrian—E812	8,117	689	569	583	632	650	583	565	679	687	811	743	926
Other motor vehicle traffic accidents involving collision—E811,E813-E819	21,300	1,429	1,357	1,454	1,539	1,733	1,798	1,837	2,065	1,816	2,052	1,984	2,216
Motor vehicle noncollision traffic accidents—E820-E824	12,939	855	732	832	993	1,123	1,129	1,235	1,282	1,096	1,297	1,127	1,238
Motor vehicle traffic accident of unspecified nature—E825	4,138	274	275	261	323	339	375	368	426	379	386	339	393
Motor vehicle nontraffic accidents—E830-E835	1,113	68	53	48	91	109	124	125	143	99	112	75	66
Other road vehicle accidents—E840-E845	319	7	14	21	17	25	45	52	43	32	19	19	25
Water transport accidents—E850-E858	1,493	56	53	76	140	208	221	232	156	124	105	73	49
Aircraft accidents—E860-E866	1,529	113	80	106	103	99	222	114	151	102	105	223	111
Accidental poisoning by solid and liquid substances—E870-E888	2,110	179	153	176	136	185	177	175	176	180	168	205	200
Accidental poisoning by gases and vapors—E890-E895	1,526	202	211	198	93	68	47	43	49	94	125	175	221
Accidental falls—E900-E904	19,984	1,762	1,688	1,700	1,565	1,529	1,590	1,652	1,626	1,633	1,767	1,682	1,790
Fall from one level to another—E900-E902	5,802	451	415	442	434	475	495	534	534	526	519	456	521
Fall on same level—E903	5,738	512	545	510	448	415	433	446	467	459	482	531	490
Unspecified falls—E904	8,444	799	728	748	683	639	662	672	625	648	766	695	779

Table 1-24. Deaths From 258 Selected Causes, by Month: United States, 1965—Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XVII. Accidents, poisonings, and violence—Con.													
Accidents—Con.													
Blow from falling or projected object or missile—E910	1,493	119	99	133	141	141	128	129	127	119	151	104	102
Accident caused by machinery—E912	2,054	113	85	120	177	210	231	194	204	197	201	195	127
Accident caused by electric current—E914	1,071	31	40	45	77	105	115	153	167	140	81	67	50
Accident caused by fire and explosion of combustible material—E916	7,347	920	853	924	604	510	351	365	346	317	553	731	873
Accident caused by hot substance, corrosive liquid, steam, and radiation—E917,E918	420	36	35	47	32	31	29	32	28	32	37	40	41
Accident caused by firearm—E919	2,344	169	163	132	144	135	172	169	189	212	237	335	287
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	1,836	183	150	141	146	151	138	148	130	145	172	158	174
Accidental drowning—E929	5,485	171	175	239	438	734	948	1,082	792	337	230	159	180
Excessive heat and insolation—E931	106	1	1	1	4	6	10	39	34	5	4	1	-
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures—E940-E959	1,494	136	123	128	116	123	123	132	124	126	120	135	108
All other accidents—E911,E913, E915,E920,E923-E928,E930,E932-E936,E960-E962	7,268	703	603	611	728	526	560	625	630	592	561	546	583
Suicide—E963,E970-E979	21,507	1,714	1,568	1,861	1,924	1,914	1,801	1,917	1,855	1,781	1,738	1,710	1,724
Suicide by poisoning—E970-E973	5,995	471	442	522	528	513	486	536	525	526	511	473	462
Suicide by hanging and strangulation—E974	3,197	222	235	284	308	272	303	309	278	250	260	240	236
Suicide by firearm and explosive—E976	9,898	845	717	866	864	879	800	848	816	804	783	811	865
Suicide by all other means—E963,E975,E977-E979	2,417	176	174	189	224	250	212	224	236	201	184	186	161
Homicide—E964,E980-E985	10,712	867	753	790	799	929	823	933	1,027	928	957	891	1,015
Assault by firearm and explosive—E981	6,158	523	415	458	442	515	442	512	604	537	564	540	606
Assault by cutting and piercing instruments—E982	2,292	185	178	162	179	210	206	214	213	175	201	174	195
Assault by other means—E964,E980,E983	1,984	142	143	144	160	164	144	188	190	193	171	155	190
Injury by intervention of police—E984	271	16	16	26	16	40	29	19	20	23	21	22	23
Execution—E985	7	1	1	-	2	-	2	-	-	-	-	-	1
Injury resulting from operations of war—E965,E990-E999	30	2	6	3	4	1	3	-	-	5	1	2	3

Table 1-25. Deaths From 258 Selected Causes

[Numbers after causes of death are category numbers

	Intermediate List number[1]	Cause of death	All races		
			Total	Male	Female
1		All causes	1,828,136	1,035,200	792,936
2		I. Infective and parasitic diseases	17,833	11,469	6,364
3		Tuberculosis, all forms 001-019	7,934	5,789	2,145
4	A 1	Tuberculosis of respiratory system 001-008	7,358	5,446	1,912
5	A 2	Tuberculosis of meninges and central nervous system 010	143	77	66
6	A 3	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	43	18	25
7	A 4	Tuberculosis of bones and joints 012,013	60	35	25
8	A 5 pt.	Tuberculosis of other organs and systems 014-018	112	77	35
9	A 5 pt.	Disseminated tuberculosis 019	218	136	82
10		Syphilis and its sequelae 020-029	2,434	1,732	702
11	A 6	Congenital syphilis 020	34	20	14
12	A 7	Early syphilis 021	1	1	-
13	A 10 pt.	Aneurysm of aorta 022	1,504	1,079	425
14	A 10 pt.	Other cardiovascular syphilis 023	549	399	150
15	A 8	Tabes dorsalis 024	43	31	12
16	A 9	General paralysis of insane 025	96	66	30
17	A 10 pt.	Other syphilis of central nervous system 026	157	106	51
18	A 10 pt.	All other syphilis 027-029	50	30	20
19	A 11	Gonococcal infection 030-035	9	7	2
20	A 12	Typhoid fever 040	6	2	4
21	A 13	Paratyphoid fever and other Salmonella infections 041,042	87	50	37
22	A 14	Cholera 043	-	-	-
23	A 15	Brucellosis (undulant fever) 044	6	3	3
24	A 16	Dysentery, all forms 045-048	243	141	102
25	A 43 pt.	Food poisoning (infection and intoxication) 049	24	11	13
26	A 17	Scarlet fever 050	5	3	2
27	A 18	Streptococcal sore throat 051	58	28	30
28	A 19	Erysipelas 052	12	5	7
29	A 20	Septicemia and pyemia 053	2,443	1,318	1,125
30	A 21	Diphtheria 055	18	10	8
31	A 22	Whooping cough 056	55	34	21
32	A 23	Meningococcal infections 057	890	483	407
33	A 24	Plague 058	1	1	-
34	A 25	Leprosy 060	3	2	1
35	A 26	Tetanus 061	181	112	69
36	A 27	Anthrax 062	-	-	-
37	A 28	Acute poliomyelitis 080	16	7	9
38	A 30 pt.	Late effects of acute poliomyelitis 081	128	85	43
39	A 29	Acute infectious encephalitis 082	500	252	248
40	A 30 pt.	Late effects of acute infectious encephalitis 083	63	42	21
41	A 31	Smallpox 084	-	-	-
42	A 32	Measles 085	276	129	147
43	A 33	Yellow fever 091	-	-	-
44	A 34	Infectious hepatitis 092	707	290	417
45	A 35	Rabies 094	2	1	1
46	A 36 pt.	Tick-borne typhus 104	16	8	8
47	A 36 pt.	All other rickettsial diseases 100-103,105-108	1	1	-
48	A 37	Malaria 110-117	8	8	-
49	A 38	Schistosomiasis 123	4	4	-
50	A 39	Hydatid disease 125	7	4	3
51	A 40	Filariasis 127	-	-	-
52	A 41	Ancylostomiasis 129	2	-	2
53	A 42	Other diseases due to helminths 124,126,128,130	66	36	30
54	A 43 pt.	All other infective and parasitic diseases 036-039,054,059,063-074,086-090,093,095,096,120-122,131-138	1,628	871	757
55		II. Neoplasms	302,646	163,828	138,818
56		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	297,588	161,422	136,166
57	A 44	Malignant neoplasm of buccal cavity and pharynx 140-148	6,501	4,924	1,577
58		Of lip 140	172	149	23
59		Of tongue 141	1,611	1,232	379
60		Of other and unspecified parts of buccal cavity 142-144	2,040	1,419	621
61		Of pharynx 145-148	2,678	2,124	554
62		Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	94,305	51,253	43,052
63	A 45	Of esophagus 150	5,542	4,236	1,306
64	A 46	Of stomach 151	18,027	11,059	6,968
65	A 47 pt.	Of small intestine, including duodenum 152	745	406	339
66	A 47 pt.	Of large intestine, except rectum 153	32,000	14,897	17,103
67		Cecum, appendix, and ascending colon 153.0	4,498	2,014	2,484
68		Transverse colon, including hepatic and splenic flexures 153.1	1,551	725	826
69		Descending colon 153.2	1,196	559	637
70		Sigmoid colon 153.3	6,022	2,862	3,160
71		Multiple parts of large intestine 153.7	59	35	24
72		Large intestine (including colon), part unspecified 153.8	17,022	7,950	9,072
73		Intestinal tract, part unspecified 153.9	1,652	752	900
74	A 48	Of rectum 154	10,533	5,962	4,571
75	A 57 pt.	Of biliary passages and of liver (stated to be primary site) 155	6,589	2,928	3,661
76		Liver 155.0	2,084	1,369	715
77		Other and multiple sites of biliary passages 155.1,155.8	4,505	1,559	2,946
78	A 57 pt.	Of liver not stated whether primary or secondary 156A	3,195	1,703	1,492
79	A 57 pt.	Of pancreas 157	16,002	9,237	6,765
80	A 57 pt.	Of peritoneum and of unspecified digestive organs 158,159	1,672	825	847
81		Malignant neoplasm of respiratory system, not specified as secondary 160-164	52,039	43,798	8,241
82	A 49	Of larynx 161	2,629	2,326	303
83	A 50 pt.	Of bronchus and trachea, and of lung specified as primary 162	20,354	17,570	2,784
84	A 50 pt.	Of lung, unspecified as to whether primary or secondary 163	28,129	23,309	4,820
85	A 57 pt.	Of other parts of respiratory system 160,164	927	593	334
86	A 51	Malignant neoplasm of breast 170	27,048	243	26,805

[1] See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume I, World Health Organization, Geneva, Switzerland, 1957.

by Specified Race and Sex: United States, 1965

of the Seventh Revision of the International Lists, 1955]

White			Negro			Indian			Chinese			Japanese			Other races			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,605,498	910,511	694,987	211,230	117,328	93,902	5,062	2,919	2,143	1,671	1,337	334	2,428	1,543	885	2,247	1,562	685	1
13,335	8,671	4,664	4,129	2,578	1,551	224	106	118	41	37	4	41	30	11	63	47	16	2
5,797	4,323	1,474	1,941	1,336	605	113	59	54	28	27	1	21	17	4	34	27	7	3
5,464	4,115	1,349	1,723	1,214	509	92	50	42	27	26	1	21	17	4	31	24	7	4
74	44	30	62	32	30	6	-	6	-	-	-	-	-	-	1	1	-	5
19	9	10	22	9	13	2	-	2	-	-	-	-	-	-	-	-	-	6
51	28	23	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	7
82	57	25	25	16	9	5	4	1	-	-	-	-	-	-	-	-	-	8
107	70	37	100	58	42	8	5	3	1	1	-	-	-	-	2	2	-	9
1,789	1,288	501	619	426	193	8	3	5	4	4	-	8	6	2	6	5	1	10
17	10	7	16	9	7	1	1	-	-	-	-	-	-	-	-	-	-	11
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	12
1,245	903	342	246	167	79	4	1	3	1	1	-	6	5	1	2	2	-	13
288	213	75	254	181	73	-	-	-	3	3	-	1	-	1	3	2	1	14
42	31	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	15
69	45	24	24	19	5	2	1	1	-	-	-	-	-	-	1	1	-	16
102	70	32	54	35	19	-	-	-	-	-	-	1	1	-	-	-	-	17
26	16	10	23	14	9	1	-	1	-	-	-	-	-	-	-	-	-	18
3	3	-	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	19
3	1	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	20
59	34	25	25	15	10	3	1	2	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
5	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	23
131	83	48	93	50	43	15	7	8	-	-	-	-	-	-	4	1	3	24
14	7	7	10	4	6	-	-	-	-	-	-	-	-	-	-	-	-	25
5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
41	21	20	17	7	10	-	-	-	-	-	-	-	-	-	-	-	-	27
12	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
1,883	1,026	857	521	268	253	25	14	11	4	3	1	4	2	2	6	5	1	29
10	5	5	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	30
23	14	9	31	20	11	1	-	1	-	-	-	-	-	-	-	-	-	31
714	394	320	161	85	76	12	4	8	2	-	2	-	-	-	1	-	1	32
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	33
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	34
108	64	44	73	48	25	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
13	5	8	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	37
121	79	42	6	5	1	-	-	-	-	-	-	-	-	-	1	1	-	38
423	209	214	66	38	28	8	4	4	-	-	-	2	1	1	1	-	1	39
60	41	19	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
192	91	101	74	32	42	8	4	4	-	-	-	-	-	-	2	2	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
606	247	359	91	38	53	6	1	5	-	-	-	2	2	-	2	2	-	44
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
14	8	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	47
7	7	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	48
4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
6	4	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	52
21	12	9	44	24	20	1	-	1	-	-	-	-	-	-	-	-	-	53
1,266	688	578	330	166	164	21	8	13	3	3	-	3	2	1	5	4	1	54
272,904	147,483	125,421	28,111	15,329	12,782	402	189	213	349	268	81	555	341	214	325	218	107	55
268,542	145,374	123,168	27,454	15,054	12,400	389	181	208	342	265	77	543	336	207	318	212	106	56
5,802	4,400	1,402	643	477	166	7	3	4	23	20	3	8	8	-	18	16	2	57
168	148	20	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	58
1,443	1,091	352	163	137	26	1	-	1	-	-	-	2	2	-	2	2	-	59
1,814	1,261	553	213	146	67	2	1	1	3	3	-	2	2	-	6	6	-	60
2,377	1,900	477	263	193	70	4	2	2	20	17	3	4	4	-	10	8	2	61
84,653	45,474	39,179	8,987	5,342	3,645	140	69	71	135	114	21	275	169	106	115	85	30	62
4,389	3,341	1,048	1,117	863	254	8	6	2	10	9	1	8	8	-	10	9	1	63
15,468	9,383	6,085	2,352	1,539	813	33	22	11	17	13	4	131	86	45	26	16	10	64
689	369	320	52	34	18	-	-	-	-	-	-	3	2	1	1	1	-	65
29,716	13,858	15,858	2,165	970	1,195	23	8	15	35	27	8	41	18	23	20	16	4	66
4,216	1,879	2,337	268	127	141	3	1	2	3	3	-	6	2	4	2	2	-	67
1,436	666	770	110	56	54	-	-	-	2	2	-	3	1	2	-	-	-	68
1,118	528	590	73	30	43	1	-	1	2	1	1	2	-	2	-	-	-	69
5,688	2,715	2,973	308	131	177	4	2	2	9	7	2	10	5	5	3	2	1	70
57	34	23	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	71
15,669	7,340	8,329	1,289	572	717	13	5	8	19	14	5	19	9	10	13	10	3	72
1,532	696	836	115	53	62	2	-	2	-	-	-	1	1	-	2	2	-	73
9,733	5,519	4,214	741	405	336	10	2	8	16	14	2	24	15	9	9	7	2	74
6,008	2,578	3,430	479	284	195	30	12	18	31	26	5	24	13	11	17	15	2	75
1,773	1,125	648	260	202	58	4	1	3	26	22	4	7	5	2	14	14	-	76
4,235	1,453	2,782	219	82	137	26	11	15	5	4	1	17	8	9	3	1	2	77
2,789	1,451	1,338	373	226	147	5	2	3	10	10	-	4	1	3	14	13	1	78
14,414	8,264	6,150	1,496	918	578	23	11	12	14	13	1	40	26	14	15	5	10	79
1,447	711	736	212	103	109	8	6	2	2	2	-	-	-	-	3	3	-	80
47,287	39,793	7,494	4,484	3,792	692	43	25	18	75	68	7	88	72	16	62	48	14	81
2,341	2,073	268	277	242	35	-	-	-	4	4	-	5	5	-	2	2	-	82
18,499	15,954	2,545	1,765	1,541	224	10	7	3	25	23	2	32	26	6	23	19	4	83
25,612	21,230	4,382	2,359	1,954	405	29	18	11	44	41	3	50	40	10	35	26	9	84
835	536	299	83	55	28	4	-	4	2	-	2	1	1	-	2	1	1	85
24,848	221	24,627	2,140	21	2,119	18	-	18	13	-	13	14	1	13	15	-	15	86

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers

	Intermediate List number[1]	Cause of death	All races		
			Total	Male	Female
		II. Neoplasms—Con.			
		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.			
1		Malignant neoplasm of genital organs—171-179	40,454	16,880	23,574
2	A 52	Of cervix uteri—171	8,053	...	8,053
3	A 53	Of other and unspecified parts of uterus—172-174	5,785	...	5,785
4	A 57 pt.	Of ovary, fallopian tube, and broad ligament—175	8,933	...	8,933
5	A 57 pt.	Of other and unspecified female genital organs—176	803	...	803
6	A 54	Of prostate—177	15,911	15,911	...
7	A 57 pt.	Of all other and unspecified male genital organs—178,179	969	969	...
8	A 57 pt.	Malignant neoplasm of urinary organs—180,181	13,901	9,094	4,807
9		Of kidney—180	5,634	3,508	2,126
10		Of bladder and other urinary organs—181	8,267	5,586	2,681
11		Malignant neoplasm of other and unspecified sites—156B,165,190-199	34,644	18,797	15,847
12	A 55	Of skin—190,191	4,605	2,711	1,894
13	A 57 pt.	Of eye—192	338	172	166
14	A 57 pt.	Of brain and other parts of nervous system—193	7,014	4,108	2,906
15	A 57 pt.	Of thyroid gland—194	1,052	360	692
16	A 56 pt.	Of bone—196	1,813	1,092	721
17	A 56 pt.	Of connective tissue—197	1,262	692	570
18	A 57 pt.	Of other specified sites, not stated to be secondary—195,199A	1,586	956	630
19	A 57 pt.	Of unspecified sites—156B,165,198,199B	16,974	8,706	8,268
20	A 58	Leukemia and aleukemia—204	13,628	7,840	5,788
21	A 59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	15,068	8,593	6,475
22		Lymphosarcoma and reticulosarcoma—200	7,250	4,134	3,116
23		Hodgkin's disease—201	3,394	2,066	1,328
24		Other neoplasms of lymphatic and hematopoietic tissues—202,203,205	4,424	2,393	2,031
25	A 60	Benign neoplasms and neoplasms of unspecified nature—210-239	5,058	2,406	2,652
26		Benign neoplasms of female genital organs—214-217	355	...	355
27		Benign neoplasm of brain and other parts of nervous system—223	1,006	429	577
28		Other benign neoplasms—210-213,218-222,224-229	989	548	441
29		Neoplasm of unspecified nature of female genital organs—233-235	24	...	24
30		Neoplasm of unspecified nature of brain and other parts of nervous system—237	1,707	918	789
31		Other neoplasms of unspecified nature—230-232,236,238,239	977	511	466
32		III. Allergic, endocrine system, metabolic, and nutritional diseases	44,136	19,198	24,938
33	A 66 pt.	Asthma—241	4,520	2,649	1,871
34	A 61	Nontoxic goiter—250,251	55	7	48
35	A 62	Thyrotoxicosis with or without goiter—252	438	96	342
36	A 66 pt.	All other diseases of thyroid gland—253,254	384	93	291
37	A 63	Diabetes mellitus—260	33,174	13,588	19,586
38	A 66 pt.	Diseases of thymus gland—273	68	49	19
39	A 66 pt.	Diseases of adrenal glands—274	454	203	251
40	A 64 pt.	Pellagra—281	22	9	13
41	A 64 pt.	Other avitaminoses and nutritional deficiency states—280,282-286	1,521	741	780
42	A 66 pt.	Cystic fibrosis—289A	610	307	303
43	A 66 pt.	All other allergic, endocrine, and metabolic diseases—240,242-245,270-272,275-277,287,288,289.0,289.1,289.2	2,890	1,456	1,434
44		IV. Diseases of the blood and blood-forming organs	5,561	2,804	2,757
45	A 65	Anemias—290-293	3,539	1,743	1,796
46		Pernicious and other hyperchromic anemias—290	423	180	243
47		Anemias of other and unspecified type—291-293	3,116	1,563	1,553
48	A 66 pt.	Purpura and other hemorrhagic conditions—296	741	345	396
49	A 66 pt.	Other diseases of blood and blood-forming organs—294,295,297-299	1,281	716	565
50		V. Mental, psychoneurotic, and personality disorders	4,988	3,385	1,603
51	A 67 pt.	Senile psychosis—304	279	107	172
52	A 67 pt.	Alcoholic psychosis—307	520	466	54
53	A 67 pt.	Other psychoses—300-303,305,306,308,309	786	382	404
54	A 68 pt.	Alcoholism—322	2,665	2,046	619
55	A 69	Mental deficiency—325	518	278	240
56	A 68 pt.	Other disorders of personality—310-321,323,324,326	220	106	114
57		VI. Diseases of the nervous system and sense organs	215,913	101,482	114,431
58	A 70	Vascular lesions affecting central nervous system—330-334	201,057	93,520	107,537
59		Subarachnoid hemorrhage—330	8,272	3,590	4,682
60		Cerebral hemorrhage—331	109,193	51,239	57,954
61		Cerebral embolism and thrombosis—332	63,680	29,636	34,044
62		Other vascular lesions affecting central nervous system—333,334	19,912	9,055	10,857
63	A 71	Meningitis, except meningococcal and tuberculous—340	2,363	1,313	1,050
64	A 72	Multiple sclerosis—345	1,530	607	923
65	A 78 pt.	Paralysis agitans—350	3,003	1,592	1,411
66	A 78 pt.	Cerebral spastic infantile paralysis—351	690	381	309
67	A 73	Epilepsy—353	1,881	1,136	745
68	A 74	Inflammatory diseases of eye—370-379	12	7	5
69	A 75	Cataract—385	28	11	17
70	A 76	Glaucoma—387	5	3	2
71	A 77	Otitis media and mastoiditis—391-393	230	119	111
72	A 78 pt.	Other diseases of nervous system and sense organs—341-344,352,354-369,380-384,386,388-390,394-398	5,114	2,793	2,321
73		VII. Diseases of the circulatory system	789,135	452,281	336,854
74		Diseases of heart—400-402,410-443	712,087	412,831	299,256
75	A 79	Rheumatic fever—400-402	483	259	224
76	A 80	Chronic rheumatic heart disease—410-416	14,988	6,511	8,477
77		Diseases of mitral valve—410	5,999	2,383	3,616
78		Diseases of aortic valve specified as rheumatic—411	1,741	1,162	579
79		Diseases of pulmonary valve and other endocarditis, specified as rheumatic—413,414	764	310	454
80		Other rheumatic heart diseases—412,415,416	6,484	2,656	3,828

[1]See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume I, World Health Organization, Geneva, Switzerland, 1957.

Specified Race and Sex: United States, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

White			Negro			Indian			Chinese			Japanese			Other races			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
35,080	14,720	20,360	5,213	2,110	3,103	63	17	46	18	7	11	43	14	29	37	12	25	1
6,392	...	6,392	1,604	...	1,604	24	...	24	3	...	3	17	...	17	13	...	13	2
4,962	...	4,962	801	...	801	10	...	10	3	...	3	4	...	4	5	...	5	3
8,281	...	8,281	622	...	622	12	...	12	5	...	5	8	...	8	5	...	5	4
725	...	725	76	...	76	-	...	-	-	...	-	-	...	-	2	...	2	5
13,819	13,819	...	2,047	2,047	...	17	17	...	7	7	...	11	11	...	10	10	...	6
901	901	...	63	63	...	-	-	...	-	-	...	3	3	...	2	2	...	7
12,832	8,453	4,379	1,006	598	408	21	12	9	15	14	1	23	15	8	4	2	2	8
5,247	3,266	1,981	352	220	132	17	10	7	8	7	1	9	5	4	1	-	1	9
7,585	5,187	2,398	654	378	276	4	2	2	7	7	-	14	10	4	3	2	1	10
31,474	17,135	14,339	2,989	1,545	1,444	58	32	26	40	29	11	49	31	18	34	25	9	11
4,397	2,592	1,805	190	107	83	5	2	3	4	3	1	4	2	2	5	5	-	12
315	161	154	23	11	12	-	-	-	-	-	-	-	-	-	-	-	-	13
6,593	3,859	2,734	392	227	165	5	3	2	9	6	3	9	8	1	6	5	1	14
975	335	640	73	23	50	1	-	1	-	-	-	2	1	1	1	1	-	15
1,634	988	646	169	97	72	3	2	1	1	1	-	2	1	1	4	3	1	16
1,137	623	514	119	65	54	2	1	1	1	1	-	1	-	1	2	2	-	17
1,434	872	562	138	75	63	9	6	3	-	-	-	2	1	1	3	2	1	18
14,989	7,705	7,284	1,885	940	945	33	18	15	25	18	7	29	18	11	13	7	6	19
12,677	7,274	5,403	881	520	361	22	13	9	12	7	5	23	19	4	13	7	6	20
13,889	7,904	5,985	1,111	649	462	17	10	7	11	6	5	20	7	13	20	17	3	21
6,840	3,870	2,970	378	245	133	8	2	6	5	4	1	10	5	5	9	8	1	22
3,154	1,920	1,234	227	140	87	1	1	-	2	-	2	5	2	3	5	3	2	23
3,895	2,114	1,781	506	264	242	8	7	1	4	2	2	5	-	5	6	6	-	24
4,362	2,109	2,253	657	275	382	13	8	5	7	3	4	12	5	7	7	6	1	25
228	...	228	125	...	125	-	...	-	-	...	-	2	...	2	-	...	-	26
879	370	509	117	55	62	-	-	-	2	-	2	4	1	3	4	3	1	27
862	474	388	119	67	52	3	3	-	2	1	1	1	1	-	2	2	-	28
21	...	21	3	...	3	-	...	-	-	...	-	-	...	-	-	...	-	29
1,523	821	702	175	93	82	5	2	3	-	-	-	3	1	2	1	1	-	30
849	444	405	118	60	58	5	3	2	3	2	1	2	2	-	-	-	-	31
37,810	16,690	21,120	5,935	2,297	3,638	157	72	85	61	48	13	86	42	44	87	49	38	32
3,770	2,226	1,544	702	387	315	9	5	4	7	7	-	8	6	2	24	18	6	33
43	5	38	12	2	10	-	-	-	-	-	-	-	-	-	-	-	-	34
355	71	284	78	24	54	1	-	1	3	1	2	-	-	-	1	-	1	35
356	88	268	27	5	22	-	-	-	1	-	1	-	-	-	-	-	-	36
28,532	11,922	16,610	4,362	1,520	2,842	118	53	65	46	37	9	65	30	35	51	26	25	37
53	41	12	14	8	6	-	-	-	-	-	-	-	-	-	1	-	1	38
405	176	229	44	25	19	5	2	3	-	-	-	-	-	-	-	-	-	39
17	6	11	4	2	2	-	-	-	-	-	-	-	-	-	1	1	-	40
1,248	597	651	254	137	117	7	3	4	1	-	1	9	3	6	2	1	1	41
574	289	285	33	16	17	2	1	1	1	1	-	-	-	-	-	-	-	42
2,457	1,269	1,188	405	171	234	15	8	7	2	2	-	4	3	1	7	3	4	43
4,638	2,337	2,301	880	448	432	18	9	9	6	2	4	9	3	6	10	5	5	44
2,829	1,396	1,433	680	337	343	12	5	7	4	2	2	7	1	6	7	2	5	45
395	167	228	25	12	13	2	1	1	-	-	-	-	-	-	1	-	1	46
2,434	1,229	1,205	655	325	330	10	4	6	4	2	2	7	1	6	6	2	4	47
662	311	351	71	29	42	3	2	1	2	-	2	2	2	-	1	1	-	48
1,147	630	517	129	82	47	3	2	1	-	-	-	-	-	-	2	2	-	49
3,904	2,620	1,284	1,023	727	296	55	35	20	1	-	1	2	1	1	3	2	1	50
261	100	161	17	6	11	-	-	-	-	-	-	1	1	-	-	-	-	51
412	376	36	103	87	16	5	3	2	-	-	-	-	-	-	-	-	-	52
696	332	364	86	48	38	3	2	1	-	-	-	1	-	1	-	-	-	53
1,926	1,502	424	693	515	178	44	28	16	-	-	-	-	-	-	2	1	1	54
456	241	215	58	35	23	3	2	1	1	-	1	-	-	-	-	-	-	55
153	69	84	66	36	30	-	-	-	-	-	-	-	-	-	1	1	-	56
187,105	87,459	99,646	27,782	13,391	14,391	357	172	185	153	124	29	311	183	128	205	153	52	57
174,591	80,823	93,768	25,560	12,125	13,435	283	138	145	146	120	26	293	173	120	184	141	43	58
6,798	2,974	3,824	1,393	572	821	24	12	12	10	5	5	30	14	16	17	13	4	59
92,986	43,414	49,572	15,684	7,496	8,188	171	82	89	85	71	14	159	91	68	108	85	23	60
57,106	26,455	30,651	6,335	3,027	3,308	63	30	33	37	31	6	88	56	32	51	37	14	61
17,701	7,980	9,721	2,148	1,030	1,118	25	14	11	14	13	1	16	12	4	8	6	2	62
1,626	920	706	689	368	321	38	18	20	1	1	-	2	2	-	7	4	3	63
1,423	565	858	107	42	65	-	-	-	-	-	-	-	-	-	-	-	-	64
2,910	1,537	1,373	84	51	33	3	1	2	-	-	-	5	2	3	1	1	-	65
565	321	244	119	59	60	3	1	2	1	-	1	-	-	-	2	-	2	66
1,366	803	563	496	323	173	11	6	5	-	-	-	4	2	2	4	2	2	67
10	7	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	68
22	7	15	5	3	2	-	-	-	1	1	-	-	-	-	-	-	-	69
5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
174	92	82	50	24	26	5	2	3	1	1	-	-	-	-	-	-	-	71
4,413	2,381	2,032	670	396	274	14	6	8	3	1	2	7	4	3	7	5	2	72
715,847	412,542	303,305	70,195	37,587	32,608	949	553	396	625	534	91	809	544	265	710	521	189	73
647,070	377,420	269,650	62,240	33,462	28,778	834	496	338	568	485	83	729	492	237	646	476	170	74
375	202	173	100	52	48	3	2	1	1	1	-	1	-	1	3	2	1	75
13,749	5,961	7,788	1,136	504	632	37	13	24	13	11	2	18	9	9	35	13	22	76
5,577	2,211	3,366	376	153	223	12	4	8	5	3	2	11	6	5	18	6	12	77
1,645	1,098	547	91	60	31	2	2	-	-	-	-	-	-	-	3	2	1	78
711	290	421	46	19	27	3	-	3	1	1	-	1	-	1	2	-	2	79
5,816	2,362	3,454	623	272	351	20	7	13	7	7	-	6	3	3	12	5	7	80

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers

	Intermediate List number[1]	Cause of death	All races		
			Total	Male	Female
		VII. Diseases of the circulatory system—Con.			
		Diseases of heart—Con.			
1	A 81 pt.	Arteriosclerotic heart disease, including coronary disease—420	559,293	340,077	219,216
2		Arteriosclerotic heart disease so described—420.0	152,455	75,304	77,151
3		Heart disease specified as involving coronary arteries—420.1	406,499	264,577	141,922
4		Angina pectoris without mention of coronary disease—420.2	339	196	143
5	A 81 pt.	Chronic endocarditis not specified as rheumatic—421	3,963	2,287	1,676
6		Of mitral valve, specified as nonrheumatic—421.0	147	77	70
7		Of aortic valve, not specified as rheumatic—421.1	2,347	1,528	819
8		Of other valves, not specified as rheumatic—421.2-421.4	1,469	682	787
9	A 81 pt.	Other myocardial degeneration—422	49,215	23,763	25,452
10		With arteriosclerosis—422.1	40,467	19,426	21,041
11		Without mention of arteriosclerosis—422.0,422.2	8,748	4,337	4,411
12	A 82	Other diseases of heart—430-434	29,177	16,197	12,980
13		Acute and subacute endocarditis—430	716	454	262
14		Acute myocarditis and acute pericarditis, not specified as rheumatic—431,432	1,089	608	481
15		Functional disease of heart—433	8,643	4,277	4,366
16		Other and unspecified diseases of heart—434	18,729	10,858	7,871
17	A 83	Hypertensive heart disease—440-443	54,968	23,737	31,231
18		Hypertensive heart disease with arteriolar nephrosclerosis—442	12,027	5,727	6,300
19		Other hypertensive heart disease—440,441,443	42,941	18,010	24,931
20	A 84	Other hypertensive disease—444-447	11,667	5,942	5,725
21		Hypertension with arteriolar nephrosclerosis—446	6,848	3,727	3,121
22		Essential hypertension and other hypertensive disease without mention of heart—444,445,447	4,819	2,215	2,604
23	A 85	Diseases of arteries—450-456	53,057	27,175	25,882
24		General arteriosclerosis—450	38,102	17,299	20,803
25		Aortic aneurysm, nonsyphilitic, and dissecting aneurysm—451	10,964	7,911	3,053
26		Gangrene of unspecified cause—455	302	159	143
27		Other arterial diseases—452-454,456	3,689	1,806	1,883
28	A 86	Diseases of veins and other diseases of circulatory system—460-468	12,324	6,333	5,991
29		VIII. Diseases of the respiratory system	99,769	64,225	35,544
30	A 87	Acute upper respiratory infections—470-475	745	417	328
31	A 88	Influenza—480-483	2,295	1,064	1,231
32		Pneumonia, except pneumonia of newborn—490-493	59,608	33,909	25,699
33	A 89	Lobar pneumonia—490	8,955	5,466	3,489
34	A 90	Bronchopneumonia—491	32,719	18,402	14,317
35	A 91 pt.	Primary atypical pneumonia—492	5,693	3,191	2,502
36	A 91 pt.	Pneumonia, other and unspecified—493	12,241	6,850	5,391
37	A 92	Acute bronchitis—500	1,004	599	405
38	A 93	Bronchitis, chronic and unqualified—501,502	4,768	3,639	1,129
39	A 94	Hypertrophy of tonsils and adenoids—510	77	35	42
40	A 95	Empyema and abscess of lung—518,521	868	635	233
41	A 96	Pleurisy—519	183	113	70
42	A 97 pt.	Other chronic interstitial pneumonia—525	4,223	2,673	1,550
43	A 97 pt.	Bronchiectasis—526	1,708	1,094	614
44	A 97 pt.	Other diseases of lung and pleural cavity—527	20,587	17,388	3,199
45		Emphysema without mention of bronchitis—527.1	18,664	16,151	2,513
46		All other diseases of lung and pleural cavity—527.0,527.2	1,923	1,237	686
47	A 97 pt.	Other respiratory diseases—511-517,520,522-524	3,703	2,659	1,044
48		IX. Diseases of the digestive system	71,900	41,762	30,138
49	A 98	Diseases of teeth and supporting structures—530-535	70	37	33
50	A 99	Ulcer of stomach—540	5,403	3,633	1,770
51	A 100	Ulcer of duodenum—541	5,021	3,728	1,293
52	A 101	Gastritis and duodenitis—543	456	290	166
53	A 102	Appendicitis—550-553	1,694	1,072	622
54	A 103	Hernia and intestinal obstruction—560,561,570	10,003	4,668	5,335
55	A 104 pt.	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over—571	3,443	1,781	1,662
56	A 104 pt.	Chronic enteritis and ulcerative colitis—572	4,000	1,731	2,269
57	A 105	Cirrhosis of liver—581	24,715	15,984	8,731
58		Without mention of alcoholism—581.0	16,286	10,249	6,037
59		With alcoholism—581.1	8,429	5,735	2,694
60	A 106	Cholelithiasis, cholecystitis, and cholangitis—584,585	4,666	1,960	2,706
61	A 107	Other diseases of digestive system—536-539,542,544,545,573-580,582,583,586,587	12,429	6,878	5,551
62		X. Diseases of the genitourinary system	30,455	17,715	12,740
63		Nephritis and nephrosis—590-594	11,920	6,623	5,297
64	A 108	Acute nephritis—590	547	294	253
65	A 109 pt.	Nephritis with edema, including nephrosis—591	778	436	342
66	A 109 pt.	Chronic and unspecified nephritis and other renal sclerosis—592-594	10,595	5,893	4,702
67	A 110	Infections of kidney—600	9,813	4,652	5,161
68	A 111	Calculi of urinary system—602,604	1,205	633	572
69	A 114 pt.	Other diseases of urinary system—601,603,605-609	2,951	1,871	1,080
70	A 112	Hyperplasia of prostate—610	3,413	3,413	...
71	A 113	Diseases of breast—620,621	6	1	5
72	A 114 pt.	Other diseases of genital organs—611-617,622-637	1,147	522	625
73		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	1,189	...	1,189
74	A 115	Sepsis of pregnancy, childbirth, and puerperium—640,641,681,682,684	147	...	147
75	A 116 pt.	Toxemias of pregnancy and puerperium, except abortion with toxemia—642,685,686	211	...	211
76	A 117	Hemorrhage of pregnancy and childbirth—643,644,670-672	187	...	187
77	A 120 pt.	Ectopic pregnancy—645	70	...	70
78	A 118	Abortion without mention of sepsis or toxemia—650	67	...	67
79	A 119	Abortion with sepsis—651	158	...	158
80	A 116 pt.	Abortion with toxemia, without mention of sepsis—652	10	...	10
81	A 120 pt.	Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication—646-649,660,673-680,683,687-689	339	...	339

[1] See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume I, World Health Organization, Geneva, Switzerland, 1957.

Specified Race and Sex: United States, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

White			Negro			Indian			Chinese			Japanese			Other races			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
518,737	316,770	201,967	38,561	21,841	16,720	577	362	215	436	376	60	528	369	159	454	359	95	1
140,200	68,909	71,291	11,715	6,018	5,697	152	86	66	119	100	19	145	101	44	124	90	34	2
378,248	247,691	130,557	26,798	15,799	10,999	425	276	149	317	276	41	381	266	115	330	269	61	3
289	170	119	48	24	24	-	-	-	-	-	-	2	2	-	-	-	-	4
3,497	2,015	1,482	445	255	190	10	7	3	5	4	1	5	5	-	1	1	-	5
125	66	59	21	11	10	-	-	-	1	-	1	-	-	-	-	-	-	6
2,134	1,393	741	204	127	77	3	2	1	1	1	-	4	4	-	1	1	-	7
1,238	556	682	220	117	103	7	5	2	3	3	-	1	1	-	-	-	-	8
44,151	21,187	22,964	4,893	2,464	2,429	58	33	25	25	23	2	54	32	22	34	24	10	9
36,540	17,435	19,105	3,803	1,907	1,896	35	21	14	18	16	2	46	28	18	25	19	6	10
7,611	3,752	3,859	1,090	557	533	23	12	11	7	7	-	8	4	4	9	5	4	11
24,350	13,515	10,835	4,663	2,579	2,084	93	51	42	19	17	2	21	13	8	31	22	9	12
617	395	222	95	58	37	3	1	2	1	-	1	-	-	-	-	-	-	13
879	494	385	201	110	91	4	1	3	1	-	1	2	1	1	2	2	-	14
7,671	3,801	3,870	932	447	485	19	12	7	6	6	-	5	4	1	10	7	3	15
15,183	8,825	6,358	3,435	1,964	1,471	67	37	30	11	11	-	14	8	6	19	13	6	16
42,211	17,770	24,441	12,442	5,767	6,675	56	28	28	69	53	16	102	64	38	88	55	33	17
10,061	4,719	5,342	1,929	986	943	10	5	5	9	7	2	7	5	2	11	5	6	18
32,150	13,051	19,099	10,513	4,781	5,732	46	23	23	60	46	14	95	59	36	77	50	27	19
9,296	4,624	4,672	2,320	1,284	1,036	15	8	7	11	10	1	16	8	8	9	8	1	20
5,894	3,185	2,709	932	527	405	8	4	4	6	5	1	4	2	2	4	4	-	21
3,402	1,439	1,963	1,388	757	631	7	4	3	5	5	-	12	6	6	5	4	1	22
48,881	25,071	23,810	3,965	1,973	1,992	70	29	41	39	32	7	58	39	19	44	31	13	23
35,292	15,907	19,385	2,692	1,319	1,373	48	22	26	19	17	2	32	23	9	19	11	8	24
10,182	7,426	2,756	718	437	281	11	6	5	12	11	1	23	15	8	18	16	2	25
244	130	114	57	29	28	1	-	1	-	-	-	-	-	-	-	-	-	26
3,163	1,608	1,555	498	188	310	10	1	9	8	4	4	3	1	2	7	4	3	27
10,600	5,427	5,173	1,670	868	802	30	20	10	7	7	-	6	5	1	11	6	5	28
85,862	55,741	30,121	13,113	7,975	5,138	459	255	204	81	69	12	129	99	30	125	86	39	29
556	310	246	169	96	73	18	11	7	-	-	-	1	-	1	1	-	1	30
1,902	881	1,021	378	172	206	13	9	4	-	-	-	2	2	-	-	-	-	31
49,409	27,967	21,442	9,633	5,598	4,035	351	186	165	52	43	9	82	60	22	81	55	26	32
7,202	4,378	2,824	1,677	1,041	636	50	29	21	5	5	-	11	8	3	10	5	5	33
27,762	15,535	12,227	4,691	2,696	1,995	143	76	67	33	29	4	56	40	16	34	26	8	34
4,637	2,602	2,035	988	550	438	30	15	15	6	3	3	9	6	3	23	15	8	35
9,808	5,452	4,356	2,277	1,311	966	128	66	62	8	6	2	6	6	-	14	9	5	36
827	490	337	163	100	63	3	2	1	-	-	-	6	5	1	5	2	3	37
4,425	3,393	1,032	320	225	95	10	9	1	2	2	-	6	6	-	5	4	1	38
66	32	34	11	3	8	-	-	-	-	-	-	-	-	-	-	-	-	39
669	486	183	187	142	45	8	4	4	1	1	-	-	-	-	3	2	1	40
150	88	62	30	24	6	2	1	1	-	-	-	-	-	-	1	-	1	41
3,575	2,299	1,276	613	352	261	18	11	7	5	5	-	6	3	3	6	3	3	42
1,587	997	590	100	82	18	9	4	5	3	2	1	3	3	-	6	6	-	43
19,368	16,398	2,970	1,149	935	214	20	13	7	17	15	2	20	17	3	13	10	3	44
17,764	15,367	2,397	846	739	107	9	7	2	16	15	1	19	16	3	10	7	3	45
1,604	1,031	573	303	196	107	11	6	5	1	-	1	1	1	-	3	3	-	46
3,328	2,400	928	360	246	114	7	5	2	1	1	-	3	3	-	4	4	-	47
62,822	36,554	26,268	8,408	4,627	3,581	410	181	229	88	75	13	79	54	25	93	71	22	48
50	29	21	20	8	12	-	-	-	-	-	-	-	-	-	-	-	-	49
4,877	3,266	1,611	480	332	148	10	6	4	13	11	2	15	10	5	8	8	-	50
4,659	3,468	1,191	335	238	97	5	3	2	11	10	1	6	4	2	5	5	-	51
393	257	136	56	26	30	2	2	-	-	-	-	4	4	-	1	1	-	52
1,414	895	519	267	168	99	7	5	2	4	3	1	2	1	1	-	-	-	53
8,847	4,084	4,763	1,094	550	544	35	15	20	10	7	3	7	5	2	10	7	3	54
2,199	1,100	1,099	1,126	615	511	105	58	47	1	1	-	1	1	-	11	6	5	55
3,759	1,636	2,123	228	87	141	6	2	4	2	2	-	2	2	-	3	2	1	56
21,340	13,931	7,409	3,113	1,921	1,192	171	66	105	30	25	5	23	14	9	38	27	11	57
14,279	9,053	5,226	1,864	1,121	743	81	31	50	24	21	3	14	7	7	24	16	8	58
7,061	4,878	2,183	1,249	800	449	90	35	55	6	4	2	9	7	2	14	11	3	59
4,416	1,883	2,533	204	60	144	29	4	25	5	4	1	8	5	3	4	4	-	60
10,868	6,005	4,863	1,485	822	663	40	20	20	12	12	-	11	8	3	13	11	2	61
24,488	14,355	10,133	5,701	3,203	2,498	107	52	55	54	40	14	54	31	23	51	34	17	62
9,176	5,143	4,033	2,614	1,407	1,207	54	27	27	21	14	7	31	18	13	24	14	10	63
396	207	189	146	86	60	3	1	2	1	-	1	1	-	1	-	-	-	64
621	352	269	152	79	73	3	3	-	-	-	-	2	2	-	-	-	-	65
8,159	4,584	3,575	2,316	1,242	1,074	48	23	25	20	14	6	28	16	12	24	14	10	66
7,979	3,775	4,204	1,755	838	917	35	14	21	15	8	7	15	8	7	14	9	5	67
1,076	571	505	119	54	65	-	-	-	5	5	-	2	1	1	3	2	1	68
2,410	1,475	935	523	384	139	7	4	3	4	4	-	2	-	2	5	4	1	69
2,953	2,953	...	438	438	...	5	5	...	9	9	...	4	4	...	4	4	...	70
6	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
888	437	451	252	82	170	6	2	4	-	-	-	-	-	-	1	1	-	72
656	...	656	513	...	513	14	...	14	2	...	2	2	...	2	2	...	2	73
86	...	86	60	...	60	1	...	1	-	...	-	-	...	-	-	...	-	74
108	...	108	98	...	98	5	...	5	-	...	-	-	...	-	-	...	-	75
119	...	119	65	...	65	2	...	2	-	...	-	-	...	-	1	...	1	76
27	...	27	41	...	41	-	...	-	-	...	-	1	...	1	1	...	1	77
29	...	29	36	...	36	-	...	-	2	...	2	-	...	-	-	...	-	78
74	...	74	83	...	83	1	...	1	-	...	-	-	...	-	-	...	-	79
3	...	3	7	...	7	-	...	-	-	...	-	-	...	-	-	...	-	80
210	...	210	123	...	123	5	...	5	-	...	-	1	...	1	-	...	-	81

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers

	Inter-mediate List number[1]	Cause of death	All races		
			Total	Male	Female
1		XII. Diseases of the skin and cellular tissue	2,185	789	1,396
2	A 121	Infections of skin and subcutaneous tissue—690-698	481	249	232
3	A 126 pt.	Other diseases of skin and subcutaneous tissue—700-716	1,704	540	1,164
4		XIII. Diseases of the bones and organs of movement	3,849	1,724	2,125
5	A 122	Arthritis and spondylitis—720-725	2,000	703	1,297
6	A 123	Muscular rheumatism and rheumatism unspecified—726,727	71	21	50
7	A 124	Osteomyelitis and periostitis—730	172	91	81
8	A 125	Ankylosis and acquired musculoskeletal deformities—737,745-749	113	52	61
9	A 126 pt.	Inborn defect of muscle—744.1	689	518	171
10	A 126 pt.	Other diseases of musculoskeletal system—731-736,738-744.0,744.2/	804	339	465
11		XIV. Congenital malformations	19,512	10,375	9,137
12	A 127	Spina bifida and meningocele—751	1,323	547	776
13	A 129 pt.	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	1,887	967	920
14	A 128	Congenital malformations of circulatory system—754	9,955	5,439	4,516
15	A 129 pt.	Other congenital malformations—750,755-759	6,347	3,422	2,925
16	A 130-A135	XV. Certain diseases of early infancy	55,398	32,504	22,894
17		XVI. Symptoms, senility, and ill-defined conditions	23,414	13,929	9,485
18	A 136	Senility without mention of psychosis—794	2,188	885	1,303
19	A 137	Symptoms, ill-defined, and unknown causes—780-793,795	21,226	13,044	8,182
20		XVII. Accidents, poisonings, and violence	140,253	97,730	42,523
21		Accidents—E800-E962	108,004	74,062	33,942
22	AE 139 pt.	Railway accidents—E800-E802	962	870	92
23	AE 138	Motor vehicle accidents—E810-E835	49,163	35,584	13,579
24		Motor vehicle traffic accidents—E810-E825	48,050	34,770	13,280
25		Motor vehicle traffic accident involving collision with railway train—E810	1,556	1,108	448
26		Motor vehicle traffic accident to pedestrian—E812	8,117	5,787	2,330
27		Other motor vehicle traffic accidents involving collision—E811,E813-E819	21,300	14,583	6,717
28		Motor vehicle noncollision traffic accidents—E820-E824	12,939	10,300	2,639
29		Motor vehicle traffic accident of unspecified nature—E825	4,138	2,992	1,146
30		Motor vehicle nontraffic accidents—E830-E835	1,113	814	299
31	AE 139 pt.	Other road vehicle accidents—E840-E845	319	222	97
32	AE 139 pt.	Water transport accidents—E650-E658	1,493	1,364	129
33	AE 139 pt.	Aircraft accidents—E860-E866	1,529	1,317	212
34	AE 140 pt.	Accidental poisoning by solid and liquid substances—E870-E888	2,110	1,159	951
35	AE 140 pt.	Accidental poisoning by gases and vapors—E890-E895	1,526	1,106	420
36	AE 141	Accidental falls—E900-E904	19,984	9,972	10,012
37		Fall from one level to another—E900-E902	5,802	3,943	1,859
38		Fall on same level—E903	5,738	2,541	3,197
39		Unspecified falls—E904	8,444	3,488	4,956
40	AE 147 pt.	Blow from falling or projected object or missile—E910	1,493	1,414	79
41	AE 142	Accident caused by machinery—E912	2,054	1,968	86
42	AE 147 pt.	Accident caused by electric current—E914	1,071	998	73
43	AE 143	Accident caused by fire and explosion of combustible material—E916	7,347	4,383	2,964
44	AE 144	Accident caused by hot substance, corrosive liquid, steam, and radiation—E917,E918	420	240	180
45	AE 145	Accident caused by firearm—E919	2,344	2,034	310
46	AE 147 pt.	Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	1,836	1,089	747
47	AE 146	Accidental drowning—E929	5,485	4,545	940
48	AE 147 pt.	Excessive heat and insolation—E931	106	79	27
49	AE 147 pt.	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures—E940-E959	1,494	721	773
50	AE 147 pt.	All other accidents—E911,E913,E915,E920,E923-E928,E930,E932-E936,E960-E962	7,268	4,997	2,271
51	AE 148	Suicide—E963,E970-E979	21,507	15,490	6,017
52		Suicide by poisoning—E970-E973	5,995	3,179	2,816
53		Suicide by hanging and strangulation—E974	3,197	2,453	744
54		Suicide by firearm and explosive—E976	9,898	8,457	1,441
55		Suicide by all other means—E963,E975,E977-E979	2,417	1,401	1,016
56	AE 149	Homicide—E964,E980-E985	10,712	8,148	2,564
57		Assault by firearm and explosive—E981	6,158	4,807	1,351
58		Assault by cutting and piercing instruments—E982	2,292	1,847	445
59		Assault by other means—E964,E980,E983	1,984	1,216	768
60		Injury by intervention of police—E984	271	271	-
61		Execution—E985	7	7	-
62	AE 150	Injury resulting from operations of war—E965,E990-E999	30	30	-

[1]See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume I, World Health Organization, Geneva, Switzerland, 1957.

Specified Race and Sex: United States, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

White			Negro			Indian			Chinese			Japanese			Other races			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,738	623	1,115	426	156	270	8	2	6	3	3	-	7	3	4	3	2	1	1
388	197	191	88	48	40	3	2	1	1	1	-	-	-	-	1	1	-	2
1,350	426	924	338	108	230	5	-	5	2	2	-	7	3	4	2	1	1	3
3,549	1,591	1,958	281	123	158	8	5	3	1	1	-	7	2	5	3	2	1	4
1,867	655	1,212	126	45	81	4	2	2	-	-	-	2	-	2	1	1	-	5
60	16	44	11	5	6	-	-	-	-	-	-	-	-	-	-	-	-	6
140	78	62	29	12	17	-	-	-	-	-	-	1	-	1	2	1	1	7
103	48	55	10	4	6	-	-	-	-	-	-	-	-	-	-	-	-	8
648	490	158	38	25	13	3	3	-	-	-	-	-	-	-	-	-	-	9
731	304	427	67	32	35	1	-	1	1	1	-	4	2	2	-	-	-	10
16,647	8,825	7,822	2,650	1,435	1,215	97	61	36	16	7	9	32	6	26	70	41	29	11
1,216	490	726	98	52	46	7	5	2	-	-	-	1	-	1	1	-	1	12
1,568	802	766	295	156	139	15	7	8	-	-	-	4	-	4	5	2	3	13
8,388	4,623	3,765	1,444	750	694	47	27	20	8	3	5	20	5	15	48	31	17	14
5,475	2,910	2,565	813	477	336	28	22	6	8	4	4	7	1	6	16	8	8	15
40,866	24,279	16,587	13,885	7,848	6,037	302	184	118	30	14	16	72	46	26	243	133	110	16
15,383	9,404	5,979	7,669	4,302	3,367	304	178	126	9	8	1	24	17	7	25	20	5	17
1,735	686	1,049	421	183	238	28	14	14	-	-	-	4	2	2	-	-	-	18
13,648	8,718	4,930	7,248	4,119	3,129	276	164	112	9	8	1	20	15	5	25	20	5	19
117,944	81,337	36,607	20,529	15,102	5,427	1,191	865	326	151	107	44	209	141	68	229	178	51	20
92,534	63,024	29,510	14,047	9,993	4,054	1,011	736	275	84	65	19	146	100	46	182	144	38	21
757	678	79	181	169	12	24	23	1	-	-	-	-	-	-	-	-	-	22
43,202	31,144	12,058	5,267	3,945	1,322	490	346	144	39	32	7	64	41	23	101	76	25	23
42,223	30,425	11,798	5,150	3,863	1,287	479	338	141	38	31	7	63	41	22	97	72	25	24
1,433	1,017	416	106	77	29	14	11	3	-	-	-	-	-	-	3	3	-	25
6,490	4,614	1,876	1,466	1,050	416	115	93	22	10	7	3	15	10	5	21	13	8	26
19,241	13,101	6,140	1,789	1,305	484	180	109	71	17	16	1	35	23	12	38	29	9	27
11,445	9,112	2,333	1,315	1,060	255	127	89	38	9	7	2	13	8	5	30	24	6	28
3,614	2,581	1,033	474	371	103	43	36	7	2	1	1	-	-	-	5	3	2	29
979	719	260	117	82	35	11	8	3	1	1	-	1	-	1	4	4	-	30
300	205	95	14	13	1	4	3	1	1	1	-	-	-	-	-	-	-	31
1,284	1,173	111	153	145	8	42	34	8	4	3	1	5	5	-	5	4	1	32
1,486	1,284	202	39	29	10	1	1	-	1	1	-	1	1	-	1	1	-	33
1,660	866	794	422	276	146	21	14	7	1	-	1	3	2	1	3	1	2	34
1,320	975	345	192	122	70	9	5	4	2	1	1	2	2	-	1	1	-	35
18,406	8,895	9,511	1,441	969	472	64	49	15	20	15	5	26	20	6	27	24	3	36
5,073	3,387	1,686	667	506	161	32	25	7	5	4	1	14	12	2	11	9	2	37
5,424	2,335	3,089	276	179	97	11	8	3	10	7	3	8	4	4	9	8	1	38
7,909	3,173	4,736	498	284	214	21	16	5	5	4	1	4	4	-	7	7	-	39
1,258	1,193	65	215	204	11	17	14	3	-	-	-	1	1	-	2	2	-	40
1,845	1,763	82	192	189	3	11	10	1	-	-	-	3	3	-	3	3	-	41
952	886	66	113	107	6	2	1	1	2	2	-	1	1	-	1	1	-	42
5,178	3,184	1,994	2,087	1,140	947	66	47	19	3	2	1	7	5	2	6	5	1	43
289	165	124	126	73	53	2	2	-	1	-	1	1	-	1	1	-	1	44
1,852	1,641	211	466	371	95	24	20	4	1	1	-	-	-	-	1	1	-	45
1,489	906	583	322	170	152	14	5	9	2	1	1	6	4	2	3	3	-	46
4,325	3,518	807	1,049	939	110	83	67	16	1	1	-	12	8	4	15	12	3	47
67	48	19	30	25	5	8	5	3	-	-	-	-	-	-	1	1	-	48
1,279	621	658	210	98	112	3	1	2	-	-	-	1	1	-	1	-	1	49
5,585	3,879	1,706	1,528	1,009	519	126	89	37	6	5	1	13	6	7	10	9	1	50
20,342	14,624	5,718	958	732	226	72	52	20	57	34	23	54	33	21	24	15	9	51
5,808	3,079	2,729	148	79	69	10	4	6	12	6	6	15	9	6	2	2	-	52
2,987	2,298	689	133	116	17	22	15	7	25	11	14	21	10	11	9	3	6	53
9,390	8,025	1,365	449	381	68	30	28	2	13	11	2	10	7	3	6	5	1	54
2,157	1,222	935	228	156	72	10	5	5	7	6	1	8	7	1	7	5	2	55
5,039	3,660	1,379	5,523	4,376	1,147	108	77	31	10	8	2	9	8	1	23	19	4	56
2,924	2,152	772	3,178	2,808	570	39	32	7	4	4	-	4	3	1	9	8	1	57
709	555	154	1,552	1,270	282	21	15	6	1	1	-	1	1	-	8	5	3	58
1,246	793	453	678	383	295	46	28	18	4	2	2	4	4	-	6	6	-	59
154	154	-	114	114	-	2	2	-	1	1	-	-	-	-	-	-	-	60
6	6	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	61
29	29	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	62

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ALL CAUSES	1,828,136	92,866	5,973	3,858	2,969	2,596	108,262	8,954	7,721	16,124
02	MALE	1,035,200	53,419	3,252	2,118	1,676	1,482	61,947	5,266	4,938	11,606
03	FEMALE	792,936	39,447	2,721	1,740	1,293	1,114	46,315	3,688	2,783	4,518
04	WHITE MALE	910,511	39,098	2,320	1,596	1,294	1,160	45,468	4,217	4,076	9,797
05	FEMALE	694,987	28,100	1,857	1,274	985	862	33,078	2,878	2,249	3,666
06	NEGRO MALE	117,328	13,507	865	500	349	306	15,527	983	805	1,688
07	FEMALE	93,902	10,723	799	442	283	236	12,483	766	494	79[illegible]
08	OTHER MALE	7,361	814	67	22	33	16	952	66	57	121
09	FEMALE	4,047	624	65	24	25	16	754	44	40	62
10	I. INFECTIVE AND PARASITIC DISEASES	17,833	1,269	393	262	169	139	2,232	406	181	228
11	MALE	11,469	718	208	144	99	70	1,239	207	95	113
12	FEMALE	6,364	551	185	118	70	69	993	199	86	115
13	WHITE MALE	8,671	489	147	96	85	55	872	154	76	84
14	FEMALE	4,664	352	125	83	53	49	662	146	66	83
15	NEGRO MALE	2,578	207	56	45	12	15	335	47	16	27
16	FEMALE	1,551	162	55	31	15	17	280	50	19	31
17	OTHER MALE	220	22	5	3	2	-	32	6	3	2
18	FEMALE	149	37	5	4	2	3	51	3	1	1
19	TUBERCULOSIS, ALL FORMS 001-019	7,934	28	22	14	8	9	81	14	14	38
20	MALE	5,789	14	8	5	2	3	32	9	5	16
21	FEMALE	2,145	14	14	9	6	6	49	5	9	22
22	WHITE MALE	4,323	9	3	4	2	1	19	3	3	9
23	FEMALE	1,474	4	6	4	2	1	17	3	5	10
24	NEGRO MALE	1,336	5	4	1	-	2	12	4	2	6
25	FEMALE	605	7	8	5	3	4	27	1	4	12
26	OTHER MALE	130	-	1	-	-	-	1	2	-	1
27	FEMALE	66	3	-	-	1	1	5	1	-	-
28	TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	7,358	13	7	4	2	3	29	5	7	24
29	MALE	5,446	7	4	-	1	-	12	4	1	10
30	FEMALE	1,912	6	3	4	1	3	17	1	6	14
31	WHITE MALE	4,115	3	1	-	1	-	5	1	1	7
32	FEMALE	1,349	1	1	1	-	-	3	-	3	6
33	NEGRO MALE	1,214	4	2	-	-	-	6	1	-	3
34	FEMALE	509	4	2	3	1	3	13	1	3	8
35	OTHER MALE	117	-	1	-	-	-	1	2	-	-
36	FEMALE	54	1	-	-	-	-	1	-	-	-
37	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	143	9	11	8	6	5	39	6	4	6
38	MALE	77	5	3	4	1	3	16	2	2	3
39	FEMALE	66	4	8	4	5	2	23	4	2	3
40	WHITE MALE	44	4	1	4	1	1	11	1	1	1
41	FEMALE	30	2	2	3	2	-	9	3	2	2
42	NEGRO MALE	32	1	2	-	-	2	5	1	1	1
43	FEMALE	30	2	6	1	2	1	12	-	-	1
44	OTHER MALE	1	-	-	-	-	-	-	-	-	1
45	FEMALE	6	-	-	-	1	1	2	1	-	-
46	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	43	-	1	-	-	1	2	-	1	1
47	MALE	18	-	-	-	-	-	-	-	-	-
48	FEMALE	25	-	1	-	-	1	2	-	1	1
49	WHITE MALE	9	-	-	-	-	-	-	-	-	-
50	FEMALE	10	-	1	-	-	1	2	-	-	-
51	NEGRO MALE	9	-	-	-	-	-	-	-	-	-
52	FEMALE	13	-	-	-	-	-	-	-	1	1
53	OTHER MALE	-	-	-	-	-	-	-	-	-	-
54	FEMALE	2	-	-	-	-	-	-	-	-	-
55	TUBERCULOSIS OF BONES AND JOINTS 012,013	60	-	-	-	-	-	-	1	-	1
56	MALE	35	-	-	-	-	-	-	1	-	-
57	FEMALE	25	-	-	-	-	-	-	-	-	1
58	WHITE MALE	26	-	-	-	-	-	-	-	-	-
59	FEMALE	23	-	-	-	-	-	-	-	-	1
60	NEGRO MALE	7	-	-	-	-	-	-	1	-	-
61	FEMALE	2	-	-	-	-	-	-	-	-	-
62	OTHER MALE	-	-	-	-	-	-	-	-	-	-
63	FEMALE	-	-	-	-	-	-	-	-	-	-
64	TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	112	1	-	-	-	-	1	-	1	1
65	MALE	77	1	-	-	-	-	1	-	1	1
66	FEMALE	35	-	-	-	-	-	-	-	-	-
67	WHITE MALE	57	1	-	-	-	-	1	-	1	-
68	FEMALE	25	-	-	-	-	-	-	-	-	-
69	NEGRO MALE	16	-	-	-	-	-	-	-	-	1
70	FEMALE	9	-	-	-	-	-	-	-	-	-
71	OTHER MALE	4	-	-	-	-	-	-	-	-	-
72	FEMALE	1	-	-	-	-	-	-	-	-	-
73	DISSEMINATED TUBERCULOSIS 019	218	5	3	2	-	-	10	2	1	5
74	MALE	136	1	1	1	-	-	3	2	1	2
75	FEMALE	82	4	2	1	-	-	7	-	-	3
76	WHITE MALE	70	1	1	-	-	-	2	1	-	1
77	FEMALE	37	1	2	-	-	-	3	-	-	1
78	NEGRO MALE	58	-	-	1	-	-	1	1	1	1
79	FEMALE	42	1	-	1	-	-	2	-	-	2
80	OTHER MALE	8	-	-	-	-	-	-	-	-	-
81	FEMALE	3	2	-	-	-	-	2	-	-	-
82	SYPHILIS AND ITS SEQUELAE 020-029	2,434	25	-	-	-	-	25	1	3	2
83	MALE	1,732	14	-	-	-	-	14	1	2	2
84	FEMALE	702	11	-	-	-	-	11	-	1	-
85	WHITE MALE	1,288	7	-	-	-	-	7	-	2	1
86	FEMALE	501	4	-	-	-	-	4	-	1	-
87	NEGRO MALE	426	6	-	-	-	-	6	1	-	1
88	FEMALE	193	7	-	-	-	-	7	-	-	-
89	OTHER MALE	18	1	-	-	-	-	1	-	-	-
90	FEMALE	8	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
16,969	15,046	18,535	28,974	45,847	66,259	96,589	126,870	160,595	199,466	235,926	245,147	213,155	139,124	60,533	15,147	2,343	550	01
12,148	10,135	11,466	17,639	28,045	41,408	62,553	83,438	104,026	122,960	137,059	130,494	101,825	59,084	22,991	5,100	707	345	02
4,821	4,911	7,069	11,335	17,802	24,851	34,036	43,432	56,569	76,466	98,867	114,653	111,330	80,040	37,542	10,047	1,636	205	03
9,897	7,656	8,555	13,417	22,287	34,348	53,248	72,670	91,376	109,100	124,706	121,250	95,698	55,851	21,545	4,607	520	222	04
3,775	3,524	4,949	8,116	13,370	19,689	27,368	35,664	46,682	65,681	89,118	106,882	105,271	76,511	35,726	9,342	1,317	131	05
2,067	2,305	2,731	4,025	5,510	6,770	8,899	10,219	11,962	13,154	11,675	8,546	5,555	2,872	1,303	441	174	117	06
978	1,295	1,986	3,036	4,237	4,987	6,456	7,533	9,605	10,505	9,400	7,454	5,786	3,351	1,727	664	304	65	07
184	174	180	197	248	290	406	549	688	726	678	698	572	361	143	52	13	6	08
68	92	134	183	195	175	212	235	282	300	349	317	273	178	89	41	15	9	09
221	237	343	545	766	931	1,224	1,542	1,726	1,875	1,903	1,626	1,068	555	170	43	2	9	10
109	123	174	271	427	592	853	1,096	1,259	1,377	1,386	1,093	671	276	81	19	1	7	11
112	114	169	274	339	339	371	446	467	498	517	533	397	279	89	24	1	2	12
68	65	87	157	268	383	590	827	966	1,073	1,167	926	590	232	67	16	-	3	13
64	49	94	153	189	233	256	317	349	379	440	460	347	252	83	21	-	1	14
36	54	84	108	154	193	253	254	276	282	200	142	65	32	13	3	1	3	15
45	37	72	110	143	98	113	123	109	106	68	70	44	25	5	1	1	1	16
5	4	3	6	5	16	10	15	17	22	19	25	16	12	1	-	-	1	17
3	8	3	11	7	8	2	6	9	13	9	3	6	2	1	2	-	-	18
58	75	160	301	449	536	721	863	934	959	958	834	529	308	76	18	-	8	19
30	43	88	166	263	369	540	690	757	776	767	621	367	188	45	10	-	7	20
28	32	72	135	186	167	181	173	177	183	191	213	162	120	31	8	-	1	21
14	14	30	85	155	227	376	517	583	598	640	525	318	155	39	10	-	3	22
8	11	33	62	89	112	116	122	129	136	160	184	138	105	28	6	-	-	23
15	25	57	76	106	131	157	164	162	160	114	79	35	23	5	-	-	3	24
19	18	36	65	90	48	63	46	45	40	27	28	19	14	2	-	-	1	25
1	4	1	5	2	11	7	9	12	18	13	17	14	10	1	-	-	1	26
1	3	3	8	7	7	2	5	3	7	4	1	5	1	1	2	-	-	27
39	60	146	272	417	489	673	823	883	913	899	793	498	293	71	16	-	8	28
18	35	81	150	248	345	505	665	724	742	726	595	348	182	40	8	-	7	29
21	25	65	122	169	144	168	158	159	171	173	198	150	111	31	8	-	1	30
7	12	27	76	150	214	364	502	561	573	610	504	304	150	36	8	-	3	31
6	11	29	56	84	102	113	114	117	127	146	170	130	98	28	6	-	-	32
10	21	53	70	96	120	136	155	151	152	106	74	30	23	4	-	-	3	33
15	11	34	59	79	37	53	39	39	37	24	27	15	12	2	-	-	1	34
1	2	1	4	2	11	5	8	12	17	10	17	14	9	-	-	-	1	35
-	3	2	7	6	5	2	5	3	7	3	1	5	1	1	2	-	-	36
12	4	5	9	10	10	9	5	7	8	4	4	1	-	-	-	-	-	37
7	2	3	6	6	6	6	2	5	5	3	3	-	-	-	-	-	-	38
5	2	2	3	4	4	3	3	2	3	1	1	1	-	-	-	-	-	39
5	2	1	3	2	4	3	-	2	5	2	1	-	-	-	-	-	-	40
2	-	2	1	-	1	1	2	1	3	1	-	-	-	-	-	-	-	41
2	-	2	3	4	2	3	2	3	-	1	2	-	-	-	-	-	-	42
2	2	-	1	4	2	2	1	1	-	-	1	1	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	45
-	2	1	2	2	5	4	4	6	-	7	3	2	1	-	-	-	-	46
-	1	-	-	1	2	2	1	3	-	6	1	1	-	-	-	-	-	47
-	1	1	2	1	3	2	3	3	-	1	2	1	1	-	-	-	-	48
-	-	-	-	1	-	-	-	2	-	5	1	-	-	-	-	-	-	49
-	-	-	-	-	1	-	2	3	-	-	2	-	-	-	-	-	-	50
-	1	-	-	-	2	2	1	1	-	1	-	1	-	-	-	-	-	51
-	1	1	2	1	1	2	1	-	-	-	-	1	1	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	54
1	1	1	2	1	4	6	3	6	6	14	6	4	3	-	-	-	-	55
1	1	-	1	-	2	4	2	5	4	9	3	2	-	-	-	-	-	56
-	-	1	1	1	2	2	1	1	2	5	3	2	3	-	-	-	-	57
-	-	-	1	-	1	1	2	5	4	9	3	2	-	-	-	-	-	58
-	-	1	1	1	1	1	1	1	2	5	3	2	3	-	-	-	-	59
1	1	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
3	1	3	5	6	9	9	12	12	10	12	11	10	3	1	2	-	-	64
3	-	2	4	3	5	8	9	6	8	8	6	7	2	1	2	-	-	65
-	1	1	1	3	4	1	3	6	2	4	5	3	1	-	-	-	-	66
1	-	2	3	2	3	5	7	4	5	6	6	6	2	1	2	-	-	67
-	-	-	1	1	4	-	2	4	1	3	5	3	1	-	-	-	-	68
2	-	-	-	1	2	2	2	2	3	-	-	1	-	-	-	-	-	69
-	1	-	-	2	-	1	1	2	1	1	-	-	-	-	-	-	-	70
-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	71
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
3	7	4	11	13	19	20	16	20	22	22	17	14	8	4	-	-	-	73
1	4	2	5	5	9	15	11	14	17	15	13	9	4	4	-	-	-	74
2	3	2	6	8	10	5	5	6	5	7	4	5	4	-	-	-	-	75
1	-	-	2	-	5	3	6	9	11	8	10	6	3	2	-	-	-	76
-	-	1	3	3	3	1	1	3	3	5	4	3	3	-	-	-	-	77
-	2	2	3	5	4	11	4	5	5	6	3	3	-	1	-	-	-	78
2	3	1	3	4	7	4	4	3	2	2	-	2	1	-	-	-	-	79
-	2	-	-	-	-	1	1	-	1	1	-	-	1	1	-	-	-	80
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	81
5	10	16	15	38	86	154	244	343	450	452	328	186	57	14	5	-	-	82
2	7	10	8	27	59	118	174	248	338	346	221	119	29	6	1	-	-	83
3	3	6	7	11	27	36	70	95	112	106	107	67	28	8	4	-	-	84
2	3	3	6	10	32	63	114	179	254	291	192	101	24	4	-	-	-	85
1	2	3	3	4	12	20	39	64	81	81	92	57	26	7	4	-	-	86
-	4	7	2	17	25	55	58	65	81	52	28	17	4	2	1	-	-	87
2	1	3	4	7	15	16	31	30	30	21	13	10	2	1	-	-	-	88
-	-	-	-	-	2	-	2	4	3	3	1	1	1	-	-	-	-	89
-	-	-	-	-	-	-	-	1	1	4	2	-	-	-	-	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	SYPHILIS AND ITS SEQUELAE--CON.										
01	CONGENITAL SYPHILIS.....020	34	24	-	-	-	-	24	-	1	-
02	MALE....	20	14	-	-	-	-	14	-	1	-
03	FEMALE..	14	10	-	-	-	-	10	-	-	-
04	WHITE.....MALE....	10	7	-	-	-	-	7	-	1	-
05	FEMALE..	7	4	-	-	-	-	4	-	-	-
06	NEGRO.....MALE....	9	6	-	-	-	-	6	-	-	-
07	FEMALE..	7	6	-	-	-	-	6	-	-	-
08	OTHER.....MALE....	1	1	-	-	-	-	1	-	-	-
09	FEMALE..	-	-	-	-	-	-	-	-	-	-
10	EARLY SYPHILIS.....021	1	-	-	-	-	-	-	-	-	-
11	MALE....	1	-	-	-	-	-	-	-	-	-
12	FEMALE..	-	-	-	-	-	-	-	-	-	-
13	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
14	FEMALE..	-	-	-	-	-	-	-	-	-	-
15	NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
16	FEMALE..	-	-	-	-	-	-	-	-	-	-
17	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
18	FEMALE..	-	-	-	-	-	-	-	-	-	-
19	ANEURYSM OF AORTA.....022	1,504	-	-	-	-	-	-	-	2	1
20	MALE....	1,079	-	-	-	-	-	-	-	1	1
21	FEMALE..	425	-	-	-	-	-	-	-	1	-
22	WHITE.....MALE....	903	-	-	-	-	-	-	-	1	1
23	FEMALE..	342	-	-	-	-	-	-	-	1	-
24	NEGRO.....MALE....	167	-	-	-	-	-	-	-	-	-
25	FEMALE..	79	-	-	-	-	-	-	-	-	-
26	OTHER.....MALE....	9	-	-	-	-	-	-	-	-	-
27	FEMALE..	4	-	-	-	-	-	-	-	-	-
28	OTHER CARDIOVASCULAR SYPHILIS.....023	549	-	-	-	-	-	-	-	-	-
29	MALE....	399	-	-	-	-	-	-	-	-	-
30	FEMALE..	150	-	-	-	-	-	-	-	-	-
31	WHITE.....MALE....	213	-	-	-	-	-	-	-	-	-
32	FEMALE..	75	-	-	-	-	-	-	-	-	-
33	NEGRO.....MALE....	181	-	-	-	-	-	-	-	-	-
34	FEMALE..	73	-	-	-	-	-	-	-	-	-
35	OTHER.....MALE....	5	-	-	-	-	-	-	-	-	-
36	FEMALE..	2	-	-	-	-	-	-	-	-	-
37	TABES DORSALIS.....024	43	-	-	-	-	-	-	-	-	-
38	MALE....	31	-	-	-	-	-	-	-	-	-
39	FEMALE..	12	-	-	-	-	-	-	-	-	-
40	WHITE.....MALE....	31	-	-	-	-	-	-	-	-	-
41	FEMALE..	11	-	-	-	-	-	-	-	-	-
42	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
43	FEMALE..	1	-	-	-	-	-	-	-	-	-
44	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
45	FEMALE..	-	-	-	-	-	-	-	-	-	-
46	GENERAL PARALYSIS OF INSANE.....025	96	1	-	-	-	-	1	1	-	-
47	MALE....	66	-	-	-	-	-	-	1	-	-
48	FEMALE..	30	1	-	-	-	-	1	-	-	-
49	WHITE.....MALE....	45	-	-	-	-	-	-	-	-	-
50	FEMALE..	24	-	-	-	-	-	-	-	-	-
51	NEGRO.....MALE....	19	-	-	-	-	-	-	1	-	-
52	FEMALE..	5	1	-	-	-	-	1	-	-	-
53	OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
54	FEMALE..	1	-	-	-	-	-	-	-	-	-
55	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	157	-	-	-	-	-	-	-	-	1
56	MALE....	106	-	-	-	-	-	-	-	-	1
57	FEMALE..	51	-	-	-	-	-	-	-	-	-
58	WHITE.....MALE....	70	-	-	-	-	-	-	-	-	-
59	FEMALE..	32	-	-	-	-	-	-	-	-	-
60	NEGRO.....MALE....	35	-	-	-	-	-	-	-	-	1
61	FEMALE..	19	-	-	-	-	-	-	-	-	-
62	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
63	FEMALE..	-	-	-	-	-	-	-	-	-	-
64	ALL OTHER SYPHILIS.....027-029	50	-	-	-	-	-	-	-	-	-
65	MALE....	30	-	-	-	-	-	-	-	-	-
66	FEMALE..	20	-	-	-	-	-	-	-	-	-
67	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-
68	FEMALE..	10	-	-	-	-	-	-	-	-	-
69	NEGRO.....MALE....	14	-	-	-	-	-	-	-	-	-
70	FEMALE..	9	-	-	-	-	-	-	-	-	-
71	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
72	FEMALE..	1	-	-	-	-	-	-	-	-	-
73	GONOCOCCAL INFECTION.....030-035	9	-	-	-	-	-	-	-	-	1
74	MALE....	7	-	-	-	-	-	-	-	-	-
75	FEMALE..	2	-	-	-	-	-	-	-	-	1
76	WHITE.....MALE....	3	-	-	-	-	-	-	-	-	-
77	FEMALE..	-	-	-	-	-	-	-	-	-	-
78	NEGRO.....MALE....	4	-	-	-	-	-	-	-	-	-
79	FEMALE..	2	-	-	-	-	-	-	-	-	1
80	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
81	FEMALE..	-	-	-	-	-	-	-	-	-	-
82	TYPHOID FEVER.....040	6	-	-	1	-	1	2	-	1	-
83	MALE....	2	-	-	-	-	-	-	-	-	-
84	FEMALE..	4	-	-	1	-	1	2	-	1	-
85	WHITE.....MALE....	1	-	-	-	-	-	-	-	-	-
86	FEMALE..	2	-	-	-	-	-	-	-	1	-
87	NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
88	FEMALE..	2	-	-	1	-	1	2	-	-	-
89	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
90	FEMALE..	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25}

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	2	1	1	-	2	1	-	1	1	-	-	-	-	-	-	-	01
-	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	02
-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	03
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	04
-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	05
-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	06
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
4	7	8	11	24	47	74	137	186	278	295	236	131	46	13	4	-	-	19
1	6	6	6	17	39	61	100	137	216	230	149	81	22	5	1	-	-	20
3	1	2	5	7	8	13	37	49	62	65	87	50	24	8	3	-	-	21
1	3	3	6	9	25	37	75	111	185	208	140	74	20	4	-	-	-	22
1	-	1	3	3	5	7	20	38	52	55	78	45	23	7	3	-	-	23
-	3	3	-	8	13	24	24	24	30	21	8	6	1	1	1	-	-	24
2	1	1	2	4	3	6	17	10	10	8	8	5	1	1	-	-	-	25
-	-	-	-	-	1	-	1	2	1	1	1	1	1	-	-	-	-	26
-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	27
-	2	1	1	11	23	47	61	100	111	95	56	34	5	1	1	-	-	28
-	1	1	-	7	12	36	50	72	79	71	45	22	2	1	-	-	-	29
-	1	-	1	4	11	11	11	28	32	24	11	12	3	-	1	-	-	30
-	-	-	-	-	4	16	22	40	41	47	28	14	1	-	-	-	-	31
-	1	-	-	1	3	5	5	16	14	12	7	8	2	-	1	-	-	32
-	1	1	-	7	8	20	27	31	36	23	17	8	1	1	-	-	-	33
-	-	-	1	3	8	6	6	12	17	11	4	4	1	-	-	-	-	34
-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	36
-	-	-	-	-	1	-	3	5	8	11	7	7	1	-	-	-	-	37
-	-	-	-	-	-	-	1	3	7	8	5	6	1	-	-	-	-	38
-	-	-	-	-	1	-	2	2	1	3	2	1	-	-	-	-	-	39
-	-	-	-	-	-	-	1	3	7	8	5	6	1	-	-	-	-	40
-	-	-	-	-	1	-	2	1	1	3	2	1	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
1	1	2	1	1	3	10	16	15	16	13	10	4	1	-	-	-	-	46
1	-	1	1	1	3	8	7	12	10	11	7	3	-	-	-	-	-	47
-	1	1	-	-	-	2	9	3	6	2	3	1	1	-	-	-	-	48
1	-	-	-	1	2	3	6	10	7	7	6	2	-	-	-	-	-	49
-	1	1	-	-	-	2	6	2	6	2	2	1	1	-	-	-	-	50
-	-	1	1	-	-	5	1	1	3	4	1	1	-	-	-	-	-	51
-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	54
-	-	-	1	-	9	17	23	28	29	28	15	4	2	-	-	-	-	55
-	-	-	1	-	3	11	14	17	20	22	12	3	2	-	-	-	-	56
-	-	-	-	-	6	6	9	11	9	6	3	1	-	-	-	-	-	57
-	-	-	-	-	1	5	9	10	11	18	12	2	2	-	-	-	-	58
-	-	-	-	-	2	3	5	7	7	5	2	1	-	-	-	-	-	59
-	-	-	1	-	2	6	5	7	9	3	-	1	-	-	-	-	-	60
-	-	-	-	-	4	3	4	4	2	1	1	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	3	-	-	3	4	3	9	7	9	4	6	2	-	-	-	-	64
-	-	1	-	-	2	1	1	7	5	4	3	4	2	-	-	-	-	65
-	-	2	-	-	1	3	2	2	2	5	1	2	-	-	-	-	-	66
-	-	-	-	-	-	1	-	5	3	3	1	3	-	-	-	-	-	67
-	-	-	-	-	1	2	1	-	1	3	1	1	-	-	-	-	-	68
-	-	1	-	-	2	-	1	2	2	1	2	1	2	-	-	-	-	69
-	-	2	-	-	-	1	1	2	1	1	-	1	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	72
-	1	2	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	73
-	1	1	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	74
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	78
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	82
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	84
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	85
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	87	21	4	3	-	-	28	1	-	1
02	MALE....	50	11	1	2	-	-	14	1	-	-
03	FEMALE..	37	10	3	1	-	-	14	-	-	1
04	WHITE.....MALE....	34	4	1	-	-	-	5	1	-	-
05	FEMALE..	25	6	-	1	-	-	7	-	-	-
06	NEGRO.....MALE....	15	6	-	2	-	-	8	-	-	-
07	FEMALE..	10	3	3	-	-	-	6	-	-	1
08	OTHER.....MALE....	1	1	-	-	-	-	1	-	-	-
09	FEMALE..	2	1	-	-	-	-	1	-	-	-
10	CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
11	MALE....	-	-	-	-	-	-	-	-	-	-
12	FEMALE..	-	-	-	-	-	-	-	-	-	-
13	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
14	FEMALE..	-	-	-	-	-	-	-	-	-	-
15	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
16	FEMALE..	-	-	-	-	-	-	-	-	-	-
17	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
18	FEMALE..	-	-	-	-	-	-	-	-	-	-
19	BRUCELLOSIS.....044	6	-	-	-	-	-	-	-	-	-
20	MALE....	3	-	-	-	-	-	-	-	-	-
21	FEMALE..	3	-	-	-	-	-	-	-	-	-
22	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-
23	FEMALE..	3	-	-	-	-	-	-	-	-	-
24	NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
25	FEMALE..	-	-	-	-	-	-	-	-	-	-
26	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
27	FEMALE..	-	-	-	-	-	-	-	-	-	-
28	DYSENTERY, ALL FORMS.....045-048	243	85	12	9	8	6	120	10	4	4
29	MALE....	141	44	8	7	2	4	65	5	3	3
30	FEMALE..	102	41	4	2	6	2	55	5	1	1
31	WHITE.....MALE....	83	16	4	5	1	2	28	3	2	3
32	FEMALE..	48	16	1	-	4	1	22	1	1	-
33	NEGRO.....MALE....	50	24	3	2	1	2	32	2	1	-
34	FEMALE..	43	17	3	1	2	1	24	4	-	1
35	OTHER.....MALE....	8	4	1	-	-	-	5	-	-	-
36	FEMALE..	11	8	-	1	-	-	9	-	-	-
37	FOOD POISONING, INFECTION AND INTOXICATION.....049	24	2	-	-	-	-	2	1	-	1
38	MALE....	11	-	-	-	-	-	-	1	-	-
39	FEMALE..	13	2	-	-	-	-	2	-	-	1
40	WHITE.....MALE....	7	-	-	-	-	-	-	-	-	-
41	FEMALE..	7	2	-	-	-	-	2	-	-	-
42	NEGRO.....MALE....	4	-	-	-	-	-	-	1	-	-
43	FEMALE..	6	-	-	-	-	-	-	-	-	1
44	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
45	FEMALE..	-	-	-	-	-	-	-	-	-	-
46	SCARLET FEVER.....050	5	-	-	1	1	1	3	-	1	1
47	MALE....	3	-	-	1	-	1	2	-	-	1
48	FEMALE..	2	-	-	-	1	-	1	-	1	-
49	WHITE.....MALE....	3	-	-	1	-	1	2	-	-	1
50	FEMALE..	2	-	-	-	1	-	1	-	1	-
51	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
52	FEMALE..	-	-	-	-	-	-	-	-	-	-
53	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
54	FEMALE..	-	-	-	-	-	-	-	-	-	-
55	STREPTOCOCCAL SORE THROAT.....051	58	3	1	1	1	1	7	4	4	4
56	MALE....	28	2	1	1	1	-	5	3	1	2
57	FEMALE..	30	1	-	-	-	1	2	1	3	2
58	WHITE.....MALE....	21	1	1	1	1	-	4	2	-	1
59	FEMALE..	20	1	-	-	-	1	2	1	2	2
60	NEGRO.....MALE....	7	1	-	-	-	-	1	1	1	1
61	FEMALE..	10	-	-	-	-	-	-	-	1	-
62	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
63	FEMALE..	-	-	-	-	-	-	-	-	-	-
64	ERYSIPELAS.....052	12	1	-	-	-	-	1	-	1	1
65	MALE....	5	-	-	-	-	-	-	-	-	-
66	FEMALE..	7	1	-	-	-	-	1	-	1	1
67	WHITE.....MALE....	5	-	-	-	-	-	-	-	-	-
68	FEMALE..	7	1	-	-	-	-	1	-	1	1
69	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
70	FEMALE..	-	-	-	-	-	-	-	-	-	-
71	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
72	FEMALE..	-	-	-	-	-	-	-	-	-	-
73	SEPTICEMIA AND PYEMIA.....053	2,443	338	66	29	15	17	465	41	17	24
74	MALE....	1,318	194	41	17	10	8	270	20	12	14
75	FEMALE..	1,125	144	25	12	5	9	195	21	5	10
76	WHITE.....MALE....	1,026	120	31	12	8	6	177	16	10	11
77	FEMALE..	857	83	18	6	5	8	120	13	4	6
78	NEGRO.....MALE....	268	67	10	5	2	2	86	4	2	3
79	FEMALE..	253	55	7	6	-	1	69	7	1	4
80	OTHER.....MALE....	24	7	-	-	-	-	7	-	-	-
81	FEMALE..	15	6	-	-	-	-	6	1	-	-
82	DIPHTHERIA.....055	18	-	-	4	2	1	7	6	3	-
83	MALE....	10	-	-	3	1	1	5	3	2	-
84	FEMALE..	8	-	-	1	1	-	2	3	1	-
85	WHITE.....MALE....	5	-	-	1	1	1	3	1	1	-
86	FEMALE..	5	-	-	1	1	-	2	1	-	-
87	NEGRO.....MALE....	5	-	-	2	-	-	2	2	1	-
88	FEMALE..	3	-	-	-	-	-	-	2	1	-
89	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
90	FEMALE..	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	2	-	1	1	6	5	7	8	4	3	10	6	4	-	-	-	-	01
-	2	-	-	-	4	3	3	7	1	2	6	5	2	-	-	-	-	02
-	-	-	1	1	2	2	4	1	3	1	4	1	2	-	-	-	-	03
-	2	-	-	-	4	1	1	6	1	2	4	5	2	-	-	-	-	04
-	-	-	-	1	2	1	3	1	2	1	4	1	2	-	-	-	-	05
-	-	-	-	-	-	2	2	1	-	-	2	-	-	-	-	-	-	06
-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	1	-	1	1	-	3	-	-	-	-	-	-	19
-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	23
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
2	-	1	5	6	7	8	8	10	15	12	9	11	5	4	1	1	-	28
2	-	1	2	4	5	5	5	8	8	7	7	6	2	2	-	1	-	29
-	-	-	3	2	2	3	3	2	7	5	2	5	3	2	1	-	-	30
2	-	1	-	3	5	2	5	4	6	5	5	5	2	2	-	-	-	31
-	-	-	2	-	2	2	3	1	2	4	2	2	2	1	1	-	-	32
-	-	-	2	1	-	3	-	3	2	2	-	1	-	-	-	1	-	33
-	-	-	1	2	-	1	-	1	3	1	-	3	1	1	-	-	-	34
-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	36
-	1	-	1	-	5	-	1	2	4	-	1	4	-	1	-	-	-	37
-	-	-	-	-	4	-	1	-	1	-	1	3	-	-	-	-	-	38
-	1	-	1	-	1	-	-	2	3	-	-	1	-	1	-	-	-	39
-	-	-	-	-	3	-	1	-	1	-	1	1	-	-	-	-	-	40
-	-	-	-	-	-	-	-	2	2	-	-	-	-	1	-	-	-	41
-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	42
-	1	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
2	2	2	3	2	3	2	5	2	3	4	2	4	3	-	-	-	-	55
-	1	-	2	2	-	1	3	-	-	2	2	3	1	-	-	-	-	56
2	1	2	1	-	3	1	2	2	3	2	-	1	2	-	-	-	-	57
-	1	-	1	2	-	1	3	-	-	1	1	3	1	-	-	-	-	58
1	-	2	-	-	2	1	-	1	3	2	-	-	1	-	-	-	-	59
-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	60
1	1	-	1	-	1	-	2	1	-	-	-	1	1	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	1	-	-	-	-	-	1	1	-	1	3	1	1	-	-	-	-	64
-	1	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	66
-	1	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
25	26	41	52	78	108	121	152	202	215	263	261	191	102	48	9	1	1	73
16	11	14	23	39	63	62	76	114	129	143	151	97	39	20	5	-	-	74
9	15	27	29	39	45	59	76	88	86	120	110	94	63	28	4	1	1	75
11	9	8	15	28	43	50	63	94	106	123	121	89	34	15	3	-	-	76
9	7	20	14	23	32	46	58	69	65	108	88	86	58	27	3	-	1	77
3	2	6	8	10	18	11	11	20	23	17	25	7	5	5	2	-	-	78
-	5	7	15	16	13	13	17	18	19	12	22	7	5	1	1	1	-	79
2	-	-	-	1	2	1	2	-	-	3	5	1	-	-	-	-	-	80
-	3	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-	81
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	WHOOPING COUGH.....056	55	42	7	4	-	2	55	-	-	-
02	MALE....	34	26	5	3	-	-	34	-	-	-
03	FEMALE..	21	16	2	1	-	2	21	-	-	-
04	WHITE.....MALE....	14	13	1	-	-	-	14	-	-	-
05	FEMALE..	9	7	1	1	-	-	9	-	-	-
06	NEGRO.....MALE....	20	13	4	3	-	-	20	-	-	-
07	FEMALE..	11	8	1	-	-	2	11	-	-	-
08	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
09	FEMALE..	1	1	-	-	-	-	1	-	-	-
10	MENINGOCOCCAL INFECTIONS.....057	890	274	113	93	52	34	566	75	35	37
11	MALE....	483	156	57	46	34	21	314	48	17	22
12	FEMALE..	407	118	56	47	18	13	252	27	18	15
13	WHITE.....MALE....	394	133	50	33	32	18	266	33	15	18
14	FEMALE..	320	90	50	35	14	10	199	17	11	13
15	NEGRO.....MALE....	85	22	7	13	2	3	47	14	2	4
16	FEMALE..	76	21	5	10	4	3	43	10	7	1
17	OTHER.....MALE....	4	1	-	-	-	-	1	1	-	-
18	FEMALE..	11	7	1	2	-	-	10	-	-	1
19	PLAGUE.....058	1	-	-	-	-	-	-	-	1	-
20	MALE....	1	-	-	-	-	-	-	-	1	-
21	FEMALE..	-	-	-	-	-	-	-	-	-	-
22	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
23	FEMALE..	-	-	-	-	-	-	-	-	-	-
24	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
25	FEMALE..	-	-	-	-	-	-	-	-	-	-
26	OTHER.....MALE....	1	-	-	-	-	-	-	-	1	-
27	FEMALE..	-	-	-	-	-	-	-	-	-	-
28	LEPROSY.....060	3	-	-	-	-	-	-	-	-	-
29	MALE....	2	-	-	-	-	-	-	-	-	-
30	FEMALE..	1	-	-	-	-	-	-	-	-	-
31	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-
32	FEMALE..	-	-	-	-	-	-	-	-	-	-
33	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
34	FEMALE..	-	-	-	-	-	-	-	-	-	-
35	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
36	FEMALE..	1	-	-	-	-	-	-	-	-	-
37	TETANUS.....061	181	25	1	3	2	-	31	10	8	2
38	MALE....	112	12	-	2	2	-	16	7	6	1
39	FEMALE..	69	13	1	1	-	-	15	3	2	1
40	WHITE.....MALE....	64	2	-	1	2	-	5	4	5	1
41	FEMALE..	44	10	1	-	-	-	11	1	1	1
42	NEGRO.....MALE....	48	10	-	1	-	-	11	3	1	-
43	FEMALE..	25	3	-	1	-	-	4	2	1	-
44	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
45	FEMALE..	-	-	-	-	-	-	-	-	-	-
46	ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
47	MALE....	-	-	-	-	-	-	-	-	-	-
48	FEMALE..	-	-	-	-	-	-	-	-	-	-
49	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
50	FEMALE..	-	-	-	-	-	-	-	-	-	-
51	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
52	FEMALE..	-	-	-	-	-	-	-	-	-	-
53	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
54	FEMALE..	-	-	-	-	-	-	-	-	-	-
55	ACUTE POLIOMYELITIS.....080	16	2	1	1	-	-	4	1	1	-
56	MALE....	7	-	-	1	-	-	1	-	-	-
57	FEMALE..	9	2	1	-	-	-	3	1	1	-
58	WHITE.....MALE....	5	-	-	-	-	-	-	-	-	-
59	FEMALE..	8	1	1	-	-	-	2	1	1	-
60	NEGRO.....MALE....	2	-	-	1	-	-	1	-	-	-
61	FEMALE..	1	1	-	-	-	-	1	-	-	-
62	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
63	FEMALE..	-	-	-	-	-	-	-	-	-	-
64	LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	128	-	-	-	-	-	-	4	6	8
65	MALE....	85	-	-	-	-	-	-	4	6	5
66	FEMALE..	43	-	-	-	-	-	-	-	-	3
67	WHITE.....MALE....	79	-	-	-	-	-	-	4	4	5
68	FEMALE..	42	-	-	-	-	-	-	-	-	3
69	NEGRO.....MALE....	5	-	-	-	-	-	-	-	1	-
70	FEMALE..	1	-	-	-	-	-	-	-	-	-
71	OTHER.....MALE....	1	-	-	-	-	-	-	-	1	-
72	FEMALE..	-	-	-	-	-	-	-	-	-	-
73	ACUTE INFECTIOUS ENCEPHALITIS.....082	500	67	36	23	18	18	162	63	26	29
74	MALE....	252	44	21	15	11	8	99	29	11	10
75	FEMALE..	248	23	15	8	7	10	63	34	15	19
76	WHITE.....MALE....	209	34	16	11	10	7	78	24	11	8
77	FEMALE..	214	19	14	7	6	10	56	27	14	16
78	NEGRO.....MALE....	38	10	4	3	1	1	19	4	-	1
79	FEMALE..	28	3	1	1	1	-	6	6	-	3
80	OTHER.....MALE....	5	-	1	1	-	-	2	1	-	1
81	FEMALE..	6	1	-	-	-	-	1	1	1	-
82	LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	63	1	1	2	-	-	4	4	-	1
83	MALE....	42	-	1	1	-	-	2	4	-	-
84	FEMALE..	21	1	-	1	-	-	2	-	-	1
85	WHITE.....MALE....	41	-	-	1	-	-	1	4	-	-
86	FEMALE..	19	1	-	-	-	-	1	-	-	1
87	NEGRO.....MALE....	1	-	1	-	-	-	1	-	-	-
88	FEMALE..	1	-	-	1	-	-	1	-	-	-
89	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
90	FEMALE..	1	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	01
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	02
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	03
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	04
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	05
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	06
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	07
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	08
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	09
28	11	10	12	14	16	19	19	16	9	12	5	4	2	–	–	–	–	10
18	4	6	5	8	5	11	6	10	3	2	2	1	1	–	–	–	–	11
10	7	4	7	6	11	8	13	6	6	10	3	3	1	–	–	–	–	12
13	2	3	4	6	5	9	4	8	2	2	2	1	1	–	–	–	–	13
8	6	2	6	4	10	6	12	6	5	9	2	3	1	–	–	–	–	14
4	2	3	1	2	–	2	1	2	1	–	–	–	–	–	–	–	–	15
2	1	2	1	2	1	2	1	–	1	1	1	–	–	–	–	–	–	16
1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	28
–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	29
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	30
–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	31
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	36
4	5	4	5	10	6	18	11	12	13	16	12	13	1	–	–	–	–	37
3	3	1	1	4	5	12	2	10	10	14	6	10	1	–	–	–	–	38
1	2	3	4	6	1	6	9	2	3	2	6	3	–	–	–	–	–	39
2	3	1	1	1	2	4	2	4	6	8	5	9	1	–	–	–	–	40
–	–	2	3	3	–	4	4	2	2	2	5	3	–	–	–	–	–	41
1	–	–	–	3	3	8	–	6	4	6	1	1	–	–	–	–	–	42
1	2	1	1	3	1	2	5	–	1	–	1	–	–	–	–	–	–	43
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	44
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	45
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	48
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	50
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	51
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	52
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	53
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	54
–	2	4	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	55
–	1	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	57
–	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	58
–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	59
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	63
9	11	14	14	18	11	11	7	4	6	3	1	1	–	–	–	–	–	64
4	8	8	9	6	7	10	7	2	5	2	1	1	–	–	–	–	–	65
5	3	6	5	12	4	1	–	2	1	1	–	–	–	–	–	–	–	66
3	7	8	9	6	6	10	6	2	5	2	1	1	–	–	–	–	–	67
4	3	6	5	12	4	1	–	2	1	1	–	–	–	–	–	–	–	68
1	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	69
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	72
18	14	16	26	14	14	20	22	14	17	20	15	7	3	–	–	–	–	73
6	5	9	11	7	8	10	11	7	11	9	5	4	–	–	–	–	–	74
12	9	7	15	7	6	10	11	7	6	11	10	3	3	–	–	–	–	75
6	4	7	10	6	7	7	10	5	10	8	4	4	–	–	–	–	–	76
10	7	6	10	6	5	9	11	7	5	9	10	3	3	–	–	–	–	77
–	1	1	1	1	1	3	1	2	1	1	1	–	–	–	–	–	–	78
2	1	1	3	1	1	1	–	–	1	2	–	–	–	–	–	–	–	79
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	81
1	1	–	2	3	9	6	10	6	6	6	2	2	–	–	–	–	–	82
–	–	–	1	2	6	4	10	4	3	4	1	1	–	–	–	–	–	83
1	1	–	1	1	3	2	–	2	3	2	1	1	–	–	–	–	–	84
–	–	–	1	2	6	4	10	4	3	4	1	1	–	–	–	–	–	85
1	1	–	1	1	3	2	–	1	3	2	1	1	–	–	–	–	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	88
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	89
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	SMALLPOX....084	-	-	-	-	-	-	-	-	-	-
02	MALE....	-	-	-	-	-	-	-	-	-	-
03	FEMALE..	-	-	-	-	-	-	-	-	-	-
04	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
05	FEMALE..	-	-	-	-	-	-	-	-	-	-
06	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
07	FEMALE..	-	-	-	-	-	-	-	-	-	-
08	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
09	FEMALE..	-	-	-	-	-	-	-	-	-	-
10	MEASLES....085	276	68	57	31	22	16	194	64	9	3
11	MALE....	129	36	27	18	14	7	102	22	2	1
12	FEMALE..	147	32	30	13	8	9	92	42	7	2
13	WHITE.....MALE....	91	25	19	13	10	4	71	15	2	1
14	FEMALE..	101	18	16	10	5	5	54	34	7	2
15	NEGRO.....MALE....	32	10	7	3	3	3	26	6	-	-
16	FEMALE..	42	13	13	2	3	3	34	8	-	-
17	OTHER.....MALE....	6	1	1	2	1	-	5	1	-	-
18	FEMALE..	4	1	1	1	-	1	4	-	-	-
19	YELLOW FEVER....091	-	-	-	-	-	-	-	-	-	-
20	MALE....	-	-	-	-	-	-	-	-	-	-
21	FEMALE..	-	-	-	-	-	-	-	-	-	-
22	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
23	FEMALE..	-	-	-	-	-	-	-	-	-	-
24	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
25	FEMALE..	-	-	-	-	-	-	-	-	-	-
26	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
27	FEMALE..	-	-	-	-	-	-	-	-	-	-
28	INFECTIOUS HEPATITIS....092	707	15	8	3	3	3	32	11	13	39
29	MALE....	290	8	2	-	2	1	13	6	6	19
30	FEMALE..	417	7	6	3	1	2	19	5	7	20
31	WHITE.....MALE....	247	7	2	-	1	1	11	5	5	12
32	FEMALE..	359	6	4	3	1	2	16	4	3	17
33	NEGRO.....MALE....	38	1	-	-	1	-	2	1	1	7
34	FEMALE..	53	1	1	-	-	-	2	1	4	3
35	OTHER.....MALE....	5	-	-	-	-	-	-	-	-	-
36	FEMALE..	5	-	1	-	-	-	1	-	-	-
37	RABIES....094	2	-	-	1	-	-	1	-	-	-
38	MALE....	1	-	-	-	-	-	-	-	-	-
39	FEMALE..	1	-	-	1	-	-	1	-	-	-
40	WHITE.....MALE....	1	-	-	-	-	-	-	-	-	-
41	FEMALE..	1	-	-	1	-	-	1	-	-	-
42	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
43	FEMALE..	-	-	-	-	-	-	-	-	-	-
44	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
45	FEMALE..	-	-	-	-	-	-	-	-	-	-
46	TICK-BORNE TYPHUS....104	16	-	1	1	1	-	3	5	-	-
47	MALE....	8	-	1	-	-	-	1	1	-	-
48	FEMALE..	8	-	-	1	1	-	2	4	-	-
49	WHITE.....MALE....	8	-	1	-	-	-	1	1	-	-
50	FEMALE..	6	-	-	1	1	-	2	4	-	-
51	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
52	FEMALE..	2	-	-	-	-	-	-	-	-	-
53	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
54	FEMALE..	-	-	-	-	-	-	-	-	-	-
55	ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	1	-	-	-	-	-	-	-	-	-
56	MALE....	1	-	-	-	-	-	-	-	-	-
57	FEMALE..	-	-	-	-	-	-	-	-	-	-
58	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
59	FEMALE..	-	-	-	-	-	-	-	-	-	-
60	NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
61	FEMALE..	-	-	-	-	-	-	-	-	-	-
62	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
63	FEMALE..	-	-	-	-	-	-	-	-	-	-
64	MALARIA....110-117	8	-	-	-	-	-	-	-	-	1
65	MALE....	8	-	-	-	-	-	-	-	-	1
66	FEMALE..	-	-	-	-	-	-	-	-	-	-
67	WHITE.....MALE....	7	-	-	-	-	-	-	-	-	1
68	FEMALE..	-	-	-	-	-	-	-	-	-	-
69	NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
70	FEMALE..	-	-	-	-	-	-	-	-	-	-
71	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
72	FEMALE..	-	-	-	-	-	-	-	-	-	-
73	SCHISTOSOMIASIS....123	4	-	-	-	-	-	-	-	1	1
74	MALE....	4	-	-	-	-	-	-	-	1	1
75	FEMALE..	-	-	-	-	-	-	-	-	-	-
76	WHITE.....MALE....	4	-	-	-	-	-	-	-	1	1
77	FEMALE..	-	-	-	-	-	-	-	-	-	-
78	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
79	FEMALE..	-	-	-	-	-	-	-	-	-	-
80	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
81	FEMALE..	-	-	-	-	-	-	-	-	-	-
82	HYDATID DISEASE....125	7	-	-	-	-	-	-	-	-	-
83	MALE....	4	-	-	-	-	-	-	-	-	-
84	FEMALE..	3	-	-	-	-	-	-	-	-	-
85	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-
86	FEMALE..	2	-	-	-	-	-	-	-	-	-
87	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
88	FEMALE..	-	-	-	-	-	-	-	-	-	-
89	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
90	FEMALE..	1	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	01
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
1	-	1	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	10
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	11
1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	12
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	13
1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
32	34	25	41	43	49	49	75	66	53	51	39	36	16	2	1	-	-	28
11	13	8	13	18	16	26	36	29	18	22	12	17	4	2	1	-	-	29
21	21	17	28	25	33	23	39	37	35	29	27	19	12	-	-	-	-	30
8	5	8	8	17	14	22	34	28	17	20	11	16	3	2	1	-	-	31
13	17	12	24	20	30	21	37	33	33	27	24	17	11	-	-	-	-	32
3	8	-	4	-	1	3	2	1	1	2	1	1	-	-	-	-	-	33
6	3	5	4	5	3	2	2	3	2	2	3	2	1	-	-	-	-	34
-	-	-	1	1	1	1	-	-	-	-	-	-	1	-	-	-	-	35
2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
1	-	1	-	2	-	2	-	-	1	1	-	-	-	-	-	-	-	46
-	-	-	-	2	-	2	-	-	1	1	-	-	-	-	-	-	-	47
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	2	-	2	-	-	1	1	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
2	-	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	64
2	-	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
2	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	73
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	1	-	-	1	1	-	-	2	-	2	-	-	-	-	-	-	82
-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	83
-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	84
-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	85
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
02	MALE....	-	-	-	-	-	-	-	-	-	-
03	FEMALE..	-	-	-	-	-	-	-	-	-	-
04	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
05	FEMALE..	-	-	-	-	-	-	-	-	-	-
06	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
07	FEMALE..	-	-	-	-	-	-	-	-	-	-
08	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
09	FEMALE..	-	-	-	-	-	-	-	-	-	-
10	ANCYLOSTOMIASIS.....129	2	-	-	-	-	1	1	-	-	-
11	MALE....	-	-	-	-	-	-	-	-	-	-
12	FEMALE..	2	-	-	-	-	1	1	-	-	-
13	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
14	FEMALE..	1	-	-	-	-	-	-	-	-	-
15	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
16	FEMALE..	-	-	-	-	-	-	-	-	-	-
17	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
18	FEMALE..	1	-	-	-	-	1	1	-	-	-
19	OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	66	3	22	14	4	5	48	8	1	-
20	MALE....	36	1	12	10	2	3	28	3	-	-
21	FEMALE..	30	2	10	4	2	2	20	5	1	-
22	WHITE.....MALE....	12	-	2	2	-	1	5	2	-	-
23	FEMALE..	9	1	1	2	1	-	5	-	1	-
24	NEGRO.....MALE....	24	1	10	8	2	2	23	1	-	-
25	FEMALE..	20	1	8	2	1	2	14	5	-	-
26	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
27	FEMALE..	1	-	1	-	-	-	1	-	-	-
28	ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	1,628	269	41	24	32	24	390	83	32	30
29	MALE....	871	156	23	12	18	13	222	40	20	15
30	FEMALE..	757	113	18	12	14	11	168	43	12	15
31	WHITE.....MALE....	688	118	16	11	17	13	175	36	15	11
32	FEMALE..	578	82	12	11	12	11	128	39	12	11
33	NEGRO.....MALE....	166	31	6	1	-	-	38	3	4	4
34	FEMALE..	164	22	5	1	1	-	29	4	-	4
35	OTHER.....MALE....	17	7	1	-	1	-	9	1	1	-
36	FEMALE..	15	9	1	-	1	-	11	-	-	-
37	II. NEOPLASMS.....	302,646	331	276	369	419	480	1,875	1,564	1,220	1,396
38	MALE....	163,828	164	149	182	232	270	997	887	679	859
39	FEMALE..	138,818	167	127	187	187	210	878	677	541	537
40	WHITE.....MALE....	147,483	136	137	165	204	245	887	796	606	749
41	FEMALE..	125,421	149	110	170	173	186	788	605	479	459
42	NEGRO.....MALE....	15,329	23	12	17	25	23	100	85	66	101
43	FEMALE..	12,782	14	15	16	13	21	79	68	57	74
44	OTHER.....MALE....	1,016	5	-	-	3	2	10	6	7	9
45	FEMALE..	615	4	2	1	1	3	11	4	5	4
46	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	297,588	226	248	345	389	449	1,657	1,449	1,116	1,281
47	MALE....	161,422	118	136	169	215	249	887	825	625	793
48	FEMALE..	136,166	108	112	176	174	200	770	624	491	488
49	WHITE.....MALE....	145,374	100	126	153	192	228	799	750	553	695
50	FEMALE..	123,168	97	98	160	163	179	697	555	442	417
51	NEGRO.....MALE....	15,054	16	10	16	21	19	82	69	65	90
52	FEMALE..	12,400	8	12	15	11	18	64	65	45	67
53	OTHER.....MALE....	994	2	-	-	2	2	6	6	7	8
54	FEMALE..	598	3	2	1	-	3	9	4	4	4
55	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	6,501	-	-	2	1	1	4	4	13	21
56	MALE....	4,924	-	-	1	-	-	1	3	7	11
57	FEMALE..	1,577	-	-	1	1	1	3	1	6	10
58	WHITE.....MALE....	4,400	-	-	1	-	-	1	3	6	8
59	FEMALE..	1,402	-	-	1	1	1	3	1	6	6
60	NEGRO.....MALE....	477	-	-	-	-	-	-	-	1	3
61	FEMALE..	166	-	-	-	-	-	-	-	-	4
62	OTHER.....MALE....	47	-	-	-	-	-	-	-	-	-
63	FEMALE..	9	-	-	-	-	-	-	-	-	-
64	OF LIP.....140	172	-	-	-	-	-	-	-	-	-
65	MALE....	149	-	-	-	-	-	-	-	-	-
66	FEMALE..	23	-	-	-	-	-	-	-	-	-
67	WHITE.....MALE....	148	-	-	-	-	-	-	-	-	-
68	FEMALE..	20	-	-	-	-	-	-	-	-	-
69	NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
70	FEMALE..	3	-	-	-	-	-	-	-	-	-
71	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
72	FEMALE..	-	-	-	-	-	-	-	-	-	-
73	OF TONGUE.....141	1,611	-	-	-	-	-	-	-	-	1
74	MALE....	1,232	-	-	-	-	-	-	-	-	1
75	FEMALE..	379	-	-	-	-	-	-	-	-	-
76	WHITE.....MALE....	1,091	-	-	-	-	-	-	-	-	1
77	FEMALE..	352	-	-	-	-	-	-	-	-	-
78	NEGRO.....MALE....	137	-	-	-	-	-	-	-	-	-
79	FEMALE..	26	-	-	-	-	-	-	-	-	-
80	OTHER.....MALE....	4	-	-	-	-	-	-	-	-	-
81	FEMALE..	1	-	-	-	-	-	-	-	-	-
82	OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-144	2,040	-	-	1	-	1	2	1	4	1
83	MALE....	1,419	-	-	-	-	-	-	1	2	-
84	FEMALE..	621	-	-	1	-	1	2	-	2	1
85	WHITE.....MALE....	1,261	-	-	-	-	-	-	1	2	-
86	FEMALE..	553	-	-	1	-	1	2	-	2	1
87	NEGRO.....MALE....	146	-	-	-	-	-	-	-	-	-
88	FEMALE..	67	-	-	-	-	-	-	-	-	-
89	OTHER.....MALE....	12	-	-	-	-	-	-	-	-	-
90	FEMALE..	1	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	01
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
1	1	1	2	1	-	2	-	-	-	1	-	-	-	-	-	-	-	19
-	-	1	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	20
1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	21
-	-	1	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	22
1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
31	40	43	63	81	70	83	110	105	113	98	97	73	52	25	9	-	-	28
14	23	22	27	40	37	47	67	62	69	62	50	37	9	6	2	-	-	29
17	17	21	36	41	33	36	43	43	44	36	47	36	43	19	7	-	-	30
4	13	14	14	25	25	38	54	48	60	57	47	36	9	5	2	-	-	31
7	13	6	22	25	19	24	25	30	37	33	45	35	41	19	7	-	-	32
9	10	7	13	14	12	8	12	14	8	5	3	1	-	1	-	-	-	33
10	4	15	14	16	14	12	18	11	7	2	2	1	1	-	-	-	-	34
1	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	36
1,300	1,630	2,783	5,264	10,007	15,852	24,195	31,928	38,065	42,929	44,457	37,159	24,713	11,984	3,544	654	90	37	37
741	851	1,189	2,231	4,177	7,113	12,063	17,659	22,194	25,170	25,679	20,654	12,977	5,804	1,588	261	34	21	38
559	779	1,594	3,033	5,830	8,739	12,132	14,269	15,871	17,759	18,778	16,505	11,736	6,180	1,956	393	56	16	39
678	762	1,056	1,903	3,532	6,103	10,424	15,528	19,736	22,563	23,504	19,270	12,182	5,448	1,485	230	23	18	40
482	659	1,279	2,478	4,959	7,538	10,636	12,642	14,078	16,043	17,397	15,573	11,194	5,892	1,839	350	35	16	41
58	85	121	309	604	969	1,570	2,016	2,304	2,480	2,046	1,268	703	308	96	28	9	3	42
73	117	302	513	833	1,156	1,438	1,572	1,722	1,662	1,309	869	501	269	108	41	19	-	43
5	4	12	19	41	41	69	115	154	127	129	116	92	48	7	3	2	-	44
4	3	13	42	38	45	58	55	71	54	72	63	41	19	9	2	2	-	45
1,204	1,546	2,654	5,067	9,713	15,463	23,766	31,411	37,567	42,440	43,969	36,770	24,425	11,827	3,496	641	89	37	46
695	813	1,135	2,156	4,064	6,959	11,873	17,379	21,934	24,925	25,418	20,465	12,849	5,750	1,567	255	34	21	47
509	733	1,519	2,911	5,649	8,504	11,893	14,032	15,633	17,515	18,551	16,305	11,576	6,077	1,929	386	55	16	48
637	730	1,011	1,845	3,435	5,975	10,260	15,280	19,511	22,347	23,269	19,089	12,060	5,397	1,465	225	23	18	49
439	621	1,222	2,383	4,821	7,351	10,442	12,441	13,870	15,832	17,198	15,392	11,044	5,792	1,814	345	34	16	50
54	79	113	292	588	947	1,544	1,986	2,272	2,452	2,023	1,260	698	305	95	28	9	3	51
67	110	286	490	790	1,108	1,395	1,537	1,693	1,629	1,282	851	491	266	106	39	19	-	52
4	4	11	19	41	37	69	113	151	126	126	116	91	48	7	2	2	-	53
3	2	11	38	38	45	56	54	70	54	71	62	41	19	9	2	2	-	54
12	23	18	72	204	404	714	974	924	899	820	649	404	231	85	19	3	4	55
10	13	12	48	147	299	534	778	745	718	628	469	285	145	51	14	2	4	56
2	10	6	24	57	105	180	196	179	181	192	180	119	86	34	5	1	-	57
8	10	11	32	100	244	458	680	663	656	590	453	274	135	50	13	1	4	58
2	10	4	15	36	84	159	173	156	170	174	168	115	81	34	4	1	-	59
2	3	1	15	44	51	72	86	73	58	34	14	10	8	-	1	1	-	60
-	-	2	8	20	20	18	22	23	11	18	11	4	4	-	1	-	-	61
-	-	-	1	3	4	4	12	9	4	4	2	1	2	1	-	-	-	62
-	-	-	1	1	1	3	1	-	-	-	1	-	1	-	-	-	-	63
-	-	1	1	2	7	6	15	15	21	26	32	23	10	8	5	-	-	64
-	-	1	1	2	6	6	15	14	20	20	29	18	6	7	4	-	-	65
-	-	-	-	-	1	-	-	1	1	6	3	5	4	1	1	-	-	66
-	-	1	1	2	6	6	15	14	20	20	28	18	6	7	4	-	-	67
-	-	-	-	-	-	-	-	1	1	5	3	5	4	1	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	69
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	2	2	18	50	99	167	256	221	223	228	170	95	56	17	4	1	1	73
-	2	1	14	42	69	116	203	180	186	172	128	61	41	10	4	1	1	74
-	-	1	4	8	30	51	53	41	37	56	42	34	15	7	-	-	-	75
-	2	1	8	26	54	97	173	161	170	162	124	58	39	10	3	1	1	76
-	-	1	4	6	27	49	49	34	35	53	40	33	14	7	-	-	-	77
-	-	-	5	16	15	18	30	19	14	10	4	3	2	-	1	-	-	78
-	-	-	-	2	3	2	4	7	2	3	2	1	-	-	-	-	-	79
-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	81
3	7	7	16	68	123	204	243	256	286	266	222	171	110	40	6	2	2	82
2	3	4	10	44	87	153	187	188	204	186	137	113	66	25	4	1	2	83
1	4	3	6	24	36	51	56	68	82	80	85	58	44	15	2	1	-	84
2	2	4	6	28	70	130	166	170	182	170	132	107	59	24	4	-	2	85
1	4	1	4	14	25	43	48	60	75	76	79	57	43	15	2	1	-	86
-	1	-	4	16	17	22	19	16	21	14	5	5	5	-	-	1	-	87
-	-	2	2	10	11	8	8	8	7	4	5	1	1	-	-	-	-	88
-	-	-	-	-	-	1	2	2	1	2	-	1	2	1	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	MALIGNANT NEOPLASMS, ETC.--CON.										
	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX--CON.										
01	OF PHARYNX.....145-148	2,678	-	-	1	1	-	2	3	9	19
02	MALE....	2,124	-	-	1	-	-	1	2	5	10
03	FEMALE..	554	-	-	-	1	-	1	1	4	9
04	WHITE.....MALE....	1,900	-	-	1	-	-	1	2	4	7
05	FEMALE..	477	-	-	-	1	-	1	1	4	5
06	NEGRO.....MALE....	193	-	-	-	-	-	-	-	1	3
07	FEMALE..	70	-	-	-	-	-	-	-	-	4
08	OTHER.....MALE....	31	-	-	-	-	-	-	-	-	-
09	FEMALE..	7	-	-	-	-	-	-	-	-	-
10	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	94,305	16	11	8	9	3	47	10	24	47
11	MALE....	51,253	6	9	3	6	3	27	9	14	26
12	FEMALE..	43,052	10	2	5	3	-	20	1	10	21
13	WHITE.....MALE....	45,474	5	9	3	6	3	26	9	12	17
14	FEMALE..	39,179	7	1	5	3	-	16	1	7	18
15	NEGRO.....MALE....	5,342	1	-	-	-	-	1	-	2	8
16	FEMALE..	3,645	1	1	-	-	-	2	-	3	3
17	OTHER.....MALE....	437	-	-	-	-	-	-	-	-	1
18	FEMALE..	228	2	-	-	-	-	2	-	-	-
19	OF ESOPHAGUS.....150	5,542	-	-	-	-	-	-	-	-	-
20	MALE....	4,236	-	-	-	-	-	-	-	-	-
21	FEMALE..	1,306	-	-	-	-	-	-	-	-	-
22	WHITE.....MALE....	3,341	-	-	-	-	-	-	-	-	-
23	FEMALE..	1,048	-	-	-	-	-	-	-	-	-
24	NEGRO.....MALE....	863	-	-	-	-	-	-	-	-	-
25	FEMALE..	254	-	-	-	-	-	-	-	-	-
26	OTHER.....MALE....	32	-	-	-	-	-	-	-	-	-
27	FEMALE..	4	-	-	-	-	-	-	-	-	-
28	OF STOMACH.....151	18,027	2	1	-	-	-	3	-	1	4
29	MALE....	11,059	1	1	-	-	-	2	-	1	2
30	FEMALE..	6,968	1	-	-	-	-	1	-	-	2
31	WHITE.....MALE....	9,383	1	1	-	-	-	2	-	1	1
32	FEMALE..	6,085	1	-	-	-	-	1	-	-	1
33	NEGRO.....MALE....	1,539	-	-	-	-	-	-	-	-	1
34	FEMALE..	813	-	-	-	-	-	-	-	-	1
35	OTHER.....MALE....	137	-	-	-	-	-	-	-	-	-
36	FEMALE..	70	-	-	-	-	-	-	-	-	-
37	OF SMALL INTESTINE, INCLUDING DUODENUM.....152	745	1	-	-	-	-	1	-	-	1
38	MALE....	406	1	-	-	-	-	1	-	-	-
39	FEMALE..	339	-	-	-	-	-	-	-	-	1
40	WHITE.....MALE....	369	1	-	-	-	-	1	-	-	-
41	FEMALE..	320	-	-	-	-	-	-	-	-	1
42	NEGRO.....MALE....	34	-	-	-	-	-	-	-	-	-
43	FEMALE..	18	-	-	-	-	-	-	-	-	-
44	OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
45	FEMALE..	1	-	-	-	-	-	-	-	-	-
46	OF LARGE INTESTINE, EXCEPT RECTUM.....153	32,000	1	-	-	-	-	1	-	5	14
47	MALE....	14,897	-	-	-	-	-	-	-	3	9
48	FEMALE..	17,103	1	-	-	-	-	1	-	2	5
49	WHITE.....MALE....	13,858	-	-	-	-	-	-	-	2	5
50	FEMALE..	15,858	1	-	-	-	-	1	-	-	4
51	NEGRO.....MALE....	970	-	-	-	-	-	-	-	1	3
52	FEMALE..	1,195	-	-	-	-	-	-	-	2	1
53	OTHER.....MALE....	69	-	-	-	-	-	-	-	-	1
54	FEMALE..	50	-	-	-	-	-	-	-	-	-
55	CECUM, APPENDIX, AND ASCENDING COLON.....153.0	4,498	-	-	-	-	-	-	-	1	1
56	MALE....	2,014	-	-	-	-	-	-	-	1	1
57	FEMALE..	2,484	-	-	-	-	-	-	-	-	-
58	WHITE.....MALE....	1,879	-	-	-	-	-	-	-	1	1
59	FEMALE..	2,337	-	-	-	-	-	-	-	-	-
60	NEGRO.....MALE....	127	-	-	-	-	-	-	-	-	-
61	FEMALE..	141	-	-	-	-	-	-	-	-	-
62	OTHER.....MALE....	8	-	-	-	-	-	-	-	-	-
63	FEMALE..	6	-	-	-	-	-	-	-	-	-
64	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES..153.1	1,551	-	-	-	-	-	-	-	-	-
65	MALE....	725	-	-	-	-	-	-	-	-	-
66	FEMALE..	826	-	-	-	-	-	-	-	-	-
67	WHITE.....MALE....	666	-	-	-	-	-	-	-	-	-
68	FEMALE..	770	-	-	-	-	-	-	-	-	-
69	NEGRO.....MALE....	56	-	-	-	-	-	-	-	-	-
70	FEMALE..	54	-	-	-	-	-	-	-	-	-
71	OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
72	FEMALE..	2	-	-	-	-	-	-	-	-	-
73	DESCENDING COLON.....153.2	1,196	-	-	-	-	-	-	-	-	-
74	MALE....	559	-	-	-	-	-	-	-	-	-
75	FEMALE..	637	-	-	-	-	-	-	-	-	-
76	WHITE.....MALE....	528	-	-	-	-	-	-	-	-	-
77	FEMALE..	590	-	-	-	-	-	-	-	-	-
78	NEGRO.....MALE....	30	-	-	-	-	-	-	-	-	-
79	FEMALE..	43	-	-	-	-	-	-	-	-	-
80	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
81	FEMALE..	4	-	-	-	-	-	-	-	-	-
82	SIGMOID COLON.....153.3	6,022	1	-	-	-	-	1	-	1	1
83	MALE....	2,862	-	-	-	-	-	-	-	-	-
84	FEMALE..	3,160	1	-	-	-	-	1	-	1	1
85	WHITE.....MALE....	2,715	-	-	-	-	-	-	-	-	-
86	FEMALE..	2,973	1	-	-	-	-	1	-	-	1
87	NEGRO.....MALE....	131	-	-	-	-	-	-	-	-	-
88	FEMALE..	177	-	-	-	-	-	-	-	1	-
89	OTHER.....MALE....	16	-	-	-	-	-	-	-	-	-
90	FEMALE..	10	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
9	14	8	37	84	175	337	460	432	369	300	225	115	55	20	4	-	1	01
8	8	6	23	59	137	259	373	363	308	250	175	93	32	9	2	-	1	02
1	6	2	14	25	38	78	87	69	61	50	50	22	23	11	2	-	-	03
6	6	5	17	44	114	225	326	318	284	238	169	91	31	9	2	-	1	04
1	6	2	7	16	32	67	76	61	59	40	46	20	20	11	2	-	-	05
2	2	1	6	12	19	32	37	38	23	10	4	2	1	-	-	-	-	06
-	-	-	6	8	5	8	10	8	2	10	4	2	3	-	-	-	-	07
-	-	-	-	3	4	2	10	7	1	2	2	-	-	-	-	-	-	08
-	-	-	1	1	1	3	1	-	-	-	-	-	-	-	-	-	-	09
90	164	369	849	1,833	3,314	5,903	8,700	11,623	14,137	15,945	14,344	10,171	4,970	1,482	239	28	16	10
47	92	210	467	985	1,848	3,375	5,145	6,889	8,076	8,784	7,435	4,948	2,185	586	85	11	9	11
43	72	159	382	848	1,466	2,528	3,555	4,734	6,061	7,161	6,909	5,223	2,785	896	154	17	7	12
39	74	175	380	809	1,529	2,782	4,387	5,939	7,088	7,965	6,907	4,654	2,046	544	78	6	8	13
31	55	124	318	707	1,220	2,168	3,136	4,133	5,431	6,638	6,536	4,980	2,657	845	140	11	7	14
8	18	32	81	158	309	565	712	891	925	757	466	247	111	40	7	3	1	15
11	17	35	58	130	230	337	401	574	607	495	341	219	118	45	13	6	-	16
-	-	3	6	18	10	28	46	59	63	62	62	47	28	2	-	2	-	17
1	-	-	6	11	16	23	18	27	23	28	32	24	10	6	1	-	-	18
1	2	7	46	108	286	552	739	873	853	817	607	402	183	50	13	2	1	19
1	1	5	28	74	221	412	590	710	678	638	455	280	110	23	8	1	1	20
-	1	2	18	34	65	140	149	163	175	179	152	122	73	27	5	1	-	21
1	1	3	20	43	135	278	439	556	530	537	411	256	104	20	6	-	1	22
-	1	1	5	15	41	91	114	126	139	160	142	117	70	22	4	-	-	23
-	-	2	8	31	86	132	145	149	139	99	42	21	4	3	2	-	-	24
-	-	1	13	19	24	48	35	36	36	18	10	4	3	5	1	1	-	25
-	-	-	-	-	-	2	6	5	9	2	2	3	2	-	-	1	-	26
-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	27
8	32	58	158	375	602	976	1,491	2,011	2,533	3,226	2,960	2,215	1,030	289	46	7	2	28
3	14	33	83	225	361	630	983	1,349	1,684	2,035	1,723	1,256	523	128	19	3	2	29
5	18	25	75	150	241	346	508	662	849	1,191	1,237	959	507	161	27	4	-	30
2	10	30	57	168	281	493	782	1,101	1,373	1,767	1,542	1,161	474	118	17	2	1	31
2	13	17	58	119	183	274	426	526	717	1,062	1,135	898	476	153	23	1	-	32
1	4	3	24	46	77	132	187	234	294	248	161	75	39	9	2	1	1	33
3	5	8	14	26	55	63	77	127	126	118	91	54	30	8	4	3	-	34
-	-	-	2	11	3	5	14	14	17	20	20	20	10	1	-	-	-	35
-	-	-	3	5	3	9	5	9	6	11	11	7	1	-	-	-	-	36
2	4	6	14	24	41	62	87	91	102	114	104	58	26	7	-	-	1	37
-	3	4	11	8	26	40	58	52	57	56	42	31	11	5	-	-	1	38
2	1	2	3	16	15	22	29	39	45	58	62	27	15	2	-	-	-	39
-	3	4	11	8	22	37	51	48	51	52	37	28	10	5	-	-	1	40
1	1	1	3	14	14	21	27	34	44	55	61	26	15	2	-	-	-	41
-	-	-	-	-	4	2	7	4	6	4	3	3	1	-	-	-	-	42
1	-	1	-	2	1	1	1	5	1	3	1	1	-	-	-	-	-	43
-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	44
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	45
37	67	167	311	614	1,066	1,828	2,760	3,651	4,775	5,441	5,114	3,627	1,848	572	85	13	4	46
21	39	86	142	280	459	830	1,319	1,827	2,368	2,590	2,383	1,575	733	203	26	3	1	47
16	28	81	169	334	607	998	1,441	1,824	2,407	2,851	2,731	2,052	1,115	369	59	10	3	48
21	31	73	121	257	419	747	1,214	1,647	2,188	2,439	2,266	1,512	702	189	23	1	1	49
14	21	67	149	302	523	910	1,306	1,646	2,193	2,661	2,602	1,970	1,071	350	57	8	3	50
-	8	12	20	22	40	81	98	170	172	142	103	56	24	14	3	1	-	51
2	7	14	19	29	77	83	132	176	205	185	124	77	41	18	1	2	-	52
-	-	1	1	1	-	2	7	10	8	9	14	7	7	-	-	1	-	53
-	-	-	1	3	7	5	3	2	9	5	5	5	3	1	1	-	-	54
2	9	28	37	72	110	209	327	458	615	802	803	613	309	95	6	1	-	55
1	6	18	25	37	52	107	176	226	292	350	337	238	113	30	4	-	-	56
1	3	10	12	35	58	102	151	232	323	452	466	375	196	65	2	1	-	57
1	5	15	20	36	49	99	161	205	268	331	321	229	104	29	4	-	-	58
1	1	8	10	33	46	95	136	212	300	427	448	361	194	62	2	1	-	59
-	1	3	4	1	3	8	15	21	23	18	14	8	7	1	-	-	-	60
-	2	2	2	2	11	7	14	20	20	24	18	14	2	3	-	-	-	61
-	-	-	1	-	-	-	-	-	1	1	2	1	2	-	-	-	-	62
-	-	-	-	-	1	-	1	-	3	1	-	-	-	-	-	-	-	63
3	3	12	16	36	62	70	138	176	242	251	244	176	90	27	5	-	-	64
2	3	4	7	17	25	40	72	101	107	107	117	80	35	7	1	-	-	65
1	-	8	9	19	37	30	66	75	135	144	127	96	55	20	4	-	-	66
2	3	4	7	12	25	39	64	83	96	98	114	78	33	7	1	-	-	67
1	-	7	8	13	32	28	63	70	124	138	120	91	52	19	4	-	-	68
-	-	-	-	5	-	1	8	17	11	8	2	2	2	-	-	-	-	69
-	-	1	1	6	5	1	3	5	10	6	7	5	3	1	-	-	-	70
-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	71
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	72
2	4	5	8	28	41	85	100	132	167	196	183	149	68	25	3	-	-	73
1	2	2	4	10	22	37	40	70	80	88	87	78	27	9	2	-	-	74
1	2	3	4	18	19	48	60	62	87	108	96	71	41	16	1	-	-	75
1	2	2	4	9	19	34	37	65	76	80	87	76	26	9	1	-	-	76
1	1	3	3	16	17	43	51	57	81	103	93	67	40	14	-	-	-	77
-	-	-	-	1	3	3	2	5	4	8	-	2	1	-	1	-	-	78
-	1	-	1	1	1	4	9	5	6	5	3	4	1	2	-	-	-	79
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-	81
7	10	20	58	111	201	344	516	751	938	1,031	959	648	304	100	17	4	-	82
3	4	9	20	40	71	135	213	377	470	533	502	303	133	41	6	2	-	83
4	6	11	38	71	130	209	303	374	468	498	457	345	171	59	11	2	-	84
3	3	7	18	39	66	124	204	350	449	509	479	292	129	38	4	1	-	85
3	4	9	36	66	120	193	279	341	434	479	441	333	168	53	11	1	-	86
-	1	2	2	1	5	9	7	24	21	21	19	10	4	3	2	-	-	87
1	2	2	1	4	9	16	22	33	32	18	16	10	3	6	-	1	-	88
-	-	-	-	-	-	2	2	3	-	3	4	1	-	-	-	1	-	89
-	-	-	1	1	1	-	2	-	2	1	-	2	-	-	-	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	MALIGNANT NEOPLASMS, ETC.--CON.										
	OF LARGE INTESTINE, EXCEPT RECTUM--CON.										
01	MULTIPLE PARTS OF LARGE INTESTINE.....153.7	59	-	-	-	-	-	-	-	-	-
02	MALE....	35	-	-	-	-	-	-	-	-	-
03	FEMALE..	24	-	-	-	-	-	-	-	-	-
04	WHITE.....MALE....	34	-	-	-	-	-	-	-	-	-
05	FEMALE..	23	-	-	-	-	-	-	-	-	-
06	NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
07	FEMALE..	1	-	-	-	-	-	-	-	-	-
08	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
09	FEMALE..	-	-	-	-	-	-	-	-	-	-
10	LARGE INTESTINE INCLUDING COLON, PART UNSPECIFIED.....153.8	17,022	-	-	-	-	-	-	-	3	10
11	MALE....	7,950	-	-	-	-	-	-	-	2	6
12	FEMALE..	9,072	-	-	-	-	-	-	-	1	4
13	WHITE.....MALE....	7,340	-	-	-	-	-	-	-	1	3
14	FEMALE..	8,329	-	-	-	-	-	-	-	-	3
15	NEGRO.....MALE....	572	-	-	-	-	-	-	-	1	2
16	FEMALE..	717	-	-	-	-	-	-	-	1	1
17	OTHER.....MALE....	38	-	-	-	-	-	-	-	-	1
18	FEMALE..	26	-	-	-	-	-	-	-	-	-
19	INTESTINAL TRACT, PART UNSPECIFIED.....153.9	1,652	-	-	-	-	-	-	-	-	2
20	MALE....	752	-	-	-	-	-	-	-	-	2
21	FEMALE..	900	-	-	-	-	-	-	-	-	-
22	WHITE.....MALE....	696	-	-	-	-	-	-	-	-	1
23	FEMALE..	836	-	-	-	-	-	-	-	-	-
24	NEGRO.....MALE....	53	-	-	-	-	-	-	-	-	1
25	FEMALE..	62	-	-	-	-	-	-	-	-	-
26	OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
27	FEMALE..	2	-	-	-	-	-	-	-	-	-
28	OF RECTUM.....154	10,533	1	-	1	-	-	2	1	-	3
29	MALE....	5,962	1	-	-	-	-	1	1	-	2
30	FEMALE..	4,571	-	-	1	-	-	1	-	-	1
31	WHITE.....MALE....	5,519	-	-	-	-	-	-	1	-	1
32	FEMALE..	4,214	-	-	1	-	-	1	-	-	1
33	NEGRO.....MALE....	405	1	-	-	-	-	1	-	-	1
34	FEMALE..	336	-	-	-	-	-	-	-	-	-
35	OTHER.....MALE....	38	-	-	-	-	-	-	-	-	-
36	FEMALE..	21	-	-	-	-	-	-	-	-	-
37	OF BILIARY PASSAGES & OF LIVER STATED TO BE PRIMARY SITE.....155	6,589	8	6	2	4	1	21	3	10	10
38	MALE....	2,928	2	6	1	2	1	12	3	7	5
39	FEMALE..	3,661	6	-	1	2	-	9	-	3	5
40	WHITE.....MALE....	2,578	2	6	1	2	1	12	3	6	4
41	FEMALE..	3,430	3	-	1	2	-	6	-	2	5
42	NEGRO.....MALE....	284	-	-	-	-	-	-	-	1	1
43	FEMALE..	195	1	-	-	-	-	1	-	1	-
44	OTHER.....MALE....	66	-	-	-	-	-	-	-	-	-
45	FEMALE..	36	2	-	-	-	-	2	-	-	-
46	LIVER.....155.0	2,084	8	6	2	3	1	20	3	10	9
47	MALE....	1,369	2	6	1	2	1	12	3	7	5
48	FEMALE..	715	6	-	1	1	-	8	-	3	4
49	WHITE.....MALE....	1,125	2	6	1	2	1	12	3	6	4
50	FEMALE..	648	3	-	1	1	-	5	-	2	4
51	NEGRO.....MALE....	202	-	-	-	-	-	-	-	1	1
52	FEMALE..	58	1	-	-	-	-	1	-	1	-
53	OTHER.....MALE....	42	-	-	-	-	-	-	-	-	-
54	FEMALE..	9	2	-	-	-	-	2	-	-	-
55	OTHER AND MULTIPLE SITES OF BILIARY PASSAGES.....155.1,155.8	4,505	-	-	-	1	-	1	-	-	1
56	MALE....	1,559	-	-	-	-	-	-	-	-	-
57	FEMALE..	2,946	-	-	-	1	-	1	-	-	1
58	WHITE.....MALE....	1,453	-	-	-	-	-	-	-	-	-
59	FEMALE..	2,782	-	-	-	1	-	1	-	-	1
60	NEGRO.....MALE....	82	-	-	-	-	-	-	-	-	-
61	FEMALE..	137	-	-	-	-	-	-	-	-	-
62	OTHER.....MALE....	24	-	-	-	-	-	-	-	-	-
63	FEMALE..	27	-	-	-	-	-	-	-	-	-
64	OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	3,195	2	-	2	2	1	7	2	2	6
65	MALE....	1,703	1	-	1	2	1	5	1	1	2
66	FEMALE..	1,492	1	-	1	-	-	2	1	1	4
67	WHITE.....MALE....	1,451	1	-	1	2	1	5	1	1	1
68	FEMALE..	1,338	1	-	1	-	-	2	1	1	3
69	NEGRO.....MALE....	226	-	-	-	-	-	-	-	-	1
70	FEMALE..	147	-	-	-	-	-	-	-	-	1
71	OTHER.....MALE....	26	-	-	-	-	-	-	-	-	-
72	FEMALE..	7	-	-	-	-	-	-	-	-	-
73	OF PANCREAS.....157	16,002	-	-	-	1	-	1	-	3	2
74	MALE....	9,237	-	-	-	1	-	1	-	1	1
75	FEMALE..	6,765	-	-	-	-	-	-	-	2	1
76	WHITE.....MALE....	8,264	-	-	-	1	-	1	-	1	-
77	FEMALE..	6,150	-	-	-	-	-	-	-	2	1
78	NEGRO.....MALE....	918	-	-	-	-	-	-	-	-	1
79	FEMALE..	578	-	-	-	-	-	-	-	-	-
80	OTHER.....MALE....	55	-	-	-	-	-	-	-	-	-
81	FEMALE..	37	-	-	-	-	-	-	-	-	-
82	OF PERITONEUM AND OF UNSPECIFIED DIGESTIVE ORGANS.....158,159	1,672	1	4	3	2	1	11	4	3	7
83	MALE....	825	-	2	1	1	1	5	4	1	5
84	FEMALE..	847	1	2	2	1	-	6	-	2	2
85	WHITE.....MALE....	711	-	2	1	1	1	5	4	1	5
86	FEMALE..	736	1	1	2	1	-	5	-	2	2
87	NEGRO.....MALE....	103	-	-	-	-	-	-	-	-	-
88	FEMALE..	109	-	1	-	-	-	1	-	-	-
89	OTHER.....MALE....	11	-	-	-	-	-	-	-	-	-
90	FEMALE..	2	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	1	1	2	1	3	15	11	13	11	1	-	-	-	-	01
-	-	-	-	1	-	2	1	2	10	6	6	7	-	-	-	-	-	02
-	-	-	-	-	1	-	-	1	5	5	7	4	1	-	-	-	-	03
-	-	-	-	1	-	2	1	2	9	6	6	7	-	-	-	-	-	04
-	-	-	-	-	1	-	-	1	5	5	7	3	1	-	-	-	-	05
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
22	39	91	177	330	606	1,028	1,555	1,947	2,566	2,868	2,669	1,815	953	285	48	7	3	10
14	24	48	79	162	270	470	754	951	1,295	1,377	1,228	772	386	101	11	-	-	11
8	15	43	98	168	336	558	801	996	1,271	1,491	1,441	1,043	567	184	37	7	3	12
14	18	40	68	149	241	416	690	856	1,183	1,292	1,159	735	373	91	11	-	-	13
7	13	34	85	155	284	502	723	887	1,147	1,364	1,366	999	537	178	36	6	3	14
-	6	7	11	12	29	54	60	90	105	81	62	32	10	10	-	-	-	15
1	2	9	13	12	48	53	78	107	122	124	71	41	27	5	1	1	-	16
-	-	1	-	1	-	-	4	5	7	4	7	5	3	-	-	-	-	17
-	-	-	-	1	4	3	-	2	2	3	4	3	3	1	-	-	-	18
1	2	11	15	36	45	90	123	184	232	282	243	215	123	40	6	1	1	19
-	-	5	7	13	19	39	63	100	114	129	106	97	39	15	2	1	1	20
1	2	6	8	23	26	51	60	84	118	153	137	118	84	25	4	-	-	21
-	-	5	4	11	19	33	57	86	107	123	100	95	37	15	2	-	1	22
1	2	6	7	19	23	49	54	78	102	145	127	116	79	24	4	-	-	23
-	-	-	3	2	-	6	6	13	7	6	6	2	-	-	-	1	-	24
-	-	-	1	4	3	2	6	6	15	8	9	2	5	1	-	-	-	25
-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	26
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	27
7	18	32	82	185	363	681	1,000	1,326	1,560	1,639	1,576	1,192	642	182	37	2	3	28
4	10	23	47	96	196	375	608	821	910	980	874	645	285	69	10	2	3	29
3	8	9	35	89	167	306	392	505	650	659	702	547	357	113	27	-	-	30
1	7	19	42	80	180	336	543	750	837	927	831	620	263	66	10	2	3	31
2	6	7	32	77	149	257	353	451	585	617	675	528	346	104	23	-	-	32
3	3	4	5	14	15	34	62	65	67	46	40	21	21	3	-	-	-	33
1	2	2	3	9	16	48	38	52	62	40	22	18	10	9	4	-	-	34
-	-	-	-	2	1	5	3	6	6	7	3	4	1	-	-	-	-	35
-	-	-	-	3	2	1	1	2	3	2	5	1	1	-	-	-	-	36
17	19	25	49	113	199	362	587	864	1,067	1,230	992	647	278	81	14	1	-	37
9	11	14	29	48	102	195	302	427	471	549	392	230	95	23	4	-	-	38
8	8	11	20	65	97	167	285	437	596	681	600	417	183	58	10	1	-	39
7	9	8	21	36	76	155	252	362	422	508	365	218	89	21	4	-	-	40
6	7	9	19	48	84	146	259	404	563	648	576	407	175	55	10	1	-	41
2	2	6	7	9	24	36	43	54	38	30	16	10	3	2	-	-	-	42
1	1	2	1	17	13	17	23	25	30	32	20	5	5	1	-	-	-	43
-	-	-	1	3	2	4	7	11	11	11	11	2	3	-	-	-	-	44
1	-	-	-	-	-	4	3	8	3	1	4	5	3	2	-	-	-	45
16	14	18	25	56	91	173	229	312	312	359	238	127	47	21	3	1	-	46
9	7	9	16	25	63	117	163	223	215	247	139	74	25	10	-	-	-	47
7	7	9	9	31	28	56	66	89	97	112	99	53	22	11	3	1	-	48
7	5	3	10	16	41	82	126	182	182	219	123	71	25	8	-	-	-	49
6	6	7	9	21	22	51	60	82	89	103	94	51	22	10	3	1	-	50
2	2	6	5	7	20	32	31	37	25	22	7	2	-	2	-	-	-	51
-	1	2	-	10	6	5	4	5	7	9	5	1	-	1	-	-	-	52
-	-	-	1	2	2	3	6	4	8	6	9	1	-	-	-	-	-	53
1	-	-	-	-	-	-	2	2	1	-	-	1	-	-	-	-	-	54
1	5	7	24	57	108	189	358	552	755	871	754	520	231	60	11	-	-	55
-	4	5	13	23	39	78	139	204	256	302	253	156	70	13	4	-	-	56
1	1	2	11	34	69	111	219	348	499	569	501	364	161	47	7	-	-	57
-	4	5	11	20	35	73	126	180	240	289	242	147	64	13	4	-	-	58
-	1	2	10	27	62	95	199	322	474	545	482	356	153	45	7	-	-	59
-	-	-	2	2	4	4	12	17	13	8	9	8	3	-	-	-	-	60
1	-	-	1	7	7	12	19	20	23	23	15	4	5	-	-	-	-	61
-	-	-	-	1	-	1	1	7	3	5	2	1	3	-	-	-	-	62
-	-	-	-	-	-	4	1	6	2	1	4	4	3	2	-	-	-	63
4	2	20	25	55	98	224	301	410	496	509	444	344	181	56	9	-	-	64
2	1	11	14	28	61	140	189	256	278	273	200	145	73	21	2	-	-	65
2	1	9	11	27	37	84	112	154	218	236	244	199	108	35	7	-	-	66
1	1	7	11	19	49	100	151	216	242	241	186	132	68	17	2	-	-	67
2	1	7	9	16	28	74	97	127	187	219	233	194	101	29	7	-	-	68
1	-	3	1	9	10	36	34	36	32	30	13	12	4	4	-	-	-	69
-	-	2	2	11	8	10	15	27	30	17	9	5	6	4	-	-	-	70
-	-	1	2	-	2	4	4	4	4	2	1	1	1	-	-	-	-	71
-	-	-	-	-	1	-	-	-	1	-	2	-	1	2	-	-	-	72
6	15	41	136	311	585	1,099	1,599	2,211	2,542	2,711	2,317	1,504	681	205	26	3	4	73
1	11	27	97	201	378	699	1,014	1,355	1,520	1,538	1,258	714	310	96	13	2	-	74
5	4	14	39	110	207	400	585	856	1,022	1,173	1,059	790	371	109	13	1	4	75
-	10	25	83	178	330	592	887	1,183	1,356	1,386	1,170	661	297	90	13	1	-	76
2	3	12	33	98	173	339	508	745	918	1,100	999	738	354	108	12	1	4	77
1	1	1	14	22	47	103	123	164	158	143	79	44	11	5	-	1	-	78
3	1	2	4	12	31	58	72	106	103	66	55	48	16	-	1	-	-	79
-	-	1	-	1	1	4	4	8	6	9	9	9	2	1	-	-	-	80
-	-	-	2	-	3	3	5	5	1	7	5	4	1	1	-	-	-	81
8	5	13	28	48	74	119	136	186	209	258	230	182	101	40	9	-	1	82
6	2	7	16	25	44	54	82	92	110	125	108	72	45	18	3	-	1	83
2	3	6	12	23	30	65	54	94	99	133	122	110	56	22	6	-	-	84
6	2	6	14	20	37	44	68	76	89	108	99	66	39	18	3	-	1	85
2	2	3	10	18	25	56	46	74	85	116	113	102	49	22	4	-	-	86
-	-	1	2	5	6	9	13	15	19	15	9	5	4	-	-	-	-	87
-	1	3	2	5	5	9	8	20	14	16	9	7	7	-	2	-	-	88
-	-	-	-	-	1	1	1	1	2	2	-	1	2	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	MALIGNANT NEOPLASMS, ETC.--CON.										
01	MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	52,039	7	1	1	1	2	12	7	5	29
02	MALE....	43,798	5	1	-	1	1	8	5	1	17
03	FEMALE..	8,241	2	-	1	-	1	4	2	4	12
04	WHITE.....MALE....	39,793	5	1	-	1	-	7	3	-	13
05	FEMALE..	7,494	2	-	-	-	-	2	1	4	10
06	NEGRO.....MALE....	3,792	-	-	-	-	1	1	2	-	4
07	FEMALE..	692	-	-	1	-	-	1	-	-	2
08	OTHER.....MALE....	213	-	-	-	-	-	-	-	1	-
09	FEMALE..	55	-	-	-	-	1	1	1	-	-
10	OF LARYNX....161	2,629	-	-	-	-	-	-	-	-	-
11	MALE....	2,326	-	-	-	-	-	-	-	-	-
12	FEMALE..	303	-	-	-	-	-	-	-	-	-
13	WHITE.....MALE....	2,073	-	-	-	-	-	-	-	-	-
14	FEMALE..	268	-	-	-	-	-	-	-	-	-
15	NEGRO.....MALE....	242	-	-	-	-	-	-	-	-	-
16	FEMALE..	35	-	-	-	-	-	-	-	-	-
17	OTHER.....MALE....	11	-	-	-	-	-	-	-	-	-
18	FEMALE..	-	-	-	-	-	-	-	-	-	-
19	OF BRONCHUS AND TRACHEA, AND OF LUNG SPECIFIED AS PRIMARY.....162	20,354	3	-	-	-	-	3	-	-	6
20	MALE....	17,570	2	-	-	-	-	2	-	-	3
21	FEMALE..	2,784	1	-	-	-	-	1	-	-	3
22	WHITE.....MALE....	15,954	2	-	-	-	-	2	-	-	2
23	FEMALE..	2,545	1	-	-	-	-	1	-	-	3
24	NEGRO.....MALE....	1,541	-	-	-	-	-	-	-	-	1
25	FEMALE..	224	-	-	-	-	-	-	-	-	-
26	OTHER.....MALE....	75	-	-	-	-	-	-	-	-	-
27	FEMALE..	15	-	-	-	-	-	-	-	-	-
28	OF LUNG, UNSPECIFIED AS TO WHETHER PRIMARY OR SECONDARY.....163	28,129	3	1	1	1	1	7	4	-	8
29	MALE....	23,309	2	1	-	1	1	5	3	-	5
30	FEMALE..	4,820	1	-	1	-	-	2	1	-	3
31	WHITE.....MALE....	21,230	2	1	-	1	-	4	2	-	4
32	FEMALE..	4,382	1	-	-	-	-	1	1	-	3
33	NEGRO.....MALE....	1,954	-	-	-	-	1	1	1	-	1
34	FEMALE..	405	-	-	1	-	-	1	-	-	-
35	OTHER.....MALE....	125	-	-	-	-	-	-	-	-	-
36	FEMALE..	33	-	-	-	-	-	-	-	-	-
37	OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	927	1	-	-	-	1	2	3	5	15
38	MALE....	593	1	-	-	-	-	1	2	1	9
39	FEMALE..	334	-	-	-	-	1	1	1	4	6
40	WHITE.....MALE....	536	1	-	-	-	-	1	1	-	7
41	FEMALE..	299	-	-	-	-	-	-	-	4	4
42	NEGRO.....MALE....	55	-	-	-	-	-	-	1	-	2
43	FEMALE..	28	-	-	-	-	-	-	-	-	2
44	OTHER.....MALE....	2	-	-	-	-	-	-	-	1	-
45	FEMALE..	7	-	-	-	-	1	1	1	-	-
46	MALIGNANT NEOPLASM OF BREAST....170	27,048	-	-	-	-	-	-	1	-	1
47	MALE....	243	-	-	-	-	-	-	-	-	-
48	FEMALE..	26,805	-	-	-	-	-	-	1	-	1
49	WHITE.....MALE....	221	-	-	-	-	-	-	-	-	-
50	FEMALE..	24,627	-	-	-	-	-	-	1	-	1
51	NEGRO.....MALE....	21	-	-	-	-	-	-	-	-	-
52	FEMALE..	2,119	-	-	-	-	-	-	-	-	-
53	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
54	FEMALE..	59	-	-	-	-	-	-	-	-	-
55	MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	40,454	1	2	12	3	2	20	12	36	99
56	MALE....	16,880	-	1	8	1	2	12	5	8	52
57	FEMALE..	23,574	1	1	4	2	-	8	7	28	47
58	WHITE.....MALE....	14,720	-	1	8	1	2	12	4	6	50
59	FEMALE..	20,360	-	1	4	2	-	7	6	20	38
60	NEGRO.....MALE....	2,110	-	-	-	-	-	-	1	2	2
61	FEMALE..	3,103	1	-	-	-	-	1	1	7	9
62	OTHER.....MALE....	50	-	-	-	-	-	-	-	-	-
63	FEMALE..	111	-	-	-	-	-	-	-	1	-
64	OF CERVIX UTERI....171	8,053	-	1	1	-	-	2	-	-	2
65	WHITE.....FEMALE..	6,392	-	1	1	-	-	2	-	-	2
66	NEGRO.....FEMALE..	1,604	-	-	-	-	-	-	-	-	-
67	OTHER.....FEMALE..	57	-	-	-	-	-	-	-	-	-
68	OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	5,785	-	-	-	-	-	-	1	1	7
69	WHITE.....FEMALE..	4,962	-	-	-	-	-	-	1	1	4
70	NEGRO.....FEMALE..	801	-	-	-	-	-	-	-	-	3
71	OTHER.....FEMALE..	22	-	-	-	-	-	-	-	-	-
72	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	8,933	1	-	3	1	-	5	6	27	38
73	WHITE.....FEMALE..	8,281	-	-	3	1	-	4	5	19	32
74	NEGRO.....FEMALE..	622	1	-	-	-	-	1	1	7	6
75	OTHER.....FEMALE..	30	-	-	-	-	-	-	-	1	-
76	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	803	-	-	-	1	-	1	-	-	-
77	WHITE.....FEMALE..	725	-	-	-	1	-	1	-	-	-
78	NEGRO.....FEMALE..	76	-	-	-	-	-	-	-	-	-
79	OTHER.....FEMALE..	2	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
35	49	182	652	1,604	3,132	5,243	7,326	8,641	9,096	7,888	4,833	2,253	842	170	34	5	1	01
24	38	121	475	1,199	2,414	4,285	6,282	7,580	8,004	6,829	4,046	1,760	580	104	23	2	1	02
11	11	61	177	405	718	958	1,044	1,061	1,092	1,059	787	493	262	66	11	3	-	03
21	34	104	389	980	2,058	3,772	5,623	6,951	7,333	6,352	3,826	1,667	543	94	21	1	1	04
10	8	51	144	350	637	851	941	955	1,007	977	749	372	252	61	10	2	-	05
2	4	16	81	211	349	494	632	594	644	445	196	75	30	10	1	1	-	06
1	3	9	29	53	81	104	97	99	80	70	30	19	8	4	1	1	-	07
1	-	1	5	8	7	19	27	35	27	32	24	18	7	-	1	-	-	08
-	-	1	4	2	-	3	6	7	5	12	8	2	2	1	-	-	-	09
-	-	5	14	52	160	258	356	446	432	398	285	145	64	9	5	-	-	10
-	-	2	10	44	130	216	317	400	398	357	262	125	54	8	3	-	-	11
-	-	3	4	8	30	42	39	46	34	41	23	20	10	1	2	-	-	12
-	-	2	6	30	104	181	281	355	362	323	251	116	52	7	3	-	-	13
-	-	1	4	6	24	34	35	41	32	37	22	19	10	1	2	-	-	14
-	-	-	4	14	26	33	35	42	36	31	11	8	1	1	-	-	-	15
-	-	2	-	2	6	8	4	5	2	4	1	1	-	-	-	-	-	16
-	-	-	-	-	-	2	1	3	-	3	-	1	1	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
8	14	75	255	701	1,293	2,111	2,932	3,454	3,636	3,104	1,724	728	247	50	10	3	-	19
7	9	48	190	547	1,013	1,774	2,530	3,084	3,259	2,769	1,482	617	194	33	8	1	-	20
1	5	27	65	154	280	337	402	370	377	335	242	111	53	17	2	2	-	21
6	9	39	157	446	875	1,559	2,261	2,840	2,981	2,572	1,408	581	180	28	8	-	-	22
1	3	23	57	135	256	299	368	340	345	307	229	106	52	17	2	1	-	23
1	-	8	31	99	136	208	261	232	270	184	61	32	11	5	-	1	-	24
-	2	4	8	18	24	38	31	28	29	25	10	5	1	-	-	1	-	25
-	-	1	2	2	2	7	8	12	8	13	13	4	3	-	-	-	-	26
-	-	-	-	1	-	-	3	2	3	3	3	-	-	-	-	-	-	27
16	23	91	356	821	1,630	2,773	3,954	4,620	4,918	4,267	2,725	1,309	488	99	17	2	1	28
9	18	63	256	588	1,239	2,230	3,380	4,013	4,278	3,622	2,242	976	311	58	11	1	1	29
7	5	28	100	233	391	543	574	607	640	645	483	333	177	41	6	1	-	30
8	14	57	209	489	1,055	1,975	3,031	3,680	3,926	3,381	2,111	929	290	54	9	1	1	31
6	4	24	76	200	345	487	513	539	595	598	460	319	168	37	5	1	-	32
-	4	6	44	93	179	245	331	313	333	225	121	34	18	4	1	-	-	33
1	1	3	21	32	46	53	59	63	43	39	19	12	7	4	1	-	-	34
1	-	-	3	6	5	10	18	20	19	16	10	13	3	-	1	-	-	35
-	-	1	3	1	-	3	2	5	2	8	4	2	2	-	-	-	-	36
11	12	11	27	30	49	101	84	121	110	119	99	71	43	12	2	-	-	37
8	11	8	19	20	32	65	55	83	69	81	60	42	21	5	1	-	-	38
3	1	3	8	10	17	36	29	38	41	38	39	29	22	7	1	-	-	39
7	11	6	17	15	24	57	50	76	64	76	56	41	21	5	1	-	-	40
3	1	3	7	9	12	31	25	35	35	35	38	28	22	6	1	-	-	41
1	-	2	2	5	8	8	5	7	5	5	3	1	-	-	-	-	-	42
-	-	-	-	1	5	5	3	3	6	2	-	1	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	44
-	-	-	1	-	-	-	1	-	-	1	1	-	-	1	-	-	-	45
15	90	347	841	1,749	2,522	3,375	3,517	3,245	3,083	2,914	2,408	1,683	910	257	72	14	4	46
-	1	1	7	4	13	27	23	30	49	27	30	18	11	1	-	-	1	47
15	89	346	834	1,745	2,509	3,348	3,494	3,215	3,034	2,887	2,378	1,665	899	256	72	14	3	48
-	1	1	5	3	12	24	20	27	47	26	27	16	10	1	-	-	1	49
12	70	279	703	1,531	2,241	3,036	3,207	2,952	2,835	2,725	2,268	1,591	856	241	66	9	3	50
-	-	-	2	1	1	3	3	3	2	1	3	2	-	-	-	-	-	51
3	18	67	122	208	260	305	280	251	196	159	110	74	41	15	5	5	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	53
-	1	-	9	6	8	7	7	12	3	3	-	-	2	-	1	-	-	54
157	274	501	849	1,482	2,159	2,796	3,398	4,293	5,366	6,065	5,825	4,225	2,125	645	113	10	4	55
85	100	91	105	104	124	294	641	1,294	2,210	3,134	3,696	2,881	1,523	452	65	3	1	56
72	174	410	744	1,378	2,035	2,502	2,757	2,999	3,156	2,931	2,129	1,344	602	193	48	7	3	57
84	96	89	100	96	105	216	501	1,022	1,803	2,695	3,335	2,622	1,417	415	50	1	1	58
58	134	292	558	1,123	1,694	2,130	2,354	2,570	2,745	2,647	1,949	1,257	560	172	40	3	3	59
-	4	1	5	8	719	76	140	267	400	432	352	246	103	35	15	2	-	60
13	40	112	175	246	327	359	393	418	401	272	175	82	40	21	8	3	-	61
1	-	1	-	-	-	2	-	5	7	7	9	13	3	2	-	-	-	62
1	-	6	11	9	14	13	10	11	10	12	5	5	2	-	-	1	-	63
20	111	265	480	762	938	965	905	904	854	774	538	340	136	44	12	1	-	64
16	85	181	342	592	741	772	706	717	671	644	448	305	121	38	9	-	-	65
3	26	82	129	163	191	188	193	183	179	124	87	32	14	6	3	1	-	66
1	-	2	9	7	6	5	6	4	4	6	3	3	1	-	-	-	-	67
12	19	50	72	151	250	434	559	791	978	956	705	472	223	78	20	3	3	68
6	16	34	50	120	206	352	452	664	823	861	648	431	205	66	17	2	3	69
6	3	13	22	31	42	78	105	123	152	93	56	41	17	12	3	1	-	70
-	-	3	-	-	2	4	2	4	3	2	1	-	1	-	-	-	-	71
39	42	89	180	444	815	1,056	1,232	1,230	1,233	1,075	757	419	189	44	10	3	-	72
35	32	72	157	397	725	965	1,145	1,127	1,167	1,023	733	411	180	42	9	1	-	73
4	10	16	21	45	84	87	85	100	63	48	24	7	9	2	1	1	-	74
-	-	1	2	2	6	4	2	3	3	4	-	1	-	-	-	1	-	75
1	2	6	12	21	32	47	61	74	91	126	129	113	54	27	6	-	-	76
1	1	5	9	14	22	41	51	62	84	119	120	110	54	26	5	-	-	77
-	1	1	3	7	10	6	10	12	7	7	8	2	-	1	1	-	-	78
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	79

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	MALIGNANT NEOPLASMS, ETC.--CON.										
	MALIGNANT NEOPLASM OF GENITAL ORGANS--CON.										
01	OF PROSTATE.....177	15,911	-	-	1	1	2	4	-	-	4
02	WHITE.....MALE....	13,819	-	-	1	1	2	4	-	-	4
03	NEGRO.....MALE....	2,047	-	-	-	-	-	-	-	-	-
04	OTHER.....MALE....	45	-	-	-	-	-	-	-	-	-
05	ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS 178,179	969	-	1	7	-	-	8	5	8	48
06	WHITE.....MALE....	901	-	1	7	-	-	8	4	6	46
07	NEGRO.....MALE....	63	-	-	-	-	-	-	1	2	2
08	OTHER.....MALE....	5	-	-	-	-	-	-	-	-	-
09	MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	13,901	16	21	23	37	38	135	94	12	18
10	MALE....	9,094	11	17	10	19	16	73	43	5	5
11	FEMALE..	4,807	5	4	13	18	22	62	51	7	13
12	WHITE.....MALE....	8,453	9	13	9	14	14	59	39	3	3
13	FEMALE..	4,379	4	4	12	14	17	51	45	6	8
14	NEGRO.....MALE....	598	2	4	1	5	2	14	4	2	2
15	FEMALE..	408	1	-	-	4	5	10	6	1	5
16	OTHER.....MALE....	43	-	-	-	-	-	-	-	-	-
17	FEMALE..	20	-	-	1	-	-	1	-	-	-
18	OF KIDNEY.....180	5,634	15	17	23	36	36	127	92	12	16
19	MALE....	3,508	10	13	10	18	15	66	41	5	4
20	FEMALE..	2,126	5	4	13	18	21	61	51	7	12
21	WHITE.....MALE....	3,266	8	10	9	13	13	53	38	3	2
22	FEMALE..	1,981	4	4	12	14	16	50	45	6	8
23	NEGRO.....MALE....	220	2	3	1	5	2	13	3	2	2
24	FEMALE..	132	1	-	-	4	5	10	6	1	4
25	OTHER.....MALE....	22	-	-	-	-	-	-	-	-	-
26	FEMALE..	13	-	-	1	-	-	1	-	-	-
27	OF BLADDER AND OTHER URINARY ORGANS.....181	8,267	1	4	-	1	2	8	2	-	2
28	MALE....	5,586	1	4	-	1	1	7	2	-	1
29	FEMALE..	2,681	-	-	-	-	1	1	-	-	1
30	WHITE.....MALE....	5,187	1	3	-	1	1	6	1	-	1
31	FEMALE..	2,398	-	-	-	-	1	1	-	-	-
32	NEGRO.....MALE....	378	-	1	-	-	-	1	1	-	-
33	FEMALE..	276	-	-	-	-	-	-	-	-	1
34	OTHER.....MALE....	21	-	-	-	-	-	-	-	-	-
35	FEMALE..	7	-	-	-	-	-	-	-	-	-
36	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES..156B,165,190-199	34,644	78	88	137	135	114	552	471	431	466
37	MALE....	18,797	39	37	63	76	64	279	259	233	300
38	FEMALE..	15,847	39	51	74	59	50	273	212	198	166
39	WHITE.....MALE....	17,135	35	35	56	68	57	251	229	208	266
40	FEMALE..	14,339	37	45	68	54	44	248	181	180	139
41	NEGRO.....MALE....	1,545	4	2	7	8	6	27	29	23	32
42	FEMALE..	1,444	2	6	6	5	6	25	31	17	25
43	OTHER.....MALE....	117	-	-	-	-	1	1	1	2	2
44	FEMALE..	64	-	-	-	-	-	-	-	1	2
45	OF SKIN.....190,191	4,605	1	1	-	1	1	4	2	4	21
46	MALE....	2,711	-	-	-	1	1	2	1	1	16
47	FEMALE..	1,894	1	1	-	-	-	2	1	3	5
48	WHITE.....MALE....	2,592	-	-	-	1	1	2	1	-	15
49	FEMALE..	1,805	1	1	-	-	-	2	1	2	5
50	NEGRO.....MALE....	107	-	-	-	-	-	-	-	1	1
51	FEMALE..	83	-	-	-	-	-	-	-	1	-
52	OTHER.....MALE....	12	-	-	-	-	-	-	-	-	-
53	FEMALE..	6	-	-	-	-	-	-	-	-	-
54	OF EYE.....192	338	-	5	11	7	4	27	17	3	2
55	MALE....	172	-	-	5	4	1	10	9	2	1
56	FEMALE..	166	-	5	6	3	3	17	8	1	1
57	WHITE.....MALE....	161	-	-	2	3	-	5	8	2	1
58	FEMALE..	154	-	4	4	2	2	12	7	1	1
59	NEGRO.....MALE....	11	-	-	3	1	1	5	1	-	-
60	FEMALE..	12	-	1	2	1	1	5	1	-	-
61	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
62	FEMALE..	-	-	-	-	-	-	-	-	-	-
63	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	7,014	49	71	90	100	87	397	339	223	171
64	MALE....	4,108	25	32	45	58	50	210	185	123	105
65	FEMALE..	2,906	24	39	45	42	37	187	154	100	66
66	WHITE.....MALE....	3,859	24	30	42	51	45	192	164	114	93
67	FEMALE..	2,734	23	34	43	38	33	171	127	91	56
68	NEGRO.....MALE....	227	1	2	3	7	4	17	20	9	10
69	FEMALE..	165	1	5	2	4	4	16	27	8	9
70	OTHER.....MALE....	22	-	-	-	-	1	1	1	-	2
71	FEMALE..	7	-	-	-	-	-	-	-	1	1
72	OF THYROID GLAND.....194	1,052	1	-	-	-	-	1	1	-	1
73	MALE....	360	1	-	-	-	-	1	-	-	1
74	FEMALE..	692	-	-	-	-	-	-	1	-	-
75	WHITE.....MALE....	335	-	-	-	-	-	-	-	-	1
76	FEMALE..	640	-	-	-	-	-	-	1	-	-
77	NEGRO.....MALE....	23	1	-	-	-	-	1	-	-	-
78	FEMALE..	50	-	-	-	-	-	-	-	-	-
79	OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
80	FEMALE..	2	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
–	–	2	2	19	74	227	594	1,228	2,151	3,088	3,656	2,850	1,503	444	62	2	1	01
–	–	1	1	13	61	161	463	961	1,749	2,654	3,297	2,595	1,397	408	48	1	1	02
–	–	–	1	6	13	65	131	262	395	427	350	244	103	35	14	1	–	03
–	–	1	–	–	–	1	–	5	7	7	9	11	3	1	–	–	–	04
85	100	89	103	85	50	67	47	66	59	46	40	31	20	8	3	1	–	05
84	96	88	99	83	44	55	38	61	54	41	38	27	20	7	2	–	–	06
–	4	1	4	2	6	11	9	5	5	5	2	2	–	–	1	1	–	07
1	–	–	–	–	–	1	–	–	–	–	–	2	–	1	–	–	–	08
16	16	41	98	253	439	827	1,240	1,678	2,101	2,383	2,103	1,471	697	230	43	5	1	09
5	12	18	59	168	302	553	881	1,210	1,458	1,635	1,331	844	363	102	24	3	–	10
11	4	23	39	85	137	274	359	468	643	748	772	627	334	128	19	2	1	11
5	8	13	53	146	273	496	782	1,114	1,364	1,536	1,271	811	352	101	21	3	–	12
7	3	16	34	76	118	228	306	416	576	695	728	598	325	124	16	2	1	13
–	4	5	6	22	27	53	96	90	90	90	54	26	10	1	2	–	–	14
4	1	7	4	9	19	45	53	51	64	47	40	26	9	4	3	–	–	15
–	–	–	–	–	2	4	3	6	4	9	6	7	1	–	1	–	–	16
–	–	–	1	–	–	1	–	1	3	6	4	3	–	–	–	–	–	17
16	15	28	76	188	284	486	636	761	872	858	618	368	144	33	2	1	1	18
5	11	12	43	127	207	317	449	515	549	544	353	192	54	13	–	1	–	19
11	4	16	33	61	77	169	187	246	323	314	265	176	90	20	2	–	1	20
5	7	9	38	110	192	299	409	489	518	512	336	180	52	13	–	1	–	21
7	3	12	29	56	74	149	174	229	305	300	251	172	88	20	2	–	1	22
–	4	3	5	17	14	17	39	22	29	26	14	8	2	–	–	–	–	23
4	1	4	3	5	3	19	13	17	16	10	11	3	2	–	–	–	–	24
–	–	–	–	–	1	1	1	4	2	6	3	4	–	–	–	–	–	25
–	–	–	1	–	–	1	–	–	2	4	3	1	–	–	–	–	–	26
–	1	13	22	65	155	341	604	917	1,229	1,525	1,485	1,103	553	197	41	4	–	27
–	1	6	16	41	95	236	432	695	909	1,091	978	652	309	89	24	2	–	28
–	–	7	6	24	60	105	172	222	320	434	507	451	244	108	17	2	–	29
–	1	4	15	36	81	197	373	625	846	1,024	935	631	300	88	21	2	–	30
–	–	4	5	20	44	79	132	187	271	395	477	426	237	104	14	2	–	31
–	–	2	1	5	13	36	57	68	61	64	40	18	8	1	2	–	–	32
–	–	3	1	4	16	26	40	34	48	37	29	23	7	4	3	–	–	33
–	–	–	–	–	1	3	2	2	2	3	3	3	1	–	1	–	–	34
–	–	–	–	–	–	–	–	1	1	2	1	2	–	–	–	–	–	35
321	399	573	948	1,421	2,068	2,915	3,784	4,127	4,381	4,228	3,475	2,294	1,232	444	92	19	3	36
191	226	319	528	753	1,136	1,636	2,195	2,395	2,468	2,246	1,772	1,085	543	186	34	11	2	37
130	173	254	420	668	932	1,279	1,589	1,732	1,913	1,982	1,703	1,209	689	258	58	8	1	38
178	204	294	472	667	1,021	1,452	1,975	2,143	2,258	2,089	1,674	1,023	510	177	33	9	2	39
120	155	228	355	579	819	1,132	1,384	1,556	1,727	1,827	1,599	1,156	655	241	53	4	1	40
12	21	22	51	79	107	178	205	227	196	149	90	58	29	7	1	2	–	41
10	18	24	60	81	111	146	196	172	179	148	96	49	33	15	5	3	–	42
1	1	3	5	7	8	6	15	25	14	8	8	4	4	2	–	–	–	43
–	–	2	5	8	2	1	9	4	7	7	8	4	1	2	–	1	–	44
46	89	150	205	272	330	413	443	439	463	493	455	368	255	118	30	5	–	45
18	47	80	128	166	208	246	267	268	285	283	267	214	139	59	12	4	–	46
28	42	70	77	106	122	167	176	171	178	210	188	154	116	59	18	1	–	47
18	44	79	126	157	200	234	250	250	260	274	261	212	136	57	12	4	–	48
28	42	67	75	103	113	152	166	159	170	197	182	151	115	57	17	1	–	49
–	3	1	2	7	8	11	16	16	23	8	5	1	3	1	–	–	–	50
–	–	3	1	1	9	15	9	11	8	13	5	3	1	2	1	–	–	51
–	–	–	–	2	–	1	1	2	2	1	1	1	–	1	–	–	–	52
–	–	–	1	2	–	–	1	1	–	–	1	–	–	–	–	–	–	53
2	1	3	8	8	14	17	35	34	48	42	35	20	13	7	1	1	–	54
1	1	1	6	3	6	5	17	18	33	22	18	11	4	3	1	–	–	55
1	–	2	2	5	8	12	18	16	15	20	17	9	9	4	–	1	–	56
1	1	1	5	3	6	5	17	16	32	22	18	11	3	3	1	–	–	57
1	–	1	1	5	8	12	18	14	15	20	17	8	9	3	–	1	–	58
–	–	–	1	–	–	–	–	2	1	–	–	–	1	–	–	–	–	59
–	–	1	1	–	–	–	–	2	–	–	–	1	–	1	–	–	–	60
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
120	165	222	351	440	604	767	913	891	724	437	172	60	14	3	1	–	–	63
73	96	131	205	262	345	473	559	500	425	261	112	31	10	1	1	–	–	64
47	69	91	146	178	259	294	354	391	299	176	60	29	4	2	–	–	–	65
67	86	123	189	241	322	445	534	478	410	254	110	28	7	1	1	–	–	66
44	61	82	130	168	246	280	341	380	293	173	58	27	4	2	–	–	–	67
6	10	8	14	18	21	27	22	18	13	7	2	3	2	–	–	–	–	68
3	8	8	16	8	13	14	13	9	6	3	2	2	–	–	–	–	–	69
–	–	–	2	3	2	1	3	4	2	–	–	–	1	–	–	–	–	70
–	–	1	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	71
2	5	6	21	25	43	65	100	135	169	161	162	87	46	18	3	–	1	72
–	–	3	10	11	21	24	36	61	62	59	42	18	7	3	–	–	1	73
2	5	3	11	14	22	41	64	74	107	102	120	69	39	15	3	–	–	74
–	–	3	9	8	21	23	33	55	58	55	42	17	6	3	–	–	1	75
2	5	3	9	13	17	34	50	67	101	100	118	66	39	12	3	–	–	76
–	–	–	1	3	–	1	3	5	3	4	–	1	1	–	–	–	–	77
–	–	–	2	1	5	7	14	6	6	2	2	3	–	2	–	–	–	78
–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	79
–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	80

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	MALIGNANT NEOPLASMS, ETC.--CON.										
	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES--CON.										
01	OF BONE.....196	1,813	-	1	3	5	2	11	55	127	164
02	MALE....	1,092	-	-	2	4	1	7	32	72	117
03	FEMALE..	721	-	1	1	1	1	4	23	55	47
04	WHITE.....MALE....	988	-	-	2	4	1	7	27	61	102
05	FEMALE..	646	-	1	1	1	1	4	21	52	41
06	NEGRO.....MALE....	97	-	-	-	-	-	-	5	9	15
07	FEMALE..	72	-	-	-	-	-	-	2	3	5
08	OTHER.....MALE....	7	-	-	-	-	-	-	-	2	-
09	FEMALE..	3	-	-	-	-	-	-	-	-	1
10	OF CONNECTIVE TISSUE.....197	1,262	7	4	8	9	10	38	33	22	48
11	MALE....	692	2	2	3	5	5	17	18	14	27
12	FEMALE..	570	5	2	5	4	5	21	15	8	21
13	WHITE.....MALE....	623	2	2	3	5	5	17	16	12	23
14	FEMALE..	514	4	2	5	4	5	20	15	5	17
15	NEGRO.....MALE....	65	-	-	-	-	-	-	2	2	4
16	FEMALE..	54	1	-	-	-	-	1	-	3	4
17	OTHER.....MALE....	4	-	-	-	-	-	-	-	-	-
18	FEMALE..	2	-	-	-	-	-	-	-	-	-
19	OF OTHER SPECIFIED SITES, NOT STATED TO BE SECONDARY.....195,199A	1,586	14	2	13	6	8	43	14	27	24
20	MALE....	956	8	2	4	-	4	18	9	11	16
21	FEMALE..	630	6	-	9	6	4	25	5	16	8
22	WHITE.....MALE....	872	6	2	3	-	4	15	9	10	16
23	FEMALE..	562	6	-	8	6	3	23	5	16	6
24	NEGRO.....MALE....	75	2	-	1	-	-	3	-	1	-
25	FEMALE..	63	-	-	1	-	1	2	-	-	2
26	OTHER.....MALE....	9	-	-	-	-	-	-	-	-	-
27	FEMALE..	5	-	-	-	-	-	-	-	-	-
28	OF UNSPECIFIED SITES.....156B,165,198,199B	16,974	6	4	12	7	2	31	10	25	35
29	MALE....	8,706	3	1	4	4	2	14	5	10	17
30	FEMALE..	8,268	3	3	8	3	-	17	5	15	18
31	WHITE.....MALE....	7,705	3	1	4	4	1	13	4	9	15
32	FEMALE..	7,284	3	3	7	3	-	16	4	13	13
33	NEGRO.....MALE....	940	-	-	-	-	1	1	1	1	2
34	FEMALE..	945	-	-	1	-	-	1	1	2	5
35	OTHER.....MALE....	61	-	-	-	-	-	-	-	-	-
36	FEMALE..	39	-	-	-	-	-	-	-	-	-
37	LEUKEMIA AND ALEUKEMIA.....204	13,626	83	108	143	183	262	779	706	451	357
38	MALE....	7,840	46	61	76	99	142	424	400	255	217
39	FEMALE..	5,788	37	47	67	84	120	355	306	196	140
40	WHITE.....MALE....	7,274	37	57	68	89	133	384	372	227	186
41	FEMALE..	5,403	34	40	60	82	112	328	285	182	127
42	NEGRO.....MALE....	520	8	4	8	8	8	36	24	24	26
43	FEMALE..	361	2	5	7	2	7	23	19	13	11
44	OTHER.....MALE....	46	1	-	-	2	1	4	4	4	5
45	FEMALE..	24	1	2	-	-	1	4	2	1	2
46	LYMPHOSARCOMA, ETC.....200-203,205	15,068	25	17	19	20	27	108	144	144	243
47	MALE....	8,593	11	10	8	13	21	63	101	102	165
48	FEMALE..	6,475	14	7	11	7	6	45	43	42	78
49	WHITE.....MALE....	7,904	9	10	8	13	19	59	91	91	152
50	FEMALE..	5,985	13	7	10	7	5	42	34	37	70
51	NEGRO.....MALE....	649	1	-	-	-	2	3	9	11	13
52	FEMALE..	462	1	-	1	-	-	2	8	4	8
53	OTHER.....MALE....	40	1	-	-	-	-	1	1	-	-
54	FEMALE..	28	-	-	-	-	1	1	1	1	-
55	LYMPHOSARCOMA AND RETICULOSARCOMA.....200	7,250	6	9	9	13	22	59	108	102	102
56	MALE....	4,134	3	4	6	9	18	40	77	73	71
57	FEMALE..	3,116	3	5	3	4	4	19	31	29	31
58	WHITE.....MALE....	3,870	2	4	6	9	17	38	73	66	69
59	FEMALE..	2,970	3	5	3	4	3	18	27	27	27
60	NEGRO.....MALE....	245	-	-	-	-	1	1	3	7	2
61	FEMALE..	133	-	-	-	-	-	-	3	2	4
62	OTHER.....MALE....	19	1	-	-	-	-	1	1	-	-
63	FEMALE..	13	-	-	-	-	1	1	1	-	-
64	HODGKINS DISEASE.....201	3,394	-	-	-	-	3	3	22	38	134
65	MALE....	2,066	-	-	-	-	2	2	16	26	92
66	FEMALE..	1,328	-	-	-	-	1	1	6	12	42
67	WHITE.....MALE....	1,920	-	-	-	-	2	2	11	22	82
68	FEMALE..	1,234	-	-	-	-	1	1	3	10	39
69	NEGRO.....MALE....	140	-	-	-	-	-	-	5	4	10
70	FEMALE..	87	-	-	-	-	-	-	3	2	3
71	OTHER.....MALE....	6	-	-	-	-	-	-	-	-	-
72	FEMALE..	7	-	-	-	-	-	-	-	-	-
73	OT. NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES....202,203,205	4,424	19	8	10	7	2	46	14	4	7
74	MALE....	2,393	8	6	2	4	1	21	8	3	2
75	FEMALE..	2,031	11	2	8	3	1	25	6	1	5
76	WHITE.....MALE....	2,114	7	6	2	4	-	19	7	3	1
77	FEMALE..	1,781	10	2	7	3	1	23	4	-	4
78	NEGRO.....MALE....	264	1	-	-	-	1	2	1	-	1
79	FEMALE..	242	1	-	1	-	-	2	2	-	1
80	OTHER.....MALE....	15	-	-	-	-	-	-	-	-	-
81	FEMALE..	8	-	-	-	-	-	-	-	1	-
82	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	5,058	105	28	24	30	31	218	115	104	115
83	MALE....	2,406	46	13	13	17	21	110	62	54	66
84	FEMALE..	2,652	59	15	11	13	10	108	53	50	49
85	WHITE.....MALE....	2,109	36	11	12	12	17	88	46	53	54
86	FEMALE..	2,253	52	12	10	10	7	91	50	37	42
87	NEGRO.....MALE....	275	7	2	1	4	4	18	16	1	11
88	FEMALE..	382	6	3	1	2	3	15	3	12	7
89	OTHER.....MALE....	22	3	-	-	1	-	4	-	-	1
90	FEMALE..	17	1	-	-	1	-	2	-	1	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
68	25	14	39	57	71	98	140	189	170	221	163	121	59	19	2	-	-	01
45	15	9	19	35	34	53	85	130	95	138	97	66	35	7	1	-	-	02
23	10	5	20	22	37	45	55	59	75	83	66	55	24	12	1	-	-	03
43	15	7	15	31	30	49	77	116	80	127	96	62	35	7	1	-	-	04
20	9	5	17	17	30	39	49	50	68	75	63	51	23	12	-	-	-	05
2	-	2	3	4	4	4	7	13	13	11	1	4	-	-	-	-	-	06
3	1	-	2	5	7	6	6	9	6	8	3	4	1	-	1	-	-	07
-	-	-	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-	08
-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	09
26	27	45	33	61	77	125	125	124	116	141	120	67	25	7	2	-	-	10
17	21	25	21	35	38	67	71	65	68	76	63	34	11	4	-	-	-	11
9	6	20	12	26	39	58	54	59	48	65	57	33	14	3	2	-	-	12
15	18	22	18	31	32	58	64	59	62	72	58	33	9	4	-	-	-	13
8	5	16	12	21	34	50	50	54	44	60	52	32	14	3	2	-	-	14
2	2	3	3	4	5	9	5	6	6	4	5	1	2	-	-	-	-	15
1	1	4	-	5	5	8	4	5	4	5	3	1	-	-	-	-	-	16
-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	18
24	21	30	43	55	90	132	150	183	202	177	138	118	69	30	12	4	-	19
13	12	13	23	29	59	85	93	121	132	109	77	73	39	17	4	3	-	20
11	9	17	20	26	31	47	57	62	70	68	61	45	30	13	8	1	-	21
12	11	12	20	25	53	72	78	109	123	102	75	70	38	16	4	2	-	22
9	9	14	13	20	27	39	51	53	63	64	55	44	30	13	7	1	-	23
1	1	-	2	4	6	12	15	10	7	7	1	3	-	1	-	1	-	24
2	-	2	6	4	4	8	5	9	7	4	6	1	-	-	1	-	-	25
-	-	1	1	-	-	1	-	2	2	-	1	-	1	-	-	-	-	26
-	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	27
33	66	103	248	503	839	1,298	1,878	2,132	2,489	2,556	2,230	1,453	751	242	41	9	2	28
24	34	57	116	212	425	683	1,067	1,232	1,368	1,298	1,096	638	298	92	15	4	1	29
9	32	46	132	291	414	615	811	900	1,121	1,258	1,134	815	453	150	26	5	1	30
22	29	47	90	171	357	566	922	1,060	1,233	1,183	1,014	590	276	86	14	3	1	31
8	24	40	98	232	344	526	659	779	973	1,138	1,054	777	421	139	24	1	1	32
1	5	8	25	39	63	114	137	157	130	108	76	45	20	5	1	1	-	33
1	8	6	32	57	68	88	145	121	142	113	75	34	31	10	2	3	-	34
1	-	2	1	2	5	3	8	15	5	7	6	3	2	1	-	-	-	35
-	-	-	2	2	2	1	7	-	6	7	5	4	1	1	-	1	-	36
249	204	245	323	400	503	743	957	1,188	1,422	1,761	1,599	1,084	507	123	20	3	4	37
140	122	133	189	227	262	433	568	727	828	1,089	903	594	257	61	6	2	3	38
109	82	112	134	173	241	310	389	461	594	672	696	490	250	62	14	1	1	39
123	109	114	164	204	236	401	524	675	768	1,035	861	578	246	59	5	2	1	40
99	76	93	123	150	218	279	351	419	556	642	673	481	245	62	12	1	1	41
16	11	17	24	20	23	32	41	48	56	53	38	16	10	2	1	-	2	42
9	5	17	11	23	23	29	37	38	37	29	22	9	4	-	2	-	-	43
1	2	2	1	3	3	-	3	4	4	1	4	-	1	-	-	-	-	44
1	1	2	-	-	-	2	1	4	1	1	1	-	1	-	-	-	-	45
309	327	378	435	767	922	1,250	1,515	1,848	1,955	1,965	1,534	840	313	60	9	2	-	46
193	209	230	278	477	561	736	866	1,064	1,114	1,046	783	434	143	24	4	-	-	47
116	118	148	157	290	361	514	649	784	841	919	751	406	170	36	5	2	-	48
179	194	210	250	430	497	659	788	977	1,030	981	735	415	138	24	4	-	-	49
100	110	135	133	269	320	459	589	713	785	873	722	394	161	34	4	1	-	50
14	14	19	27	45	61	71	71	79	81	62	47	18	4	-	-	-	-	51
16	8	13	23	20	37	52	58	67	54	44	26	9	9	2	1	1	-	52
-	1	1	1	2	3	6	7	8	3	3	1	1	1	-	-	-	-	53
-	-	-	1	1	4	3	2	4	2	2	3	3	-	-	-	-	-	54
86	97	114	188	360	477	607	768	902	960	959	745	423	163	25	5	-	-	55
64	64	84	119	219	276	355	432	524	558	499	387	204	77	9	2	-	-	56
22	33	30	69	141	201	252	336	378	402	460	358	219	86	16	3	-	-	57
59	57	77	111	205	246	325	412	483	530	474	363	195	76	9	2	-	-	58
18	31	26	60	133	184	240	322	356	387	447	346	218	84	16	3	-	-	59
5	7	6	7	14	27	29	17	38	27	23	23	8	1	-	-	-	-	60
4	2	4	9	7	14	11	14	20	15	11	10	1	2	-	-	-	-	61
-	-	1	1	-	3	1	3	3	1	2	1	1	-	-	-	-	-	62
-	-	-	-	1	3	1	-	2	-	2	2	-	-	-	-	-	-	63
214	216	238	199	281	240	282	289	321	286	277	208	106	31	6	2	1	-	64
121	138	133	129	184	162	181	182	189	170	160	112	52	13	2	2	-	-	65
93	78	105	70	97	78	101	107	132	116	117	96	54	18	4	-	1	-	66
113	131	123	113	167	149	166	169	181	161	155	108	50	13	2	2	-	-	67
82	74	100	59	94	68	93	99	119	109	116	96	50	18	4	-	-	-	68
8	6	10	16	15	13	14	12	7	9	5	4	2	-	-	-	-	-	69
11	4	5	10	3	9	7	7	12	7	1	-	2	-	-	-	1	-	70
-	1	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	71
-	-	-	1	-	1	1	1	1	-	-	-	2	-	-	-	-	-	72
9	14	26	48	126	205	361	458	625	709	729	581	311	119	29	2	1	-	73
8	7	13	30	74	123	200	252	351	386	387	284	178	53	13	-	-	-	74
1	7	13	18	52	82	161	206	274	323	342	297	133	66	16	2	1	-	75
7	6	10	26	58	102	168	207	313	339	352	264	170	49	13	-	-	-	76
-	5	9	14	42	68	126	168	238	289	310	280	126	59	14	1	1	-	77
1	1	3	4	16	21	28	42	34	45	34	20	8	3	-	-	-	-	78
1	2	4	4	10	14	34	37	35	32	32	16	6	7	2	1	-	-	79
-	-	-	-	-	-	4	3	4	2	1	-	-	1	-	-	-	-	80
-	-	-	-	-	-	1	1	1	2	-	1	1	-	-	-	-	-	81
96	84	129	197	294	389	429	517	498	489	488	389	288	157	48	13	1	-	82
46	38	54	75	113	154	190	280	260	245	261	189	128	54	21	6	-	-	83
50	46	75	122	181	235	239	237	238	244	227	200	160	103	27	7	1	-	84
41	32	45	58	97	128	164	248	225	216	235	181	122	51	20	5	-	-	85
43	38	57	95	138	187	194	201	208	211	199	181	150	100	25	5	1	-	86
4	6	8	17	16	22	26	30	32	28	23	8	5	3	1	-	-	-	87
6	7	16	23	43	48	43	35	29	33	27	18	10	3	2	2	-	-	88
1	-	1	-	-	4	-	2	3	1	3	-	1	-	-	1	-	-	89
1	1	2	4	-	-	2	1	1	-	1	1	-	-	-	-	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	BENIGN NEOPLASMS, ETC.--CON.										
01	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	355	-	-	-	-	-	-	-	-	4
02	WHITE.....FEMALE..	228	-	-	-	-	-	-	-	-	3
03	NEGRO.....FEMALE..	125	-	-	-	-	-	-	-	-	1
04	OTHER.....FEMALE..	2	-	-	-	-	-	-	-	-	-
05	BENIGN NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....223	1,006	13	3	2	3	6	27	21	20	30
06	MALE....	429	6	-	1	1	3	11	8	8	15
07	FEMALE..	577	7	3	1	2	3	16	13	12	15
08	WHITE.....MALE....	370	5	-	1	-	2	8	7	8	14
09	FEMALE..	509	6	2	1	2	2	13	12	10	14
10	NEGRO.....MALE....	55	1	-	-	1	1	3	1	-	1
11	FEMALE..	62	1	1	-	-	1	3	1	2	1
12	OTHER.....MALE....	4	-	-	-	-	-	-	-	-	-
13	FEMALE..	6	-	-	-	-	-	-	-	-	-
14	OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	989	53	9	2	6	7	77	24	20	32
15	MALE....	548	21	4	1	3	4	33	14	12	20
16	FEMALE..	441	32	5	1	3	3	44	10	8	12
17	WHITE.....MALE....	474	16	3	1	2	2	24	9	12	18
18	FEMALE..	388	27	5	1	2	2	37	9	6	10
19	NEGRO.....MALE....	67	4	1	-	1	2	8	5	-	2
20	FEMALE..	52	5	-	-	1	1	7	1	1	2
21	OTHER.....MALE....	7	1	-	-	-	-	1	-	-	-
22	FEMALE..	1	-	-	-	-	-	-	-	1	-
23	NEOPLASM OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....233-235	24	-	-	-	-	-	-	-	-	1
24	WHITE.....FEMALE..	21	-	-	-	-	-	-	-	-	1
25	NEGRO.....FEMALE..	3	-	-	-	-	-	-	-	-	-
26	OTHER.....FEMALE..	-	-	-	-	-	-	-	-	-	-
27	NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	1,707	15	14	16	18	16	79	69	62	42
28	MALE....	918	9	8	9	11	12	49	39	34	28
29	FEMALE..	789	6	6	7	7	4	30	30	28	14
30	WHITE.....MALE....	821	9	8	8	9	11	45	30	33	20
31	FEMALE..	702	5	4	6	5	3	23	29	20	12
32	NEGRO.....MALE....	93	-	-	1	1	1	3	9	1	7
33	FEMALE..	82	-	2	1	1	1	5	1	8	2
34	OTHER.....MALE....	4	-	-	-	1	-	1	-	-	1
35	FEMALE..	5	1	-	-	1	-	2	-	-	-
36	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-232,236,238,239	977	24	2	4	3	2	35	1	2	6
37	MALE....	511	10	1	2	2	2	17	1	-	3
38	FEMALE..	466	14	1	2	1	-	18	-	2	3
39	WHITE.....MALE....	444	6	-	2	1	2	11	-	-	2
40	FEMALE..	405	14	1	2	1	-	18	-	1	2
41	NEGRO.....MALE....	60	2	1	-	1	-	4	1	-	1
42	FEMALE..	58	-	-	-	-	-	-	-	1	1
43	OTHER.....MALE....	7	2	-	-	-	-	2	-	-	-
44	FEMALE..	3	-	-	-	-	-	-	-	-	-
45	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	44,136	527	132	90	84	59	892	278	287	221
46	MALE....	19,198	297	74	46	43	27	487	143	148	95
47	FEMALE..	24,938	230	58	44	41	32	405	135	139	126
48	WHITE.....MALE....	16,690	233	55	40	37	25	390	126	128	73
49	FEMALE..	21,120	187	42	32	35	26	322	124	114	97
50	NEGRO.....MALE....	2,297	58	15	6	4	2	85	17	17	22
51	FEMALE..	3,638	40	15	11	6	5	77	10	25	29
52	OTHER.....MALE....	211	6	4	-	2	-	12	-	3	-
53	FEMALE..	180	3	1	1	-	1	6	1	-	-
54	ASTHMA.....241	4,520	19	20	16	10	5	70	38	57	69
55	MALE....	2,649	11	9	4	5	1	30	24	30	28
56	FEMALE..	1,871	8	11	12	5	4	40	14	27	41
57	WHITE.....MALE....	2,226	5	3	3	3	-	14	17	20	16
58	FEMALE..	1,544	5	8	8	1	3	25	10	21	27
59	NEGRO.....MALE....	387	6	5	1	1	1	14	7	8	12
60	FEMALE..	315	3	3	3	4	1	14	4	6	14
61	OTHER.....MALE....	36	-	1	-	1	-	2	-	2	-
62	FEMALE..	12	-	-	1	-	-	1	-	-	-
63	*NONTOXIC GOITER*.....250,251	55	1	-	-	-	-	1	-	-	-
64	MALE....	7	1	-	-	-	-	1	-	-	-
65	FEMALE..	48	-	-	-	-	-	-	-	-	-
66	WHITE.....MALE....	5	1	-	-	-	-	1	-	-	-
67	FEMALE..	38	-	-	-	-	-	-	-	-	-
68	NEGRO.....MALE....	2	-	-	-	-	-	-	-	-	-
69	FEMALE..	10	-	-	-	-	-	-	-	-	-
70	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
71	FEMALE..	-	-	-	-	-	-	-	-	-	-
72	THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	438	1	-	-	-	-	1	-	1	3
73	MALE....	96	-	-	-	-	-	-	-	-	-
74	FEMALE..	342	1	-	-	-	-	1	-	1	3
75	WHITE.....MALE....	71	-	-	-	-	-	-	-	-	-
76	FEMALE..	284	-	-	-	-	-	-	-	-	3
77	NEGRO.....MALE....	24	-	-	-	-	-	-	-	-	-
78	FEMALE..	54	1	-	-	-	-	1	-	1	-
79	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
80	FEMALE..	4	-	-	-	-	-	-	-	-	-
81	ALL OTHER DISEASES OF THYROID GLAND 253,254	384	10	2	-	1	1	14	-	5	1
82	MALE....	93	2	1	-	1	1	5	-	1	1
83	FEMALE..	291	8	1	-	-	-	9	-	4	-
84	WHITE.....MALE....	88	2	1	-	1	1	5	-	1	1
85	FEMALE..	268	6	1	-	-	-	7	-	3	-
86	NEGRO.....MALE....	5	-	-	-	-	-	-	-	-	-
87	FEMALE..	22	2	-	-	-	-	2	-	1	-
88	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
89	FEMALE..	1	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2	6	15	27	48	74	39	22	18	24	22	25	10	11	5	2	1	-	01
1	4	9	13	24	48	22	14	11	16	18	20	10	9	4	1	1	-	02
1	2	6	12	24	26	17	8	7	8	4	5	-	2	1	1	-	-	03
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
32	20	36	53	75	85	114	125	116	89	84	44	24	10	1	-	-	-	05
17	7	16	26	29	34	43	59	50	36	37	14	12	6	1	-	-	-	06
15	13	20	27	46	51	71	66	66	53	47	30	12	4	-	-	-	-	07
15	6	12	17	26	27	37	52	42	33	36	13	10	6	1	-	-	-	08
14	11	14	23	40	44	65	59	60	45	42	27	12	4	-	-	-	-	09
1	1	4	9	3	6	6	6	7	3	1	1	2	-	-	-	-	-	10
1	1	4	4	6	7	4	7	6	8	5	2	-	-	-	-	-	-	11
1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	12
-	1	2	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	13
16	21	22	34	60	64	88	84	93	87	94	76	58	29	8	2	-	-	14
8	14	12	16	29	30	48	60	53	50	61	38	29	14	6	1	-	-	15
8	7	10	18	31	34	40	24	40	37	33	38	29	15	2	1	-	-	16
8	11	10	13	23	25	41	52	50	44	51	34	29	14	5	1	-	-	17
8	7	10	16	25	31	32	19	33	34	31	34	28	15	2	1	-	-	18
-	3	1	3	6	4	7	8	1	5	9	4	-	-	1	-	-	-	19
-	-	-	2	6	3	8	5	7	3	2	4	1	-	-	-	-	-	20
-	-	1	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	1	-	1	-	-	1	4	2	4	4	4	2	-	-	-	-	23
-	-	-	-	1	-	-	1	4	1	3	4	4	2	-	-	-	-	24
-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
43	34	49	69	101	137	148	232	199	179	128	85	36	15	-	-	-	-	27
20	16	23	27	51	73	76	125	112	97	72	50	19	7	-	-	-	-	28
23	18	26	42	50	64	72	107	87	82	56	35	17	8	-	-	-	-	29
17	15	20	24	44	64	67	111	102	88	67	49	18	7	-	-	-	-	30
19	14	22	37	44	55	62	95	81	80	54	32	15	8	-	-	-	-	31
3	1	3	3	7	8	9	13	10	9	5	1	1	-	-	-	-	-	32
3	4	4	4	6	9	10	11	6	2	2	3	2	-	-	-	-	-	33
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	34
1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	35
3	3	6	14	9	29	40	53	68	108	156	155	156	90	34	9	-	-	36
1	1	3	6	4	17	23	36	45	62	91	87	68	27	14	5	-	-	37
2	2	3	8	5	12	17	17	23	46	65	68	88	63	20	4	-	-	38
1	-	3	4	4	12	19	33	31	51	81	85	65	24	14	4	-	-	39
1	2	2	6	4	9	13	13	19	35	51	64	81	62	19	3	-	-	40
-	1	-	2	-	4	4	3	14	11	8	2	2	3	-	-	-	-	41
1	-	1	1	1	3	4	4	3	11	13	4	7	1	1	1	-	-	42
-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	1	-	-	43
-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	44
292	368	545	743	1,117	1,603	2,436	3,524	4,742	6,016	7,045	6,530	4,514	2,150	670	135	15	13	45
137	175	284	389	558	836	1,186	1,622	2,159	2,599	2,922	2,578	1,764	836	230	44	4	2	46
155	193	261	354	559	767	1,250	1,902	2,583	3,417	4,123	3,952	2,750	1,314	440	91	11	11	47
102	138	232	287	429	647	966	1,350	1,840	2,281	2,630	2,389	1,653	778	211	36	3	1	48
113	142	186	253	379	524	890	1,425	2,044	2,835	3,687	3,680	2,566	1,242	407	75	7	8	49
32	36	49	97	122	182	198	250	290	289	267	162	104	53	15	8	1	1	50
42	47	71	98	169	233	350	453	514	555	420	255	171	67	30	16	4	2	51
3	1	3	5	7	7	22	22	29	29	25	27	7	5	4	-	-	-	52
-	4	4	3	11	10	10	24	25	27	16	17	13	5	3	-	-	1	53
61	71	94	131	203	280	377	460	585	591	558	442	276	116	35	5	1	-	54
21	20	39	53	90	149	181	261	371	411	388	300	162	66	23	1	1	-	55
40	51	55	78	113	131	196	199	214	180	170	142	114	50	12	4	-	-	56
11	13	18	28	53	101	142	215	318	368	370	285	153	60	22	1	1	-	57
24	31	33	50	81	98	164	167	191	160	161	132	109	46	11	3	-	-	58
8	6	21	25	35	45	35	41	49	38	17	12	7	6	1	-	-	-	59
16	18	21	28	32	33	31	29	22	19	9	9	5	3	1	1	-	-	60
2	1	-	-	2	3	4	5	4	5	1	3	2	-	-	-	-	-	61
-	2	1	-	-	-	1	3	1	1	-	1	-	1	-	-	-	-	62
-	-	-	-	4	3	-	3	9	7	9	8	4	4	2	1	-	-	63
-	-	-	-	-	-	-	-	1	2	-	1	1	1	-	-	-	-	64
-	-	-	-	4	3	-	3	8	5	9	7	3	3	2	1	-	-	65
-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	66
-	-	-	-	3	2	-	2	7	3	7	5	3	3	2	1	-	-	67
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	68
-	-	-	-	1	1	-	1	1	2	2	2	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
14	9	12	17	27	30	34	46	49	58	58	46	22	10	1	-	-	-	72
6	2	4	2	6	8	14	12	12	10	9	7	3	-	1	-	-	-	73
8	7	8	15	21	22	20	34	37	48	49	39	19	10	-	-	-	-	74
4	-	4	-	2	6	13	12	10	6	6	6	2	-	-	-	-	-	75
4	5	4	9	14	13	15	30	35	42	46	36	18	10	-	-	-	-	76
2	2	-	2	4	2	1	-	2	4	2	1	1	-	1	-	-	-	77
4	2	4	6	5	8	5	4	1	6	3	3	1	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	79
-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	80
3	2	4	11	11	19	23	33	37	53	64	54	34	13	3	-	-	-	81
1	1	1	2	6	3	8	7	5	11	14	18	5	4	-	-	-	-	82
2	1	3	9	5	16	15	26	32	42	50	36	29	9	3	-	-	-	83
1	1	1	2	6	3	8	7	4	8	13	18	5	4	-	-	-	-	84
-	1	2	7	5	15	12	26	31	37	47	35	28	9	3	-	-	-	85
-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	86
2	-	-	2	-	1	3	-	1	5	3	1	1	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	DIABETES MELLITUS.....260	33,174	20	14	4	7	6	51	39	79	66
02	MALE....	13,588	10	10	2	3	3	28	16	30	26
03	FEMALE..	19,586	10	4	2	4	3	23	23	49	40
04	WHITE.....MALE....	11,922	9	10	2	3	3	27	12	26	16
05	FEMALE..	16,610	8	3	-	4	3	18	19	40	26
06	NEGRO.....MALE....	1,520	1	-	-	-	-	1	4	4	10
07	FEMALE..	2,842	2	1	2	-	-	5	4	9	14
08	OTHER.....MALE....	146	-	-	-	-	-	-	-	-	-
09	FEMALE..	134	-	-	-	-	-	-	-	-	-
10	DISEASES OF THYMUS GLAND.....273	68	55	3	1	-	1	60	1	1	1
11	MALE....	49	41	2	1	-	1	45	-	1	1
12	FEMALE..	19	14	1	-	-	-	15	1	-	-
13	WHITE.....MALE....	41	35	2	-	-	1	38	-	-	1
14	FEMALE..	12	9	1	-	-	-	10	-	-	-
15	NEGRO.....MALE....	8	6	-	1	-	-	7	-	1	-
16	FEMALE..	6	5	-	-	-	-	5	-	-	-
17	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
18	FEMALE..	1	-	-	-	-	-	-	1	-	-
19	DISEASES OF ADRENAL GLANDS.....274	454	43	6	3	4	3	59	8	3	4
20	MALE....	203	23	3	2	3	1	32	3	1	1
21	FEMALE..	251	20	3	1	1	2	27	5	2	3
22	WHITE.....MALE....	176	17	3	1	2	1	24	3	1	1
23	FEMALE..	229	15	3	1	1	-	20	4	2	3
24	NEGRO.....MALE....	25	4	-	1	1	-	6	-	-	-
25	FEMALE..	19	5	-	-	-	1	6	1	-	-
26	OTHER.....MALE....	2	2	-	-	-	-	2	-	-	-
27	FEMALE..	3	-	-	-	-	1	1	-	-	-
28	PELLAGRA.....281	22	-	-	-	-	-	-	-	-	-
29	MALE....	9	-	-	-	-	-	-	-	-	-
30	FEMALE..	13	-	-	-	-	-	-	-	-	-
31	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-
32	FEMALE..	11	-	-	-	-	-	-	-	-	-
33	NEGRO.....MALE....	2	-	-	-	-	-	-	-	-	-
34	FEMALE..	2	-	-	-	-	-	-	-	-	-
35	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
36	FEMALE..	-	-	-	-	-	-	-	-	-	-
37	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCY STATES.....280,282-286	1,521	17	27	14	8	3	69	10	11	4
38	MALE....	741	12	14	9	5	2	42	6	7	2
39	FEMALE..	780	5	13	5	3	1	27	4	4	2
40	WHITE.....MALE....	597	8	5	8	3	1	25	5	5	2
41	FEMALE..	651	4	6	2	1	1	14	4	3	1
42	NEGRO.....MALE....	137	4	8	1	2	1	16	1	2	-
43	FEMALE..	117	1	6	3	2	-	12	-	1	1
44	OTHER.....MALE....	7	-	1	-	-	-	1	-	-	-
45	FEMALE..	12	-	1	-	-	-	1	-	-	-
46	CYSTIC FIBROSIS.....289A	610	183	24	33	37	25	302	133	93	39
47	MALE....	307	92	15	18	17	10	152	61	55	16
48	FEMALE..	303	91	9	15	20	15	150	72	38	23
49	WHITE.....MALE....	289	79	15	17	17	10	138	61	55	16
50	FEMALE..	285	85	7	14	20	14	140	71	34	23
51	NEGRO.....MALE....	16	11	-	1	-	-	12	-	-	-
52	FEMALE..	17	5	2	1	-	1	9	1	4	-
53	OTHER.....MALE....	2	2	-	-	-	-	2	-	-	-
54	FEMALE..	1	1	-	-	-	-	1	-	-	-
55	ALL OTHER ALLERGIC, ENDOCRINE, AND METABOLIC DISEASES.....RESIDUAL	2,890	178	36	19	17	15	265	49	37	34
56	MALE....	1,456	105	20	10	9	8	152	33	23	20
57	FEMALE..	1,434	73	16	9	8	7	113	16	14	14
58	WHITE.....MALE....	1,269	77	16	9	8	8	118	28	20	20
59	FEMALE..	1,188	55	13	7	8	5	88	16	11	14
60	NEGRO.....MALE....	171	26	2	1	-	-	29	5	2	-
61	FEMALE..	234	16	3	2	-	2	23	-	3	-
62	OTHER.....MALE....	16	2	2	-	1	-	5	-	1	-
63	FEMALE..	12	2	-	-	-	-	2	-	-	-
64	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	5,561	212	111	51	41	39	454	123	95	108
65	MALE....	2,804	119	55	32	22	15	243	54	44	58
66	FEMALE..	2,757	93	56	19	19	24	211	69	51	50
67	WHITE.....MALE....	2,337	71	28	17	14	10	140	31	26	36
68	FEMALE..	2,301	67	33	7	9	16	132	45	33	29
69	NEGRO.....MALE....	448	45	27	14	8	5	99	23	17	21
70	FEMALE..	432	22	23	11	10	8	74	23	15	21
71	OTHER.....MALE....	19	3	-	1	-	-	4	-	1	1
72	FEMALE..	24	4	-	1	-	-	5	1	3	-
73	ANEMIAS.....290-293	3,539	105	86	36	25	30	282	97	60	75
74	MALE....	1,743	58	41	23	10	9	141	42	24	42
75	FEMALE..	1,796	47	45	13	15	21	141	55	36	33
76	WHITE.....MALE....	1,396	27	17	9	5	5	63	21	11	25
77	FEMALE..	1,433	32	22	3	6	13	76	33	22	15
78	NEGRO.....MALE....	337	29	24	14	5	4	76	21	13	17
79	FEMALE..	343	12	23	9	9	8	61	21	12	18
80	OTHER.....MALE....	10	2	-	-	-	-	2	-	-	-
81	FEMALE..	20	3	-	1	-	-	4	1	2	-
82	PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	423	2	1	1	-	-	4	1	-	-
83	MALE....	180	1	1	1	-	-	3	1	-	-
84	FEMALE..	243	1	-	-	-	-	1	-	-	-
85	WHITE.....MALE....	167	1	1	-	-	-	2	-	-	-
86	FEMALE..	228	1	-	-	-	-	1	-	-	-
87	NEGRO.....MALE....	12	-	-	1	-	-	1	1	-	-
88	FEMALE..	13	-	-	-	-	-	-	-	-	-
89	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
90	FEMALE..	2	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
141	238	343	472	672	983	1,641	2,525	3,605	4,778	5,858	5,521	3,786	1,753	519	85	8	11	01
69	126	200	283	354	534	795	1,119	1,532	1,888	2,269	2,051	1,410	652	170	32	3	1	02
72	112	143	189	318	449	846	1,406	2,073	2,890	3,589	3,470	2,376	1,101	349	53	5	10	03
52	102	177	221	285	426	640	920	1,301	1,654	2,028	1,902	1,331	614	158	28	2	-	04
59	92	110	138	208	283	560	1,000	1,604	2,376	3,203	3,231	2,223	1,043	325	42	3	7	05
16	24	20	57	66	104	140	183	210	211	219	126	75	35	9	4	1	1	06
13	19	31	48	102	157	280	386	447	494	371	226	144	55	22	11	2	2	07
1	-	3	5	3	4	15	16	21	23	22	23	4	3	3	-	-	-	08
-	1	2	3	8	9	6	20	22	20	15	13	9	3	2	-	-	1	09
3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	10
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	12
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
7	5	11	13	25	31	35	34	49	49	48	38	15	16	4	-	-	-	19
3	5	1	5	10	14	15	12	19	24	18	21	9	9	1	-	-	-	20
4	-	10	8	15	17	20	22	30	25	30	17	6	7	3	-	-	-	21
2	4	1	5	8	11	14	10	17	22	18	18	9	7	1	-	-	-	22
4	-	8	8	15	14	19	19	29	23	29	17	6	6	3	-	-	-	23
1	1	-	-	2	3	1	2	2	2	-	3	-	2	-	-	-	-	24
-	-	2	-	-	3	-	3	1	1	1	-	-	1	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	1	1	1	6	5	5	3	-	-	-	-	28
-	-	-	-	-	-	-	1	-	1	4	2	-	1	-	-	-	-	29
-	-	-	-	-	-	-	-	1	-	2	3	5	2	-	-	-	-	30
-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	-	-	-	31
-	-	-	-	-	-	-	-	1	-	1	2	5	2	-	-	-	-	32
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
4	3	12	14	31	49	62	72	102	134	161	223	245	178	93	38	5	1	37
2	1	6	5	17	23	28	35	62	79	91	104	115	76	29	10	-	1	38
2	2	6	9	14	26	34	37	40	55	70	119	130	102	64	28	5	-	39
1	1	5	3	13	13	21	27	50	61	76	90	100	67	24	7	-	1	40
1	1	3	7	11	21	28	32	28	45	53	109	111	95	56	24	4	-	41
1	-	1	2	3	10	7	8	12	17	15	13	15	7	4	3	-	-	42
1	1	3	2	3	5	6	5	11	8	17	8	15	6	7	4	1	-	43
-	-	-	-	1	-	-	-	-	1	-	1	-	2	1	-	-	-	44
-	-	-	-	-	-	-	-	1	2	-	2	4	1	1	-	-	-	45
27	4	2	1	-	3	-	2	-	3	1	-	-	-	-	-	-	-	46
16	3	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	47
11	1	2	-	-	2	-	1	-	2	1	-	-	-	-	-	-	-	48
15	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	49
11	1	1	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	50
1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	51
-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
32	36	67	84	144	205	264	348	305	342	281	193	127	57	13	6	1	-	55
17	17	33	38	75	104	145	174	157	172	129	74	59	27	6	1	-	-	56
15	19	34	46	69	101	119	174	148	170	152	119	68	30	7	5	1	-	57
14	14	26	28	62	87	128	159	140	158	116	69	52	24	6	-	-	-	58
10	11	25	34	42	78	92	148	118	147	138	113	63	28	7	5	-	-	59
3	3	7	10	12	17	14	14	13	14	13	5	6	3	-	1	-	-	60
5	7	9	12	26	23	25	25	30	20	13	5	5	2	-	-	1	-	61
-	-	-	-	1	-	3	1	4	-	-	-	1	-	-	-	-	-	62
-	1	-	-	1	-	2	1	-	3	1	1	-	-	-	-	-	-	63
108	88	104	124	153	212	242	318	484	564	628	704	583	316	135	14	2	2	64
58	42	46	54	73	96	126	184	257	302	338	357	285	132	50	4	1	-	65
50	46	58	70	80	116	116	134	227	262	290	347	298	184	85	10	1	2	66
30	18	22	31	51	73	104	161	220	280	318	338	273	130	50	4	1	-	67
30	30	35	43	51	90	87	108	190	235	268	334	290	177	83	10	-	1	68
28	24	23	23	22	23	21	20	35	20	19	17	11	2	-	-	-	-	69
20	16	22	25	28	25	28	24	35	25	22	13	7	7	-	-	1	1	70
-	-	1	-	-	-	1	3	2	2	1	2	1	-	-	-	-	-	71
-	-	1	2	1	1	1	2	2	2	-	-	1	-	2	-	-	-	72
84	53	65	76	85	103	116	157	266	323	399	475	422	265	121	13	2	-	73
45	31	32	35	38	38	59	81	131	173	204	251	215	112	44	4	1	-	74
39	22	33	41	47	65	57	76	135	150	195	224	207	153	77	9	1	-	75
19	11	11	15	22	24	46	68	111	158	191	235	206	110	44	4	1	-	76
20	8	14	18	22	50	35	55	112	135	177	211	199	147	75	9	-	-	77
26	20	20	20	16	14	12	11	20	13	12	15	9	2	-	-	-	-	78
19	14	18	21	24	15	21	19	21	14	18	13	7	6	-	-	1	-	79
-	-	1	-	-	-	1	2	-	2	1	1	-	-	-	-	-	-	80
-	-	1	2	1	-	1	2	2	1	-	-	1	-	2	-	-	-	81
1	-	1	-	3	5	8	11	22	35	45	89	86	73	35	3	1	-	82
1	-	-	-	3	1	4	7	11	17	17	35	36	28	13	2	1	-	83
-	-	1	-	-	4	4	4	11	18	28	54	50	45	22	1	-	-	84
-	-	-	-	3	-	4	5	8	16	17	35	33	28	13	2	1	-	85
-	-	-	-	-	4	2	2	10	18	27	50	49	43	21	1	-	-	86
1	-	-	-	-	1	-	2	3	-	-	-	3	-	-	-	-	-	87
-	-	1	-	-	-	2	2	1	-	1	4	-	2	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	ANEMIAS--CON.										
01	ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	3,116	103	85	35	25	30	278	96	60	75
02	MALE....	1,563	57	40	22	10	9	138	41	24	42
03	FEMALE..	1,553	46	45	13	15	21	140	55	36	33
04	WHITE.....MALE....	1,229	26	16	9	5	5	61	21	11	25
05	FEMALE..	1,205	31	22	3	6	13	75	33	22	15
06	NEGRO.....MALE....	325	29	24	13	5	4	75	20	13	17
07	FEMALE..	330	12	23	9	9	8	61	21	12	18
08	OTHER.....MALE....	9	2	-	-	-	-	2	-	-	-
09	FEMALE..	18	3	-	1	-	-	4	1	2	-
10	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	741	62	7	8	4	4	85	17	13	10
11	MALE....	345	36	1	5	3	3	48	6	4	4
12	FEMALE..	396	26	6	3	1	1	37	11	9	6
13	WHITE.....MALE....	311	27	-	4	3	3	37	5	4	3
14	FEMALE..	351	21	6	3	1	1	32	9	7	5
15	NEGRO.....MALE....	29	9	1	-	-	-	10	1	-	-
16	FEMALE..	42	5	-	-	-	-	5	2	1	1
17	OTHER.....MALE....	5	-	-	1	-	-	1	-	-	1
18	FEMALE..	3	-	-	-	-	-	-	-	1	-
19	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....294,295,297-299	1,281	45	18	7	12	5	87	9	22	23
20	MALE....	716	25	13	4	9	3	54	6	16	12
21	FEMALE..	565	20	5	3	3	2	33	3	6	11
22	WHITE.....MALE....	630	17	11	4	6	2	40	5	11	8
23	FEMALE..	517	14	5	1	2	2	24	3	4	9
24	NEGRO.....MALE....	82	7	2	-	3	1	13	1	4	4
25	FEMALE..	47	5	-	2	1	-	8	-	2	2
26	OTHER.....MALE....	4	1	-	-	-	-	1	-	1	-
27	FEMALE..	1	1	-	-	-	-	1	-	-	-
28	V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.....	4,988	146	54	36	27	14	277	48	35	76
29	MALE....	3,385	70	30	21	14	7	142	27	28	50
30	FEMALE..	1,603	76	24	15	13	7	135	21	7	26
31	WHITE.....MALE....	2,620	62	23	18	14	5	122	21	24	40
32	FEMALE..	1,284	72	20	14	11	7	124	17	5	24
33	NEGRO.....MALE....	727	8	6	3	-	2	19	6	3	10
34	FEMALE..	296	4	3	1	2	-	10	4	2	1
35	OTHER.....MALE....	38	-	1	-	-	-	1	-	1	-
36	FEMALE..	23	-	1	-	-	-	1	-	-	1
37	SENILE PSYCHOSIS.....304	279	-	-	-	-	-	-	-	-	-
38	MALE....	107	-	-	-	-	-	-	-	-	-
39	FEMALE..	172	-	-	-	-	-	-	-	-	-
40	WHITE.....MALE....	100	-	-	-	-	-	-	-	-	-
41	FEMALE..	161	-	-	-	-	-	-	-	-	-
42	NEGRO.....MALE....	6	-	-	-	-	-	-	-	-	-
43	FEMALE..	11	-	-	-	-	-	-	-	-	-
44	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
45	FEMALE..	-	-	-	-	-	-	-	-	-	-
46	ALCOHOLIC PSYCHOSIS.....307	520	1	-	-	-	-	1	-	-	-
47	MALE....	466	1	-	-	-	-	1	-	-	-
48	FEMALE..	54	-	-	-	-	-	-	-	-	-
49	WHITE.....MALE....	376	1	-	-	-	-	1	-	-	-
50	FEMALE..	36	-	-	-	-	-	-	-	-	-
51	NEGRO.....MALE....	87	-	-	-	-	-	-	-	-	-
52	FEMALE..	16	-	-	-	-	-	-	-	-	-
53	OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
54	FEMALE..	2	-	-	-	-	-	-	-	-	-
55	OTHER PSYCHOSES.....300-303,305,306,308,309	786	-	1	1	1	-	3	1	2	6
56	MALE....	382	-	1	1	1	-	3	1	2	3
57	FEMALE..	404	-	-	-	-	-	-	-	-	3
58	WHITE.....MALE....	332	-	1	1	1	-	3	-	1	1
59	FEMALE..	364	-	-	-	-	-	-	-	-	3
60	NEGRO.....MALE....	48	-	-	-	-	-	-	1	1	2
61	FEMALE..	38	-	-	-	-	-	-	-	-	-
62	OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
63	FEMALE..	2	-	-	-	-	-	-	-	-	-
64	ALCOHOLISM.....322	2,665	-	-	-	-	-	-	-	-	18
65	MALE....	2,046	-	-	-	-	-	-	-	-	16
66	FEMALE..	619	-	-	-	-	-	-	-	-	2
67	WHITE.....MALE....	1,502	-	-	-	-	-	-	-	-	12
68	FEMALE..	424	-	-	-	-	-	-	-	-	1
69	NEGRO.....MALE....	515	-	-	-	-	-	-	-	-	4
70	FEMALE..	178	-	-	-	-	-	-	-	-	-
71	OTHER.....MALE....	29	-	-	-	-	-	-	-	-	-
72	FEMALE..	17	-	-	-	-	-	-	-	-	1
73	MENTAL DEFICIENCY.....325	518	145	53	35	26	14	273	46	33	44
74	MALE....	278	69	29	20	13	7	138	25	26	25
75	FEMALE..	240	76	24	15	13	7	135	21	7	19
76	WHITE.....MALE....	241	61	22	17	13	5	118	20	23	21
77	FEMALE..	215	72	20	14	11	7	124	17	5	18
78	NEGRO.....MALE....	35	8	6	3	-	2	19	5	2	4
79	FEMALE..	23	4	3	1	2	-	10	4	2	1
80	OTHER.....MALE....	2	-	1	-	-	-	1	-	1	-
81	FEMALE..	2	-	1	-	-	-	1	-	-	-
82	OTHER DISORDERS OF PERSONALITY 310-321,323,324,326	220	-	-	-	-	-	-	1	-	8
83	MALE....	106	-	-	-	-	-	-	1	-	6
84	FEMALE..	114	-	-	-	-	-	-	-	-	2
85	WHITE.....MALE....	69	-	-	-	-	-	-	1	-	6
86	FEMALE..	84	-	-	-	-	-	-	-	-	2
87	NEGRO.....MALE....	36	-	-	-	-	-	-	-	-	-
88	FEMALE..	30	-	-	-	-	-	-	-	-	-
89	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
90	FEMALE..	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
83	53	64	76	82	98	108	146	244	288	354	386	336	192	86	10	1	-	01
44	31	32	35	35	37	55	74	120	156	187	216	179	84	31	2	-	-	02
39	22	32	41	47	61	53	72	124	132	167	170	157	108	55	8	1	-	03
19	11	11	15	19	24	42	63	103	142	174	200	173	82	31	2	-	-	04
20	8	14	18	22	46	33	53	102	117	150	161	150	104	54	8	-	-	05
25	20	20	20	16	13	12	9	17	13	12	15	6	2	-	-	-	-	06
19	14	17	21	24	15	19	17	20	14	17	9	7	4	-	-	1	-	07
-	-	1	-	-	-	1	2	-	1	1	1	-	-	-	-	-	-	08
-	-	1	2	1	-	1	2	2	1	-	-	-	-	1	-	-	-	09
13	20	22	24	25	38	39	44	70	70	72	77	62	29	9	1	-	1	10
6	5	5	7	6	14	18	24	41	31	42	37	31	11	5	-	-	-	11
7	15	17	17	19	24	21	20	29	39	30	40	31	18	4	1	-	1	12
5	2	4	6	6	13	16	23	36	30	40	36	29	11	5	-	-	-	13
7	14	14	13	16	19	17	18	21	34	30	40	31	18	4	1	-	1	14
1	3	1	1	-	1	2	1	4	1	2	-	1	-	-	-	-	-	15
-	1	3	4	3	4	4	2	8	4	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	17
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	18
11	15	17	24	43	71	87	117	148	171	157	152	99	22	5	-	-	1	19
7	6	9	12	29	44	49	79	85	98	92	69	39	9	1	-	-	-	20
4	9	8	12	14	27	38	38	63	73	65	83	60	13	4	-	-	1	21
6	5	7	10	23	36	42	70	73	92	87	67	38	9	1	-	-	-	22
3	8	7	12	13	21	35	35	57	66	61	83	60	12	4	-	-	-	23
1	1	2	2	6	8	7	8	11	6	.5	2	1	-	-	-	-	-	24
1	1	1	-	1	6	3	3	6	7	4	-	-	1	-	-	-	1	25
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
74	153	202	312	519	553	576	519	431	355	232	232	172	123	69	18	5	7	28
55	102	136	221	377	416	419	376	327	269	158	125	76	48	22	5	-	6	29
19	51	66	91	142	137	157	143	104	86	74	107	96	75	47	13	5	1	30
35	52	75	134	245	312	332	317	283	223	145	116	67	46	22	5	-	4	31
14	23	27	53	84	109	131	121	90	71	69	97	90	72	45	13	4	1	32
18	48	56	82	128	99	85	56	41	42	13	9	8	2	-	-	-	2	33
5	26	35	35	57	24	24	22	13	14	4	10	6	2	2	-	-	-	34
2	2	5	5	4	5	2	3	3	4	-	-	1	-	-	-	-	-	35
-	2	4	3	1	4	2	-	1	1	1	-	-	1	-	-	1	-	36
-	-	-	-	1	-	-	1	7	15	35	48	66	60	31	12	3	-	37
-	-	-	-	1	-	-	1	3	8	19	20	20	22	9	4	-	-	38
-	-	-	-	-	-	-	-	4	7	16	28	46	38	22	8	3	-	39
-	-	-	-	1	-	-	-	2	6	18	20	19	21	9	4	-	-	40
-	-	-	-	-	-	-	-	2	5	16	26	43	37	21	8	3	-	41
-	-	-	-	-	-	-	1	1	2	1	-	-	1	-	-	-	-	42
-	-	-	-	-	-	-	-	2	2	-	2	3	1	1	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
1	7	30	38	75	85	102	59	44	46	19	8	4	1	-	-	-	-	46
1	6	28	30	65	74	90	56	41	45	17	8	4	-	-	-	-	-	47
-	1	2	8	10	11	12	3	3	1	2	-	-	1	-	-	-	-	48
-	2	12	20	46	57	80	53	39	40	17	7	2	-	-	-	-	-	49
-	-	1	4	5	11	10	3	1	-	1	-	-	-	-	-	-	-	50
1	4	16	9	18	17	9	3	2	5	-	1	2	-	-	-	-	-	51
-	1	1	3	5	-	1	-	2	1	1	-	-	1	-	-	-	-	52
-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	54
3	14	7	15	23	28	37	81	85	94	86	120	81	56	36	6	2	-	55
1	9	4	7	14	16	14	32	48	51	45	55	38	25	13	1	-	-	56
2	5	3	8	9	12	23	49	37	43	41	65	43	31	23	5	2	-	57
1	7	3	6	12	13	11	28	45	39	40	50	34	24	13	1	-	-	58
2	4	1	5	5	12	22	45	33	38	39	57	40	30	22	5	1	-	59
-	2	-	1	2	3	3	4	3	11	5	5	4	1	-	-	-	-	60
-	1	2	3	4	-	1	4	4	5	2	8	3	-	1	-	-	-	61
-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	63
30	72	123	234	390	412	414	363	273	189	80	46	12	1	1	-	-	7	64
23	54	79	172	284	316	306	280	227	161	71	41	10	-	-	-	-	6	65
7	18	44	62	106	96	108	83	46	28	9	5	2	1	1	-	-	1	66
12	18	40	103	179	234	235	230	191	134	64	38	8	-	-	-	-	4	67
3	6	17	36	62	70	85	65	41	21	7	5	2	1	1	-	-	1	68
9	34	35	65	102	78	70	47	33	24	7	3	2	-	-	-	-	2	69
4	10	24	24	43	22	22	18	4	6	1	-	-	-	-	-	-	-	70
2	2	4	4	3	4	1	3	3	3	-	-	-	-	-	-	-	-	71
-	2	3	2	1	4	1	-	1	1	1	-	-	-	-	-	-	-	72
21	19	13	8	11	10	12	8	7	3	3	5	1	1	-	-	-	-	73
14	9	9	4	6	4	5	5	3	1	2	1	1	-	-	-	-	-	74
7	10	4	4	5	6	7	3	4	2	1	4	-	1	-	-	-	-	75
14	8	8	3	6	4	3	5	3	1	2	1	1	-	-	-	-	-	76
6	9	2	3	5	4	7	3	4	2	1	4	-	1	-	-	-	-	77
-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	78
1	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
19	41	29	17	19	18	11	7	15	8	9	5	8	4	1	-	-	-	82
16	24	16	8	7	6	4	2	5	3	4	-	3	1	-	-	-	-	83
3	17	13	9	12	12	7	5	10	5	5	5	5	3	1	-	-	-	84
8	17	12	2	1	4	3	1	3	3	4	-	3	1	-	-	-	-	85
3	4	6	5	7	12	7	5	9	5	5	5	5	3	1	-	-	-	86
8	7	4	6	6	1	1	1	2	-	-	-	-	-	-	-	-	-	87
-	13	7	4	5	-	-	-	1	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	215,913	1,548	465	287	198	160	2,658	569	539	642
02	MALE	101,482	877	249	158	105	86	1,475	298	280	366
03	FEMALE	114,431	671	216	129	93	74	1,183	271	259	276
04	WHITE..MALE	87,459	612	190	123	83	60	1,068	234	226	290
05	FEMALE	99,646	450	145	95	74	53	817	209	208	211
06	NEGRO..MALE	13,391	245	58	35	20	26	384	62	53	73
07	FEMALE	14,391	202	65	32	19	21	339	55	47	64
08	OTHER..MALE	632	20	1	-	2	-	23	2	1	3
09	FEMALE	394	19	6	2	-	-	27	7	4	1
10	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	201,057	155	48	22	30	20	275	102	158	213
11	MALE	93,520	101	25	15	12	9	162	55	74	119
12	FEMALE	107,537	54	23	7	18	11	113	47	84	94
13	WHITE..MALE	80,823	79	18	11	9	5	122	46	54	96
14	FEMALE	93,768	41	17	5	14	5	82	37	67	69
15	NEGRO..MALE	12,125	20	7	4	3	4	38	9	19	21
16	FEMALE	13,435	13	5	2	4	6	30	10	17	24
17	OTHER..MALE	572	2	-	-	-	-	2	-	1	2
18	FEMALE	334	-	1	-	-	-	1	-	-	1
19	SUBARACHNOID HEMORRHAGE..330	8,272	34	8	1	4	2	49	19	65	104
20	MALE	3,590	21	5	-	2	1	29	8	30	54
21	FEMALE	4,682	13	3	1	2	1	20	11	35	50
22	WHITE..MALE	2,974	18	3	-	1	1	23	7	22	48
23	FEMALE	3,824	10	1	-	2	-	13	8	25	35
24	NEGRO..MALE	572	3	2	-	1	-	6	1	8	6
25	FEMALE	821	3	2	1	-	1	7	3	10	14
26	OTHER..MALE	44	-	-	-	-	-	-	-	-	-
27	FEMALE	37	-	-	-	-	-	-	-	-	1
28	CEREBRAL HEMORRHAGE..331	109,193	74	13	4	5	6	102	30	47	61
29	MALE	51,239	52	6	4	2	5	69	15	24	39
30	FEMALE	57,954	22	7	-	3	1	33	15	23	22
31	WHITE..MALE	43,414	41	4	3	-	2	50	13	17	28
32	FEMALE	49,572	18	4	-	1	-	23	10	20	16
33	NEGRO..MALE	7,496	9	2	1	2	3	17	2	7	10
34	FEMALE	8,188	4	3	-	2	1	10	5	3	6
35	OTHER..MALE	329	2	-	-	-	-	2	-	-	1
36	FEMALE	194	-	-	-	-	-	-	-	-	-
37	CEREBRAL EMBOLISM AND THROMBOSIS..332	63,680	19	4	3	2	1	29	3	6	12
38	MALE	29,636	8	4	3	-	-	15	1	3	6
39	FEMALE	34,044	11	-	-	2	1	14	2	3	6
40	WHITE..MALE	26,455	4	3	2	-	-	9	1	2	6
41	FEMALE	30,651	9	-	-	2	-	11	2	2	6
42	NEGRO..MALE	3,027	4	1	1	-	-	6	-	1	-
43	FEMALE	3,308	2	-	-	-	1	3	-	1	-
44	OTHER..MALE	154	-	-	-	-	-	-	-	-	-
45	FEMALE	85	-	-	-	-	-	-	-	-	-
46	OTHER VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..333,334	19,912	28	23	14	19	11	95	50	40	36
47	MALE	9,055	20	10	8	8	3	49	31	17	20
48	FEMALE	10,857	8	13	6	11	8	46	19	23	16
49	WHITE..MALE	7,980	16	8	6	8	2	40	25	13	14
50	FEMALE	9,721	4	12	5	9	5	35	17	20	12
51	NEGRO..MALE	1,030	4	2	2	-	1	9	6	3	5
52	FEMALE	1,118	4	-	1	2	3	10	2	3	4
53	OTHER..MALE	45	-	-	-	-	-	-	-	1	1
54	FEMALE	18	-	1	-	-	-	1	-	-	-
55	MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS..340	2,363	844	210	120	67	36	1,277	91	34	38
56	MALE	1,313	467	117	63	40	19	706	43	19	21
57	FEMALE	1,050	377	93	57	27	17	571	48	15	17
58	WHITE..MALE	920	312	92	46	29	13	492	34	16	14
59	FEMALE	706	226	55	40	20	11	352	38	11	14
60	NEGRO..MALE	368	139	25	17	9	6	196	9	3	7
61	FEMALE	321	137	35	17	7	6	202	9	4	3
62	OTHER..MALE	25	16	-	-	2	-	18	-	-	-
63	FEMALE	23	14	3	-	-	-	17	1	-	-
64	MULTIPLE SCLEROSIS..345	1,530	-	-	-	-	-	-	3	-	11
65	MALE	607	-	-	-	-	-	-	-	-	4
66	FEMALE	923	-	-	-	-	-	-	3	-	7
67	WHITE..MALE	565	-	-	-	-	-	-	-	-	3
68	FEMALE	858	-	-	-	-	-	-	3	-	3
69	NEGRO..MALE	42	-	-	-	-	-	-	-	-	1
70	FEMALE	65	-	-	-	-	-	-	-	-	4
71	OTHER..MALE	-	-	-	-	-	-	-	-	-	-
72	FEMALE	-	-	-	-	-	-	-	-	-	-
73	PARALYSIS AGITANS..350	3,003	-	-	-	-	-	-	-	-	1
74	MALE	1,592	-	-	-	-	-	-	-	-	1
75	FEMALE	1,411	-	-	-	-	-	-	-	-	-
76	WHITE..MALE	1,537	-	-	-	-	-	-	-	-	1
77	FEMALE	1,373	-	-	-	-	-	-	-	-	-
78	NEGRO..MALE	51	-	-	-	-	-	-	-	-	-
79	FEMALE	33	-	-	-	-	-	-	-	-	-
80	OTHER..MALE	4	-	-	-	-	-	-	-	-	-
81	FEMALE	5	-	-	-	-	-	-	-	-	-
82	CEREBRAL SPASTIC INFANTILE PARALYSIS..351	690	115	35	35	27	24	236	91	111	90
83	MALE	381	66	14	22	10	16	128	47	58	52
84	FEMALE	309	49	21	13	17	8	108	44	53	38
85	WHITE..MALE	321	51	13	21	6	12	103	36	52	43
86	FEMALE	244	37	11	11	12	6	77	34	41	33
87	NEGRO..MALE	59	14	1	1	4	4	24	11	6	9
88	FEMALE	60	11	9	2	5	2	29	9	11	5
89	OTHER..MALE	1	1	-	-	-	-	1	-	-	-
90	FEMALE	5	1	1	-	-	-	2	1	1	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
567	690	1,038	1,915	3,045	4,717	6,922	9,630	14,247	21,401	30,710	38,040	37,893	26,154	11,437	2,704	330	65	01
314	361	505	951	1,527	2,316	3,755	5,398	7,985	11,304	15,712	17,933	16,094	9,995	3,957	821	99	36	02
253	329	533	964	1,518	2,401	3,167	4,232	6,262	10,097	14,998	20,107	21,799	16,159	7,480	1,883	231	29	03
248	269	347	635	1,014	1,610	2,727	4,114	6,321	9,259	13,663	16,373	15,033	9,471	3,734	739	69	15	04
194	240	347	631	1,034	1,672	2,167	3,016	4,563	7,861	13,029	18,495	20,501	15,423	7,098	1,724	187	19	05
61	90	152	307	501	691	995	1,238	1,591	1,961	1,973	1,467	981	476	208	77	30	20	06
54	87	179	321	469	716	984	1,194	1,673	2,192	1,914	1,570	1,251	702	372	156	43	9	07
5	2	6	9	12	15	33	46	73	84	76	93	80	48	15	5	-	1	08
5	2	7	12	15	13	16	22	26	44	55	42	47	34	10	3	1	1	09
236	394	671	1,351	2,394	3,860	6,057	8,579	13,121	20,092	29,304	36,845	37,121	25,863	11,343	2,692	326	60	10
115	191	292	648	1,174	1,868	3,300	4,805	7,371	10,605	14,985	17,300	15,724	9,872	3,916	816	97	31	11
121	203	379	703	1,220	1,992	2,757	3,774	5,750	9,487	14,319	19,545	21,397	15,991	7,427	1,876	229	29	12
91	137	201	409	749	1,249	2,367	3,593	5,777	8,630	12,974	15,789	14,675	9,353	3,696	734	68	13	13
87	143	234	426	784	1,331	1,806	2,613	4,096	7,296	12,382	17,961	20,120	15,266	7,047	1,717	185	19	14
22	53	89	232	418	606	900	1,170	1,523	1,894	1,939	1,422	970	471	205	77	29	18	15
32	59	141	267	424	651	936	1,140	1,630	2,148	1,884	1,543	1,230	691	370	156	43	9	16
2	1	2	7	7	13	33	42	71	81	72	89	79	48	15	5	-	-	17
2	1	4	10	12	10	15	21	24	43	53	41	47	34	10	3	1	1	18
123	200	330	601	871	1,082	1,116	961	783	681	494	380	273	109	22	5	2	2	19
53	99	144	264	366	446	504	437	375	277	207	147	103	34	8	2	1	2	20
70	101	186	337	505	636	612	524	408	404	287	233	170	75	14	3	1	-	21
42	75	111	198	289	362	420	364	315	247	181	133	93	33	7	2	1	1	22
53	72	122	240	382	511	502	449	341	348	262	214	163	68	13	2	1	-	23
10	23	31	63	73	80	76	63	53	28	26	13	10	1	-	-	-	1	24
17	28	63	90	118	120	104	71	67	53	23	17	7	7	1	1	-	-	25
1	1	2	3	4	4	8	10	7	2	-	1	-	-	1	-	-	-	26
-	1	1	7	5	5	6	4	-	3	2	2	-	-	-	-	-	-	27
78	132	264	605	1,229	2,181	3,649	5,258	8,019	11,681	16,478	20,006	19,569	13,125	5,302	1,216	134	27	28
42	71	114	302	635	1,089	2,025	2,922	4,488	6,121	8,304	9,301	8,348	5,003	1,899	368	45	15	29
36	61	150	303	594	1,092	1,624	2,336	3,531	5,560	8,174	10,705	11,221	8,122	3,403	848	89	12	30
31	48	65	161	349	659	1,406	2,121	3,462	4,894	7,117	8,427	7,744	4,700	1,767	321	31	3	31
23	37	82	151	319	655	988	1,560	2,452	4,173	6,990	9,816	10,514	7,717	3,191	759	70	6	32
10	23	49	137	284	422	599	774	983	1,174	1,145	828	561	279	122	44	14	12	33
12	24	66	150	268	432	627	764	1,063	1,365	1,146	866	683	384	204	86	18	6	34
1	-	-	4	2	8	20	27	43	53	42	46	43	24	10	3	-	-	35
1	-	2	2	7	5	9	12	16	22	38	23	24	21	8	3	1	-	36
16	23	41	92	210	468	1,043	1,927	3,503	6,217	9,745	12,696	13,006	9,251	4,246	996	125	25	37
9	10	17	56	128	262	635	1,193	2,040	3,375	5,122	6,024	5,502	3,489	1,407	295	34	13	38
7	13	24	36	82	206	408	734	1,463	2,842	4,623	6,672	7,504	5,762	2,839	701	91	12	39
8	7	13	33	83	183	456	931	1,646	2,848	4,512	5,555	5,178	3,330	1,346	274	25	9	40
6	12	17	21	63	130	260	495	1,075	2,265	4,078	6,160	7,068	5,522	2,721	653	74	10	41
1	3	4	23	44	78	175	257	376	507	587	436	299	141	57	19	9	4	42
1	1	6	14	19	76	148	235	380	561	533	497	420	229	117	48	17	2	43
-	-	-	-	1	1	4	5	18	20	23	33	25	18	4	2	-	-	44
-	-	1	1	-	-	-	4	8	16	12	15	16	11	1	-	-	-	45
19	39	36	53	84	129	249	433	816	1,513	2,587	3,763	4,273	3,378	1,773	475	65	6	46
11	11	17	26	45	71	136	253	468	832	1,352	1,828	1,771	1,346	602	151	17	1	47
8	28	19	27	39	58	113	180	348	681	1,235	1,935	2,502	2,032	1,171	324	48	5	48
10	7	12	17	28	45	85	177	354	641	1,164	1,674	1,660	1,290	576	137	11	-	49
5	22	13	14	20	35	56	109	228	510	1,052	1,771	2,375	1,959	1,122	303	40	3	50
1	4	5	9	17	26	50	76	111	185	181	145	100	50	26	14	6	1	51
2	6	6	13	19	23	57	70	120	169	182	163	120	71	48	21	8	1	52
-	-	-	-	-	-	1	-	3	6	7	9	11	6	-	-	-	-	53
1	-	-	-	-	-	-	1	-	2	1	1	7	2	1	-	-	1	54
29	34	38	43	58	76	92	92	102	110	90	66	57	26	9	-	-	1	55
15	24	25	25	33	46	60	55	61	61	47	33	22	11	5	-	-	1	56
14	10	13	18	25	30	32	37	41	49	43	33	35	15	4	-	-	-	57
8	13	13	17	20	26	34	36	47	44	44	26	21	10	5	-	-	-	58
10	8	10	10	14	23	19	26	30	34	34	30	27	13	3	-	-	-	59
6	11	10	7	12	20	26	18	13	17	3	7	1	1	-	-	-	1	60
3	2	3	8	9	6	13	11	10	15	9	3	8	2	1	-	-	-	61
1	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	62
1	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	63
18	30	54	135	182	224	209	209	161	147	76	43	22	5	-	1	-	-	64
5	9	24	57	75	86	72	90	68	57	30	16	11	3	-	-	-	-	65
13	21	30	78	107	138	137	119	93	90	46	27	11	2	-	1	-	-	66
4	9	21	48	66	82	66	86	65	55	30	16	11	3	-	-	-	-	67
12	17	22	71	97	125	130	115	91	88	45	25	11	2	-	1	-	-	68
1	-	3	9	9	4	6	4	3	2	-	-	-	-	-	-	-	-	69
1	4	8	7	10	13	7	4	2	2	1	2	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
2	-	-	1	5	23	43	123	256	473	685	729	458	157	42	4	-	1	73
-	-	-	1	3	14	26	76	136	265	358	406	221	67	15	2	-	1	74
2	-	-	-	2	9	17	47	120	208	327	323	237	90	27	2	-	-	75
-	-	-	1	3	13	25	73	129	251	351	389	219	66	14	2	-	-	76
1	-	-	-	1	8	15	46	113	202	321	316	232	89	27	2	-	-	77
-	-	-	-	-	1	1	3	7	13	6	15	2	1	1	-	-	1	78
1	-	-	-	-	1	1	1	6	6	5	6	5	1	-	-	-	-	79
-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	80
-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-	-	81
39	20	21	19	8	15	13	8	2	5	6	1	3	2	-	-	-	-	82
24	12	14	13	4	10	6	5	-	2	4	-	2	-	-	-	-	-	83
15	8	7	6	4	5	7	3	2	3	2	1	1	2	-	-	-	-	84
22	12	10	12	4	10	4	5	-	2	4	-	2	-	-	-	-	-	85
14	8	5	5	4	5	6	3	1	3	2	1	1	1	-	-	-	-	86
2	-	4	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	87
1	-	1	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	EPILEPSY.....353	1,881	27	8	12	17	11	75	56	84	143
02	MALE....	1,136	14	2	3	13	4	36	28	52	80
03	FEMALE..	745	13	6	9	4	7	39	28	32	63
04	WHITE.....MALE....	803	10	1	3	11	3	28	18	35	63
05	FEMALE..	563	9	6	9	3	4	31	23	27	45
06	NEGRO.....MALE....	323	4	1	-	2	1	8	9	17	17
07	FEMALE..	173	4	-	-	1	3	8	4	4	18
08	OTHER.....MALE....	10	-	-	-	-	-	-	1	-	-
09	FEMALE..	9	-	-	-	-	-	-	1	1	-
10	INFLAMMATORY DISEASES OF EYE.....370-379	12	-	-	-	-	-	-	-	1	-
11	MALE....	7	-	-	-	-	-	-	-	-	-
12	FEMALE..	5	-	-	-	-	-	-	-	1	-
13	WHITE.....MALE....	7	-	-	-	-	-	-	-	-	-
14	FEMALE..	3	-	-	-	-	-	-	-	-	-
15	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
16	FEMALE..	2	-	-	-	-	-	-	-	1	-
17	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
18	FEMALE..	-	-	-	-	-	-	-	-	-	-
19	CATARACT.....385	28	1	-	-	-	-	1	-	-	-
20	MALE....	11	1	-	-	-	-	1	-	-	-
21	FEMALE..	17	-	-	-	-	-	-	-	-	-
22	WHITE.....MALE....	7	-	-	-	-	-	-	-	-	-
23	FEMALE..	15	-	-	-	-	-	-	-	-	-
24	NEGRO.....MALE....	3	1	-	-	-	-	1	-	-	-
25	FEMALE..	2	-	-	-	-	-	-	-	-	-
26	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
27	FEMALE..	-	-	-	-	-	-	-	-	-	-
28	GLAUCOMA.....387	5	-	-	-	-	-	-	-	-	-
29	MALE....	3	-	-	-	-	-	-	-	-	-
30	FEMALE..	2	-	-	-	-	-	-	-	-	-
31	WHITE.....MALE....	3	-	-	-	-	-	-	-	-	-
32	FEMALE..	2	-	-	-	-	-	-	-	-	-
33	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
34	FEMALE..	-	-	-	-	-	-	-	-	-	-
35	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
36	FEMALE..	-	-	-	-	-	-	-	-	-	-
37	OTITIS MEDIA AND MASTOIDITIS.....391-393	230	74	12	5	4	2	97	10	11	9
38	MALE....	119	37	7	3	-	1	48	4	3	6
39	FEMALE..	111	37	5	2	4	1	49	6	8	3
40	WHITE.....MALE....	92	23	3	3	-	1	30	4	3	4
41	FEMALE..	82	22	4	1	4	1	32	2	6	3
42	NEGRO.....MALE....	24	13	4	-	-	-	17	-	-	1
43	FEMALE..	26	13	1	1	-	-	15	4	1	-
44	OTHER.....MALE....	3	1	-	-	-	-	1	-	-	1
45	FEMALE..	3	2	-	-	-	-	2	-	1	-
46	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	5,114	332	152	93	53	67	697	216	140	137
47	MALE....	2,793	191	84	52	30	37	394	121	74	83
48	FEMALE..	2,321	141	68	41	23	30	303	95	66	54
49	WHITE.....MALE....	2,381	137	63	39	28	26	293	96	66	66
50	FEMALE..	2,032	115	52	29	21	26	243	72	56	44
51	NEGRO.....MALE....	396	54	20	13	2	11	100	24	8	17
52	FEMALE..	274	24	15	10	2	4	55	19	9	10
53	OTHER.....MALE....	16	-	1	-	-	-	1	1	-	-
54	FEMALE..	15	2	1	2	-	-	5	4	1	-
55	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	789,135	408	102	56	45	41	652	176	234	505
56	MALE....	452,281	228	47	33	24	26	358	87	119	263
57	FEMALE..	336,854	180	55	23	21	15	294	89	115	242
58	WHITE.....MALE....	412,542	157	31	20	18	23	249	57	92	189
59	FEMALE..	303,305	125	31	13	17	10	196	59	76	179
60	NEGRO.....MALE....	37,587	68	15	12	6	3	104	29	26	67
61	FEMALE..	32,608	52	22	10	4	5	93	29	37	58
62	OTHER.....MALE....	2,152	3	1	1	-	-	5	1	1	7
63	FEMALE..	941	3	2	-	-	-	5	1	2	5
64	DISEASES OF HEART.....400-402,410-443	712,087	370	84	51	40	38	583	153	193	375
65	MALE....	412,831	204	38	29	22	24	317	79	99	216
66	FEMALE..	299,256	166	46	22	18	14	266	74	94	159
67	WHITE.....MALE....	377,420	144	23	17	16	21	221	51	76	151
68	FEMALE..	269,650	115	26	13	15	10	179	47	59	116
69	NEGRO.....MALE....	33,462	57	15	11	6	3	92	27	22	60
70	FEMALE..	28,778	48	19	9	3	4	83	26	33	42
71	OTHER.....MALE....	1,949	3	-	1	-	-	4	1	1	5
72	FEMALE..	828	3	1	-	-	-	4	1	2	1
73	RHEUMATIC FEVER.....400-402	483	11	3	3	3	2	22	40	48	22
74	MALE....	259	6	1	2	2	1	12	18	22	14
75	FEMALE..	224	5	2	1	1	1	10	22	26	8
76	WHITE.....MALE....	202	3	-	-	2	-	5	8	19	8
77	FEMALE..	173	5	2	-	-	-	7	10	13	7
78	NEGRO.....MALE....	52	2	1	2	-	1	6	10	2	5
79	FEMALE..	48	-	-	1	1	1	3	12	12	1
80	OTHER.....MALE....	5	1	-	-	-	-	1	-	1	1
81	FEMALE..	3	-	-	-	-	-	-	-	1	-
82	CHRONIC RHEUMATIC HEART DISEASE.....410-416	14,988	-	-	1	1	1	3	11	34	133
83	MALE....	6,511	-	-	-	-	1	1	4	20	65
84	FEMALE..	8,477	-	-	1	1	-	2	7	14	68
85	WHITE.....MALE....	5,961	-	-	-	-	1	1	2	12	35
86	FEMALE..	7,788	-	-	1	-	-	1	2	6	44
87	NEGRO.....MALE....	504	-	-	-	-	-	-	2	8	28
88	FEMALE..	632	-	-	-	1	-	1	5	7	24
89	OTHER.....MALE....	46	-	-	-	-	-	-	-	-	2
90	FEMALE..	57	-	-	-	-	-	-	-	1	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
152	125	139	203	181	191	143	112	94	59	49	23	35	6	9	1	-	1	01
98	82	88	115	112	108	93	82	64	34	29	11	17	2	4	-	-	1	02
54	43	51	88	69	83	50	30	30	25	20	12	18	4	5	1	-	-	03
77	65	54	71	62	71	71	59	48	27	24	8	17	2	3	-	-	-	04
41	30	36	62	52	59	40	20	26	18	18	11	15	4	4	1	-	-	05
21	16	32	43	48	36	22	23	16	6	5	3	-	-	1	-	-	-	06
11	12	15	24	17	22	10	10	4	7	2	1	3	-	1	-	-	-	07
-	1	2	1	2	1	-	-	-	1	-	-	-	-	-	-	-	1	08
2	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	09
-	-	-	1	1	-	-	-	2	1	1	-	2	1	2	-	-	-	10
-	-	-	-	-	-	-	-	2	-	1	-	1	1	2	-	-	-	11
-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	12
-	-	-	-	-	-	-	-	2	-	1	-	1	1	2	-	-	-	13
-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	1	-	-	-	-	1	6	5	5	6	3	-	-	-	-	19
-	-	-	-	-	-	-	-	-	3	2	4	-	1	-	-	-	-	20
-	-	-	1	-	-	-	-	1	3	3	1	6	2	-	-	-	-	21
-	-	-	-	-	-	-	-	-	3	2	2	-	-	-	-	-	-	22
-	-	-	1	-	-	-	-	1	2	3	-	6	2	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	24
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	1	2	-	-	1	1	-	-	-	-	-	28
-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	30
-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
6	5	7	3	5	9	13	11	5	6	12	7	7	5	-	1	1	-	37
5	4	6	1	2	7	9	3	3	3	7	3	3	1	-	-	1	-	38
1	1	1	2	3	2	4	8	2	3	5	4	4	4	-	1	-	-	39
4	2	6	1	2	6	9	3	2	2	7	2	3	1	-	-	1	-	40
1	1	1	2	3	1	4	6	2	3	4	3	3	4	-	1	-	-	41
1	2	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	42
-	-	-	-	-	1	-	2	-	-	1	1	1	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
85	82	108	158	211	319	352	495	501	502	482	320	181	86	32	5	3	2	46
52	39	56	91	124	177	189	281	279	274	249	159	93	37	15	3	1	2	47
33	43	52	67	87	142	163	214	222	228	233	161	88	49	17	2	2	-	48
42	31	42	76	108	153	151	258	250	245	226	140	84	35	14	3	-	2	49
28	33	39	54	78	120	147	187	202	214	220	148	84	42	17	2	2	-	50
8	8	14	15	14	23	38	20	28	29	20	18	8	2	1	-	1	-	51
5	10	11	13	9	22	16	26	20	13	12	13	4	7	-	-	-	-	52
2	-	-	-	2	1	-	3	1	-	3	1	1	-	-	-	-	-	53
-	-	2	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	54
781	1,274	2,581	6,229	13,289	22,917	37,817	54,111	73,252	95,266	116,711	126,206	114,154	77,214	35,111	9,040	1,398	217	55
369	685	1,627	4,317	9,818	17,237	28,407	39,588	50,708	60,833	68,591	66,700	53,750	32,216	13,093	2,981	402	132	56
412	589	954	1,912	3,471	5,680	9,410	14,523	22,544	34,433	48,120	59,506	60,404	44,998	22,018	6,059	996	85	57
259	468	1,189	3,398	8,205	14,964	24,986	35,439	45,462	54,945	63,229	62,518	50,881	30,602	12,296	2,727	307	80	58
274	370	586	1,183	2,263	4,144	7,069	11,512	18,362	29,769	43,603	55,664	57,275	43,120	21,027	5,688	836	50	59
107	206	419	891	1,561	2,201	3,281	3,967	4,989	5,589	5,074	3,910	2,621	1,452	717	235	91	50	60
134	206	359	709	1,171	1,511	2,302	2,944	4,094	4,565	4,383	3,710	3,020	1,805	944	349	154	31	61
3	11	19	28	52	72	140	182	257	299	288	272	248	162	80	19	4	2	62
4	13	9	20	37	25	39	67	88	99	134	132	109	73	47	22	6	4	63
558	967	2,151	5,494	12,240	21,405	35,585	50,914	68,570	88,298	106,734	113,878	100,592	66,093	28,841	7,201	1,070	192	64
292	572	1,432	3,985	9,258	16,347	27,036	37,510	47,701	56,449	62,614	60,332	47,429	27,594	10,742	2,389	317	121	65
266	395	719	1,509	2,982	5,058	8,549	13,404	20,869	31,849	44,120	53,546	53,163	38,499	18,099	4,812	753	71	66
205	399	1,082	3,229	7,840	14,351	23,944	33,725	42,889	51,117	57,824	56,629	44,926	26,210	10,063	2,176	237	75	67
174	250	449	966	1,955	3,712	6,462	10,660	17,049	27,632	40,076	50,141	50,414	36,862	17,269	4,510	625	43	68
86	162	333	729	1,368	1,927	2,964	3,614	4,565	5,058	4,535	3,457	2,284	1,246	612	200	76	45	69
90	134	263	526	993	1,325	2,051	2,684	3,741	4,130	3,923	3,284	2,652	1,570	796	285	123	24	70
1	11	17	27	50	69	128	171	247	274	255	246	219	138	67	13	4	1	71
2	11	7	17	34	21	36	60	79	87	121	121	97	67	34	17	5	4	72
16	14	10	12	30	40	35	36	41	33	29	23	24	6	1	-	-	1	73
7	6	6	6	14	26	19	25	24	19	13	13	10	4	1	-	-	-	74
9	8	4	6	16	14	16	11	17	14	16	10	14	2	-	-	-	1	75
3	5	6	4	10	22	16	18	22	17	13	12	10	4	-	-	-	-	76
6	4	2	5	14	14	14	8	17	11	15	10	14	2	-	-	-	-	77
4	1	-	2	4	4	2	7	1	2	-	1	-	-	1	-	-	-	78
3	4	2	1	-	-	2	3	-	3	1	-	-	-	-	-	-	1	79
-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	80
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	81
179	275	417	651	1,065	1,330	1,794	2,151	1,873	1,791	1,336	995	555	287	90	12	3	3	82
79	123	182	303	522	606	799	952	829	777	554	372	201	94	25	1	-	2	83
100	152	235	348	543	724	995	1,199	1,044	1,014	782	623	354	193	65	11	3	1	84
55	93	147	263	460	545	738	900	775	732	529	361	194	93	24	1	-	1	85
66	103	188	283	468	660	916	1,131	999	964	749	603	338	187	65	11	3	1	86
23	27	31	37	55	59	54	49	49	38	24	11	6	1	1	-	-	1	87
33	42	45	57	71	61	73	61	40	45	29	18	14	6	-	-	-	-	88
1	3	4	3	7	2	7	3	5	7	1	-	1	-	-	-	-	-	89
1	7	2	8	4	3	6	7	5	5	4	2	2	-	-	-	-	-	90

Table I-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	HEART DISEASE--CON.										
	CHRONIC RHEUMATIC HEART DISEASE--CON.										
01	DISEASES OF MITRAL VALVE.....410	5,999	-	-	1	1	1	3	6	10	48
02	MALE....	2,383	-	-	-	-	1	1	3	6	22
03	FEMALE..	3,616	-	-	1	1	-	2	3	4	26
04	WHITE.....MALE....	2,211	-	-	-	-	1	1	2	5	12
05	FEMALE..	3,366	-	-	1	-	-	1	1	3	20
06	NEGRO.....MALE....	153	-	-	-	-	-	-	1	1	9
07	FEMALE..	223	-	-	-	1	-	1	2	-	6
08	OTHER.....MALE....	19	-	-	-	-	-	-	-	-	1
09	FEMALE..	27	-	-	-	-	-	-	-	1	-
10	DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	1,741	...	-	-	-	-	-	-	2	12
11	MALE....	1,162	...	-	-	-	-	-	-	2	9
12	FEMALE..	579	...	-	-	-	-	-	-	-	3
13	WHITE.....MALE....	1,098	...	-	-	-	-	-	-	-	8
14	FEMALE..	547	...	-	-	-	-	-	-	-	2
15	NEGRO.....MALE....	60	...	-	-	-	-	-	-	2	1
16	FEMALE..	31	...	-	-	-	-	-	-	-	1
17	OTHER.....MALE....	4	...	-	-	-	-	-	-	-	-
18	FEMALE..	1	...	-	-	-	-	-	-	-	-
19	DISEASES OF PULMONARY VALVE, ETC., SPEC. AS RHEUMATIC.....413,414	764	...	-	-	-	-	-	-	3	3
20	MALE....	310	...	-	-	-	-	-	-	1	2
21	FEMALE..	454	...	-	-	-	-	-	-	2	1
22	WHITE.....MALE....	290	...	-	-	-	-	-	-	1	2
23	FEMALE..	421	...	-	-	-	-	-	-	-	1
24	NEGRO.....MALE....	19	...	-	-	-	-	-	-	-	-
25	FEMALE..	27	...	-	-	-	-	-	-	2	-
26	OTHER.....MALE....	1	...	-	-	-	-	-	-	-	-
27	FEMALE..	6	...	-	-	-	-	-	-	-	-
28	OTHER RHEUMATIC HEART DISEASES 412,415,416	6,484	-	-	-	-	-	-	5	19	70
29	MALE....	2,656	-	-	-	-	-	-	1	11	32
30	FEMALE..	3,828	-	-	-	-	-	-	4	8	38
31	WHITE.....MALE....	2,362	-	-	-	-	-	-	-	6	13
32	FEMALE..	3,454	-	-	-	-	-	-	1	3	21
33	NEGRO.....MALE....	272	-	-	-	-	-	-	1	5	18
34	FEMALE..	351	-	-	-	-	-	-	3	5	17
35	OTHER.....MALE....	22	-	-	-	-	-	-	-	-	1
36	FEMALE..	23	-	-	-	-	-	-	-	-	-
37	ARTERIOSCLEROTIC HEART DISEASE, INCLUDING CORONARY DISEASE.....420	559,293	20	3	4	2	3	32	11	12	46
38	MALE....	340,077	12	1	3	-	1	17	7	9	29
39	FEMALE..	219,216	8	2	1	2	2	15	4	3	17
40	WHITE.....MALE....	316,770	8	-	1	-	-	9	5	6	24
41	FEMALE..	201,967	7	1	1	2	2	13	3	1	15
42	NEGRO.....MALE....	21,841	4	1	2	-	1	8	1	3	5
43	FEMALE..	16,720	1	1	-	-	-	2	1	2	2
44	OTHER.....MALE....	1,466	-	-	-	-	-	-	1	-	-
45	FEMALE..	529	-	-	-	-	-	-	-	-	-
46	ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	152,455	-	-	-	-	-	-	1	-	1
47	MALE....	75,304	-	-	-	-	-	-	1	-	1
48	FEMALE..	77,151	-	-	-	-	-	-	-	-	-
49	WHITE.....MALE....	68,909	-	-	-	-	-	-	1	-	-
50	FEMALE..	71,291	-	-	-	-	-	-	-	-	-
51	NEGRO.....MALE....	6,018	-	-	-	-	-	-	-	-	1
52	FEMALE..	5,697	-	-	-	-	-	-	-	-	-
53	OTHER.....MALE....	377	-	-	-	-	-	-	-	-	-
54	FEMALE..	163	-	-	-	-	-	-	-	-	-
55	HEART DISEASE SPECIFIED AS INVOLVING CORONARY ARTERIES.....420.1	406,499	20	3	4	2	3	32	10	12	45
56	MALE....	264,577	12	1	3	-	1	17	6	9	28
57	FEMALE..	141,922	8	2	1	2	2	15	4	3	17
58	WHITE.....MALE....	247,691	8	-	1	-	-	9	4	6	24
59	FEMALE..	130,557	7	1	1	2	2	13	3	1	15
60	NEGRO.....MALE....	15,799	4	1	2	-	1	8	1	3	4
61	FEMALE..	10,999	1	1	-	-	-	2	1	2	2
62	OTHER.....MALE....	1,087	-	-	-	-	-	-	1	-	-
63	FEMALE..	366	-	-	-	-	-	-	-	-	-
64	ANGINA PECTORIS WITHOUT MENTION OF CORONARY DISEASE.....420.2	339	-	-	-	-	-	-	-	-	-
65	MALE....	196	-	-	-	-	-	-	-	-	-
66	FEMALE..	143	-	-	-	-	-	-	-	-	-
67	WHITE.....MALE....	170	-	-	-	-	-	-	-	-	-
68	FEMALE..	119	-	-	-	-	-	-	-	-	-
69	NEGRO.....MALE....	24	-	-	-	-	-	-	-	-	-
70	FEMALE..	24	-	-	-	-	-	-	-	-	-
71	OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
72	FEMALE..	-	-	-	-	-	-	-	-	-	-
73	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	3,963	1	3	1	1	-	6	5	2	9
74	MALE....	2,287	1	2	-	1	-	4	-	1	6
75	FEMALE..	1,676	-	1	1	-	-	2	5	1	3
76	WHITE.....MALE....	2,015	1	1	-	1	-	3	-	1	4
77	FEMALE..	1,482	-	1	1	-	-	2	4	1	2
78	NEGRO.....MALE....	255	-	1	-	-	-	1	-	-	1
79	FEMALE..	190	-	-	-	-	-	-	1	-	1
80	OTHER.....MALE....	17	-	-	-	-	-	-	-	-	1
81	FEMALE..	4	-	-	-	-	-	-	-	-	-
82	OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	147	-	-	-	-	-	-	-	-	-
83	MALE....	77	-	-	-	-	-	-	-	-	-
84	FEMALE..	70	-	-	-	-	-	-	-	-	-
85	WHITE.....MALE....	66	-	-	-	-	-	-	-	-	-
86	FEMALE..	59	-	-	-	-	-	-	-	-	-
87	NEGRO.....MALE....	11	-	-	-	-	-	-	-	-	-
88	FEMALE..	10	-	-	-	-	-	-	-	-	-
89	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
90	FEMALE..	1	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
72	131	171	292	520	556	779	853	654	616	470	391	239	120	57	7	3	1	01
29	52	67	115	224	217	303	335	286	253	182	141	89	37	19	1	-	1	02
43	79	104	177	296	339	476	518	368	363	288	250	150	83	38	6	3	-	03
22	42	62	100	202	197	281	323	270	239	175	136	86	37	18	1	-	-	04
29	62	87	150	264	323	453	491	352	341	275	243	142	82	38	6	3	-	05
6	9	4	13	20	19	17	12	14	12	7	5	2	-	1	-	-	1	06
13	15	16	23	30	14	19	23	14	20	13	6	7	1	-	-	-	-	07
1	1	1	2	2	1	5	-	2	2	-	-	1	-	-	-	-	-	08
1	2	1	4	2	2	4	4	2	2	-	1	1	-	-	-	-	-	09
21	24	45	68	130	171	181	254	231	238	175	108	51	24	6	-	-	-	10
15	19	24	51	103	125	139	179	152	145	109	53	26	10	1	-	-	-	11
6	5	21	17	27	46	42	75	79	93	66	55	25	14	5	-	-	-	12
10	16	22	48	96	117	130	170	146	142	105	52	26	9	1	-	-	-	13
3	3	16	15	25	43	39	71	77	91	65	55	24	13	5	-	-	-	14
5	2	2	3	6	8	8	8	6	3	4	1	-	1	-	-	-	-	15
3	2	5	2	2	3	3	4	2	2	1	-	-	1	-	-	-	-	16
-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	18
9	12	23	37	40	79	90	112	95	94	68	46	29	20	2	2	-	-	19
3	5	14	17	18	33	35	48	35	39	27	18	9	6	-	-	-	-	20
6	7	9	20	22	46	55	64	60	55	41	28	20	14	2	2	-	-	21
2	4	12	16	16	32	31	45	33	36	27	18	9	6	-	-	-	-	22
6	6	6	16	19	39	52	61	56	54	40	27	20	14	2	2	-	-	23
1	1	2	1	2	1	4	3	2	2	-	-	-	-	-	-	-	-	24
-	1	3	2	3	7	3	3	2	1	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	26
-	-	-	2	-	-	-	-	2	-	1	1	-	-	-	-	-	-	27
77	108	178	254	375	524	744	932	893	843	623	450	236	123	25	3	-	2	28
32	47	77	120	177	231	322	390	356	340	236	160	77	41	5	-	-	1	29
45	61	101	134	198	293	422	542	537	503	387	290	159	82	20	3	-	1	30
21	31	51	99	146	199	296	362	326	315	222	155	73	41	5	-	-	1	31
28	32	79	102	160	255	372	508	514	478	369	278	152	78	20	3	-	1	32
11	15	23	20	27	31	25	26	27	21	13	5	4	-	-	-	-	-	33
17	24	21	30	36	37	48	31	22	22	15	12	7	4	-	-	-	-	34
-	1	3	1	4	1	1	2	3	4	1	-	-	-	-	-	-	-	35
-	5	1	2	2	1	2	3	1	3	3	-	-	-	-	-	-	-	36
127	356	1,206	3,693	9,061	16,825	28,639	41,240	56,113	72,199	86,621	90,210	76,870	49,245	20,760	5,128	758	141	37
80	264	971	3,017	7,512	13,768	23,057	31,959	40,590	47,864	52,591	49,518	37,576	21,180	8,015	1,735	226	92	38
47	92	235	676	1,549	3,057	5,582	9,281	15,523	24,335	34,030	40,692	39,294	28,065	12,745	3,393	532	49	39
59	188	782	2,600	6,607	12,485	21,030	29,452	37,405	44,260	49,315	47,029	35,900	20,245	7,538	1,599	170	62	40
34	64	141	448	1,089	2,338	4,452	7,708	13,208	21,788	31,557	38,578	37,563	27,072	12,223	3,192	448	32	41
21	72	179	398	870	1,232	1,927	2,373	3,001	3,396	3,069	2,310	1,504	838	425	126	54	29	42
13	27	91	225	447	704	1,113	1,538	2,262	2,486	2,392	2,022	1,660	949	501	188	81	14	43
-	4	10	19	35	51	100	134	184	208	207	179	172	97	52	10	2	1	44
-	1	3	3	13	15	17	35	53	61	81	92	71	44	21	13	3	3	45
3	13	54	151	405	1,015	2,448	4,511	8,344	13,987	21,897	29,181	31,444	23,919	11,450	3,110	481	40	46
2	10	47	118	319	747	1,750	3,060	5,415	8,362	12,120	14,468	14,143	9,507	4,120	970	126	18	47
1	3	7	33	86	268	698	1,451	2,929	5,625	9,777	14,713	17,301	14,412	7,330	2,140	355	22	48
2	7	41	99	245	619	1,458	2,642	4,685	7,322	10,947	13,503	13,393	9,072	3,876	891	98	8	49
1	2	4	17	49	174	484	1,052	2,268	4,821	8,827	13,815	16,464	13,902	7,051	2,038	307	15	50
-	3	5	19	71	125	282	409	700	984	1,116	903	687	389	215	73	26	10	51
-	1	3	16	36	93	213	392	650	792	926	862	806	489	270	96	46	6	52
-	-	1	-	3	3	10	9	30	56	57	62	63	46	29	6	2	-	53
-	-	-	-	1	1	1	7	11	12	24	36	31	21	9	6	2	1	54
124	342	1,150	3,538	8,650	15,794	26,178	36,711	47,732	58,171	64,668	60,983	45,374	25,292	9,299	2,017	276	101	55
78	254	923	2,896	7,190	13,010	21,300	28,884	35,150	39,474	40,439	35,021	23,410	11,660	3,890	765	99	74	56
46	88	227	642	1,460	2,784	4,878	7,827	12,582	18,697	24,229	25,962	21,964	13,632	5,409	1,252	177	27	57
57	181	740	2,500	6,359	11,859	19,566	26,797	32,698	36,913	38,341	33,502	22,484	11,160	3,658	708	71	54	58
33	61	137	431	1,038	2,161	3,963	6,654	10,931	16,957	22,710	24,747	21,073	13,152	5,166	1,153	141	17	59
21	69	174	377	799	1,103	1,644	1,962	2,298	2,410	1,949	1,402	817	449	209	53	28	19	60
13	26	87	208	410	609	899	1,145	1,609	1,691	1,462	1,159	851	457	231	92	35	8	61
-	4	9	19	32	48	90	125	154	151	149	117	109	51	23	4	-	1	62
-	1	3	3	12	14	16	28	42	49	57	56	40	23	12	7	1	2	63
-	1	2	4	6	16	13	18	37	41	56	46	52	34	11	1	1	-	64
-	-	1	3	3	11	7	15	25	28	32	29	23	13	5	-	1	-	65
-	1	1	1	3	5	6	3	12	13	24	17	29	21	6	1	-	-	66
-	-	1	1	3	7	6	13	22	25	27	24	23	13	4	-	1	-	67
-	1	-	-	2	3	5	2	9	10	20	16	26	18	6	1	-	-	68
-	-	-	2	-	4	1	2	3	2	4	5	-	-	1	-	-	-	69
-	-	1	1	1	2	1	1	3	3	4	1	3	3	-	-	-	-	70
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
10	15	33	56	110	154	248	313	415	493	550	591	478	308	127	31	7	2	73
8	12	20	44	71	113	165	224	295	324	321	299	205	115	46	11	3	-	74
2	3	13	12	39	41	83	89	120	169	229	292	273	193	81	20	4	2	75
6	7	16	35	60	94	135	198	266	278	296	276	180	108	41	9	2	-	76
1	3	9	8	35	32	64	68	103	144	197	271	255	181	78	19	3	2	77
2	5	4	8	11	16	30	26	25	44	24	20	24	6	5	2	1	-	78
1	-	4	4	4	9	19	21	16	24	32	21	16	12	3	1	1	-	79
-	-	-	1	-	3	-	-	4	2	1	3	1	1	-	-	-	-	80
-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	81
-	-	-	1	1	-	2	6	10	12	22	21	38	25	8	1	-	-	82
-	-	-	1	-	-	1	4	10	7	13	14	16	8	3	-	-	-	83
-	-	-	-	1	-	1	2	-	5	9	7	22	17	5	1	-	-	84
-	-	-	-	-	-	1	2	8	5	13	12	15	7	3	-	-	-	85
-	-	-	-	1	-	1	1	-	3	7	7	19	15	4	1	-	-	86
-	-	-	1	-	-	-	2	2	2	-	2	1	1	-	-	-	-	87
-	-	-	-	-	-	-	1	-	2	2	-	2	2	1	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	HEART DISEASE--CON.										
	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC--CON.										
01	OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	2,347	-	-	-	-	-	-	2	2	6
02	MALE....	1,528	-	-	-	-	-	-	-	1	5
03	FEMALE..	819	-	-	-	-	-	-	2	1	1
04	WHITE.....MALE....	1,393	-	-	-	-	-	-	-	1	3
05	FEMALE..	741	-	-	-	-	-	-	2	1	-
06	NEGRO.....MALE....	127	-	-	-	-	-	-	-	-	1
07	FEMALE..	77	-	-	-	-	-	-	-	-	1
08	OTHER.....MALE....	8	-	-	-	-	-	-	-	-	1
09	FEMALE..	1	-	-	-	-	-	-	-	-	-
10	OF OTHER VALVES, NOT SPECIFIED AS RHEUMATIC.....421.2-421.4	1,469	1	3	1	1	-	6	3	-	3
11	MALE....	682	1	2	-	1	-	4	-	-	1
12	FEMALE..	787	-	1	1	-	-	2	3	-	2
13	WHITE.....MALE....	556	1	1	-	1	-	3	-	-	1
14	FEMALE..	682	-	1	1	-	-	2	2	-	2
15	NEGRO.....MALE....	117	-	1	-	-	-	1	-	-	-
16	FEMALE..	103	-	-	-	-	-	-	1	-	-
17	OTHER.....MALE....	9	-	-	-	-	-	-	-	-	-
18	FEMALE..	2	-	-	-	-	-	-	-	-	-
19	OTHER MYOCARDIAL DEGENERATION.....422	49,215	33	11	10	4	7	65	16	21	29
20	MALE....	23,763	16	7	6	3	3	35	12	13	20
21	FEMALE..	25,452	17	4	4	1	4	30	4	8	9
22	WHITE.....MALE....	21,187	10	4	4	1	3	22	8	12	15
23	FEMALE..	22,964	10	1	3	1	3	18	4	8	8
24	NEGRO.....MALE....	2,464	5	3	2	2	-	12	4	1	4
25	FEMALE..	2,429	6	3	1	-	1	11	-	-	1
26	OTHER.....MALE....	112	1	-	-	-	-	1	-	-	1
27	FEMALE..	59	1	-	-	-	-	1	-	-	-
28	WITH ARTERIOSCLEROSIS.....422.1	40,467	2	-	-	1	-	3	1	-	-
29	MALE....	19,426	-	-	-	1	-	1	1	-	-
30	FEMALE..	21,041	2	-	-	-	-	2	-	-	-
31	WHITE.....MALE....	17,435	-	-	-	1	-	1	1	-	-
32	FEMALE..	19,105	1	-	-	-	-	1	-	-	-
33	NEGRO.....MALE....	1,907	-	-	-	-	-	-	-	-	-
34	FEMALE..	1,896	1	-	-	-	-	1	-	-	-
35	OTHER.....MALE....	84	-	-	-	-	-	-	-	-	-
36	FEMALE..	40	-	-	-	-	-	-	-	-	-
37	WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	8,748	31	11	10	3	7	62	15	21	29
38	MALE....	4,337	16	7	6	2	3	34	11	13	20
39	FEMALE..	4,411	15	4	4	1	4	28	4	8	9
40	WHITE.....MALE....	3,752	10	4	4	-	3	21	7	12	15
41	FEMALE..	3,859	9	1	3	1	3	17	4	8	8
42	NEGRO.....MALE....	557	5	3	2	2	-	12	4	1	4
43	FEMALE..	533	5	3	1	-	1	10	-	-	1
44	OTHER.....MALE....	28	1	-	-	-	-	1	-	-	1
45	FEMALE..	19	1	-	-	-	-	1	-	-	-
46	OTHER DISEASES OF HEART.....430-434	29,177	305	64	32	29	25	455	69	74	125
47	MALE....	16,197	169	27	18	16	18	248	38	33	76
48	FEMALE..	12,980	136	37	14	13	7	207	31	41	49
49	WHITE.....MALE....	13,515	122	18	12	12	17	181	28	25	63
50	FEMALE..	10,835	93	21	7	12	5	138	24	29	38
51	NEGRO.....MALE....	2,579	46	9	5	4	1	65	10	8	13
52	FEMALE..	2,084	41	15	7	1	2	66	6	12	10
53	OTHER.....MALE....	103	1	-	1	-	-	2	-	-	-
54	FEMALE..	61	2	1	-	-	-	3	1	-	1
55	ACUTE AND SUBACUTE ENDOCARDITIS.....430	716	4	-	-	1	-	5	10	4	15
56	MALE....	454	1	-	-	1	-	2	6	-	11
57	FEMALE..	262	3	-	-	-	-	3	4	4	4
58	WHITE.....MALE....	395	-	-	-	1	-	1	5	-	10
59	FEMALE..	222	3	-	-	-	-	3	3	3	4
60	NEGRO.....MALE....	58	1	-	-	-	-	1	1	-	1
61	FEMALE..	37	-	-	-	-	-	-	1	1	-
62	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
63	FEMALE..	3	-	-	-	-	-	-	-	-	-
64	ACUTE MYOCARDITIS AND ACUTE PERICARDITIS, NOT SPECIFIED AS RHEUMATIC.....431,432	1,089	58	23	3	4	8	96	13	16	22
65	MALE....	608	29	6	2	3	5	45	6	8	13
66	FEMALE..	481	29	17	1	1	3	51	7	8	9
67	WHITE.....MALE....	494	16	3	1	2	5	27	5	4	12
68	FEMALE..	385	20	10	1	-	3	34	5	6	8
69	NEGRO.....MALE....	110	13	3	1	1	-	18	1	4	1
70	FEMALE..	91	9	6	-	1	-	16	1	2	1
71	OTHER.....MALE....	4	-	-	-	-	-	-	-	-	-
72	FEMALE..	5	-	1	-	-	-	1	1	-	-
73	FUNCTIONAL DISEASE OF HEART.....433	8,643	157	17	16	12	10	212	24	33	40
74	MALE....	4,277	92	10	11	4	8	125	13	15	23
75	FEMALE..	4,366	65	7	5	8	2	87	11	18	17
76	WHITE.....MALE....	3,801	71	7	8	4	8	98	11	12	21
77	FEMALE..	3,870	47	2	1	8	-	58	10	13	13
78	NEGRO.....MALE....	447	20	3	2	-	-	25	2	3	2
79	FEMALE..	485	18	5	4	-	2	29	1	5	3
80	OTHER.....MALE....	29	1	-	1	-	-	2	-	-	-
81	FEMALE..	11	-	-	-	-	-	-	-	-	1
82	OTHER AND UNSPECIFIED DISEASES OF HEART.....434	18,729	86	24	13	12	7	142	22	21	48
83	MALE....	10,858	47	11	5	8	5	76	13	10	29
84	FEMALE..	7,871	39	13	8	4	2	66	9	11	19
85	WHITE.....MALE....	8,825	35	8	3	5	4	55	7	9	20
86	FEMALE..	6,358	23	9	5	4	2	43	6	7	13
87	NEGRO.....MALE....	1,964	12	3	2	3	1	21	6	1	9
88	FEMALE..	1,471	14	4	3	-	-	21	3	4	6
89	OTHER.....MALE....	69	-	-	-	-	-	-	-	-	-
90	FEMALE..	42	2	-	-	-	-	2	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
3	9	28	41	82	113	184	235	281	328	325	322	216	119	37	12	1	1	01
3	7	19	36	58	90	130	182	210	235	211	173	101	41	21	4	1	-	02
-	2	9	5	24	23	54	53	71	93	114	149	115	78	16	8	-	1	03
2	4	16	31	50	78	111	163	197	213	201	165	93	39	21	4	1	-	04
-	2	6	4	22	20	42	46	61	86	99	141	110	74	16	8	-	1	05
1	3	3	5	8	11	19	19	12	21	10	6	7	1	-	-	-	-	06
-	-	3	1	2	3	12	7	9	7	15	8	5	4	-	-	-	-	07
-	-	-	-	-	1	-	-	1	1	-	2	1	1	-	-	-	-	08
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	09
7	6	5	14	27	41	62	72	124	153	203	248	224	164	82	18	6	1	10
5	5	1	7	13	23	34	38	75	82	97	112	88	66	22	7	2	-	11
2	1	4	7	14	18	28	34	49	71	106	136	136	98	60	11	4	1	12
4	3	-	4	10	16	23	33	61	60	82	99	72	62	17	5	1	-	13
1	1	3	4	12	12	21	21	42	55	91	123	126	92	58	10	3	1	14
1	2	1	2	3	5	11	5	11	21	14	12	16	4	5	2	1	-	15
1	-	1	3	2	6	7	13	7	15	15	13	9	6	2	1	1	-	16
-	-	-	1	-	2	-	-	3	1	1	1	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	18
45	37	82	180	324	563	1,004	1,702	2,644	4,036	6,114	8,592	10,082	8,066	4,239	1,172	192	10	19
26	19	50	110	215	413	703	1,119	1,652	2,319	3,269	4,173	4,489	3,233	1,474	364	50	5	20
19	18	32	70	109	150	301	583	992	1,717	2,845	4,419	5,593	4,833	2,765	808	142	5	21
21	14	35	78	167	322	561	928	1,346	1,940	2,872	3,819	4,183	3,073	1,394	337	38	2	22
15	10	18	50	56	105	201	417	730	1,380	2,470	4,077	5,267	4,605	2,636	766	121	2	23
5	5	14	32	48	89	140	183	291	366	388	334	283	151	75	26	10	3	24
4	8	14	20	50	45	99	164	256	332	365	335	320	220	123	41	19	2	25
-	-	1	-	-	2	2	8	15	13	9	20	23	9	5	1	2	-	26
-	-	-	-	3	-	1	2	6	5	10	7	6	8	6	1	2	1	27
-	3	17	56	151	330	666	1,311	2,124	3,351	5,189	7,329	8,565	6,780	3,474	950	159	8	28
-	-	11	36	105	259	469	880	1,338	1,917	2,781	3,549	3,800	2,718	1,211	301	44	5	29
-	3	6	20	46	71	197	431	786	1,434	2,408	3,780	4,765	4,062	2,263	649	115	3	30
-	-	8	28	84	206	379	732	1,082	1,608	2,440	3,252	3,557	2,596	1,146	279	34	2	31
-	2	2	15	22	52	123	302	576	1,154	2,093	3,494	4,500	3,890	2,155	620	102	2	32
-	-	2	8	21	51	89	143	245	297	332	281	227	119	60	21	8	3	33
-	1	4	5	23	19	74	127	206	275	307	280	261	166	106	28	12	1	34
-	-	1	-	-	2	1	5	11	12	9	16	16	3	5	1	2	-	35
-	-	-	-	1	-	-	2	4	5	8	6	4	6	2	1	1	-	36
45	34	65	124	173	233	338	391	520	685	925	1,263	1,517	1,286	765	222	33	2	37
26	19	39	74	110	154	234	239	314	402	488	624	689	515	263	63	6	-	38
19	15	26	50	63	79	104	152	206	283	437	639	828	771	502	159	27	2	39
21	14	27	50	83	116	182	196	264	332	432	567	626	477	248	58	4	-	40
15	8	16	35	34	53	78	115	154	226	377	583	767	715	481	146	19	-	41
5	5	12	24	27	38	51	40	46	69	56	53	56	32	15	5	2	-	42
4	7	10	15	27	26	25	37	50	57	58	55	59	54	17	13	7	1	43
-	-	-	-	-	-	1	3	4	1	-	4	7	6	-	-	-	-	44
-	-	-	-	2	-	1	-	2	-	2	1	2	2	4	-	1	1	45
159	201	244	448	738	1,071	1,406	1,998	2,569	3,208	3,850	4,179	3,987	2,671	1,318	342	52	13	46
79	109	125	243	447	673	960	1,341	1,675	1,946	2,223	2,262	1,864	1,188	515	126	14	12	47
80	92	119	205	291	398	446	657	894	1,262	1,627	1,917	2,123	1,483	803	216	38	1	48
57	80	67	166	325	516	734	1,037	1,332	1,577	1,902	2,005	1,729	1,094	473	107	10	7	49
49	57	76	120	171	269	281	464	624	988	1,404	1,744	1,978	1,402	754	196	28	1	50
22	26	56	77	116	153	221	296	330	357	305	248	125	86	39	17	4	5	51
30	32	41	79	114	128	160	189	267	270	218	173	139	76	46	18	10	-	52
-	3	2	-	6	4	5	8	13	12	16	9	10	8	3	2	-	-	53
1	3	2	6	6	1	5	4	3	4	5	-	6	5	3	2	-	-	54
15	30	14	31	46	46	61	74	76	92	85	69	29	10	4	-	-	-	55
10	20	7	20	31	29	46	47	53	66	56	35	8	5	2	-	-	-	56
5	10	7	11	15	17	15	27	23	26	29	34	21	5	2	-	-	-	57
6	17	5	18	26	23	37	40	50	58	50	34	8	5	2	-	-	-	58
2	8	5	7	11	14	14	22	21	22	28	31	18	5	1	-	-	-	59
4	3	2	2	4	6	9	7	3	8	6	1	-	-	-	-	-	-	60
3	2	2	3	4	3	1	5	1	4	1	3	2	-	1	-	-	-	61
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	63
31	29	28	55	64	72	77	91	78	98	89	83	71	48	24	4	-	-	64
19	18	13	31	38	40	55	49	43	54	60	44	41	19	11	1	-	-	65
12	11	15	24	26	32	22	42	35	44	29	39	30	29	13	3	-	-	66
12	15	10	21	28	31	44	43	38	41	51	41	40	19	11	1	-	-	67
7	7	8	17	18	24	19	31	25	41	27	36	30	27	12	3	-	-	68
7	2	3	10	9	9	10	6	4	13	9	3	1	-	-	-	-	-	69
5	4	7	6	8	8	2	11	9	3	2	3	-	2	1	-	-	-	70
-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	71
-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	72
52	56	75	113	167	197	278	390	589	897	1,141	1,391	1,366	985	502	115	19	1	73
21	24	28	55	86	100	177	247	373	495	564	686	586	426	190	40	2	1	74
31	32	47	58	81	97	101	143	216	402	577	705	780	559	312	75	17	-	75
16	14	19	38	73	82	144	199	307	426	514	639	560	407	182	36	2	1	76
23	18	33	39	51	76	76	111	164	339	518	669	738	538	301	69	13	-	77
5	9	9	17	13	17	32	43	63	68	44	45	23	17	7	3	-	-	78
8	13	14	19	29	21	23	30	52	61	58	36	41	21	11	6	4	-	79
-	1	-	-	-	1	1	5	3	1	6	2	3	2	1	1	-	-	80
-	1	-	-	1	-	2	2	-	2	1	-	1	-	-	-	-	-	81
61	86	127	249	461	756	990	1,443	1,826	2,121	2,535	2,636	2,521	1,628	788	223	33	12	82
29	47	77	137	292	504	682	998	1,206	1,331	1,543	1,497	1,229	738	312	85	12	11	83
32	39	50	112	169	252	308	445	620	790	992	1,139	1,292	890	476	138	21	1	84
23	34	33	89	198	380	509	755	937	1,052	1,287	1,291	1,121	663	278	70	8	6	85
17	24	30	57	91	155	172	300	414	586	831	1,008	1,192	832	440	124	15	1	86
6	12	42	48	90	121	170	240	260	268	246	199	101	69	32	14	4	5	87
14	13	18	51	73	96	134	143	205	202	157	131	96	53	33	12	6	-	88
-	1	2	-	4	3	3	3	9	11	10	7	7	6	2	1	-	-	89
1	2	2	4	5	1	2	2	1	2	4	-	4	5	3	2	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	HEART DISEASE--CON.										
01	HYPERTENSIVE HEART DISEASE.....440-443	54,968	-	-	-	-	-	-	1	2	11
02	MALE....	23,737	-	-	-	-	-	-	-	1	6
03	FEMALE..	31,231	-	-	-	-	-	-	1	1	5
04	WHITE.....MALE....	17,770	-	-	-	-	-	-	-	1	2
05	FEMALE..	24,441	-	-	-	-	-	-	-	1	2
06	NEGRO.....MALE....	5,767	-	-	-	-	-	-	-	-	4
07	FEMALE..	6,675	-	-	-	-	-	-	1	-	3
08	OTHER.....MALE....	200	-	-	-	-	-	-	-	-	-
09	FEMALE..	115	-	-	-	-	-	-	-	-	-
10	HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS....442	12,027	-	-	-	-	-	-	-	-	3
11	MALE....	5,727	-	-	-	-	-	-	-	-	2
12	FEMALE..	6,300	-	-	-	-	-	-	-	-	1
13	WHITE.....MALE....	4,719	-	-	-	-	-	-	-	-	1
14	FEMALE..	5,342	-	-	-	-	-	-	-	-	1
15	NEGRO.....MALE....	986	-	-	-	-	-	-	-	-	1
16	FEMALE..	943	-	-	-	-	-	-	-	-	-
17	OTHER.....MALE....	22	-	-	-	-	-	-	-	-	-
18	FEMALE..	15	-	-	-	-	-	-	-	-	-
19	OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	42,941	-	-	-	-	-	-	1	2	8
20	MALE....	18,010	-	-	-	-	-	-	-	1	4
21	FEMALE..	24,931	-	-	-	-	-	-	1	1	4
22	WHITE.....MALE....	13,051	-	-	-	-	-	-	-	1	1
23	FEMALE..	19,099	-	-	-	-	-	-	-	1	1
24	NEGRO.....MALE....	4,781	-	-	-	-	-	-	-	-	3
25	FEMALE..	5,732	-	-	-	-	-	-	1	-	3
26	OTHER.....MALE....	178	-	-	-	-	-	-	-	-	-
27	FEMALE..	100	-	-	-	-	-	-	-	-	-
28	OTHER HYPERTENSIVE DISEASE.....444-447	11,667	-	-	-	-	-	-	1	4	3
29	MALE....	5,942	-	-	-	-	-	-	1	1	1
30	FEMALE..	5,725	-	-	-	-	-	-	-	3	2
31	WHITE.....MALE....	4,624	-	-	-	-	-	-	-	1	1
32	FEMALE..	4,672	-	-	-	-	-	-	-	3	2
33	NEGRO.....MALE....	1,284	-	-	-	-	-	-	1	-	-
34	FEMALE..	1,036	-	-	-	-	-	-	-	-	-
35	OTHER.....MALE....	34	-	-	-	-	-	-	-	-	-
36	FEMALE..	17	-	-	-	-	-	-	-	-	-
37	HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	6,848	-	-	-	-	-	-	1	1	3
38	MALE....	3,727	-	-	-	-	-	-	1	-	1
39	FEMALE..	3,121	-	-	-	-	-	-	-	1	2
40	WHITE.....MALE....	3,185	-	-	-	-	-	-	-	-	1
41	FEMALE..	2,709	-	-	-	-	-	-	-	1	2
42	NEGRO.....MALE....	527	-	-	-	-	-	-	1	-	-
43	FEMALE..	405	-	-	-	-	-	-	-	-	-
44	OTHER.....MALE....	15	-	-	-	-	-	-	-	-	-
45	FEMALE..	7	-	-	-	-	-	-	-	-	-
46	ESSENTIAL HYPERTENSION AND OTHER HYPERTENSIVE DISEASE WITHOUT MENTION OF HEART.....444,445,447	4,819	-	-	-	-	-	-	-	3	-
47	MALE....	2,215	-	-	-	-	-	-	-	1	-
48	FEMALE..	2,604	-	-	-	-	-	-	-	2	-
49	WHITE.....MALE....	1,439	-	-	-	-	-	-	-	1	-
50	FEMALE..	1,963	-	-	-	-	-	-	-	2	-
51	NEGRO.....MALE....	757	-	-	-	-	-	-	-	-	-
52	FEMALE..	631	-	-	-	-	-	-	-	-	-
53	OTHER.....MALE....	19	-	-	-	-	-	-	-	-	-
54	FEMALE..	10	-	-	-	-	-	-	-	-	-
55	DISEASES OF ARTERIES.....450-456	53,057	6	2	1	1	2	12	15	26	89
56	MALE....	27,175	3	1	1	-	1	6	5	11	30
57	FEMALE..	25,882	3	1	-	1	1	6	10	15	59
58	WHITE.....MALE....	25,071	1	1	-	-	1	3	4	9	25
59	FEMALE..	23,810	3	1	-	1	-	5	8	12	45
60	NEGRO.....MALE....	1,973	2	-	1	-	-	3	1	2	4
61	FEMALE..	1,992	-	-	-	-	1	1	2	3	11
62	OTHER.....MALE....	131	-	-	-	-	-	-	-	-	1
63	FEMALE..	80	-	-	-	-	-	-	-	-	3
64	GENERAL ARTERIOSCLEROSIS.....450	36,102	-	-	-	-	1	1	-	-	-
65	MALE....	17,299	-	-	-	-	1	1	-	-	-
66	FEMALE..	20,803	-	-	-	-	-	-	-	-	-
67	WHITE.....MALE....	15,907	-	-	-	-	1	1	-	-	-
68	FEMALE..	19,385	-	-	-	-	-	-	-	-	-
69	NEGRO.....MALE....	1,319	-	-	-	-	-	-	-	-	-
70	FEMALE..	1,373	-	-	-	-	-	-	-	-	-
71	OTHER.....MALE....	73	-	-	-	-	-	-	-	-	-
72	FEMALE..	45	-	-	-	-	-	-	-	-	-
73	AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM.....451	10,964	-	-	-	-	-	-	1	4	6
74	MALE....	7,911	-	-	-	-	-	-	1	4	5
75	FEMALE..	3,053	-	-	-	-	-	-	-	-	1
76	WHITE.....MALE....	7,426	-	-	-	-	-	-	1	3	4
77	FEMALE..	2,756	-	-	-	-	-	-	-	-	-
78	NEGRO.....MALE....	437	-	-	-	-	-	-	-	1	1
79	FEMALE..	281	-	-	-	-	-	-	-	-	1
80	OTHER.....MALE....	48	-	-	-	-	-	-	-	-	-
81	FEMALE..	16	-	-	-	-	-	-	-	-	-
82	GANGRENE OF UNSPECIFIED CAUSE.....455	302	1	-	-	-	-	1	1	1	1
83	MALE....	159	1	-	-	-	-	1	-	1	1
84	FEMALE..	143	-	-	-	-	-	-	1	-	-
85	WHITE.....MALE....	130	1	-	-	-	-	1	-	-	-
86	FEMALE..	114	-	-	-	-	-	-	-	-	-
87	NEGRO.....MALE....	29	-	-	-	-	-	-	-	1	1
88	FEMALE..	28	-	-	-	-	-	-	1	-	-
89	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
90	FEMALE..	1	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
22	69	159	454	912	1,422	2,459	3,474	4,915	6,538	8,234	9,288	8,596	5,510	2,306	516	58	22	01
13	39	78	262	477	748	1,333	1,890	2,636	3,200	3,643	3,695	3,084	1,780	666	152	24	10	02
9	30	81	192	435	674	1,126	1,584	2,279	3,338	4,591	5,593	5,512	3,730	1,640	364	34	12	03
4	12	29	83	211	367	730	1,192	1,743	2,313	2,897	3,127	2,730	1,593	593	123	17	3	04
3	9	15	52	122	294	534	864	1,368	2,357	3,684	4,858	4,999	3,413	1,513	326	22	5	05
9	26	49	175	264	374	590	680	868	855	725	533	342	164	66	29	7	7	06
6	21	66	140	307	378	585	708	900	970	886	715	503	307	123	37	12	7	07
-	1	-	4	2	7	13	18	25	32	21	35	12	23	7	-	-	-	08
-	-	-	-	6	2	7	12	11	11	21	20	10	10	4	1	-	-	09
5	14	24	53	120	196	347	473	769	1,069	1,577	2,163	2,257	1,794	894	236	27	6	10
3	6	12	26	66	99	208	294	422	557	792	1,044	1,037	743	320	81	13	2	11
2	8	12	27	54	97	139	179	347	512	785	1,119	1,220	1,051	574	155	14	4	12
1	3	5	9	22	50	120	186	291	420	655	926	956	693	296	73	11	1	13
1	3	4	13	19	39	64	97	217	389	651	1,007	1,142	1,001	537	145	11	1	14
2	3	7	17	44	47	87	108	127	134	135	114	79	48	22	8	2	1	15
1	5	8	14	35	58	74	79	129	120	131	110	77	50	36	10	3	3	16
-	-	-	-	-	2	1	-	4	3	2	4	2	2	2	-	-	-	17
-	-	-	-	-	-	1	3	1	3	3	2	1	-	1	-	-	-	18
17	55	135	401	792	1,226	2,112	3,001	4,146	5,469	6,657	7,125	6,339	3,716	1,412	280	31	16	19
10	33	66	236	411	649	1,125	1,596	2,214	2,643	2,851	2,651	2,047	1,037	346	71	11	8	20
7	22	69	165	381	577	987	1,405	1,932	2,826	3,806	4,474	4,292	2,679	1,066	209	20	8	21
3	9	24	74	189	317	610	1,006	1,452	1,893	2,242	2,201	1,774	900	297	50	6	2	22
2	6	11	39	103	255	470	767	1,151	1,968	3,033	3,851	3,857	2,412	976	181	11	4	23
7	23	42	158	220	327	503	572	741	721	590	419	263	116	44	21	5	6	24
5	16	58	126	272	320	511	629	771	850	755	605	426	257	87	27	9	4	25
-	1	-	4	2	5	12	18	21	29	19	31	10	21	5	-	-	-	26
-	-	-	-	6	2	6	9	10	8	18	18	9	10	3	1	-	-	27
28	65	142	251	295	435	519	562	764	1,063	1,452	1,828	1,966	1,491	619	156	18	5	28
16	41	82	135	180	262	308	337	416	577	777	883	936	653	267	65	3	1	29
12	24	60	116	115	173	211	225	348	486	675	945	1,030	838	352	91	15	4	30
5	15	24	40	72	113	162	209	317	444	649	795	858	611	248	58	2	-	31
6	8	13	26	45	88	111	142	241	360	567	874	961	794	333	85	11	2	32
11	26	58	94	106	147	144	127	98	131	122	84	73	40	13	7	1	1	33
6	16	47	90	69	84	100	83	105	124	106	68	63	44	19	6	4	2	34
-	-	-	1	2	2	2	1	1	2	6	4	5	2	6	-	-	-	35
-	-	-	-	1	1	-	-	2	2	2	3	6	-	-	-	-	-	36
5	12	18	48	80	117	182	263	410	693	932	1,212	1,313	1,011	423	108	11	5	37
3	3	15	30	46	71	101	152	234	392	540	669	705	502	209	49	3	1	38
2	9	3	18	34	46	81	111	176	301	392	543	608	509	214	59	8	4	39
2	1	6	12	25	34	52	104	188	315	461	604	659	477	197	45	2	-	40
2	5	1	4	16	23	45	73	129	225	338	508	578	489	206	55	7	2	41
1	2	9	18	21	37	47	48	46	76	77	61	42	25	10	4	1	1	42
-	4	2	14	18	23	36	38	46	76	52	33	28	20	8	4	1	2	43
-	-	-	-	-	-	2	-	-	1	2	4	4	-	2	-	-	-	44
-	-	-	-	-	-	-	-	1	-	2	2	2	-	-	-	-	-	45
23	53	124	203	215	318	337	299	354	370	520	616	653	480	196	48	7	-	46
13	38	67	105	134	191	207	185	182	165	237	214	231	151	58	16	-	-	47
10	15	57	98	81	127	130	114	172	185	283	402	422	329	138	32	7	-	48
3	14	18	28	47	79	110	105	129	129	188	191	199	134	51	13	-	-	49
4	3	12	22	29	65	66	69	112	135	229	366	383	305	127	30	4	-	50
10	24	49	76	85	110	97	79	52	55	45	23	31	15	3	3	-	-	51
6	12	45	76	51	61	64	45	59	48	54	35	35	24	11	2	3	-	52
-	-	-	1	2	2	-	1	1	1	4	-	1	2	4	-	-	-	53
-	-	-	-	1	1	-	-	1	2	-	1	4	-	-	-	-	-	54
111	119	143	240	380	586	998	1,664	2,672	4,308	6,639	8,650	10,224	8,871	5,372	1,622	304	12	55
26	36	55	98	203	361	665	1,153	1,873	2,939	4,172	4,553	4,763	3,658	1,981	501	79	7	56
85	83	88	142	177	225	333	511	799	1,369	2,467	4,097	5,461	5,213	3,391	1,121	225	5	57
19	30	43	69	161	291	553	1,034	1,652	2,646	3,837	4,259	4,515	3,488	1,893	470	66	4	58
60	54	60	93	121	166	252	405	636	1,150	2,191	3,800	5,195	5,038	3,259	1,062	197	1	59
5	6	12	29	42	70	107	113	214	273	315	275	228	151	82	25	13	3	60
23	27	26	48	54	57	81	100	156	210	267	290	260	169	120	54	27	4	61
2	-	-	-	-	-	5	6	7	20	20	19	20	19	6	6	-	-	62
2	2	2	1	2	2	-	6	5	9	9	7	6	6	12	5	1	-	63
3	2	14	23	41	115	241	513	1,018	2,064	3,918	6,446	8,683	8,041	5,093	1,580	296	10	64
1	1	8	15	32	85	157	327	624	1,185	2,123	3,108	3,919	3,278	1,864	488	77	6	65
2	1	6	8	9	30	84	186	394	879	1,795	3,338	4,764	4,763	3,229	1,092	219	4	66
1	1	7	9	26	66	122	275	503	993	1,904	2,866	3,703	3,125	1,780	457	64	4	67
2	1	6	4	3	16	62	138	292	727	1,571	3,095	4,528	4,603	3,107	1,036	193	1	68
-	-	1	6	6	19	34	50	119	183	215	230	200	138	78	25	13	2	69
-	-	-	4	6	13	22	47	98	150	216	238	233	155	112	51	25	3	70
-	-	-	-	-	-	1	2	2	9	4	12	16	15	6	6	-	-	71
-	-	-	-	-	1	-	1	4	2	8	5	3	5	10	5	1	-	72
10	15	27	48	112	214	419	773	1,236	1,820	2,254	1,865	1,271	658	196	28	6	1	73
6	9	17	33	85	166	335	621	1,006	1,493	1,762	1,262	711	302	83	8	1	1	74
4	6	10	15	27	48	84	152	230	327	492	603	560	356	113	20	5	-	75
5	9	12	23	62	134	282	572	928	1,418	1,676	1,227	689	292	80	8	1	-	76
4	4	5	10	14	35	62	120	192	279	454	564	540	345	106	19	3	-	77
1	-	5	10	23	32	51	46	73	66	72	28	18	6	3	-	-	1	78
-	2	5	5	13	12	22	29	38	44	37	37	17	10	6	1	2	-	79
-	-	-	-	-	-	2	3	5	9	14	7	4	4	-	-	-	-	80
-	-	-	-	-	1	-	3	-	4	1	2	3	1	1	-	-	-	81
-	2	-	3	2	6	14	9	25	27	49	52	58	32	17	1	1	-	82
-	1	-	1	-	3	8	6	16	15	27	29	27	15	8	-	-	-	83
-	1	-	2	2	3	6	3	9	12	22	23	31	17	9	1	1	-	84
-	1	-	1	-	2	6	5	12	13	19	25	24	13	8	-	-	-	85
-	-	-	-	1	2	5	2	8	8	15	20	27	15	9	1	1	-	86
-	-	-	-	-	1	2	1	4	2	8	4	3	2	-	-	-	-	87
-	1	-	2	1	1	1	-	1	4	7	3	4	2	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	DISEASES OF ARTERIES--CON.										
01	OTHER ARTERIAL DISEASES....452-454,456	3,689	5	2	1	1	1	10	13	21	82
02	MALE....	1,806	2	1	1	-	-	4	4	6	24
03	FEMALE..	1,883	3	1	-	1	1	6	9	15	58
04	WHITE.....MALE....	1,608	-	1	-	-	-	1	3	6	21
05	FEMALE..	1,555	3	1	-	1	-	5	8	12	45
06	NEGRO.....MALE....	166	2	-	1	-	-	3	1	-	2
07	FEMALE..	310	-	-	-	-	1	1	1	3	10
08	OTHER.....MALE....	10	-	-	-	-	-	-	-	-	1
09	FEMALE..	18	-	-	-	-	-	-	-	-	3
10	DISEASES OF VEINS AND OTHER DISEASES OF CIRCULATORY SYSTEM....460-468	12,324	32	16	4	4	1	57	7	11	38
11	MALE....	6,333	21	8	3	2	1	35	2	8	16
12	FEMALE..	5,991	11	8	1	2	-	22	5	3	22
13	WHITE.....MALE....	5,427	12	7	3	2	1	25	2	6	12
14	FEMALE..	5,173	7	4	-	1	-	12	4	2	16
15	NEGRO.....MALE....	868	9	-	-	-	-	9	-	2	3
16	FEMALE..	802	4	3	1	1	-	9	1	1	5
17	OTHER.....MALE....	38	-	1	-	-	-	1	-	-	1
18	FEMALE..	16	-	1	-	-	-	1	-	-	1
19	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	99,769	10,477	1,264	578	324	257	12,900	637	423	442
20	MALE....	64,225	6,030	654	297	155	136	7,272	339	238	257
21	FEMALE..	35,544	4,447	610	281	169	121	5,628	298	185	185
22	WHITE.....MALE....	55,741	3,808	405	202	98	106	4,619	248	194	201
23	FEMALE..	30,121	2,551	365	183	121	96	3,316	212	136	144
24	NEGRO.....MALE....	7,975	2,080	236	92	54	28	2,490	83	42	53
25	FEMALE..	5,138	1,784	232	94	43	25	2,178	83	48	37
26	OTHER.....MALE....	509	142	13	3	3	2	163	8	2	3
27	FEMALE..	285	112	13	4	5	-	134	3	1	4
28	ACUTE UPPER RESPIRATORY INFECTIONS....470-475	745	328	33	35	16	17	429	30	4	15
29	MALE....	417	206	17	20	8	10	261	16	3	11
30	FEMALE..	328	122	16	15	8	7	168	14	1	4
31	WHITE.....MALE....	310	132	12	14	7	9	174	13	3	9
32	FEMALE..	246	77	8	11	6	5	107	9	1	3
33	NEGRO.....MALE....	96	66	5	6	1	1	79	2	-	2
34	FEMALE..	73	41	7	4	1	2	55	4	-	1
35	OTHER.....MALE....	11	8	-	-	-	-	8	1	-	-
36	FEMALE..	9	4	1	-	1	-	6	1	-	-
37	INFLUENZA....480-483	2,295	182	31	15	7	4	239	9	11	15
38	MALE....	1,064	96	20	5	3	3	127	6	6	9
39	FEMALE..	1,231	86	11	10	4	1	112	3	5	6
40	WHITE.....MALE....	881	38	10	-	2	-	50	4	5	6
41	FEMALE..	1,021	27	5	6	2	1	41	1	3	6
42	NEGRO.....MALE....	172	52	10	5	1	3	71	2	1	3
43	FEMALE..	206	55	6	4	2	-	67	2	2	-
44	OTHER.....MALE....	11	6	-	-	-	-	6	-	-	-
45	FEMALE..	4	4	-	-	-	-	4	-	-	-
46	PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN....490-493	59,608	7,854	999	431	230	172	9,686	467	336	336
47	MALE....	33,909	4,508	505	221	109	93	5,436	250	194	190
48	FEMALE..	25,699	3,346	494	210	121	79	4,250	217	142	146
49	WHITE.....MALE....	27,967	2,793	302	149	64	69	3,377	180	156	153
50	FEMALE..	21,442	1,881	283	131	85	60	2,440	149	106	112
51	NEGRO.....MALE....	5,598	1,605	191	69	42	23	1,930	65	36	35
52	FEMALE..	4,035	1,378	199	75	32	19	1,703	67	36	30
53	OTHER.....MALE....	344	110	12	3	3	1	129	5	2	2
54	FEMALE..	222	87	12	4	4	-	107	1	-	4
55	LOBAR PNEUMONIA....490	8,955	556	107	45	31	20	759	59	56	42
56	MALE....	5,466	325	52	22	15	9	423	34	31	24
57	FEMALE..	3,489	231	55	23	16	11	336	25	25	18
58	WHITE.....MALE....	4,378	191	24	9	4	4	232	21	24	16
59	FEMALE..	2,824	111	24	13	10	9	167	16	19	15
60	NEGRO.....MALE....	1,041	125	25	12	10	5	177	12	7	8
61	FEMALE..	636	112	30	10	6	2	160	9	6	3
62	OTHER.....MALE....	47	9	3	1	1	-	14	1	-	-
63	FEMALE..	29	8	1	-	-	-	9	-	-	-
64	BRONCHOPNEUMONIA....491	32,719	3,300	475	221	115	81	4,192	264	184	179
65	MALE....	18,402	1,843	231	113	55	44	2,286	139	102	97
66	FEMALE..	14,317	1,457	244	108	60	37	1,906	125	82	82
67	WHITE.....MALE....	15,535	1,082	136	84	36	30	1,368	102	84	77
68	FEMALE..	12,227	790	151	65	44	28	1,078	86	59	63
69	NEGRO.....MALE....	2,696	721	92	29	18	13	873	35	16	18
70	FEMALE..	1,995	633	87	42	14	9	785	38	23	16
71	OTHER.....MALE....	171	40	3	-	1	1	45	2	2	2
72	FEMALE..	95	34	6	1	2	-	43	1	-	3
73	PRIMARY ATYPICAL PNEUMONIA....492	5,693	2,329	180	82	41	27	2,659	53	45	37
74	MALE....	3,191	1,402	100	45	21	16	1,584	32	30	21
75	FEMALE..	2,502	927	80	37	20	11	1,075	21	15	16
76	WHITE.....MALE....	2,602	1,032	71	29	11	14	1,157	25	24	18
77	FEMALE..	2,035	643	54	25	16	9	747	15	10	14
78	NEGRO.....MALE....	550	349	28	14	9	2	402	5	6	3
79	FEMALE..	436	266	24	11	2	2	305	6	5	2
80	OTHER.....MALE....	39	21	1	2	1	-	25	2	-	-
81	FEMALE..	29	18	2	1	2	-	23	-	-	-
82	PNEUMONIA, OTHER AND UNSPECIFIED....493	12,241	1,669	237	83	43	44	2,076	91	51	78
83	MALE....	6,850	938	122	41	18	24	1,143	45	31	48
84	FEMALE..	5,391	731	115	42	25	20	933	46	20	30
85	WHITE.....MALE....	5,452	488	71	27	13	21	620	32	24	42
86	FEMALE..	4,356	337	54	28	15	14	448	32	18	20
87	NEGRO.....MALE....	1,311	410	46	14	5	3	478	13	7	6
88	FEMALE..	966	367	58	12	10	6	453	14	2	9
89	OTHER.....MALE....	87	40	5	-	-	-	45	-	-	-
90	FEMALE..	69	27	3	2	-	-	32	-	-	1

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
98	100	102	166	225	251	324	369	393	397	418	287	212	140	66	13	1	1	01
19	25	30	49	86	107	165	199	227	246	260	154	106	63	26	5	1	-	02
79	75	72	117	139	144	159	170	166	151	158	133	106	77	40	8	-	1	03
13	19	24	36	73	89	143	182	209	222	238	141	99	58	25	5	1	-	04
54	49	49	79	103	113	123	145	144	136	151	121	100	75	37	6	-	-	05
4	6	6	13	13	18	20	16	18	22	20	13	7	5	1	-	-	-	06
23	24	21	37	34	31	36	24	21	12	7	12	6	2	2	2	-	1	07
2	-	-	-	-	-	2	1	-	2	2	-	-	-	-	-	-	-	08
2	2	2	1	2	-	-	1	1	3	-	-	-	-	1	-	-	-	09
84	123	145	244	374	491	715	971	1,246	1,597	1,886	1,850	1,372	759	279	61	6	8	10
35	36	58	99	177	267	398	588	718	868	1,028	932	622	311	103	26	3	3	11
49	87	87	145	197	224	317	383	528	729	858	918	750	448	176	35	3	5	12
30	24	40	60	132	209	327	471	604	738	919	835	582	293	92	23	2	1	13
34	58	64	98	142	178	244	305	436	627	769	849	705	426	166	31	3	4	14
5	12	16	39	45	57	66	113	112	127	102	94	36	15	10	3	1	1	15
15	29	23	45	55	45	70	77	90	101	87	68	45	22	9	4	-	1	16
-	-	2	-	-	1	5	4	2	3	7	3	4	3	1	-	-	1	17
-	-	-	2	-	1	3	1	2	1	2	1	-	-	1	-	-	-	18
415	444	632	1,077	1,709	2,452	3,794	5,441	7,678	10,323	12,512	13,339	11,653	8,398	4,075	1,170	223	32	19
230	235	363	620	1,021	1,594	2,709	4,120	5,865	7,980	9,183	8,973	6,723	4,183	1,773	455	72	20	20
185	209	269	457	688	858	1,085	1,321	1,813	2,343	3,329	4,366	4,930	4,215	2,302	715	151	12	21
178	153	222	400	710	1,197	2,245	3,570	5,218	7,216	8,480	8,396	6,339	3,981	1,683	423	55	13	22
143	142	176	300	498	707	892	1,089	1,512	2,047	2,965	4,088	4,684	4,041	2,214	682	125	8	23
47	79	135	217	304	389	456	518	627	734	672	515	334	163	71	25	15	6	24
41	64	87	154	182	146	187	226	293	263	349	261	225	156	81	30	23	4	25
5	3	6	3	7	8	8	32	20	30	31	62	50	39	19	7	2	1	26
1	3	6	3	8	5	6	6	8	13	15	17	21	18	7	3	3	-	27
10	6	10	5	8	15	14	17	15	20	26	22	35	32	29	3	-	-	28
5	4	6	3	2	6	7	10	11	11	16	12	14	12	5	2	-	-	29
5	2	4	2	6	9	7	7	4	9	10	10	21	20	24	1	-	-	30
3	3	6	1	1	6	6	10	8	10	15	11	13	12	5	1	-	-	31
3	2	4	2	4	6	6	6	3	8	9	9	20	20	23	1	-	-	32
2	1	-	2	1	-	1	-	3	-	1	1	1	-	-	-	-	-	33
2	-	-	-	2	3	1	1	-	1	1	1	1	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	35
-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	36
12	13	17	21	26	38	54	84	107	152	239	291	399	334	167	55	10	2	37
4	9	8	8	14	22	20	54	57	82	120	137	173	132	54	18	3	1	38
8	4	9	13	12	16	34	30	50	70	119	154	226	202	113	37	7	1	39
3	7	6	8	13	18	17	40	50	70	99	127	162	125	50	18	2	1	40
7	4	4	8	9	13	27	28	33	56	87	135	218	188	110	36	7	-	41
1	2	2	-	1	4	3	12	6	11	21	10	11	7	3	-	1	-	42
1	-	5	5	3	3	7	2	17	14	32	19	8	14	3	1	-	1	43
-	-	-	-	-	-	-	2	1	1	-	-	-	-	1	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
289	311	462	753	1,105	1,362	1,875	2,359	3,094	4,337	6,138	7,719	8,097	6,398	3,319	962	178	25	46
164	160	267	432	659	862	1,264	1,612	2,043	2,894	3,872	4,540	4,251	2,968	1,407	371	57	16	47
125	151	195	321	446	500	611	747	1,051	1,443	2,266	3,179	3,846	3,430	1,912	591	121	9	48
129	103	152	257	426	609	979	1,274	1,661	2,425	3,407	4,139	3,976	2,826	1,339	347	43	9	49
94	100	124	190	303	398	474	584	809	1,210	1,983	2,946	3,633	3,285	1,837	561	98	6	50
33	55	113	173	226	251	281	323	374	454	439	357	242	122	53	18	12	6	51
30	48	67	128	138	99	134	159	236	224	272	219	195	129	70	28	20	3	52
2	2	2	2	7	2	4	15	8	15	26	44	33	20	15	6	2	1	53
1	3	4	3	5	3	3	4	6	9	11	14	18	16	5	2	3	-	54
49	64	110	212	284	360	455	582	615	755	970	1,135	1,095	836	393	100	19	5	55
26	36	56	125	175	253	320	430	409	534	626	708	606	416	181	42	7	4	56
23	28	54	87	109	107	135	152	206	221	344	427	489	420	212	58	12	1	57
24	21	17	70	105	170	236	326	335	444	531	640	554	395	173	36	6	2	58
15	18	25	45	73	84	93	118	152	180	296	392	449	399	206	53	9	-	59
2	14	38	55	66	82	83	101	72	87	93	61	50	19	6	6	1	1	60
8	10	28	42	35	22	40	34	54	39	45	31	36	21	6	4	2	1	61
-	1	1	-	4	1	1	3	2	3	2	7	2	2	2	-	-	1	62
-	-	1	-	1	1	2	-	-	2	3	4	4	-	-	1	1	-	63
158	163	240	365	563	667	1,006	1,230	1,718	2,558	3,579	4,572	4,721	3,747	1,928	569	107	9	64
92	81	142	209	336	407	667	816	1,131	1,708	2,279	2,661	2,470	1,722	807	217	29	4	65
66	82	98	156	227	260	339	414	587	850	1,300	1,911	2,251	2,025	1,121	352	78	5	66
72	58	93	125	223	299	522	655	936	1,456	2,043	2,449	2,330	1,643	770	207	22	1	67
48	55	69	95	155	208	277	334	462	729	1,162	1,782	2,140	1,939	1,082	336	63	5	68
18	22	49	83	110	108	143	154	191	243	221	182	122	65	26	8	6	3	69
17	27	27	60	70	52	61	77	120	120	135	123	101	74	39	16	14	-	70
2	1	-	1	3	-	2	7	4	9	15	30	18	14	11	2	1	-	71
1	-	2	1	2	-	1	3	5	1	3	6	10	12	-	-	1	-	72
28	29	42	50	84	87	114	133	174	225	361	436	466	408	198	52	9	3	73
13	15	24	24	42	48	73	82	113	139	195	254	239	164	79	13	4	3	74
15	14	18	26	42	39	41	51	61	86	166	182	227	244	119	39	5	-	75
10	8	16	21	34	40	65	72	98	122	181	237	221	161	75	12	3	2	76
14	10	15	16	31	36	34	42	52	77	144	172	217	232	114	38	5	-	77
3	7	7	3	8	8	7	9	14	16	13	16	14	2	4	1	1	1	78
1	3	3	10	10	3	7	9	9	9	21	9	9	11	5	1	-	-	79
-	-	1	-	-	-	1	1	1	1	1	1	4	1	-	-	-	-	80
-	1	-	-	1	-	-	-	-	-	1	1	1	1	-	-	-	-	81
54	55	70	126	174	248	300	414	587	799	1,228	1,576	1,815	1,407	800	241	43	8	82
33	28	45	74	106	154	204	284	390	513	772	917	936	666	340	99	17	5	83
21	27	25	52	68	94	96	130	197	286	456	659	879	741	460	142	26	3	84
23	16	26	41	64	100	156	221	292	403	652	813	871	627	321	92	12	4	85
17	17	15	34	44	70	70	90	143	224	381	600	827	715	435	134	21	1	86
10	12	19	32	42	53	48	59	97	108	112	98	56	36	17	3	4	1	87
4	8	9	16	23	22	26	39	53	56	71	56	49	23	20	7	4	2	88
-	-	-	1	-	1	-	4	1	2	8	6	9	3	2	4	1	-	89
-	2	1	2	1	2	-	1	1	6	4	3	3	3	5	1	1	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ACUTE BRONCHITIS.....500	1,004	245	60	21	18	14	358	31	11	6
02	MALE....	599	145	37	12	8	8	210	20	5	3
03	FEMALE..	405	100	23	9	10	6	148	11	6	3
04	WHITE.....MALE....	490	104	31	8	5	7	155	14	4	3
05	FEMALE..	337	69	19	8	5	6	107	9	2	3
06	NEGRO.....MALE....	100	39	5	4	3	-	51	4	1	-
07	FEMALE..	63	28	4	1	5	-	38	1	4	-
08	OTHER.....MALE....	9	2	1	-	-	1	4	2	-	-
09	FEMALE..	5	3	-	-	-	-	3	1	-	-
10	BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	4,768	225	33	19	13	9	299	15	11	6
11	MALE....	3,639	128	20	6	8	4	166	12	9	6
12	FEMALE..	1,129	97	13	13	5	5	133	3	2	-
13	WHITE.....MALE....	3,393	88	13	6	5	4	116	7	8	5
14	FEMALE..	1,032	58	8	11	4	5	86	3	1	-
15	NEGRO.....MALE....	225	37	7	-	3	-	47	5	1	1
16	FEMALE..	95	38	5	2	1	-	46	-	1	-
17	OTHER.....MALE....	21	3	-	-	-	-	3	-	-	-
18	FEMALE..	2	1	-	-	-	-	1	-	-	-
19	HYPERTROPHY OF TONSILS AND ADENOIDS.....510	77	-	1	8	10	14	33	27	5	1
20	MALE....	35	-	-	3	6	7	16	14	2	-
21	FEMALE..	42	-	1	5	4	7	17	13	3	1
22	WHITE.....MALE....	32	-	-	2	6	6	14	13	2	-
23	FEMALE..	34	-	1	4	3	6	14	12	2	-
24	NEGRO.....MALE....	3	-	-	1	-	1	2	1	-	-
25	FEMALE..	8	-	-	1	1	1	3	1	1	1
26	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
27	FEMALE..	-	-	-	-	-	-	-	-	-	-
28	EMPYEMA AND ABSCESS OF LUNG.....518,521	868	24	5	1	1	-	31	6	6	13
29	MALE....	635	12	2	1	-	-	15	2	4	9
30	FEMALE..	233	12	3	-	1	-	16	4	2	4
31	WHITE.....MALE....	486	7	1	1	-	-	9	1	3	6
32	FEMALE..	183	4	2	-	1	-	7	3	1	4
33	NEGRO.....MALE....	142	5	1	-	-	-	6	1	1	3
34	FEMALE..	45	4	1	-	-	-	5	1	1	-
35	OTHER.....MALE....	7	-	-	-	-	-	-	-	-	-
36	FEMALE..	5	4	-	-	-	-	4	-	-	-
37	PLEURISY.....519	183	15	1	-	-	-	16	-	2	-
38	MALE....	113	10	1	-	-	-	11	-	-	-
39	FEMALE..	70	5	-	-	-	-	5	-	2	-
40	WHITE.....MALE....	88	7	-	-	-	-	7	-	-	-
41	FEMALE..	62	5	-	-	-	-	5	-	2	-
42	NEGRO.....MALE....	24	3	1	-	-	-	4	-	-	-
43	FEMALE..	6	-	-	-	-	-	-	-	-	-
44	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
45	FEMALE..	2	-	-	-	-	-	-	-	-	-
46	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	4,223	1,080	58	25	14	8	1,185	11	12	10
47	MALE....	2,673	617	26	12	9	4	668	2	4	3
48	FEMALE..	1,550	463	32	13	5	4	517	9	8	7
49	WHITE.....MALE....	2,299	408	15	8	6	4	441	2	4	2
50	FEMALE..	1,276	293	24	6	5	3	331	6	7	4
51	NEGRO.....MALE....	352	201	11	4	3	-	219	-	-	1
52	FEMALE..	261	166	8	7	-	1	182	3	1	3
53	OTHER.....MALE....	22	8	-	-	-	-	8	-	-	-
54	FEMALE..	13	4	-	-	-	-	4	-	-	-
55	BRONCHIECTASIS.....526	1,708	1	-	-	-	-	1	5	3	4
56	MALE....	1,094	1	-	-	-	-	1	2	2	2
57	FEMALE..	614	-	-	-	-	-	-	3	1	2
58	WHITE.....MALE....	997	1	-	-	-	-	1	2	2	1
59	FEMALE..	590	-	-	-	-	-	-	3	-	2
60	NEGRO.....MALE....	82	-	-	-	-	-	-	-	-	1
61	FEMALE..	18	-	-	-	-	-	-	-	-	-
62	OTHER.....MALE....	15	-	-	-	-	-	-	-	-	-
63	FEMALE..	6	-	-	-	-	-	-	-	1	-
64	OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	20,587	285	27	14	5	10	341	12	13	18
65	MALE....	17,388	165	19	10	-	3	197	6	4	12
66	FEMALE..	3,199	120	8	4	5	7	144	6	9	6
67	WHITE.....MALE....	16,398	119	15	7	-	3	144	6	3	10
68	FEMALE..	2,970	77	6	4	5	6	98	4	8	6
69	NEGRO.....MALE....	935	43	4	3	-	-	50	-	1	2
70	FEMALE..	214	39	2	-	-	1	42	2	1	-
71	OTHER.....MALE....	55	3	-	-	-	-	3	-	-	-
72	FEMALE..	15	4	-	-	-	-	4	-	-	-
73	EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	18,664	53	4	6	-	1	64	1	2	8
74	MALE....	16,151	32	4	4	-	1	41	-	-	5
75	FEMALE..	2,513	21	-	2	-	-	23	1	2	3
76	WHITE.....MALE....	15,367	29	4	3	-	1	37	-	-	4
77	FEMALE..	2,397	18	-	2	-	-	20	1	2	3
78	NEGRO.....MALE....	739	3	-	1	-	-	4	-	-	1
79	FEMALE..	107	3	-	-	-	-	3	-	-	-
80	OTHER.....MALE....	45	-	-	-	-	-	-	-	-	-
81	FEMALE..	9	-	-	-	-	-	-	-	-	-
82	ALL OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527.0,527.2	1,923	232	23	8	5	9	277	11	11	10
83	MALE....	1,237	133	15	6	-	2	156	6	4	7
84	FEMALE..	686	99	8	2	5	7	121	5	7	3
85	WHITE.....MALE....	1,031	90	11	4	-	2	107	6	3	6
86	FEMALE..	573	59	6	2	5	6	78	3	6	3
87	NEGRO.....MALE....	196	40	4	2	-	-	46	-	1	1
88	FEMALE..	107	36	2	-	-	1	39	2	1	-
89	OTHER.....MALE....	10	3	-	-	-	-	3	-	-	-
90	FEMALE..	6	4	-	-	-	-	4	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
10	8	6	7	24	31	40	48	59	59	81	77	66	51	20	9	2	-	01
7	4	4	4	16	17	26	32	36	39	56	47	36	19	13	3	2	-	02
3	4	2	3	8	14	14	16	23	20	25	30	30	32	7	6	-	-	03
4	4	3	3	13	10	25	29	30	32	48	43	35	18	13	2	2	-	04
3	2	2	2	3	12	14	12	23	18	24	30	27	31	7	6	-	-	05
2	-	1	1	3	6	1	3	6	7	8	4	1	-	-	1	-	-	06
-	2	-	1	5	2	-	4	-	2	1	-	2	1	-	-	-	-	07
1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	09
10	13	12	35	67	121	223	382	555	743	798	707	428	235	89	16	2	1	10
3	3	7	19	39	78	162	301	454	617	675	556	310	164	50	8	-	-	11
7	10	5	16	28	43	61	81	101	126	123	151	118	71	39	8	2	1	12
3	1	7	14	34	70	143	281	428	583	648	536	297	157	48	7	-	-	13
5	5	4	14	22	42	58	74	96	116	121	151	116	69	38	8	2	1	14
-	2	-	5	5	7	18	18	26	30	27	16	10	4	2	1	-	-	15
2	5	1	2	5	1	3	7	5	10	2	-	2	2	1	-	-	-	16
-	-	-	-	-	1	1	2	-	4	-	4	3	3	-	-	-	-	17
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	18
1	1	1	3	3	-	1	-	1	-	-	-	-	-	-	-	-	-	19
-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	20
1	-	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	22
1	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
12	11	16	30	34	46	82	88	100	113	112	91	46	24	6	1	-	-	28
6	8	12	20	20	37	63	71	84	90	77	66	32	15	3	1	-	-	29
6	3	4	10	14	9	19	17	16	23	35	25	14	9	3	-	-	-	30
6	5	6	11	15	19	48	57	70	67	63	54	30	13	2	1	-	-	31
4	1	2	7	10	6	18	13	15	18	25	24	13	9	3	-	-	-	32
-	3	4	9	5	17	15	13	13	22	14	11	2	2	1	-	-	-	33
2	2	2	3	4	3	1	4	1	4	10	1	1	-	-	-	-	-	34
-	-	2	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	36
4	3	2	3	5	10	15	16	21	16	19	22	16	8	3	2	-	-	37
3	3	-	1	3	5	12	11	12	11	12	13	10	4	2	-	-	-	38
1	-	2	2	2	5	3	5	9	5	7	9	6	4	1	2	-	-	39
2	2	-	1	3	4	9	6	10	10	11	11	8	2	2	-	-	-	40
1	-	1	2	2	4	3	3	9	4	6	8	6	3	1	2	-	-	41
1	1	-	-	-	1	3	5	2	1	1	2	2	1	-	-	-	-	42
-	-	-	-	-	1	-	2	-	-	1	1	-	1	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	44
-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	45
10	10	13	37	66	100	197	270	378	434	513	489	275	156	35	17	2	3	46
6	5	6	21	35	65	127	189	262	322	361	308	173	90	16	6	2	2	47
4	5	7	16	31	35	70	81	116	112	152	181	102	66	19	11	-	1	48
5	4	3	17	27	51	113	171	240	304	342	298	163	86	16	6	2	2	49
3	4	6	15	24	25	53	69	104	107	146	177	100	65	18	11	-	1	50
1	1	3	3	8	14	14	16	21	16	18	7	7	3	-	-	-	-	51
1	1	1	1	6	8	16	12	12	4	5	2	2	-	1	-	-	-	52
-	-	-	1	-	-	-	2	1	2	1	3	3	1	-	-	-	-	53
-	-	-	-	1	2	1	-	-	1	1	2	-	1	-	-	-	-	54
12	8	17	25	51	79	97	117	174	240	285	251	208	102	22	5	2	-	55
5	2	12	11	22	39	61	85	115	168	201	167	118	64	14	3	-	-	56
7	6	5	14	29	40	36	32	59	72	84	84	90	38	8	2	2	-	57
5	1	10	7	15	31	50	71	108	157	191	158	112	61	12	2	-	-	58
7	6	5	10	27	36	35	29	57	71	83	83	88	37	8	2	1	-	59
-	1	1	4	7	7	11	11	6	10	8	7	3	2	2	1	-	-	60
-	-	-	4	2	4	1	1	1	1	1	1	1	-	-	-	1	-	61
-	-	1	-	-	1	-	3	1	1	2	2	3	1	-	-	-	-	62
-	-	-	-	-	-	-	2	1	-	-	-	1	1	-	-	-	-	63
18	24	38	109	242	542	1,033	1,822	2,818	3,797	3,822	3,180	1,697	775	233	47	6	-	64
12	13	22	72	157	398	836	1,555	2,478	3,379	3,389	2,744	1,359	578	149	25	3	-	65
6	11	16	37	85	144	197	267	340	418	433	436	338	197	84	22	3	-	66
8	11	18	59	131	329	741	1,444	2,328	3,227	3,275	2,649	1,303	551	137	22	2	-	67
5	7	12	28	75	129	174	240	323	398	415	420	330	193	82	21	2	-	68
3	2	4	13	26	67	93	104	143	147	112	87	49	19	9	3	1	-	69
1	4	3	9	9	15	21	27	17	19	15	15	7	4	1	1	1	-	70
1	-	-	-	-	2	2	7	7	5	2	8	7	8	3	-	-	-	71
-	-	1	-	1	-	2	-	-	1	3	1	1	-	1	-	-	-	72
3	7	23	68	195	457	918	1,673	2,623	3,589	3,598	2,949	1,578	694	177	33	4	-	73
2	4	12	49	132	353	754	1,450	2,340	3,230	3,212	2,598	1,291	536	122	17	3	-	74
1	3	11	19	63	104	164	223	283	359	386	351	287	158	55	16	1	-	75
1	3	10	43	112	296	679	1,358	2,216	3,095	3,113	2,516	1,241	514	111	16	2	-	76
1	-	10	14	59	94	148	208	272	349	371	340	280	155	54	15	1	-	77
1	1	2	6	20	55	73	87	118	130	97	74	44	15	9	1	1	-	78
-	3	-	5	4	10	15	15	11	9	12	10	6	3	-	1	-	-	79
-	-	-	-	-	2	2	5	6	5	2	8	6	7	2	-	-	-	80
-	-	1	-	-	-	1	-	-	1	3	1	1	-	1	-	-	-	81
15	17	15	41	47	85	115	149	195	208	224	231	119	81	56	14	2	-	82
10	9	10	23	25	45	82	105	138	149	177	146	68	42	27	8	-	-	83
5	8	5	18	22	40	33	44	57	59	47	85	51	39	29	6	2	-	84
7	8	8	16	19	33	62	86	112	132	162	133	62	37	26	6	-	-	85
4	7	2	14	16	35	26	32	51	49	44	80	50	38	28	6	1	-	86
2	1	2	7	6	12	20	17	25	17	15	13	5	4	-	2	-	-	87
1	1	3	4	5	5	6	12	6	10	3	5	1	1	1	-	1	-	88
1	-	-	-	-	-	-	2	1	-	-	-	1	1	1	-	-	-	89
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	OTHER RESPIRATORY DISEASES.....511-517,520,522-524	3,703	238	16	9	10	9	282	24	9	18
02	MALE....	2,659	142	7	7	4	4	164	9	5	12
03	FEMALE..	1,044	96	9	2	6	5	118	15	4	6
04	WHITE.....MALE....	2,400	111	6	7	3	4	131	6	4	6
05	FEMALE..	928	60	9	2	5	4	80	13	3	4
06	NEGRO.....MALE....	246	29	1	-	1	-	31	3	1	5
07	FEMALE..	114	35	-	-	1	1	37	2	1	2
08	OTHER.....MALE....	13	2	-	-	-	-	2	-	-	1
09	FEMALE..	2	1	-	-	-	-	1	-	-	-
10	IX. DISEASES OF THE DIGESTIVE SYSTEM.....	71,900	2,939	349	129	72	73	3,562	183	175	248
11	MALE....	41,762	1,675	217	70	39	38	2,039	107	102	130
12	FEMALE..	30,138	1,264	132	59	33	35	1,523	76	73	118
13	WHITE.....MALE....	36,554	990	158	47	26	27	1,248	74	87	109
14	FEMALE..	26,268	711	94	39	23	22	889	62	57	86
15	NEGRO.....MALE....	4,827	622	52	22	11	11	718	31	15	20
16	FEMALE..	3,581	500	34	19	9	11	573	14	16	32
17	OTHER.....MALE....	381	63	7	1	2	-	73	2	-	1
18	FEMALE..	289	53	4	1	1	2	61	-	-	-
19	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	70	1	-	-	2	1	4	1	1	1
20	MALE....	37	1	-	-	2	-	3	-	1	-
21	FEMALE..	33	-	-	-	-	1	1	1	-	1
22	WHITE.....MALE....	29	1	-	-	2	-	3	-	1	-
23	FEMALE..	21	-	-	-	-	1	1	1	-	1
24	NEGRO.....MALE....	8	-	-	-	-	-	-	-	-	-
25	FEMALE..	12	-	-	-	-	-	-	-	-	-
26	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
27	FEMALE..	-	-	-	-	-	-	-	-	-	-
28	ULCER OF STOMACH.....540	5,403	47	2	2	-	1	52	1	4	12
29	MALE....	3,633	25	1	1	-	1	28	-	2	7
30	FEMALE..	1,770	22	1	1	-	-	24	1	2	5
31	WHITE.....MALE....	3,266	13	1	1	-	1	16	-	2	6
32	FEMALE..	1,611	11	1	1	-	-	13	1	2	5
33	NEGRO.....MALE....	332	9	-	-	-	-	9	-	-	1
34	FEMALE..	148	11	-	-	-	-	11	-	-	-
35	OTHER.....MALE....	35	3	-	-	-	-	3	-	-	-
36	FEMALE..	11	-	-	-	-	-	-	-	-	-
37	ULCER OF DUODENUM.....541	5,021	28	3	1	1	2	35	2	4	7
38	MALE....	3,728	18	2	-	-	2	22	1	3	4
39	FEMALE..	1,293	10	1	1	1	-	13	1	1	3
40	WHITE.....MALE....	3,468	9	2	-	-	2	13	1	1	3
41	FEMALE..	1,191	5	1	-	1	-	7	-	1	3
42	NEGRO.....MALE....	238	9	-	-	-	-	9	-	2	-
43	FEMALE..	97	5	-	1	-	-	6	1	-	-
44	OTHER.....MALE....	22	-	-	-	-	-	-	-	-	1
45	FEMALE..	5	-	-	-	-	-	-	-	-	-
46	GASTRITIS AND DUODENITIS.....543	456	14	4	3	1	-	22	2	1	2
47	MALE....	290	9	4	1	1	-	15	2	-	1
48	FEMALE..	166	5	-	2	-	-	7	-	1	1
49	WHITE.....MALE....	257	7	2	1	-	-	10	1	-	1
50	FEMALE..	136	2	-	2	-	-	4	-	-	1
51	NEGRO.....MALE....	26	2	2	-	1	-	5	1	-	-
52	FEMALE..	30	3	-	-	-	-	3	-	1	-
53	OTHER.....MALE....	7	-	-	-	-	-	-	-	-	-
54	FEMALE..	-	-	-	-	-	-	-	-	-	-
55	APPENDICITIS.....550-553	1,694	15	11	7	7	15	55	60	58	48
56	MALE....	1,072	10	8	4	3	10	35	37	41	30
57	FEMALE..	622	5	3	3	4	5	20	23	17	18
58	WHITE.....MALE....	895	8	7	2	3	7	27	27	35	24
59	FEMALE..	519	2	2	2	4	3	13	18	13	10
60	NEGRO.....MALE....	168	1	1	2	-	3	7	9	6	6
61	FEMALE..	99	2	1	1	-	2	6	5	4	8
62	OTHER.....MALE....	9	1	-	-	-	-	1	1	-	-
63	FEMALE..	4	1	-	-	-	-	1	-	-	-
64	HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	10,003	852	30	18	14	8	922	27	23	29
65	MALE....	4,668	492	20	11	10	6	539	20	17	16
66	FEMALE..	5,335	360	10	7	4	2	383	7	6	13
67	WHITE.....MALE....	4,084	409	13	7	7	4	440	13	15	13
68	FEMALE..	4,763	301	8	5	2	2	318	6	4	10
69	NEGRO.....MALE....	550	78	6	4	1	2	91	6	2	3
70	FEMALE..	544	55	2	2	2	-	61	1	2	3
71	OTHER.....MALE....	34	5	1	-	2	-	8	1	-	-
72	FEMALE..	28	4	-	-	-	-	4	-	-	-
73	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, AGE 4 WEEKS AND OVER.....571	3,443	1,652	251	71	31	32	2,037	40	24	16
74	MALE....	1,781	921	155	38	16	15	1,145	22	13	11
75	FEMALE..	1,662	731	96	33	15	17	892	18	11	5
76	WHITE.....MALE....	1,100	406	109	24	8	10	557	14	11	10
77	FEMALE..	1,099	307	65	18	12	10	412	16	10	4
78	NEGRO.....MALE....	615	465	41	13	8	5	532	8	2	1
79	FEMALE..	511	378	28	14	2	6	428	2	1	1
80	OTHER.....MALE....	66	50	5	1	-	-	56	-	-	-
81	FEMALE..	52	46	3	1	1	1	52	-	-	-
82	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	4,000	43	3	2	2	1	51	4	11	28
83	MALE....	1,731	27	2	1	2	1	33	2	7	14
84	FEMALE..	2,269	16	1	1	-	-	18	2	4	14
85	WHITE.....MALE....	1,636	16	2	1	2	-	21	2	5	14
86	FEMALE..	2,123	10	-	1	-	-	11	1	3	13
87	NEGRO.....MALE....	87	10	-	-	-	1	11	-	2	-
88	FEMALE..	141	5	1	-	-	-	6	1	1	1
89	OTHER.....MALE....	8	1	-	-	-	-	1	-	-	-
90	FEMALE..	5	1	-	-	-	-	1	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
27	36	38	49	78	108	163	238	356	412	479	490	386	283	152	53	21	1	01
15	23	19	29	54	65	130	200	312	367	404	383	247	137	60	18	5	1	02
12	13	19	20	24	43	33	38	44	45	75	107	139	146	92	35	16	-	03
10	11	11	22	32	50	113	187	284	331	381	370	240	130	59	17	4	1	04
10	11	12	19	17	36	30	31	40	41	66	105	133	141	87	34	15	-	05
4	11	7	7	22	15	16	13	27	36	23	13	6	3	1	1	1	-	06
2	2	7	1	7	7	3	7	4	4	9	2	6	5	5	-	1	-	07
1	1	1	-	-	-	1	-	1	-	-	-	1	4	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	09
311	518	1,060	2,177	3,626	5,013	6,411	7,012	7,296	7,772	8,024	7,522	5,930	3,477	1,273	263	34	13	10
150	265	591	1,217	2,168	3,040	4,089	4,556	4,772	4,879	4,685	4,033	2,871	1,477	484	85	12	10	11
161	253	469	960	1,458	1,973	2,322	2,456	2,524	2,893	3,339	3,489	3,059	2,000	789	178	22	3	12
98	177	368	873	1,675	2,539	3,546	4,059	4,317	4,482	4,370	3,807	2,752	1,415	465	75	10	8	13
115	159	294	654	1,072	1,626	2,009	2,171	2,210	2,606	3,109	3,317	2,945	1,932	760	176	17	2	14
52	84	213	333	477	475	508	464	419	360	282	201	99	51	16	6	1	2	15
42	85	158	283	363	325	284	260	302	278	211	157	103	60	27	2	5	1	16
-	4	10	11	16	26	35	33	36	37	33	25	20	11	3	4	1	-	17
4	9	17	23	23	22	29	25	12	9	19	15	11	8	2	-	-	-	18
3	2	6	5	8	7	3	4	2	10	4	3	4	1	1	-	-	-	19
2	-	3	1	2	3	1	4	2	9	3	2	1	-	-	-	-	-	20
1	2	3	4	6	4	2	-	-	1	1	1	3	1	1	-	-	-	21
1	-	3	-	-	3	-	3	1	8	3	2	1	-	-	-	-	-	22
1	2	1	3	3	1	1	-	-	-	-	1	3	1	1	-	-	-	23
1	-	-	1	2	-	1	1	1	1	-	-	-	-	-	-	-	-	24
-	-	2	1	3	3	1	-	-	1	1	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
16	23	38	72	163	248	377	483	612	674	776	777	594	332	119	28	-	2	28
13	14	26	50	120	167	269	367	449	493	527	502	344	179	64	10	-	2	29
3	9	12	22	43	81	108	116	163	181	249	275	250	153	55	18	-	-	30
9	9	18	35	92	134	225	319	416	445	490	477	326	175	62	8	-	2	31
3	6	11	16	32	64	92	103	140	167	235	259	241	150	53	18	-	-	32
4	5	8	15	28	31	41	43	29	43	35	21	12	4	2	1	-	-	33
-	3	1	6	11	17	16	12	22	14	12	11	7	3	2	-	-	-	34
-	-	-	-	-	2	3	5	4	5	2	4	6	-	-	1	-	-	35
-	-	-	-	-	-	-	1	1	-	2	5	2	-	-	-	-	-	36
16	16	40	69	156	244	369	497	556	666	725	725	492	286	91	23	-	2	37
12	11	29	46	111	187	291	396	458	520	567	526	315	172	49	6	-	2	38
4	5	11	23	45	57	78	101	98	146	158	199	177	114	42	17	-	-	39
6	9	24	39	99	161	262	364	425	491	546	499	301	169	47	6	-	2	40
4	5	7	19	39	51	71	86	91	130	151	187	173	109	40	17	-	-	41
6	2	5	6	11	25	29	31	30	24	19	24	11	3	1	-	-	-	42
-	-	4	3	6	6	6	15	7	15	6	12	4	4	2	-	-	-	43
-	-	-	1	1	1	-	1	3	5	2	3	3	-	1	-	-	-	44
-	-	-	1	-	-	1	-	-	1	1	-	-	1	-	-	-	-	45
5	4	8	16	17	30	38	34	30	47	61	52	43	23	12	9	-	-	46
2	4	6	12	9	19	24	25	20	33	45	29	24	11	4	5	-	-	47
3	-	2	4	8	11	14	9	10	14	16	23	19	12	8	4	-	-	48
2	3	3	10	8	17	20	24	18	31	40	27	22	11	4	5	-	-	49
2	-	1	2	6	9	8	7	9	11	15	19	19	11	8	4	-	-	50
-	1	2	2	1	2	2	-	2	2	4	1	1	-	-	-	-	-	51
1	-	1	2	2	2	6	2	1	3	1	4	-	1	-	-	-	-	52
-	-	1	-	-	-	2	1	-	-	1	1	1	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
28	18	25	30	59	81	97	126	151	176	210	195	160	82	32	2	1	-	55
18	10	10	22	42	51	70	73	103	125	128	121	105	34	16	1	-	-	56
10	8	15	8	17	30	27	53	48	51	82	74	55	48	16	1	1	-	57
13	7	6	19	34	38	52	66	86	101	109	106	98	32	14	1	-	-	58
9	6	13	5	12	21	21	43	36	46	72	72	52	44	12	1	-	-	59
5	3	4	3	8	12	15	7	17	23	18	15	6	2	2	-	-	-	60
1	2	2	3	5	9	6	10	11	5	8	2	3	4	4	-	1	-	61
-	-	-	-	-	1	3	-	-	1	1	-	1	-	-	-	-	-	62
-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	63
31	48	60	120	179	266	428	571	830	1,047	1,331	1,450	1,356	890	310	70	11	4	64
11	18	32	43	82	116	202	292	426	537	660	644	547	331	104	23	5	3	65
20	30	28	77	97	150	226	279	404	510	671	806	809	559	206	47	6	1	66
10	15	26	27	59	94	165	240	357	464	588	595	527	312	100	18	5	1	67
16	19	20	51	68	115	177	246	333	439	615	761	778	537	199	46	4	1	68
1	2	5	16	23	22	34	50	67	71	67	45	19	16	4	4	-	2	69
4	11	8	23	29	33	45	32	67	69	52	45	29	21	6	1	2	-	70
-	1	1	-	-	-	3	2	2	2	5	4	1	3	-	1	-	-	71
-	-	-	3	-	2	4	1	4	2	4	-	2	1	1	-	-	-	72
14	12	13	33	35	51	61	80	107	127	181	193	195	121	87	11	5	-	73
7	5	9	14	16	31	30	40	58	61	87	72	77	53	24	4	2	-	74
7	7	4	19	19	20	31	40	49	66	94	121	118	68	63	7	3	-	75
5	5	5	8	10	23	26	32	47	53	78	64	76	50	22	3	1	-	76
5	6	3	14	13	17	26	37	40	52	85	113	108	66	62	7	3	-	77
2	-	4	6	5	7	4	7	10	8	8	7	1	2	1	-	-	-	78
2	1	1	5	6	3	5	3	9	14	9	8	10	2	1	-	-	-	79
-	-	-	-	1	1	-	1	1	-	1	1	-	1	1	1	1	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
31	59	54	69	120	140	215	275	385	516	560	598	460	303	102	18	1	-	82
13	28	24	38	63	73	117	141	186	253	242	222	146	91	32	5	1	-	83
18	31	30	31	57	67	98	134	199	263	318	376	314	212	70	13	-	-	84
13	25	23	34	57	70	106	132	170	243	231	219	144	91	32	4	-	-	85
17	27	27	30	50	56	85	123	181	243	293	366	305	210	69	13	-	-	86
-	3	1	4	6	3	10	8	15	9	9	2	2	-	-	1	1	-	87
1	4	2	1	7	11	12	11	18	20	25	9	9	2	-	-	-	-	88
-	-	-	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-	89
-	-	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	CIRRHOSIS OF LIVER.....581	24,715	29	12	9	4	3	57	16	21	35
02	MALE....	15,984	16	6	4	2	1	29	6	6	11
03	FEMALE..	8,731	13	6	5	2	2	28	10	15	24
04	WHITE.....MALE....	13,931	12	5	4	1	1	23	4	6	8
05	FEMALE..	7,409	10	5	4	1	2	22	9	11	19
06	NEGRO.....MALE....	1,921	2	-	-	1	-	3	2	-	3
07	FEMALE..	1,192	3	1	1	1	-	6	1	4	5
08	OTHER.....MALE....	132	2	1	-	-	-	3	-	-	-
09	FEMALE..	130	-	-	-	-	-	-	-	-	-
10	WITHOUT MENTION OF ALCOHOLISM.....581.0	16,286	29	12	9	4	3	57	16	21	35
11	MALE....	10,249	16	6	4	2	1	29	6	6	11
12	FEMALE..	6,037	13	6	5	2	2	28	10	15	24
13	WHITE.....MALE....	9,053	12	5	4	1	1	23	4	6	8
14	FEMALE..	5,226	10	5	4	1	2	22	9	11	19
15	NEGRO.....MALE....	1,121	2	-	-	1	-	3	2	-	3
16	FEMALE..	743	3	1	1	1	-	6	1	4	5
17	OTHER.....MALE....	75	2	1	-	-	-	3	-	-	-
18	FEMALE..	68	-	-	-	-	-	-	-	-	-
19	WITH ALCOHOLISM.....581.1	8,429	-	-	-	-	-	-	-	-	-
20	MALE....	5,735	-	-	-	-	-	-	-	-	-
21	FEMALE..	2,694	-	-	-	-	-	-	-	-	-
22	WHITE.....MALE....	4,878	-	-	-	-	-	-	-	-	-
23	FEMALE..	2,183	-	-	-	-	-	-	-	-	-
24	NEGRO.....MALE....	800	-	-	-	-	-	-	-	-	-
25	FEMALE..	449	-	-	-	-	-	-	-	-	-
26	OTHER.....MALE....	57	-	-	-	-	-	-	-	-	-
27	FEMALE..	62	-	-	-	-	-	-	-	-	-
28	CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	4,666	3	-	-	-	-	3	-	-	8
29	MALE....	1,960	1	-	-	-	-	1	-	-	1
30	FEMALE..	2,706	2	-	-	-	-	2	-	-	7
31	WHITE.....MALE....	1,883	1	-	-	-	-	1	-	-	1
32	FEMALE..	2,533	1	-	-	-	-	1	-	-	5
33	NEGRO.....MALE....	60	-	-	-	-	-	-	-	-	-
34	FEMALE..	144	-	-	-	-	-	-	-	-	2
35	OTHER.....MALE....	17	-	-	-	-	-	-	-	-	-
36	FEMALE..	29	1	-	-	-	-	1	-	-	-
37	OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	12,429	255	33	16	10	10	324	30	28	62
38	MALE....	6,878	155	19	10	3	2	189	17	12	35
39	FEMALE..	5,551	100	14	6	7	8	135	13	16	27
40	WHITE.....MALE....	6,005	108	17	7	3	2	137	12	11	29
41	FEMALE..	4,863	62	12	6	3	4	87	10	13	15
42	NEGRO.....MALE....	822	46	2	3	-	-	51	5	1	6
43	FEMALE..	663	38	1	-	4	3	46	3	3	12
44	OTHER.....MALE....	51	1	-	-	-	-	1	-	-	-
45	FEMALE..	25	-	1	-	-	1	2	-	-	-
46	X. DISEASES OF THE GENITOURINARY SYSTEM.....	30,455	155	49	29	38	23	294	135	175	313
47	MALE....	17,715	96	32	13	19	8	168	62	84	169
48	FEMALE..	12,740	59	17	16	19	15	126	73	91	144
49	WHITE.....MALE....	14,355	61	22	8	13	3	107	46	68	149
50	FEMALE..	10,133	43	14	12	14	12	95	62	67	113
51	NEGRO.....MALE....	3,203	33	10	5	6	4	58	15	16	20
52	FEMALE..	2,498	16	2	4	4	3	29	10	24	29
53	OTHER.....MALE....	157	2	-	-	-	1	3	1	-	-
54	FEMALE..	109	-	1	-	1	-	2	1	-	2
55	NEPHRITIS AND NEPHROSIS.....590-594	11,920	52	39	19	31	18	159	100	135	222
56	MALE....	6,623	28	26	7	18	6	85	46	64	131
57	FEMALE..	5,297	24	13	12	13	12	74	54	71	91
58	WHITE.....MALE....	5,143	21	19	4	12	2	58	33	52	113
59	FEMALE..	4,033	21	11	8	9	10	59	45	51	77
60	NEGRO.....MALE....	1,407	7	7	3	6	3	26	13	12	18
61	FEMALE..	1,207	3	2	4	3	2	14	8	20	13
62	OTHER.....MALE....	73	-	-	-	-	1	1	-	-	-
63	FEMALE..	57	-	-	-	1	-	1	1	-	1
64	ACUTE NEPHRITIS.....590	547	8	5	6	10	6	35	19	10	19
65	MALE....	294	3	5	2	5	2	17	10	4	14
66	FEMALE..	253	5	-	4	5	4	18	9	6	5
67	WHITE.....MALE....	207	3	1	1	2	-	7	5	4	11
68	FEMALE..	189	5	-	2	2	3	12	7	5	3
69	NEGRO.....MALE....	86	-	4	1	3	2	10	5	-	3
70	FEMALE..	60	-	-	2	3	1	6	2	1	2
71	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
72	FEMALE..	4	-	-	-	-	-	-	-	-	-
73	NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	778	13	18	7	11	3	52	24	24	26
74	MALE....	436	9	12	3	8	-	32	14	15	12
75	FEMALE..	342	4	6	4	3	3	20	10	9	14
76	WHITE.....MALE....	352	9	11	2	7	-	29	12	12	12
77	FEMALE..	269	3	6	4	3	3	19	8	7	9
78	NEGRO.....MALE....	79	-	1	1	1	-	3	2	3	-
79	FEMALE..	73	1	-	-	-	-	1	2	2	5
80	OTHER.....MALE....	5	-	-	-	-	-	-	-	-	-
81	FEMALE..	-	-	-	-	-	-	-	-	-	-
82	CHRONIC & UNSPECIFIED NEPHRITIS & OTHER RENAL SCLEROSIS.....592-594	10,595	31	16	6	10	9	72	57	101	177
83	MALE....	5,893	16	9	2	5	4	36	22	45	105
84	FEMALE..	4,702	15	7	4	5	5	36	35	56	72
85	WHITE.....MALE....	4,584	9	7	1	3	2	22	16	36	90
86	FEMALE..	3,575	13	5	2	4	4	28	30	39	65
87	NEGRO.....MALE....	1,242	7	2	1	2	1	13	6	9	15
88	FEMALE..	1,074	2	2	2	-	1	7	4	17	6
89	OTHER.....MALE....	67	-	-	-	-	1	1	-	-	-
90	FEMALE..	53	-	-	-	1	-	1	1	-	1

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
70	198	580	1,355	2,294	3,163	3,852	3,697	3,103	2,568	1,796	1,134	540	186	39	8	-	3	01
30	101	328	782	1,396	1,911	2,521	2,492	2,214	1,772	1,183	735	338	111	11	4	-	3	02
40	97	252	573	898	1,252	1,331	1,205	889	796	613	399	202	75	28	4	-	-	03
16	58	181	547	1,062	1,599	2,223	2,249	2,027	1,659	1,123	701	324	103	11	4	-	3	04
18	38	137	363	668	1,048	1,185	1,082	798	745	585	385	194	72	26	4	-	-	05
14	42	142	226	324	293	280	227	169	98	52	28	12	6	-	-	-	-	06
20	50	101	191	211	184	130	107	86	50	24	10	8	2	2	-	-	-	07
-	1	5	9	10	19	18	16	18	15	8	6	2	2	-	-	-	-	08
2	9	14	19	19	20	16	16	5	1	4	4	-	1	-	-	-	-	09
58	120	315	776	1,379	1,854	2,367	2,332	2,089	1,816	1,422	935	479	169	36	8	-	2	10
26	63	163	437	821	1,090	1,517	1,544	1,454	1,201	897	582	291	95	10	4	-	2	11
32	57	152	339	558	764	850	788	635	615	525	353	188	74	26	4	-	-	12
14	38	100	302	646	922	1,350	1,396	1,328	1,128	848	557	278	89	10	4	-	2	13
16	25	82	225	425	652	763	712	567	576	502	341	180	71	24	4	-	-	14
12	25	61	131	172	157	158	139	115	63	44	21	11	4	-	-	-	-	15
15	29	64	103	124	104	79	67	64	38	19	9	8	2	2	-	-	-	16
-	-	2	4	3	11	9	9	11	10	5	4	2	2	-	-	-	-	17
1	3	6	11	9	8	8	9	4	1	4	3	-	1	-	-	-	-	18
12	78	265	579	915	1,309	1,485	1,365	1,014	752	374	199	61	17	3	-	-	1	19
4	38	165	345	575	821	1,004	948	760	571	286	153	47	16	1	-	-	1	20
8	40	100	234	340	488	481	417	254	181	88	46	14	1	2	-	-	-	21
2	20	81	245	416	677	873	853	699	531	275	144	46	14	1	-	-	1	22
2	13	55	138	243	396	422	370	231	169	83	44	14	1	2	-	-	-	23
2	17	81	95	152	136	122	88	54	35	8	7	1	2	-	-	-	-	24
5	21	37	88	87	80	51	40	22	12	5	1	-	-	-	-	-	-	25
-	1	3	5	7	8	9	7	7	5	3	2	-	-	-	-	-	-	26
1	6	8	8	10	12	8	7	1	-	-	1	-	-	-	-	-	-	27
9	16	22	46	68	109	165	223	363	570	772	868	771	446	168	33	5	1	28
-	4	8	14	24	44	71	101	161	279	326	371	336	160	52	6	1	-	29
9	12	14	32	44	65	94	122	202	291	446	497	435	286	116	27	4	1	30
-	3	8	14	22	43	67	90	152	262	317	361	328	155	52	6	1	-	31
7	11	13	28	30	55	82	107	185	268	422	477	417	279	115	27	4	-	32
-	1	-	-	2	1	3	7	6	16	8	8	4	4	-	-	-	-	33
1	1	1	4	11	10	10	11	16	20	21	19	12	3	1	-	-	1	34
-	-	-	-	-	-	1	4	3	1	1	2	4	1	-	-	-	-	35
1	-	-	-	3	-	2	4	1	3	3	1	6	4	-	-	-	-	36
88	122	214	362	527	674	806	1,022	1,157	1,371	1,608	1,527	1,315	807	312	61	11	1	37
42	70	116	195	303	438	493	625	695	797	917	809	638	335	128	21	3	-	38
46	52	98	167	224	236	313	397	462	574	691	718	677	472	184	40	8	1	39
23	43	71	140	232	357	400	540	618	725	845	756	605	317	121	20	3	-	40
33	39	61	123	151	189	261	337	397	505	636	677	655	453	175	39	6	1	41
19	25	42	54	67	79	89	83	73	65	62	50	31	14	6	-	-	-	42
12	13	35	44	72	47	47	57	65	67	52	37	21	18	9	1	2	-	43
-	2	3	1	4	2	4	2	4	7	10	3	2	4	1	1	-	-	44
1	-	2	-	1	-	5	3	-	2	3	4	1	1	-	-	-	-	45
364	397	491	727	980	1,287	1,639	1,926	2,514	3,252	3,888	4,153	3,924	2,658	1,056	238	37	7	46
191	209	237	356	412	659	874	1,066	1,428	1,952	2,407	2,662	2,447	1,564	616	135	14	3	47
173	188	254	371	568	628	765	860	1,086	1,300	1,481	1,491	1,477	1,094	440	103	23	4	48
150	150	164	251	274	439	623	790	1,041	1,514	1,972	2,316	2,204	1,426	547	115	6	3	49
133	116	149	211	346	403	535	594	781	1,014	1,276	1,342	1,353	1,026	407	96	12	2	50
38	54	71	101	131	211	243	268	369	421	410	326	229	131	66	18	7	-	51
38	67	102	154	216	215	220	260	293	272	199	138	117	66	31	6	10	2	52
3	5	2	4	7	9	8	8	18	17	25	20	14	7	3	2	1	-	53
2	5	3	6	6	10	10	6	12	14	6	11	7	2	2	1	1	-	54
272	275	308	429	521	737	845	931	1,013	1,157	1,245	1,248	1,157	770	310	68	16	2	55
161	167	181	261	281	441	527	524	572	642	693	679	599	374	157	33	3	2	56
111	108	127	168	240	296	318	407	441	515	552	569	558	396	153	35	13	-	57
127	119	130	181	191	302	391	406	425	495	565	559	517	324	129	24	-	2	58
89	62	73	115	148	189	220	262	316	374	441	486	493	361	133	33	6	-	59
31	43	49	76	86	130	130	113	140	142	121	115	77	48	27	8	2	-	60
20	43	53	51	89	100	94	140	118	133	109	78	62	35	20	1	6	-	61
3	5	2	4	4	9	6	5	7	5	7	5	5	2	1	1	1	-	62
2	3	1	2	3	7	4	5	7	8	2	5	3	-	-	1	1	-	63
21	14	15	21	24	35	49	34	40	44	49	43	43	21	9	1	1	-	64
15	7	3	12	8	19	30	16	25	25	26	24	19	14	4	1	1	-	65
6	7	12	9	16	16	19	18	15	19	23	19	24	7	5	-	-	-	66
9	4	2	8	8	9	21	13	15	21	23	19	15	12	1	-	-	-	67
6	1	6	7	11	10	14	13	12	14	19	14	24	7	4	-	-	-	68
6	3	1	4	-	10	9	2	10	4	3	5	4	2	3	1	1	-	69
-	5	6	2	5	4	5	5	3	4	4	5	-	-	1	-	-	-	70
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	71
-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	72
23	25	21	33	26	37	56	58	64	77	73	65	54	26	12	2	-	-	73
13	16	14	17	10	25	31	35	41	41	37	38	27	9	8	1	-	-	74
10	9	7	16	16	12	25	23	23	36	36	27	27	17	4	1	-	-	75
11	11	9	12	7	16	21	28	32	34	35	34	23	7	7	-	-	-	76
8	5	3	13	11	7	17	17	20	30	32	23	23	14	2	1	-	-	77
1	5	5	5	3	8	9	7	8	6	2	4	4	2	1	1	-	-	78
2	4	4	3	5	5	8	6	3	6	4	4	4	3	2	-	-	-	79
1	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
228	236	272	375	471	665	740	839	909	1,036	1,123	1,140	1,060	723	289	65	15	2	82
133	144	164	232	263	397	466	473	506	576	630	617	553	351	145	31	2	2	83
95	92	108	143	208	268	274	366	403	460	493	523	507	372	144	34	13	-	84
107	104	119	161	176	277	349	365	378	440	507	506	479	305	121	24	-	2	85
75	56	64	95	126	172	189	232	284	330	390	449	446	340	127	32	6	-	86
24	35	43	67	83	112	112	104	122	132	116	106	69	44	23	6	1	-	87
18	34	43	46	79	91	81	129	112	123	101	69	58	32	17	1	6	-	88
2	5	2	4	4	8	5	4	6	4	7	5	5	2	1	1	1	-	89
2	2	1	2	3	5	4	5	7	7	2	5	3	-	-	1	1	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	INFECTIONS OF KIDNEY.....600	9,813	40	3	6	4	2	55	16	18	56
02	MALE....	4,652	26	2	3	-	1	32	6	6	26
03	FEMALE..	5,161	14	1	3	4	1	23	10	12	30
04	WHITE.....MALE....	3,775	10	1	3	-	1	15	5	3	25
05	FEMALE..	4,204	9	1	3	4	-	17	8	9	22
06	NEGRO.....MALE....	838	15	1	-	-	-	16	1	3	1
07	FEMALE..	917	5	-	-	-	1	6	2	3	7
08	OTHER.....MALE....	39	1	-	-	-	-	1	-	-	-
09	FEMALE..	40	-	-	-	-	-	-	-	-	1
10	CALCULI OF URINARY SYSTEM.....602,604	1,205	-	-	-	-	-	-	-	1	2
11	MALE....	633	-	-	-	-	-	-	-	1	1
12	FEMALE..	572	-	-	-	-	-	-	-	-	1
13	WHITE.....MALE....	571	-	-	-	-	-	-	-	1	1
14	FEMALE..	505	-	-	-	-	-	-	-	-	1
15	NEGRO.....MALE....	54	-	-	-	-	-	-	-	-	-
16	FEMALE..	65	-	-	-	-	-	-	-	-	-
17	OTHER.....MALE....	8	-	-	-	-	-	-	-	-	-
18	FEMALE..	2	-	-	-	-	-	-	-	-	-
19	OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	2,951	60	6	2	3	3	74	18	20	20
20	MALE....	1,871	39	3	1	1	1	45	9	13	11
21	FEMALE..	1,080	21	3	1	2	2	29	9	7	9
22	WHITE.....MALE....	1,475	27	1	1	1	-	30	7	12	10
23	FEMALE..	935	13	2	1	1	2	19	9	7	6
24	NEGRO.....MALE....	384	11	2	-	-	1	14	1	1	1
25	FEMALE..	139	8	-	-	1	-	9	-	-	3
26	OTHER.....MALE....	12	1	-	-	-	-	1	1	-	-
27	FEMALE..	6	-	1	-	-	-	1	-	-	-
28	HYPERPLASIA OF PROSTATE.....610	3,413	-	-	-	-	-	-	-	-	-
29	WHITE.....MALE....	2,953	-	-	-	-	-	-	-	-	-
30	NEGRO.....MALE....	438	-	-	-	-	-	-	-	-	-
31	OTHER.....MALE....	22	-	-	-	-	-	-	-	-	-
32	DISEASES OF BREAST.....620,621	6	-	-	-	-	-	-	-	-	-
33	MALE....	1	-	-	-	-	-	-	-	-	-
34	FEMALE..	5	-	-	-	-	-	-	-	-	-
35	WHITE.....MALE....	1	-	-	-	-	-	-	-	-	-
36	FEMALE..	5	-	-	-	-	-	-	-	-	-
37	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
38	FEMALE..	-	-	-	-	-	-	-	-	-	-
39	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
40	FEMALE..	-	-	-	-	-	-	-	-	-	-
41	OTHER DISEASES OF GENITAL ORGANS.....611-617,622-637	1,147	3	1	2	-	-	6	1	1	13
42	MALE....	522	3	1	2	-	-	6	1	-	-
43	FEMALE..	625	-	-	-	-	-	-	-	1	13
44	WHITE.....MALE....	437	3	1	-	-	-	4	1	-	-
45	FEMALE..	451	-	-	-	-	-	-	-	-	7
46	NEGRO.....MALE....	82	-	-	2	-	-	2	-	-	-
47	FEMALE..	170	-	-	-	-	-	-	-	1	6
48	OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
49	FEMALE..	4	-	-	-	-	-	-	-	-	-
50	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	1,189	-	-	-	-	-	-	-	3	116
51	WHITE.....FEMALE..	656	-	-	-	-	-	-	-	-	52
52	NEGRO.....FEMALE..	513	-	-	-	-	-	-	-	3	63
53	OTHER.....FEMALE..	20	-	-	-	-	-	-	-	-	1
54	SEPSIS OF PREGNANCY, CHILDBIRTH, AND PUERPERIUM...640,641,681,682,684	147	-	-	-	-	-	-	-	1	14
55	WHITE.....FEMALE..	86	-	-	-	-	-	-	-	-	8
56	NEGRO.....FEMALE..	60	-	-	-	-	-	-	-	1	6
57	OTHER.....FEMALE..	1	-	-	-	-	-	-	-	-	-
58	TOXEMIAS OF PREGNANCY AND PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....642,685,686	211	-	-	-	-	-	-	-	1	28
59	WHITE.....FEMALE..	108	-	-	-	-	-	-	-	-	10
60	NEGRO.....FEMALE..	98	-	-	-	-	-	-	-	1	18
61	OTHER.....FEMALE..	5	-	-	-	-	-	-	-	-	-
62	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	187	-	-	-	-	-	-	-	-	8
63	WHITE.....FEMALE..	119	-	-	-	-	-	-	-	-	4
64	NEGRO.....FEMALE..	65	-	-	-	-	-	-	-	-	4
65	OTHER.....FEMALE..	3	-	-	-	-	-	-	-	-	-
66	ECTOPIC PREGNANCY.....645	70	-	-	-	-	-	-	-	-	9
67	WHITE.....FEMALE..	27	-	-	-	-	-	-	-	-	5
68	NEGRO.....FEMALE..	41	-	-	-	-	-	-	-	-	4
69	OTHER.....FEMALE..	2	-	-	-	-	-	-	-	-	-
70	ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	67	-	-	-	-	-	-	-	-	8
71	WHITE.....FEMALE..	29	-	-	-	-	-	-	-	-	4
72	NEGRO.....FEMALE..	36	-	-	-	-	-	-	-	-	4
73	OTHER.....FEMALE..	2	-	-	-	-	-	-	-	-	-
74	ABORTION WITH SEPSIS.....651	158	-	-	-	-	-	-	-	-	19
75	WHITE.....FEMALE..	74	-	-	-	-	-	-	-	-	5
76	NEGRO.....FEMALE..	83	-	-	-	-	-	-	-	-	14
77	OTHER.....FEMALE..	1	-	-	-	-	-	-	-	-	-
78	ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	10	-	-	-	-	-	-	-	-	-
79	WHITE.....FEMALE..	3	-	-	-	-	-	-	-	-	-
80	NEGRO.....FEMALE..	7	-	-	-	-	-	-	-	-	-
81	OTHER.....FEMALE..	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
50	62	98	179	271	355	507	636	860	1,156	1,349	1,402	1,352	930	370	75	11	5	01
15	22	33	69	89	146	199	303	406	588	687	755	671	413	159	24	2	1	02
35	40	65	110	182	209	308	333	454	568	662	647	681	517	211	51	9	4	03
9	14	16	50	59	90	137	219	290	457	561	677	602	376	146	21	-	1	04
26	29	37	52	109	125	203	229	307	457	593	601	634	493	199	47	5	2	05
6	8	15	19	29	56	60	83	110	123	117	74	65	35	12	3	2	-	06
9	9	27	56	71	82	100	103	142	107	65	42	44	22	10	4	4	2	07
-	-	-	-	1	-	2	1	6	8	9	4	4	2	1	-	-	-	08
-	2	1	2	2	2	5	1	5	4	4	4	3	2	2	-	-	-	09
4	8	8	18	37	44	79	91	136	160	202	180	137	65	30	2	1	-	10
3	4	4	9	16	18	34	49	63	92	115	102	76	30	14	1	1	-	11
1	4	4	9	21	26	45	42	73	68	87	78	61	35	16	1	-	-	12
3	3	3	9	13	14	24	46	56	81	104	97	71	29	14	1	1	-	13
-	2	3	7	12	19	38	36	61	63	79	74	59	34	16	1	-	-	14
-	1	1	-	2	4	10	3	6	10	8	4	4	1	-	-	-	-	15
1	2	-	2	9	7	7	6	12	5	8	4	1	1	-	-	-	-	16
-	-	-	-	1	-	-	-	1	1	3	1	1	-	-	-	-	-	17
-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	18
17	20	31	32	59	77	115	157	255	339	415	441	413	301	117	27	3	-	19
12	14	15	17	21	45	67	98	175	226	286	291	271	173	66	14	2	-	20
5	6	16	15	38	32	48	59	80	113	129	150	142	128	51	13	1	-	21
11	12	11	11	7	26	39	61	123	160	230	250	243	163	56	12	1	-	22
4	4	11	10	28	21	35	50	68	92	114	136	137	120	50	13	1	-	23
1	2	4	6	13	19	28	36	51	66	54	40	26	9	9	2	1	-	24
1	2	5	4	10	11	12	9	12	19	15	13	5	8	1	-	-	-	25
-	-	-	-	1	-	-	1	1	-	2	1	2	1	1	-	-	-	26
-	-	-	1	-	-	1	-	-	2	-	1	-	-	-	-	-	-	27
-	1	2	-	2	5	29	73	180	345	551	739	739	498	191	53	5	-	28
-	1	2	-	2	4	19	45	129	281	448	651	683	462	174	49	3	-	29
-	-	-	-	-	1	10	27	49	61	100	79	55	34	17	3	2	-	30
-	-	-	-	-	-	-	1	2	3	3	9	1	2	-	1	-	-	31
-	-	-	-	-	-	2	-	-	-	2	1	-	1	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	33
-	-	-	-	-	-	2	-	-	-	1	1	-	1	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	35
-	-	-	-	-	-	2	-	-	-	1	1	-	1	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
21	31	44	69	90	69	62	38	70	95	124	142	126	93	38	13	1	-	41
-	1	2	-	3	4	18	19	32	59	74	96	91	76	29	10	1	-	42
21	30	42	69	87	65	44	19	38	36	50	46	35	17	9	3	-	-	43
-	1	-	-	2	3	13	13	18	40	63	82	88	72	28	8	1	-	44
14	19	25	27	49	49	37	17	29	28	48	44	30	17	9	2	-	-	45
-	-	2	-	1	1	5	6	13	19	10	14	2	4	1	2	-	-	46
7	11	17	41	37	15	7	2	9	8	2	1	5	-	-	1	-	-	47
-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	48
-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	49
234	245	248	234	102	7	-	-	-	-	-	-	-	-	-	-	-	-	50
152	122	130	132	64	4	-	-	-	-	-	-	-	-	-	-	-	-	51
80	121	106	99	38	3	-	-	-	-	-	-	-	-	-	-	-	-	52
2	2	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
29	37	33	19	14	-	-	-	-	-	-	-	-	-	-	-	-	-	54
19	22	18	14	5	-	-	-	-	-	-	-	-	-	-	-	-	-	55
10	15	14	5	9	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
45	42	40	37	18	-	-	-	-	-	-	-	-	-	-	-	-	-	58
36	20	17	16	9	-	-	-	-	-	-	-	-	-	-	-	-	-	59
8	22	20	20	9	-	-	-	-	-	-	-	-	-	-	-	-	-	60
1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
37	27	39	52	22	2	-	-	-	-	-	-	-	-	-	-	-	-	62
29	12	20	34	18	2	-	-	-	-	-	-	-	-	-	-	-	-	63
8	15	17	17	4	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
11	18	14	13	4	1	-	-	-	-	-	-	-	-	-	-	-	-	66
4	9	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	67
7	9	9	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
18	18	14	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
9	5	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
9	11	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
35	37	35	21	11	-	-	-	-	-	-	-	-	-	-	-	-	-	74
18	17	20	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	75
17	20	15	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
3	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND PUERPERIUM, AND DELIVERY WITHOUT MENTION OF COMPLICATION.....RESIDUAL	339	-	-	-	-	-	-	-	1	30
02	WHITE.....FEMALE..	210	-	-	-	-	-	-	-	-	16
03	NEGRO.....FEMALE..	123	-	-	-	-	-	-	-	1	13
04	OTHER.....FEMALE..	6	-	-	-	-	-	-	-	-	1
05	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	2,185	30	6	2	1	2	41	19	26	28
06	MALE....	789	20	1	1	1	1	24	9	8	10
07	FEMALE..	1,396	10	5	1	-	1	17	10	18	18
08	WHITE.....MALE....	623	13	1	1	-	1	16	4	6	8
09	FEMALE..	1,115	6	2	-	-	1	9	7	15	8
10	NEGRO.....MALE....	156	7	-	-	1	-	8	4	1	1
11	FEMALE..	270	4	3	1	-	-	8	3	3	10
12	OTHER.....MALE....	10	-	-	-	-	-	-	1	1	1
13	FEMALE..	11	-	-	-	-	-	-	-	-	-
14	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	481	25	4	2	1	2	34	8	3	6
15	MALE....	249	16	1	1	1	1	20	6	1	5
16	FEMALE..	232	9	3	1	-	1	14	2	2	1
17	WHITE.....MALE....	197	10	1	1	-	1	13	2	1	4
18	FEMALE..	191	5	1	-	-	1	7	1	2	1
19	NEGRO.....MALE....	48	6	-	-	1	-	7	4	-	-
20	FEMALE..	40	4	2	1	-	-	7	1	-	-
21	OTHER.....MALE....	4	-	-	-	-	-	-	-	-	1
22	FEMALE..	1	-	-	-	-	-	-	-	-	-
23	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	1,704	5	2	-	-	-	7	11	23	22
24	MALE....	540	4	-	-	-	-	4	3	7	5
25	FEMALE..	1,164	1	2	-	-	-	3	8	16	17
26	WHITE.....MALE....	426	3	-	-	-	-	3	2	5	4
27	FEMALE..	924	1	1	-	-	-	2	6	13	7
28	NEGRO.....MALE....	108	1	-	-	-	-	1	-	1	1
29	FEMALE..	230	-	1	-	-	-	1	2	3	10
30	OTHER.....MALE....	6	-	-	-	-	-	-	1	1	-
31	FEMALE..	10	-	-	-	-	-	-	-	-	-
32	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT.....	3,849	108	26	15	6	6	161	29	77	178
33	MALE....	1,724	63	13	11	3	3	93	16	57	156
34	FEMALE..	2,125	45	13	4	3	3	68	13	20	22
35	WHITE.....MALE....	1,591	58	11	11	3	3	86	15	51	146
36	FEMALE..	1,958	41	12	3	3	3	62	9	14	16
37	NEGRO.....MALE....	123	4	2	-	-	-	6	1	6	9
38	FEMALE..	158	4	1	1	-	-	6	4	6	5
39	OTHER.....MALE....	10	1	-	-	-	-	1	-	-	1
40	FEMALE..	9	-	-	-	-	-	-	-	-	1
41	ARTHRITIS AND SPONDYLITIS.....720-725	2,000	-	-	2	-	2	4	3	2	5
42	MALE....	703	-	-	2	-	1	3	1	-	3
43	FEMALE..	1,297	-	-	-	-	1	1	2	2	2
44	WHITE.....MALE....	655	-	-	2	-	1	3	1	-	2
45	FEMALE..	1,212	-	-	-	-	1	1	1	1	1
46	NEGRO.....MALE....	45	-	-	-	-	-	-	-	-	1
47	FEMALE..	81	-	-	-	-	-	-	1	1	1
48	OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
49	FEMALE..	4	-	-	-	-	-	-	-	-	-
50	MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	71	-	-	-	-	-	-	-	1	3
51	MALE....	21	-	-	-	-	-	-	-	-	-
52	FEMALE..	50	-	-	-	-	-	-	-	1	3
53	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-
54	FEMALE..	44	-	-	-	-	-	-	-	1	2
55	NEGRO.....MALE....	5	-	-	-	-	-	-	-	-	-
56	FEMALE..	6	-	-	-	-	-	-	-	-	1
57	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
58	FEMALE..	-	-	-	-	-	-	-	-	-	-
59	OSTEOMYELITIS AND PERIOSTITIS.....730	172	2	1	-	1	-	4	-	2	1
60	MALE....	91	2	-	-	-	-	2	-	1	1
61	FEMALE..	81	-	1	-	1	-	2	-	1	-
62	WHITE.....MALE....	78	1	-	-	-	-	1	-	-	1
63	FEMALE..	62	-	1	-	1	-	2	-	1	-
64	NEGRO.....MALE....	12	1	-	-	-	-	1	-	1	-
65	FEMALE..	17	-	-	-	-	-	-	-	-	-
66	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
67	FEMALE..	2	-	-	-	-	-	-	-	-	-
68	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....737,745-749	113	9	-	1	-	-	10	-	4	9
69	MALE....	52	5	-	-	-	-	5	-	2	6
70	FEMALE..	61	4	-	1	-	-	5	-	2	3
71	WHITE.....MALE....	48	4	-	-	-	-	4	-	2	5
72	FEMALE..	55	4	-	-	-	-	4	-	1	3
73	NEGRO.....MALE....	4	1	-	-	-	-	1	-	-	1
74	FEMALE..	6	-	-	1	-	-	1	-	1	-
75	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
76	FEMALE..	-	-	-	-	-	-	-	-	-	-
77	INBORN DEFECT OF MUSCLE.....744.1	689	75	18	10	3	3	109	20	62	148
78	MALE....	518	41	7	9	2	1	60	11	51	141
79	FEMALE..	171	34	11	1	1	2	49	9	11	7
80	WHITE.....MALE....	490	39	6	9	2	1	57	11	47	135
81	FEMALE..	158	32	10	1	1	2	46	8	9	6
82	NEGRO.....MALE....	25	1	1	-	-	-	2	-	4	5
83	FEMALE..	13	2	1	-	-	-	3	1	2	1
84	OTHER.....MALE....	3	1	-	-	-	-	1	-	-	1
85	FEMALE..	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
54	64	70	83	33	4	-	-	-	-	-	-	-	-	-	-	-	-	01
35	36	47	52	23	1	-	-	-	-	-	-	-	-	-	-	-	-	02
18	28	19	31	10	3	-	-	-	-	-	-	-	-	-	-	-	-	03
1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
37	34	51	84	114	140	158	190	202	210	243	228	190	121	48	13	7	1	05
12	11	12	24	31	42	49	72	82	79	98	100	69	42	11	3	1	-	06
25	23	39	60	83	98	109	118	120	131	145	128	121	79	37	10	6	1	07
6	7	8	14	28	27	37	56	63	63	75	91	62	38	10	3	1	-	08
15	20	27	39	58	73	80	99	97	107	114	116	111	73	33	9	4	1	09
6	4	4	10	3	15	12	16	19	15	21	6	6	4	1	-	-	-	10
9	3	11	20	24	24	25	19	22	23	31	12	10	6	4	1	2	-	11
-	-	-	-	-	-	-	-	-	1	2	3	1	-	-	-	-	-	12
1	-	1	1	1	1	4	-	1	1	-	-	-	-	-	-	-	-	13
3	5	5	16	21	10	27	37	38	57	58	59	38	37	16	2	1	-	14
2	3	2	8	12	7	15	18	25	28	28	34	15	14	5	-	1	-	15
1	2	3	8	9	3	12	19	13	29	30	25	23	23	11	2	-	-	16
1	1	1	4	10	3	12	14	15	23	27	33	14	13	5	-	1	-	17
-	2	2	3	5	2	8	17	12	23	25	25	21	22	11	2	-	-	18
1	2	1	4	2	4	3	4	10	5	-	-	-	1	-	-	-	-	19
1	-	1	5	4	1	4	2	1	5	5	-	2	1	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	22
34	29	46	68	93	130	131	153	164	153	185	169	152	84	32	11	6	1	23
10	8	10	16	19	35	34	54	57	51	70	66	54	28	6	3	-	-	24
24	21	36	52	74	95	97	99	107	102	115	103	98	56	26	8	6	1	25
5	6	7	10	18	24	25	42	48	40	48	58	48	25	5	3	-	-	26
15	18	25	36	53	71	72	82	85	84	89	91	90	51	22	7	4	1	27
5	2	3	6	1	11	9	12	9	10	21	6	6	3	1	-	-	-	28
8	3	10	15	20	23	21	17	21	18	26	12	8	5	4	1	2	-	29
-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	30
1	-	1	1	1	1	4	-	1	-	-	-	-	-	-	-	-	-	31
112	51	35	70	118	153	221	296	353	426	494	449	335	196	80	11	4	-	32
94	33	19	34	57	84	101	141	168	171	177	154	100	57	12	-	-	-	33
18	18	16	36	61	69	120	155	185	255	317	295	235	139	68	11	4	-	34
84	31	17	29	51	78	91	129	153	158	165	147	96	53	11	-	-	-	35
14	16	10	29	47	60	107	140	170	237	309	284	223	135	64	9	3	-	36
8	2	2	4	5	6	9	12	15	12	11	7	3	4	1	-	-	-	37
4	2	5	7	13	9	12	14	14	17	8	11	10	4	4	2	1	-	38
2	-	-	1	1	-	1	-	-	1	1	-	1	-	-	-	-	-	39
-	-	1	-	1	-	1	1	1	1	-	-	2	-	-	-	-	-	40
3	5	11	20	44	70	117	193	231	278	335	296	214	118	41	8	2	-	41
1	-	4	6	18	32	52	81	115	101	102	92	52	30	10	-	-	-	42
2	5	7	14	26	38	65	112	116	177	233	204	162	88	31	8	2	-	43
-	-	4	5	16	31	51	76	105	92	96	87	51	26	9	-	-	-	44
1	4	5	12	22	32	60	102	107	166	227	195	155	86	27	6	1	-	45
-	-	-	1	1	1	1	5	10	8	6	5	1	4	1	-	-	-	46
1	1	1	2	4	6	4	9	8	11	6	9	7	2	4	2	1	-	47
1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	48
-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	49
-	3	-	4	5	3	6	6	6	12	10	9	-	1	2	-	-	-	50
-	1	-	1	1	1	1	5	-	4	4	3	-	-	-	-	-	-	51
-	2	-	3	4	2	5	1	6	8	6	6	-	1	2	-	-	-	52
-	-	-	1	1	1	1	3	-	4	2	3	-	-	-	-	-	-	53
-	2	-	2	3	2	3	1	6	7	6	6	-	1	2	-	-	-	54
-	1	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	55
-	-	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
1	2	-	6	7	5	11	17	18	20	23	24	17	10	4	-	-	-	59
-	-	-	5	5	3	7	12	9	10	10	13	8	5	-	-	-	-	60
1	2	-	1	2	2	4	5	9	10	13	11	9	5	4	-	-	-	61
-	-	-	3	3	2	6	12	6	10	8	13	8	5	-	-	-	-	62
-	1	-	-	-	1	3	3	6	8	12	10	7	4	4	-	-	-	63
-	-	-	1	2	1	1	-	3	-	2	-	-	-	-	-	-	-	64
1	1	-	1	2	1	1	2	3	1	1	1	1	1	-	-	-	-	65
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	67
2	3	2	5	7	13	6	8	6	7	12	7	6	5	1	-	-	-	68
1	3	1	3	3	6	3	4	2	5	4	4	-	-	-	-	-	-	69
1	-	1	2	4	7	3	4	4	2	8	3	6	5	1	-	-	-	70
-	3	1	3	3	6	3	4	2	4	4	4	-	-	-	-	-	-	71
1	-	1	2	1	7	3	3	4	2	8	3	6	5	1	-	-	-	72
1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	73
-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
90	27	7	11	27	35	35	27	35	24	20	9	2	-	1	-	-	-	77
85	23	5	6	14	26	24	17	19	15	13	7	1	-	-	-	-	-	78
5	4	2	5	13	9	11	10	16	9	7	2	1	-	1	-	-	-	79
82	22	4	6	13	23	21	15	19	14	13	7	1	-	-	-	-	-	80
5	4	1	4	12	8	11	10	14	9	7	2	1	-	1	-	-	-	81
3	1	1	-	1	3	2	2	-	1	-	-	-	-	-	-	-	-	82
-	-	1	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM.....731-736,738-744.0,744.2	804	22	7	2	2	1	34	6	6	12
02	MALE....	339	15	6	-	1	1	23	4	3	5
03	FEMALE..	465	7	1	2	1	-	11	2	3	7
04	WHITE.....MALE....	304	14	5	-	1	1	21	3	2	3
05	FEMALE..	427	5	1	2	1	-	9	-	1	4
06	NEGRO.....MALE....	32	1	1	-	-	-	2	1	1	2
07	FEMALE..	35	2	-	-	-	-	2	2	2	2
08	OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
09	FEMALE..	3	-	-	-	-	-	-	-	-	1
10	XIV. CONGENITAL MALFORMATIONS.....	19,512	13,443	790	425	274	194	15,126	667	455	430
11	MALE....	10,375	7,178	404	211	158	88	8,039	353	255	250
12	FEMALE..	9,137	6,265	386	214	116	106	7,087	314	200	180
13	WHITE.....MALE....	8,825	6,062	328	173	127	71	6,761	299	226	216
14	FEMALE..	7,822	5,358	304	175	92	95	6,024	259	175	154
15	NEGRO.....MALE....	1,435	1,027	73	34	28	15	1,177	52	28	34
16	FEMALE..	1,215	841	74	38	23	8	984	51	22	23
17	OTHER.....MALE....	115	89	3	4	3	2	101	2	1	-
18	FEMALE..	100	66	8	1	1	3	79	4	3	3
19	SPINA BIFIDA AND MENINGOCELE.....751	1,323	1,153	62	26	4	5	1,250	17	16	15
20	MALE....	547	472	26	10	-	1	509	6	7	7
21	FEMALE..	776	681	36	16	4	4	741	11	9	8
22	WHITE.....MALE....	490	425	24	9	-	1	459	6	6	6
23	FEMALE..	726	638	32	15	4	4	693	11	8	7
24	NEGRO.....MALE....	52	43	2	1	-	-	46	-	1	1
25	FEMALE..	46	40	4	1	-	-	45	-	1	-
26	OTHER.....MALE....	5	4	-	-	-	-	4	-	-	-
27	FEMALE..	4	3	-	-	-	-	3	-	-	1
28	CONGENITAL HYDROCEPHALUS, ETC.....752,753	1,887	1,105	187	102	73	37	1,504	151	91	57
29	MALE....	967	544	95	48	39	17	743	83	54	37
30	FEMALE..	920	561	92	54	34	20	761	68	37	20
31	WHITE.....MALE....	802	449	74	43	31	15	612	67	49	31
32	FEMALE..	766	465	73	44	29	17	628	59	29	19
33	NEGRO.....MALE....	156	91	21	3	7	2	124	15	5	6
34	FEMALE..	139	86	17	10	5	2	120	7	8	1
35	OTHER.....MALE....	9	4	-	2	1	-	7	1	-	-
36	FEMALE..	15	10	2	-	-	1	13	2	-	-
37	CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	9,955	6,565	381	223	165	128	7,462	420	286	300
38	MALE....	5,439	3,703	193	117	98	58	4,169	223	155	165
39	FEMALE..	4,516	2,862	188	106	67	70	3,293	197	131	135
40	WHITE.....MALE....	4,623	3,121	158	94	77	46	3,496	190	135	143
41	FEMALE..	3,765	2,357	140	87	50	62	2,696	159	119	113
42	NEGRO.....MALE....	750	531	33	22	19	10	615	32	19	22
43	FEMALE..	694	473	43	19	16	6	557	36	9	20
44	OTHER.....MALE....	66	51	2	1	2	2	58	1	1	-
45	FEMALE..	57	32	5	-	1	2	40	2	3	2
46	OTHER CONGENITAL MALFORMATIONS.....750,755-759	6,347	4,620	160	74	32	24	4,910	79	62	58
47	MALE....	3,422	2,459	90	36	21	12	2,618	41	39	41
48	FEMALE..	2,925	2,161	70	38	11	12	2,292	38	23	17
49	WHITE.....MALE....	2,910	2,067	72	27	19	9	2,194	36	36	36
50	FEMALE..	2,565	1,898	59	29	9	12	2,007	30	19	15
51	NEGRO.....MALE....	477	362	17	8	2	3	392	5	3	5
52	FEMALE..	336	242	10	8	2	-	262	8	4	2
53	OTHER.....MALE....	35	30	1	1	-	-	32	-	-	-
54	FEMALE..	24	21	1	1	-	-	23	-	-	-
55	XV. CERTAIN DISEASES OF EARLY INFANCY.....	55,398	55,375	6	2	2	-	55,385	4	5	-
56	MALE....	32,504	32,491	3	1	-	-	32,495	2	3	-
57	FEMALE..	22,894	22,884	3	1	2	-	22,890	2	2	-
58	WHITE.....MALE....	24,279	24,268	3	-	-	-	24,271	2	3	-
59	FEMALE..	16,587	16,578	3	1	1	-	16,583	2	2	-
60	NEGRO.....MALE....	7,848	7,846	-	1	-	-	7,847	-	-	-
61	FEMALE..	6,037	6,037	-	-	-	-	6,037	-	-	-
62	OTHER.....MALE....	377	377	-	-	-	-	377	-	-	-
63	FEMALE..	270	269	-	-	1	-	270	-	-	-
64	XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS.....	23,414	2,369	218	95	43	40	2,765	84	79	155
65	MALE....	13,929	1,383	126	47	19	23	1,598	48	42	100
66	FEMALE..	9,485	986	92	48	24	17	1,167	36	37	55
67	WHITE.....MALE....	9,404	648	56	19	9	11	743	22	25	67
68	FEMALE..	5,979	429	35	26	13	10	513	20	21	32
69	NEGRO.....MALE....	4,302	687	64	28	9	11	799	26	17	31
70	FEMALE..	3,367	529	48	22	11	6	616	14	15	23
71	OTHER.....MALE....	223	48	6	-	1	1	56	-	-	2
72	FEMALE..	139	28	9	-	-	1	38	2	1	-
73	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2,188	-	-	-	-	-	-	-	-	-
74	MALE....	885	-	-	-	-	-	-	-	-	-
75	FEMALE..	1,303	-	-	-	-	-	-	-	-	-
76	WHITE.....MALE....	686	-	-	-	-	-	-	-	-	-
77	FEMALE..	1,049	-	-	-	-	-	-	-	-	-
78	NEGRO.....MALE....	183	-	-	-	-	-	-	-	-	-
79	FEMALE..	238	-	-	-	-	-	-	-	-	-
80	OTHER.....MALE....	16	-	-	-	-	-	-	-	-	-
81	FEMALE..	16	-	-	-	-	-	-	-	-	-
82	SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	21,226	2,369	218	95	43	40	2,765	84	79	155
83	MALE....	13,044	1,383	126	47	19	23	1,598	48	42	100
84	FEMALE..	8,182	986	92	48	24	17	1,167	36	37	55
85	WHITE.....MALE....	8,718	648	56	19	9	11	743	22	25	67
86	FEMALE..	4,930	429	35	26	13	10	513	20	21	32
87	NEGRO.....MALE....	4,119	687	64	28	9	11	799	26	17	31
88	FEMALE..	3,129	529	48	22	11	6	616	14	15	23
89	OTHER.....MALE....	207	48	6	-	1	1	56	-	-	2
90	FEMALE..	123	28	9	-	-	1	38	2	1	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
16	11	15	24	28	27	46	45	57	85	94	104	96	62	31	3	2	-	01
7	6	9	13	16	16	14	22	23	36	44	35	39	22	2	-	-	-	02
9	5	6	11	12	11	32	23	34	49	50	69	57	40	29	3	2	-	03
2	6	8	11	15	15	9	19	21	34	42	33	36	22	2	-	-	-	04
7	5	3	9	9	10	27	21	33	45	49	68	54	39	29	3	2	-	05
4	-	1	2	1	1	5	3	2	2	1	2	2	-	-	-	-	-	06
2	-	3	2	2	1	5	2	1	4	1	1	2	1	-	-	-	-	07
1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	08
-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	09
307	209	203	232	275	293	329	281	193	181	150	100	47	22	8	-	-	4	10
167	114	98	131	147	160	155	146	100	93	75	55	20	10	4	-	-	3	11
140	95	105	101	128	133	174	135	93	88	75	45	27	12	4	-	-	1	12
152	97	85	114	128	146	143	132	95	82	67	51	20	8	2	-	-	1	13
125	80	92	82	113	117	153	122	88	82	72	42	26	11	4	-	-	1	14
15	15	12	16	18	13	12	12	5	11	5	4	-	2	2	-	-	2	15
14	14	11	18	14	14	21	12	4	5	3	3	1	1	-	-	-	-	16
-	2	1	1	1	1	-	2	-	-	3	-	-	-	-	-	-	-	17
1	1	2	1	1	2	-	1	1	1	-	-	-	-	-	-	-	-	18
11	3	-	1	2	3	2	2	-	-	-	-	-	-	-	-	-	1	19
7	2	-	1	1	3	1	2	-	-	-	-	-	-	-	-	-	1	20
4	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	21
5	1	-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	1	22
4	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	23
2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
29	11	11	10	3	4	2	3	6	2	-	1	-	-	-	-	-	2	28
16	6	7	5	3	3	2	2	4	1	-	-	-	-	-	-	-	1	29
13	5	4	5	-	1	-	1	2	1	-	1	-	-	-	-	-	1	30
16	6	5	4	3	1	2	1	4	1	-	-	-	-	-	-	-	-	31
12	4	4	4	-	1	-	1	2	1	-	1	-	-	-	-	-	1	32
-	-	2	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	33
1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
213	156	133	156	146	135	150	124	89	70	62	32	14	4	3	-	-	-	37
110	83	61	89	72	64	66	57	47	30	26	15	3	2	2	-	-	-	38
103	73	72	67	74	71	84	67	42	40	36	17	11	2	1	-	-	-	39
100	70	55	78	61	62	62	52	45	29	25	14	3	2	1	-	-	-	40
91	61	63	55	63	62	76	64	39	40	35	16	10	2	1	-	-	-	41
10	12	5	11	10	1	4	4	2	1	-	1	-	-	1	-	-	-	42
11	11	7	11	10	7	8	2	2	-	1	1	1	-	-	-	-	-	43
-	1	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	44
1	1	2	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	45
54	39	59	65	124	151	175	152	96	109	88	67	33	18	5	-	-	1	46
34	23	30	36	71	90	86	85	49	62	49	40	17	8	2	-	-	1	47
20	16	29	29	53	61	89	67	49	47	39	27	16	10	3	-	-	-	48
31	20	25	32	63	81	78	77	46	52	42	37	17	6	1	-	-	-	49
18	14	25	23	49	54	76	57	47	41	37	25	16	9	3	-	-	-	50
3	3	5	4	8	9	8	7	3	10	5	3	-	2	1	-	-	1	51
2	2	4	6	4	7	13	10	2	5	2	2	-	1	-	-	-	-	52
-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
248	244	412	613	869	1,177	1,524	1,766	1,979	2,250	2,221	2,211	1,932	1,462	913	349	125	36	64
142	137	214	362	534	750	1,038	1,219	1,364	1,470	1,407	1,297	992	677	340	134	39	25	65
106	107	198	251	335	427	486	547	615	780	814	914	940	785	573	215	86	11	66
97	72	116	195	340	490	723	841	943	1,005	1,041	978	741	554	275	99	20	17	67
74	51	96	126	195	237	262	312	313	463	508	651	733	666	486	165	52	3	68
44	59	95	159	182	248	307	364	405	450	354	303	233	112	62	28	17	7	69
30	54	93	121	136	181	220	229	296	310	296	256	199	110	85	44	33	6	70
1	6	3	8	12	12	8	14	16	15	12	16	18	11	3	7	2	1	71
2	2	9	4	4	9	4	6	6	7	10	7	8	9	2	6	1	2	72
-	-	-	-	-	-	3	5	18	61	115	225	442	523	508	211	73	4	73
-	-	-	-	-	-	2	2	7	29	53	115	195	213	176	71	21	1	74
-	-	-	-	-	-	1	3	11	32	62	110	247	310	332	140	52	3	75
-	-	-	-	-	-	-	1	2	6	30	77	153	185	158	60	14	-	76
-	-	-	-	-	-	-	-	3	7	25	77	200	282	296	120	39	-	77
-	-	-	-	-	-	2	1	5	22	23	37	36	26	16	8	6	1	78
-	-	-	-	-	-	1	3	7	25	37	31	45	24	36	16	12	1	79
-	-	-	-	-	-	-	-	-	1	-	1	6	2	2	3	1	-	80
-	-	-	-	-	-	-	-	1	-	-	2	2	4	-	4	1	2	81
248	244	412	613	869	1,177	1,521	1,761	1,961	2,189	2,106	1,986	1,490	939	405	138	52	32	82
142	137	214	362	534	750	1,036	1,217	1,357	1,441	1,354	1,182	797	464	164	63	18	24	83
106	107	198	251	335	427	485	544	604	748	752	804	693	475	241	75	34	8	84
97	72	116	195	340	490	723	840	941	999	1,011	901	588	369	117	39	6	17	85
74	51	96	126	195	237	262	312	310	456	483	574	533	384	190	45	13	3	86
44	59	95	159	182	248	305	363	400	428	331	266	197	86	46	20	11	6	87
30	54	93	121	136	181	219	226	289	285	259	225	154	86	49	28	21	5	88
1	6	3	8	12	12	8	14	16	14	12	15	12	9	1	4	1	1	89
2	2	9	4	4	9	4	6	5	7	10	5	6	5	2	2	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	140,253	3,529	1,732	1,432	1,226	1,069	8,988	4,032	3,712	11,038
02	MALE	97,730	2,010	990	851	743	684	5,278	2,627	2,756	8,730
03	FEMALE	42,523	1,519	742	581	483	385	3,710	1,405	956	2,308
04	WHITE MALE	81,337	1,430	725	656	563	515	3,889	2,088	2,238	7,440
05	FEMALE	36,607	981	522	421	346	276	2,546	1,040	781	1,979
06	NEGRO MALE	15,102	547	239	186	165	161	1,298	502	482	1,199
07	FEMALE	5,427	512	207	151	124	106	1,100	348	155	290
08	OTHER MALE	1,291	33	26	9	15	8	91	37	36	91
09	FEMALE	489	26	13	9	13	3	64	17	20	39
10	ACCIDENTS E800-E962	108,004	3,316	1,673	1,380	1,181	1,036	8,586	3,911	3,480	9,625
11	MALE	74,062	1,887	957	823	723	663	5,053	2,565	2,579	7,652
12	FEMALE	33,942	1,429	716	557	458	373	3,533	1,346	901	1,973
13	WHITE MALE	63,024	1,343	705	633	550	501	3,732	2,042	2,114	6,748
14	FEMALE	29,510	924	506	408	328	267	2,433	994	743	1,747
15	NEGRO MALE	9,993	515	228	181	158	154	1,236	486	435	828
16	FEMALE	4,054	479	197	140	117	103	1,036	336	138	195
17	OTHER MALE	1,045	29	24	9	15	8	85	37	30	76
18	FEMALE	378	26	13	9	13	3	64	16	20	31
19	RAILWAY ACCIDENTS E800-E802	962	-	5	7	2	1	15	19	49	64
20	MALE	870	-	3	5	2	1	11	11	41	57
21	FEMALE	92	-	2	2	-	-	4	8	8	7
22	WHITE MALE	678	-	2	5	1	1	9	8	35	47
23	FEMALE	79	-	2	1	-	-	3	6	8	6
24	NEGRO MALE	169	-	1	-	1	-	2	3	6	9
25	FEMALE	12	-	-	1	-	-	1	2	-	-
26	OTHER MALE	23	-	-	-	-	-	-	-	-	1
27	FEMALE	1	-	-	-	-	-	-	-	-	1
28	MOTOR VEHICLE ACCIDENTS E810-E835	49,163	326	440	402	456	435	2,059	1,965	1,561	6,822
29	MALE	35,584	182	222	232	268	287	1,191	1,275	1,055	5,220
30	FEMALE	13,579	144	218	170	188	148	868	690	506	1,602
31	WHITE MALE	31,144	163	174	186	208	223	954	1,053	925	4,757
32	FEMALE	12,058	123	183	144	157	112	719	551	445	1,447
33	NEGRO MALE	3,945	15	42	43	56	60	216	209	122	407
34	FEMALE	1,322	18	29	22	29	36	134	130	52	134
35	OTHER MALE	495	4	6	3	4	4	21	13	8	56
36	FEMALE	199	3	6	4	2	-	15	9	9	21
37	MOTOR VEHICLE TRAFFIC ACCIDENTS E810-E825	48,050	318	293	331	411	404	1,757	1,907	1,529	6,748
38	MALE	34,770	177	150	191	239	271	1,028	1,237	1,035	5,157
39	FEMALE	13,280	141	143	140	172	133	729	670	494	1,591
40	WHITE MALE	30,425	159	121	150	180	208	818	1,019	908	4,700
41	FEMALE	11,798	120	120	116	142	99	597	534	438	1,439
42	NEGRO MALE	3,863	15	26	39	55	59	194	206	119	401
43	FEMALE	1,287	18	19	20	28	34	119	127	47	131
44	OTHER MALE	482	3	3	2	4	4	16	12	8	56
45	FEMALE	195	3	4	4	2	-	13	9	9	21
46	MOTOR VEHICLE TRAFFIC ACCIDENT WITH RAILWAY TRAIN E810	1,556	12	10	15	11	11	59	39	41	250
47	MALE	1,108	6	6	7	7	6	32	22	18	188
48	FEMALE	448	6	4	8	4	5	27	17	23	62
49	WHITE MALE	1,017	6	5	7	6	6	30	21	17	174
50	FEMALE	416	6	2	7	3	4	22	16	20	58
51	NEGRO MALE	77	-	-	-	-	-	-	-	-	13
52	FEMALE	29	-	2	1	1	1	5	1	3	4
53	OTHER MALE	14	-	1	-	1	-	2	1	1	1
54	FEMALE	3	-	-	-	-	-	-	-	-	-
55	MOTOR VEHICLE TRAFFIC ACCIDENT TO PEDESTRIAN E812	8,117	5	101	161	246	268	781	1,110	404	366
56	MALE	5,787	3	64	106	156	187	516	728	279	289
57	FEMALE	2,330	2	37	55	90	81	265	382	125	77
58	WHITE MALE	4,614	3	48	79	109	141	380	569	220	223
59	FEMALE	1,876	-	30	42	70	54	196	278	110	58
60	NEGRO MALE	1,050	-	14	27	45	44	130	153	59	49
61	FEMALE	416	1	7	13	20	27	68	97	13	17
62	OTHER MALE	123	-	2	-	2	2	6	6	-	17
63	FEMALE	38	1	-	-	-	-	1	7	2	2
64	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS, ETC E811,E813-E819	21,300	189	105	91	100	67	552	551	760	2,915
65	MALE	14,583	103	46	43	47	41	280	366	532	2,123
66	FEMALE	6,717	86	59	48	53	26	272	185	228	792
67	WHITE MALE	13,101	95	38	33	43	35	244	334	486	1,973
68	FEMALE	6,140	75	51	45	46	23	240	165	206	720
69	NEGRO MALE	1,305	6	8	8	4	5	31	28	42	136
70	FEMALE	484	10	4	2	5	3	24	19	18	59
71	OTHER MALE	177	2	-	2	-	1	5	4	4	14
72	FEMALE	93	1	4	1	2	-	8	1	4	13
73	MOTOR VEHICLE NONCOLLISION TRAFFIC ACCIDENTS E820-E824	12,939	76	56	42	46	39	259	139	243	2,576
74	MALE	10,300	43	26	23	24	24	140	84	161	2,065
75	FEMALE	2,639	33	30	19	22	15	119	55	82	511
76	WHITE MALE	9,112	35	22	22	17	16	112	66	145	1,895
77	FEMALE	2,333	25	25	13	20	12	95	48	70	468
78	NEGRO MALE	1,060	7	4	1	6	7	25	17	15	153
79	FEMALE	255	7	5	4	2	3	21	7	9	38
80	OTHER MALE	128	1	-	-	1	1	3	1	1	17
81	FEMALE	51	1	-	2	-	-	3	-	3	5
82	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE E825	4,138	36	21	22	8	19	106	68	81	641
83	MALE	2,992	22	8	12	5	13	60	37	45	492
84	FEMALE	1,146	14	13	10	3	6	46	31	36	149
85	WHITE MALE	2,581	20	8	9	5	10	52	29	40	435
86	FEMALE	1,033	14	12	9	3	6	44	27	32	135
87	NEGRO MALE	371	2	-	3	-	3	8	8	3	50
88	FEMALE	103	-	1	-	-	-	1	3	4	13
89	OTHER MALE	40	-	-	-	-	-	-	-	2	7
90	FEMALE	10	-	-	1	-	-	1	1	-	1

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
11,598	8,464	7,807	8,628	9,158	8,952	9,101	8,386	7,433	6,646	6,708	6,648	6,047	4,294	1,944	495	71	103	01
9,379	6,792	5,971	6,461	6,718	6,473	6,729	6,195	5,358	4,502	4,241	3,780	2,986	1,767	730	153	28	76	02
2,219	1,672	1,836	2,167	2,440	2,479	2,372	2,191	2,075	2,144	2,467	2,868	3,061	2,527	1,214	342	43	27	03
7,712	5,197	4,567	4,996	5,337	5,340	5,711	5,357	4,718	3,956	3,880	3,534	2,805	1,669	687	135	25	56	04
1,833	1,285	1,421	1,749	2,018	2,152	2,094	1,996	1,835	1,932	2,272	2,739	2,933	2,449	1,176	324	35	18	05
1,517	1,465	1,295	1,368	1,298	1,055	949	764	577	488	328	209	158	80	35	13	2	20	06
347	349	373	369	381	307	248	181	221	198	183	119	121	71	34	16	8	8	07
150	130	109	97	83	78	69	74	63	58	33	37	23	18	8	5	1	-	08
39	38	42	49	41	20	30	14	19	14	12	10	7	7	4	2	-	1	09
9,063	5,857	5,056	5,444	5,871	5,964	6,004	5,613	5,319	4,994	5,436	5,697	5,491	4,059	1,894	492	71	77	10
7,417	4,831	4,000	4,221	4,434	4,413	4,477	4,118	3,740	3,255	3,253	3,012	2,539	1,576	691	150	28	58	11
1,646	1,026	1,056	1,223	1,437	1,551	1,527	1,495	1,579	1,739	2,183	2,685	2,952	2,483	1,203	342	43	19	12
6,481	4,004	3,293	3,436	3,622	3,692	3,790	3,516	3,245	2,846	2,944	2,809	2,376	1,485	649	132	25	43	13
1,437	842	864	1,009	1,174	1,341	1,322	1,354	1,363	1,539	2,004	2,566	2,830	2,409	1,167	324	35	13	14
814	722	630	711	749	655	634	547	445	363	283	174	144	73	34	13	2	15	15
178	158	165	185	234	195	179	133	202	188	173	113	115	69	33	16	8	5	16
122	105	77	74	63	66	53	55	50	46	26	29	19	18	8	5	1	-	17
31	26	27	29	29	15	26	8	14	12	6	6	7	5	3	2	-	1	18
57	37	61	76	79	93	104	78	78	35	40	35	24	7	3	1	-	7	19
51	35	58	72	74	89	102	76	70	29	31	26	19	7	3	1	-	7	20
6	2	3	4	5	4	2	2	8	6	9	9	5	-	-	-	-	-	21
40	22	38	48	56	71	80	63	59	21	23	22	19	7	2	1	-	7	22
5	2	2	3	5	3	1	2	7	5	9	7	5	-	-	-	-	-	23
8	13	15	22	18	15	20	11	9	7	7	3	-	-	1	-	-	-	24
1	-	1	1	-	1	1	-	1	1	-	2	-	-	-	-	-	-	25
3	-	5	2	-	3	2	2	2	1	1	1	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
6,573	3,707	2,903	2,946	3,039	2,845	2,747	2,580	2,337	2,091	1,986	1,601	946	343	73	15	2	22	28
5,282	3,000	2,235	2,203	2,207	2,030	1,942	1,783	1,567	1,338	1,272	1,025	655	233	47	10	1	13	29
1,291	707	668	743	832	815	805	797	770	753	714	576	291	110	26	5	1	9	30
4,723	2,528	1,894	1,870	1,876	1,757	1,675	1,547	1,367	1,187	1,165	971	614	221	42	6	1	11	31
1,150	595	570	647	711	718	718	742	700	689	675	558	282	105	25	5	1	5	32
482	404	303	295	305	246	241	210	181	131	96	41	38	10	4	2	-	2	33
121	93	80	75	104	89	73	49	62	54	38	16	8	5	1	-	-	4	34
77	68	38	38	26	27	26	26	19	20	11	13	3	2	1	2	-	-	35
20	19	18	21	17	8	14	6	8	10	1	2	1	-	-	-	-	-	36
6,492	3,646	2,844	2,899	2,984	2,789	2,689	2,525	2,291	2,061	1,941	1,571	930	339	69	15	2	22	37
5,210	2,942	2,179	2,160	2,160	1,983	1,891	1,743	1,532	1,315	1,242	1,008	647	232	45	10	1	13	38
1,282	704	665	739	824	806	798	782	759	746	699	563	283	107	24	5	1	9	39
4,659	2,477	1,842	1,832	1,834	1,719	1,630	1,512	1,336	1,165	1,136	954	606	220	40	6	1	11	40
1,143	594	568	643	704	710	711	727	691	683	661	545	274	102	23	5	1	5	41
475	398	300	291	301	239	235	205	177	130	95	41	38	10	4	2	-	2	42
119	91	79	75	104	88	73	49	61	53	37	16	8	5	1	-	-	4	43
76	67	37	37	25	25	26	26	19	20	11	13	3	2	1	2	-	-	44
20	19	18	21	16	8	14	6	7	10	1	2	1	-	-	-	-	-	45
187	124	105	112	111	94	106	85	69	62	53	36	16	4	-	1	-	2	46
134	96	83	78	79	62	80	58	56	40	39	27	12	3	-	-	-	1	47
53	28	22	34	32	32	26	27	13	22	14	9	4	1	-	1	-	1	48
120	87	76	70	68	56	73	52	53	40	38	26	12	3	-	-	-	1	49
49	23	22	32	30	31	25	25	12	21	14	9	4	1	-	1	-	1	50
13	8	6	7	10	6	6	4	2	-	1	1	-	-	-	-	-	-	51
3	4	-	1	2	1	1	2	1	1	-	-	-	-	-	-	-	-	52
1	1	1	1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	53
1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
299	191	224	305	318	362	430	466	512	543	618	569	415	163	33	6	-	2	55
238	159	177	236	244	273	318	347	355	353	421	386	306	125	29	6	-	2	56
61	32	47	69	74	89	112	119	157	190	197	183	109	38	4	-	-	-	57
180	112	129	168	175	203	243	274	296	294	361	359	284	115	24	3	-	2	58
46	25	27	48	52	62	80	102	132	165	178	170	107	36	4	-	-	-	59
46	40	46	60	63	62	69	63	54	49	54	19	20	8	4	2	-	-	60
14	6	17	17	21	26	28	16	22	21	19	11	1	2	-	-	-	-	61
12	7	2	8	6	8	6	10	5	10	6	8	2	2	1	1	-	-	62
1	1	3	4	1	1	4	1	3	4	-	2	1	-	-	-	-	-	63
2,884	1,653	1,314	1,312	1,390	1,371	1,304	1,212	1,145	952	831	667	339	110	24	5	1	8	64
2,197	1,266	950	911	932	920	850	759	697	583	500	410	224	65	11	3	-	4	65
687	387	364	401	458	451	454	453	448	369	331	257	115	45	13	2	1	4	66
1,989	1,079	809	793	823	815	754	690	621	534	469	391	217	64	11	2	-	3	67
620	336	318	357	406	416	421	430	414	344	318	254	112	44	13	2	1	3	68
179	159	121	109	97	93	82	65	68	44	27	16	6	1	-	-	-	1	69
54	42	38	37	43	32	26	21	30	21	12	3	3	1	-	-	-	1	70
29	28	20	9	12	12	14	4	8	5	4	3	1	-	-	1	-	-	71
13	9	8	7	9	3	7	2	4	4	1	-	-	-	-	-	-	-	72
2,459	1,321	946	920	908	730	647	535	355	338	267	164	80	34	6	2	1	9	73
2,117	1,144	774	741	712	559	507	424	274	242	176	103	51	19	1	-	1	5	74
342	177	172	179	196	171	140	111	81	96	91	61	29	15	5	2	-	4	75
1,906	969	669	640	613	497	443	364	241	212	169	96	49	19	1	-	1	5	76
302	144	149	151	163	151	126	103	77	88	87	61	28	14	5	2	-	1	77
185	152	94	86	94	59	59	53	28	26	7	5	2	-	-	-	-	-	78
35	27	17	19	29	16	11	6	4	7	4	-	1	1	-	-	-	3	79
26	23	11	15	5	3	5	7	5	4	-	2	-	-	-	-	-	-	80
5	6	6	9	4	4	3	2	-	1	-	-	-	-	-	-	-	-	81
663	357	255	250	257	232	202	227	210	166	172	135	80	28	6	1	-	1	82
524	277	195	194	193	169	136	155	150	97	106	82	54	20	4	1	-	1	83
139	80	60	56	64	63	66	72	60	69	66	53	26	8	2	-	-	-	84
464	230	159	161	155	148	117	132	125	85	99	82	44	19	4	1	-	-	85
126	66	52	55	53	50	59	67	56	65	64	51	23	7	1	-	-	-	86
52	39	33	29	37	19	19	20	25	11	6	-	10	1	-	-	-	1	87
13	12	7	1	9	13	7	4	4	3	2	2	3	1	1	-	-	-	88
8	8	3	4	1	2	-	3	-	1	1	-	-	-	-	-	-	-	89
-	2	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	ACCIDENTS--CON.										
	MOTOR VEHICLE ACCIDENTS--CON.										
01	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	1,113	8	147	71	45	31	302	58	32	74
02	MALE....	814	5	72	41	29	16	163	38	20	63
03	FEMALE..	299	3	75	30	16	15	139	20	12	11
04	WHITE.....MALE....	719	4	53	36	28	15	136	34	17	57
05	FEMALE..	260	3	63	28	15	13	122	17	7	8
06	NEGRO.....MALE....	82	-	16	4	1	1	22	3	3	6
07	FEMALE..	35	-	10	2	1	2	15	3	5	3
08	OTHER.....MALE....	13	1	3	1	-	-	5	1	-	-
09	FEMALE..	4	-	2	-	-	-	2	-	-	-
10	OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	319	-	1	3	2	4	10	34	76	40
11	MALE....	222	-	-	1	2	4	7	20	51	18
12	FEMALE..	97	-	1	2	-	-	3	14	25	22
13	WHITE.....MALE....	205	-	-	1	2	4	7	19	48	18
14	FEMALE..	95	-	1	1	-	-	2	14	25	22
15	NEGRO.....MALE....	13	-	-	-	-	-	-	1	2	-
16	FEMALE..	1	-	-	-	-	-	-	-	-	-
17	OTHER.....MALE....	4	-	-	-	-	-	-	-	1	-
18	FEMALE..	1	-	-	1	-	-	1	-	-	-
19	WATER TRANSPORT ACCIDENTS.....E850-E858	1,493	1	4	6	6	10	27	61	62	144
20	MALE....	1,364	1	3	4	4	8	20	47	51	129
21	FEMALE..	129	-	1	2	2	2	7	14	11	15
22	WHITE.....MALE....	1,173	1	3	4	4	7	19	37	41	108
23	FEMALE..	111	-	1	2	2	2	7	14	10	13
24	NEGRO.....MALE....	145	-	-	-	-	1	1	5	9	19
25	FEMALE..	8	-	-	-	-	-	-	-	-	1
26	OTHER.....MALE....	46	-	-	-	-	-	-	5	1	2
27	FEMALE..	10	-	-	-	-	-	-	-	1	1
28	AIRCRAFT ACCIDENTS.....E860-E866	1,529	2	2	5	3	6	18	20	22	95
29	MALE....	1,317	-	2	1	2	4	9	10	14	76
30	FEMALE..	212	2	-	4	1	2	9	10	8	19
31	WHITE.....MALE....	1,284	-	2	1	2	4	9	9	13	74
32	FEMALE..	202	1	-	3	1	2	7	6	8	19
33	NEGRO.....MALE....	29	-	-	-	-	-	-	1	1	2
34	FEMALE..	10	1	-	1	-	-	2	4	-	-
35	OTHER.....MALE....	4	-	-	-	-	-	-	-	-	-
36	FEMALE..	-	-	-	-	-	-	-	-	-	-
37	ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES.....E870-E888	2,110	45	176	101	44	13	379	16	9	56
38	MALE....	1,159	24	104	55	26	8	217	8	5	38
39	FEMALE..	951	21	72	46	18	5	162	8	4	18
40	WHITE.....MALE....	866	18	62	35	15	6	136	4	3	27
41	FEMALE..	794	15	36	28	12	5	96	4	1	15
42	NEGRO.....MALE....	276	4	41	20	7	2	74	3	2	11
43	FEMALE..	146	6	34	17	4	-	61	4	2	3
44	OTHER.....MALE....	17	2	1	-	4	-	7	1	-	-
45	FEMALE..	11	-	2	1	2	-	5	-	1	-
46	ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	1,526	18	17	7	6	8	56	14	24	151
47	MALE....	1,106	11	12	3	4	3	33	5	16	88
48	FEMALE..	420	7	5	4	2	5	23	9	8	63
49	WHITE.....MALE....	975	9	11	2	4	3	29	4	14	83
50	FEMALE..	345	3	2	3	2	4	14	6	6	54
51	NEGRO.....MALE....	122	2	1	1	-	-	4	1	1	3
52	FEMALE..	70	4	3	1	-	1	9	3	2	7
53	OTHER.....MALE....	9	-	-	-	-	-	-	-	1	2
54	FEMALE..	5	-	-	-	-	-	-	-	-	2
55	ACCIDENTAL FALLS.....E900-E904	19,984	191	111	74	44	33	453	114	83	154
56	MALE....	9,972	115	70	48	24	25	282	77	64	141
57	FEMALE..	10,012	76	41	26	20	8	171	37	19	13
58	WHITE.....MALE....	8,895	80	53	33	18	16	200	58	56	122
59	FEMALE..	9,511	52	29	17	15	7	120	27	13	11
60	NEGRO.....MALE....	969	32	15	14	4	9	74	17	7	17
61	FEMALE..	472	22	12	7	5	1	47	10	6	1
62	OTHER.....MALE....	108	3	2	1	2	-	8	2	1	2
63	FEMALE..	29	2	-	2	-	-	4	-	-	1
64	FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	5,802	123	74	57	35	24	313	80	60	108
65	MALE....	3,943	74	49	38	20	19	200	50	46	101
66	FEMALE..	1,859	49	25	19	15	5	113	30	14	7
67	WHITE.....MALE....	3,387	50	33	27	14	12	136	38	43	85
68	FEMALE..	1,686	35	18	14	10	4	81	20	10	5
69	NEGRO.....MALE....	506	24	15	10	4	7	60	10	3	15
70	FEMALE..	161	12	7	4	5	1	29	10	4	1
71	OTHER.....MALE....	50	-	1	1	2	-	4	2	-	1
72	FEMALE..	12	2	-	1	-	-	3	-	-	1
73	FALL ON SAME LEVEL.....E903	5,738	8	14	7	1	6	36	12	7	17
74	MALE....	2,541	7	11	4	1	5	28	9	5	16
75	FEMALE..	3,197	1	3	3	-	1	8	3	2	1
76	WHITE.....MALE....	2,335	5	10	3	1	3	22	6	4	14
77	FEMALE..	3,089	-	2	1	-	1	4	3	-	1
78	NEGRO.....MALE....	179	2	-	1	-	2	5	3	-	1
79	FEMALE..	97	1	1	1	-	-	3	-	2	-
80	OTHER.....MALE....	27	-	1	-	-	-	1	-	1	1
81	FEMALE..	11	-	-	1	-	-	1	-	-	-
82	UNSPECIFIED FALLS.....E904	8,444	60	23	10	8	3	104	22	16	29
83	MALE....	3,488	34	10	6	3	1	54	18	13	24
84	FEMALE..	4,956	26	13	4	5	2	50	4	3	5
85	WHITE.....MALE....	3,173	25	10	3	3	1	42	14	9	23
86	FEMALE..	4,736	17	9	2	5	2	35	4	3	5
87	NEGRO.....MALE....	284	6	-	3	-	-	9	4	4	1
88	FEMALE..	214	9	4	2	-	-	15	-	-	-
89	OTHER.....MALE....	31	3	-	-	-	-	3	-	-	-
90	FEMALE..	6	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
81	61	59	47	55	56	58	55	46	30	45	30	16	4	4	-	-	-	01
72	58	56	43	47	47	51	40	35	23	30	17	8	1	2	-	-	-	02
9	3	3	4	8	9	7	15	11	7	15	13	8	3	2	-	-	-	03
64	51	52	38	42	38	45	35	31	22	29	17	8	1	2	-	-	-	04
7	1	2	4	7	8	7	15	9	6	14	13	8	3	2	-	-	-	05
7	6	3	4	4	7	6	5	4	1	1	-	-	-	-	-	-	-	06
2	2	1	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	07
1	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	09
20	10	14	9	9	8	19	12	15	12	15	11	2	2	-	-	-	1	10
13	7	11	5	8	8	19	11	13	7	12	10	1	-	-	-	-	1	11
7	3	3	4	1	-	-	1	2	5	3	1	1	2	-	-	-	-	12
12	7	9	3	7	7	18	11	11	7	12	8	1	-	-	-	-	-	13
7	3	3	4	1	-	-	1	2	4	3	1	1	2	-	-	-	-	14
-	-	2	1	-	1	1	-	2	-	-	2	-	-	-	-	-	1	15
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	16
1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
173	145	125	136	131	120	107	91	64	53	27	19	2	5	-	-	-	1	19
159	133	118	124	123	113	103	88	60	49	23	17	2	5	-	-	-	-	20
14	12	7	12	8	7	4	3	4	4	4	2	-	-	-	-	-	1	21
137	117	99	109	103	95	84	79	57	41	23	17	2	5	-	-	-	-	22
12	9	5	10	8	4	4	3	3	3	4	2	-	-	-	-	-	-	23
14	13	15	11	14	12	18	4	3	7	-	-	-	-	-	-	-	-	24
-	3	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	25
8	3	4	4	6	6	1	5	-	1	-	-	-	-	-	-	-	-	26
2	-	2	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	27
226	234	218	209	167	143	91	42	21	12	5	4	2	-	-	-	-	-	28
191	213	194	190	153	116	77	38	19	9	3	3	2	-	-	-	-	-	29
35	21	24	19	14	27	14	4	2	3	2	1	-	-	-	-	-	-	30
179	208	189	188	152	115	77	37	18	8	3	3	2	-	-	-	-	-	31
34	20	24	19	14	26	14	3	2	3	2	1	-	-	-	-	-	-	32
12	4	4	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	33
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	34
-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
110	109	166	164	201	233	192	145	118	84	65	28	19	13	2	-	-	1	37
77	67	106	92	106	111	93	78	57	47	30	10	8	8	1	-	-	-	38
33	42	60	72	95	122	99	67	61	37	35	18	11	5	1	-	-	1	39
57	45	71	64	78	89	77	67	53	44	27	8	8	7	1	-	-	-	40
24	38	43	61	83	112	96	64	54	33	35	18	10	5	1	-	-	1	41
19	22	34	26	26	22	14	10	4	3	3	2	-	1	-	-	-	-	42
8	4	17	11	11	9	3	2	7	3	-	-	1	-	-	-	-	-	43
1	-	1	2	2	-	2	1	-	-	-	-	-	-	-	-	-	-	44
1	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	45
151	113	118	129	118	137	128	105	70	63	64	39	25	17	2	2	-	-	46
106	93	89	104	96	98	99	75	60	49	40	25	17	11	1	1	-	-	47
45	20	29	25	22	39	29	30	10	14	24	14	8	6	1	1	-	-	48
100	84	80	77	79	92	89	65	51	46	34	24	15	7	1	1	-	-	49
40	16	21	19	17	35	24	26	9	11	19	14	7	5	1	1	-	-	50
5	9	7	27	17	6	10	10	8	2	6	1	1	4	-	-	-	-	51
5	4	7	6	4	4	4	4	1	3	5	-	1	1	-	-	-	-	52
1	-	2	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	53
-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	54
176	187	225	346	496	560	718	831	1,014	1,201	1,928	2,748	3,538	3,100	1,603	442	55	12	55
152	165	182	278	384	421	540	620	700	738	1,021	1,178	1,313	1,031	529	125	22	9	56
24	22	43	68	112	139	178	211	314	463	907	1,570	2,225	2,069	1,074	317	33	3	57
120	126	135	199	286	333	450	527	610	667	957	1,132	1,251	1,008	513	118	21	6	58
18	15	28	45	88	122	156	192	271	414	865	1,531	2,171	2,032	1,054	306	29	3	59
29	31	44	76	92	83	84	89	81	62	58	38	49	18	13	4	-	3	60
5	6	13	20	23	17	20	19	42	48	42	38	52	33	17	9	4	-	61
3	8	3	3	6	5	6	4	9	9	6	8	13	5	3	3	1	-	62
1	1	2	3	1	-	2	-	1	1	-	1	2	4	3	2	-	-	63
117	126	137	178	260	272	344	385	439	433	547	609	625	462	241	56	5	5	64
105	112	122	155	223	222	280	321	348	320	348	354	306	217	88	20	1	4	65
12	14	15	23	37	50	64	64	91	113	199	255	319	245	153	36	4	1	66
90	92	92	114	170	178	236	271	296	290	322	337	283	209	82	18	1	4	67
8	8	9	16	29	44	53	55	78	96	189	251	308	238	150	34	3	1	68
12	15	28	39	50	41	41	48	47	27	25	16	16	6	5	2	-	-	69
3	5	6	5	8	6	10	9	12	17	10	4	10	6	3	2	1	-	70
3	5	2	2	3	3	3	2	5	3	1	1	7	2	1	-	-	-	71
1	1	-	2	-	-	1	-	1	-	-	-	1	1	-	-	-	-	72
18	19	37	72	111	135	163	200	266	323	591	878	1,158	1,017	527	130	20	1	73
11	18	27	48	78	92	116	136	161	181	291	360	427	322	171	35	8	1	74
7	1	10	24	33	43	47	64	105	142	300	518	731	695	356	95	12	-	75
7	14	22	33	60	71	98	121	149	163	273	348	409	315	164	34	8	-	76
7	1	8	18	27	38	44	62	97	136	290	503	715	682	348	93	12	-	77
4	3	5	14	17	20	17	14	11	15	15	8	16	5	5	-	-	1	78
-	-	1	5	5	5	3	2	8	6	10	14	16	10	6	1	-	-	79
-	1	-	1	1	1	1	1	1	3	3	4	2	2	2	1	-	-	80
-	-	1	1	1	-	-	-	-	-	-	1	-	3	2	1	-	-	81
41	42	51	96	125	153	211	246	309	445	790	1,261	1,755	1,621	835	256	30	6	82
36	35	33	75	83	107	144	163	191	237	382	464	580	492	270	70	13	4	83
5	7	18	21	42	46	67	83	118	208	408	797	1,175	1,129	565	186	17	2	84
23	20	21	52	56	84	116	135	165	214	362	447	559	484	267	66	12	2	85
3	6	11	11	32	40	59	75	96	182	386	777	1,148	1,112	556	179	14	2	86
13	13	11	23	25	22	26	27	23	20	18	14	17	7	3	2	-	2	87
2	1	6	10	10	6	7	8	22	25	22	20	26	17	8	6	3	-	88
-	2	1	-	2	1	2	1	3	3	2	3	4	1	-	2	1	-	89
-	-	1	-	-	-	1	-	-	1	-	-	1	-	1	1	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	ACCIDENTS--CON.										
01	BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE.....E910	1,493	5	15	14	18	21	73	55	45	89
02	MALE....	1,414	4	12	5	12	15	48	38	39	89
03	FEMALE..	79	1	3	9	6	6	25	17	6	-
04	WHITE.....MALE....	1,193	4	8	3	11	14	40	34	32	83
05	FEMALE..	65	-	2	6	3	4	15	14	6	-
06	NEGRO.....MALE....	204	-	2	2	1	1	6	4	6	6
07	FEMALE..	11	1	1	3	1	1	7	3	-	-
08	OTHER.....MALE....	17	-	2	-	-	-	2	-	1	-
09	FEMALE..	3	-	-	-	2	1	3	-	-	-
10	ACCIDENT CAUSED BY MACHINERY.....E912	2,054	2	15	11	22	16	66	56	71	131
11	MALE....	1,968	2	11	8	18	10	49	49	66	127
12	FEMALE..	86	-	4	3	4	6	17	7	5	4
13	WHITE.....MALE....	1,763	2	11	7	18	9	47	45	59	115
14	FEMALE..	82	-	3	3	4	6	16	7	5	4
15	NEGRO.....MALE....	189	-	-	1	-	1	2	3	7	12
16	FEMALE..	3	-	1	-	-	-	1	-	-	-
17	OTHER.....MALE....	16	-	-	-	-	-	-	1	-	-
18	FEMALE..	1	-	-	-	-	-	-	-	-	-
19	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	1,071	6	8	11	7	6	38	26	61	129
20	MALE....	998	2	6	7	4	5	24	20	52	120
21	FEMALE..	73	4	2	4	3	1	14	6	9	9
22	WHITE.....MALE....	886	2	6	5	3	4	20	16	47	108
23	FEMALE..	66	3	2	4	3	1	13	5	8	8
24	NEGRO.....MALE....	107	-	-	2	1	1	4	4	3	12
25	FEMALE..	6	1	-	-	-	-	1	-	1	1
26	OTHER.....MALE....	5	-	-	-	-	-	-	-	2	-
27	FEMALE..	1	-	-	-	-	-	-	1	-	-
28	ACCIDENT CAUSED BY FIRE AND EXPLOSION OF COMBUSTIBLE MATERIAL..E916	7,347	269	264	289	273	235	1,330	529	156	138
29	MALE....	4,383	143	132	153	149	127	704	263	92	94
30	FEMALE..	2,964	126	132	136	124	108	626	266	64	44
31	WHITE.....MALE....	3,184	67	61	90	86	74	378	185	63	75
32	FEMALE..	1,994	64	60	72	53	57	306	133	44	29
33	NEGRO.....MALE....	1,140	75	67	61	61	53	317	77	27	17
34	FEMALE..	947	62	71	63	67	50	313	130	20	15
35	OTHER.....MALE....	59	1	4	2	2	-	9	1	2	2
36	FEMALE..	23	-	1	1	4	1	7	3	-	-
37	ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	420	38	65	34	19	4	160	7	1	4
38	MALE....	240	21	34	18	10	3	86	3	1	3
39	FEMALE..	180	17	31	16	9	1	74	4	-	1
40	WHITE.....MALE....	165	14	24	9	7	2	56	1	1	2
41	FEMALE..	124	12	21	8	6	-	47	3	-	-
42	NEGRO.....MALE....	73	6	10	9	3	1	29	2	-	1
43	FEMALE..	53	5	10	8	2	1	26	1	-	1
44	OTHER.....MALE....	2	1	-	-	-	-	1	-	-	-
45	FEMALE..	3	-	-	-	1	-	1	-	-	-
46	ACCIDENT CAUSED BY FIREARM.....E919	2,344	4	4	18	21	26	73	119	302	385
47	MALE....	2,034	2	2	13	16	16	49	80	267	345
48	FEMALE..	310	2	2	5	5	10	24	39	35	40
49	WHITE.....MALE....	1,641	2	2	9	13	8	34	55	225	281
50	FEMALE..	211	2	1	2	2	7	14	29	21	28
51	NEGRO.....MALE....	371	-	-	4	2	8	14	25	38	61
52	FEMALE..	95	-	1	3	3	3	10	9	14	12
53	OTHER.....MALE....	22	-	-	-	1	-	1	-	4	3
54	FEMALE..	4	-	-	-	-	-	-	1	-	-
55	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT, ETC.....E921,E922	1,836	681	123	50	21	9	884	30	19	31
56	MALE....	1,089	381	87	30	14	3	515	17	9	22
57	FEMALE..	747	300	36	20	7	6	369	13	10	9
58	WHITE.....MALE....	906	286	70	27	11	1	395	15	7	19
59	FEMALE..	583	194	22	16	5	4	241	11	6	8
60	NEGRO.....MALE....	170	88	17	3	3	1	112	2	2	3
61	FEMALE..	152	98	13	4	2	2	119	2	4	1
62	OTHER.....MALE....	13	7	-	-	-	1	8	-	-	-
63	FEMALE..	12	8	1	-	-	-	9	-	-	-
64	ACCIDENTAL DROWNING.....E929	5,485	84	243	239	166	149	881	606	669	905
65	MALE....	4,545	48	163	173	120	108	612	475	542	849
66	FEMALE..	940	36	80	66	46	41	269	131	127	56
67	WHITE.....MALE....	3,518	41	148	162	112	96	559	365	361	629
68	FEMALE..	807	27	77	62	44	36	246	108	97	45
69	NEGRO.....MALE....	939	7	8	8	6	10	39	102	175	217
70	FEMALE..	110	7	3	4	2	4	20	22	24	9
71	OTHER.....MALE....	88	-	7	3	2	2	14	8	6	3
72	FEMALE..	23	2	-	-	-	1	3	1	6	2
73	EXCESSIVE HEAT AND INSOLATION.....E931	106	4	2	1	-	-	7	1	1	9
74	MALE....	79	3	1	-	-	-	4	-	-	9
75	FEMALE..	27	1	1	1	-	-	3	1	1	-
76	WHITE.....MALE....	48	2	1	-	-	-	3	-	-	8
77	FEMALE..	19	1	-	1	-	-	2	1	1	-
78	NEGRO.....MALE....	25	-	-	-	-	-	-	-	-	1
79	FEMALE..	5	-	-	-	-	-	-	-	-	-
80	OTHER.....MALE....	6	1	-	-	-	-	1	-	-	-
81	FEMALE..	3	-	1	-	-	-	1	-	-	-
82	COMPLICATIONS DUE TO NONTHERAPEUTIC MEDICAL AND SURGICAL PROCEDURES, THERAPEUTIC MISADVENTURE, ETC.....E940-E959	1,494	43	5	6	4	5	63	11	3	13
83	MALE....	721	25	4	3	1	3	36	4	2	8
84	FEMALE..	773	18	1	3	3	2	27	7	1	5
85	WHITE.....MALE....	621	18	4	3	-	2	27	3	2	5
86	FEMALE..	658	11	1	3	3	2	20	5	-	4
87	NEGRO.....MALE....	98	7	-	-	1	1	9	1	-	3
88	FEMALE..	112	7	-	-	-	-	7	2	1	1
89	OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
90	FEMALE..	3	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
111	115	104	151	139	148	140	114	94	52	32	13	13	4	-	-	-	1	01
110	114	104	150	138	148	138	106	90	48	29	12	9	3	-	-	-	1	02
1	1	-	1	1	-	2	8	4	4	3	1	4	1	-	-	-	-	03
92	100	88	129	110	120	110	96	74	41	24	11	7	1	-	-	-	1	04
1	1	-	1	1	-	2	7	4	4	3	1	4	1	-	-	-	-	05
16	12	15	20	26	27	26	9	16	7	5	-	1	2	-	-	-	-	06
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	07
2	2	1	1	2	1	2	1	-	-	-	1	1	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
135	122	133	150	164	183	229	210	153	120	70	41	14	4	2	-	-	-	10
132	120	130	147	157	176	222	202	149	117	66	39	14	4	2	-	-	-	11
3	2	3	3	7	7	7	8	4	3	4	2	-	-	-	-	-	-	12
113	104	114	126	130	158	198	183	140	112	64	35	14	4	2	-	-	-	13
2	1	3	3	6	7	7	8	4	3	4	2	-	-	-	-	-	-	14
16	16	14	21	22	16	22	19	9	5	1	4	-	-	-	-	-	-	15
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	16
3	-	2	-	5	2	2	-	-	-	1	-	-	-	-	-	-	-	17
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
166	116	111	95	82	85	66	52	30	7	6	1	-	-	-	-	-	-	19
161	112	106	93	77	80	65	49	25	7	6	1	-	-	-	-	-	-	20
5	4	5	2	5	5	1	3	5	-	-	-	-	-	-	-	-	-	21
148	105	92	82	65	69	59	44	18	7	5	1	-	-	-	-	-	-	22
3	4	5	1	5	5	1	3	5	-	-	-	-	-	-	-	-	-	23
11	6	14	11	12	11	6	5	7	-	1	-	-	-	-	-	-	-	24
2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
179	205	243	318	380	452	466	452	463	422	470	451	377	217	70	13	6	10	28
130	152	172	205	253	302	320	307	283	241	261	238	200	108	44	4	2	8	29
49	53	71	113	127	150	146	145	180	181	209	213	177	109	26	9	4	2	30
104	104	121	149	187	232	246	233	230	189	206	196	171	82	28	-	1	4	31
35	40	59	84	86	124	112	117	122	134	155	170	135	88	17	2	-	2	32
25	43	48	50	66	67	70	70	49	46	53	40	29	24	13	4	1	4	33
13	13	12	29	37	26	33	27	57	47	52	41	41	21	9	7	4	-	34
1	5	3	6	-	3	4	4	4	6	2	2	-	2	3	-	-	-	35
1	-	-	-	4	-	1	1	1	-	2	2	1	-	-	-	-	-	36
6	4	10	11	9	11	20	13	24	16	32	29	33	15	11	3	1	-	37
4	3	6	9	4	8	17	8	15	11	13	15	18	8	6	2	-	-	38
2	1	4	2	5	3	3	5	9	5	19	14	15	7	5	1	1	-	39
2	3	3	7	4	6	13	6	11	4	8	14	12	5	6	1	-	-	40
2	1	2	2	2	2	2	5	5	5	12	11	13	6	2	1	1	-	41
2	-	3	2	-	2	4	2	4	7	5	1	6	2	-	1	-	-	42
-	-	2	-	3	1	-	-	4	-	7	3	1	1	3	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	44
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	45
278	177	128	128	144	144	142	105	91	56	31	20	14	6	-	-	-	1	46
237	156	104	111	118	133	130	99	87	53	27	19	12	6	-	-	-	1	47
41	21	24	17	26	11	12	6	4	3	4	1	2	-	-	-	-	-	48
188	108	77	80	95	110	113	90	81	47	25	17	10	5	-	-	-	-	49
31	15	17	13	15	8	9	2	4	1	3	1	-	-	-	-	-	-	50
46	46	25	28	22	23	16	8	6	6	1	2	2	1	-	-	-	1	51
9	6	7	4	10	2	3	4	-	2	1	-	2	-	-	-	-	-	52
3	2	2	3	1	-	1	1	-	-	1	-	-	-	-	-	-	-	53
1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	54
28	26	29	45	56	64	86	86	94	91	73	76	58	44	15	1	-	-	55
19	14	19	27	30	37	59	53	62	53	45	46	37	17	8	-	-	-	56
9	12	10	18	26	27	27	33	32	38	28	30	21	27	7	1	-	-	57
17	13	17	19	24	33	54	45	59	49	42	41	33	16	8	-	-	-	58
7	9	10	15	23	25	24	31	30	37	25	27	21	25	7	1	-	-	59
2	1	2	7	6	3	5	8	3	4	3	4	3	-	-	-	-	-	60
2	2	-	3	3	2	3	2	1	1	3	2	-	2	-	-	-	-	61
-	-	-	1	-	1	-	-	-	-	-	1	1	1	-	-	-	-	62
-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	63
416	240	207	206	208	213	200	156	158	137	96	85	56	29	3	-	-	14	64
391	216	182	178	182	175	157	131	133	109	73	64	42	23	-	-	-	11	65
25	24	25	28	26	38	43	25	25	28	23	21	14	6	3	-	-	3	66
294	151	126	127	140	133	135	101	115	93	64	59	37	20	-	-	-	9	67
22	21	22	19	22	32	40	24	19	27	21	18	14	6	2	-	-	2	68
87	59	48	45	36	35	20	26	14	15	9	4	5	1	-	-	-	2	69
-	2	2	7	3	5	2	1	6	1	1	3	-	-	1	-	-	1	70
10	6	8	6	6	7	2	4	4	1	-	1	-	2	-	-	-	-	71
3	1	1	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-	72
2	3	9	7	12	12	5	5	9	3	7	2	3	5	3	-	-	1	73
2	3	6	6	11	9	5	4	7	1	4	2	2	2	1	-	-	1	74
-	-	3	1	1	3	-	1	2	2	3	-	1	3	2	-	-	-	75
1	2	3	3	4	5	4	4	3	-	2	1	2	2	-	-	-	1	76
-	-	-	-	1	3	-	1	2	1	1	-	1	3	2	-	-	-	77
1	-	3	2	7	3	1	-	2	1	2	1	-	-	1	-	-	-	78
-	-	2	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	79
-	1	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	80
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
22	36	28	37	65	96	120	136	132	158	164	172	135	68	30	4	1	-	82
5	10	8	13	26	43	64	77	68	78	82	76	70	29	19	3	-	-	83
17	26	20	24	39	53	56	59	64	80	82	96	65	39	11	1	1	-	84
3	7	5	7	21	35	57	67	64	69	71	68	64	26	18	2	-	-	85
15	14	14	20	26	39	39	53	53	74	75	94	63	37	11	1	1	-	86
2	3	3	6	4	8	7	10	4	9	10	8	6	3	1	1	-	-	87
2	10	5	4	13	14	17	6	11	6	7	2	2	2	-	-	-	-	88
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	89
-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	ACCIDENTS--CON.										
01	ALL OTHER ACCIDENTS.....RESIDUAL	7,268	1,597	173	102	67	55	1,994	228	266	265
02	MALE....	4,997	923	89	64	47	33	1,156	163	212	219
03	FEMALE..	2,271	674	84	38	20	22	838	65	54	46
04	WHITE.....MALE....	3,879	634	63	51	35	27	810	131	182	187
05	FEMALE..	1,706	416	63	32	16	18	545	50	39	34
06	NEGRO.....MALE....	1,009	279	24	13	12	5	333	26	27	27
07	FEMALE..	519	247	19	6	2	4	278	14	12	9
08	OTHER.....MALE....	109	10	2	-	-	1	13	6	3	5
09	FEMALE..	46	11	2	-	2	-	15	1	3	3
10	SUICIDE.....E963,E970-E979	21,507	...	...	...	...	...	...	1	103	685
11	MALE....	15,490	...	...	...	...	...	...	-	89	524
12	FEMALE..	6,017	...	...	...	...	...	...	1	14	161
13	WHITE.....MALE....	14,624	...	...	...	...	...	...	-	83	468
14	FEMALE..	5,718	...	...	...	...	...	...	1	12	135
15	NEGRO.....MALE....	732	...	...	...	...	...	...	-	5	49
16	FEMALE..	226	...	...	...	...	...	...	-	2	21
17	OTHER.....MALE....	134	...	...	...	...	...	...	-	1	7
18	FEMALE..	73	...	...	...	...	...	...	-	-	5
19	SUICIDE BY POISONING.....E970-E973	5,995	...	...	...	...	...	...	-	5	145
20	MALE....	3,179	...	...	...	...	...	...	-	2	92
21	FEMALE..	2,816	...	...	...	...	...	...	-	3	53
22	WHITE.....MALE....	3,079	...	...	...	...	...	...	-	2	86
23	FEMALE..	2,729	...	...	...	...	...	...	-	3	44
24	NEGRO.....MALE....	79	...	...	...	...	...	...	-	-	6
25	FEMALE..	69	...	...	...	...	...	...	-	-	8
26	OTHER.....MALE....	21	...	...	...	...	...	...	-	-	-
27	FEMALE..	18	...	...	...	...	...	...	-	-	1
28	SUICIDE BY HANGING AND STRANGULATION.....E974	3,197	...	...	...	...	...	...	1	49	120
29	MALE....	2,453	...	...	...	...	...	...	-	48	111
30	FEMALE..	744	...	...	...	...	...	...	1	1	9
31	WHITE.....MALE....	2,298	...	...	...	...	...	...	-	46	97
32	FEMALE..	689	...	...	...	...	...	...	1	1	7
33	NEGRO.....MALE....	116	...	...	...	...	...	...	-	2	12
34	FEMALE..	17	...	...	...	...	...	...	-	-	1
35	OTHER.....MALE....	39	...	...	...	...	...	...	-	-	2
36	FEMALE..	38	...	...	...	...	...	...	-	-	1
37	SUICIDE BY FIREARM AND EXPLOSIVE.....E976	9,898	...	...	...	...	...	...	-	43	359
38	MALE....	8,457	...	...	...	...	...	...	-	35	286
39	FEMALE..	1,441	...	...	...	...	...	...	-	8	73
40	WHITE.....MALE....	8,025	...	...	...	...	...	...	-	31	256
41	FEMALE..	1,365	...	...	...	...	...	...	-	7	63
42	NEGRO.....MALE....	381	...	...	...	...	...	...	-	3	26
43	FEMALE..	68	...	...	...	...	...	...	-	1	8
44	OTHER.....MALE....	51	...	...	...	...	...	...	-	1	4
45	FEMALE..	8	...	...	...	...	...	...	-	-	2
46	SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	2,417	...	...	...	...	...	...	-	6	61
47	MALE....	1,401	...	...	...	...	...	...	-	4	35
48	FEMALE..	1,016	...	...	...	...	...	...	-	2	26
49	WHITE.....MALE....	1,222	...	...	...	...	...	...	-	4	29
50	FEMALE..	935	...	...	...	...	...	...	-	1	21
51	NEGRO.....MALE....	156	...	...	...	...	...	...	-	-	5
52	FEMALE..	72	...	...	...	...	...	...	-	1	4
53	OTHER.....MALE....	23	...	...	...	...	...	...	-	-	1
54	FEMALE..	9	...	...	...	...	...	...	-	-	1
55	HOMICIDE.....E964,E980-E985	10,712	213	59	52	45	33	402	120	129	727
56	MALE....	8,148	123	33	28	20	21	225	62	88	553
57	FEMALE..	2,564	90	26	24	25	12	177	58	41	174
58	WHITE.....MALE....	3,660	87	20	23	13	14	157	46	41	223
59	FEMALE..	1,379	57	16	13	18	9	113	45	26	97
60	NEGRO.....MALE....	4,376	32	11	5	7	7	62	16	42	322
61	FEMALE..	1,147	33	10	11	7	3	64	12	15	74
62	OTHER.....MALE....	112	4	2	-	-	-	6	-	5	8
63	FEMALE..	38	-	-	-	-	-	-	1	-	3
64	ASSAULT BY FIREARM AND EXPLOSIVE.....E981	6,158	14	5	8	12	8	47	47	74	421
65	MALE....	4,807	10	1	3	6	5	25	25	55	329
66	FEMALE..	1,351	4	4	5	6	3	22	22	19	92
67	WHITE.....MALE....	2,152	6	1	2	4	4	17	16	25	125
68	FEMALE..	772	3	2	3	6	3	17	19	9	49
69	NEGRO.....MALE....	2,608	3	-	1	2	1	7	9	28	198
70	FEMALE..	570	1	2	2	-	-	5	2	10	43
71	OTHER.....MALE....	47	1	-	-	-	-	1	-	2	6
72	FEMALE..	9	-	-	-	-	-	-	1	-	-
73	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	2,292	8	-	3	4	-	15	5	16	171
74	MALE....	1,847	2	-	1	3	-	6	1	11	139
75	FEMALE..	445	6	-	2	1	-	9	4	5	32
76	WHITE.....MALE....	555	2	-	1	3	-	6	-	4	48
77	FEMALE..	154	4	-	1	1	-	6	2	4	15
78	NEGRO.....MALE....	1,270	-	-	-	-	-	-	1	6	91
79	FEMALE..	282	2	-	1	-	-	3	2	1	14
80	OTHER.....MALE....	22	-	-	-	-	-	-	-	1	-
81	FEMALE..	9	-	-	-	-	-	-	-	-	3
82	ASSAULT BY OTHER MEANS.....E964,E980,E983	1,984	191	54	41	29	25	340	68	38	82
83	MALE....	1,216	111	32	24	11	16	194	36	21	32
84	FEMALE..	768	80	22	17	18	9	146	32	17	50
85	WHITE.....MALE....	793	79	19	20	6	10	134	30	11	22
86	FEMALE..	453	50	14	9	11	6	90	24	13	33
87	NEGRO.....MALE....	383	29	11	4	5	6	55	6	8	9
88	FEMALE..	295	30	8	8	7	3	56	8	4	17
89	OTHER.....MALE....	40	3	2	-	-	-	5	-	2	1
90	FEMALE..	20	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
234	271	224	281	372	417	424	400	354	381	325	322	230	180	77	11	6	6	01
195	218	170	214	287	316	325	313	275	271	215	206	118	81	30	4	3	6	02
39	53	54	67	85	101	99	87	79	110	110	116	112	99	47	7	3	–	03
151	170	132	149	205	232	251	251	224	214	189	181	114	69	28	3	2	4	04
29	38	36	43	60	76	73	70	67	91	93	110	103	94	45	7	3	–	05
37	40	31	60	75	74	69	55	43	50	23	23	4	7	1	1	1	2	06
9	13	17	22	22	23	20	17	10	19	15	6	7	4	2	–	–	–	07
7	8	7	5	7	10	5	7	8	7	3	2	–	5	1	–	–	–	08
1	2	1	2	3	2	6	–	2	–	2	–	2	1	–	–	–	–	09
1,191	1,268	1,453	1,888	2,176	2,143	2,411	2,257	1,783	1,405	1,120	866	487	215	44	3	–	8	10
901	899	985	1,229	1,448	1,422	1,701	1,669	1,364	1,048	880	705	402	179	35	3	–	7	11
290	369	468	659	728	721	710	588	419	357	240	161	85	36	9	–	–	1	12
799	805	903	1,135	1,357	1,346	1,638	1,617	1,310	1,000	865	681	396	177	34	3	–	7	13
257	329	423	627	700	699	685	578	407	354	231	155	83	33	8	–	–	1	14
85	82	69	83	78	70	51	40	46	38	12	17	4	2	1	–	–	–	15
27	31	36	18	22	21	23	7	8	1	4	2	2	1	–	–	–	–	16
17	12	13	11	13	6	12	12	8	10	3	7	2	–	–	–	–	–	17
6	9	9	14	6	1	2	3	4	2	5	4	–	2	1	–	–	–	18
289	380	508	669	735	721	712	620	425	322	218	142	64	29	8	–	–	3	19
169	221	285	329	371	355	369	322	252	161	115	81	34	16	3	–	–	2	20
120	159	223	340	364	366	343	298	173	161	103	61	30	13	5	–	–	1	21
157	207	272	313	359	346	361	320	249	160	113	79	34	16	3	–	–	2	22
110	147	204	327	356	361	337	298	172	161	100	61	29	13	5	–	–	1	23
9	10	11	14	10	8	5	1	2	1	1	1	–	–	–	–	–	–	24
9	10	15	9	7	4	5	–	1	–	–	–	1	–	–	–	–	–	25
3	4	2	2	2	1	3	1	1	–	1	1	–	–	–	–	–	–	26
1	2	4	4	1	1	1	–	–	–	3	–	–	–	–	–	–	–	27
155	158	171	211	265	275	341	337	308	238	231	163	99	60	12	2	–	1	28
137	118	131	155	185	192	232	253	235	175	187	142	90	50	9	2	–	1	29
18	40	40	56	80	83	109	84	73	63	44	21	9	10	3	–	–	–	30
117	103	118	138	169	178	219	248	227	165	185	138	88	50	9	2	–	1	31
16	32	34	49	74	81	107	78	70	61	42	17	9	8	2	–	–	–	32
17	13	11	13	10	12	10	2	4	6	2	2	–	–	–	–	–	–	33
–	3	3	1	1	2	2	3	–	–	–	1	–	–	–	–	–	–	34
3	2	2	4	6	2	3	3	4	4	–	2	2	–	–	–	–	–	35
2	5	3	6	5	–	–	3	3	2	2	3	–	2	1	–	–	–	36
625	621	639	823	946	950	1,127	1,057	799	654	498	408	236	91	19	1	–	2	37
511	490	496	628	764	765	986	953	730	613	467	391	231	89	19	1	–	2	38
114	131	143	195	182	185	141	104	69	41	31	17	5	2	–	–	–	–	39
460	446	452	590	731	734	953	914	698	583	460	378	229	88	19	1	–	2	40
102	121	135	189	178	175	134	103	64	41	29	17	5	2	–	–	–	–	41
41	41	35	34	32	29	28	35	31	25	6	12	2	1	–	–	–	–	42
9	9	7	5	4	10	7	1	5	–	2	–	–	–	–	–	–	–	43
10	3	9	4	1	2	5	4	1	5	1	1	–	–	–	–	–	–	44
3	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	45
122	109	135	185	230	197	231	243	251	191	173	153	88	35	5	–	–	2	46
84	70	73	117	128	110	114	141	147	99	111	91	47	24	4	–	–	2	47
38	39	62	68	102	87	117	102	104	92	62	62	41	11	1	–	–	–	48
65	49	61	94	98	88	105	135	136	92	107	86	45	23	3	–	–	2	49
29	29	50	62	92	82	107	99	101	91	60	60	40	10	1	–	–	–	50
18	18	12	22	26	21	8	2	9	6	3	2	2	1	1	–	–	–	51
9	9	11	3	10	5	9	3	2	1	2	1	1	1	–	–	–	–	52
1	3	–	1	4	1	1	4	2	1	1	3	–	–	–	–	–	–	53
–	1	1	3	–	–	1	–	1	–	–	1	–	–	–	–	–	–	54
1,339	1,338	1,297	1,294	1,108	844	685	516	330	239	147	84	69	20	6	–	–	18	55
1,056	1,061	985	1,009	833	637	550	408	253	191	103	62	45	12	4	–	–	11	56
283	277	312	285	275	207	135	108	77	48	44	22	24	8	2	–	–	7	57
428	387	370	423	355	301	282	224	162	102	66	43	33	7	4	–	–	6	58
139	114	134	113	144	112	87	64	65	39	37	18	20	7	1	–	–	4	59
617	661	596	574	471	330	264	177	86	87	33	18	10	5	–	–	–	5	60
142	160	172	166	125	91	46	41	11	9	6	4	4	1	1	–	–	3	61
11	13	19	12	7	6	4	7	5	2	4	1	2	–	–	–	–	–	62
2	3	6	6	6	4	2	3	1	–	1	–	–	–	–	–	–	–	63
878	865	804	772	657	502	398	279	162	128	60	30	24	4	2	–	–	4	64
697	693	623	615	502	374	322	226	126	103	44	23	16	3	2	–	–	4	65
181	172	181	157	155	128	76	53	36	25	16	7	8	1	–	–	–	–	66
271	260	248	275	229	190	173	124	84	55	28	15	12	1	2	–	–	2	67
97	78	93	73	92	78	53	33	32	21	13	7	7	1	–	–	–	–	68
422	424	363	334	270	183	147	101	42	48	16	8	4	2	–	–	–	2	69
84	93	86	82	62	49	23	19	4	4	3	–	1	–	–	–	–	–	70
4	9	12	6	3	1	2	1	–	–	–	–	–	–	–	–	–	–	71
–	1	2	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	72
296	310	320	330	262	183	130	95	63	45	21	16	10	2	–	–	–	2	73
231	258	257	269	214	145	108	80	49	37	17	14	8	1	–	–	–	2	74
65	52	63	61	48	38	22	15	14	8	4	2	2	1	–	–	–	–	75
76	67	57	72	60	44	36	28	23	15	9	7	3	–	–	–	–	–	76
19	15	12	12	16	12	10	7	12	6	3	1	1	1	–	–	–	–	77
152	189	195	194	153	100	71	51	24	21	8	6	5	1	–	–	–	2	78
45	36	51	48	30	25	12	8	2	2	1	1	1	–	–	–	–	–	79
3	2	5	3	1	1	1	1	2	1	–	1	–	–	–	–	–	–	80
1	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	81
103	102	147	164	171	150	147	134	103	66	66	38	35	14	4	–	–	12	82
66	49	79	97	99	109	110	94	76	51	42	25	21	8	2	–	–	5	83
37	53	68	67	72	41	37	40	27	15	24	13	14	6	2	–	–	7	84
45	28	48	57	58	63	65	67	53	32	29	21	18	6	2	–	–	4	85
23	21	29	28	36	22	24	24	21	12	21	10	12	5	1	–	–	4	86
18	19	29	37	39	42	44	22	20	18	9	4	1	2	–	–	–	1	87
13	31	35	36	33	17	11	14	5	3	2	3	2	1	1	–	–	3	88
3	2	2	3	2	4	1	5	3	1	4	–	2	–	–	–	–	–	89
1	1	4	3	3	2	2	2	1	–	1	–	–	–	–	–	–	–	90

Table 1-26. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	HOMICIDE--CON.										
01	INJURY BY INTERVENTION OF POLICE.....E984	271	-	-	-	-	-	-	-	1	53
02	MALE....	271	-	-	-	-	-	-	-	1	53
03	FEMALE..	-	-	-	-	-	-	-	-	-	-
04	WHITE.....MALE....	154	-	-	-	-	-	-	-	1	28
05	FEMALE..	-	-	-	-	-	-	-	-	-	-
06	NEGRO.....MALE....	114	-	-	-	-	-	-	-	-	24
07	FEMALE..	-	-	-	-	-	-	-	-	-	-
08	OTHER.....MALE....	3	-	-	-	-	-	-	-	-	1
09	FEMALE..	-	-	-	-	-	-	-	-	-	-
10	EXECUTION.....E985	7	-	-	-	-	-	-	-	-	-
11	MALE....	7	-	-	-	-	-	-	-	-	-
12	FEMALE..	-	-	-	-	-	-	-	-	-	-
13	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-
14	FEMALE..	-	-	-	-	-	-	-	-	-	-
15	NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
16	FEMALE..	-	-	-	-	-	-	-	-	-	-
17	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
18	FEMALE..	-	-	-	-	-	-	-	-	-	-
19	INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	30	-	-	-	-	-	-	-	-	1
20	MALE....	30	-	-	-	-	-	-	-	-	1
21	FEMALE..	-	-	-	-	-	-	-	-	-	-
22	WHITE.....MALE....	29	-	-	-	-	-	-	-	-	1
23	FEMALE..	-	-	-	-	-	-	-	-	-	-
24	NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
25	FEMALE..	-	-	-	-	-	-	-	-	-	-
26	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
27	FEMALE..	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
58	61	24	27	18	9	10	8	2	-	-	-	-	-	-	-	-	-	01
58	61	24	27	18	9	10	8	2	-	-	-	-	-	-	-	-	-	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
33	32	15	18	8	4	8	5	2	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05
24	29	9	9	9	5	2	3	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
4	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
4	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
5	1	1	2	3	1	1	-	1	8	5	1	-	-	-	-	-	-	19
5	1	1	2	3	1	1	-	1	8	5	1	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
4	1	1	2	3	1	1	-	1	8	5	1	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	CAUSE OF DEATH	UNITED STATES						
		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female
01	ALL CAUSES	1,828,136	1,035,200	792,936	910,511	694,987	124,689	97,949
02	I. INFECTIVE AND PARASITIC DISEASES	17,833	11,469	6,364	8,671	4,664	2,798	1,700
03	TUBERCULOSIS, ALL FORMS 001-019	7,934	5,789	2,145	4,323	1,474	1,466	671
04	TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	7,358	5,446	1,912	4,115	1,349	1,331	563
05	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	143	77	66	44	30	33	36
06	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	43	18	25	9	10	9	15
07	TUBERCULOSIS OF BONES AND JOINTS 012,013	60	35	25	28	23	7	2
08	TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	112	77	35	57	25	20	10
09	DISSEMINATED TUBERCULOSIS 019	218	136	82	70	37	66	45
10	SYPHILIS AND ITS SEQUELAE 020-029	2,434	1,732	702	1,288	501	444	201
11	CONGENITAL SYPHILIS 020	34	20	14	10	7	10	7
12	EARLY SYPHILIS 021	1	1	-	-	-	1	-
13	ANEURYSM OF AORTA 022	1,504	1,079	425	903	342	176	83
14	OTHER CARDIOVASCULAR SYPHILIS 023	549	399	150	213	75	186	75
15	TABES DORSALIS 024	43	31	12	31	11	-	1
16	GENERAL PARALYSIS OF INSANE 025	96	66	30	45	24	21	6
17	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	157	106	51	70	32	36	19
18	ALL OTHER SYPHILIS 027-029	50	30	20	16	10	14	10
19	GONOCOCCAL INFECTION 030-035	9	7	2	3	-	4	2
20	TYPHOID FEVER 040	6	2	4	1	2	1	2
21	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	87	50	37	34	25	16	12
22	CHOLERA 043	-	-	-	-	-	-	-
23	BRUCELLOSIS 044	6	3	3	2	3	1	-
24	DYSENTERY, ALL FORMS 045-048	243	141	102	83	48	58	54
25	FOOD POISONING, INFECTION AND INTOXICATION 049	24	11	13	7	7	4	6
26	SCARLET FEVER 050	5	3	2	3	2	-	-
27	STREPTOCOCCAL SORE THROAT 051	58	28	30	21	20	7	10
28	ERYSIPELAS 052	12	5	7	5	7	-	-
29	SEPTICEMIA AND PYEMIA 053	2,443	1,318	1,125	1,026	857	292	268
30	DIPHTHERIA 055	18	10	8	5	5	5	3
31	WHOOPING COUGH 056	55	34	21	14	9	20	12
32	MENINGOCOCCAL INFECTIONS 057	890	483	407	394	320	89	87
33	PLAGUE 058	1	1	-	-	-	1	-
34	LEPROSY 060	3	2	1	2	-	-	1
35	TETANUS 061	181	112	69	64	44	48	25
36	ANTHRAX 062	-	-	-	-	-	-	-
37	ACUTE POLIOMYELITIS 080	16	7	9	5	8	2	1
38	LATE EFFECTS OF ACUTE POLIOMYELITIS 081	128	85	43	79	42	6	1
39	ACUTE INFECTIOUS ENCEPHALITIS 082	500	252	248	209	214	43	34
40	LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	63	42	21	41	19	1	2
41	SMALLPOX 084	-	-	-	-	-	-	-
42	MEASLES 085	276	129	147	91	101	38	46
43	YELLOW FEVER 091	-	-	-	-	-	-	-
44	INFECTIOUS HEPATITIS 092	707	290	417	247	359	43	58
45	RABIES 094	2	1	1	1	1	-	-
46	TICK-BORNE TYPHUS 104	16	8	8	8	6	-	2
47	ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	1	1	-	-	-	1	-
48	MALARIA 110-117	8	8	-	7	-	1	-
49	SCHISTOSOMIASIS 123	4	4	-	4	-	-	-
50	HYDATID DISEASE 125	7	4	3	4	2	-	1
51	FILARIASIS 127	-	-	-	-	-	-	-
52	ANCYLOSTOMIASIS 129	2	-	2	-	1	-	1
53	OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	66	36	30	12	9	24	21
54	ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	1,628	871	757	688	578	183	179
55	II. NEOPLASMS	302,646	163,828	138,818	147,483	125,421	16,345	13,397
56	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	297,588	161,422	136,166	145,374	123,168	16,048	12,998
57	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	6,501	4,924	1,577	4,400	1,402	524	175
58	OF LIP 140	172	149	23	148	20	1	3
59	OF TONGUE 141	1,611	1,232	379	1,091	352	141	27
60	OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	2,040	1,419	621	1,261	553	158	68
61	OF PHARYNX 145-148	2,678	2,124	554	1,900	477	224	77
62	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	94,305	51,253	43,052	45,474	39,179	5,779	3,873
63	OF ESOPHAGUS 150	5,542	4,236	1,306	3,341	1,048	895	258
64	OF STOMACH 151	18,027	11,059	6,968	9,383	6,085	1,676	883
65	OF SMALL INTESTINE, INCLUDING DUODENUM 152	745	406	339	369	320	37	19
66	OF LARGE INTESTINE, EXCEPT RECTUM 153	32,000	14,897	17,103	13,858	15,858	1,039	1,245
67	CECUM, APPENDIX, AND ASCENDING COLON 153.0	4,498	2,014	2,484	1,879	2,337	135	147
68	TRANSVERSE COLON 153.1	1,551	725	826	666	770	59	56
69	DESCENDING COLON 153.2	1,196	559	637	528	590	31	47
70	SIGMOID COLON 153.3	6,022	2,862	3,160	2,715	2,973	147	187
71	MULTIPLE PARTS OF LARGE INTESTINE 153.7	59	35	24	34	23	1	1
72	LARGE INTESTINE, PART UNSPECIFIED 153.8	17,022	7,950	9,072	7,340	8,329	610	743
73	INTESTINAL TRACT, PART UNSPECIFIED 153.9	1,652	752	900	696	836	56	64
74	OF RECTUM 154	10,533	5,962	4,571	5,519	4,214	443	357
75	OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	6,589	2,928	3,661	2,578	3,430	350	231
76	LIVER 155.0	2,084	1,369	715	1,125	648	244	67
77	OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	4,505	1,559	2,946	1,453	2,782	106	164
78	OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	3,195	1,703	1,492	1,451	1,338	252	154
79	OF PANCREAS 157	16,002	9,237	6,765	8,264	6,150	973	615
80	OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	1,672	825	847	711	736	114	111

and Sex: United States and Each State, 1965

of the International Lists, 1955. For complete category titles, see table 1-25]

ALABAMA					ALASKA					ARIZONA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
32,535	12,535	8,764	6,069	5,167	1,335	603	232	303	197	12,000	6,667	4,105	739	489	01
459	152	79	148	80	35	4	1	14	16	231	131	45	30	25	02
260	95	39	87	39	12	3	-	4	5	121	79	17	17	8	03
245	92	37	83	33	11	3	-	4	4	109	74	15	15	5	04
6	2	1	1	2	1	-	-	-	1	2	1	-	-	1	05
-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
2	-	1	1	-	-	-	-	-	-	5	2	1	1	1	08
7	1	-	2	4	-	-	-	-	-	3	2	-	1	-	09
39	13	4	16	6	-	-	-	-	-	13	12	1	-	-	10
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
20	10	4	4	2	-	-	-	-	-	11	10	1	-	-	13
11	1	-	7	3	-	-	-	-	-	1	1	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	16
5	2	-	3	-	-	-	-	-	-	-	-	-	-	-	17
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
1	-	1	-	-	-	-	-	-	-	2	1	-	-	1	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
6	1	1	4	-	-	-	-	-	-	7	1	-	4	2	24
3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	25
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	26
2	-	1	1	-	-	-	-	-	-	1	-	1	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
52	18	9	10	15	3	-	-	3	-	26	10	7	5	4	29
5	1	2	1	1	-	-	-	-	-	-	-	-	-	-	30
4	-	-	3	1	-	-	-	-	-	-	-	-	-	-	31
19	8	5	3	3	5	-	-	2	3	9	3	3	1	2	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
4	1	-	1	2	-	-	-	-	-	1	1	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
2	1	1	-	-	-	-	-	-	-	3	2	1	-	-	38
6	3	1	2	-	3	1	-	1	1	5	1	3	-	1	39
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
11	-	2	3	6	-	-	-	-	-	7	2	1	2	2	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
10	4	5	1	-	-	-	-	-	-	7	4	-	-	3	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
7	-	1	4	2	-	-	-	-	-	1	-	1	-	-	53
26	5	6	11	4	11	-	1	4	6	26	13	10	1	2	54
4,357	1,796	1,390	607	564	146	69	38	23	16	1,896	995	781	70	50	55
4,275	1,769	1,363	597	546	143	69	37	21	16	1,875	980	775	70	50	56
100	61	21	13	5	4	4	-	-	-	43	25	15	3	-	57
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	58
22	13	5	2	2	3	3	-	-	-	10	6	3	1	-	59
46	27	11	5	3	-	-	-	-	-	10	7	2	1	-	60
31	20	5	6	-	1	1	-	-	-	22	11	10	1	-	61
1,133	447	379	175	132	45	24	8	8	5	537	272	223	25	17	62
64	29	8	14	13	7	2	-	4	1	26	15	6	4	1	63
247	87	68	57	35	11	5	2	2	2	104	55	37	8	4	64
10	4	5	1	-	-	-	-	-	-	7	4	2	1	-	65
340	132	147	26	35	10	6	4	-	-	147	64	81	1	1	66
38	13	14	5	6	-	-	-	-	-	21	7	14	-	-	67
4	2	2	-	-	1	-	1	-	-	4	3	1	-	-	68
9	8	-	-	1	-	-	-	-	-	6	1	5	-	-	69
52	20	28	1	3	3	2	1	-	-	33	18	14	-	1	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
220	83	100	16	21	5	3	2	-	-	78	31	46	1	-	72
17	6	3	4	4	1	1	-	-	-	5	4	1	-	-	73
85	27	38	14	6	2	2	-	-	-	51	30	19	1	1	74
73	27	29	13	4	-	-	-	-	-	48	17	22	5	4	75
40	17	9	12	2	-	-	-	-	-	14	8	4	1	1	76
33	10	20	1	2	-	-	-	-	-	34	9	18	4	3	77
55	20	15	9	11	3	3	-	-	-	17	9	6	-	2	78
235	114	63	37	21	11	6	2	1	2	127	72	48	3	4	79
24	7	6	4	7	1	-	-	1	-	10	6	2	2	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	CAUSE OF DEATH	UNITED STATES						
		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female
	MALIGNANT NEOPLASMS, ETC.--CON.							
01	MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	52,039	43,798	8,241	39,793	7,494	4,005	747
02	OF LARYNX....161	2,629	2,326	303	2,073	268	253	35
03	OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	20,354	17,570	2,784	15,954	2,545	1,616	239
04	OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	28,129	23,309	4,820	21,230	4,382	2,079	438
05	OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	927	593	334	536	299	57	35
06	MALIGNANT NEOPLASM OF BREAST....170	27,048	243	26,805	221	24,627	22	2,178
07	MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	40,454	16,880	23,574	14,720	20,360	2,160	3,214
08	OF CERVIX UTERI....171	8,053	...	8,053	...	6,392	...	1,661
09	OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	5,785	...	5,785	...	4,962	...	823
10	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	8,933	...	8,933	...	8,281	...	652
11	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	803	...	803	...	725	...	78
12	OF PROSTATE....177	15,911	15,911	...	13,819	...	2,092	...
13	OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	969	969	...	901	...	68	...
14	MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	13,901	9,094	4,807	8,453	4,379	641	428
15	OF KIDNEY....180	5,634	3,508	2,126	3,266	1,981	242	145
16	OF BLADDER AND OTHER URINARY ORGANS....181	8,267	5,586	2,681	5,187	2,398	399	283
17	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....1568,165,190-199	34,644	18,797	15,847	17,135	14,339	1,662	1,508
18	OF SKIN....190,191	4,605	2,711	1,894	2,592	1,805	119	89
19	OF EYE....192	338	172	166	161	154	11	12
20	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	7,014	4,108	2,906	3,859	2,734	249	172
21	OF THYROID GLAND....194	1,052	360	692	335	640	25	52
22	OF BONE....196	1,813	1,092	721	988	646	104	75
23	OF CONNECTIVE TISSUE....197	1,262	692	570	623	514	69	56
24	OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	1,586	956	630	872	562	84	68
25	OF UNSPECIFIED SITES....156B,165,198,199B	16,974	8,706	8,268	7,705	7,284	1,001	984
26	LEUKEMIA AND ALEUKEMIA....204	13,628	7,840	5,788	7,274	5,403	566	385
27	LYMPHOSARCOMA, ETC....200-203,205	15,068	8,593	6,475	7,904	5,985	689	490
28	LYMPHOSARCOMA AND RETICULOSARCOMA....200	7,250	4,134	3,116	3,870	2,970	264	146
29	HODGKINS DISEASE....201	3,394	2,066	1,328	1,920	1,234	146	94
30	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	4,424	2,393	2,031	2,114	1,781	279	250
31	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	5,058	2,406	2,652	2,109	2,253	297	399
32	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	355	...	355	...	228	...	127
33	BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	1,006	429	577	370	509	59	68
34	OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	989	548	441	474	388	74	53
35	UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	24	...	24	...	21	...	3
36	NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	1,707	918	789	821	702	97	87
37	OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	977	511	466	444	405	67	61
38	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	44,136	19,198	24,938	16,690	21,120	2,508	3,818
39	ASTHMA....241	4,520	2,649	1,871	2,226	1,544	423	327
40	NONTOXIC GOITER....250,251	55	7	48	5	38	2	10
41	THYROTOXICOSIS WITH OR WITHOUT GOITER....252	438	96	342	71	284	25	58
42	ALL OTHER DISEASES OF THYROID GLAND....253,254	384	93	291	88	268	5	23
43	DIABETES MELLITUS....260	33,174	13,588	19,586	11,922	16,610	1,666	2,976
44	DISEASES OF THYMUS GLAND....273	68	49	19	41	12	8	7
45	DISEASES OF ADRENAL GLANDS....274	454	203	251	176	229	27	22
46	PELLAGRA....281	22	9	13	6	11	3	2
47	OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	1,521	741	780	597	651	144	129
48	CYSTIC FIBROSIS....289A	610	307	303	289	285	18	18
49	ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	2,890	1,456	1,434	1,269	1,188	187	246
50	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	5,561	2,804	2,757	2,337	2,301	467	456
51	ANEMIAS....290-293	3,539	1,743	1,796	1,396	1,433	347	363
52	PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	423	180	243	167	228	13	15
53	ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	3,116	1,563	1,553	1,229	1,205	334	348
54	PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	741	345	396	311	351	34	45
55	OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	1,281	716	565	630	517	86	48
56	V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	4,988	3,385	1,603	2,620	1,284	765	319
57	SENILE PSYCHOSIS....304	279	107	172	100	161	7	11
58	ALCOHOLIC PSYCHOSIS....307	520	466	54	376	36	90	18
59	OTHER PSYCHOSES....300-303,305,306,308,309	786	382	404	332	364	50	40
60	ALCOHOLISM....322	2,665	2,046	619	1,502	424	544	195
61	MENTAL DEFICIENCY....325	518	278	240	241	215	37	25
62	OTHER DISORDERS OF PERSONALITY....RESIDUAL	220	106	114	69	84	37	30
63	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	215,913	101,482	114,431	87,459	99,646	14,023	14,785
64	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	201,057	93,520	107,537	80,823	93,768	12,697	13,769
65	SUBARACHNOID HEMORRHAGE....330	8,272	3,590	4,682	2,974	3,824	616	858
66	CEREBRAL HEMORRHAGE....331	109,193	51,239	57,954	43,414	49,572	7,825	8,382
67	CEREBRAL EMBOLISM AND THROMBOSIS....332	63,680	29,636	34,044	26,455	30,651	3,181	3,393
68	OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	19,912	9,055	10,857	7,980	9,721	1,075	1,136
69	MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	2,363	1,313	1,050	920	706	393	344
70	MULTIPLE SCLEROSIS....345	1,530	607	923	565	858	42	65
71	PARALYSIS AGITANS....350	3,003	1,592	1,411	1,537	1,373	55	38
72	CEREBRAL SPASTIC INFANTILE PARALYSIS....351	690	381	309	321	244	60	65
73	EPILEPSY....353	1,881	1,136	745	803	563	333	182
74	INFLAMMATORY DISEASES OF EYE....370-379	12	7	5	7	3	-	2
75	CATARACT....385	28	11	17	7	15	4	2
76	GLAUCOMA....387	5	3	2	3	2	-	-
77	OTITIS MEDIA AND MASTOIDITIS....391-393	230	119	111	92	82	27	29
78	OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	5,114	2,793	2,321	2,381	2,032	412	289

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

ALABAMA					ALASKA					ARIZONA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
774	552	72	131	19	29	17	5	5	2	375	304	59	10	2	01
29	21	5	2	1	-	-	-	-	-	13	13	-	-	-	02
334	235	22	70	7	10	8	1	-	1	178	146	26	5	1	03
398	289	41	57	11	19	9	4	5	1	183	145	32	5	1	04
13	7	4	2	-	-	-	-	-	-	1	-	1	-	-	05
338	2	240	-	96	8	-	8	-	-	145	1	142	-	2	06
751	181	280	119	171	22	10	6	2	4	264	109	132	8	15	07
219	...	109	...	110	4	...	2	...	2	63	...	53	...	10	08
88	...	53	...	35	1	...	1	...	-	21	...	20	...	1	09
136	...	112	...	24	5	...	3	...	2	58	...	54	...	4	10
8	...	6	...	2	-	...	-	...	-	5	...	5	...	-	11
276	163	...	113	...	12	10	...	2	...	108	100	...	8	...	12
24	18	...	6	...	-	-	...	-	...	9	9	...	-	...	13
154	78	44	21	11	3	2	-	1	-	93	48	37	3	5	14
62	37	18	5	2	3	2	-	1	-	47	21	19	3	4	15
92	41	26	16	9	-	-	-	-	-	46	27	18	-	1	16
612	269	189	71	83	20	6	9	2	3	203	93	89	14	7	17
103	63	34	3	3	2	1	1	-	-	39	20	17	2	-	18
9	1	4	2	2	-	-	-	-	-	2	-	1	1	-	19
91	60	21	6	4	1	-	1	-	-	36	19	15	1	1	20
15	2	5	3	5	1	-	-	1	-	12	3	7	-	2	21
36	12	15	5	4	-	-	-	-	-	5	2	3	-	-	22
20	7	5	2	6	-	-	-	-	-	10	4	5	1	-	23
33	16	12	3	2	3	-	2	-	1	7	3	1	3	-	24
305	108	93	47	57	13	5	5	1	2	92	42	40	6	4	25
194	80	70	31	13	7	4	1	1	1	105	60	37	6	2	26
219	99	68	36	16	5	2	-	2	1	110	68	41	1	-	27
93	41	34	16	2	2	1	-	-	1	49	33	16	-	-	28
54	31	11	9	3	1	1	-	-	-	28	19	9	-	-	29
72	27	23	11	11	2	-	-	2	-	33	16	16	1	-	30
82	27	27	10	18	3	-	1	2	-	21	15	6	-	-	31
6	...	3	...	3	-	...	-	...	-	-	...	-	...	-	32
14	6	8	-	-	-	-	-	-	-	3	1	2	-	-	33
13	8	2	2	1	1	-	-	1	-	6	4	2	-	-	34
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	35
34	11	8	4	11	1	-	1	-	-	4	3	1	-	-	36
14	2	6	4	2	1	-	-	1	-	8	7	1	-	-	37
746	206	268	90	182	13	3	5	4	1	317	165	121	14	17	38
68	27	21	10	10	3	-	2	1	-	86	57	27	2	-	39
3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	40
14	1	5	3	5	-	-	-	-	-	-	-	-	-	-	41
2	-	2	-	-	-	-	-	-	-	3	1	1	-	1	42
541	138	193	64	146	7	3	3	1	-	177	81	76	7	13	43
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	44
9	5	3	-	1	1	-	-	-	1	6	2	2	1	1	45
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	46
29	6	13	4	6	-	-	-	-	-	13	6	5	1	1	47
19	7	11	1	-	-	-	-	-	-	4	2	1	1	-	48
57	20	18	7	12	2	-	-	2	-	28	16	9	2	1	49
117	30	30	33	24	2	1	-	1	-	40	19	17	4	-	50
85	20	19	26	20	2	1	-	1	-	29	16	12	1	-	51
4	1	1	2	-	-	-	-	-	-	3	2	1	-	-	52
81	19	18	24	20	2	1	-	1	-	26	14	11	1	-	53
14	3	6	3	2	-	-	-	-	-	6	1	4	1	-	54
18	7	5	4	2	-	-	-	-	-	5	2	1	2	-	55
112	41	25	31	15	22	7	5	2	8	43	32	5	4	2	56
3	-	3	-	-	-	-	-	-	-	1	-	1	-	-	57
5	4	-	1	-	4	3	-	1	-	7	6	-	-	1	58
23	6	11	1	5	-	-	-	-	-	3	2	-	-	1	59
64	25	4	25	10	17	4	4	1	8	24	18	3	3	-	60
12	4	4	4	-	-	-	-	-	-	6	4	1	1	-	61
5	2	3	-	-	1	-	1	-	-	2	2	-	-	-	62
4,817	1,431	1,571	864	951	84	35	24	14	11	1,148	542	518	39	49	63
4,569	1,346	1,503	809	911	70	32	24	7	7	1,023	476	482	33	32	64
138	41	57	18	22	8	4	2	-	2	49	22	21	2	4	65
2,690	762	790	543	595	37	14	15	3	5	528	254	239	18	17	66
1,296	408	503	184	201	16	10	3	3	-	328	141	170	10	7	67
445	135	153	64	93	9	4	4	1	-	118	59	52	3	4	68
44	11	10	10	13	8	2	-	4	2	36	14	7	3	12	69
13	8	4	1	-	-	-	-	-	-	11	5	6	-	-	70
29	16	12	-	1	2	-	-	1	1	20	10	9	-	1	71
15	5	3	5	2	-	-	-	-	-	6	3	2	-	1	72
41	12	8	13	8	1	-	-	1	-	13	10	1	1	1	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
2	-	-	1	1	1	-	-	1	-	1	-	-	-	1	77
104	33	31	25	15	2	1	-	-	1	38	24	11	2	1	78

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	CAUSE OF DEATH	UNITED STATES						
		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female
01	VII. DISEASES OF THE CIRCULATORY SYSTEM	789,135	452,281	336,854	412,542	303,305	39,739	33,549
02	DISEASES OF HEART....400-402,410-443	712,087	412,831	299,256	377,420	269,650	35,411	29,606
03	RHEUMATIC FEVER....400-402	483	259	224	202	173	57	51
04	CHRONIC RHEUMATIC HEART DISEASE....410-416	14,988	6,511	8,477	5,961	7,788	550	689
05	DISEASES OF MITRAL VALVE....410	5,999	2,383	3,616	2,211	3,366	172	250
06	DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	1,741	1,162	579	1,098	547	64	32
07	DISEASES OF PULMONARY VALVE, ETC....413,414	764	310	454	290	421	20	33
08	OTHER RHEUMATIC HEART DISEASES....412,415,416	6,484	2,656	3,828	2,362	3,454	294	374
09	ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS....420	559,293	340,077	219,216	316,770	201,967	23,307	17,249
10	ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED....420.0	152,455	75,304	77,151	68,909	71,291	6,395	5,860
11	HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	406,499	264,577	141,922	247,691	130,557	16,886	11,365
12	ANGINA PECTORIS WITHOUT MENTION CORONARY DIS....420.2	339	196	143	170	119	26	24
13	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC....421	3,963	2,287	1,676	2,015	1,482	272	194
14	OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC....421.0	147	77	70	66	59	11	11
15	OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC....421.1	2,347	1,528	819	1,393	741	135	78
16	OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	1,469	682	787	556	682	126	105
17	OTHER MYOCARDIAL DEGENERATION....422	49,215	23,763	25,452	21,187	22,964	2,576	2,488
18	WITH ARTERIOSCLEROSIS....422.1	40,467	19,426	21,041	17,435	19,105	1,991	1,936
19	WITHOUT MENTION OF ARTERIOSCLEROSIS....422.0,422.2	8,748	4,337	4,411	3,752	3,859	585	552
20	OTHER DISEASES OF HEART....430-434	29,177	16,197	12,980	13,515	10,835	2,682	2,145
21	ACUTE AND SUBACUTE ENDOCARDITIS....430	716	454	262	395	222	59	40
22	ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	1,089	608	481	494	385	114	96
23	FUNCTIONAL DISEASE OF HEART....433	8,643	4,277	4,366	3,801	3,870	476	496
24	OTHER AND UNSPECIFIED DISEASES OF HEART....434	18,729	10,858	7,871	8,825	6,358	2,033	1,513
25	HYPERTENSIVE HEART DISEASE....440-443	54,968	23,737	31,231	17,770	24,441	5,967	6,790
26	HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS....442	12,027	5,727	6,300	4,719	5,342	1,008	958
27	OTHER HYPERTENSIVE HEART DISEASE....440,441,443	42,941	18,010	24,931	13,051	19,099	4,959	5,832
28	OTHER HYPERTENSIVE DISEASE....444-447	11,667	5,942	5,725	4,624	4,672	1,318	1,053
29	HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS....446	6,848	3,727	3,121	3,185	2,709	542	412
30	ESSENTIAL HYPERTENSION....444,445,447	4,819	2,215	2,604	1,439	1,963	776	641
31	DISEASES OF ARTERIES....450-456	53,057	27,175	25,882	25,071	23,810	2,104	2,072
32	GENERAL ARTERIOSCLEROSIS....450	38,102	17,299	20,803	15,907	19,385	1,392	1,418
33	AORTIC ANEURYSM, NONSYPHILITIC, ETC....451	10,964	7,911	3,053	7,426	2,756	485	297
34	GANGRENE OF UNSPECIFIED CAUSE....455	302	159	143	130	114	29	29
35	OTHER ARTERIAL DISEASES....452-454,456	3,689	1,806	1,883	1,608	1,555	198	328
36	DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	12,324	6,333	5,991	5,427	5,173	906	818
37	VIII. DISEASES OF THE RESPIRATORY SYSTEM	99,769	64,225	35,544	55,741	30,121	8,484	5,423
38	ACUTE UPPER RESPIRATORY INFECTIONS....470-475	745	417	328	310	246	107	82
39	INFLUENZA....480-483	2,295	1,064	1,231	881	1,021	183	210
40	PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN....490-493	59,608	33,909	25,699	27,967	21,442	5,942	4,257
41	LOBAR PNEUMONIA....490	8,955	5,466	3,489	4,378	2,824	1,088	665
42	BRONCHOPNEUMONIA....491	32,719	18,402	14,317	15,535	12,227	2,867	2,090
43	PRIMARY ATYPICAL PNEUMONIA....492	5,693	3,191	2,502	2,602	2,035	589	467
44	PNEUMONIA, OTHER AND UNSPECIFIED....493	12,241	6,850	5,391	5,452	4,356	1,398	1,035
45	ACUTE BRONCHITIS....500	1,004	599	405	490	337	109	68
46	BRONCHITIS, CHRONIC AND UNQUALIFIED....501,502	4,768	3,639	1,129	3,393	1,032	246	97
47	HYPERTROPHY OF TONSILS AND ADENOIDS....510	77	35	42	32	34	3	8
48	EMPYEMA AND ABSCESS OF LUNG....518,521	868	635	233	486	183	149	50
49	PLEURISY....519	183	113	70	88	62	25	8
50	OTHER CHRONIC INTERSTITIAL PNEUMONIA....525	4,223	2,673	1,550	2,299	1,276	374	274
51	BRONCHIECTASIS....526	1,708	1,094	614	997	590	97	24
52	OTHER DISEASES OF LUNG AND PLEURAL CAVITY....527	20,587	17,388	3,199	16,398	2,970	990	229
53	EMPHYSEMA WITHOUT MENTION OF BRONCHITIS....527.1	18,664	16,151	2,513	15,367	2,397	784	116
54	ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY....527.0,527.2	1,923	1,237	686	1,031	573	206	113
55	OTHER RESPIRATORY DISEASES....RESIDUAL	3,703	2,659	1,044	2,400	928	259	116
56	IX. DISEASES OF THE DIGESTIVE SYSTEM	71,900	41,762	30,138	36,554	26,268	5,208	3,870
57	DISEASES OF TEETH AND SUPPORTING STRUCTURES....530-535	70	37	33	29	21	8	12
58	ULCER OF STOMACH....540	5,403	3,633	1,770	3,266	1,611	367	159
59	ULCER OF DUODENUM....541	5,021	3,728	1,293	3,468	1,191	260	102
60	GASTRITIS AND DUODENITIS....543	456	290	166	257	136	33	30
61	APPENDICITIS....550-553	1,694	1,072	622	895	519	177	103
62	HERNIA AND INTESTINAL OBSTRUCTION....560,561,570	10,003	4,668	5,335	4,084	4,763	584	572
63	GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER....571	3,443	1,781	1,662	1,100	1,099	681	563
64	CHRONIC ENTERITIS AND ULCERATIVE COLITIS....572	4,000	1,731	2,269	1,636	2,123	95	146
65	CIRRHOSIS OF LIVER....581	24,715	15,984	8,731	13,931	7,409	2,053	1,322
66	WITHOUT MENTION OF ALCOHOLISM....581.0	16,286	10,249	6,037	9,053	5,226	1,196	811
67	WITH ALCOHOLISM....581.1	8,429	5,735	2,694	4,878	2,183	857	511
68	CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS....584,585	4,666	1,960	2,706	1,883	2,533	77	173
69	OTHER DISEASES OF DIGESTIVE SYSTEM....RESIDUAL	12,429	6,878	5,551	6,005	4,863	873	688
70	X. DISEASES OF THE GENITOURINARY SYSTEM	30,455	17,715	12,740	14,355	10,133	3,360	2,607
71	NEPHRITIS AND NEPHROSIS....590-594	11,920	6,623	5,297	5,143	4,033	1,480	1,264
72	ACUTE NEPHRITIS....590	547	294	253	207	189	87	64
73	NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS....591	778	436	342	352	269	84	73
74	CHRONIC AND UNSPECIFIED NEPHRITIS, ETC....592-594	10,595	5,893	4,702	4,584	3,575	1,309	1,127
75	INFECTIONS OF KIDNEY....600	9,813	4,652	5,161	3,775	4,204	877	957
76	CALCULI OF URINARY SYSTEM....602,604	1,205	633	572	571	505	62	67
77	OTHER DISEASES OF URINARY SYSTEM....601,603,605-609	2,951	1,871	1,080	1,475	935	396	145
78	HYPERPLASIA OF PROSTATE....610	3,413	3,413	---	2,953	---	460	---
79	DISEASES OF BREAST....620,621	6	1	5	1	5	-	-
80	OTHER DISEASES OF GENITAL ORGANS....RESIDUAL	1,147	522	625	437	451	85	174

and Sex: United States and Each State, 1965–Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

ALABAMA					ALASKA					ARIZONA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
11,842	5,074	3,300	1,814	1,654	309	198	57	34	20	4,281	2,566	1,501	141	73	01
10,614	4,650	2,947	1,602	1,415	262	169	44	30	19	3,800	2,312	1,298	130	60	02
12	2	1	4	5	-	-	-	-	-	4	1	2	1	-	03
130	48	50	14	18	9	7	1	1	-	124	46	65	4	9	04
49	17	16	7	9	4	3	1	-	-	57	16	37	-	4	05
14	10	4	-	-	-	-	-	-	-	11	9	1	1	-	06
9	3	5	-	1	1	1	-	-	-	7	5	1	-	1	07
58	18	25	7	8	4	3	-	1	-	49	16	26	3	4	08
7,426	3,686	2,101	905	734	192	130	33	19	10	3,116	1,988	996	98	34	09
1,552	548	580	211	213	31	15	8	6	2	1,012	549	404	48	11	10
5,869	3,136	1,520	693	520	160	115	24	13	8	2,102	1,437	592	50	23	11
5	2	1	1	1	1	-	1	-	-	2	2	-	-	-	12
48	15	12	10	11	-	-	-	-	-	18	9	7	1	1	13
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	14
28	12	4	5	7	-	-	-	-	-	11	6	3	1	1	15
20	3	8	5	4	-	-	-	-	-	5	3	2	-	-	16
778	271	273	105	129	9	5	1	2	1	183	102	70	5	6	17
582	202	208	78	94	5	4	-	1	-	148	80	61	3	4	18
196	69	65	27	35	4	1	1	1	1	35	22	9	2	2	19
839	349	187	174	129	47	25	6	8	8	137	75	51	7	4	20
10	4	1	3	2	1	-	-	-	1	1	1	-	-	-	21
26	8	11	3	4	1	-	1	-	-	6	4	1	1	-	22
122	48	40	16	18	3	2	-	1	-	44	21	19	3	1	23
681	289	135	152	105	42	23	5	7	7	86	49	31	3	3	24
1,381	279	323	390	389	5	2	3	-	-	218	91	107	14	6	25
271	62	86	61	62	1	1	-	-	-	37	22	12	2	1	26
1,110	217	237	329	327	4	1	3	-	-	181	69	95	12	5	27
237	52	46	71	68	3	1	1	1	-	75	39	33	1	2	28
102	34	29	15	24	2	1	1	-	-	50	30	19	-	1	29
135	18	17	56	44	1	-	-	1	-	25	9	14	1	1	30
814	304	246	116	148	37	26	10	1	-	342	182	144	6	10	31
607	205	201	84	117	30	20	9	1	-	220	98	113	4	5	32
126	71	17	28	10	6	6	-	-	-	92	65	22	2	3	33
6	1	2	2	1	-	-	-	-	-	1	1	-	-	-	34
75	27	26	2	20	1	-	1	-	-	29	18	9	-	2	35
177	68	61	25	23	7	2	2	2	1	64	33	26	4	1	36
1,683	687	426	325	245	107	33	12	37	25	1,041	663	252	68	58	37
15	5	3	4	3	5	-	-	3	2	6	-	3	1	2	38
90	16	47	8	19	7	-	1	6	-	12	4	7	-	1	39
1,035	325	259	251	200	61	17	5	23	16	484	240	140	54	50	40
216	62	51	66	37	6	3	-	2	1	61	37	13	6	5	41
456	177	108	95	76	24	4	2	10	8	271	126	86	32	27	42
88	21	24	24	19	10	6	2	-	2	37	19	10	4	4	43
275	65	76	66	68	21	4	1	11	5	115	58	31	12	14	44
11	7	2	1	1	1	1	-	-	-	7	2	5	-	-	45
62	38	16	7	1	5	1	1	1	2	70	56	9	4	1	46
1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	47
18	5	4	7	2	2	-	-	-	2	7	4	1	1	1	48
2	-	1	1	-	1	-	-	-	1	-	-	-	-	-	49
73	36	19	9	9	5	2	2	-	1	41	26	12	1	2	50
16	10	6	-	-	-	-	-	-	-	40	25	15	-	-	51
312	222	57	27	6	15	9	2	3	1	353	294	52	6	1	52
284	214	44	22	4	11	9	2	-	-	342	288	47	6	1	53
28	8	13	5	2	4	-	-	3	1	11	6	5	-	-	54
48	23	11	10	4	4	2	1	1	-	20	11	8	1	-	55
949	391	274	160	124	75	13	14	19	29	614	293	222	52	47	56
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	57
56	34	10	10	2	5	2	1	2	-	47	28	18	1	-	58
82	48	17	10	7	2	1	-	-	1	44	31	11	1	1	59
5	2	-	2	1	-	-	-	-	-	3	-	1	2	-	60
16	7	5	2	2	1	-	-	1	-	16	8	5	2	1	61
145	51	51	19	24	8	-	1	6	1	75	29	39	2	5	62
115	24	16	44	31	23	-	-	8	15	68	16	14	22	16	63
48	20	22	4	2	4	-	2	-	2	29	9	19	1	-	64
225	107	54	41	23	19	6	8	1	4	211	116	60	17	18	65
169	81	44	30	14	13	3	7	1	2	125	65	43	9	8	66
56	26	10	11	9	6	3	1	-	2	86	51	17	8	10	67
62	22	33	1	6	3	1	-	-	2	47	16	26	1	4	68
194	75	66	27	26	10	3	2	1	4	72	38	29	3	2	69
729	247	169	174	139	11	6	1	2	2	198	100	78	9	11	70
323	89	64	89	81	3	2	-	-	1	59	27	25	3	4	71
30	8	8	8	6	-	-	-	-	-	6	2	4	-	-	72
16	1	3	6	6	-	-	-	-	-	5	3	2	-	-	73
277	80	53	75	69	3	2	-	-	1	48	22	19	3	4	74
234	94	74	30	36	3	1	1	-	1	86	34	40	5	7	75
35	9	15	5	6	-	-	-	-	-	9	6	3	-	-	76
39	10	10	14	5	1	-	-	1	-	14	7	6	1	-	77
67	34	...	33	...	4	3	...	1	...	23	23	...	-	...	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
31	11	6	3	11	-	-	-	-	-	7	3	4	-	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	CAUSE OF DEATH	UNITED STATES						
		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female
01	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	1,189	...	1,189	...	656	...	533
02	SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	147	...	147	...	86	...	61
03	TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642.685,686	211	...	211	...	108	...	103
04	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	187	...	187	...	119	...	68
05	ECTOPIC PREGNANCY.....645	70	...	70	...	27	...	43
06	ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	67	...	67	...	29	...	38
07	ABORTION WITH SEPSIS.....651	158	...	158	...	74	...	84
08	ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	10	...	10	...	3	...	7
09	OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	339	...	339	...	210	...	129
10	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	2,185	789	1,396	623	1,115	166	281
11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	481	249	232	197	191	52	41
12	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	1,704	540	1,164	426	924	114	240
13	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	3,849	1,724	2,125	1,591	1,958	133	167
14	ARTHRITIS AND SPONDYLITIS.....720-725	2,000	703	1,297	655	1,212	48	85
15	MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	71	21	50	16	44	5	6
16	OSTEOMYELITIS AND PERIOSTITIS.....730	172	91	81	78	62	13	19
17	ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737.745-749	113	52	61	48	55	4	6
18	INBORN DEFECT OF MUSCLE.....744.1	689	518	171	490	158	28	13
19	OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	804	339	465	304	427	35	38
20	XIV. CONGENITAL MALFORMATIONS	19,512	10,375	9,137	8,825	7,822	1,550	1,315
21	SPINA BIFIDA AND MENINGOCELE.....751	1,323	547	776	490	726	57	50
22	CONGENITAL HYDROCEPHALUS, ETC.....752,753	1,887	967	920	802	766	165	154
23	CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	9,955	5,439	4,516	4,623	3,765	816	751
24	OTHER CONGENITAL MALFORMATIONS.....750,755-759	6,347	3,422	2,925	2,910	2,565	512	360
25	XV. CERTAIN DISEASES OF EARLY INFANCY	55,398	32,504	22,894	24,279	16,587	8,225	6,307
26	XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	23,414	13,929	9,485	9,404	5,979	4,525	3,506
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2,188	885	1,303	686	1,049	199	254
28	SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	21,226	13,044	8,182	8,718	4,930	4,326	3,252
29	XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	140,253	97,730	42,523	81,337	36,607	16,393	5,916
30	ACCIDENTS.....E800-E962	108,004	74,062	33,942	63,024	29,510	11,038	4,432
31	RAILWAY ACCIDENTS.....E800-E802	962	870	92	678	79	192	13
32	MOTOR VEHICLE ACCIDENTS.....E810-E835	49,163	35,584	13,579	31,144	12,058	4,440	1,521
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	48,050	34,770	13,280	30,425	11,798	4,345	1,482
34	TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1,556	1,108	448	1,017	416	91	32
35	TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	8,117	5,787	2,330	4,614	1,876	1,173	454
36	OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	21,300	14,583	6,717	13,101	6,140	1,482	577
37	NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	12,939	10,300	2,639	9,112	2,333	1,188	306
38	TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	4,138	2,992	1,146	2,581	1,033	411	113
39	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	1,113	814	299	719	260	95	39
40	OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	319	222	97	205	95	17	2
41	WATER TRANSPORT ACCIDENTS.....E850-E858	1,493	1,364	129	1,173	111	191	18
42	AIRCRAFT ACCIDENTS.....E860-E866	1,529	1,317	212	1,284	202	33	10
43	ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	2,110	1,159	951	866	794	293	157
44	ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	1,526	1,106	420	975	345	131	75
45	ACCIDENTAL FALLS.....E900-E904	19,984	9,972	10,012	8,895	9,511	1,077	501
46	FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	5,802	3,943	1,859	3,387	1,686	556	173
47	FALL ON SAME LEVEL.....E903	5,738	2,541	3,197	2,335	3,089	206	108
48	UNSPECIFIED FALLS.....E904	8,444	3,488	4,956	3,173	4,736	315	220
49	BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	1,493	1,414	79	1,193	65	221	14
50	ACCIDENT CAUSED BY MACHINERY.....E912	2,054	1,968	86	1,763	82	205	4
51	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	1,071	998	73	886	66	112	7
52	ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	7,347	4,383	2,964	3,184	1,994	1,199	970
53	ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	420	240	180	165	124	75	56
54	ACCIDENT CAUSED BY FIREARM.....E919	2,344	2,034	310	1,641	211	393	99
55	INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	1,836	1,089	747	906	583	183	164
56	ACCIDENTAL DROWNING.....E929	5,485	4,545	940	3,518	807	1,027	133
57	EXCESSIVE HEAT AND INSOLATION.....E931	106	79	27	48	19	31	8
58	COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	1,494	721	773	621	658	100	115
59	ALL OTHER ACCIDENTS.....RESIDUAL	7,268	4,997	2,271	3,879	1,706	1,118	565
60	SUICIDE.....E963,E970-E979	21,507	15,490	6,017	14,624	5,718	866	299
61	SUICIDE BY POISONING.....E970-E973	5,995	3,179	2,816	3,079	2,729	100	87
62	SUICIDE BY HANGING AND STRANGULATION.....E974	3,197	2,453	744	2,298	689	155	55
63	SUICIDE BY FIREARM AND EXPLOSIVE.....E976	9,898	8,457	1,441	8,025	1,365	432	76
64	SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	2,417	1,401	1,016	1,222	935	179	81
65	HOMICIDE.....E964,E980-E985	10,712	8,148	2,564	3,660	1,379	4,488	1,185
66	ASSAULT BY FIREARM AND EXPLOSIVE.....E981	6,158	4,807	1,351	2,152	772	2,655	579
67	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	2,292	1,847	445	555	154	1,292	291
68	ASSAULT BY OTHER MEANS.....E964,E980,E983	1,984	1,216	768	793	453	423	315
69	INJURY BY INTERVENTION OF POLICE.....E984	271	271	-	154	-	117	-
70	EXECUTION.....E985	7	7	-	6	-	1	-
71	INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	30	30	-	29	-	1	-

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

ALABAMA					ALASKA					ARIZONA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
36	...	11	...	25	3	...	1	...	2	10	...	8	...	2	01
5	...	1	...	4	-	...	-	...	-	2	...	2	...	-	02
5	...	2	...	3	-	...	-	...	-	1	...	-	...	1	03
10	...	3	...	7	1	...	-	...	1	1	...	1	...	-	04
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	05
2	...	1	...	1	-	...	-	...	-	-	...	-	...	-	06
3	...	1	...	2	-	...	-	...	-	2	...	1	...	1	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
11	...	3	...	8	2	...	1	...	1	3	...	3	...	-	09
40	9	9	10	12	3	-	1	1	1	12	4	6	1	1	10
16	1	4	5	6	1	-	-	1	-	7	3	2	1	1	11
24	8	5	5	6	2	-	1	-	1	5	1	4	-	-	12
85	24	44	7	10	3	1	1	-	1	40	21	18	1	-	13
54	11	30	4	9	-	-	-	-	-	27	12	15	-	-	14
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	15
4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	16
2	-	2	-	-	-	-	-	-	-	1	1	-	-	-	17
7	4	2	1	-	-	-	-	-	-	8	6	1	1	-	18
16	6	9	1	-	3	1	1	-	1	4	2	2	-	-	19
354	144	116	58	36	36	18	9	5	4	154	64	62	10	18	20
28	5	18	5	-	1	1	-	-	-	11	2	5	2	2	21
30	12	6	10	2	2	1	1	-	-	14	5	6	-	3	22
160	68	47	24	21	21	10	5	3	3	81	36	30	5	10	23
136	59	45	19	13	12	6	3	2	1	48	21	21	3	3	24
1,163	362	261	306	234	104	30	29	29	16	459	242	132	49	36	25
1,866	395	226	649	596	32	12	4	11	5	177	41	37	60	39	26
103	15	27	20	41	11	2	1	4	4	14	6	5	1	2	27
1,763	380	199	629	555	21	10	3	7	1	163	35	32	59	37	28
3,180	1,546	565	793	276	350	173	30	107	40	1,339	789	302	187	61	29
2,444	1,230	478	518	218	280	133	22	93	32	1,025	591	231	154	49	30
36	16	1	17	2	-	-	-	-	-	17	9	-	8	-	31
1,237	698	237	235	67	57	32	6	13	6	498	296	116	66	20	32
1,211	683	236	227	65	54	29	6	13	6	489	289	114	66	20	33
30	14	3	7	6	-	-	-	-	-	16	10	6	-	-	34
180	89	21	57	13	6	3	-	2	1	99	52	18	24	5	35
561	320	141	76	24	22	12	3	4	3	152	85	51	12	4	36
327	201	44	64	18	25	13	3	7	2	111	72	18	15	6	37
113	59	27	23	4	1	1	-	-	-	111	70	21	15	5	38
26	15	1	8	2	3	3	-	-	-	9	7	2	-	-	39
5	1	3	1	-	3	-	-	3	-	7	5	2	-	-	40
39	30	4	5	-	58	18	1	31	8	8	6	2	-	-	41
29	26	3	-	-	36	33	2	1	-	24	20	3	1	-	42
44	18	13	6	7	5	1	2	1	1	38	18	15	3	2	43
15	6	2	5	2	11	7	1	-	3	12	10	1	1	-	44
260	95	117	28	20	7	4	1	1	1	84	47	27	8	2	45
67	33	15	15	4	5	3	-	1	1	28	18	5	4	1	46
71	29	33	3	6	2	1	1	-	-	22	10	11	1	-	47
122	33	69	10	10	-	-	-	-	-	34	19	11	3	1	48
33	20	-	13	-	2	-	-	2	-	14	7	2	3	2	49
59	48	-	10	1	4	4	-	-	-	18	14	-	4	-	50
22	14	3	4	1	1	1	-	-	-	14	14	-	-	-	51
230	61	45	59	65	22	8	1	12	1	56	24	17	10	5	52
7	2	3	-	2	2	1	-	-	1	1	1	-	-	-	53
99	62	4	25	8	11	5	2	3	1	43	35	5	3	-	54
31	7	6	9	9	5	2	-	1	2	26	14	6	1	5	55
119	57	7	48	7	36	8	3	20	5	72	34	15	20	3	56
1	1	-	-	-	-	-	-	-	-	8	3	1	2	2	57
20	6	7	3	4	-	-	-	-	-	5	-	5	-	-	58
158	62	23	50	23	20	9	3	5	3	80	34	14	24	8	59
329	230	64	29	6	46	35	5	5	1	218	147	56	10	5	60
44	25	15	2	2	7	6	1	-	-	47	21	24	2	-	61
26	15	5	5	1	3	1	-	1	1	14	6	4	2	2	62
244	183	41	18	2	36	28	4	4	-	147	117	26	4	-	63
15	7	3	4	1	-	-	-	-	-	10	3	2	2	3	64
407	86	23	246	52	24	5	3	9	7	96	51	15	23	7	65
249	55	16	153	25	15	5	2	6	2	59	31	10	13	5	66
108	12	3	76	17	-	-	-	-	-	9	4	1	4	-	67
42	16	4	12	10	9	-	1	3	5	27	15	4	6	2	68
7	2	-	5	-	-	-	-	-	-	1	1	-	-	-	69
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	ARKANSAS					CALIFORNIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	ALL CAUSES	19,287	9,002	5,812	2,461	2,012	152,907	80,292	61,848	6,459	4,308
02	I. INFECTIVE AND PARASITIC DISEASES	254	114	50	58	32	1,402	791	391	142	78
03	TUBERCULOSIS, ALL FORMS 001-019	109	58	16	25	10	596	377	123	71	25
04	TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	99	51	14	24	10	545	357	101	65	22
05	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	7	4	2	1	-	15	3	8	2	2
06	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	4	2	2	-	-
07	TUBERCULOSIS OF BONES AND JOINTS 012,013	-	-	-	-	-	10	5	5	-	-
08	TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	2	2	-	-	-	7	4	2	1	-
09	DISSEMINATED TUBERCULOSIS 019	1	1	-	-	-	15	6	5	3	1
10	SYPHILIS AND ITS SEQUELAE 020-029	35	18	3	10	4	230	141	53	21	15
11	CONGENITAL SYPHILIS 020	-	-	-	-	-	3	1	1	1	-
12	EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
13	ANEURYSM OF AORTA 022	21	16	2	1	2	138	90	33	9	6
14	OTHER CARDIOVASCULAR SYPHILIS 023	13	2	1	8	2	61	36	11	7	7
15	TABES DORSALIS 024	-	-	-	-	-	1	-	1	-	-
16	GENERAL PARALYSIS OF INSANE 025	-	-	-	-	-	9	5	2	2	-
17	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	-	-	-	-	-	17	9	4	2	2
18	ALL OTHER SYPHILIS 027-029	1	-	-	1	-	1	-	1	-	-
19	GONOCOCCAL INFECTION 030-035	-	-	-	-	-	-	-	-	-	-
20	TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
21	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	-	-	-	-	-	8	3	4	-	1
22	CHOLERA 043	-	-	-	-	-	-	-	-	-	-
23	BRUCELLOSIS 044	1	-	1	-	-	1	-	1	-	-
24	DYSENTERY, ALL FORMS 045-048	8	1	3	4	-	20	11	6	2	1
25	FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	-	-	-	-	-
26	SCARLET FEVER 050	-	-	-	-	-	1	-	1	-	-
27	STREPTOCOCCAL SORE THROAT 051	-	-	-	-	-	-	-	-	-	-
28	ERYSIPELAS 052	-	-	-	-	-	-	-	-	-	-
29	SEPTICEMIA AND PYEMIA 053	33	14	9	7	3	178	79	74	17	8
30	DIPHTHERIA 055	-	-	-	-	-	1	-	1	-	-
31	WHOOPING COUGH 056	1	-	-	1	-	5	3	2	-	-
32	MENINGOCOCCAL INFECTIONS 057	6	2	-	3	1	80	41	26	6	7
33	PLAGUE 058	-	-	-	-	-	-	-	-	-	-
34	LEPROSY 060	-	-	-	-	-	-	-	-	-	-
35	TETANUS 061	7	4	-	1	2	8	4	3	1	-
36	ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
37	ACUTE POLIOMYELITIS 080	1	-	1	-	-	2	1	1	-	-
38	LATE EFFECTS OF ACUTE POLIOMYELITIS 081	1	1	-	-	-	11	7	4	-	-
39	ACUTE INFECTIOUS ENCEPHALITIS 082	7	2	3	2	-	40	19	15	3	3
40	LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	-	-	-	-	-	7	6	-	1	-
41	SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
42	MEASLES 085	8	2	3	1	2	11	3	7	1	-
43	YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
44	INFECTIOUS HEPATITIS 092	7	2	2	2	1	69	24	37	4	4
45	RABIES 094	-	-	-	-	-	1	-	1	-	-
46	TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
47	ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
48	MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
49	SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
50	HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
51	FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
52	ANCYLOSTOMIASIS 129	-	-	-	-	-	1	-	-	-	1
53	OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	1	-	-	-	1	3	3	-	-	-
54	ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	29	10	9	2	8	129	69	32	15	13
55	II. NEOPLASMS	2,855	1,365	962	296	232	26,444	13,122	11,592	991	739
56	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	2,797	1,348	931	293	225	26,010	12,923	11,396	974	717
57	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	54	30	15	6	3	612	415	146	44	7
58	OF LIP 140	2	1	1	-	-	16	16	-	-	-
59	OF TONGUE 141	12	7	2	3	-	150	103	36	10	1
60	OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	20	9	8	2	1	180	113	51	12	4
61	OF PHARYNX 145-148	20	13	4	1	2	266	183	59	22	2
62	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	788	343	258	116	71	7,800	3,780	3,429	378	213
63	OF ESOPHAGUS 150	40	19	9	9	3	445	283	102	46	14
64	OF STOMACH 151	154	67	30	41	16	1,506	824	537	102	43
65	OF SMALL INTESTINE, INCLUDING DUODENUM 152	2	1	1	-	-	63	29	33	1	-
66	OF LARGE INTESTINE, EXCEPT RECTUM 153	253	109	93	21	30	2,555	1,074	1,350	66	65
67	CECUM, APPENDIX, AND ASCENDING COLON 153.0	20	7	9	3	1	387	166	202	12	7
68	TRANSVERSE COLON 153.1	7	3	2	1	1	148	65	72	5	6
69	DESCENDING COLON 153.2	7	1	4	-	2	105	44	57	2	2
70	SIGMOID COLON 153.3	36	17	13	2	4	552	226	296	12	18
71	MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	6	3	2	1	-
72	LARGE INTESTINE, PART UNSPECIFIED 153.8	172	76	60	15	21	1,261	530	668	33	30
73	INTESTINAL TRACT, PART UNSPECIFIED 153.9	11	5	5	-	1	96	40	53	1	2
74	OF RECTUM 154	58	22	22	10	4	882	439	391	36	16
75	OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	43	15	23	3	2	627	264	302	36	25
76	LIVER 155.0	11	5	3	2	1	226	125	60	31	10
77	OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	32	10	20	1	1	401	139	242	5	15
78	OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	57	18	28	8	3	168	89	62	15	2
79	OF PANCREAS 157	156	85	44	17	10	1,406	716	577	69	44
80	OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	25	7	8	7	3	148	62	75	7	4

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

COLORADO					CONNECTICUT					DELAWARE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
16,220	8,928	6,766	307	219	25,646	13,443	11,119	609	475	4,540	2,151	1,615	465	309	01
172	100	60	9	3	215	116	78	10	11	48	19	13	9	7	02
61	46	13	1	1	84	53	22	6	3	20	4	4	7	5	03
57	42	13	1	1	78	50	21	5	2	19	4	4	6	5	04
-	-	-	-	-	2	-	-	1	1	1	-	-	1	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	07
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	08
2	2	-	-	-	3	2	1	-	-	-	-	-	-	-	09
22	14	3	5	-	28	16	9	-	3	9	5	2	2	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
18	12	3	3	-	24	16	6	-	2	6	2	2	2	-	13
2	-	-	2	-	3	-	2	-	1	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
1	1	-	-	-	1	-	1	-	-	3	3	-	-	-	17
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
1	-	1	-	-	1	1	-	-	-	1	-	1	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
3	-	1	1	1	1	1	-	-	-	2	1	1	-	-	24
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	27
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	28
38	17	20	-	1	45	18	21	3	3	4	1	2	-	1	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
7	4	2	1	-	7	7	-	-	-	3	2	1	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	37
3	2	1	-	-	1	1	-	-	-	-	-	-	-	-	38
8	3	5	-	-	5	4	1	-	-	1	1	-	-	-	39
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
3	1	2	-	-	5	3	2	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
9	2	6	1	-	5	-	5	-	-	3	2	1	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	48
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
11	5	6	-	-	30	10	17	1	2	3	2	1	-	-	54
2,400	1,222	1,116	33	29	4,685	2,453	2,065	97	70	760	331	299	76	54	55
2,353	1,199	1,094	32	28	4,584	2,395	2,026	95	68	745	328	288	76	53	56
40	28	11	1	-	119	87	23	8	1	13	9	2	2	-	57
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	58
16	11	5	-	-	34	29	2	3	-	3	1	1	1	-	59
11	7	3	1	-	37	24	10	2	1	4	3	-	1	-	60
11	8	3	-	-	47	33	11	3	-	6	5	1	-	-	61
707	383	303	8	13	1,553	820	676	33	24	229	78	102	34	15	62
31	25	6	-	-	102	64	27	9	2	21	8	6	6	1	63
138	90	39	4	5	310	191	108	5	6	39	12	15	8	4	64
13	7	6	-	-	15	9	5	-	1	2	1	1	-	-	65
218	100	114	2	2	572	255	298	8	11	85	29	42	7	7	66
35	15	19	-	1	85	37	47	-	1	11	4	4	3	-	67
12	5	7	-	-	20	9	11	-	-	6	3	2	-	1	68
13	7	6	-	-	21	10	10	1	-	2	-	2	-	-	69
24	11	13	-	-	123	56	62	2	3	14	6	6	1	1	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
126	55	68	2	1	284	124	148	5	7	48	16	24	3	5	72
8	7	1	-	-	39	19	20	-	-	4	-	4	-	-	73
62	35	27	-	-	186	101	78	4	3	18	8	7	3	-	74
67	27	35	-	5	107	54	52	1	-	16	3	9	2	2	75
11	6	5	-	-	22	14	7	1	-	6	2	2	2	-	76
56	21	30	-	5	85	40	45	-	-	10	1	7	-	2	77
24	9	15	-	-	44	22	19	3	-	2	2	-	-	-	78
143	85	55	2	1	199	116	80	3	-	39	15	15	8	1	79
11	5	6	-	-	18	8	9	-	1	7	-	7	-	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	ARKANSAS					CALIFORNIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	MALIGNANT NEOPLASMS, ETC.--CON.										
01	MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	536	420	57	48	11	4,780	3,641	844	244	51
02	OF LARYNX....161	22	14	2	5	1	211	163	29	17	2
03	OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	203	168	16	18	1	2,346	1,799	397	123	27
04	OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	307	235	39	25	8	2,134	1,627	384	101	22
05	OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	4	3	-	-	1	89	52	34	3	-
06	MALIGNANT NEOPLASM OF BREAST....170	181	2	151	1	27	2,461	19	2,325	6	111
07	MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	439	145	175	58	61	3,321	1,278	1,777	86	180
08	OF CERVIX UTERI....171	107	...	76	...	31	663	...	566	...	97
09	OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	47	...	30	...	17	427	...	393	...	34
10	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	78	...	67	...	11	814	...	770	...	44
11	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	4	...	2	...	2	53	...	48	...	5
12	OF PROSTATE....177	194	137	...	57	...	1,279	1,198	...	81	...
13	OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	9	8	...	1	...	85	80	...	5	...
14	MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	123	64	40	12	7	1,237	762	413	43	19
15	OF KIDNEY....180	42	23	15	2	2	472	264	181	21	6
16	OF BLADDER AND OTHER URINARY ORGANS....181	81	41	25	10	5	765	498	232	22	13
17	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....1568,165,190-199	401	177	153	36	35	3,225	1,623	1,434	87	81
18	OF SKIN....190,191	57	25	26	4	2	447	243	187	9	8
19	OF EYE....192	6	5	1	-	-	32	17	14	-	1
20	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	67	38	24	4	1	706	381	297	16	12
21	OF THYROID GLAND....194	8	2	4	1	1	79	33	43	2	1
22	OF BONE....196	19	9	6	2	2	141	78	53	6	4
23	OF CONNECTIVE TISSUE....197	10	4	3	2	1	121	58	53	6	4
24	OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	21	10	6	2	3	124	61	54	5	4
25	OF UNSPECIFIED SITES....156B,165,198,199B	213	84	83	21	25	1,575	752	733	43	47
26	LEUKEMIA AND ALEUKEMIA....204	143	85	45	6	7	1,179	645	468	44	22
27	LYMPHOSARCOMA, ETC....200-203,205	132	82	37	10	3	1,395	760	560	42	33
28	LYMPHOSARCOMA AND RETICULOSARCOMA....200	62	41	18	3	-	725	403	289	17	16
29	HODGKINS DISEASE....201	31	20	7	2	2	281	157	108	11	5
30	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	39	21	12	5	1	389	200	163	14	12
31	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	58	17	31	3	7	434	199	196	17	22
32	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	3	...	-	...	3	21	...	16	...	5
33	BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	4	2	2	-	-	113	53	41	10	9
34	OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	8	2	5	-	1	100	52	39	5	4
35	UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	2	...	2	...	-
36	NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	33	12	18	2	1	132	67	61	2	2
37	OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	10	1	6	1	2	66	27	37	-	2
38	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	332	101	137	37	57	2,892	1,191	1,418	133	150
39	ASTHMA....241	33	14	8	5	6	431	223	160	29	19
40	NONTOXIC GOITER....250,251	1	-	1	-	-	4	-	4	-	-
41	THYROTOXICOSIS WITH OR WITHOUT GOITER....252	6	1	1	1	3	32	9	19	1	3
42	ALL OTHER DISEASES OF THYROID GLAND....253,254	2	-	2	-	-	39	13	26	-	-
43	DIABETES MELLITUS....260	244	64	107	29	44	1,912	763	969	81	99
44	DISEASES OF THYMUS GLAND....273	1	-	-	-	1	9	5	2	1	1
45	DISEASES OF ADRENAL GLANDS....274	4	1	3	-	-	36	12	22	-	2
46	PELLAGRA....281	1	-	1	-	-	-	-	-	-	-
47	OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	11	4	5	-	2	123	53	58	5	7
48	CYSTIC FIBROSIS....289A	9	7	2	-	-	52	23	23	2	4
49	ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	20	10	7	2	1	254	90	135	14	15
50	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	49	27	12	7	3	433	198	183	23	29
51	ANEMIAS....290-293	29	14	7	5	3	253	109	106	17	21
52	PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	1	-	1	-	-	20	11	8	1	-
53	ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	28	14	6	5	3	233	98	98	16	21
54	PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	5	4	1	-	-	72	28	36	2	6
55	OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	15	9	4	2	-	108	61	41	4	2
56	V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	26	18	3	4	1	511	310	146	41	14
57	SENILE PSYCHOSIS....304	4	2	1	1	-	20	9	10	1	-
58	ALCOHOLIC PSYCHOSIS....307	1	1	-	-	-	72	55	7	8	2
59	OTHER PSYCHOSES....300-303,305,306,308,309	3	1	1	1	-	64	47	34	2	1
60	ALCOHOLISM....322	13	11	1	1	-	282	177	68	27	10
61	MENTAL DEFICIENCY....325	5	3	-	1	1	41	19	19	2	1
62	OTHER DISORDERS OF PERSONALITY....RESIDUAL	-	-	-	-	-	12	3	8	1	-
63	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	2,772	1,005	948	384	435	17,501	7,252	9,126	583	540
64	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	2,635	946	903	370	416	16,224	6,661	8,567	513	483
65	SUBARACHNOID HEMORRHAGE....330	63	27	21	8	7	896	328	466	46	56
66	CEREBRAL HEMORRHAGE....331	1,754	627	618	234	275	7,521	3,113	3,957	243	208
67	CEREBRAL EMBOLISM AND THROMBOSIS....332	552	209	182	86	75	5,957	2,489	3,100	183	185
68	OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	266	83	82	42	59	1,850	731	1,044	41	34
69	MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	24	7	8	3	6	227	96	85	25	21
70	MULTIPLE SCLEROSIS....345	9	4	5	-	-	127	45	78	1	3
71	PARALYSIS AGITANS....350	29	17	9	1	2	253	129	113	4	7
72	CEREBRAL SPASTIC INFANTILE PARALYSIS....351	12	3	4	2	3	37	21	10	2	4
73	EPILEPSY....353	16	5	5	2	4	126	60	45	14	7
74	INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	3	1	2	-	-
75	CATARACT....385	-	-	-	-	-	3	1	1	1	-
76	GLAUCOMA....387	-	-	-	-	-	1	-	1	-	-
77	OTITIS MEDIA AND MASTOIDITIS....391-393	2	1	1	-	-	11	4	6	1	-
78	OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	45	22	13	6	4	489	234	218	22	15

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

COLORADO					CONNECTICUT					DELAWARE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
287	232	48	6	1	743	605	109	23	6	164	115	15	27	7	01
7	7	-	-	-	54	48	4	2	-	10	7	1	2	-	02
103	85	16	2	-	168	135	26	5	2	91	61	10	16	4	03
171	136	30	4	1	510	416	75	15	4	59	44	4	9	2	04
6	4	2	-	-	11	6	4	1	-	4	3	-	-	1	05
248	-	243	-	5	465	8	446	1	10	62	-	51	-	11	06
340	153	178	6	3	505	205	280	7	13	104	34	54	7	9	07
62	...	60	...	2	79	...	73	...	6	27	...	22	...	5	08
45	...	44	...	1	72	...	67	...	5	12	...	11	...	1	09
72	...	72	...	-	131	...	129	...	2	22	...	19	...	3	10
2	...	2	...	-	11	...	11	...	-	2	...	2	...	-	11
153	147	...	6	...	205	199	...	6	...	36	29	...	7	...	12
6	6	...	-	...	7	6	...	1	...	5	5	...	-	...	13
111	63	46	2	-	207	127	69	6	5	24	15	7	1	1	14
44	24	20	-	-	80	48	29	1	2	11	6	4	1	-	15
67	39	26	2	-	127	79	40	5	3	13	9	3	-	1	16
320	181	131	5	3	562	284	263	10	5	98	54	36	1	7	17
43	26	17	-	-	64	32	31	1	-	16	13	3	-	-	18
7	3	4	-	-	7	4	3	-	-	-	-	-	-	-	19
68	41	26	-	1	128	63	61	4	-	18	10	8	-	-	20
10	3	6	1	-	19	5	12	-	2	2	1	1	-	-	21
13	7	4	2	-	24	12	11	1	-	4	2	2	-	-	22
14	9	5	-	-	11	2	9	-	-	6	5	1	-	-	23
7	4	3	-	-	25	17	8	-	-	2	1	1	-	-	24
158	88	66	2	2	284	149	128	4	3	50	22	20	1	7	25
152	81	69	1	1	185	107	73	2	3	34	17	15	1	1	26
148	78	65	3	2	245	152	87	5	1	17	6	6	3	2	27
83	48	33	2	-	120	68	50	2	-	8	3	3	1	1	28
24	15	9	-	-	57	43	12	1	1	2	1	-	1	-	29
41	15	23	1	2	68	41	25	2	-	7	2	3	1	1	30
47	23	22	1	1	101	58	39	2	2	15	3	11	-	1	31
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	32
9	4	5	-	-	9	4	5	-	-	3	-	3	-	-	33
7	4	2	-	1	12	5	6	1	-	3	2	1	-	-	34
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	35
24	11	12	1	-	50	35	15	-	-	8	1	6	-	1	36
7	4	3	-	-	28	14	11	1	2	1	-	1	-	-	37
324	143	167	6	8	593	253	306	16	18	126	53	54	6	13	38
44	16	27	-	1	52	30	17	3	2	4	3	-	-	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
4	-	4	-	-	4	1	3	-	-	2	-	1	1	-	41
7	1	6	-	-	7	3	4	-	-	1	1	-	-	-	42
203	93	102	4	4	471	187	257	12	15	100	38	46	5	11	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
6	3	3	-	-	6	4	2	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
19	7	10	1	1	11	3	8	-	-	6	3	3	-	-	47
12	8	4	-	-	7	3	4	-	-	1	1	-	-	-	48
29	15	11	1	2	35	22	11	1	1	12	7	4	-	1	49
50	25	21	4	-	64	33	24	4	3	13	2	4	4	3	50
28	15	10	3	-	44	25	13	3	3	9	2	3	3	1	51
2	-	1	1	-	6	4	2	-	-	1	-	-	1	-	52
26	15	9	2	-	38	21	11	3	3	8	2	3	2	1	53
10	3	7	-	-	8	2	6	-	-	-	-	-	-	-	54
12	7	4	1	-	12	6	5	1	-	4	-	1	1	2	55
47	28	14	2	3	99	51	30	16	2	20	5	7	8	-	56
6	4	2	-	-	1	-	1	-	-	-	-	-	-	-	57
2	1	-	-	1	3	1	1	1	-	3	1	1	1	-	58
6	4	2	-	-	12	6	5	-	1	2	1	1	-	-	59
28	15	9	2	2	74	39	20	14	1	12	3	3	6	-	60
3	3	-	-	-	7	4	3	-	-	3	-	2	1	-	61
2	1	1	-	-	2	1	-	1	-	-	-	-	-	-	62
1,753	779	924	26	24	2,882	1,199	1,560	57	66	393	151	187	33	22	63
1,603	706	851	26	20	2,686	1,102	1,479	49	56	348	131	173	27	17	64
65	25	35	1	4	135	45	76	8	6	20	8	10	-	2	65
944	422	496	19	7	1,254	527	670	25	32	166	59	82	12	13	66
444	197	236	5	6	1,046	437	581	12	16	126	50	62	12	2	67
150	62	84	1	3	251	93	152	4	2	36	14	19	3	-	68
18	11	6	-	1	23	11	10	1	1	11	4	3	3	1	69
24	7	16	-	1	23	12	11	-	-	2	1	1	-	-	70
36	18	18	-	-	38	24	14	-	-	9	5	4	-	-	71
7	4	3	-	-	9	5	2	2	-	-	-	-	-	-	72
11	6	5	-	-	28	13	9	3	3	7	1	2	3	1	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
7	5	-	-	2	3	1	1	-	1	3	-	1	-	2	77
47	22	25	-	-	72	31	34	2	5	13	9	3	-	1	78

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	ARKANSAS					CALIFORNIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	7,854	3,961	2,382	810	701	63,172	34,622	25,235	1,969	1,346
02	DISEASES OF HEART.....400-402,410-443	7,126	3,651	2,104	727	644	57,163	31,721	22,511	1,755	1,176
03	RHEUMATIC FEVER.....400-402	1	1	-	-	-	43	20	17	2	4
04	CHRONIC RHEUMATIC HEART DISEASE.....410-416	74	37	24	7	6	1,489	625	794	41	29
05	DISEASES OF MITRAL VALVE.....410	29	16	6	2	5	706	263	412	15	16
06	DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	7	5	2	-	-	211	138	65	6	2
07	DISEASES OF PULMONARY VALVE, ETC.....413,414	2	2	-	-	-	85	31	51	1	2
08	OTHER RHEUMATIC HEART DISEASES.....412,415,416	36	14	16	5	1	487	193	266	19	9
09	ARTERIOSCLEROTIC HEART DIS..INCL. CORONARY DIS.....420	5,546	3,103	1,621	476	346	43,476	25,376	16,184	1,208	708
10	ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	1,240	547	480	119	94	10,962	5,144	5,301	308	209
11	HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	4,301	2,554	1,139	357	251	32,498	20,224	10,877	898	499
12	ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	5	2	2	-	1	16	8	6	2	-
13	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	35	11	6	8	10	366	226	117	13	10
14	OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	3	1	1	-	1	14	9	5	-	-
15	OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	9	2	1	3	3	293	191	88	9	5
16	OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	23	8	4	5	6	59	26	24	4	5
17	OTHER MYOCARDIAL DEGENERATION.....422	323	125	119	31	48	6,529	3,327	2,862	201	139
18	WITH ARTERIOSCLERDSIS.....422.1	241	92	98	19	32	6,082	3,129	2,638	190	125
19	WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	82	33	21	12	16	447	198	224	11	14
20	OTHER DISEASES OF HEART.....430-434	548	224	143	93	88	1,514	713	676	78	47
21	ACUTE AND SUBACUTE ENDOCARDITIS.....430	7	4	1	1	1	78	50	20	4	4
22	ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	6	1	2	2	1	101	41	41	13	6
23	FUNCTIONAL DISEASE OF HEART.....433	104	36	37	13	18	623	277	313	17	16
24	OTHER AND UNSPECIFIED DISEASES OF HEART.....434	431	183	103	77	68	712	345	302	44	21
25	HYPERTENSIVE HEART DISEASE.....440-443	599	150	191	112	146	3,746	1,434	1,861	212	239
26	HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	124	41	36	20	27	487	210	232	24	21
27	*OTHER HYPERTENSIVE HEART DISEASE*.....440,441,443	475	109	155	92	119	3,259	1,224	1,629	188	218
28	OTHER HYPERTENSIVE DISEASE.....444-447	142	49	38	32	23	610	267	266	40	37
29	HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	84	37	26	18	3	333	165	140	13	15
30	ESSENTIAL HYPERTENSION.....444,445,447	58	12	12	14	20	277	102	126	27	22
31	DISEASES OF ARTERIES.....450-456	478	205	205	40	28	4,459	2,207	2,048	120	84
32	GENERAL ARTERIOSCLEROSIS.....450	333	129	157	29	18	2,814	1,163	1,545	63	43
33	AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	91	56	27	4	4	1,302	890	345	48	19
34	GANGRENE OF UNSPECIFIED CAUSE.....455	4	-	2	1	1	15	10	4	1	-
35	OTHER ARTERIAL DISEASES.....452-454,456	50	20	19	6	5	328	144	154	8	22
36	DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	108	56	35	11	6	940	427	410	54	49
37	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,038	531	284	123	100	8,328	5,082	2,624	420	202
38	ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	7	1	3	2	1	62	33	21	3	5
39	INFLUENZA.....480-483	58	14	12	15	17	62	20	38	2	2
40	PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	612	262	188	85	77	4,412	2,312	1,723	238	139
41	LOBAR PNEUMONIA.....490	85	36	23	14	12	615	358	206	36	15
42	BRONCHOPNEUMONIA.....491	256	120	80	31	25	2,424	1,259	1,004	105	56
43	PRIMARY ATYPICAL PNEUMONIA.....492	37	15	15	5	2	809	396	283	78	52
44	PNEUMONIA, OTHER AND UNSPECIFIED.....493	234	91	70	35	38	564	299	230	19	16
45	ACUTE BRONCHITIS.....500	4	2	2	-	-	97	49	31	11	6
46	BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	60	44	12	3	1	387	261	109	11	6
47	HYPERTROPHY OF TONSILS AND ADENOIDS.....510	-	-	-	-	-	2	-	2	-	-
48	EMPYEMA AND ABSCESS OF LUNG.....518,521	6	2	2	2	-	67	39	18	9	1
49	PLEURISY.....519	-	-	-	-	-	18	11	2	5	-
50	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	45	27	14	3	1	459	230	170	40	19
51	BRONCHIECTASIS.....526	19	11	7	1	-	174	105	59	9	1
52	OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	203	157	35	9	2	2,329	1,878	363	69	19
53	EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	180	141	30	8	1	2,195	1,800	317	63	15
54	ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY....527.0,527.2	23	16	5	1	1	134	78	46	6	4
55	OTHER RESPIRATORY DISEASES.....RESIDUAL	24	11	9	3	1	259	144	88	23	4
56	IX. DISEASES OF THE DIGESTIVE SYSTEM.....	596	285	194	57	60	7,892	4,219	3,043	378	252
57	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	-	-	-	-	-	4	1	1	1	1
58	ULCER OF STOMACH.....540	44	29	8	3	4	531	318	180	23	10
59	ULCER OF DUODENUM.....541	37	23	7	5	2	501	338	135	20	8
60	GASTRITIS AND DUODENITIS.....543	1	-	-	-	1	40	19	19	2	-
61	APPENDICITIS.....550-553	20	8	5	3	4	111	67	38	4	2
62	HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	112	39	53	7	13	856	368	432	25	31
63	GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	44	12	9	15	8	154	55	79	11	9
64	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	20	7	10	-	3	351	138	197	7	9
65	CIRRHOSIS OF LIVER.....581	139	82	35	12	10	3,932	2,232	1,329	222	149
66	WITHOUT MENTION OF ALCOHOLISM.....581.0	112	63	30	10	9	1,881	1,047	662	95	77
67	WITH ALCOHOLISM.....581.1	27	19	5	2	1	2,051	1,185	667	127	72
68	CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	39	19	18	-	2	361	152	194	7	8
69	OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	140	66	49	12	13	1,051	531	439	56	25
70	X. DISEASES OF THE GENITOURINARY SYSTEM.....	400	161	93	86	60	2,282	1,156	845	167	114
71	NEPHRITIS AND NEPHROSIS.....590-594	199	66	45	41	47	817	411	282	80	44
72	ACUTE NEPHRITIS.....590	10	3	2	4	1	41	17	23	-	1
73	NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	13	6	2	3	2	54	24	19	9	2
74	CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	176	57	41	34	44	722	370	240	71	41
75	INFECTIONS OF KIDNEY.....600	136	59	40	26	11	811	337	391	37	46
76	CALCULI OF URINARY SYSTEM.....602,604	3	2	1	-	-	106	48	46	7	5
77	OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	21	5	6	10	-	215	116	73	16	10
78	HYPERPLASIA OF PROSTATE.....610	29	21	...	8	...	224	201	...	23	...
79	DISEASES OF BREAST.....620,621	-	-	-	-	-	1	-	1	-	-
80	OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	12	8	1	1	2	108	43	52	4	9

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

COLORADO					CONNECTICUT					DELAWARE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,634	3,669	2,789	103	73	11,540	6,168	5,085	159	128	2,170	1,074	800	165	131	01
5,814	3,268	2,389	92	65	10,297	5,607	4,438	143	109	1,996	1,000	728	149	119	02
5	3	2	-	-	4	1	3	-	-	2	2	-	-	-	03
215	94	116	2	3	233	100	126	5	2	32	13	12	3	4	04
93	33	58	2	-	85	30	54	1	-	16	7	5	1	3	05
25	22	3	-	-	36	22	14	-	-	4	4	-	-	-	06
8	3	5	-	-	2	-	2	-	-	2	1	1	-	-	07
89	36	50	-	3	110	48	56	4	2	10	1	6	2	1	08
4,648	2,767	1,761	79	41	8,765	4,967	3,604	113	81	1,383	775	461	90	57	09
1,247	644	556	27	20	3,238	1,581	1,556	56	45	311	125	143	24	19	10
3,399	2,122	1,204	52	21	5,526	3,385	2,048	57	36	1,072	650	318	66	38	11
2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	12
30	16	14	-	-	57	28	28	1	-	13	5	5	1	2	13
3	-	3	-	-	1	1	-	-	-	-	-	-	-	-	14
20	14	6	-	-	44	23	20	1	-	8	4	1	1	2	15
7	2	5	-	-	12	4	8	-	-	5	1	4	-	-	16
287	127	156	-	4	439	176	258	3	2	250	112	109	15	14	17
203	86	113	-	4	377	157	216	2	2	231	101	101	15	14	18
84	41	43	-	-	62	19	42	1	-	19	11	8	-	-	19
300	138	149	6	7	248	134	97	9	8	80	32	35	8	5	20
12	8	3	-	1	5	5	-	-	-	4	2	1	-	1	21
9	5	4	-	-	12	10	-	2	-	-	-	-	-	-	22
126	44	75	2	5	112	61	47	-	4	22	8	9	4	1	23
153	81	67	4	1	119	58	50	7	4	54	22	25	4	3	24
329	123	191	5	10	551	201	322	12	16	236	61	106	32	37	25
141	58	79	1	3	128	50	72	3	3	22	9	9	2	2	26
188	65	112	4	7	423	151	250	9	13	214	52	97	30	35	27
90	32	53	4	1	167	82	78	4	3	24	9	10	2	3	28
59	26	30	3	-	104	55	45	2	2	11	4	6	1	-	29
31	6	23	1	1	63	27	33	2	1	13	5	4	1	3	30
564	279	279	2	4	870	392	460	9	9	122	55	53	8	6	31
407	186	217	-	4	646	254	381	3	8	86	35	42	4	5	32
116	77	37	2	-	155	108	41	5	1	28	19	5	4	-	33
3	1	2	-	-	4	1	3	-	-	3	-	2	-	1	34
38	15	23	-	-	65	29	35	1	-	5	1	4	-	-	35
166	90	68	5	3	206	87	109	3	7	28	10	9	6	3	36
1,297	823	434	26	14	1,397	848	484	36	29	214	127	46	30	11	37
21	10	9	2	-	5	3	2	-	-	1	1	-	-	-	38
22	10	10	-	2	18	6	11	1	-	2	1	-	1	-	39
780	440	314	16	10	909	496	363	26	24	96	53	24	14	5	40
121	72	46	3	-	132	83	43	1	5	13	10	2	1	-	41
411	233	163	11	4	451	255	177	8	11	55	33	13	5	4	42
57	33	22	-	2	78	40	32	4	2	4	2	-	2	-	43
191	102	83	2	4	248	118	111	13	6	24	8	9	6	1	44
11	6	4	-	1	10	7	3	-	-	2	2	-	-	-	45
58	50	7	1	-	76	59	16	1	-	6	4	2	-	-	46
3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	47
8	6	2	-	-	14	9	2	3	-	5	3	-	2	-	48
2	-	2	-	-	12	5	5	2	-	1	-	-	1	-	49
27	16	11	-	-	43	27	14	-	2	34	12	8	8	6	50
18	10	6	2	-	29	20	8	1	-	6	4	2	-	-	51
306	245	57	4	-	237	196	39	1	1	55	43	8	4	-	52
288	234	50	4	-	207	178	29	-	-	49	39	7	3	-	53
18	11	7	-	-	30	18	10	1	1	6	4	1	1	-	54
41	30	10	1	-	44	20	21	1	2	6	4	2	-	-	55
691	384	288	8	11	1,097	611	438	26	22	160	84	36	25	15	56
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	57
58	33	24	1	-	74	50	24	-	-	8	6	1	1	-	58
65	45	20	-	-	74	53	20	1	-	13	10	1	2	-	59
9	7	2	-	-	7	1	5	1	-	-	-	-	-	-	60
15	7	7	1	-	15	4	10	1	-	1	1	-	-	-	61
99	41	55	1	2	145	62	76	2	5	17	11	4	-	2	62
28	15	13	-	-	28	11	15	1	1	12	2	2	5	3	63
28	14	14	-	-	82	37	45	-	-	10	6	2	1	1	64
209	126	76	3	4	390	237	132	11	10	63	26	19	12	6	65
136	80	54	-	2	258	153	93	7	5	39	16	11	7	5	66
73	46	22	3	2	132	84	39	4	5	24	10	8	5	1	67
50	24	24	1	1	85	41	41	1	2	5	3	2	-	-	68
130	72	53	1	4	195	114	70	8	3	31	19	5	4	3	69
258	147	94	12	5	368	193	143	16	16	69	33	19	11	6	70
86	49	29	7	1	150	75	62	5	8	29	16	10	2	1	71
3	3	-	-	-	4	1	2	-	1	-	-	-	-	-	72
3	3	-	-	-	11	6	4	-	1	3	1	2	-	-	73
80	43	29	7	1	135	68	56	5	6	26	15	8	2	1	74
87	39	45	1	2	118	52	55	5	6	21	7	7	4	3	75
5	4	1	-	-	14	7	6	-	1	6	4	1	1	-	76
39	21	15	2	1	45	27	13	5	-	8	3	1	3	1	77
32	30	...	2	...	29	28	...	1	...	3	2	...	1	...	78
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	79
9	4	4	-	1	11	4	6	-	1	2	1	-	-	1	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	ARKANSAS					CALIFORNIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	10	...	2	...	8	104	...	78	...	26
02	SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	1	...	-	...	1	5	...	4	...	1
03	TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	1	...	-	...	1	15	...	11	...	4
04	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	2	...	2	...	-	11	...	9	...	2
05	ECTOPIC PREGNANCY.....645	1	...	-	...	1	4	...	2	...	2
06	ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	2	...	-	...	2	15	...	8	...	7
07	ABORTION WITH SEPSIS.....651	-	...	-	...	-	24	...	17	...	7
08	ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
09	OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	3	...	-	...	3	30	...	27	...	3
10	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	32	13	9	3	7	172	50	99	10	13
11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	4	3	1	-	-	34	11	18	3	2
12	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	28	10	8	3	7	138	39	81	7	11
13	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	36	15	18	-	3	362	143	199	8	12
14	ARTHRITIS AND SPONDYLITIS.....720-725	19	6	11	-	2	190	55	127	3	5
15	MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	1	-	-	-	1	2	-	2	-	-
16	OSTEOMYELITIS AND PERIOSTITIS.....730	1	-	1	-	-	17	6	8	1	2
17	ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	7	2	4	-	1
18	INBORN DEFECT OF MUSCLE.....744.1	5	3	2	-	-	57	44	12	1	-
19	OT. DIS. OF MUSCULOSKELETAL SYS....731-736.738-744.0.744.2	10	6	4	-	-	89	36	46	3	4
20	XIV. CONGENITAL MALFORMATIONS.....	190	66	69	35	20	1,791	884	737	92	78
21	SPINA BIFIDA AND MENINGOCELE.....751	10	2	8	-	-	55	26	27	1	1
22	CONGENITAL HYDROCEPHALUS, ETC.....752.753	20	5	6	4	5	158	69	73	8	8
23	CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	93	31	33	17	12	997	494	395	57	51
24	OTHER CONGENITAL MALFORMATIONS.....750,755-759	67	28	22	14	3	581	295	242	26	18
25	XV. CERTAIN DISEASES OF EARLY INFANCY.....	499	186	126	110	77	4,676	2,277	1,589	481	329
26	XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	591	205	153	134	99	411	208	166	26	11
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	89	16	27	28	18	69	24	42	2	1
28	SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	502	189	126	106	81	342	184	124	24	10
29	XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,753	949	370	317	117	14,534	8,787	4,377	995	375
30	ACCIDENTS.....E800-E962	1,436	792	313	230	101	10,305	6,352	3,108	601	244
31	RAILWAY ACCIDENTS.....E800-E802	18	8	2	6	2	95	73	10	12	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E835	657	395	166	77	19	4,952	3,263	1,274	302	113
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	642	391	160	75	16	4,816	3,161	1,248	296	111
34	TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	25	16	6	3	-	120	82	31	6	1
35	TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	82	46	14	19	3	844	507	235	76	26
36	OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	202	123	61	15	3	2,227	1,403	641	129	54
37	NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	101	76	15	9	1	1,504	1,091	303	84	26
38	TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	232	130	64	29	9	121	78	38	1	4
39	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	15	4	6	2	3	136	102	26	6	2
40	OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	4	4	-	-	-	38	18	19	1	-
41	WATER TRANSPORT ACCIDENTS.....E850-E858	19	16	-	3	-	106	91	8	6	1
42	AIRCRAFT ACCIDENTS.....E860-E866	18	18	-	-	-	281	240	30	11	-
43	ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	20	8	6	2	4	299	128	135	21	15
44	ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	9	7	1	1	-	115	72	25	14	4
45	ACCIDENTAL FALLS.....E900-E904	154	65	68	13	8	1,906	867	934	75	30
46	FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	33	16	11	6	-	455	281	139	29	6
47	FALL ON SAME LEVEL.....E903	18	11	7	-	-	1,027	410	573	29	15
48	UNSPECIFIED FALLS.....E904	103	38	50	7	8	424	176	222	17	9
49	BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	23	16	-	6	1	91	78	9	4	-
50	ACCIDENT CAUSED BY MACHINERY.....E912	32	20	1	10	1	131	121	4	6	-
51	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	19	18	-	1	-	71	62	5	4	-
52	ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	148	46	27	36	39	465	252	163	31	19
53	ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	1	-	-	-	1	41	17	16	3	5
54	ACCIDENT CAUSED BY FIREARM.....E919	49	33	3	12	1	116	90	13	9	4
55	INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	19	9	3	3	4	205	127	66	5	7
56	ACCIDENTAL DROWNING.....E929	63	29	11	21	2	562	393	113	47	9
57	EXCESSIVE HEAT AND INSOLATION.....E931	3	2	1	-	-	15	6	5	2	2
58	COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	16	9	2	3	2	247	114	113	7	13
59	ALL OTHER ACCIDENTS.....RESIDUAL	164	89	22	36	17	569	340	166	41	22
60	SUICIDE.....E963,E970-E979	174	116	44	12	2	3,236	1,993	1,080	101	62
61	SUICIDE BY POISONING.....E970-E973	24	10	13	-	1	1,447	669	724	24	30
62	SUICIDE BY HANGING AND STRANGULATION.....E974	7	7	-	-	-	339	242	64	17	16
63	SUICIDE BY FIREARM AND EXPLOSIVE.....E976	132	97	28	6	1	1,117	891	172	40	14
64	SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	11	2	3	6	-	333	191	120	20	2
65	HOMICIDE.....E964,E980-E985	143	41	13	75	14	990	439	189	293	69
66	ASSAULT BY FIREARM AND EXPLOSIVE.....E981	104	30	7	58	9	518	210	92	179	37
67	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	19	2	-	14	3	190	80	27	69	14
68	ASSAULT BY OTHER MEANS.....E964,E980,E983	17	6	6	3	2	247	121	70	38	18
69	INJURY BY INTERVENTION OF POLICE.....E984	3	3	-	-	-	35	28	-	7	-
70	EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
71	INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	3	3	-	-	-

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

COLORADO					CONNECTICUT					DELAWARE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
10	...	8	...	2	12	...	6	...	6	3	...	2	...	1	01
1	...	1	...	-	3	...	2	...	1	1	...	1	...	-	02
2	...	1	...	1	1	...	1	...	-	-	...	-	...	-	03
1	...	1	...	-	3	...	1	...	2	1	...	1	...	-	04
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	05
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	06
3	...	3	...	-	2	...	1	...	1	-	...	-	...	-	07
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	08
1	...	-	...	1	3	...	1	...	2	1	...	-	...	1	09
26	12	13	-	1	28	6	20	-	2	4	-	-	1	3	10
3	3	-	-	-	6	3	3	-	-	1	-	-	1	-	11
23	9	13	-	1	22	3	17	-	2	3	-	-	-	3	12
49	21	27	-	1	44	17	27	-	-	10	5	4	1	-	13
28	8	19	-	1	21	6	15	-	-	4	1	2	1	-	14
-	-	-	-	-	3	-	3	-	-	1	-	1	-	-	15
4	2	2	-	-	4	2	2	-	-	-	-	-	-	-	16
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	17
7	7	-	-	-	7	5	2	-	-	2	2	-	-	-	18
9	4	5	-	-	9	4	5	-	-	3	2	1	-	-	19
213	117	85	1	10	290	132	138	12	8	50	20	24	3	3	20
9	5	3	-	1	31	13	17	-	1	4	-	4	-	-	21
15	10	4	-	1	25	13	11	-	1	5	2	1	1	1	22
114	64	42	1	7	118	51	54	9	4	26	13	11	-	2	23
75	38	36	-	1	116	55	56	3	2	15	5	8	2	-	24
541	299	208	17	17	756	393	228	73	62	156	64	42	30	20	25
95	53	38	1	3	162	79	62	13	8	13	8	3	1	1	26
12	4	8	-	-	10	3	7	-	-	-	-	-	-	-	27
83	49	30	1	3	152	76	55	13	8	13	8	3	1	1	28
1,660	1,106	480	59	15	1,414	891	425	74	24	331	175	75	62	19	29
1,236	828	358	37	13	1,087	704	317	47	19	251	130	58	48	15	30
4	3	-	1	-	6	4	1	1	-	1	1	-	-	-	31
532	372	141	13	6	439	314	101	17	7	110	64	17	23	6	32
518	365	134	13	6	430	308	99	16	7	107	61	17	23	6	33
25	22	3	-	-	1	1	-	-	-	4	-	2	2	-	34
59	43	11	4	1	86	58	20	3	5	17	9	2	4	2	35
230	146	80	2	2	183	130	45	6	2	21	12	2	4	3	36
130	102	20	5	3	142	103	32	7	-	26	21	1	4	-	37
74	52	20	2	-	18	16	2	-	-	39	19	10	9	1	38
14	7	7	-	-	9	6	2	1	-	3	3	-	-	-	39
12	10	2	-	-	1	1	-	-	-	-	-	-	-	-	40
22	15	4	3	-	14	10	2	2	-	2	2	-	-	-	41
26	20	6	-	-	21	17	4	-	-	7	7	-	-	-	42
13	3	10	-	-	19	11	6	2	-	4	3	1	-	-	43
23	17	3	2	1	10	9	-	1	-	2	2	-	-	-	44
222	106	110	5	1	277	147	122	5	3	52	19	27	5	1	45
57	39	16	2	-	91	61	23	5	2	10	5	3	1	1	46
56	29	27	-	-	68	35	33	-	-	4	1	2	1	-	47
109	38	67	3	1	118	51	66	-	1	38	13	22	3	-	48
25	25	-	-	-	9	7	1	1	-	2	2	-	-	-	49
26	23	3	-	-	10	10	-	-	-	1	-	-	1	-	50
19	15	3	1	-	8	7	-	1	-	2	2	-	-	-	51
55	43	11	-	1	85	46	34	3	2	19	5	1	9	4	52
6	2	4	-	-	4	2	1	1	-	2	-	1	1	-	53
34	27	6	1	-	14	11	1	2	-	2	1	-	1	-	54
37	22	11	3	1	27	10	11	3	3	13	4	5	1	3	55
52	38	12	2	-	65	49	10	6	-	9	6	2	1	-	56
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	57
31	16	15	-	-	14	8	6	-	-	4	1	2	1	-	58
96	71	16	6	3	64	41	17	2	4	19	11	2	5	1	59
351	241	103	7	-	266	168	92	5	1	55	39	14	1	1	60
133	65	67	1	-	106	57	46	3	-	19	10	7	1	1	61
42	32	9	1	-	55	40	14	1	-	7	5	2	-	-	62
157	131	22	4	-	67	53	12	1	1	23	20	3	-	-	63
19	13	5	1	-	38	18	20	-	-	6	4	2	-	-	64
73	37	19	15	2	61	19	16	22	4	25	6	3	13	3	65
41	18	14	8	1	24	5	9	9	1	13	2	1	7	3	66
14	7	1	5	1	15	5	-	9	1	5	1	1	3	-	67
18	12	4	2	-	20	9	7	2	2	7	3	1	3	-	68
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	DISTRICT OF COLUMBIA					FLORIDA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	ALL CAUSES	9,013	2,096	1,989	2,766	2,162	59,493	30,008	19,687	5,581	4,217
02	I. INFECTIVE AND PARASITIC DISEASES	161	26	13	83	39	602	248	149	128	77
03	TUBERCULOSIS, ALL FORMS 001-019	102	16	3	58	25	216	96	35	58	27
04	TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	93	15	2	53	23	201	95	31	54	21
05	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	-	-	-	-	-	3	-	-	1	2
06	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	4	1	1	1	1	1	-	1	-	-
07	TUBERCULOSIS OF BONES AND JOINTS 012,013	1	-	-	1	-	2	-	1	1	-
08	TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	-	-	-	-	-	4	1	1	1	1
09	DISSEMINATED TUBERCULOSIS 019	4	-	-	3	1	5	-	1	1	3
10	SYPHILIS AND ITS SEQUELAE 020-029	18	4	2	11	1	78	34	10	25	9
11	CONGENITAL SYPHILIS 020	-	-	-	-	-	2	-	-	1	1
12	EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
13	ANEURYSM OF AORTA 022	7	3	2	2	-	49	27	9	11	2
14	OTHER CARDIOVASCULAR SYPHILIS 023	9	1	-	7	1	17	2	1	10	4
15	TABES DORSALIS 024	-	-	-	-	-	1	1	-	-	-
16	GENERAL PARALYSIS OF INSANE 025	2	-	-	2	-	3	1	-	2	-
17	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	-	-	-	-	-	5	3	-	1	1
18	ALL OTHER SYPHILIS 027-029	-	-	-	-	-	1	-	-	-	1
19	GONOCOCCAL INFECTION 030-035	-	-	-	-	-	1	-	-	1	-
20	TYPHOID FEVER 040	-	-	-	-	-	1	-	-	1	-
21	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	-	-	-	-	-	9	2	1	2	4
22	CHOLERA 043	-	-	-	-	-	-	-	-	-	-
23	BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
24	DYSENTERY, ALL FORMS 045-048	-	-	-	-	-	5	3	-	2	-
25	FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	2	-	-	1	1
26	SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
27	STREPTOCOCCAL SORE THROAT 051	-	-	-	-	-	2	-	-	2	-
28	ERYSIPELAS 052	-	-	-	-	-	-	-	-	-	-
29	SEPTICEMIA AND PYEMIA 053	21	3	3	9	6	120	54	45	12	9
30	DIPHTHERIA 055	1	-	-	-	1	1	-	-	1	-
31	WHOOPING COUGH 056	-	-	-	-	-	-	-	-	-	-
32	MENINGOCOCCAL INFECTIONS 057	4	-	1	1	2	31	11	10	5	5
33	PLAGUE 058	-	-	-	-	-	-	-	-	-	-
34	LEPROSY 060	-	-	-	-	-	-	-	-	-	-
35	TETANUS 061	-	-	-	-	-	10	1	2	4	3
36	ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
37	ACUTE POLIOMYELITIS 080	-	-	-	-	-	1	-	-	-	1
38	LATE EFFECTS OF ACUTE POLIOMYELITIS 081	-	-	-	-	-	3	1	1	1	-
39	ACUTE INFECTIOUS ENCEPHALITIS 082	-	-	-	-	-	18	7	6	2	3
40	LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	1	1	-	-	-	2	2	-	-	-
41	SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
42	MEASLES 085	1	-	-	-	1	9	1	3	3	2
43	YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
44	INFECTIOUS HEPATITIS 092	2	-	1	-	1	33	10	17	2	4
45	RABIES 094	-	-	-	-	-	-	-	-	-	-
46	TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
47	ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
48	MALARIA 110-117	-	-	-	-	-	1	1	-	-	-
49	SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
50	HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
51	FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
52	ANCYLOSTOMIASIS 129	-	-	-	-	-	1	-	1	-	-
53	OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	5	1	1	1	2
54	ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	11	2	3	4	2	53	24	17	5	7
55	II. NEOPLASMS	1,507	378	370	417	342	10,528	5,368	3,890	716	554
56	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	1,475	373	362	411	329	10,357	5,312	3,813	705	527
57	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	54	17	3	23	11	244	162	56	16	10
58	OF LIP 140	-	-	-	-	-	3	2	1	-	-
59	OF TONGUE 141	13	6	-	6	1	63	45	12	3	3
60	OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	23	4	2	12	5	66	45	13	6	2
61	OF PHARYNX 145-148	18	7	1	5	5	112	70	30	7	5
62	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	479	126	103	158	92	3,006	1,506	1,124	242	134
63	OF ESOPHAGUS 150	67	12	5	37	13	207	96	43	58	10
64	OF STOMACH 151	82	21	15	33	13	564	288	159	81	36
65	OF SMALL INTESTINE, INCLUDING DUODENUM 152	2	-	1	-	1	23	11	8	3	1
66	OF LARGE INTESTINE, EXCEPT RECTUM 153	164	49	48	34	33	1,039	492	475	35	37
67	CECUM, APPENDIX, AND ASCENDING COLON 153.0	28	6	9	7	6	129	48	71	5	5
68	TRANSVERSE COLON 153.1	6	1	2	1	2	36	12	21	1	2
69	DESCENDING COLON 153.2	10	3	4	-	3	25	12	13	-	-
70	SIGMOID COLON 153.3	24	10	8	1	5	177	90	73	4	10
71	MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	1	-	1	-	-
72	LARGE INTESTINE, PART UNSPECIFIED 153.8	92	28	25	23	16	616	303	274	21	18
73	INTESTINAL TRACT, PART UNSPECIFIED 153.9	4	1	-	2	1	55	27	22	4	2
74	OF RECTUM 154	36	11	9	7	9	300	165	113	12	10
75	OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	26	6	5	11	4	185	91	80	7	7
76	LIVER 155.0	16	5	-	9	2	64	38	17	6	3
77	OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	10	1	5	2	2	121	53	63	1	4
78	OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	15	5	2	7	1	122	67	35	13	7
79	OF PANCREAS 157	75	20	17	25	13	508	273	184	31	20
80	OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	12	2	1	4	5	58	23	27	2	6

and Sex: United States and Each State, 1965–Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

GEORGIA					HAWAII					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
38,134	14,675	10,531	6,888	6,040	3,654	648	448	1,600	958	5,939	3,538	2,296	78	27	01
488	137	97	153	101	52	10	2	28	12	45	33	10	2	-	02
150	56	12	59	23	22	5	-	13	4	11	10	-	1	-	03
134	52	11	53	18	21	5	-	12	4	9	9	-	-	-	04
4	1	1	-	2	-	-	-	-	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
4	1	-	3	-	-	-	-	-	-	1	1	-	-	-	08
8	2	-	3	3	1	-	-	1	-	1	-	-	1	-	09
54	11	4	28	11	5	1	-	3	1	11	9	2	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
29	9	2	13	5	1	-	-	1	-	7	6	1	-	-	13
17	-	2	10	5	2	-	-	1	1	1	1	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
2	1	-	1	-	-	-	-	-	-	1	1	-	-	-	16
4	1	-	2	1	2	1	-	1	-	2	1	1	-	-	17
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	20
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
15	2	-	6	7	2	-	-	-	2	-	-	-	-	-	24
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
4	-	1	1	2	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
98	30	26	21	21	8	1	1	4	2	7	4	2	1	-	29
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	30
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	31
31	7	13	5	6	1	-	1	-	-	5	2	3	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	34
12	1	2	5	4	-	-	-	-	-	1	1	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	37
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	38
15	5	7	1	2	1	-	-	-	1	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
16	5	2	5	4	1	-	-	1	-	2	1	1	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
15	4	8	3	-	2	-	-	2	-	1	-	1	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
17	2	1	8	6	-	-	-	-	-	-	-	-	-	-	53
49	10	20	6	13	8	2	-	5	1	4	3	1	-	-	54
5,274	2,135	1,742	695	702	752	124	103	310	215	864	483	374	2	5	55
5,167	2,106	1,703	679	679	732	124	100	301	207	839	473	359	2	5	56
144	72	34	27	11	35	8	5	20	2	17	13	4	-	-	57
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	58
41	20	9	10	2	7	3	2	2	-	4	1	3	-	-	59
43	16	14	9	4	9	-	2	7	-	7	6	1	-	-	60
58	35	10	8	5	19	5	1	11	2	5	5	-	-	-	61
1,403	556	441	228	178	288	35	24	137	92	253	134	116	1	2	62
106	45	24	24	13	10	4	-	5	1	11	7	4	-	-	63
276	98	50	88	40	109	7	5	58	39	50	28	21	1	-	64
10	7	2	1	-	5	-	1	3	1	2	1	1	-	-	65
426	162	164	39	61	46	5	6	17	18	82	38	42	-	2	66
50	16	25	4	5	5	-	1	2	2	14	10	4	-	-	67
12	5	4	1	2	-	-	-	-	-	1	-	1	-	-	68
18	6	6	2	4	4	1	-	1	2	2	1	1	-	-	69
73	33	25	2	13	9	-	1	4	4	8	5	2	-	1	70
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	71
249	91	94	28	36	26	4	4	8	10	54	22	31	-	1	72
22	9	10	2	1	2	-	-	2	-	3	-	3	-	-	73
112	43	44	14	11	29	5	1	15	8	23	10	13	-	-	74
78	31	27	12	8	27	3	1	15	8	16	5	11	-	-	75
36	18	7	8	3	15	3	-	11	1	4	3	1	-	-	76
42	13	20	4	5	12	-	1	4	7	12	2	10	-	-	77
70	29	20	14	7	11	2	2	5	2	11	5	6	-	-	78
295	133	101	31	30	50	9	8	18	15	53	37	16	-	-	79
30	8	9	5	8	1	-	-	1	-	5	3	2	-	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	DISTRICT OF COLUMBIA					FLORIDA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	MALIGNANT NEOPLASMS, ETC.--CON.										
01	MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	274	113	25	117	19	2,158	1,673	284	170	31
02	OF LARYNX....161	36	18	2	14	2	108	86	6	12	4
03	OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	125	43	6	70	6	827	674	90	55	8
04	OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	108	49	17	33	9	1,185	892	177	98	18
05	OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	5	3	-	-	2	38	21	11	5	1
06	MALIGNANT NEOPLASM OF BREAST....170	155	-	81	-	74	845	9	749	3	84
07	MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	195	27	53	38	77	1,417	505	648	106	158
08	OF CERVIX UTERI....171	53	...	14	...	39	291	...	199	...	92
09	OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	28	...	10	...	18	190	...	159	...	31
10	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	43	...	27	...	16	300	...	272	...	28
11	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	6	...	2	...	4	25	...	18	...	7
12	OF PROSTATE....177	63	26	...	37	...	578	480	...	98	...
13	OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	2	1	...	1	...	33	25	...	8	...
14	MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	60	18	19	14	9	489	319	129	22	19
15	OF KIDNEY....180	21	3	7	7	4	180	107	59	7	7
16	OF BLADDER AND OTHER URINARY ORGANS....181	39	15	12	7	5	309	212	70	15	12
17	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....1568,165,190-199	147	47	46	27	27	1,251	620	483	87	61
18	OF SKIN....190,191	12	5	2	3	2	159	93	62	2	2
19	OF EYE....192	1	-	-	-	1	13	7	3	2	1
20	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	29	12	10	5	2	259	132	106	13	8
21	OF THYROID GLAND....194	3	-	1	-	2	21	5	15	1	-
22	OF BONE....196	7	2	-	3	2	50	31	12	3	4
23	OF CONNECTIVE TISSUE....197	6	1	5	-	-	35	14	12	5	4
24	OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	10	1	3	3	3	64	36	21	4	3
25	OF UNSPECIFIED SITES....1568,165,198,199B	79	26	25	13	15	650	302	252	57	39
26	LEUKEMIA AND ALEUKEMIA....204	42	8	17	12	5	440	256	146	27	11
27	LYMPHOSARCOMA, ETC....200-203,205	69	17	15	22	15	507	262	194	32	19
28	LYMPHOSARCOMA AND RETICULOSARCOMA....200	35	12	3	12	8	228	120	92	12	4
29	HODGKINS DISEASE....201	13	-	6	4	3	124	67	44	7	6
30	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	21	5	6	6	4	155	75	58	13	9
31	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	32	5	8	6	13	171	56	77	11	27
32	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	3	...	1	...	2	16	...	8	...	8
33	BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	7	-	2	1	4	41	8	24	3	6
34	OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	10	2	2	3	3	36	17	13	2	4
35	UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	1	...	-	...	1
36	NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	7	1	1	2	3	39	21	14	1	3
37	OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	5	2	2	-	1	38	10	18	5	5
38	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	207	31	29	68	79	1,222	470	465	115	172
39	ASTHMA....241	35	4	1	20	10	173	73	49	28	23
40	NONTOXIC GOITER....250,251	1	-	-	-	1	4	2	1	-	1
41	THYROTOXICOSIS WITH OR WITHOUT GOITER....252	1	-	-	1	-	10	1	7	-	2
42	ALL OTHER DISEASES OF THYROID GLAND....253,254	1	1	-	-	-	7	1	6	-	-
43	DIABETES MELLITUS....260	147	23	26	38	60	864	332	350	60	122
44	DISEASES OF THYMUS GLAND....273	-	-	-	-	-	1	-	1	-	-
45	DISEASES OF ADRENAL GLANDS....274	2	-	-	1	1	19	6	7	4	2
46	PELLAGRA....281	-	-	-	-	-	-	-	-	-	-
47	OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	9	-	1	5	3	44	14	16	7	7
48	CYSTIC FIBROSIS....289A	2	-	-	1	1	17	8	6	2	1
49	ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	9	3	1	2	3	83	33	22	14	14
50	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	20	6	4	3	7	197	82	61	28	26
51	ANEMIAS....290-293	11	4	2	2	3	134	47	42	21	24
52	PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	2	-	2	-	-	17	5	9	-	3
53	ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	9	4	-	2	3	117	42	33	21	21
54	PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	4	2	1	-	1	24	13	7	3	1
55	OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	5	-	1	1	3	39	22	12	4	1
56	V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	22	5	3	12	2	192	93	58	33	8
57	SENILE PSYCHOSIS....304	-	-	-	-	-	18	4	12	2	-
58	ALCOHOLIC PSYCHOSIS....307	6	2	-	3	1	28	20	5	3	-
59	OTHER PSYCHOSES....300-303,305,306,308,309	-	-	-	-	-	32	15	14	2	1
60	ALCOHOLISM....322	14	3	3	8	-	105	51	24	23	7
61	MENTAL DEFICIENCY....325	2	-	-	1	1	5	2	1	2	-
62	OTHER DISORDERS OF PERSONALITY....RESIDUAL	-	-	-	-	-	4	1	2	1	-
63	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	873	182	276	194	221	7,403	3,074	2,948	667	714
64	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	803	171	260	173	199	6,922	2,894	2,780	594	654
65	SUBARACHNOID HEMORRHAGE....330	67	8	18	16	25	315	101	152	22	40
66	CEREBRAL HEMORRHAGE....331	373	84	105	84	100	3,533	1,410	1,378	364	381
67	CEREBRAL EMBOLISM AND THROMBOSIS....332	314	70	115	62	67	2,443	1,130	986	155	172
68	OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	49	9	22	11	7	631	253	264	53	61
69	MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	21	2	3	8	8	94	21	18	29	26
70	MULTIPLE SCLEROSIS....345	4	1	1	1	1	38	17	17	-	4
71	PARALYSIS AGITANS....350	11	4	4	1	2	95	52	40	2	1
72	CEREBRAL SPASTIC INFANTILE PARALYSIS....351	-	-	-	-	-	22	8	10	1	3
73	EPILEPSY....353	10	1	-	5	4	66	14	21	21	10
74	INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
75	CATARACT....385	2	-	1	1	-	-	-	-	-	-
76	GLAUCOMA....387	-	-	-	-	-	-	-	-	-	-
77	OTITIS MEDIA AND MASTOIDITIS....391-393	1	-	-	1	-	9	3	3	-	3
78	OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	21	3	7	4	7	157	65	59	20	13

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

GEORGIA					HAWAII					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
914	649	96	140	29	140	40	9	71	20	133	113	19	1	-	01
45	36	1	8	-	10	3	3	4	-	5	5	-	-	-	02
388	266	37	68	17	48	19	3	18	8	51	45	5	1	-	03
468	341	54	62	11	79	18	3	48	10	74	61	13	-	-	04
13	6	4	2	1	3	-	-	1	2	3	2	1	-	-	05
436	6	334	1	95	46	-	22	-	24	69	-	69	-	-	06
867	227	322	113	205	61	6	22	8	25	132	68	62	-	2	07
227	...	115	...	112	23	...	11	...	12	21	...	20	...	1	08
137	...	86	...	51	7	...	2	...	5	11	...	10	...	1	09
147	...	110	...	37	14	...	7	...	7	27	...	27	...	-	10
16	...	11	...	5	3	...	2	...	1	5	...	5	...	-	11
316	207	...	109	...	12	6	...	6	...	65	65	...	-	...	12
24	20	...	4	...	2	-	...	2	...	3	3	...	-	...	13
190	81	57	31	21	27	8	2	9	8	38	24	14	-	-	14
55	27	13	9	6	11	2	1	4	4	23	12	11	-	-	15
135	54	44	22	15	16	6	1	5	4	15	12	3	-	-	16
742	303	262	83	94	70	14	8	29	19	95	54	40	-	1	17
118	55	48	9	6	11	3	2	4	2	18	15	3	-	-	18
7	3	2	-	2	-	-	-	-	-	2	1	1	-	-	19
150	71	55	12	12	15	4	4	5	2	22	14	8	-	-	20
10	5	2	1	2	2	1	-	-	1	2	1	1	-	-	21
40	21	16	1	2	3	2	-	1	-	5	2	3	-	-	22
26	9	5	6	6	1	-	-	-	1	-	-	-	-	-	23
35	18	13	1	3	3	1	-	1	1	4	1	3	-	-	24
356	121	121	53	61	35	3	2	18	12	42	20	21	-	1	25
232	102	88	22	20	28	6	2	14	6	57	34	23	-	-	26
239	110	69	34	26	37	7	6	13	11	45	33	12	-	-	27
100	53	31	10	6	16	3	3	7	3	13	8	5	-	-	28
50	22	15	8	5	10	2	2	2	4	20	14	6	-	-	29
89	35	23	16	15	11	2	1	4	4	12	11	1	-	-	30
107	29	39	16	23	20	-	3	9	8	25	10	15	-	-	31
9	...	3	...	6	2	...	-	...	2	3	...	3	...	-	32
31	8	16	4	3	6	-	1	1	4	6	3	3	-	-	33
16	3	4	5	4	4	-	1	3	-	2	1	1	-	-	34
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	35
30	11	11	4	4	3	-	-	1	2	10	4	6	-	-	36
21	7	5	3	6	5	-	1	4	-	4	2	2	-	-	37
784	211	271	118	184	155	12	20	62	61	171	91	77	2	1	38
85	27	23	20	15	24	3	2	15	4	30	24	5	1	-	39
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	40
13	3	3	1	6	2	-	-	-	2	1	-	1	-	-	41
6	-	4	-	2	2	1	-	-	1	-	-	-	-	-	42
539	142	196	69	132	111	8	15	43	45	121	56	65	-	-	43
2	1	-	-	1	1	-	-	-	1	-	-	-	-	-	44
5	1	3	-	1	-	-	-	-	-	2	2	-	-	-	45
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	46
42	11	8	14	9	7	-	1	1	5	6	2	3	-	1	47
20	9	9	2	-	1	-	1	-	-	3	2	1	-	-	48
70	17	24	11	18	7	-	1	3	3	8	5	2	1	-	49
125	44	37	23	21	14	3	2	3	6	20	11	9	-	-	50
87	22	25	22	18	9	2	1	-	6	12	5	7	-	-	51
2	1	1	-	-	2	1	-	-	1	1	-	1	-	-	52
85	21	24	22	18	7	1	1	-	5	11	5	6	-	-	53
14	11	2	-	1	1	-	-	1	-	3	2	1	-	-	54
24	11	10	1	2	4	1	1	2	-	5	4	1	-	-	55
201	75	32	63	31	6	3	1	1	1	14	10	3	1	-	56
3	-	1	1	1	1	-	-	1	-	1	-	1	-	-	57
18	10	1	5	2	-	-	-	-	-	1	1	-	-	-	58
21	7	10	1	3	2	-	1	-	1	1	-	1	-	-	59
140	54	11	51	24	2	2	-	-	-	9	8	-	1	-	60
14	2	6	5	1	1	1	-	-	-	2	1	1	-	-	61
5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	62
5,891	1,617	1,840	1,118	1,316	339	40	43	157	99	750	375	366	5	4	63
5,586	1,519	1,763	1,049	1,255	304	36	37	145	86	713	353	351	5	4	64
232	66	70	44	52	33	5	6	14	8	14	9	5	-	-	65
3,330	823	926	712	869	180	18	17	88	57	458	210	240	5	3	66
1,602	515	612	214	261	73	12	8	34	19	165	93	71	-	1	67
422	115	155	79	73	18	1	6	9	2	76	41	35	-	-	68
67	16	13	21	17	8	1	2	3	2	4	3	1	-	-	69
17	6	7	1	3	-	-	-	-	-	7	2	5	-	-	70
33	16	16	1	-	8	2	2	2	2	9	4	5	-	-	71
27	9	6	6	6	2	-	-	-	2	-	-	-	-	-	72
67	20	9	25	13	5	1	-	2	2	4	2	2	-	-	73
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	76
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	77
91	29	26	15	21	12	-	2	5	5	12	10	2	-	-	78

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	DISTRICT OF COLUMBIA					FLORIDA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	VII. DISEASES OF THE CIRCULATORY SYSTEM	3,305	920	844	800	741	23,684	13,142	7,826	1,484	1,232
02	DISEASES OF HEART 400-402,410-443	2,877	820	733	691	633	21,299	11,960	7,001	1,288	1,050
03	RHEUMATIC FEVER 400-402	2	1	-	-	1	15	3	3	6	3
04	CHRONIC RHEUMATIC HEART DISEASE 410-416	67	19	17	11	20	467	195	227	17	28
05	DISEASES OF MITRAL VALVE 410	24	5	7	3	9	177	70	89	7	11
06	DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	8	6	1	1	-	64	42	22	-	-
07	DISEASES OF PULMONARY VALVE, ETC 413,414	2	-	-	-	2	19	8	10	1	-
08	OTHER RHEUMATIC HEART DISEASES 412,415,416	33	8	9	7	9	207	75	106	9	17
09	ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS 420	1,795	648	514	365	268	16,845	10,129	5,341	814	561
10	ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	472	131	166	99	76	4,265	2,124	1,700	243	198
11	HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	1,323	517	348	266	192	12,569	8,004	3,635	571	359
12	ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	-	-	-	-	-	11	1	6	-	4
13	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	13	2	4	2	5	146	80	47	15	4
14	OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	2	-	1	-	1	5	3	1	-	1
15	OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	7	2	1	2	2	102	58	32	9	3
16	OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	4	-	2	-	2	39	19	14	6	-
17	OTHER MYOCARDIAL DEGENERATION 422	333	72	88	93	80	1,053	457	412	99	85
18	WITH ARTERIOSCLEROSIS 422.1	308	67	83	82	76	893	387	363	79	64
19	*WITHOUT MENTION OF ARTERIOSCLEROSIS* 422.0,422.2	25	5	5	11	4	160	70	49	20	21
20	OTHER DISEASES OF HEART 430-434	85	23	16	26	20	1,296	648	446	107	95
21	ACUTE AND SUBACUTE ENDOCARDITIS 430	9	2	1	5	1	28	16	8	1	3
22	ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	11	4	-	5	2	134	70	52	4	8
23	FUNCTIONAL DISEASE OF HEART 433	30	9	9	4	8	330	154	136	17	23
24	OTHER AND UNSPECIFIED DISEASES OF HEART 434	35	8	6	12	9	804	408	250	85	61
25	HYPERTENSIVE HEART DISEASE 440-443	582	55	94	194	239	1,477	448	525	230	274
26	HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	57	10	17	14	16	284	116	83	34	51
27	OTHER HYPERTENSIVE HEART DISEASE 440,441,443	525	45	77	180	223	1,193	332	442	196	223
28	OTHER HYPERTENSIVE DISEASE 444-447	63	8	15	24	16	407	146	120	79	62
29	HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	29	5	8	7	9	254	106	74	44	30
30	ESSENTIAL HYPERTENSION 444,445,447	34	3	7	17	7	153	40	46	35	32
31	DISEASES OF ARTERIES 450-456	204	54	68	40	42	1,575	863	560	79	73
32	GENERAL ARTERIOSCLEROSIS 450	124	31	50	19	24	890	385	417	48	40
33	AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	60	20	13	18	9	545	417	92	19	17
34	GANGRENE OF UNSPECIFIED CAUSE 455	4	1	1	1	1	8	2	3	1	2
35	OTHER ARTERIAL DISEASES 452-454,456	16	2	4	2	8	132	59	48	11	14
36	DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS 460-468	161	38	28	45	50	403	173	145	38	47
37	VIII. DISEASES OF THE RESPIRATORY SYSTEM	576	120	98	238	120	3,335	1,842	858	385	250
38	ACUTE UPPER RESPIRATORY INFECTIONS 470-475	-	-	-	-	-	15	3	4	5	3
39	INFLUENZA 480-483	-	-	-	-	-	73	24	22	14	13
40	PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	432	76	78	180	98	1,803	796	579	250	178
41	LOBAR PNEUMONIA 490	97	17	13	50	17	300	124	83	64	29
42	*BRONCHOPNEUMONIA* 491	228	40	42	94	52	1,182	549	399	132	102
43	PRIMARY ATYPICAL PNEUMONIA 492	14	2	2	4	6	161	61	49	22	29
44	PNEUMONIA, OTHER AND UNSPECIFIED 493	93	17	21	32	23	160	62	48	32	18
45	ACUTE BRONCHITIS 500	13	1	4	5	3	22	11	5	4	2
46	BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	13	5	1	7	-	137	102	21	11	3
47	HYPERTROPHY OF TONSILS AND ADENOIDS 510	-	-	-	-	-	3	-	2	-	1
48	EMPYEMA AND ABSCESS OF LUNG 518,521	10	1	-	8	1	39	21	8	8	2
49	PLEURISY 519	1	-	-	-	1	3	2	-	1	-
50	OTHER CHRONIC INTERSTITIAL PNEUMONIA 525	16	2	2	5	7	160	78	40	21	21
51	BRONCHIECTASIS 526	10	3	2	3	2	53	28	16	5	4
52	OTHER DISEASES OF LUNG AND PLEURAL CAVITY 527	70	31	7	27	5	909	727	124	47	11
53	EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	63	28	6	24	5	857	702	106	41	8
54	ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY 527.0,527.2	7	3	1	3	-	52	25	18	6	3
55	OTHER RESPIRATORY DISEASES RESIDUAL	11	1	4	3	3	118	50	37	19	12
56	IX. DISEASES OF THE DIGESTIVE SYSTEM	587	118	122	212	135	2,302	1,091	840	219	152
57	DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	1	-	-	-	1	3	1	-	1	1
58	ULCER OF STOMACH 540	28	6	4	14	4	160	97	39	14	10
59	ULCER OF DUODENUM 541	28	12	5	6	5	134	93	30	8	3
60	GASTRITIS AND DUODENITIS 543	6	1	2	2	1	14	5	7	2	-
61	APPENDICITIS 550-553	13	5	2	4	2	58	31	12	9	6
62	HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	51	3	21	13	14	304	118	134	37	15
63	GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	10	1	-	7	2	139	24	38	39	38
64	CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	18	4	8	3	3	143	75	57	3	8
65	CIRRHOSIS OF LIVER 581	314	64	54	117	79	769	386	287	61	35
66	WITHOUT MENTION OF ALCOHOLISM 581.0	229	49	42	87	51	519	257	203	35	24
67	WITH ALCOHOLISM 581.1	85	15	12	30	28	250	129	84	26	11
68	CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	18	2	7	4	5	151	71	71	2	7
69	OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	100	20	19	42	19	427	190	165	43	29
70	X. DISEASES OF THE GENITOURINARY SYSTEM	257	48	49	84	76	1,208	522	361	174	151
71	NEPHRITIS AND NEPHROSIS 590-594	68	10	13	24	21	373	145	111	59	58
72	ACUTE NEPHRITIS 590	5	-	2	1	2	18	4	3	9	2
73	NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	2	-	-	-	2	28	8	12	5	3
74	CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	61	10	11	23	17	327	133	96	45	53
75	INFECTIONS OF KIDNEY 600	124	20	27	31	46	467	167	177	60	63
76	CALCULI OF URINARY SYSTEM 602,604	6	-	3	1	2	55	25	21	5	4
77	OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	34	7	6	15	6	156	77	38	24	17
78	HYPERPLASIA OF PROSTATE 610	19	9	...	10	...	114	94	...	20	...
79	DISEASES OF BREAST 620,621	-	-	-	-	-	-	-	-	-	-
80	OTHER DISEASES OF GENITAL ORGANS RESIDUAL	6	2	-	3	1	43	14	14	6	9

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

GEORGIA					HAWAII					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
14,152	6,075	4,018	2,124	1,935	1,269	239	157	575	298	2,384	1,453	907	18	6	01
12.647	5.575	3.585	1.823	1,664	1,176	219	146	535	276	2.123	1.312	790	17	4	02
10	3	1	4	2	3	-	-	1	2	5	2	3	-	-	03
180	56	76	19	29	42	2	5	14	21	61	24	37	-	-	04
84	28	41	5	10	28	1	3	9	15	29	9	20	-	-	05
7	4	1	1	1	2	-	-	1	1	9	5	4	-	-	06
12	3	3	4	2	1	-	-	-	1	4	1	3	-	-	07
77	21	31	9	16	11	1	2	4	4	19	9	10	-	-	08
9,150	4,573	2,637	1,078	862	831	187	100	381	163	1,710	1,115	578	14	3	09
1,388	514	498	175	201	208	25	38	94	51	357	187	166	3	1	10
7,754	4,057	2,138	901	658	622	162	62	286	112	1,351	927	411	11	2	11
8	2	1	2	3	1	-	-	1	-	2	1	1	-	-	12
67	24	15	17	11	7	-	3	3	1	12	7	5	-	-	13
4	1	1	2	-	1	-	-	-	1	2	1	1	-	-	14
41	17	9	9	6	5	-	3	2	-	6	3	3	-	-	15
22	6	5	6	5	1	-	-	1	-	4	3	1	-	-	16
839	301	272	132	134	61	3	12	27	19	118	50	65	2	1	17
655	238	231	93	93	42	2	7	20	13	92	37	52	2	1	18
184	63	41	39	41	19	1	5	7	6	26	13	13	-	-	19
839	280	209	188	162	42	6	6	17	13	89	56	32	1	-	20
16	6	2	3	5	1	1	-	-	-	-	-	-	-	-	21
26	7	8	6	5	3	-	-	1	2	2	2	-	-	-	22
248	88	80	43	37	16	3	5	4	4	30	17	13	-	-	23
549	179	119	136	115	22	2	1	12	7	57	37	19	1	-	24
1,562	338	375	385	464	190	21	20	92	57	128	58	70	-	-	25
329	77	106	74	72	11	-	1	6	4	45	21	24	-	-	26
1,233	261	269	311	392	179	21	19	86	53	83	37	46	-	-	27
301	70	61	97	73	19	-	3	10	6	40	18	21	1	-	28
140	43	35	45	17	7	-	2	4	1	22	15	6	1	-	29
161	27	26	52	56	12	-	1	6	5	18	3	15	-	-	30
920	316	287	157	160	64	15	7	27	15	172	99	71	-	2	31
661	192	238	111	120	25	4	3	10	8	111	51	58	-	2	32
172	98	26	25	23	34	11	4	13	6	45	35	10	-	-	33
15	3	2	9	1	-	-	-	-	-	1	1	-	-	-	34
72	23	21	12	16	5	-	-	4	1	15	12	3	-	-	35
284	114	85	47	38	10	5	1	3	1	49	24	25	-	-	36
2,543	981	596	542	424	196	40	25	91	40	363	255	99	6	3	37
22	8	4	5	5	2	-	-	1	1	2	1	1	-	-	38
88	18	25	26	19	2	-	-	2	-	12	7	5	-	-	39
1,667	494	444	391	338	119	24	16	53	26	158	96	55	5	2	40
239	65	55	63	56	11	3	1	4	3	19	8	9	2	-	41
623	214	196	109	104	59	12	6	26	15	54	36	16	2	-	42
130	24	36	41	29	34	6	7	16	5	16	11	3	1	1	43
675	191	157	178	149	15	3	2	7	3	69	41	27	-	1	44
15	6	-	7	2	9	1	-	5	3	5	2	3	-	-	45
109	69	18	12	10	9	-	3	6	-	20	13	7	-	-	46
3	-	2	1	-	-	-	-	-	-	1	1	-	-	-	47
14	2	-	9	3	1	-	-	1	-	6	5	1	-	-	48
5	4	1	-	-	1	-	-	-	1	1	-	1	-	-	49
128	39	24	35	30	12	2	2	3	5	12	7	4	-	1	50
36	19	15	1	1	4	-	-	4	-	11	7	3	1	-	51
413	307	43	50	13	32	13	3	12	4	119	109	10	-	-	52
344	269	35	37	3	30	13	3	10	4	115	106	9	-	-	53
69	38	8	13	10	2	-	-	2	-	4	3	1	-	-	54
43	15	20	5	3	5	-	1	4	-	16	7	9	-	-	55
1,238	480	344	222	192	135	32	20	60	23	179	98	73	5	3	56
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	57
126	64	23	27	12	9	1	-	6	2	16	12	3	1	-	58
89	45	19	17	8	7	-	1	5	1	15	13	2	-	-	59
8	4	3	1	-	2	-	-	2	-	4	3	-	1	-	60
42	15	8	12	7	3	1	1	1	-	3	1	1	1	-	61
188	48	66	35	39	17	4	4	6	3	36	17	19	-	-	62
119	19	26	42	32	11	3	-	5	3	13	8	5	-	-	63
53	22	21	2	8	7	1	3	3	-	17	4	13	-	-	64
307	146	81	47	33	46	14	8	16	8	36	22	11	1	2	65
221	104	64	29	24	24	7	3	8	6	24	16	7	-	1	66
86	42	17	18	9	22	7	5	8	2	12	6	4	1	1	67
44	16	18	1	9	13	2	2	7	2	11	6	5	-	-	68
261	100	79	38	44	20	6	1	9	4	28	12	14	1	1	69
873	243	210	237	183	85	8	3	38	36	97	60	34	2	1	70
344	68	66	114	96	49	5	2	21	21	42	26	14	2	-	71
27	2	5	11	9	1	-	-	-	1	-	-	-	-	-	72
16	7	3	3	3	2	-	1	1	-	3	2	1	-	-	73
301	59	58	100	84	46	5	1	20	20	39	24	13	2	-	74
296	89	102	50	55	24	3	-	9	12	23	9	14	-	-	75
40	13	15	5	7	4	-	-	2	2	4	1	3	-	-	76
89	31	22	26	10	4	-	-	3	1	7	4	2	-	1	77
74	39	...	35	...	2	-	...	2	...	18	18	...	-	...	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
30	3	5	7	15	2	-	1	1	-	3	2	1	-	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	DISTRICT OF COLUMBIA					FLORIDA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	10	...	1	...	9	40	...	17	...	23
02	SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	-	...	-	...	-	6	...	3	...	3
03	TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642.685.686	2	...	-	...	2	10	...	3	...	7
04	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	1	...	-	...	1	4	...	1	...	3
05	ECTOPIC PREGNANCY.....645	2	...	-	...	2	1	...	1	...	-
06	ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	2	...	-	...	2	3	...	2	...	1
07	ABORTION WITH SEPSIS.....651	-	...	-	...	-	5	...	1	...	4
08	ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
09	OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	3	...	1	...	2	11	...	6	...	5
10	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	18	2	2	4	10	72	23	34	8	7
11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	4	1	1	1	1	24	10	8	3	3
12	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	14	1	1	3	9	48	13	26	5	4
13	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	9	4	2	2	1	128	55	53	12	8
14	ARTHRITIS AND SPONDYLITIS.....720-725	5	-	2	2	1	59	27	25	4	3
15	MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	1	-	1	-	-
16	OSTEOMYELITIS AND PERIOSTITIS.....730	1	1	-	-	-	9	3	2	3	1
17	ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	2	-	1	1	-
18	INBORN DEFECT OF MUSCLE.....744.1	1	1	-	-	-	24	13	7	3	1
19	OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	2	2	-	-	-	33	12	17	1	3
20	XIV. CONGENITAL MALFORMATIONS	76	10	4	34	28	600	221	213	95	71
21	SPINA BIFIDA AND MENINGOCELE.....751	5	-	-	4	1	41	13	20	5	3
22	CONGENITAL HYDROCEPHALUS, ETC.....752,753	11	2	-	5	4	53	20	13	8	12
23	CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	30	3	2	15	10	324	120	106	58	40
24	OTHER CONGENITAL MALFORMATIONS.....750.755-759	30	5	2	10	13	182	68	74	24	16
25	XV. CERTAIN DISEASES OF EARLY INFANCY	400	44	26	183	147	1,783	657	429	394	303
26	XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	241	37	50	92	62	1,199	529	259	238	173
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2	-	-	1	1	83	28	28	16	11
28	SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	239	37	50	91	61	1,116	501	231	222	162
29	XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	744	165	96	340	143	4,998	2,591	1,226	885	296
30	ACCIDENTS.....E800-E962	551	120	83	240	108	3,537	1,849	911	570	207
31	RAILWAY ACCIDENTS.....E800-E802	2	1	-	1	-	30	12	3	15	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E835	140	30	19	59	32	1,660	900	461	224	75
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	137	29	19	58	31	1,635	882	460	221	72
34	TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1	-	1	-	-	63	33	21	5	4
35	TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	25	7	1	11	6	284	127	63	73	21
36	OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	47	8	9	17	13	822	463	262	69	28
37	NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	37	11	4	17	5	428	241	99	70	18
38	TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	27	3	4	13	7	38	18	15	4	1
39	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	3	1	-	1	1	25	18	1	3	3
40	OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	1	-	-	1	-	11	6	3	1	1
41	WATER TRANSPORT ACCIDENTS.....E850-E858	5	3	-	2	-	91	63	11	13	4
42	AIRCRAFT ACCIDENTS.....E860-E866	3	2	1	-	-	65	60	4	1	-
43	ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	5	-	3	2	-	96	34	33	17	12
44	ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	1	-	-	1	-	23	10	2	6	5
45	ACCIDENTAL FALLS.....E900-E904	149	34	44	54	17	483	224	208	31	20
46	FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	54	13	9	25	7	133	84	26	16	7
47	FALL ON SAME LEVEL.....E903	15	1	9	3	2	148	64	72	9	3
48	UNSPECIFIED FALLS.....E904	80	20	26	26	8	202	76	110	6	10
49	BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	5	-	-	4	1	32	18	1	13	-
50	ACCIDENT CAUSED BY MACHINERY.....E912	1	-	-	1	-	49	34	2	13	-
51	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	1	1	-	-	-	49	31	4	14	-
52	ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	52	12	4	18	18	187	63	36	48	40
53	ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	5	1	1	1	2	11	5	1	4	1
54	ACCIDENT CAUSED BY FIREARM.....E919	35	4	1	25	5	89	56	8	19	6
55	INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	16	5	2	5	4	55	21	19	10	5
56	ACCIDENTAL DROWNING.....E929	25	4	1	14	6	353	195	47	102	9
57	EXCESSIVE HEAT AND INSOLATION.....E931	-	-	-	-	-	4	2	-	1	1
58	COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	2	-	-	-	2	37	19	13	-	5
59	ALL OTHER ACCIDENTS.....RESIDUAL	103	23	7	52	21	212	96	55	38	23
60	SUICIDE.....E963,E970-E979	71	34	10	22	5	880	590	243	34	13
61	SUICIDE BY POISONING.....E970-E973	6	3	2	1	-	243	105	128	3	7
62	SUICIDE BY HANGING AND STRANGULATION.....E974	19	9	1	7	2	87	70	12	5	-
63	SUICIDE BY FIREARM AND EXPLOSIVE.....E976	28	17	1	9	1	472	376	73	21	2
64	SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	18	5	6	5	2	78	39	30	5	4
65	HOMICIDE.....E964,E980-E985	122	11	3	78	30	580	151	72	281	76
66	ASSAULT BY FIREARM AND EXPLOSIVE.....E981	53	8	2	34	9	383	107	48	177	51
67	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	50	1	-	34	15	109	21	6	66	16
68	ASSAULT BY OTHER MEANS.....E964,E980,E983	17	2	1	8	6	74	17	18	30	9
69	INJURY BY INTERVENTION OF POLICE.....E984	2	-	-	2	-	13	5	-	8	-
70	EXECUTION.....E985	-	-	-	-	-	1	1	-	-	-
71	INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	1	1	-	-	-

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

GEORGIA					HAWAII					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
48	...	14	...	34	-	...	-	...	-	2	...	2	...	-	01
5	...	3	...	2	-	...	-	...	-	1	...	1	...	-	02
13	...	3	...	10	-	...	-	...	-	-	...	-	...	-	03
10	...	4	...	6	-	...	-	...	-	1	...	1	...	-	04
4	...	1	...	3	-	...	-	...	-	-	...	-	...	-	05
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	06
4	...	-	...	4	-	...	-	...	-	-	...	-	...	-	07
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	08
10	...	3	...	7	-	...	-	...	-	-	...	-	...	-	09
73	13	25	11	24	4	-	1	1	2	13	5	8	-	-	10
9	1	3	4	1	-	-	-	-	-	7	3	4	-	-	11
64	12	22	7	23	4	-	1	1	2	6	2	4	-	-	12
75	26	34	5	10	4	1	-	2	1	17	8	8	1	-	13
43	13	26	1	3	-	-	-	-	-	10	5	4	1	-	14
2	-	1	1	-	-	-	-	-	-	2	1	1	-	-	15
4	1	-	-	3	1	-	-	-	1	1	1	-	-	-	16
4	-	2	-	2	1	1	-	-	-	-	-	-	-	-	17
14	10	1	2	1	-	-	-	-	-	2	1	1	-	-	18
8	2	4	1	1	2	-	-	2	-	2	-	2	-	-	19
435	160	142	75	58	70	10	11	24	25	66	36	30	-	-	20
36	13	19	2	2	2	-	1	-	1	3	2	1	-	-	21
41	12	14	6	9	6	1	1	1	3	8	5	3	-	-	22
214	78	73	35	28	38	3	4	20	11	34	19	15	-	-	23
144	57	36	32	19	24	6	5	3	10	21	10	11	-	-	24
1,518	488	314	422	294	220	42	22	83	73	192	105	82	4	1	25
614	158	89	188	179	38	3	4	20	11	78	41	34	3	-	26
169	28	36	43	62	2	-	-	-	2	18	7	10	1	-	27
445	130	53	145	117	36	3	4	20	9	60	34	24	2	-	28
3,802	1,832	726	892	352	315	81	34	145	55	684	474	180	27	3	29
2,790	1,372	598	573	247	238	59	22	116	41	581	397	158	23	3	30
20	12	-	6	2	-	-	-	-	-	7	7	-	-	-	31
1,400	778	313	236	73	94	19	8	46	21	235	150	74	8	3	32
1,365	759	303	231	72	90	17	8	44	21	223	142	71	7	3	33
44	26	9	6	1	-	-	-	-	-	10	5	5	-	-	34
224	94	37	66	27	19	2	-	9	8	15	9	3	2	1	35
611	322	181	79	29	41	7	3	22	9	73	42	27	2	2	36
435	283	62	75	15	28	8	4	13	3	47	40	6	1	-	37
51	32	14	5	-	2	-	1	-	1	78	46	30	2	-	38
35	19	10	5	1	4	2	-	2	-	12	8	3	1	-	39
5	5	-	-	-	-	-	-	-	-	4	3	1	-	-	40
33	27	5	1	-	7	-	-	6	1	8	8	-	-	-	41
37	32	3	2	-	3	3	-	-	-	19	15	3	1	-	42
59	20	18	11	10	8	6	-	1	1	7	3	3	1	-	43
25	8	5	7	5	1	-	1	-	-	4	2	2	-	-	44
304	111	135	33	25	43	7	4	25	7	83	41	39	3	-	45
96	47	20	20	9	26	4	3	16	3	12	7	4	1	-	46
71	16	44	5	6	14	3	1	7	3	19	9	9	1	-	47
137	48	71	8	10	3	-	-	2	1	52	25	26	1	-	48
55	31	1	23	-	3	1	1	1	-	13	13	-	-	-	49
57	38	1	17	1	3	-	-	3	-	22	20	1	1	-	50
39	26	5	7	1	2	1	-	1	-	7	6	1	-	-	51
243	60	43	74	66	9	2	2	4	1	20	16	4	-	-	52
16	2	2	5	7	-	-	-	-	-	3	2	1	-	-	53
99	59	7	28	5	2	1	-	1	-	26	26	-	-	-	54
38	14	8	13	3	12	3	2	7	-	6	4	2	-	-	55
138	78	11	42	7	29	12	1	14	2	45	28	12	5	-	56
4	1	-	3	-	-	-	-	-	-	-	-	-	-	-	57
13	6	4	1	2	3	1	2	-	-	5	2	3	-	-	58
205	64	37	64	40	19	3	1	7	8	67	51	12	4	-	59
468	320	91	48	9	51	15	7	18	11	78	60	16	2	-	60
72	39	27	5	1	11	5	4	2	-	16	7	9	-	-	61
32	22	4	6	-	18	3	1	7	7	9	6	1	2	-	62
330	241	46	35	8	14	7	-	5	2	51	47	4	-	-	63
34	18	14	2	-	8	-	2	4	2	2	-	2	-	-	64
542	138	37	271	96	25	6	5	11	3	25	17	6	2	-	65
366	109	28	179	50	11	3	1	6	1	18	12	5	1	-	66
97	12	2	62	21	4	-	-	2	2	1	1	-	-	-	67
61	12	7	17	25	10	3	4	3	-	5	3	1	1	-	68
18	5	-	13	-	-	-	-	-	-	1	1	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	71

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	ALL CAUSES	108,153	53,965	41,879	6,906	5,403	47,831	25,011	19,805	1,714	1,301
02	I. INFECTIVE AND PARASITIC DISEASES	840	448	220	97	75	433	227	138	44	24
03	TUBERCULOSIS, ALL FORMS 001-019	431	251	80	66	34	195	116	47	22	10
04	TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	404	241	75	56	32	186	111	45	21	9
05	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	7	2	-	3	2	2	1	1	-	-
06	*TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS* 011	2	1	-	1	-	-	-	-	-	-
07	TUBERCULOSIS OF BONES AND JOINTS 012,013	2	2	-	-	-	1	-	1	-	-
08	TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	6	3	2	1	-	3	1	-	1	1
09	DISSEMINATED TUBERCULOSIS 019	10	2	3	5	-	3	3	-	-	-
10	SYPHILIS AND ITS SEQUELAE 020-029	114	71	26	8	9	53	32	12	6	3
11	CONGENITAL SYPHILIS 020	2	1	1	-	-	-	-	-	-	-
12	EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
13	ANEURYSM OF AORTA 022	78	53	16	6	3	38	24	10	1	3
14	OTHER CARDIOVASCULAR SYPHILIS 023	20	8	5	2	5	7	3	-	4	-
15	TABES DORSALIS 024	2	-	2	-	-	-	-	-	-	-
16	GENERAL PARALYSIS OF INSANE 025	6	6	-	-	-	2	2	-	-	-
17	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	4	3	1	-	-	5	3	2	-	-
18	ALL OTHER SYPHILIS 027-029	2	-	1	-	1	1	-	-	1	-
19	GONOCOCCAL INFECTION 030-035	-	-	-	-	-	-	-	-	-	-
20	TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
21	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	5	2	1	2	-	1	-	-	1	-
22	CHOLERA 043	-	-	-	-	-	-	-	-	-	-
23	BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
24	DYSENTERY, ALL FORMS 045-048	4	2	1	1	-	2	-	2	-	-
25	FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	-	-	-	-	-
26	SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
27	STREPTOCOCCAL SORE THROAT 051	2	1	1	-	-	-	-	-	-	-
28	ERYSIPELAS 052	1	1	-	-	-	-	-	-	-	-
29	SEPTICEMIA AND PYEMIA 053	67	30	25	4	8	53	26	19	3	5
30	DIPHTHERIA 055	-	-	-	-	-	-	-	-	-	-
31	WHOOPING COUGH 056	1	1	-	-	-	1	-	1	-	-
32	MENINGOCOCCAL INFECTIONS 057	46	22	13	5	6	18	9	6	2	1
33	PLAGUE 058	-	-	-	-	-	-	-	-	-	-
34	LEPROSY 060	-	-	-	-	-	-	-	-	-	-
35	TETANUS 061	8	4	2	1	1	7	3	2	2	-
36	ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
37	ACUTE POLIOMYELITIS 080	-	-	-	-	-	-	-	-	-	-
38	LATE EFFECTS OF ACUTE POLIOMYELITIS 081	9	6	3	-	-	6	4	2	-	-
39	ACUTE INFECTIOUS ENCEPHALITIS 082	28	14	9	1	4	13	4	6	2	1
40	LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	4	3	1	-	-	3	1	2	-	-
41	SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
42	MEASLES 085	8	4	2	-	2	3	2	1	-	-
43	YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
44	INFECTIOUS HEPATITIS 092	38	9	24	1	4	21	7	12	1	1
45	RABIES 094	-	-	-	-	-	-	-	-	-	-
46	TICK-BORNE TYPHUS 104	2	2	-	-	-	-	-	-	-	-
47	ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
48	MALARIA 110-117	-	-	-	-	-	1	1	-	-	-
49	SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
50	HYDATID DISEASE 125	1	1	-	-	-	-	-	-	-	-
51	FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
52	ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
53	OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	1	1	-	-	-	-	-	-	-	-
54	ALL OTHER INFECTIVE AND PARASITIC DISEASES *RESIDUAL*	70	23	32	8	7	56	22	26	5	3
55	II. NEOPLASMS	18,320	9,025	7,578	918	799	7,771	3,884	3,441	256	190
56	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	18,030	8,899	7,449	903	779	7,679	3,844	3,397	252	186
57	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	385	277	78	25	5	132	98	25	7	2
58	OF LIP 140	9	9	-	-	-	7	7	-	-	-
59	OF TONGUE 141	91	63	22	5	1	23	17	6	-	-
60	OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	122	85	27	9	1	46	34	9	2	1
61	OF PHARYNX 145-148	163	120	29	11	3	56	40	10	5	1
62	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	6,032	2,987	2,462	353	230	2,427	1,178	1,099	88	62
63	OF ESOPHAGUS 150	380	248	55	58	19	121	78	22	18	3
64	OF STOMACH 151	1,093	575	388	78	52	398	230	141	19	8
65	OF SMALL INTESTINE, INCLUDING DUODENUM 152	52	31	20	1	-	15	9	5	1	-
66	OF LARGE INTESTINE, EXCEPT RECTUM 153	2,024	920	945	85	74	923	397	485	18	23
67	CECUM, APPENDIX, AND ASCENDING COLON 153.0	301	138	142	15	6	115	46	63	3	3
68	TRANSVERSE COLON 153.1	134	66	61	5	2	42	22	19	-	1
69	DESCENDING COLON 153.2	84	38	36	5	5	33	15	17	-	1
70	SIGMOID COLON 153.3	412	200	190	8	14	169	71	93	2	3
71	MULTIPLE PARTS OF LARGE INTESTINE 153.7	4	4	-	-	-	1	1	-	-	-
72	LARGE INTESTINE, PART UNSPECIFIED 153.8	1,022	443	485	48	46	518	227	264	12	15
73	INTESTINAL TRACT, PART UNSPECIFIED 153.9	67	31	31	4	1	45	15	29	1	-
74	OF RECTUM 154	775	424	298	29	24	283	141	126	10	6
75	OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	408	141	235	20	12	160	52	99	7	2
76	LIVER 155.0	112	55	40	13	4	43	24	14	5	-
77	OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	296	86	195	7	8	117	28	85	2	2
78	OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	214	94	101	15	4	115	55	52	5	3
79	OF PANCREAS 157	1,006	516	386	62	42	377	200	156	8	13
80	OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	80	38	34	5	3	35	16	13	2	4

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

IOWA					KANSAS					KENTUCKY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
29,424	16,367	12,730	173	154	21,718	11,649	8,993	601	475	31,063	16,115	11,880	1,679	1,389	01
164	87	70	4	3	158	93	57	2	6	390	207	124	30	29	02
43	28	11	2	2	42	30	9	1	2	204	121	50	18	15	03
40	27	9	2	2	39	28	9	1	1	192	115	48	15	14	04
2	1	1	-	-	2	1	-	-	1	3	1	-	2	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	07
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	08
1	-	1	-	-	1	1	-	-	-	4	2	-	1	1	09
25	12	11	1	1	31	17	11	1	2	43	22	13	4	4	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
13	8	5	-	-	21	11	8	1	1	27	15	8	1	3	13
4	2	1	-	1	5	4	-	-	1	8	3	2	2	1	14
3	2	1	-	-	-	-	-	-	-	1	1	-	-	-	15
3	-	3	-	-	3	-	3	-	-	3	2	1	-	-	16
2	-	1	1	-	1	1	-	-	-	2	-	2	-	-	17
-	-	-	-	-	1	1	-	-	-	2	1	-	1	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
3	2	1	-	-	-	-	-	-	-	1	1	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	23
1	-	1	-	-	1	1	-	-	-	3	1	2	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	26
2	1	1	-	-	2	-	2	-	-	2	1	-	-	1	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
28	18	10	-	-	23	13	9	-	1	34	17	12	2	3	29
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
11	4	7	-	-	3	2	1	-	-	26	8	14	1	3	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
3	3	-	-	-	3	3	-	-	-	5	2	-	3	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
2	1	1	-	-	1	-	1	-	-	1	1	-	-	-	38
9	4	5	-	-	14	5	9	-	-	13	5	7	1	-	39
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
1	-	1	-	-	6	3	3	-	-	6	4	1	-	1	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
11	3	8	-	-	9	3	6	-	-	10	2	8	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
2	1	1	-	-	-	-	-	-	-	3	1	2	-	-	53
21	10	10	1	-	22	16	5	-	1	36	19	14	1	2	54
4,790	2,474	2,270	35	11	3,476	1,738	1,581	93	64	4,695	2,299	1,980	224	192	55
4,716	2,439	2,233	33	11	3,434	1,719	1,560	92	63	4,603	2,258	1,940	219	186	56
67	44	23	-	-	66	52	13	1	-	152	105	32	11	4	57
7	5	2	-	-	4	4	-	-	-	6	4	2	-	-	58
8	6	2	-	-	9	7	1	1	-	33	23	5	5	-	59
26	13	13	-	-	18	13	5	-	-	45	24	15	3	3	60
26	20	6	-	-	35	28	7	-	-	68	54	10	3	1	61
1,501	765	722	10	4	1,027	490	491	26	20	1,388	652	613	68	55	62
81	65	14	2	-	37	28	8	1	-	64	32	20	11	1	63
236	133	98	3	2	186	108	69	5	4	231	128	75	18	10	64
18	8	10	-	-	5	4	1	-	-	9	5	4	-	-	65
572	265	305	1	1	378	152	214	6	6	484	202	248	15	19	66
82	36	45	-	1	58	29	28	-	1	60	24	36	-	-	67
22	11	11	-	-	21	8	13	-	-	24	5	16	1	2	68
22	7	15	-	-	12	2	8	1	1	23	10	12	1	-	69
100	53	47	-	-	59	26	30	1	2	68	28	36	3	1	70
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	71
304	138	165	1	-	212	80	126	4	2	289	124	140	9	16	72
42	20	22	-	-	15	7	8	-	-	19	10	8	1	-	73
160	91	67	1	1	117	56	54	3	4	130	62	53	5	10	74
102	24	77	1	-	72	28	43	-	1	101	32	65	2	2	75
18	5	12	1	-	17	15	2	-	-	35	15	17	2	1	76
84	19	65	-	-	55	13	41	-	1	66	17	48	-	1	77
54	27	27	-	-	35	15	17	2	1	89	45	34	7	3	78
257	144	111	2	-	183	93	77	9	4	256	135	104	8	9	79
21	8	13	-	-	14	6	8	-	-	24	11	10	2	1	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	MALIGNANT NEOPLASMS, ETC.--CON.										
01	MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	3,185	2,434	459	243	49	1,319	1,074	170	65	10
02	OF LARYNX....161	160	127	18	14	1	53	45	5	3	-
03	OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	1,306	1,036	156	103	11	554	459	60	30	5
04	OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	1,663	1,240	265	122	36	693	556	100	32	5
05	OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	56	31	20	4	1	19	14	5	-	-
06	MALIGNANT NEOPLASM OF BREAST....170	1,714	13	1,547	-	154	661	4	625	-	32
07	MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	2,470	893	1,294	97	186	1,146	425	644	34	43
08	OF CERVIX UTERI....171	471	...	371	...	100	264	...	244	...	20
09	*OF OTHER AND UNSPECIFIED PARTS OF UTERUS*....172-174	383	...	336	...	47	172	...	154	...	18
10	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	575	...	541	...	34	232	...	227	...	5
11	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	51	...	46	...	5	19	...	19	...	-
12	OF PROSTATE....177	920	825	...	95	...	426	392	...	34	...
13	OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	70	68	...	2	...	33	33	...	-	...
14	MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	845	521	258	33	33	368	221	126	15	6
15	OF KIDNEY....180	355	201	134	13	7	153	80	61	8	4
16	OF BLADDER AND OTHER URINARY ORGANS....181	490	320	124	20	26	215	141	65	7	2
17	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....1568,165,190-199	1,729	882	698	78	71	889	448	392	25	24
18	OF SKIN....190,191	207	117	76	8	6	124	74	48	2	-
19	OF EYE....192	22	9	10	-	3	7	2	5	-	-
20	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	392	221	141	18	12	188	106	73	7	2
21	OF THYROID GLAND....194	62	26	32	-	4	29	8	19	-	2
22	OF BONE....196	97	51	37	6	3	59	34	21	2	2
23	OF CONNECTIVE TISSUE....197	75	31	36	3	5	30	16	11	1	2
24	OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	98	56	32	7	3	49	29	19	1	-
25	OF UNSPECIFIED SITES....1568,165,198,199B	776	371	334	36	35	403	179	196	12	16
26	LEUKEMIA AND ALEUKEMIA....204	793	418	317	35	23	364	201	150	9	4
27	LYMPHOSARCOMA, ETC....200-203,205	877	474	336	39	28	373	195	166	9	3
28	LYMPHOSARCOMA AND RETICULOSARCOMA....200	467	246	198	13	10	177	93	79	5	-
29	HODGKINS DISEASE....201	179	103	61	12	3	86	50	33	3	-
30	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	231	125	77	14	15	110	52	54	1	3
31	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	290	126	129	15	20	92	40	44	4	4
32	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	20	...	11	...	9	8	...	7	...	1
33	BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	68	19	38	6	5	23	9	12	2	-
34	OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	48	22	20	4	2	29	13	13	1	2
35	UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	1	...	1	...	-	-	...	-	...	-
36	NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	103	55	40	5	3	15	6	8	-	1
37	OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	50	30	19	-	1	17	12	4	1	-
38	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES	2,328	853	1,188	106	181	1,326	537	690	36	63
39	ASTHMA....241	227	110	91	13	13	126	71	49	2	4
40	NONTOXIC GOITER....250,251	3	-	2	-	1	2	-	2	-	-
41	THYROTOXICOSIS WITH OR WITHOUT GOITER....252	21	3	17	1	-	15	3	10	1	1
42	ALL OTHER DISEASES OF THYROID GLAND....253,254	13	5	7	-	1	10	4	6	-	-
43	DIABETES MELLITUS....260	1,840	635	964	83	158	1,004	388	541	23	52
44	DISEASES OF THYMUS GLAND....273	4	2	2	-	-	1	1	-	-	-
45	DISEASES OF ADRENAL GLANDS....274	24	8	14	1	1	22	9	13	-	-
46	PELLAGRA....281	-	-	-	-	-	1	-	-	-	1
47	OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	44	27	14	2	1	45	18	23	4	-
48	CYSTIC FIBROSIS....289A	30	13	15	-	2	11	6	5	-	-
49	ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	122	50	62	6	4	89	37	41	6	5
50	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	303	129	130	23	21	148	64	72	4	8
51	ANEMIAS....290-293	192	76	84	16	16	104	41	54	3	6
52	PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	28	11	17	-	-	17	5	12	-	-
53	ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	164	65	67	16	16	87	36	42	3	6
54	PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	34	11	19	1	3	18	6	9	1	2
55	OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	77	42	27	6	2	26	17	9	-	-
56	V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	166	90	53	19	4	117	67	30	15	5
57	SENILE PSYCHOSIS....304	8	4	4	-	-	12	8	3	1	-
58	ALCOHOLIC PSYCHOSIS....307	20	13	1	5	1	9	4	-	5	-
59	OTHER PSYCHOSES....300-303,305,306,308,309	38	16	18	2	2	19	6	11	1	1
60	ALCOHOLISM....322	63	47	5	10	1	63	44	9	8	2
61	MENTAL DEFICIENCY....325	32	9	22	1	-	8	3	4	-	1
62	*OTHER DISORDERS OF PERSONALITY*....RESIDUAL	5	1	3	1	-	6	2	3	-	1
63	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	11,595	4,740	5,625	597	633	6,568	2,811	3,370	187	200
64	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	10,861	4,412	5,321	531	597	6,152	2,626	3,168	172	186
65	SUBARACHNOID HEMORRHAGE....330	384	140	171	25	48	190	75	90	7	18
66	CEREBRAL HEMORRHAGE....331	5,712	2,313	2,799	299	301	3,509	1,502	1,771	118	118
67	CEREBRAL EMBOLISM AND THROMBOSIS....332	3,795	1,553	1,842	181	219	1,820	781	978	28	33
68	OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	970	406	509	26	29	633	268	329	19	17
69	MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	110	50	23	18	19	48	15	26	4	3
70	MULTIPLE SCLEROSIS....345	82	25	50	6	1	54	20	33	-	1
71	PARALYSIS AGITANS....350	147	74	71	2	-	95	38	56	1	-
72	CEREBRAL SPASTIC INFANTILE PARALYSIS....351	33	14	13	3	3	23	13	8	-	2
73	EPILEPSY....353	93	34	31	22	6	50	25	19	4	2
74	INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
75	CATARACT....385	5	1	4	-	-	-	-	-	-	-
76	GLAUCOMA....387	1	-	1	-	-	-	-	-	-	-
77	OTITIS MEDIA AND MASTOIDITIS....391-393	17	9	6	1	1	5	4	-	-	1
78	OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	246	121	105	14	6	141	70	60	6	5

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

IOWA					KANSAS					KENTUCKY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
652	562	78	11	1	538	434	82	20	2	809	603	133	61	12	01
31	29	2	-	-	18	15	-	2	1	40	29	5	4	2	02
212	186	22	4	-	163	131	26	6	-	305	240	36	27	2	03
403	342	53	7	1	354	286	55	12	1	445	327	82	29	7	04
6	5	1	-	-	3	2	1	-	-	19	7	10	1	1	05
457	3	452	-	2	321	2	304	-	15	355	3	323	-	29	06
748	351	389	5	3	524	206	282	23	13	671	251	332	34	54	07
107	...	107	...	-	84	...	79	...	5	165	...	141	...	24	08
105	...	103	...	2	76	...	72	...	4	82	...	67	...	15	09
159	...	158	...	1	123	...	119	...	4	131	...	116	...	15	10
21	...	21	...	-	12	...	12	...	-	8	...	8	...	-	11
342	337	...	5	...	219	196	...	23	...	270	237	...	33	...	12
14	14	...	-	...	10	10	...	-	...	15	14	...	1	...	13
242	165	75	2	-	176	114	57	2	3	191	112	69	6	4	14
101	66	33	2	-	76	50	22	1	3	90	55	32	3	-	15
141	99	42	-	-	100	64	35	1	-	101	57	37	3	4	16
521	273	245	2	1	395	211	173	6	5	571	282	251	23	15	17
90	59	31	-	-	80	39	40	1	-	83	48	33	2	-	18
5	4	1	-	-	7	4	3	-	-	3	1	2	-	-	19
103	62	41	-	-	88	51	36	1	-	91	48	34	6	3	20
20	2	18	-	-	19	8	11	-	-	17	5	11	-	1	21
28	15	13	-	-	18	10	8	-	-	41	21	18	1	1	22
22	8	14	-	-	14	8	6	-	-	20	10	8	2	-	23
16	7	9	-	-	26	15	10	-	1	17	13	4	-	-	24
237	116	118	2	1	143	76	59	4	4	299	136	141	12	10	25
249	132	115	2	-	190	113	68	7	2	234	128	98	3	5	26
279	144	134	1	-	197	97	90	7	3	232	122	89	13	8	27
131	70	61	-	-	97	50	42	5	-	111	56	45	7	3	28
57	28	29	-	-	41	18	21	1	1	52	33	17	2	-	29
91	46	44	1	-	59	29	27	1	2	69	33	27	4	5	30
74	35	37	2	-	42	19	21	1	1	92	41	40	5	6	31
3	...	3	...	-	4	...	4	...	-	3	...	2	...	1	32
11	5	6	-	-	12	5	6	-	1	12	4	7	1	-	33
16	8	8	-	-	7	4	3	-	-	22	13	8	-	1	34
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	35
21	10	11	-	-	9	5	4	-	-	35	16	14	1	4	36
23	12	9	2	-	10	5	4	1	-	18	8	7	3	-	37
741	350	378	3	10	564	242	281	19	22	780	316	386	34	44	38
87	57	29	-	1	52	26	17	2	7	94	55	27	7	5	39
-	-	-	-	-	1	1	-	-	-	2	-	1	-	1	40
4	-	4	-	-	7	3	4	-	-	7	-	7	-	-	41
9	5	4	-	-	3	1	2	-	-	12	3	9	-	-	42
563	250	303	2	8	425	176	219	15	15	556	210	292	21	33	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
10	6	4	-	-	4	1	3	-	-	9	4	3	1	1	45
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	46
22	9	13	-	-	22	11	10	1	-	48	20	19	5	4	47
9	3	6	-	-	6	3	3	-	-	11	5	6	-	-	48
37	20	15	1	1	44	20	23	1	-	39	19	20	-	-	49
93	54	37	-	2	66	33	30	2	1	97	41	48	6	2	50
54	32	21	-	1	43	20	20	2	1	65	26	33	4	2	51
9	5	4	-	-	9	5	4	-	-	8	3	5	-	-	52
45	27	17	-	1	34	15	16	2	1	57	23	28	4	2	53
17	10	7	-	-	10	4	6	-	-	12	7	4	1	-	54
22	12	9	-	1	13	9	4	-	-	20	8	11	1	-	55
52	36	15	-	1	57	33	22	2	-	94	59	23	8	4	56
9	6	3	-	-	9	4	5	-	-	4	1	3	-	-	57
3	2	-	-	1	1	1	-	-	-	5	3	-	1	1	58
15	13	2	-	-	18	6	12	-	-	19	9	7	1	2	59
17	12	5	-	-	20	17	1	2	-	52	38	7	6	1	60
7	3	4	-	-	6	4	2	-	-	13	8	5	-	-	61
1	-	1	-	-	3	1	2	-	-	1	-	1	-	-	62
4,129	1,933	2,149	20	27	2,756	1,266	1,355	60	75	4,150	1,830	1,866	223	231	63
3,860	1,794	2,026	17	23	2,563	1,163	1,274	57	69	3,901	1,708	1,766	208	219	64
84	44	39	-	1	68	26	42	-	-	104	45	47	6	6	65
2,299	1,059	1,214	12	14	1,441	658	711	30	42	2,187	978	960	116	133	66
1,077	505	562	3	7	783	363	372	25	23	1,166	502	549	57	58	67
400	186	211	2	1	271	116	149	2	4	444	183	210	29	22	68
15	6	7	1	1	14	7	5	-	2	48	15	22	4	7	69
36	16	18	-	2	16	5	11	-	-	11	5	5	-	1	70
88	46	40	1	1	61	38	23	-	-	39	19	20	-	-	71
6	4	2	-	-	9	6	3	-	-	9	7	2	-	-	72
29	12	17	-	-	21	8	8	3	2	46	29	14	2	1	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
4	2	2	-	-	3	2	1	-	-	6	2	2	-	2	77
91	53	37	1	-	69	37	30	-	2	90	45	35	9	1	78

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	VII. DISEASES OF THE CIRCULATORY SYSTEM	51,472	26,658	20,212	2,531	2,071	20,679	11,218	8,406	594	461
02	DISEASES OF HEART 400-402,410-443	47,094	24,687	18,206	2,324	1,877	18,283	10,061	7,299	531	392
03	RHEUMATIC FEVER 400-402	27	13	12	2	-	15	6	8	1	-
04	CHRONIC RHEUMATIC HEART DISEASE 410-416	830	349	417	28	36	368	149	192	13	14
05	DISEASES OF MITRAL VALVE 410	308	114	179	6	9	141	45	86	6	4
06	DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	74	56	15	2	1	49	33	15	-	1
07	DISEASES OF PULMONARY VALVE, ETC 413,414	40	18	18	2	2	25	6	19	-	-
08	OTHER RHEUMATIC HEART DISEASES 412,415,416	408	161	205	18	24	153	65	72	7	9
09	ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS 420	38,607	21,251	14,398	1,702	1,256	14,448	8,448	5,337	406	257
10	ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	13,131	5,841	6,028	628	634	3,788	1,774	1,818	104	92
11	HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	25,445	15,393	8,362	1,071	619	10,648	6,667	3,514	302	165
12	ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	31	17	8	3	3	12	7	5	-	-
13	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	190	95	81	12	2	101	47	49	4	1
14	OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	17	5	9	3	-	3	1	2	-	-
15	OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	84	48	29	6	1	51	28	21	1	1
16	OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	89	42	43	3	1	47	18	26	3	-
17	OTHER MYOCARDIAL DEGENERATION 422	2,775	1,266	1,320	67	122	1,077	489	553	18	17
18	WITH ARTERIOSCLEROSIS 422.1	2,087	933	1,020	50	84	742	337	380	13	12
19	WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	688	333	300	17	38	335	152	173	5	5
20	OTHER DISEASES OF HEART 430-434	1,551	653	454	246	198	770	357	363	26	24
21	ACUTE AND SUBACUTE ENDOCARDITIS 430	44	23	14	4	3	14	10	4	-	-
22	ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	73	32	24	9	8	22	7	12	1	2
23	FUNCTIONAL DISEASE OF HEART 433	336	156	164	8	8	238	101	121	9	7
24	OTHER AND UNSPECIFIED DISEASES OF HEART 434	1,098	442	252	225	179	496	239	226	16	15
25	HYPERTENSIVE HEART DISEASE 440-443	3,114	1,060	1,524	267	263	1,504	565	797	63	79
26	HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	646	267	325	33	21	758	326	404	15	13
27	OTHER HYPERTENSIVE HEART DISEASE 440,441,443	2,468	793	1,199	234	242	746	239	393	48	66
28	OTHER HYPERTENSIVE DISEASE 444-447	858	357	368	81	52	350	150	166	17	17
29	HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	559	266	228	38	27	213	98	105	1	9
30	ESSENTIAL HYPERTENSION 444,445,447	299	91	140	43	25	137	52	61	16	8
31	DISEASES OF ARTERIES 450-456	2,940	1,350	1,379	98	113	1,775	866	830	37	42
32	GENERAL ARTERIOSCLEROSIS 450	2,248	933	1,168	66	81	1,406	629	718	27	32
33	AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	525	360	128	23	14	260	182	68	6	4
34	GANGRENE OF UNSPECIFIED CAUSE 455	5	2	3	-	-	10	2	6	1	1
35	OTHER ARTERIAL DISEASES 452-454,456	162	55	80	9	18	99	53	38	3	5
36	DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS 460-468	580	264	259	28	29	271	141	111	9	10
37	VIII. DISEASES OF THE RESPIRATORY SYSTEM	5,696	3,056	1,605	645	390	2,347	1,403	742	127	75
38	ACUTE UPPER RESPIRATORY INFECTIONS 470-475	23	11	10	2	-	21	12	5	2	2
39	INFLUENZA 480-483	72	36	35	-	1	67	29	32	1	5
40	PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	3,942	1,795	1,239	553	355	1,287	643	504	80	60
41	LOBAR PNEUMONIA 490	439	237	128	50	24	245	132	84	15	14
42	BRONCHOPNEUMONIA 491	2,929	1,264	898	458	309	701	344	285	41	31
43	PRIMARY ATYPICAL PNEUMONIA 492	261	131	82	34	14	141	60	61	12	8
44	PNEUMONIA, OTHER AND UNSPECIFIED 493	313	163	131	11	8	200	107	74	12	7
45	ACUTE BRONCHITIS 500	81	43	22	9	7	19	10	6	1	2
46	BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	239	173	50	13	3	81	54	22	4	1
47	HYPERTROPHY OF TONSILS AND ADENOIDS 510	2	2	-	-	-	1	-	-	-	1
48	EMPYEMA AND ABSCESS OF LUNG 518,521	38	20	11	7	-	22	16	5	1	-
49	PLEURISY 519	6	3	2	1	-	1	1	-	-	-
50	OTHER CHRONIC INTERSTITIAL PNEUMONIA 525	203	128	61	5	9	86	55	26	5	-
51	BRONCHIECTASIS 526	71	41	25	5	-	35	21	14	-	-
52	OTHER DISEASES OF LUNG AND PLEURAL CAVITY 527	909	743	111	46	9	634	514	91	28	1
53	EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	843	708	90	38	7	587	490	72	24	1
54	ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY 527.0,527.2	66	35	21	8	2	47	24	19	4	-
55	OTHER RESPIRATORY DISEASES RESIDUAL	110	61	39	4	6	93	48	37	5	3
56	IX. DISEASES OF THE DIGESTIVE SYSTEM	3,975	2,156	1,344	290	185	1,672	904	654	59	55
57	DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	4	1	2	-	1	1	1	-	-	-
58	ULCER OF STOMACH 540	363	216	101	31	15	116	64	41	8	3
59	ULCER OF DUODENUM 541	305	210	71	19	5	150	106	37	4	3
60	GASTRITIS AND DUODENITIS 543	16	11	4	-	1	11	9	1	1	-
61	APPENDICITIS 550-553	94	52	29	8	5	39	25	9	1	4
62	HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	539	225	257	25	32	256	122	125	1	8
63	GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	152	58	47	31	16	67	32	28	4	3
64	CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	227	92	123	6	6	110	39	63	4	4
65	CIRRHOSIS OF LIVER 581	1,392	856	350	117	69	469	288	136	27	18
66	WITHOUT MENTION OF ALCOHOLISM 581.0	1,059	631	278	100	50	333	200	106	17	10
67	WITH ALCOHOLISM 581.1	333	225	72	17	19	136	88	30	10	8
68	CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	263	111	135	6	11	124	46	75	2	1
69	OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	620	324	225	47	24	329	172	139	7	11
70	X. DISEASES OF THE GENITOURINARY SYSTEM	1,710	847	582	156	125	743	396	280	39	28
71	NEPHRITIS AND NEPHROSIS 590-594	716	317	278	57	64	312	158	128	13	13
72	ACUTE NEPHRITIS 590	31	17	6	2	6	13	7	4	1	1
73	NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	65	31	22	6	6	29	16	11	1	1
74	CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	620	269	250	49	52	270	135	113	11	11
75	INFECTIONS OF KIDNEY 600	513	206	211	53	43	228	98	108	10	12
76	CALCULI OF URINARY SYSTEM 602,604	64	29	30	4	1	27	16	9	1	1
77	OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	142	74	41	21	6	59	34	16	8	1
78	HYPERPLASIA OF PROSTATE 610	221	202	...	19	...	84	77	...	7	...
79	DISEASES OF BREAST 620,621	-	-	-	-	-	2	-	2	-	-
80	OTHER DISEASES OF GENITAL ORGANS RESIDUAL	54	19	22	2	11	31	13	17	-	1

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

IOWA					KANSAS					KENTUCKY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13,262	7,562	5,580	58	62	9,590	5,275	3,916	217	182	13,309	7,059	5,001	645	604	01
11,826	6,827	4,894	49	56	8,519	4,773	3,398	185	163	11,899	6,415	4,385	565	534	02
5	1	4	-	-	5	2	2	1	-	7	4	2	-	1	03
172	82	88	-	2	148	62	77	2	7	182	65	106	4	7	04
71	33	37	-	1	56	19	33	1	3	65	23	38	1	3	05
26	20	6	-	-	21	9	11	1	-	24	8	15	-	1	06
11	6	5	-	-	5	3	2	-	-	6	3	3	-	-	07
64	23	40	-	1	66	31	31	-	4	87	31	50	3	3	08
9,523	5,772	3,674	37	40	6,830	4,049	2,528	137	116	8,948	5,180	3,066	376	326	09
2,306	1,104	1,184	7	11	1,702	756	851	47	48	2,132	952	1,000	83	97	10
7,210	4,664	2,487	30	29	5,127	3,292	1,677	90	68	6,812	4,226	2,064	293	229	11
7	4	3	-	-	1	1	-	-	-	4	2	2	-	-	12
95	54	40	1	-	50	30	17	2	1	55	31	20	2	2	13
5	4	1	-	-	-	-	-	-	-	4	3	1	-	-	14
43	28	14	1	-	26	17	9	-	-	20	10	7	1	2	15
47	22	25	-	-	24	13	8	2	1	31	18	12	1	-	16
851	392	453	4	2	582	255	313	9	5	889	376	429	46	38	17
620	279	337	3	1	447	195	246	3	3	754	334	355	37	28	18
231	113	116	1	1	135	60	67	6	2	135	42	74	9	10	19
472	231	235	2	4	351	174	159	10	8	747	379	284	45	39	20
13	9	3	1	-	5	3	2	-	-	9	4	1	3	1	21
18	10	8	-	-	12	5	7	-	-	13	6	5	2	-	22
149	70	76	1	2	141	72	65	2	2	118	49	59	7	3	23
292	142	148	-	2	193	94	85	8	6	607	320	219	33	35	24
708	295	400	5	8	553	201	302	24	26	1,071	380	478	92	121	25
295	133	157	1	4	150	67	75	4	4	241	77	94	29	41	26
413	162	243	4	4	403	134	227	20	22	830	303	384	63	80	27
204	107	93	3	1	164	77	73	9	5	193	91	72	22	8	28
143	81	60	1	1	104	53	41	6	4	114	60	42	10	2	29
61	26	33	2	-	60	24	32	3	1	79	31	30	12	6	30
1,056	536	512	5	3	751	361	368	12	10	970	438	439	48	45	31
800	364	430	3	3	597	254	324	10	9	776	313	387	36	40	32
198	138	58	2	-	119	89	27	2	1	122	84	27	8	3	33
8	5	3	-	-	1	1	-	-	-	7	2	5	-	-	34
50	29	21	-	-	34	17	17	-	-	65	39	20	4	2	35
176	92	81	1	2	156	64	77	11	4	247	115	105	10	17	36
1,621	1,008	592	15	6	1,227	736	422	49	20	1,786	1,016	589	118	63	37
14	8	6	-	-	14	7	5	2	-	11	4	6	1	-	38
63	30	31	1	1	89	56	33	-	-	49	16	26	3	4	39
938	503	422	8	5	646	316	282	30	18	1,106	569	408	84	45	40
134	69	64	1	-	77	36	31	7	3	164	84	57	19	4	41
425	222	195	5	3	350	175	152	14	9	466	248	163	34	21	42
104	64	39	1	-	69	38	26	3	2	59	30	22	1	6	43
275	148	124	1	2	150	67	73	6	4	417	207	166	30	14	44
13	7	6	-	-	13	4	6	1	2	11	3	8	-	-	45
57	40	17	-	-	63	51	11	1	-	83	51	26	5	1	46
2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	47
8	6	2	-	-	13	9	3	1	-	9	6	2	1	-	48
2	1	1	-	-	2	-	1	1	-	2	1	-	-	1	49
56	28	27	1	-	54	33	20	1	-	83	56	18	3	6	50
38	25	13	-	-	30	20	9	1	-	36	19	14	3	-	51
378	337	38	3	-	262	219	35	8	-	345	258	67	15	5	52
353	320	30	3	-	245	208	29	8	-	285	223	47	13	2	53
25	17	8	-	-	17	11	6	-	-	60	35	20	2	3	54
52	23	27	2	-	41	21	17	3	-	50	33	13	3	1	55
956	549	396	4	7	782	412	336	15	19	1,035	532	410	57	36	56
1	1	-	-	-	1	1	-	-	-	1	-	1	-	-	57
81	53	27	1	-	56	39	16	1	-	65	31	28	5	1	58
74	57	17	-	-	74	52	21	1	-	86	69	12	2	3	59
6	6	-	-	-	2	2	-	-	-	6	4	2	-	-	60
35	20	14	-	1	23	14	8	-	1	26	14	9	-	3	61
174	75	97	1	1	135	54	70	5	6	172	70	86	11	5	62
37	24	12	1	-	29	13	16	-	-	83	33	34	11	5	63
69	28	40	-	1	50	23	25	-	2	57	18	32	5	2	64
205	137	65	1	2	183	116	56	4	7	233	150	63	17	3	65
165	102	60	1	2	135	81	46	3	5	173	109	50	12	2	66
40	35	5	-	-	48	35	10	1	2	60	41	13	5	1	67
87	43	44	-	-	60	15	44	1	-	82	39	41	-	2	68
187	105	80	-	2	169	83	80	3	3	224	104	102	6	12	69
403	238	156	4	5	381	220	130	17	14	588	303	210	38	37	70
139	68	69	-	2	159	92	53	9	5	207	97	80	13	17	71
5	2	3	-	-	4	3	1	-	-	9	3	5	1	-	72
8	4	4	-	-	11	5	4	2	-	10	6	3	1	-	73
126	62	62	-	2	144	84	48	7	5	188	88	72	11	17	74
107	55	51	-	1	104	48	46	5	5	203	89	94	7	13	75
16	7	9	-	-	7	3	2	-	2	22	11	9	1	1	76
61	38	19	2	2	41	23	17	1	-	50	25	15	8	2	77
52	51	...	1	...	44	43	...	1	...	74	66	...	8	...	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
28	19	8	1	-	26	11	12	1	2	32	15	12	1	4	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	56	---	24	---	32	26	---	19	---	7
02	SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	7	---	4	---	3	1	---	1	---	-
03	TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	11	---	6	---	5	7	---	5	---	2
04	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	10	---	4	---	6	3	---	2	---	1
05	ECTOPIC PREGNANCY.....645	6	---	3	---	3	3	---	2	---	1
06	ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	4	---	1	---	3	1	---	1	---	-
07	ABORTION WITH SEPSIS.....651	2	---	-	---	2	-	---	-	---	-
08	ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	2	---	-	---	2	-	---	-	---	-
09	OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	14	---	6	---	8	11	---	8	---	3
10	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	113	31	65	4	13	53	16	29	3	5
11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	23	16	6	-	1	11	6	3	-	2
12	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	90	15	59	4	12	42	10	26	3	3
13	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	169	67	93	4	5	115	40	71	-	4
14	ARTHRITIS AND SPONDYLITIS.....720-725	83	26	55	1	1	66	19	47	-	-
15	MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	1	-	-	-	1	1	1	-	-	-
16	OSTEOMYELITIS AND PERIOSTITIS.....730	4	3	1	-	-	2	-	2	-	-
17	ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	3	1	2	-	-	5	2	3	-	-
18	INBORN DEFECT OF MUSCLE.....744.1	35	20	12	2	1	17	11	6	-	-
19	OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	43	17	23	1	2	24	7	13	-	4
20	XIV. CONGENITAL MALFORMATIONS	1,081	499	428	76	78	514	256	222	26	10
21	SPINA BIFIDA AND MENINGOCELE.....751	77	27	46	2	2	31	16	14	1	-
22	CONGENITAL HYDROCEPHALUS, ETC.....752,753	124	52	51	12	9	51	23	25	3	-
23	CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	540	261	195	35	49	265	139	103	13	10
24	OTHER CONGENITAL MALFORMATIONS.....750,755-759	340	159	136	27	18	167	78	80	9	-
25	XV. CERTAIN DISEASES OF EARLY INFANCY	3,312	1,284	913	630	485	1,405	736	463	114	92
26	XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	432	211	132	51	38	232	107	112	7	6
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	23	8	15	-	-	45	15	30	-	-
28	SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	409	203	117	51	38	187	92	82	7	6
29	XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	6,585	3,871	1,687	759	268	3,682	2,345	1,066	203	68
30	ACCIDENTS.....E800-E962	5,008	3,013	1,341	485	169	2,972	1,854	921	138	59
31	RAILWAY ACCIDENTS.....E800-E802	72	50	11	10	1	37	26	6	5	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E835	2,311	1,494	629	149	39	1,531	1,029	404	66	32
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	2,286	1,474	625	148	39	1,504	1,012	396	64	32
34	TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	125	82	42	1	-	104	77	20	3	4
35	TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	356	211	84	46	15	181	105	55	16	5
36	OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	1,169	728	373	55	13	772	497	227	32	16
37	NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	472	334	87	41	10	337	256	68	10	3
38	TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	164	119	39	5	1	110	77	26	3	4
39	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	25	20	4	1	-	27	17	8	2	-
40	OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	12	8	4	-	-	13	8	5	-	-
41	WATER TRANSPORT ACCIDENTS.....E850-E858	61	44	3	14	-	22	21	1	-	-
42	AIRCRAFT ACCIDENTS.....E860-E866	61	45	16	-	-	25	21	4	-	-
43	ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	132	44	59	16	13	27	15	10	2	-
44	ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	147	86	35	18	8	50	35	14	-	1
45	ACCIDENTAL FALLS.....E900-E904	823	420	307	74	22	446	182	245	14	5
46	FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	324	189	69	50	16	137	79	49	8	1
47	FALL ON SAME LEVEL.....E903	191	92	82	15	2	78	33	40	4	1
48	UNSPECIFIED FALLS.....E904	308	139	156	9	4	231	70	156	2	3
49	BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	63	52	2	9	-	39	33	3	3	-
50	ACCIDENT CAUSED BY MACHINERY.....E912	105	92	4	9	-	72	66	2	4	-
51	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	56	51	3	2	-	24	24	-	-	-
52	ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	404	169	114	71	50	178	87	65	14	12
53	ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	24	7	6	5	6	7	5	2	-	-
54	ACCIDENT CAUSED BY FIREARM.....E919	113	78	7	23	5	39	27	5	5	2
55	INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	40	19	17	-	4	45	26	12	3	4
56	ACCIDENTAL DROWNING.....E929	233	160	33	37	3	104	75	19	10	-
57	EXCESSIVE HEAT AND INSOLATION.....E931	4	2	-	2	-	1	1	-	-	-
58	COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	49	17	27	2	3	36	14	20	1	1
59	ALL OTHER ACCIDENTS.....RESIDUAL	298	175	64	44	15	276	159	104	11	2
60	SUICIDE.....E963,E970-E979	1,021	696	279	31	15	527	406	110	11	-
61	SUICIDE BY POISONING.....E970-E973	278	141	131	2	4	130	87	40	3	-
62	SUICIDE BY HANGING AND STRANGULATION.....E974	186	129	50	5	2	91	73	17	1	-
63	SUICIDE BY FIREARM AND EXPLOSIVE.....E976	432	358	54	14	6	254	222	26	6	-
64	SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	125	68	44	10	3	52	24	27	1	-
65	HOMICIDE.....E964,E980-E985	555	161	67	243	84	183	85	35	54	9
66	ASSAULT BY FIREARM AND EXPLOSIVE.....E981	293	93	39	126	35	101	43	20	33	5
67	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	133	31	8	73	21	27	10	1	15	1
68	ASSAULT BY OTHER MEANS.....E964,E980,E983	118	32	20	38	28	51	30	14	4	3
69	INJURY BY INTERVENTION OF POLICE.....E984	11	5	-	6	-	4	2	-	2	-
70	EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
71	INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	1	1	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

IOWA					KANSAS					KENTUCKY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7	...	6	...	1	12	...	12	...	-	13	...	10	...	3	01
-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	02
2	...	2	...	-	-	...	-	...	-	1	...	1	...	-	03
2	...	2	...	-	2	...	2	...	-	3	...	1	...	2	04
1	...	1	...	-	2	...	2	...	-	-	...	-	...	-	05
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	06
1	...	1	...	-	2	...	2	...	-	-	...	-	...	-	07
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	08
-	...	-	...	-	3	...	3	...	-	9	...	8	...	1	09
31	12	17	2	-	17	3	12	1	1	30	17	9	2	2	10
6	1	5	-	-	8	1	6	1	-	6	4	2	-	-	11
25	11	12	2	-	9	2	6	-	1	24	13	7	2	2	12
73	35	38	-	-	70	26	43	1	-	69	29	37	-	3	13
42	17	25	-	-	35	8	27	-	-	45	17	27	-	1	14
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	15
1	-	1	-	-	2	1	-	1	-	2	1	-	-	1	16
1	-	1	-	-	2	1	1	-	-	1	1	-	-	-	17
13	11	2	-	-	13	11	2	-	-	12	6	5	-	1	18
16	7	9	-	-	18	5	13	-	-	8	4	4	-	-	19
273	151	118	3	1	204	108	84	9	3	321	148	146	13	14	20
6	1	5	-	-	16	8	8	-	-	29	9	19	-	1	21
30	14	15	1	-	23	13	10	-	-	30	13	16	-	1	22
147	88	57	1	1	114	63	43	5	3	156	75	63	10	8	23
90	48	41	1	-	51	24	23	4	-	106	51	48	3	4	24
627	367	246	6	8	497	285	155	36	21	874	444	306	72	52	25
87	48	37	1	1	174	94	69	4	7	267	146	93	20	8	26
17	6	10	-	1	60	23	34	1	2	60	30	26	2	2	27
70	42	27	1	-	114	71	35	3	5	207	116	67	18	6	28
2,115	1,463	625	18	9	1,687	1,085	488	74	40	2,565	1,669	642	189	65	29
1,754	1,198	539	11	6	1,374	871	421	49	33	1,980	1,286	532	113	49	30
18	13	3	2	-	8	8	-	-	-	21	18	1	2	-	31
813	577	228	5	3	677	442	201	22	12	876	624	185	44	23	32
793	563	222	5	3	654	427	194	22	11	852	605	181	44	22	33
50	35	15	-	-	40	25	15	-	-	13	10	3	-	-	34
66	46	19	-	1	49	39	8	2	-	128	82	31	9	6	35
416	273	140	3	-	332	211	105	9	7	341	228	86	21	6	36
221	175	43	1	2	177	112	55	6	4	346	267	55	14	10	37
40	34	5	1	-	56	40	11	5	-	24	18	6	-	-	38
20	14	6	-	-	23	15	7	-	1	24	19	4	-	1	39
3	3	-	-	-	7	5	2	-	-	5	5	-	-	-	40
11	10	1	-	-	9	9	-	-	-	21	15	5	1	-	41
11	9	2	-	-	57	34	3	10	10	9	9	-	-	-	42
19	8	11	-	-	10	8	2	-	-	27	9	15	2	1	43
36	29	7	-	-	20	13	6	1	-	37	27	8	2	-	44
361	179	181	-	1	256	121	128	4	3	361	159	184	12	6	45
94	62	31	-	1	55	40	12	2	1	91	59	24	7	1	46
130	54	76	-	-	67	26	38	2	1	80	31	46	2	1	47
137	63	74	-	-	134	55	78	-	1	190	69	114	3	4	48
30	29	1	-	-	22	22	-	-	-	61	58	1	2	-	49
85	80	5	-	-	41	40	1	-	-	47	43	2	2	-	50
23	22	1	-	-	13	12	1	-	-	18	17	1	-	-	51
89	51	37	1	-	66	37	22	5	2	168	83	49	24	12	52
2	-	2	-	-	7	4	3	-	-	8	1	5	1	1	53
25	22	2	1	-	18	14	2	2	-	54	46	3	5	-	54
18	12	6	-	-	16	9	7	-	-	26	17	7	1	1	55
71	57	12	2	-	59	43	9	4	3	78	60	10	8	-	56
2	1	1	-	-	2	-	2	-	-	2	2	-	-	-	57
35	17	16	-	2	16	10	5	-	1	30	11	17	2	-	58
102	79	23	-	-	70	40	27	1	2	131	82	39	5	5	59
315	241	71	3	-	244	188	48	8	-	345	256	76	11	2	60
60	31	29	-	-	40	22	17	1	-	45	23	22	-	-	61
68	52	16	-	-	38	33	4	1	-	40	31	7	2	-	62
170	150	17	3	-	141	122	15	4	-	228	188	33	6	1	63
17	8	9	-	-	25	11	12	2	-	32	14	14	3	1	64
45	23	15	4	3	68	25	19	17	7	240	127	34	65	14	65
22	9	9	3	1	34	10	9	10	5	185	98	25	54	8	66
7	3	3	1	-	13	2	4	6	1	26	11	2	9	4	67
14	9	3	-	2	18	10	6	1	1	24	13	7	2	2	68
2	2	-	-	-	2	2	-	-	-	5	5	-	-	-	69
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	70
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	71

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	LOUISIANA					MAINE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	ALL CAUSES	32,190	11,708	8,452	6,495	5,535	10,822	5,917	4,872	18	15
02	I. INFECTIVE AND PARASITIC DISEASES	506	149	89	161	107	68	45	23	-	-
03	TUBERCULOSIS, ALL FORMS 001-019	173	72	24	51	26	29	22	7	-	-
04	TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	159	69	22	48	20	28	21	7	-	-
05	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	2	1	-	-	1	~	-	-	-	-
06	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	2	-	1	-	1	~	-	-	-	-
07	TUBERCULOSIS OF BONES AND JOINTS 012,013	4	1	1	2	-	~	-	-	-	-
08	TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	1	-	-	-	1	~	-	-	-	-
09	DISSEMINATED TUBERCULOSIS 019	5	1	-	1	3	1	1	-	-	-
10	SYPHILIS AND ITS SEQUELAE 020-029	77	15	6	40	16	8	5	3	-	-
11	CONGENITAL SYPHILIS 020	1	-	-	1	-	1	-	1	-	-
12	EARLY SYPHILIS 021	1	-	-	1	-	~	-	-	-	-
13	ANEURYSM OF AORTA 022	41	12	6	17	6	6	4	2	-	-
14	OTHER CARDIOVASCULAR SYPHILIS 023	22	1	-	14	7	1	1	-	-	-
15	TABES DORSALIS 024	-	-	-	-	-	~	-	-	-	-
16	GENERAL PARALYSIS OF INSANE 025	2	1	-	-	1	~	-	-	-	-
17	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	8	1	-	6	1	~	-	-	-	-
18	ALL OTHER SYPHILIS 027-029	2	-	-	1	1	~	-	-	-	-
19	GONOCOCCAL INFECTION 030-035	1	-	-	1	-	~	-	-	-	-
20	TYPHOID FEVER 040	-	-	-	-	-	~	-	-	-	-
21	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	3	1	-	2	-	~	-	-	-	-
22	CHOLERA 043	-	-	-	-	-	~	-	-	-	-
23	BRUCELLOSIS 044	1	-	-	1	-	~	-	-	-	-
24	DYSENTERY, ALL FORMS 045-048	8	-	-	2	6	~	-	-	-	-
25	FOOD POISONING, INFECTION AND INTOXICATION 049	1	-	-	-	1	~	-	-	-	-
26	SCARLET FEVER 050	-	-	-	-	-	~	-	-	-	-
27	STREPTOCOCCAL SORE THROAT 051	1	-	1	-	-	1	1	-	-	-
28	ERYSIPELAS 052	-	-	-	-	-	~	-	-	-	-
29	SEPTICEMIA AND PYEMIA 053	100	28	26	23	23	9	6	3	-	-
30	DIPHTHERIA 055	1	-	-	-	1	~	-	-	-	-
31	WHOOPING COUGH 056	3	-	-	2	1	1	-	1	-	-
32	MENINGOCOCCAL INFECTIONS 057	31	5	12	4	10	6	3	3	-	-
33	PLAGUE 058	-	-	-	-	-	~	-	-	-	-
34	LEPROSY 060	-	-	-	-	-	~	-	-	-	-
35	TETANUS 061	8	1	1	4	2	~	-	-	-	-
36	ANTHRAX 062	-	-	-	-	-	~	-	-	-	-
37	ACUTE POLIOMYELITIS 080	1	-	-	1	-	~	-	-	-	-
38	LATE EFFECTS OF ACUTE POLIOMYELITIS 081	3	2	1	-	-	~	-	-	-	-
39	ACUTE INFECTIOUS ENCEPHALITIS 082	13	4	5	4	-	4	2	2	-	-
40	LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	1	1	-	-	-	1	1	-	-	-
41	SMALLPOX 084	-	-	-	-	-	~	-	-	-	-
42	MEASLES 085	16	3	5	4	4	3	2	1	-	-
43	YELLOW FEVER 091	-	-	-	-	-	~	-	-	-	-
44	INFECTIOUS HEPATITIS 092	13	4	3	5	1	~	-	-	-	-
45	RABIES 094	-	-	-	-	-	~	-	-	-	-
46	TICK-BORNE TYPHUS 104	-	-	-	-	-	~	-	-	-	-
47	ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	~	-	-	-	-
48	MALARIA 110-117	-	-	-	-	-	~	-	-	-	-
49	SCHISTOSOMIASIS 123	-	-	-	-	-	~	-	-	-	-
50	HYDATID DISEASE 125	-	-	-	-	-	~	-	-	-	-
51	FILARIASIS 127	-	-	-	-	-	~	-	-	-	-
52	ANCYLOSTOMIASIS 129	-	-	-	-	-	~	-	-	-	-
53	OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	13	-	-	6	7	-	-	-	-	-
54	ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	38	13	5	11	9	6	3	3	-	-
55	II. NEOPLASMS	4,902	1,930	1,420	833	719	1,794	962	829	1	2
56	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	4,815	1,904	1,396	817	698	1,764	944	817	1	2
57	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	99	51	20	20	8	37	28	7	1	1
58	OF LIP 140	2	1	1	-	-	2	2	-	-	-
59	OF TONGUE 141	18	9	3	6	-	6	4	1	-	1
60	OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	26	13	7	3	3	7	5	2	-	-
61	OF PHARYNX 145-148	53	28	9	11	5	22	17	4	1	-
62	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	1,438	525	413	288	212	604	302	301	-	1
63	OF ESOPHAGUS 150	89	33	9	33	14	35	28	7	-	-
64	OF STOMACH 151	334	102	63	103	66	111	62	49	-	-
65	OF SMALL INTESTINE, INCLUDING DUODENUM 152	4	3	-	-	1	10	6	4	-	-
66	OF LARGE INTESTINE, EXCEPT RECTUM 153	412	149	153	52	58	219	94	124	-	1
67	CECUM, APPENDIX, AND ASCENDING COLON 153.0	44	20	14	6	4	40	20	20	-	-
68	TRANSVERSE COLON 153.1	12	3	6	2	1	10	5	5	-	-
69	DESCENDING COLON 153.2	16	6	5	3	2	6	4	2	-	-
70	SIGMOID COLON 153.3	55	20	23	6	6	50	21	29	-	-
71	MULTIPLE PARTS OF LARGE INTESTINE 153.7	2	1	1	-	-	-	-	-	-	-
72	LARGE INTESTINE, PART UNSPECIFIED 153.8	262	89	96	33	44	90	32	57	-	1
73	INTESTINAL TRACT, PART UNSPECIFIED 153.9	21	10	8	2	1	23	12	11	-	-
74	OF RECTUM 154	140	57	49	15	19	66	34	32	-	-
75	OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	80	27	35	13	5	41	18	23	-	-
76	LIVER 155.0	26	12	6	8	-	11	7	4	-	-
77	OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	54	15	29	5	5	30	11	19	-	-
78	OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	80	34	19	16	11	34	18	16	-	-
79	OF PANCREAS 157	267	111	74	52	30	82	39	43	-	-
80	OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	32	9	11	4	8	6	3	3	-	-

and Sex: United States and Each State, 1965–Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
30,880	13,914	11,003	3,492	2,471	58,897	30,485	26,964	805	643	73,625	38,483	28,089	4,051	3,002	01
402	182	83	91	46	502	294	181	16	11	638	327	171	93	47	02
201	99	27	56	19	225	149	63	8	5	293	165	47	62	19	03
183	97	24	47	15	216	145	59	7	5	268	157	41	53	17	04
3	-	-	2	1	1	1	-	-	-	5	1	-	4	-	05
3	-	-	1	2	-	-	-	-	-	1	-	-	-	1	06
3	1	1	-	1	2	-	2	-	-	6	2	3	1	-	07
3	1	2	-	-	1	1	-	-	-	6	3	2	1	-	08
6	-	-	6	-	5	2	2	1	-	7	2	1	3	1	09
55	19	15	16	5	96	57	33	3	3	87	50	17	15	5	10
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
28	14	9	4	1	85	50	29	3	3	47	32	6	8	1	13
16	2	3	8	3	8	5	3	-	-	26	13	5	5	3	14
-	-	-	-	-	2	1	1	-	-	4	2	2	-	-	15
3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	16
5	2	1	2	-	1	1	-	-	-	6	2	3	1	-	17
3	1	1	-	1	-	-	-	-	-	3	1	1	-	1	18
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
1	-	1	-	-	4	2	2	-	-	3	-	1	1	1	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
3	1	-	1	1	-	-	-	-	-	6	4	-	-	2	24
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	-	-	-	1	1	-	1	-	-	3	3	-	-	-	27
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	28
59	26	18	8	7	73	35	36	1	1	76	37	27	5	7	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
17	9	3	2	3	25	18	7	-	-	28	14	9	3	2	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
1	-	-	1	-	-	-	-	-	-	3	2	1	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	37
2	2	-	-	-	3	3	-	-	-	5	2	2	-	1	38
12	6	5	-	1	5	1	4	-	-	26	11	14	-	1	39
2	1	1	-	-	1	-	1	-	-	1	1	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	6	3	2	1	-	5	-	3	-	2	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
11	4	4	2	1	12	2	7	2	1	44	17	21	3	3	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	53
34	12	9	5	8	49	23	24	1	1	55	20	28	3	4	54
5,376	2,341	2,102	562	371	10,376	5,304	4,869	116	87	12,577	6,341	5,111	637	488	55
5,251	2,289	2,058	545	359	10,208	5,219	4,790	113	86	12,388	6,258	5,023	631	476	56
126	63	26	32	5	249	195	47	3	4	219	158	49	10	2	57
3	3	-	-	-	5	5	-	-	-	8	7	1	-	-	58
30	14	4	10	2	72	53	18	1	-	56	40	12	4	-	59
39	13	14	10	2	71	53	14	1	3	67	51	13	2	1	60
54	33	8	12	1	101	84	15	1	1	88	60	23	4	1	61
1,597	685	595	200	117	3,516	1,802	1,651	38	25	3,996	2,046	1,587	225	138	62
126	70	15	33	8	214	156	48	9	1	241	171	35	29	6	63
267	104	84	59	20	682	396	273	8	5	801	451	268	62	20	64
16	9	6	1	-	29	12	17	-	-	42	24	16	1	1	65
554	205	263	46	40	1,252	568	671	5	8	1,298	591	613	44	50	66
64	25	35	2	2	181	88	92	1	-	211	82	114	7	8	67
25	9	13	2	1	49	22	25	1	1	78	38	35	4	1	68
18	10	4	3	1	32	13	19	-	-	49	21	27	1	-	69
109	41	56	8	4	253	120	128	3	2	259	138	114	5	2	70
-	-	-	-	-	1	1	-	-	-	3	2	1	-	-	71
293	109	128	27	29	631	273	353	-	5	648	290	298	26	34	72
45	11	27	4	3	105	51	54	-	-	50	20	24	1	5	73
183	99	62	12	10	432	233	194	3	2	451	241	176	18	16	74
109	38	53	11	7	181	76	100	2	3	309	141	148	9	11	75
46	21	15	8	2	48	25	19	2	2	72	46	21	2	3	76
63	17	38	3	5	133	51	81	-	1	237	95	127	7	8	77
61	31	19	6	5	93	50	41	2	-	142	70	63	4	5	78
235	115	78	24	18	590	297	279	9	5	646	326	241	52	27	79
46	14	15	8	9	43	14	28	-	1	66	31	27	6	2	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	LOUISIANA					MAINE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	MALIGNANT NEOPLASMS, ETC.--CON.										
01	MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	959	602	96	215	46	294	250	44	-	-
02	OF LARYNX....161	45	27	4	13	1	20	18	2	-	-
03	OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	339	225	30	73	11	111	100	11	-	-
04	OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	560	341	59	128	32	158	131	27	-	-
05	OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	15	9	3	1	2	5	1	4	-	-
06	MALIGNANT NEOPLASM OF BREAST....170	395	1	282	1	111	142	3	139	-	-
07	MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	635	167	180	115	173	247	111	136	-	-
08	OF CERVIX UTERI....171	156	...	67	...	89	53	...	53	...	-
09	OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	91	...	40	...	51	29	...	29	...	-
10	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	90	...	64	...	26	48	...	48	...	-
11	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	16	...	9	...	7	6	...	6	...	-
12	OF PROSTATE....177	269	157	...	112	...	108	108	...	-	...
13	OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	13	10	...	3	...	3	3	...	-	...
14	MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	200	102	41	32	25	99	59	40	-	-
15	OF KIDNEY....180	77	40	21	10	6	46	32	14	-	-
16	OF BLADDER AND OTHER URINARY ORGANS....181	123	62	20	22	19	53	27	26	-	-
17	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....1568,165,190-199	647	269	211	84	83	180	96	84	-	-
18	OF SKIN....190,191	68	37	20	5	6	23	16	7	-	-
19	OF EYE....192	1	-	1	-	-	1	-	1	-	-
20	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	96	52	23	8	13	33	20	13	-	-
21	OF THYROID GLAND....194	11	2	5	-	4	4	1	3	-	-
22	OF BONE....196	42	20	14	4	4	13	10	3	-	-
23	OF CONNECTIVE TISSUE....197	18	7	7	2	2	7	2	5	-	-
24	OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	29	15	6	5	3	8	5	3	-	-
25	OF UNSPECIFIED SITES....1568,165,198,1998	382	136	135	60	51	91	42	49	-	-
26	LEUKEMIA AND ALEUKEMIA....204	237	103	81	33	20	78	49	29	-	-
27	LYMPHOSARCOMA, ETC....200-203,205	205	84	72	29	20	83	46	37	-	-
28	LYMPHOSARCOMA AND RETICULOSARCOMA....200	88	37	32	12	7	39	25	14	-	-
29	HODGKINS DISEASE....201	49	22	16	7	4	21	8	13	-	-
30	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	68	25	24	10	9	23	13	10	-	-
31	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	87	26	24	16	21	30	18	12	-	-
32	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	6	...	2	...	4	-	...	-	...	-
33	BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	14	3	6	2	3	4	-	4	-	-
34	OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	15	5	3	6	1	4	3	1	-	-
35	UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	-	...	-	...	-
36	NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	37	10	11	6	10	15	10	5	-	-
37	OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	15	8	2	2	3	7	5	2	-	-
38	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	975	219	324	153	279	233	104	129	-	-
39	ASTHMA....241	92	32	21	21	18	32	22	10	-	-
40	NONTOXIC GOITER....250,251	2	1	-	1	-	1	-	1	-	-
41	THYROTOXICOSIS WITH OR WITHOUT GOITER....252	16	2	6	4	4	6	1	5	-	-
42	ALL OTHER DISEASES OF THYROID GLAND....253,254	5	2	3	-	-	7	-	7	-	-
43	DIABETES MELLITUS....260	746	155	255	107	229	158	68	90	-	-
44	DISEASES OF THYMUS GLAND....273	5	1	2	2	-	-	-	-	-	-
45	DISEASES OF ADRENAL GLANDS....274	9	2	3	3	1	5	-	5	-	-
46	PELLAGRA....281	-	-	-	-	-	-	-	-	-	-
47	OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	38	8	12	8	10	4	3	1	-	-
48	CYSTIC FIBROSIS....289A	9	3	5	-	1	2	2	-	-	-
49	ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	53	13	17	7	16	18	8	10	-	-
50	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	121	27	34	31	29	30	15	15	-	-
51	ANEMIAS....290-293	90	15	24	26	25	22	10	12	-	-
52	PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	9	-	7	-	2	4	2	2	-	-
53	ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	81	15	17	26	23	18	8	10	-	-
54	PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	12	5	5	1	1	2	-	2	-	-
55	OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	19	7	5	4	3	6	5	1	-	-
56	V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	70	33	15	12	10	29	14	15	-	-
57	SENILE PSYCHOSIS....304	1	-	1	-	-	14	2	12	-	-
58	ALCOHOLIC PSYCHOSIS....307	5	4	-	1	-	2	2	-	-	-
59	OTHER PSYCHOSES....300-303,305,306,308,309	16	6	5	3	2	3	2	1	-	-
60	ALCOHOLISM....322	34	19	4	6	5	9	8	1	-	-
61	MENTAL DEFICIENCY....325	12	3	4	2	3	1	-	1	-	-
62	OTHER DISORDERS OF PERSONALITY....RESIDUAL	2	1	1	-	-	-	-	-	-	-
63	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	3,679	1,003	1,129	752	795	1,316	582	731	2	1
64	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	3,397	937	1,047	687	726	1,225	540	682	2	1
65	SUBARACHNOID HEMORRHAGE....330	165	38	56	31	40	37	17	20	-	-
66	CEREBRAL HEMORRHAGE....331	2,229	596	606	496	531	705	295	408	2	-
67	CEREBRAL EMBOLISM AND THROMBOSIS....332	745	221	283	121	120	373	171	201	-	1
68	OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	258	82	102	39	35	110	57	53	-	-
69	MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	63	15	8	19	21	12	7	5	-	-
70	MULTIPLE SCLEROSIS....345	15	3	7	1	4	14	5	9	-	-
71	PARALYSIS AGITANS....350	22	9	10	2	1	24	9	15	-	-
72	CEREBRAL SPASTIC INFANTILE PARALYSIS....351	19	4	7	3	5	6	2	4	-	-
73	EPILEPSY....353	42	10	6	13	13	13	8	5	-	-
74	INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
75	CATARACT....385	1	-	-	-	1	-	-	-	-	-
76	GLAUCOMA....387	-	-	-	-	-	-	-	-	-	-
77	OTITIS MEDIA AND MASTOIDITIS....391-393	7	-	3	3	1	2	1	1	-	-
78	OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	113	25	41	24	23	20	10	10	-	-

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,028	726	130	152	20	1,650	1,343	268	35	4	2,177	1,681	280	186	30	01
65	53	3	9	-	88	75	12	1	-	120	101	10	9	-	02
341	248	38	50	5	370	308	55	6	1	805	630	99	67	9	03
605	415	84	92	14	1,162	943	189	27	3	1,210	925	160	105	20	04
17	10	5	1	1	30	17	12	1	-	42	25	11	5	1	05
526	5	463	1	57	1,042	9	1,013	-	20	1,090	6	998	-	86	06
654	177	333	58	86	1,216	466	722	13	15	1,658	603	855	79	121	07
157	...	110	...	47	200	...	192	...	8	316	...	258	...	58	08
97	...	80	...	17	208	...	205	...	3	244	...	210	...	34	09
149	...	128	...	21	298	...	294	...	4	371	...	344	...	27	10
16	...	15	...	1	31	...	31	...	-	45	...	43	...	2	11
223	167	...	56	...	452	439	...	13	...	639	561	...	78	...	12
12	10	...	2	...	27	27	...	-	...	43	42	...	1	...	13
236	129	78	20	9	459	308	144	4	3	604	382	182	23	17	14
94	51	33	5	5	174	111	62	-	1	242	137	89	10	6	15
142	78	45	15	4	285	197	82	4	2	362	245	93	13	11	16
645	288	267	48	42	1,177	598	563	7	9	1,419	708	602	59	50	17
76	40	29	4	3	130	70	60	-	-	154	94	56	1	3	18
6	1	3	1	1	7	3	4	-	-	10	7	3	-	-	19
117	65	46	5	1	181	95	82	1	3	322	178	128	10	6	20
21	8	12	1	-	36	5	31	-	-	34	14	18	-	2	21
23	13	7	3	-	68	40	28	-	-	69	43	21	2	3	22
16	5	9	2	-	40	20	19	1	-	55	26	25	2	2	23
31	15	11	1	4	56	32	23	-	1	60	36	19	5	-	24
355	141	150	31	33	659	333	316	5	5	715	310	332	39	34	25
187	89	74	14	10	443	252	185	4	2	557	314	205	23	15	26
252	127	92	20	13	456	246	197	9	4	668	360	265	26	17	27
132	66	54	9	3	208	116	85	5	2	318	180	123	9	6	28
42	20	14	5	3	112	63	44	3	2	149	83	57	6	3	29
78	41	24	6	7	136	67	68	1	-	201	97	85	11	8	30
125	52	44	17	12	168	85	79	3	1	189	83	88	6	12	31
5	...	3	...	2	3	...	3	...	-	18	...	15	...	3	32
15	5	6	3	1	20	11	9	-	-	45	20	22	1	2	33
17	10	4	2	1	30	13	15	2	-	49	23	23	1	2	34
-	...	-	...	-	3	...	3	...	-	2	...	2	...	-	35
52	27	19	5	1	80	38	40	1	1	46	28	13	2	3	36
36	10	12	7	7	32	23	9	-	-	29	12	13	2	2	37
897	267	417	84	129	1,406	576	782	24	24	2,672	1,096	1,259	128	189	38
61	23	18	12	8	148	68	71	7	2	209	111	71	16	11	39
-	-	-	-	-	-	-	-	-	-	5	-	4	-	1	40
10	-	9	-	1	11	1	10	-	-	21	2	18	1	-	41
9	1	7	-	1	16	4	12	-	-	19	1	17	1	-	42
700	203	333	57	107	1,054	411	611	12	20	2,149	852	1,043	93	161	43
-	-	-	-	-	1	1	-	-	-	4	3	1	-	-	44
9	1	6	1	1	20	8	12	-	-	14	4	9	-	1	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
31	7	15	7	2	61	36	21	3	1	68	32	27	4	5	47
13	5	7	-	1	30	19	11	-	-	33	17	16	-	-	48
64	27	22	7	8	65	28	34	2	1	150	74	53	13	10	49
104	40	43	9	12	177	79	87	6	5	265	103	122	22	18	50
68	22	28	6	12	110	51	50	5	4	164	60	75	15	14	51
6	-	5	-	1	17	5	12	-	-	19	8	10	-	1	52
62	22	23	6	11	93	46	38	5	4	145	52	65	15	13	53
13	5	7	1	-	28	11	16	-	1	37	19	16	-	2	54
23	13	8	2	-	39	17	21	1	-	64	24	31	7	2	55
97	42	22	25	8	110	78	30	1	1	196	102	51	31	12	56
-	-	-	-	-	10	6	4	-	-	10	4	5	-	1	57
7	5	-	2	-	17	17	-	-	-	19	13	1	5	-	58
14	3	4	5	2	22	11	11	-	-	31	16	14	1	-	59
63	29	12	17	5	45	35	8	1	1	92	52	13	19	8	60
10	5	3	1	1	12	6	6	-	-	29	16	10	2	1	61
3	-	3	-	-	4	3	1	-	-	15	1	8	4	2	62
2,757	1,000	1,208	294	255	6,539	2,645	3,739	73	82	8,416	3,659	3,948	413	396	63
2,458	886	1,092	242	238	6,049	2,407	3,507	63	72	7,769	3,350	3,679	371	369	64
179	61	68	22	28	271	82	173	7	9	329	128	145	25	31	65
1,211	415	525	137	134	3,103	1,256	1,781	32	34	4,299	1,859	1,990	229	221	66
798	314	365	63	56	2,263	915	1,304	23	21	2,518	1,097	1,232	95	94	67
270	96	134	20	20	412	154	249	1	8	623	266	312	22	23	68
46	13	14	17	2	64	30	29	3	2	82	39	29	8	6	69
24	9	13	1	1	66	24	40	-	2	81	26	51	1	3	70
65	33	26	6	-	99	49	48	2	-	141	78	59	2	2	71
12	4	8	-	-	14	10	4	-	-	40	19	13	4	4	72
31	8	8	10	5	72	41	29	2	-	105	45	34	19	7	73
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	74
-	-	-	-	-	-	-	-	-	-	5	2	3	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
16	3	6	6	1	9	5	4	-	-	5	3	1	-	1	77
105	44	41	12	8	166	79	78	3	6	186	96	78	8	4	78

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	LOUISIANA					MAINE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	12,998	5,052	3,507	2,299	2,140	5,065	2,800	2,251	6	8
02	DISEASES OF HEART.....400-402,410-443	11,785	4,641	3,122	2,077	1,945	4,489	2,540	1,937	4	8
03	RHEUMATIC FEVER.....400-402	6	1	-	3	2	2	2	-	-	-
04	CHRONIC RHEUMATIC HEART DISEASE.....410-416	110	28	43	19	20	70	29	41	-	-
05	DISEASES OF MITRAL VALVE.....410	42	11	20	4	7	24	10	14	-	-
06	DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	11	3	5	2	1	6	3	3	-	-
07	DISEASES OF PULMONARY VALVE, ETC.....413,414	2	1	1	-	-	6	1	5	-	-
08	OTHER RHEUMATIC HEART DISEASES.....412,415,416	55	13	17	13	12	34	15	19	-	-
09	ARTERIOSCLEROTIC HEART DIS..INCL. CORONARY DIS.....420	8,756	3,962	2,305	1,377	1,112	3,581	2,114	1,459	3	5
10	ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	2,701	842	805	543	511	910	423	485	1	1
11	HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	6,044	3,116	1,497	832	599	2,664	1,686	972	2	4
12	ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	11	4	3	2	2	7	5	2	-	-
13	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	45	16	6	14	9	36	16	20	-	-
14	OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	-	-	-	-	-	1	-	1	-	-
15	OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	29	14	4	7	4	21	13	8	-	-
16	OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	16	2	2	7	5	14	3	11	-	-
17	OTHER MYOCARDIAL DEGENERATION.....422	749	201	227	151	170	344	157	186	-	1
18	WITH ARTERIOSCLEROSIS.....422.1	579	161	189	112	117	199	95	104	-	-
19	WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	170	40	38	39	53	145	62	82	-	1
20	OTHER DISEASES OF HEART.....430-434	769	215	213	186	155	150	83	65	-	2
21	ACUTE AND SUBACUTE ENDOCARDITIS.....430	11	4	3	2	2	4	3	1	-	-
22	ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	30	8	5	12	5	7	4	3	-	-
23	FUNCTIONAL DISEASE OF HEART.....433	188	54	63	37	34	50	25	23	-	2
24	OTHER AND UNSPECIFIED DISEASES OF HEART.....434	540	149	142	135	114	89	51	38	-	-
25	HYPERTENSIVE HEART DISEASE.....440-443	1,350	218	328	327	477	306	139	166	1	-
26	HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	134	33	49	29	23	83	46	37	-	-
27	OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	1,216	185	279	298	454	223	93	129	1	-
28	OTHER HYPERTENSIVE DISEASE.....444-447	174	47	31	55	41	69	29	40	-	-
29	HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	81	33	17	12	19	51	21	30	-	-
30	ESSENTIAL HYPERTENSION.....444,445,447	93	14	14	43	22	18	8	10	-	-
31	DISEASES OF ARTERIES.....450-456	794	281	283	118	112	441	201	238	2	-
32	GENERAL ARTERIOSCLEROSIS.....450	559	174	223	80	82	344	141	202	1	-
33	AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	152	83	36	23	10	79	51	27	1	-
34	GANGRENE OF UNSPECIFIED CAUSE.....455	5	2	1	-	2	2	1	1	-	-
35	OTHER ARTERIAL DISEASES.....452-454,456	78	22	23	15	18	16	8	8	-	-
36	DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	245	83	71	49	42	66	30	36	-	-
37	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,714	664	348	395	307	576	367	207	1	1
38	ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	13	5	2	1	5	3	-	3	-	-
39	INFLUENZA.....480-483	44	14	14	7	9	50	23	27	-	-
40	PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	1,072	332	230	268	242	306	175	129	1	1
41	LOBAR PNEUMONIA.....490	157	48	24	48	37	35	24	10	1	-
42	BRONCHOPNEUMONIA.....491	431	132	93	108	98	175	97	78	-	-
43	PRIMARY ATYPICAL PNEUMONIA.....492	128	38	38	28	24	31	18	13	-	-
44	PNEUMONIA, OTHER AND UNSPECIFIED.....493	356	114	75	84	83	65	36	28	-	1
45	ACUTE BRONCHITIS.....500	8	1	2	4	1	10	4	6	-	-
46	BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	78	50	10	13	5	46	38	8	-	-
47	HYPERTROPHY OF TONSILS AND ADENOIDS.....510	3	-	3	-	-	-	-	-	-	-
48	EMPYEMA AND ABSCESS OF LUNG.....518,521	27	12	4	8	3	2	2	-	-	-
49	PLEURISY.....519	4	2	1	1	-	1	1	-	-	-
50	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	79	24	16	19	20	22	14	8	-	-
51	BRONCHIECTASIS.....526	25	12	7	5	1	10	6	4	-	-
52	OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	328	203	48	60	17	111	95	16	-	-
53	EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	244	167	31	41	5	103	90	13	-	-
54	ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY....527.0,527.2	84	36	17	19	12	8	5	3	-	-
55	OTHER RESPIRATORY DISEASES.....RESIDUAL	33	9	11	9	4	15	9	6	-	-
56	IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,172	420	332	243	177	367	191	175	1	-
57	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	-	-	-	-	-	-	-	-	-	-
58	ULCER OF STOMACH.....540	75	25	22	20	8	30	20	10	-	-
59	ULCER OF DUODENUM.....541	51	24	11	11	5	29	24	5	-	-
60	GASTRITIS AND DUODENITIS.....543	12	3	2	3	4	3	3	-	-	-
61	APPENDICITIS.....550-553	26	9	5	10	2	14	6	7	1	-
62	HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	202	61	72	37	32	65	22	43	-	-
63	GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	116	12	9	56	39	15	8	7	-	-
64	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	52	12	27	3	10	28	10	18	-	-
65	CIRRHOSIS OF LIVER.....581	289	143	60	53	33	91	56	35	-	-
66	WITHOUT MENTION OF ALCOHOLISM.....581.0	225	108	49	40	28	63	35	28	-	-
67	WITH ALCOHOLISM.....581.1	64	35	11	13	5	28	21	7	-	-
68	CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	50	22	20	1	7	25	9	16	-	-
69	OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	299	109	104	49	37	67	33	34	-	-
70	X. DISEASES OF THE GENITOURINARY SYSTEM.....	735	230	184	162	159	198	109	88	-	1
71	NEPHRITIS AND NEPHROSIS.....590-594	275	81	60	63	71	78	39	39	-	-
72	ACUTE NEPHRITIS.....590	8	5	-	2	1	4	2	2	-	-
73	NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	9	1	3	1	4	7	4	3	-	-
74	CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	258	75	57	60	66	67	33	34	-	-
75	INFECTIONS OF KIDNEY.....600	276	65	92	55	64	66	30	36	-	-
76	CALCULI OF URINARY SYSTEM.....602,604	20	6	9	1	4	4	2	2	-	-
77	OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	77	34	18	17	8	17	10	7	-	-
78	HYPERPLASIA OF PROSTATE.....610	57	36	...	21	...	24	24	...	-	...
79	DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
80	OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	30	8	5	5	12	9	4	4	-	1

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13,725	6,491	5,086	1,196	952	26,894	14,349	12,053	252	240	31,346	17,241	11,863	1,246	996	01
12,600	6,025	4,645	1,075	855	24,245	13,128	10,692	219	206	28,076	15,627	10,467	1,114	866	02
11	6	3	2	-	17	11	5	-	1	14	5	9	-	-	03
255	82	128	17	28	543	205	327	5	6	693	286	354	22	31	04
112	34	63	4	11	189	67	119	1	2	301	109	173	8	11	05
31	15	9	5	2	65	38	27	-	-	81	57	19	4	1	06
15	5	9	1	-	15	7	7	-	1	27	12	12	-	3	07
97	28	47	7	15	274	93	174	4	3	284	108	150	10	16	08
7,704	4,221	2,702	473	308	20,608	11,636	8,650	170	152	23,082	13,540	8,105	831	606	09
1,724	784	698	150	92	6,407	2,876	3,435	43	53	6,581	3,140	3,002	243	196	10
5,968	3,433	1,997	323	215	14,192	8,757	5,209	127	99	16,490	10,394	5,098	588	410	11
12	4	7	-	1	9	3	6	-	-	11	6	5	-	-	12
72	29	29	7	7	152	74	72	4	2	136	77	54	4	1	13
3	1	1	-	1	3	1	2	-	-	5	2	3	-	-	14
37	18	12	5	2	110	64	43	3	-	84	53	27	3	1	15
32	10	16	2	4	39	9	27	1	2	47	22	24	1	-	16
2,617	1,096	1,015	288	218	951	403	530	11	7	1,228	561	587	46	34	17
2,496	1,052	965	276	203	701	300	390	5	6	928	422	452	30	24	18
121	44	50	12	15	250	103	140	6	1	300	139	135	16	10	19
460	192	183	44	41	700	345	321	17	17	1,092	522	466	52	52	20
8	2	3	2	1	23	16	7	-	-	28	16	8	1	3	21
19	7	3	4	5	29	17	9	2	1	34	13	15	3	3	22
181	64	88	12	17	183	76	93	6	8	301	135	136	12	18	23
252	119	89	26	18	465	236	212	9	8	729	358	307	36	28	24
1,481	399	585	244	253	1,274	454	787	12	21	1,831	636	892	159	144	25
242	73	110	31	28	166	81	83	-	2	355	159	158	21	17	26
1,239	326	475	213	225	1,108	373	704	12	19	1,476	477	734	138	127	27
180	55	60	40	25	362	154	198	7	3	462	194	195	38	35	28
83	32	32	13	6	212	105	102	2	3	243	123	89	16	15	29
97	23	28	27	19	150	49	96	5	-	219	71	106	22	20	30
711	327	284	52	48	1,673	778	854	20	21	2,424	1,259	1,036	65	64	31
482	194	218	38	32	1,189	486	681	10	12	1,716	785	849	41	41	32
155	106	37	7	5	343	230	102	9	2	514	376	116	13	9	33
10	4	3	1	2	14	6	6	-	2	23	9	9	2	3	34
64	23	26	6	9	127	56	65	1	5	171	89	62	9	11	35
234	84	97	29	24	614	289	309	6	10	384	161	165	29	29	36
1,574	808	401	250	115	3,760	2,123	1,523	76	38	3,786	2,294	1,035	304	153	37
18	6	8	3	1	9	5	4	-	-	31	13	13	4	1	38
17	5	11	-	1	47	18	29	-	-	97	41	45	5	6	39
948	425	272	162	89	2,582	1,268	1,225	56	33	1,994	1,033	664	185	112	40
188	89	42	41	16	298	173	108	12	5	332	185	92	35	20	41
407	194	114	61	38	1,509	716	744	29	20	757	399	274	54	30	42
67	30	23	7	7	273	132	126	9	6	304	139	97	39	29	43
286	112	93	53	28	502	247	247	6	2	601	310	201	57	33	44
12	7	2	3	-	32	14	15	2	1	43	19	16	5	3	45
90	62	18	8	2	218	166	47	5	-	214	158	45	6	5	46
2	1	1	-	-	3	2	1	-	-	5	1	2	2	-	47
15	8	2	5	-	31	24	3	2	2	29	18	8	2	1	48
4	1	3	-	-	6	2	4	-	-	17	8	8	1	-	49
101	32	26	26	17	99	68	29	1	1	234	124	70	27	13	50
20	10	6	3	1	62	36	26	-	-	62	38	19	4	1	51
316	237	43	34	2	597	479	111	7	-	958	784	115	52	7	52
262	217	24	21	-	511	428	78	5	-	903	754	94	49	6	53
54	20	19	13	2	86	51	33	2	-	55	30	21	3	1	54
31	14	9	6	2	74	41	29	3	1	102	57	30	11	4	55
1,336	615	409	182	130	2,631	1,485	1,078	40	28	2,880	1,514	1,074	154	138	56
1	-	1	-	-	2	2	-	-	-	3	1	2	-	-	57
87	50	26	9	2	187	117	62	4	4	199	125	61	7	6	58
54	33	11	6	4	207	147	56	3	1	242	165	54	17	6	59
7	3	1	2	1	19	16	3	-	-	12	8	4	-	-	60
28	10	7	9	2	47	29	16	2	-	73	44	19	2	8	61
180	67	73	18	22	310	147	158	3	2	390	159	191	21	19	62
52	17	9	12	14	55	20	34	1	-	98	43	43	6	6	63
67	29	34	-	4	144	56	85	1	2	183	83	91	4	5	64
565	286	139	86	54	1,025	627	365	20	13	1,042	589	320	73	60	65
411	209	104	61	37	762	460	284	14	4	745	434	245	30	36	66
154	77	35	25	17	263	167	81	6	9	297	155	75	43	24	67
45	10	29	1	5	145	55	89	-	1	240	90	139	4	7	68
250	110	79	39	22	490	269	210	6	5	398	207	150	20	21	69
452	174	141	77	60	869	440	392	23	14	1,143	614	357	105	67	70
186	67	55	37	27	335	166	151	10	8	479	234	158	52	35	71
6	2	3	-	1	22	5	16	1	-	24	11	8	5	-	72
6	3	1	1	1	21	8	10	1	2	33	22	8	-	3	73
174	62	51	36	25	292	153	125	8	6	422	201	142	47	32	74
129	36	53	18	22	265	109	145	6	5	312	139	123	24	26	75
23	9	11	1	2	27	12	14	1	-	55	28	24	1	2	76
54	19	19	10	6	135	60	70	5	-	104	50	38	15	1	77
46	38	...	8	...	85	84	...	1	...	162	151	...	11	...	78
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	79
14	5	3	3	3	22	9	12	-	1	30	11	14	2	3	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	LOUISIANA					MAINE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	41	...	17	...	24	3	...	3	...	-
02	SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	6	...	1	...	5	-	...	-	...	-
03	TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	7	...	3	...	4	-	...	-	...	-
04	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	8	...	6	...	2	2	...	2	...	-
05	ECTOPIC PREGNANCY.....645	4	...	-	...	4	-	...	-	...	-
06	ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	2	...	1	...	1	-	...	-	...	-
07	ABORTION WITH SEPSIS.....651	2	...	1	...	1	-	...	-	...	-
08	ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
09	OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	12	...	5	...	7	1	...	1	...	-
10	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	42	7	10	8	17	10	3	7	-	-
11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	6	2	-	1	3	1	1	-	-	-
12	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	36	5	10	7	14	9	2	7	-	-
13	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	46	19	15	5	7	22	12	10	-	-
14	ARTHRITIS AND SPONDYLITIS.....720-725	21	7	9	1	4	13	6	7	-	-
15	MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-
16	OSTEOMYELITIS AND PERIOSTITIS.....730	3	1	2	-	-	1	1	-	-	-
17	ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	1	-	-	-	1	-	-	-	-	-
18	INBORN DEFECT OF MUSCLE.....744.1	12	8	2	2	-	2	2	-	-	-
19	OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	9	3	2	2	2	6	3	3	-	-
20	XIV. CONGENITAL MALFORMATIONS	435	138	130	83	84	86	44	42	-	-
21	SPINA BIFIDA AND MENINGOCELE.....751	29	5	16	4	4	6	2	4	-	-
22	CONGENITAL HYDROCEPHALUS, ETC.....752,753	35	13	8	6	8	9	5	4	-	-
23	CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	233	77	59	47	50	46	26	20	-	-
24	OTHER CONGENITAL MALFORMATIONS.....750,755-759	138	43	47	26	22	25	11	14	-	-
25	XV. CERTAIN DISEASES OF EARLY INFANCY	1,427	394	269	423	341	273	177	89	5	2
26	XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	223	64	59	66	34	88	37	51	-	-
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	33	11	13	5	4	54	20	34	-	-
28	SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	190	53	46	61	30	34	17	17	-	-
29	XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	3,104	1,359	570	869	306	664	455	207	2	-
30	ACCIDENTS.....E800-E962	2,495	1,110	486	637	262	512	340	170	2	-
31	RAILWAY ACCIDENTS.....E800-E802	16	8	2	6	-	-	-	-	-	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E835	1,071	541	205	251	74	216	141	74	1	-
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	1,053	532	203	247	71	208	134	73	1	-
34	TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	36	15	7	10	4	4	3	1	-	-
35	TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	179	75	27	55	22	39	25	14	-	-
36	OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	464	249	121	68	26	75	41	33	1	-
37	NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	247	134	29	75	9	70	51	19	-	-
38	TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	127	59	19	39	10	20	14	6	-	-
39	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	18	9	2	4	3	8	7	1	-	-
40	OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	6	4	2	-	-	-	-	-	-	-
41	WATER TRANSPORT ACCIDENTS.....E850-E858	95	69	3	23	-	23	22	1	-	-
42	AIRCRAFT ACCIDENTS.....E860-E866	25	19	5	1	-	8	6	2	-	-
43	ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	35	9	12	8	6	4	2	2	-	-
44	ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	19	13	2	2	2	10	7	3	-	-
45	ACCIDENTAL FALLS.....E900-E904	327	117	134	42	34	87	42	45	-	-
46	FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	84	37	24	15	8	23	16	7	-	-
47	FALL ON SAME LEVEL.....E903	38	12	18	5	3	15	5	10	-	-
48	UNSPECIFIED FALLS.....E904	205	68	92	22	23	49	21	28	-	-
49	BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	36	17	2	15	2	13	13	-	-	-
50	ACCIDENT CAUSED BY MACHINERY.....E912	40	27	-	13	-	6	6	-	-	-
51	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	32	19	1	12	-	2	2	-	-	-
52	ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	214	60	39	54	61	44	30	13	1	-
53	ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	14	4	-	5	5	1	1	-	-	-
54	ACCIDENT CAUSED BY FIREARM.....E919	73	36	6	23	8	13	13	-	-	-
55	INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	33	8	6	11	8	11	4	7	-	-
56	ACCIDENTAL DROWNING.....E929	168	71	17	77	3	29	24	5	-	-
57	EXCESSIVE HEAT AND INSOLATION.....E931	4	1	-	3	-	-	-	-	-	-
58	COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	59	23	19	7	10	9	2	7	-	-
59	ALL OTHER ACCIDENTS.....RESIDUAL	228	64	31	84	49	36	25	11	-	-
60	SUICIDE.....E963,E970-E979	265	176	57	28	4	129	98	31	-	-
61	SUICIDE BY POISONING.....E970-E973	33	17	16	-	-	30	19	11	-	-
62	SUICIDE BY HANGING AND STRANGULATION.....E974	13	8	3	1	1	19	17	2	-	-
63	SUICIDE BY FIREARM AND EXPLOSIVE.....E976	191	134	31	24	2	64	52	12	-	-
64	SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	28	17	7	3	1	16	10	6	-	-
65	HOMICIDE.....E964,E980-E985	343	72	27	204	40	20	14	6	-	-
66	ASSAULT BY FIREARM AND EXPLOSIVE.....E981	220	53	16	129	22	11	7	4	-	-
67	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	79	8	2	58	11	1	1	-	-	-
68	ASSAULT BY OTHER MEANS.....E964,E980,E983	35	8	9	11	7	8	6	2	-	-
69	INJURY BY INTERVENTION OF POLICE.....E984	9	3	-	6	-	-	-	-	-	-
70	EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
71	INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	1	1	-	-	-	3	3	-	-	-

and Sex: United States and Each State, 1965–Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
27	...	14	...	13	16	...	13	...	3	54	...	39	...	15	01
4	...	3	...	1	2	...	2	...	-	3	...	3	...	-	02
5	...	1	...	4	2	...	2	...	-	5	...	4	...	1	03
2	...	2	...	-	2	...	2	...	-	9	...	6	...	3	04
2	...	1	...	1	1	...	-	...	1	2	...	1	...	1	05
1	...	1	...	-	-	...	-	...	-	4	...	3	...	1	06
6	...	3	...	3	2	...	1	...	1	11	...	5	...	6	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
7	...	3	...	4	7	...	6	...	1	20	...	17	...	3	09
62	15	28	10	9	78	30	43	3	2	76	19	42	8	7	10
15	5	4	4	2	13	7	6	-	-	20	7	9	2	2	11
47	10	24	6	7	65	23	37	3	2	56	12	33	6	5	12
55	19	25	8	3	108	41	66	-	1	159	70	82	5	2	13
30	8	17	4	1	54	19	35	-	-	95	33	61	1	-	14
1	-	-	1	-	1	-	1	-	-	3	1	2	-	-	15
2	-	2	-	-	2	-	2	-	-	4	2	1	-	1	16
-	-	-	-	-	7	4	3	-	-	2	1	1	-	-	17
9	7	1	1	-	18	12	6	-	-	28	23	4	1	-	18
13	4	5	2	2	26	6	19	-	1	27	10	13	3	1	19
359	147	147	28	37	547	263	255	15	14	920	427	390	52	51	20
20	12	8	-	-	53	16	35	1	1	73	26	42	1	4	21
40	14	16	4	6	48	23	20	2	3	91	41	42	3	5	22
177	69	72	13	23	264	140	113	5	6	464	237	170	28	29	23
122	52	51	11	8	182	84	87	7	4	292	123	136	20	13	24
1,166	477	316	208	165	1,402	763	534	56	49	2,430	1,124	787	296	223	25
126	49	42	21	14	248	150	91	5	2	334	151	133	28	22	26
12	4	8	-	-	15	8	7	-	-	33	9	24	-	-	27
114	45	34	21	14	233	142	84	5	2	301	142	109	28	22	28
2,365	1,247	519	447	152	3,234	1,865	1,228	99	42	5,733	3,401	1,625	529	178	29
1,715	936	372	289	118	2,672	1,501	1,071	69	31	4,490	2,709	1,335	323	123	30
12	7	1	4	-	15	13	2	-	-	19	15	2	2	-	31
742	443	146	118	35	905	623	245	28	9	2,264	1,500	570	142	52	32
728	434	143	116	35	892	615	240	28	9	2,221	1,474	560	136	51	33
9	6	3	-	-	1	1	-	-	-	73	50	20	3	-	34
150	70	31	39	10	240	159	69	5	7	400	231	106	46	17	35
293	175	59	41	18	252	172	68	12	-	959	618	277	48	16	36
191	131	32	27	1	277	206	59	10	2	536	399	93	29	15	37
85	52	18	9	6	122	77	44	1	-	253	176	64	10	3	38
14	9	3	2	-	13	8	5	-	-	43	26	10	6	1	39
2	2	-	-	-	9	5	4	-	-	9	4	4	1	-	40
29	21	-	8	-	19	18	1	-	-	55	48	2	5	-	41
16	16	-	-	-	22	21	1	-	-	26	22	4	-	-	42
30	19	6	3	2	44	20	21	3	-	74	28	35	5	6	43
13	7	2	3	1	32	23	9	-	-	106	64	27	10	5	44
347	162	134	41	10	1,003	401	588	10	4	868	384	417	51	16	45
138	77	33	21	7	261	147	106	7	1	244	150	58	31	5	46
75	26	35	13	1	343	117	222	2	2	121	49	65	6	1	47
134	59	66	7	2	399	137	260	1	1	503	185	294	14	10	48
19	13	-	5	1	18	17	-	-	1	34	31	2	1	-	49
33	27	-	6	-	16	14	1	1	-	59	47	3	9	-	50
19	15	-	4	-	9	8	1	-	-	30	22	6	2	-	51
145	44	24	38	39	214	98	90	15	11	227	115	68	29	15	52
5	2	2	-	1	8	3	3	2	-	25	11	9	4	1	53
29	14	3	9	3	16	13	2	1	-	72	48	8	15	1	54
41	23	12	6	-	55	36	17	-	2	87	42	39	3	3	55
80	48	11	17	4	113	88	18	6	1	183	146	21	15	1	56
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	57
33	11	10	5	7	43	22	20	-	1	34	14	16	1	3	58
118	60	21	22	15	131	78	48	3	2	318	168	102	28	20	59
395	255	110	25	5	439	299	129	6	5	869	571	245	36	17	60
107	48	58	1	-	168	93	69	4	2	293	139	140	6	8	61
67	45	15	7	-	91	67	23	-	1	173	123	40	9	1	62
173	137	20	14	2	102	94	8	-	-	322	275	28	16	3	63
48	25	17	3	3	78	45	29	2	2	81	34	37	5	5	64
254	55	37	133	29	123	65	28	24	6	372	119	45	170	38	65
133	31	19	73	10	39	29	1	9	-	173	63	22	75	13	66
69	7	6	48	8	33	16	7	7	3	102	19	9	66	8	67
49	17	12	9	11	49	18	20	8	3	85	29	14	25	17	68
3	-	-	3	-	2	2	-	-	-	12	8	-	4	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	71

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	MINNESOTA					MISSISSIPPI				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	ALL CAUSES	32,559	18,716	13,446	222	175	22,660	7,256	5,140	5,562	4,702
02	I. INFECTIVE AND PARASITIC DISEASES	225	137	77	8	3	256	62	33	91	70
03	TUBERCULOSIS, ALL FORMS 001-019	68	47	14	6	1	76	20	5	29	22
04	TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	63	45	12	5	1	68	19	5	26	18
05	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	-	-	-	-	-	4	-	-	1	3
06	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	2	-	-	1	1
07	TUBERCULOSIS OF BONES AND JOINTS 012,013	-	-	-	-	-	-	-	-	-	-
08	TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	2	1	1	-	-	2	1	-	1	-
09	DISSEMINATED TUBERCULOSIS 019	3	1	1	1	-	-	-	-	-	-
10	SYPHILIS AND ITS SEQUELAE C20-029	36	26	8	-	2	30	5	3	19	3
11	CONGENITAL SYPHILIS 020	-	-	-	-	-	3	-	-	3	-
12	EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
13	ANEURYSM OF AORTA 022	20	15	5	-	-	13	4	2	6	1
14	OTHER CARDIOVASCULAR SYPHILIS 023	8	5	2	-	1	10	1	-	8	1
15	TABES DORSALIS 024	-	-	-	-	-	-	-	-	-	-
16	GENERAL PARALYSIS OF INSANE 025	3	2	-	-	1	1	-	1	-	-
17	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	5	4	1	-	-	2	-	-	2	-
18	ALL OTHER SYPHILIS 027-029	-	-	-	-	-	1	-	-	-	1
19	GONOCOCCAL INFECTION 030-035	-	-	-	-	-	-	-	-	-	-
20	TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
21	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	2	2	-	-	-	2	-	-	1	1
22	CHOLERA 043	-	-	-	-	-	-	-	-	-	-
23	BRUCELLOSIS 044	-	-	-	-	-	1	1	-	-	-
24	DYSENTERY, ALL FORMS 045-048	2	2	-	-	-	13	-	1	6	6
25	FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	2	-	-	1	1
26	SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
27	STREPTOCOCCAL SORE THROAT 051	1	1	-	-	-	1	1	-	-	-
28	ERYSIPELAS 052	1	-	1	-	-	-	-	-	-	-
29	SEPTICEMIA AND PYEMIA 053	36	19	16	1	-	37	8	5	11	13
30	DIPHTHERIA 055	1	1	-	-	-	1	-	-	1	-
31	WHOOPING COUGH 056	1	1	-	-	-	3	-	-	3	-
32	MENINGOCOCCAL INFECTIONS 057	19	10	9	-	-	13	6	2	3	2
33	PLAGUE 058	-	-	-	-	-	-	-	-	-	-
34	LEPROSY 060	-	-	-	-	-	-	-	-	-	-
35	TETANUS 061	5	3	2	-	-	6	-	3	-	3
36	ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
37	ACUTE POLIOMYELITIS 080	-	-	-	-	-	-	-	-	-	-
38	LATE EFFECTS OF ACUTE POLIOMYELITIS 081	1	-	1	-	-	1	-	-	1	-
39	ACUTE INFECTIOUS ENCEPHALITIS 082	4	2	2	-	-	14	5	3	4	2
40	LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	3	1	2	-	-	-	-	-	-	-
41	SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
42	MEASLES 085	3	2	1	-	-	8	-	1	3	4
43	YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
44	INFECTIOUS HEPATITIS 092	13	5	8	-	-	11	2	4	1	4
45	RABIES 094	-	-	-	-	-	-	-	-	-	-
46	TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
47	ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
48	MALARIA 110-117	-	-	-	-	-	1	-	-	1	-
49	SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
50	HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
51	FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
52	ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
53	OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	3	-	1	-	2
54	ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	29	15	13	1	-	33	14	5	7	7
55	II. NEOPLASMS	5,700	3,084	2,568	28	20	2,976	1,057	831	543	545
56	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	5,627	3,047	2,532	28	20	2,920	1,048	811	533	528
57	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	81	67	13	-	1	61	30	11	16	4
58	OF LIP 140	3	3	-	-	-	2	1	-	1	-
59	OF TONGUE 141	19	15	4	-	-	6	4	1	-	1
60	OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	22	15	6	-	1	29	13	7	9	-
61	OF PHARYNX 145-148	37	34	3	-	-	24	12	3	6	3
62	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	1,940	1,084	838	12	6	852	256	232	194	170
63	OF ESOPHAGUS 150	102	81	19	2	-	36	17	4	12	3
64	OF STOMACH 151	439	265	170	3	1	214	52	38	74	50
65	OF SMALL INTESTINE, INCLUDING DUODENUM 152	14	7	7	-	-	6	3	2	-	1
66	OF LARGE INTESTINE, EXCEPT RECTUM 153	643	306	329	4	4	257	76	86	40	55
67	CECUM, APPENDIX, AND ASCENDING COLON 153.0	118	49	68	-	1	34	13	13	7	1
68	TRANSVERSE COLON 153.1	34	18	15	1	-	10	3	2	3	2
69	DESCENDING COLON 153.2	30	17	13	-	-	13	2	6	1	4
70	SIGMOID COLON 153.3	145	76	66	2	1	35	12	12	7	4
71	MULTIPLE PARTS OF LARGE INTESTINE 153.7	2	1	1	-	-	-	-	-	-	-
72	LARGE INTESTINE, PART UNSPECIFIED 153.8	287	138	146	1	2	156	45	50	21	40
73	INTESTINAL TRACT, PART UNSPECIFIED 153.9	27	7	20	-	-	9	1	3	1	4
74	OF RECTUM 154	207	135	71	-	1	69	15	21	14	19
75	OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	150	64	84	2	-	42	12	20	7	3
76	LIVER 155.0	31	17	14	-	-	15	4	6	5	-
77	OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	119	47	70	2	-	27	8	14	2	3
78	OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	42	13	28	1	-	46	11	13	11	11
79	OF PANCREAS 157	318	202	116	-	-	165	64	44	32	25
80	OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	25	11	14	-	-	17	6	4	4	3

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

MISSOURI					MONTANA					NEBRASKA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
50,369	25,253	19,884	2,922	2,310	6,597	3,949	2,375	170	103	14,814	8,309	6,105	239	161	01
504	280	137	54	33	49	25	12	7	5	93	52	31	5	5	02
219	140	45	25	9	22	11	4	4	3	27	19	4	2	2	03
209	135	43	23	8	20	10	4	3	3	25	18	3	2	2	04
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
4	3	-	1	-	1	-	-	1	-	2	1	1	-	-	08
3	1	-	1	1	1	1	-	-	-	-	-	-	-	-	09
93	58	21	9	5	7	7	-	-	-	15	10	3	1	1	10
1	-	1	-	-	-	-	-	-	-	2	-	-	1	1	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
54	30	16	5	3	7	7	-	-	-	7	6	1	-	-	13
21	16	2	2	1	-	-	-	-	-	3	2	1	-	-	14
5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	15
3	3	-	-	-	-	-	-	-	-	3	2	1	-	-	16
7	3	1	2	1	-	-	-	-	-	-	-	-	-	-	17
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	20
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
65	23	29	7	6	8	4	2	1	1	14	9	4	-	1	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	31
18	9	8	-	1	3	-	2	-	1	2	1	1	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
6	4	1	1	-	1	-	1	-	-	1	-	-	1	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	37
3	2	1	-	-	-	-	-	-	-	5	3	1	1	-	38
13	9	3	1	-	2	-	2	-	-	5	4	1	-	-	39
1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
6	3	3	-	-	-	-	-	-	-	1	-	1	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
11	2	5	2	2	2	1	-	1	-	7	1	6	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
64	28	20	7	9	3	1	1	1	-	11	3	7	-	1	54
8,019	3,889	3,380	403	347	959	549	390	9	11	2,531	1,316	1,145	45	25	55
7,890	3,838	3,320	395	337	930	539	374	8	9	2,503	1,304	1,130	44	25	56
173	112	36	19	6	21	16	5	-	-	49	38	10	1	-	57
4	4	-	-	-	3	3	-	-	-	1	1	-	-	-	58
39	29	6	4	-	4	2	2	-	-	11	10	1	-	-	59
55	35	14	4	2	6	5	1	-	-	22	14	7	1	-	60
75	44	16	11	4	8	6	2	-	-	15	13	2	-	-	61
2,445	1,120	1,073	156	96	298	171	119	5	3	876	448	401	18	9	62
135	68	28	32	7	9	5	4	-	-	38	30	5	2	1	63
419	217	149	34	19	59	35	24	-	-	161	97	59	4	1	64
18	8	10	-	-	2	2	-	-	-	7	2	5	-	-	65
875	379	441	29	26	115	56	54	3	2	317	138	170	6	3	66
129	62	62	3	2	13	3	7	1	2	54	28	25	1	-	67
36	12	23	1	-	1	-	1	-	-	23	9	13	1	-	68
41	18	17	1	5	1	1	-	-	-	18	6	12	-	-	69
160	67	88	3	2	19	12	7	-	-	71	29	40	2	-	70
4	2	2	-	-	-	-	-	-	-	1	-	1	-	-	71
464	212	222	18	12	77	39	36	2	-	138	60	73	2	3	72
41	6	27	3	5	4	1	3	-	-	12	6	6	-	-	73
245	119	106	13	7	22	14	8	-	-	88	47	40	-	1	74
192	69	104	12	7	16	10	6	-	-	76	33	41	1	1	75
53	29	16	7	1	2	2	-	-	-	22	16	5	-	1	76
139	40	88	5	6	14	8	6	-	-	54	17	36	1	-	77
113	48	49	10	6	12	6	5	1	-	4	1	3	-	-	78
404	201	164	20	19	60	42	17	1	-	172	95	70	5	2	79
44	11	22	6	5	3	1	1	-	1	13	5	8	-	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	MINNESOTA					MISSISSIPPI				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	MALIGNANT NEOPLASMS, ETC.--CON.										
01	MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	720	606	107	4	3	500	324	54	99	23
02	OF LARYNX....161	24	20	4	-	-	37	18	4	13	2
03	OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	285	251	31	2	1	203	150	11	37	5
04	OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	397	326	68	2	1	251	151	35	49	16
05	OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	14	9	4	-	1	9	5	4	-	-
06	MALIGNANT NEOPLASM OF BREAST....170	503	3	499	-	1	216	-	147	-	69
07	MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	827	418	398	5	6	485	98	149	96	142
08	OF CERVIX UTERI....171	92	...	88	...	4	118	...	55	...	63
09	OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	91	...	91	...	-	88	...	34	...	54
10	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	204	...	202	...	2	76	...	52	...	24
11	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	17	...	17	...	-	9	...	8	...	1
12	OF PROSTATE....177	403	398	...	5	...	184	92	...	92	...
13	OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	20	20	...	-	...	10	6	...	4	...
14	MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	278	175	101	1	1	120	50	22	18	30
15	OF KIDNEY....180	139	83	55	-	1	42	17	13	3	9
16	OF BLADDER AND OTHER URINARY ORGANS....181	139	92	46	1	-	78	33	9	15	21
17	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....1568,165,190-199	599	309	287	2	1	402	161	116	62	63
18	OF SKIN....190,191	65	39	25	1	-	71	40	23	5	3
19	OF EYE....192	11	6	5	-	-	5	2	1	2	-
20	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	152	87	65	-	-	66	35	20	6	5
21	OF THYROID GLAND....194	30	12	18	-	-	10	2	4	-	4
22	OF BONE....196	28	11	17	-	-	19	9	5	3	2
23	OF CONNECTIVE TISSUE....197	31	16	15	-	-	9	2	3	2	2
24	OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	22	14	8	-	-	27	13	7	5	2
25	OF UNSPECIFIED SITES....1568,165,198,199B	260	124	134	1	1	195	58	53	39	45
26	LEUKEMIA AND ALEUKEMIA....204	324	167	154	3	-	149	73	38	26	12
27	LYMPHOSARCOMA, ETC....200-203,205	355	218	135	1	1	135	56	42	22	15
28	LYMPHOSARCOMA AND RETICULOSARCOMA....200	153	88	65	-	-	52	24	19	3	6
29	HODGKINS DISEASE....201	88	52	35	-	1	33	17	9	5	2
30	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	114	78	35	1	-	50	15	14	14	7
31	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	73	37	36	-	-	56	9	20	10	17
32	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	4	...	4	...	-	11	...	2	...	9
33	BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	23	10	13	-	-	5	1	4	-	-
34	OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	14	11	3	-	-	11	3	5	-	3
35	UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	-	...	-	...	-
36	NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	16	9	7	-	-	15	4	6	4	1
37	OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	16	7	9	-	-	14	1	3	6	4
38	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	757	357	387	4	9	441	108	118	86	129
39	ASTHMA....241	89	54	33	2	-	50	20	7	15	8
40	NONTOXIC GOITER....250,251	1	-	1	-	-	1	-	-	-	1
41	THYROTOXICOSIS WITH OR WITHOUT GOITER....252	8	2	5	-	1	6	-	1	2	3
42	ALL OTHER DISEASES OF THYROID GLAND....253,254	10	2	8	-	-	9	-	7	-	2
43	DIABETES MELLITUS....260	571	266	295	2	8	316	67	87	57	105
44	DISEASES OF THYMUS GLAND....273	-	-	-	-	-	1	1	-	-	-
45	DISEASES OF ADRENAL GLANDS....274	4	2	2	-	-	7	3	3	-	1
46	PELLAGRA....281	-	-	-	-	-	2	-	1	-	1
47	OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	23	9	14	-	-	19	6	5	8	-
48	CYSTIC FIBROSIS....289A	3	3	-	-	-	8	3	1	3	1
49	ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	48	19	29	-	-	22	8	6	1	7
50	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	79	34	44	-	1	72	12	22	17	21
51	ANEMIAS....290-293	51	21	29	-	1	50	7	14	15	14
52	PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	12	7	4	-	1	1	-	1	-	-
53	ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	39	14	25	-	-	49	7	13	15	14
54	PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	12	5	7	-	-	7	1	3	1	2
55	OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	16	8	8	-	-	15	4	5	1	5
56	V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	90	49	38	-	3	41	15	9	9	8
57	SENILE PSYCHOSIS....304	9	3	6	-	-	8	3	3	-	2
58	ALCOHOLIC PSYCHOSIS....307	8	6	2	-	-	3	1	-	2	-
59	OTHER PSYCHOSES....300-303,305,306,308,309	25	12	13	-	-	8	3	4	-	1
60	ALCOHOLISM....322	31	23	5	-	3	18	8	1	5	4
61	MENTAL DEFICIENCY....325	13	5	8	-	-	4	-	1	2	1
62	OTHER DISORDERS OF PERSONALITY....RESIDUAL	4	-	4	-	-	-	-	-	-	-
63	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	4,642	2,223	2,382	16	21	3,242	832	889	750	771
64	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	4,356	2,063	2,258	15	20	3,044	784	843	694	723
65	SUBARACHNOID HEMORRHAGE....330	171	67	101	-	3	104	29	24	28	23
66	CEREBRAL HEMORRHAGE....331	2,313	1,093	1,201	7	12	1,883	448	493	456	486
67	CEREBRAL EMBOLISM AND THROMBOSIS....332	1,319	667	644	5	3	700	215	228	135	122
68	OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	553	236	312	3	2	357	92	98	75	92
69	MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	24	15	8	1	-	46	10	4	14	18
70	MULTIPLE SCLEROSIS....345	33	15	18	-	-	10	3	6	-	1
71	PARALYSIS AGITANS....350	80	41	39	-	-	16	5	9	2	-
72	CEREBRAL SPASTIC INFANTILE PARALYSIS....351	11	11	-	-	-	16	1	5	4	6
73	EPILEPSY....353	25	13	12	-	-	30	6	4	12	8
74	INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
75	CATARACT....385	1	-	1	-	-	-	-	-	-	-
76	GLAUCOMA....387	-	-	-	-	-	-	-	-	-	-
77	OTITIS MEDIA AND MASTOIDITIS....391-393	3	1	2	-	-	1	-	-	-	1
78	OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	109	64	44	-	1	79	23	18	24	14

and Sex: United States and Each State, 1965–Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

MISSOURI					MONTANA					NEBRASKA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,456	1,129	215	93	19	154	129	24	1	-	355	308	33	11	3	01
63	53	7	2	1	6	6	-	-	-	12	12	-	-	-	02
485	385	58	36	6	50	44	6	-	-	315	272	30	10	3	03
887	678	143	54	12	93	77	15	1	-	19	17	2	-	-	04
21	13	7	1	-	5	2	3	-	-	9	7	1	1	-	05
702	7	639	-	56	75	-	74	-	1	216	3	211	-	2	06
1,054	398	536	44	76	139	73	62	-	4	351	157	183	5	6	07
225	...	188	...	37	24	...	20	...	4	46	...	42	...	4	08
151	...	126	...	25	15	...	15	...	-	52	...	51	...	1	09
215	...	203	...	12	23	...	23	...	-	86	...	85	...	1	10
21	...	19	...	2	4	...	4	...	-	5	...	5	...	-	11
421	381	...	40	...	71	71	...	-	...	155	150	...	5	...	12
21	17	...	4	...	2	2	...	-	...	7	7	...	-	...	13
332	194	107	13	18	39	30	9	-	-	122	66	54	2	-	14
133	71	48	7	7	15	10	5	-	-	60	33	27	-	-	15
199	123	59	6	11	24	20	4	-	-	62	33	27	2	-	16
1,003	487	433	40	43	100	50	48	1	1	222	114	102	4	2	17
139	67	67	4	1	15	9	6	-	-	35	25	10	-	-	18
6	2	4	-	-	4	1	3	-	-	2	2	-	-	-	19
154	91	57	3	3	17	7	10	-	-	64	29	33	1	1	20
27	5	20	-	2	4	1	3	-	-	12	3	9	-	-	21
45	25	14	3	3	4	3	1	-	-	15	9	6	-	-	22
24	14	10	-	-	7	4	3	-	-	9	3	6	-	-	23
36	22	13	1	-	4	3	-	-	1	10	4	5	1	-	24
572	261	248	29	34	45	22	22	1	-	75	39	33	2	1	25
363	206	128	14	15	50	34	15	1	-	145	80	62	1	2	26
362	185	153	16	8	54	36	18	-	-	167	90	74	2	1	27
160	84	73	2	1	22	12	10	-	-	90	51	37	1	1	28
82	47	30	3	2	15	11	4	-	-	42	26	16	-	-	29
120	54	50	11	5	17	13	4	-	-	35	13	21	1	-	30
129	51	60	8	10	29	10	16	1	2	28	12	15	1	-	31
10	...	6	...	4	-	...	-	...	-	6	...	6	...	-	32
18	5	10	2	1	4	1	3	-	-	9	3	5	1	-	33
29	14	11	1	3	1	-	1	-	-	6	5	1	-	-	34
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	35
41	20	20	1	-	16	6	8	1	1	2	1	1	-	-	36
30	12	12	4	2	8	3	4	-	1	5	3	2	-	-	37
1,093	433	512	62	86	150	60	82	2	6	382	162	205	7	8	38
141	79	40	17	5	19	10	8	-	1	45	23	18	3	1	39
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	40
12	2	7	1	2	2	-	1	-	1	4	-	4	-	-	41
7	-	6	1	-	2	1	1	-	-	4	-	4	-	-	42
775	290	389	27	69	113	42	67	2	2	282	122	153	3	4	43
2	1	-	-	1	-	-	-	-	-	1	-	1	-	-	44
11	6	4	-	1	1	-	1	-	-	3	-	3	-	-	45
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	46
57	20	25	8	4	4	-	2	-	2	10	2	7	-	1	47
17	8	9	-	-	2	-	2	-	-	8	2	5	-	1	48
70	27	31	8	4	6	6	-	-	-	25	13	10	1	1	49
159	61	83	7	8	27	16	10	1	-	46	26	15	2	3	50
101	41	50	3	7	16	11	4	1	-	26	12	11	1	2	51
12	4	7	-	1	3	2	1	-	-	6	1	5	-	-	52
89	37	43	3	6	13	9	3	1	-	20	11	6	1	2	53
23	6	15	1	1	2	1	1	-	-	5	2	1	1	1	54
35	14	18	3	-	9	4	5	-	-	15	12	3	-	-	55
100	54	30	9	7	15	13	1	1	-	36	25	9	2	-	56
3	1	2	-	-	1	-	1	-	-	6	3	3	-	-	57
9	6	-	3	-	1	1	-	-	-	3	3	-	-	-	58
22	9	10	2	1	1	1	-	-	-	8	4	4	-	-	59
48	32	10	3	3	12	11	-	1	-	16	13	1	2	-	60
16	6	7	-	3	-	-	-	-	-	2	2	-	-	-	61
2	-	1	1	-	-	-	-	-	-	1	-	1	-	-	62
6,406	2,705	3,007	347	347	774	408	346	12	8	1,967	956	969	22	20	63
6,054	2,546	2,868	310	330	712	376	321	9	6	1,828	891	897	22	18	64
176	66	80	12	18	26	12	13	1	-	54	27	23	4	-	65
3,182	1,375	1,512	156	139	411	212	186	8	5	1,030	488	525	9	8	66
2,020	826	951	105	138	181	105	75	-	1	581	298	265	8	10	67
676	279	325	37	35	94	47	47	-	-	163	78	84	1	-	68
55	23	13	11	8	7	2	2	3	-	13	9	4	-	-	69
24	10	11	1	2	12	7	5	-	-	22	7	15	-	-	70
94	53	41	-	-	14	9	5	-	-	47	19	28	-	-	71
19	7	10	1	1	-	-	-	-	-	8	5	3	-	-	72
31	14	9	8	-	4	2	1	-	1	11	6	4	-	1	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
4	3	1	-	-	1	-	-	-	1	5	2	3	-	-	77
125	49	54	16	6	24	12	12	-	-	33	17	15	-	1	78

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	MINNESOTA					MISSISSIPPI				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	13,983	8,466	5,399	68	50	7,958	2.926	2.045	1.540	1.447
02	DISEASES OF HEART.....400-402,410-443	12.537	7.707	4,729	60	41	7,075	2,643	1,809	1,360	1,263
03	RHEUMATIC FEVER.....400-402	8	6	2	-	-	4	-	-	-	4
04	CHRONIC RHEUMATIC HEART DISEASE.....410-416	310	135	171	2	2	108	33	29	20	26
05	DISEASES OF MITRAL VALVE.....410	160	65	93	1	1	47	18	12	7	10
06	DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	41	23	18	-	-	14	6	5	2	1
07	DISEASES OF PULMONARY VALVE, ETC.....413,414	25	8	17	-	-	3	1	-	-	2
08	OTHER RHEUMATIC HEART DISEASES.....412,415,416	84	39	43	1	1	44	8	12	11	13
09	ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS.....420	10,329	6,616	3,642	42	29	4,742	2,142	1,265	723	612
10	ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	2,377	1,336	1,018	11	12	999	313	328	197	161
11	HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	7,950	5,279	2,623	31	17	3,726	1,825	934	518	449
12	ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	2	1	1	-	-	17	4	3	8	2
13	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	126	65	60	1	-	52	11	13	23	5
14	OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	3	2	1	-	-	3	-	-	2	1
15	OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	72	38	33	1	-	19	6	3	9	1
16	OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	51	25	26	-	-	30	5	10	12	3
17	OTHER MYOCARDIAL DEGENERATION.....422	595	318	271	4	2	533	129	157	131	116
18	WITH ARTERIOSCLEROSIS.....422.1	470	244	220	4	2	357	94	117	74	72
19	WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	125	74	51	-	-	176	35	40	57	44
20	OTHER DISEASES OF HEART.....430-434	398	235	156	4	3	519	158	106	146	109
21	ACUTE AND SUBACUTE ENDOCARDITIS.....430	13	9	4	-	-	7	2	1	3	1
22	ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	19	8	10	-	1	6	3	1	1	1
23	FUNCTIONAL DISEASE OF HEART.....433	190	107	81	2	-	94	34	32	10	18
24	OTHER AND UNSPECIFIED DISEASES OF HEART.....434	176	111	61	2	2	412	119	72	132	89
25	HYPERTENSIVE HEART DISEASE.....440-443	771	332	427	7	5	1,117	170	239	317	391
26	HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	124	58	66	-	-	188	40	47	59	42
27	OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	647	274	361	7	5	929	130	192	258	349
28	OTHER HYPERTENSIVE DISEASE.....444-447	161	86	70	2	3	195	35	32	64	64
29	HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	80	51	28	1	-	78	24	18	20	16
30	ESSENTIAL HYPERTENSION.....444,445,447	81	35	42	1	3	117	11	14	44	48
31	DISEASES OF ARTERIES.....450-456	1.075	565	505	4	1	547	207	156	92	92
32	GENERAL ARTERIOSCLEROSIS.....450	761	359	398	3	1	384	128	125	65	66
33	AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	232	158	74	-	-	122	63	21	22	16
34	GANGRENE OF UNSPECIFIED CAUSE.....455	5	4	1	-	-	2	-	1	1	-
35	OTHER ARTERIAL DISEASES.....452-454,456	77	44	32	1	-	39	16	9	4	10
36	DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	210	108	95	2	5	141	41	48	24	28
37	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,605	1,030	546	20	9	1.131	395	231	287	218
38	ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	6	1	4	-	1	15	3	-	6	6
39	INFLUENZA.....480-483	27	15	12	-	-	60	10	18	15	17
40	PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	968	555	392	15	6	711	175	152	216	168
41	LOBAR PNEUMONIA.....490	144	79	61	3	1	122	23	24	46	29
42	BRONCHOPNEUMONIA.....491	564	322	231	7	4	292	81	73	72	66
43	PRIMARY ATYPICAL PNEUMONIA.....492	68	41	26	1	-	42	9	12	15	6
44	PNEUMONIA, OTHER AND UNSPECIFIED.....493	192	113	74	4	1	255	62	43	83	67
45	ACUTE BRONCHITIS.....500	12	9	3	-	-	13	7	2	1	3
46	BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	80	64	16	-	-	51	34	5	7	5
47	HYPERTROPHY OF TONSILS AND ADENOIDS.....510	-	-	-	-	-	-	-	-	-	-
48	EMPYEMA AND ABSCESS OF LUNG.....518,521	16	11	5	-	-	7	1	3	2	1
49	PLEURISY.....519	3	2	1	-	-	2	1	-	1	-
50	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	67	37	28	1	1	28	13	7	5	3
51	BRONCHIECTASIS.....526	22	10	12	-	-	21	10	9	2	-
52	OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	353	298	53	2	-	202	138	26	28	10
53	EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	314	270	42	2	-	166	128	21	17	-
54	ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY....527.0,527.2	39	28	11	-	-	36	10	5	11	10
55	OTHER RESPIRATORY DISEASES.....RESIDUAL	51	28	20	2	1	21	3	9	4	5
56	IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1.053	600	430	4	19	774	234	182	191	167
57	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	1	-	1	-	-	1	-	-	1	-
58	ULCER OF STOMACH.....540	74	58	16	-	-	33	19	6	7	1
59	ULCER OF DUODENUM.....541	79	62	17	-	-	37	26	6	5	-
60	GASTRITIS AND DUODENITIS.....543	6	5	1	-	-	4	1	1	-	2
61	APPENDICITIS.....550-553	26	17	9	-	-	23	8	3	5	7
62	HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	161	81	77	1	2	141	40	41	32	28
63	GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	44	16	26	1	1	211	15	10	103	83
64	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	73	40	33	-	-	36	16	17	-	3
65	CIRRHOSIS OF LIVER.....581	274	169	94	2	9	113	63	28	12	10
66	WITHOUT MENTION OF ALCOHOLISM.....581.0	177	107	67	1	2	87	47	24	9	7
67	WITH ALCOHOLISM.....581.1	97	62	27	1	7	26	16	4	3	3
68	CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	107	41	62	-	4	38	9	23	2	4
69	OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	208	111	94	-	3	137	37	47	24	29
70	X. DISEASES OF THE GENITOURINARY SYSTEM.....	445	264	174	4	3	559	131	108	206	114
71	NEPHRITIS AND NEPHROSIS.....590-594	128	73	53	-	2	243	45	32	105	61
72	ACUTE NEPHRITIS.....590	6	2	4	-	-	15	-	2	8	5
73	NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	6	3	3	-	-	17	2	1	6	8
74	CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	116	68	46	-	2	211	43	29	91	48
75	INFECTIONS OF KIDNEY.....600	146	67	76	3	-	171	38	57	35	41
76	CALCULI OF URINARY SYSTEM.....602,604	20	14	6	-	-	11	2	7	-	2
77	OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	71	41	29	-	1	45	14	9	16	6
78	HYPERPLASIA OF PROSTATE.....610	63	63	...	-	...	69	30	...	39	...
79	DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
80	OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	17	6	10	1	-	20	2	3	11	4

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

MISSOURI					MONTANA					NEBRASKA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
21,911	11,301	8,816	932	862	2,628	1,629	931	42	26	6,431	3,743	2,559	78	51	01
19,649	10,275	7,807	823	744	2,312	1,469	784	37	22	5,780	3,399	2,259	75	47	02
15	5	7	1	2	5	3	-	1	1	2	2	-	-	-	03
366	164	169	12	21	57	30	24	2	1	108	55	50	2	1	04
145	57	77	2	9	26	11	14	1	-	53	29	23	1	-	05
36	24	11	1	-	5	4	1	-	-	23	16	6	-	1	06
13	7	3	3	-	3	3	-	-	-	5	1	4	-	-	07
172	76	78	6	12	23	12	9	1	1	27	9	17	1	-	08
15,405	8,449	5,840	617	499	1,782	1,177	563	26	16	4,671	2,864	1,711	62	34	09
4,487	1,908	2,178	196	205	407	229	172	3	3	1,039	540	453	26	20	10
10,907	6,534	3,658	421	294	1,371	944	391	23	13	3,628	2,320	1,258	36	14	11
11	7	4	-	-	4	4	-	-	-	4	4	-	-	-	12
110	52	45	7	6	21	13	8	-	-	43	26	17	-	-	13
13	3	7	1	2	-	-	-	-	-	2	-	2	-	-	14
57	36	14	5	2	13	9	4	-	-	16	13	3	-	-	15
40	13	24	1	2	8	4	4	-	-	25	13	12	-	-	16
1,405	609	741	27	28	171	97	71	3	-	391	199	187	2	3	17
1,028	437	563	12	16	120	68	49	3	-	275	132	140	2	1	18
377	172	178	15	12	51	29	22	-	-	116	67	47	-	2	19
995	511	381	54	49	146	90	49	4	3	211	105	99	3	4	20
18	8	7	3	-	2	1	1	-	-	4	4	-	-	-	21
39	20	13	2	4	-	-	-	-	-	11	5	4	1	1	22
278	138	123	10	7	37	19	16	1	1	103	53	49	1	-	23
660	345	238	39	38	107	70	32	3	2	93	43	46	1	3	24
1,353	485	624	105	139	130	59	69	1	1	354	148	195	6	5	25
389	170	186	10	23	28	16	11	1	-	153	72	77	3	1	26
964	315	438	95	116	102	43	58	-	1	201	76	118	3	4	27
373	162	149	24	38	22	9	13	-	-	75	39	35	-	1	28
224	113	81	12	18	11	7	4	-	-	51	29	22	-	-	29
149	49	68	12	20	11	2	9	-	-	24	10	13	-	1	30
1,488	685	697	53	53	236	123	107	2	4	499	269	225	2	3	31
1,131	465	597	39	30	184	87	94	1	2	375	193	179	1	2	32
228	166	48	6	8	38	28	8	1	1	107	66	39	1	1	33
11	8	2	1	-	1	1	-	-	-	1	1	-	-	-	34
118	46	50	7	15	13	7	5	-	1	16	9	7	-	-	35
401	179	163	32	27	58	28	27	3	-	77	36	40	1	-	36
2,919	1,614	950	229	126	367	241	93	19	14	859	516	308	23	12	37
9	3	6	-	-	3	1	1	1	-	4	2	2	-	-	38
115	57	50	4	4	5	-	4	-	1	53	25	27	1	-	39
1,812	866	689	163	94	202	117	60	15	10	526	273	224	19	10	40
286	138	86	42	20	31	23	4	2	2	75	41	32	-	2	41
806	364	326	60	36	79	42	29	5	3	270	136	119	11	4	42
173	69	72	22	10	15	9	5	1	-	68	28	33	4	3	43
547	275	205	39	28	77	43	22	7	5	113	68	40	4	1	44
28	12	6	5	5	5	4	1	-	-	6	3	3	-	-	45
110	88	18	2	2	12	9	2	1	-	44	33	10	1	-	46
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	47
34	12	5	13	4	3	2	-	-	1	4	4	-	-	-	48
8	6	1	-	1	-	-	-	-	-	1	1	-	-	-	49
100	50	33	10	7	16	8	7	1	-	19	11	7	-	1	50
41	29	11	-	1	4	2	1	-	1	13	7	6	-	-	51
549	435	82	26	6	100	90	9	1	-	173	146	24	2	1	52
476	391	63	20	2	95	86	8	1	-	169	143	23	2	1	53
73	44	19	6	4	5	4	1	-	-	4	3	1	-	-	54
110	53	49	6	2	17	8	8	-	1	16	11	5	-	-	55
1,817	880	704	142	91	271	151	103	8	9	533	317	201	8	7	56
2	1	-	1	-	-	-	-	-	-	1	1	-	-	-	57
125	73	42	6	4	17	12	5	-	-	54	41	13	-	-	58
107	76	20	11	-	15	13	2	-	-	49	36	13	-	-	59
8	4	2	-	2	-	-	-	-	-	5	4	1	-	-	60
45	25	10	9	1	5	3	2	-	-	15	12	3	-	-	61
332	131	168	21	12	46	22	23	-	1	75	42	30	2	1	62
72	32	17	10	13	13	7	5	-	1	17	11	5	1	-	63
99	32	63	1	3	17	6	11	-	-	34	17	17	-	-	64
517	295	140	50	32	70	41	21	4	4	134	89	36	5	4	65
393	212	122	37	22	46	26	18	1	1	39	18	20	1	-	66
124	83	18	13	10	24	15	3	3	3	95	71	16	4	4	67
119	38	74	3	4	22	10	8	2	2	60	23	35	-	2	68
391	173	168	30	20	66	37	26	2	1	89	41	48	-	-	69
833	429	293	66	45	101	59	35	3	4	219	133	78	2	6	70
367	159	153	28	27	36	21	10	3	2	87	50	34	1	2	71
20	14	4	1	1	1	-	-	1	-	3	2	1	-	-	72
17	6	10	1	-	1	1	-	-	-	7	6	1	-	-	73
330	139	139	26	26	34	20	10	2	2	77	42	32	1	2	74
216	96	93	13	14	30	13	16	-	1	54	24	27	-	3	75
29	14	11	2	2	6	5	1	-	-	9	3	6	-	-	76
75	34	25	15	1	11	7	4	-	-	15	11	4	-	-	77
114	107	---	7	---	11	11	---	-	---	44	43	---	1	---	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
32	19	11	1	1	7	2	4	-	1	10	2	7	-	1	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	MINNESOTA					MISSISSIPPI				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	12	...	12	...	-	39	...	3	...	36
02	SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640.641.681.682.684	1	...	1	...	-	3	...	1	...	2
03	TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	2	...	2	...	-	15	...	-	...	15
04	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	3	...	3	...	-	6	...	-	...	6
05	ECTOPIC PREGNANCY.....645	-	...	-	...	-	1	...	-	...	1
06	ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	1	...	1	...	-	1	...	-	...	1
07	ABORTION WITH SEPSIS.....651	2	...	2	...	-	1	...	-	...	1
08	ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
09	OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	3	...	3	...	-	12	...	2	...	10
10	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	29	9	20	-	-	32	6	9	3	14
11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	10	7	3	-	-	8	3	2	2	1
12	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	19	2	17	-	-	24	3	7	1	13
13	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	73	30	41	2	-	46	16	15	9	6
14	ARTHRITIS AND SPONDYLITIS.....720-725	35	11	23	1	-	24	5	10	5	4
15	MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	3	1	2	-	-	1	-	-	1	-
16	OSTEOMYELITIS AND PERIOSTITIS.....730	3	-	3	-	-	2	1	-	1	-
17	ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	5	1	4	-	-	2	2	-	-	-
18	INBORN DEFECT OF MUSCLE.....744.1	10	9	-	1	-	11	5	3	1	2
19	OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	17	8	9	-	-	6	3	2	1	-
20	XIV. CONGENITAL MALFORMATIONS	388	209	166	7	6	257	80	62	54	61
21	SPINA BIFIDA AND MENINGOCELE.....751	29	11	17	1	-	18	8	8	1	1
22	CONGENITAL HYDROCEPHALUS, ETC.....752,753	38	17	21	-	-	29	8	5	9	7
23	CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	199	109	84	3	3	126	39	26	29	32
24	OTHER CONGENITAL MALFORMATIONS.....750,755-759	122	72	44	3	3	84	25	23	15	21
25	XV. CERTAIN DISEASES OF EARLY INFANCY	872	476	382	7	7	998	213	154	374	257
26	XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	194	97	90	3	4	1,795	351	149	714	581
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	26	7	19	-	-	44	2	7	13	22
28	SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	168	90	71	3	4	1,751	349	142	701	559
29	XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	2,412	1,651	690	51	20	2,043	818	280	688	257
30	ACCIDENTS.....E800-E962	1,993	1,348	593	36	16	1,634	663	239	518	214
31	RAILWAY ACCIDENTS.....E800-E802	19	15	2	2	-	28	15	1	12	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E835	908	630	255	13	10	724	350	113	193	68
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	894	620	251	13	10	703	346	111	182	64
34	TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	41	29	11	-	1	27	18	5	4	-
35	TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	120	73	39	5	3	115	39	13	49	14
36	OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	508	340	160	4	4	254	140	42	48	24
37	NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	212	168	39	3	2	165	74	24	51	16
38	TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	13	10	2	1	-	142	75	27	30	10
39	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	14	10	4	-	-	21	4	2	11	4
40	OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	1	1	-	-	-	2	-	1	1	-
41	WATER TRANSPORT ACCIDENTS.....E850-E858	45	37	7	1	-	24	14	1	9	-
42	AIRCRAFT ACCIDENTS.....E860-E866	26	18	8	-	-	18	18	-	-	-
43	ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	34	14	16	2	2	35	12	10	9	4
44	ACCIDENTAL POISONING BY GASES AND VAPORS.....E850-E895	53	40	12	-	1	7	3	1	2	1
45	ACCIDENTAL FALLS.....E900-E904	368	193	171	4	-	138	42	53	31	12
46	FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	118	83	31	4	-	34	13	2	15	4
47	FALL ON SAME LEVEL.....E903	98	51	47	-	-	26	7	14	1	4
48	UNSPECIFIED FALLS.....E904	152	59	93	-	-	78	22	37	15	4
49	BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	24	22	2	-	-	17	6	-	11	-
50	ACCIDENT CAUSED BY MACHINERY.....E912	68	62	6	-	-	51	34	-	17	-
51	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	9	8	1	-	-	27	20	-	7	-
52	ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	108	66	35	6	1	210	34	27	74	75
53	ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	6	4	2	-	-	4	-	-	2	2
54	ACCIDENT CAUSED BY FIREARM.....E919	45	41	4	-	-	87	43	4	29	11
55	INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	27	20	7	-	-	28	7	2	10	9
56	ACCIDENTAL DROWNING.....E929	77	59	17	1	-	97	36	5	50	6
57	EXCESSIVE HEAT AND INSOLATION.....E931	4	2	1	1	-	1	-	-	1	-
58	COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	11	7	4	-	-	14	2	6	5	1
59	ALL OTHER ACCIDENTS.....RESIDUAL	160	109	43	6	2	122	27	15	55	25
60	SUICIDE.....E963,E970-E979	363	279	79	5	-	155	105	32	15	3
61	SUICIDE BY POISONING.....E970-E973	130	84	45	1	-	19	10	9	-	-
62	SUICIDE BY HANGING AND STRANGULATION.....E974	71	59	11	1	-	17	11	4	2	-
63	SUICIDE BY FIREARM AND EXPLOSIVE.....E976	137	120	14	3	-	109	76	18	12	3
64	SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	25	16	9	-	-	10	8	1	1	-
65	HOMICIDE.....E964,E980-E985	56	24	18	10	4	254	50	9	155	40
66	ASSAULT BY FIREARM AND EXPLOSIVE.....E981	33	14	10	7	2	177	38	6	109	24
67	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	5	3	2	-	-	44	4	1	31	8
68	ASSAULT BY OTHER MEANS.....E964,E980,E983	15	4	6	3	2	23	5	2	8	8
69	INJURY BY INTERVENTION OF POLICE.....E984	3	3	-	-	-	10	3	-	7	-
70	EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
71	INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1965–Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

MISSOURI					MONTANA					NEBRASKA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
24	...	18	...	6	2	...	2	...	-	4	...	4	...	-	01
2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	02
2	...	2	...	-	-	...	-	...	-	1	...	1	...	-	03
5	...	4	...	1	-	...	-	...	-	1	...	1	...	-	04
2	...	-	...	2	1	...	1	...	-	-	...	-	...	-	05
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	06
6	...	4	...	2	-	...	-	...	-	-	...	-	...	-	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
7	...	6	...	1	-	...	-	...	-	2	...	2	...	-	09
63	13	31	10	9	8	4	4	-	-	12	3	9	-	-	10
13	3	6	4	-	2	1	1	-	-	4	2	2	-	-	11
50	10	25	6	9	6	3	3	-	-	8	1	7	-	-	12
92	34	54	1	3	16	10	6	-	-	36	13	21	1	1	13
58	17	38	1	2	10	6	4	-	-	27	8	19	-	-	14
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	15
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	16
3	2	1	-	-	1	1	-	-	-	-	-	-	-	-	17
11	7	4	-	-	2	1	1	-	-	2	1	-	1	-	18
16	5	10	-	1	3	2	1	-	-	7	4	2	-	1	19
446	198	186	36	26	72	38	30	3	1	148	70	74	3	1	20
29	11	15	-	3	2	1	-	1	-	8	4	4	-	-	21
34	13	15	4	2	5	3	2	-	-	17	6	11	-	-	22
233	100	104	18	11	36	20	13	2	1	81	41	39	1	-	23
150	74	52	14	10	29	14	15	-	-	42	19	20	2	1	24
1,251	545	380	172	154	205	106	81	13	5	416	227	156	21	12	25
928	551	274	88	35	236	156	75	3	2	38	17	18	1	2	26
81	34	46	1	-	20	5	14	-	1	5	1	4	-	-	27
847	517	228	67	35	216	151	61	3	1	33	16	14	1	2	28
3,804	2,266	1,029	384	125	717	484	174	47	12	1,063	733	303	19	8	29
2,955	1,763	880	212	100	601	409	142	40	10	849	573	263	9	4	30
33	27	2	4	-	9	5	2	2	-	8	5	3	-	-	31
1,349	883	362	81	23	278	190	59	24	5	397	285	108	3	1	32
1,320	860	356	81	23	267	183	55	24	5	376	267	106	2	1	33
44	34	9	-	1	4	4	-	-	-	34	23	11	-	-	34
178	96	49	23	10	26	17	2	6	1	33	26	7	-	-	35
655	393	219	35	8	139	88	41	8	2	201	137	63	-	1	36
397	302	71	20	4	96	72	12	10	2	105	78	25	2	-	37
46	35	8	3	-	2	2	-	-	-	3	3	-	-	-	38
29	23	6	-	-	11	7	4	-	-	21	18	2	1	-	39
10	8	2	-	-	5	3	2	-	-	3	2	1	-	-	40
24	17	7	-	-	15	10	5	-	-	6	6	-	-	-	41
17	15	2	-	-	26	23	2	1	-	13	11	2	-	-	42
36	19	11	1	5	4	3	1	-	-	12	7	5	-	-	43
36	24	9	3	-	5	5	-	-	-	21	10	11	-	-	44
610	245	312	29	24	72	36	35	1	-	169	85	82	2	-	45
170	88	58	16	8	20	14	5	1	-	53	31	21	1	-	46
99	40	55	2	2	15	9	6	-	-	77	35	41	1	-	47
341	117	199	11	14	37	13	24	-	-	39	19	20	-	-	48
40	31	4	5	-	17	17	-	-	-	10	9	1	-	-	49
79	73	4	2	-	15	13	1	1	-	40	37	3	-	-	50
31	29	1	1	-	8	6	1	1	-	12	11	1	-	-	51
223	107	60	31	25	28	18	7	2	1	44	32	9	2	1	52
13	4	5	2	2	1	-	1	-	-	4	1	3	-	-	53
76	55	8	11	2	21	19	1	1	-	14	12	1	1	-	54
37	16	18	2	1	7	2	4	-	1	7	5	1	-	1	55
113	81	16	14	2	42	31	6	4	1	32	24	7	1	-	56
5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	57
34	17	12	3	2	4	-	4	-	-	10	4	6	-	-	58
189	109	44	22	14	44	28	11	3	2	47	27	19	-	1	59
541	402	121	13	5	95	63	27	4	1	174	139	32	1	2	60
123	66	53	2	2	25	13	11	-	1	31	20	10	-	1	61
66	49	14	3	-	11	7	3	1	-	44	34	9	1	-	62
299	258	34	5	2	56	42	11	3	-	86	78	7	-	1	63
53	29	20	3	1	3	1	2	-	-	13	7	6	-	-	64
308	101	28	159	20	20	11	5	3	1	39	20	8	9	2	65
209	69	18	107	15	15	10	4	1	-	24	13	7	3	1	66
50	10	1	37	2	3	-	1	2	-	5	2	-	3	-	67
36	13	9	11	3	1	-	-	-	1	10	5	1	3	1	68
12	9	-	3	-	1	1	-	-	-	-	-	-	-	-	69
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	71

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	NEVADA					NEW HAMPSHIRE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	ALL CAUSES	3,200	1,935	1,025	146	94	7,313	3,991	3,312	6	4
02	I. INFECTIVE AND PARASITIC DISEASES	36	22	10	2	2	36	18	18	-	-
03	TUBERCULOSIS, ALL FORMS 001-019	17	14	1	1	1	9	5	4	-	-
04	TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	15	13	1	1	-	9	5	4	-	-
05	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	1	1	-	-	-	-	-	-	-	-
06	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	1	-	-	-	1	-	-	-	-	-
07	TUBERCULOSIS OF BONES AND JOINTS 012,013	-	-	-	-	-	-	-	-	-	-
08	TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS C14-018	-	-	-	-	-	-	-	-	-	-
09	DISSEMINATED TUBERCULOSIS 019	-	-	-	-	-	-	-	-	-	-
10	SYPHILIS AND ITS SEQUELAE 020-029	9	5	3	1	-	10	4	6	-	-
11	CONGENITAL SYPHILIS 020	-	-	-	-	-	-	-	-	-	-
12	EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
13	ANEURYSM OF AORTA 022	8	5	3	-	-	6	2	4	-	-
14	OTHER CARDIOVASCULAR SYPHILIS 023	1	-	-	1	-	2	1	1	-	-
15	TABES DORSALIS 024	-	-	-	-	-	-	-	-	-	-
16	GENERAL PARALYSIS OF INSANE 025	-	-	-	-	-	1	-	1	-	-
17	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	-	-	-	-	-	1	1	-	-	-
18	ALL OTHER SYPHILIS 027-029	-	-	-	-	-	-	-	-	-	-
19	GONOCOCCAL INFECTION 030-035	-	-	-	-	-	-	-	-	-	-
20	TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
21	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	2	-	1	-	1	-	-	-	-	-
22	CHOLERA 043	-	-	-	-	-	-	-	-	-	-
23	BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
24	DYSENTERY, ALL FORMS 045-048	-	-	-	-	-	-	-	-	-	-
25	FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	-	-	-	-	-
26	SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
27	STREPTOCOCCAL SORE THROAT 051	-	-	-	-	-	-	-	-	-	-
28	ERYSIPELAS 052	-	-	-	-	-	-	-	-	-	-
29	SEPTICEMIA AND PYEMIA 053	3	3	-	-	-	2	2	-	-	-
30	DIPHTHERIA 055	-	-	-	-	-	-	-	-	-	-
31	WHOOPING COUGH 056	-	-	-	-	-	-	-	-	-	-
32	MENINGOCOCCAL INFECTIONS 057	2	-	2	-	-	6	2	4	-	-
33	PLAGUE 058	-	-	-	-	-	-	-	-	-	-
34	LEPROSY 060	-	-	-	-	-	-	-	-	-	-
35	TETANUS 061	-	-	-	-	-	-	-	-	-	-
36	ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
37	ACUTE POLIOMYELITIS 080	-	-	-	-	-	-	-	-	-	-
38	LATE EFFECTS OF ACUTE POLIOMYELITIS 081	1	-	1	-	-	-	-	-	-	-
39	ACUTE INFECTIOUS ENCEPHALITIS 082	1	-	1	-	-	-	-	-	-	-
40	LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	-	-	-	-	-	-	-	-	-	-
41	SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
42	MEASLES 085	-	-	-	-	-	-	-	-	-	-
43	YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
44	INFECTIOUS HEPATITIS 092	-	-	-	-	-	4	2	2	-	-
45	RABIES 094	-	-	-	-	-	-	-	-	-	-
46	TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
47	ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
48	MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
49	SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
50	HYDATIC DISEASE 125	-	-	-	-	-	-	-	-	-	-
51	FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
52	ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
53	OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	-	-	-	-	-
54	ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	1	-	1	-	-	5	3	2	-	-
55	II. NEOPLASMS	509	280	202	12	15	1,236	657	577	-	2
56	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	498	273	198	12	15	1,216	650	564	-	2
57	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	8	3	4	1	-	20	14	6	-	-
58	OF LIP 140	-	-	-	-	-	-	-	-	-	-
59	OF TONGUE 141	2	1	-	1	-	5	4	1	-	-
60	OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	3	-	3	-	-	8	6	2	-	-
61	OF PHARYNX 145-148	3	2	1	-	-	7	4	3	-	-
62	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	137	83	47	4	3	388	196	191	-	1
63	OF ESOPHAGUS 150	8	6	1	1	-	21	12	9	-	-
64	OF STOMACH 151	26	16	8	1	1	72	36	35	-	1
65	OF SMALL INTESTINE, INCLUDING DUODENUM 152	-	-	-	-	-	4	2	2	-	-
66	OF LARGE INTESTINE, EXCEPT RECTUM 153	48	27	20	-	1	147	62	85	-	-
67	CECUM, APPENDIX, AND ASCENDING COLON 153.0	8	5	3	-	-	22	7	15	-	-
68	TRANSVERSE COLON 153.1	1	1	-	-	-	9	4	5	-	-
69	DESCENDING COLON 153.2	1	-	1	-	-	2	-	2	-	-
70	SIGMOID COLON 153.3	10	6	4	-	-	31	18	13	-	-
71	MULTIPLE PARTS OF LARGE INTESTINE 153.7	1	-	1	-	-	-	-	-	-	-
72	LARGE INTESTINE, PART UNSPECIFIED 153.8	21	12	8	-	1	68	26	42	-	-
73	INTESTINAL TRACT, PART UNSPECIFIED 153.9	6	3	3	-	-	15	7	8	-	-
74	OF RECTUM 154	16	14	2	-	-	50	33	17	-	-
75	OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	14	7	6	1	-	29	10	19	-	-
76	LIVER 155.0	4	3	-	1	-	8	3	5	-	-
77	CT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	10	4	6	-	-	21	7	14	-	-
78	OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	7	1	4	1	1	5	4	1	-	-
79	OF PANCREAS 157	16	11	5	-	-	59	36	23	-	-
80	OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	2	1	1	-	-	1	1	-	-	-

and Sex: United States and Each State, 1965–Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

NEW JERSEY					NEW MEXICO					NEW YORK					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
65,021	32,356	26,377	3,517	2,771	6,825	3,736	2,437	386	266	185,029	91,820	76,223	9,452	7,534	01
554	254	141	106	53	133	66	32	20	15	1,618	785	409	278	146	02
295	141	52	73	29	68	32	19	10	7	916	482	138	201	95	03
270	135	48	67	20	61	31	16	8	6	849	459	126	185	79	04
8	3	-	3	2	1	-	-	-	1	17	5	2	2	8	05
-	-	-	-	-	1	-	1	-	-	5	2	-	1	2	06
2	1	1	-	-	-	-	-	-	-	2	-	1	1	-	07
4	1	2	-	1	1	-	1	-	-	14	7	4	3	-	08
11	1	1	3	6	4	1	1	2	-	29	9	5	9	6	09
45	28	4	8	5	13	11	2	-	-	176	88	35	33	20	10
-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
21	16	2	2	1	8	7	1	-	-	102	58	23	13	8	13
13	7	1	2	3	3	2	1	-	-	41	17	4	16	4	14
-	-	-	-	-	-	-	-	-	-	5	4	1	-	-	15
3	-	-	2	1	1	1	-	-	-	10	3	4	2	1	16
7	4	1	2	-	1	1	-	-	-	11	2	3	1	5	17
1	1	-	-	-	-	-	-	-	-	4	2	-	1	1	18
1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
4	3	1	-	-	-	-	-	-	-	6	1	3	1	1	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
11	5	3	2	1	2	1	-	-	1	11	8	1	1	1	24
-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
3	2	1	-	-	-	-	-	-	-	2	1	1	-	-	27
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	28
67	27	22	10	8	14	6	-	5	3	215	86	100	18	11	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
1	1	-	-	-	-	-	-	-	-	3	2	-	1	-	31
26	10	10	5	1	7	3	2	1	1	54	17	31	4	2	32
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
2	-	2	-	-	-	-	-	-	-	3	2	-	1	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	37
4	1	3	-	-	-	-	-	-	-	6	4	2	-	-	38
18	7	9	1	1	2	1	1	-	-	34	13	17	1	3	39
5	5	-	-	-	1	1	-	-	-	5	2	3	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
2	-	-	-	2	7	1	2	2	2	8	2	2	3	1	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
32	13	16	-	3	6	6	-	-	-	74	32	34	4	4	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	48
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	49
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	53
38	10	18	7	3	10	4	5	-	1	92	37	39	9	7	54
12,221	6,103	5,232	489	397	929	472	400	30	27	33,844	16,591	14,698	1,396	1,159	55
12,025	6,009	5,149	484	383	902	462	386	28	26	33,267	16,343	14,433	1,366	1,125	56
288	202	55	27	4	12	9	2	1	-	734	494	168	55	17	57
2	1	1	-	-	2	1	1	-	-	18	15	3	-	-	58
82	60	8	11	3	3	2	-	1	-	206	134	52	17	3	59
89	56	27	5	1	1	1	-	-	-	231	146	69	11	5	60
115	85	19	11	-	6	5	1	-	-	279	199	44	27	9	61
4,167	2,066	1,809	176	116	271	137	116	10	8	11,417	5,664	4,883	505	365	62
234	136	48	41	9	9	6	3	-	-	726	435	145	114	32	63
770	426	286	40	18	59	35	20	3	1	2,195	1,169	808	133	85	64
27	12	13	2	-	1	-	1	-	-	74	35	34	2	3	65
1,514	657	784	29	44	70	29	40	-	1	4,004	1,837	1,964	82	121	66
227	99	115	5	8	11	4	7	-	-	568	242	295	13	18	67
86	28	54	3	1	2	1	1	-	-	226	109	108	3	6	68
45	12	30	-	3	3	-	2	-	1	165	82	81	1	1	69
319	143	164	3	9	10	5	5	-	-	844	408	402	16	18	70
5	2	3	-	-	-	-	-	-	-	10	5	4	-	1	71
749	342	371	17	19	40	19	21	-	-	2,015	917	976	49	73	72
83	31	47	1	4	4	-	4	-	-	176	74	98	-	4	73
543	297	215	16	15	19	6	12	-	1	1,449	776	586	42	45	74
258	99	145	6	8	32	12	12	4	4	748	296	402	34	16	75
81	48	26	5	2	7	4	3	-	-	254	143	82	23	6	76
177	51	119	1	6	25	8	9	4	4	494	153	320	11	10	77
139	58	64	8	9	9	5	4	-	-	275	127	122	15	7	78
587	329	216	30	12	68	41	24	2	1	1,753	907	728	70	48	79
95	52	38	4	1	4	3	-	1	-	193	82	94	9	8	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	NEVADA					NEW HAMPSHIRE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	MALIGNANT NEOPLASMS, ETC.--CON.										
01	MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	99	82	14	3	-	202	167	35	-	-
02	OF LARYNX....161	2	2	-	-	-	16	15	1	-	-
03	OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	36	32	3	1	-	48	41	7	-	-
04	OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	59	46	11	2	-	135	110	25	-	-
05	OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	2	2	-	-	-	3	1	2	-	-
06	MALIGNANT NEOPLASM OF BREAST....170	42	1	35	-	6	123	1	121	-	1
07	MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	62	21	35	2	4	162	68	94	-	-
08	OF CERVIX UTERI....171	21	...	18	...	3	32	...	32	...	-
09	OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	4	...	4	...	-	23	...	23	...	-
10	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	12	...	12	...	-	38	...	38	...	-
11	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	2	...	1	...	1	1	...	1	...	-
12	OF PROSTATE....177	20	18	...	2	...	67	67	...	-	...
13	OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	3	3	...	-	...	1	1	...	-	...
14	MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	29	22	7	-	-	65	47	18	-	-
15	OF KIDNEY....180	11	9	2	-	-	27	20	7	-	-
16	OF BLADDER AND OTHER URINARY ORGANS....181	18	13	5	-	-	38	27	11	-	-
17	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....156B,165,190-199	69	33	34	-	2	136	79	57	-	-
18	OF SKIN....190,191	6	4	2	-	-	18	10	8	-	-
19	OF EYE....192	-	-	-	-	-	2	-	2	-	-
20	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	12	4	8	-	-	18	12	6	-	-
21	OF THYROID GLAND....194	2	-	2	-	-	2	1	1	-	-
22	OF BONE....196	4	3	1	-	-	10	8	2	-	-
23	OF CONNECTIVE TISSUE....197	6	3	3	-	-	9	6	3	-	-
24	OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	3	1	2	-	-	8	4	4	-	-
25	OF UNSPECIFIED SITES....156B,165,198,199B	36	18	16	-	2	69	38	31	-	-
26	LEUKEMIA AND ALEUKEMIA....204	27	17	8	2	-	58	37	21	-	-
27	LYMPHOSARCOMA, ETC....200-203,205	25	11	14	-	-	62	41	21	-	-
28	LYMPHOSARCOMA AND RETICULOSARCOMA....200	15	9	6	-	-	27	19	8	-	-
29	HODGKINS DISEASE....201	6	2	4	-	-	16	11	5	-	-
30	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	4	-	4	-	-	19	11	8	-	-
31	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	11	7	4	-	-	20	7	13	-	-
32	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	-	...	-	...	-	-	...	-	...	-
33	BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	1	1	-	-	-	3	-	3	-	-
34	OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	1	1	-	-	-	5	1	4	-	-
35	UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	-	...	-	...	-
36	NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	6	4	2	-	-	8	4	4	-	-
37	OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	3	1	2	-	-	4	2	2	-	-
38	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	75	36	30	4	5	197	89	107	1	-
39	ASTHMA....241	11	6	5	-	-	15	13	2	-	-
40	NONTOXIC GOITER....250,251	-	-	-	-	-	-	-	-	-	-
41	THYROTOXICOSIS WITH OR WITHOUT GOITER....252	2	-	1	-	1	1	-	1	-	-
42	ALL OTHER DISEASES OF THYROID GLAND....253,254	-	-	-	-	-	4	-	4	-	-
43	DIABETES MELLITUS....260	48	20	21	3	4	158	65	92	1	-
44	DISEASES OF THYMUS GLAND....273	-	-	-	-	-	-	-	-	-	-
45	DISEASES OF ADRENAL GLANDS....274	2	2	-	-	-	2	1	1	-	-
46	PELLAGRA....281	-	-	-	-	-	-	-	-	-	-
47	OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	2	1	1	-	-	9	4	5	-	-
48	CYSTIC FIBROSIS....289A	2	1	1	-	-	4	3	1	-	-
49	ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	8	6	1	1	-	4	3	1	-	-
50	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	12	6	4	2	-	16	8	8	-	-
51	ANEMIAS....290-293	6	3	2	1	-	9	5	4	-	-
52	PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	-	-	-	-	-	-	-	-	-	-
53	ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	6	3	2	1	-	9	5	4	-	-
54	PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	3	2	1	-	-	2	-	2	-	-
55	OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	3	1	1	1	-	5	3	2	-	-
56	V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	17	11	2	3	1	14	7	7	-	-
57	SENILE PSYCHOSIS....304	-	-	-	-	-	5	1	4	-	-
58	ALCOHOLIC PSYCHOSIS....307	2	2	-	-	-	3	2	1	-	-
59	OTHER PSYCHOSES....300-303,305,306,308,309	-	-	-	-	-	1	-	1	-	-
60	ALCOHOLISM....322	15	9	2	3	1	5	4	1	-	-
61	MENTAL DEFICIENCY....325	-	-	-	-	-	-	-	-	-	-
62	OTHER DISORDERS OF PERSONALITY....RESIDUAL	-	-	-	-	-	-	-	-	-	-
63	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	295	129	140	13	13	910	402	506	2	-
64	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	263	115	125	11	12	852	373	477	2	-
65	SUBARACHNOID HEMORRHAGE....330	19	10	7	1	1	22	12	10	-	-
66	CEREBRAL HEMORRHAGE....331	145	62	69	6	8	462	200	261	1	-
67	CEREBRAL EMBOLISM AND THROMBOSIS....332	76	28	42	4	2	296	137	158	1	-
68	OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	23	15	7	-	1	72	24	48	-	-
69	MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	5	3	1	1	-	4	2	2	-	-
70	MULTIPLE SCLEROSIS....345	2	1	1	-	-	9	5	4	-	-
71	PARALYSIS AGITANS....350	2	1	1	-	-	17	9	8	-	-
72	CEREBRAL SPASTIC INFANTILE PARALYSIS....351	2	1	1	-	-	3	-	3	-	-
73	EPILEPSY....353	8	3	3	1	1	5	2	3	-	-
74	INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
75	CATARACT....385	-	-	-	-	-	-	-	-	-	-
76	GLAUCOMA....387	-	-	-	-	-	-	-	-	-	-
77	OTITIS MEDIA AND MASTOIDITIS....391-393	-	-	-	-	-	-	-	-	-	-
78	OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	13	5	6	-	-	20	11	9	-	-

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

NEW JERSEY					NEW MEXICO					NEW YORK					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,191	1,726	306	134	25	137	112	22	1	2	5,818	4,461	936	365	56	01
111	88	13	10	-	5	5	-	-	-	336	267	38	25	6	02
771	620	95	49	7	48	41	7	-	-	2,411	1,948	286	160	17	03
1,258	985	183	73	17	81	63	15	1	2	2,988	2,203	579	176	30	04
51	33	15	2	1	3	3	-	-	-	83	43	33	4	3	05
1,179	11	1,095	-	73	95	2	89	-	4	3,366	39	3,146	1	180	06
1,494	532	810	54	98	121	49	63	6	3	3,937	1,362	2,176	143	256	07
241	...	196	...	45	29	...	28	...	1	679	...	550	...	129	08
250	...	225	...	25	12	...	11	...	1	582	...	535	...	47	09
380	...	357	...	23	21	...	20	...	1	1,081	...	1,009	...	72	10
37	...	32	...	5	4	...	4	...	-	90	...	82	...	8	11
549	495	...	54	...	51	45	...	6	...	1,421	1,281	...	140	...	12
37	37	...	-	...	4	4	...	-	...	84	81	...	3	...	13
573	386	166	12	9	40	26	11	1	2	1,632	1,049	484	67	32	14
241	164	69	6	2	18	10	6	-	2	607	361	213	21	12	15
332	222	97	6	7	22	16	5	1	-	1,025	688	271	46	20	16
1,178	594	499	51	34	128	65	52	6	5	3,502	1,799	1,438	140	125	17
176	102	69	3	2	14	9	4	-	1	394	216	162	10	6	18
12	6	6	-	-	-	-	-	-	-	32	16	16	-	-	19
269	140	111	9	9	29	16	13	-	-	738	431	266	24	17	20
40	12	27	-	1	5	4	1	-	-	126	49	71	4	2	21
77	44	24	7	2	5	2	3	-	-	178	94	68	8	8	22
49	25	20	2	2	9	6	1	1	1	133	71	52	9	1	23
56	34	16	4	2	6	5	1	-	-	136	81	47	6	2	24
499	231	226	26	16	60	23	29	5	3	1,765	841	756	79	89	25
428	228	181	12	7	50	30	18	1	1	1,251	647	525	36	43	26
527	264	228	18	17	48	32	13	2	1	1,610	828	677	54	51	27
250	131	110	2	7	26	17	7	1	1	816	446	335	22	13	28
145	77	58	5	5	12	10	2	-	-	363	190	152	11	10	29
132	56	60	11	5	10	5	4	1	-	431	192	190	21	28	30
196	94	83	5	14	27	10	14	2	1	577	248	265	30	34	31
12	...	6	...	6	2	...	2	...	-	56	...	41	...	15	32
47	18	25	2	2	3	2	1	-	-	102	38	52	7	5	33
49	28	15	2	4	7	3	3	1	-	92	47	35	6	4	34
1	...	1	...	-	-	...	-	...	-	3	...	2	...	1	35
53	36	16	-	1	9	4	4	-	1	215	102	92	14	7	36
34	12	20	1	1	6	1	4	1	-	109	61	43	3	2	37
1,635	602	865	63	105	172	81	83	5	3	4,174	1,653	2,027	218	276	38
115	41	58	10	6	34	23	10	1	-	345	153	127	35	30	39
3	-	2	-	1	-	-	-	-	-	7	1	5	-	1	40
16	2	12	1	1	2	-	2	-	-	28	10	17	-	1	41
11	2	8	-	1	-	-	-	-	-	28	6	20	-	2	42
1,300	459	714	44	83	104	49	52	2	1	3,359	1,280	1,694	162	223	43
6	6	-	-	-	-	-	-	-	-	4	2	1	1	-	44
10	3	6	-	1	2	1	-	1	-	38	18	17	3	-	45
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	46
44	25	15	1	3	7	2	3	1	1	82	38	35	3	6	47
24	11	11	2	-	5	1	4	-	-	36	17	17	-	2	48
105	53	39	4	9	18	5	12	-	1	247	128	94	14	11	49
184	86	78	7	13	28	9	16	2	1	469	179	219	34	37	50
112	49	48	6	9	17	6	10	1	-	284	106	131	22	25	51
4	1	3	-	-	4	1	3	-	-	46	18	25	2	1	52
108	48	45	6	9	13	5	7	1	-	238	88	106	20	24	53
31	19	10	-	2	3	1	2	-	-	60	20	32	4	4	54
41	18	20	1	2	8	2	4	1	1	125	53	56	8	8	55
113	64	20	19	10	35	20	10	4	1	582	252	118	146	66	56
8	4	4	-	-	-	-	-	-	-	11	2	7	-	2	57
21	10	1	7	3	2	1	1	-	-	54	37	4	12	1	58
13	6	6	-	1	4	2	1	1	-	47	15	27	4	1	59
52	32	7	10	3	25	15	6	3	1	322	138	44	101	39	60
15	11	2	1	1	4	2	2	-	-	46	23	21	2	-	61
4	1	-	1	2	-	-	-	-	-	102	37	15	27	23	62
6,160	2,551	3,037	262	310	628	285	304	21	18	17,458	7,094	8,876	720	768	63
5,678	2,316	2,850	227	285	554	249	282	14	9	16,092	6,473	8,324	605	690	64
266	97	126	18	25	27	12	15	-	-	798	259	409	50	80	65
2,747	1,125	1,330	124	168	309	136	158	9	6	8,230	3,315	4,191	334	390	66
2,175	878	1,144	75	78	143	65	72	3	3	5,364	2,184	2,879	137	164	67
490	216	250	10	14	75	36	37	2	-	1,700	715	845	84	56	68
72	31	18	12	11	18	7	4	3	4	260	106	83	43	28	69
72	28	40	2	2	2	-	2	-	-	160	58	90	9	3	70
113	61	50	1	1	13	7	4	1	1	277	136	136	5	-	71
26	16	8	2	-	5	3	1	1	-	51	28	17	4	2	72
59	25	15	12	7	4	3	1	-	-	188	83	57	26	22	73
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	74
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
3	2	1	-	-	-	-	-	-	-	26	13	7	2	4	77
137	72	55	6	4	32	16	10	2	4	401	195	161	26	19	78

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	NEVADA					NEW HAMPSHIRE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	VII. DISEASES OF THE CIRCULATORY SYSTEM	1,136	759	325	33	19	3,372	1,832	1,539	1	-
02	DISEASES OF HEART 400-402,410-443	1,031	707	279	31	14	2,873	1,608	1,264	1	-
03	RHEUMATIC FEVER 400-402	1	1	-	-	-	1	-	1	-	-
04	CHRONIC RHEUMATIC HEART DISEASE 410-416	22	13	9	-	-	49	21	28	-	-
05	DISEASES OF MITRAL VALVE 410	9	5	4	-	-	21	10	11	-	-
06	DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	2	1	1	-	-	6	5	1	-	-
07	DISEASES OF PULMONARY VALVE, ETC 413,414	1	1	-	-	-	1	1	-	-	-
08	OTHER RHEUMATIC HEART DISEASES 412,415,416	10	6	4	-	-	21	5	16	-	-
09	ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS 420	801	576	197	20	8	2,392	1,397	994	1	-
10	ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	179	111	62	4	2	660	298	362	-	-
11	HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	622	465	135	16	6	1,731	1,098	632	1	-
12	ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	-	-	-	-	-	1	1	-	-	-
13	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	10	5	2	3	-	21	12	9	-	-
14	OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	-	-	-	-	-	-	-	-	-	-
15	OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	6	4	1	1	-	16	10	6	-	-
16	OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	4	1	1	2	-	5	2	3	-	-
17	OTHER MYOCARDIAL DEGENERATION 422	72	50	20	1	1	133	55	78	-	-
18	WITH ARTERIOSCLEROSIS 422.1	50	36	13	-	1	105	40	65	-	-
19	WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	22	14	7	1	-	28	15	13	-	-
20	OTHER DISEASES OF HEART 430-434	65	35	24	4	2	88	48	40	-	-
21	ACUTE AND SUBACUTE ENDOCARDITIS 430	-	-	-	-	-	2	-	2	-	-
22	ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	1	-	1	-	-	5	4	1	-	-
23	FUNCTIONAL DISEASE OF HEART 433	24	8	15	1	-	25	10	15	-	-
24	OTHER AND UNSPECIFIED DISEASES OF HEART 434	40	27	8	3	2	56	34	22	-	-
25	HYPERTENSIVE HEART DISEASE 440-443	60	27	27	3	3	189	75	114	-	-
26	HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	11	4	7	-	-	35	12	23	-	-
27	OTHER HYPERTENSIVE HEART DISEASE 440,441,443	49	23	20	3	3	154	63	91	-	-
28	OTHER HYPERTENSIVE DISEASE 444-447	14	7	4	1	2	59	25	34	-	-
29	HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	8	5	3	-	-	28	15	13	-	-
30	ESSENTIAL HYPERTENSION 444,445,447	6	2	1	1	2	31	10	21	-	-
31	DISEASES OF ARTERIES 450-456	71	37	31	1	2	391	178	213	-	-
32	GENERAL ARTERIOSCLEROSIS 450	38	19	17	1	1	319	135	184	-	-
33	AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	22	14	7	-	1	53	36	17	-	-
34	GANGRENE OF UNSPECIFIED CAUSE 455	-	-	-	-	-	3	-	3	-	-
35	OTHER ARTERIAL DISEASES 452-454,456	11	4	7	-	-	16	7	9	-	-
36	DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS 460-468	20	8	11	-	1	49	21	28	-	-
37	VIII. DISEASES OF THE RESPIRATORY SYSTEM	190	131	42	9	8	376	240	136	-	-
38	ACUTE UPPER RESPIRATORY INFECTIONS 470-475	5	2	2	-	1	2	-	2	-	-
39	INFLUENZA 480-483	1	1	-	-	-	15	3	12	-	-
40	PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	69	38	20	5	6	217	121	96	-	-
41	LOBAR PNEUMONIA 490	17	11	3	1	2	33	19	14	-	-
42	BRONCHOPNEUMONIA 491	26	14	10	1	1	84	40	44	-	-
43	PRIMARY ATYPICAL PNEUMONIA 492	13	6	5	1	1	37	19	18	-	-
44	PNEUMONIA, OTHER AND UNSPECIFIED 493	13	7	2	2	2	63	43	20	-	-
45	ACUTE BRONCHITIS 500	4	3	1	-	-	-	-	-	-	-
46	BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	9	6	3	-	-	24	18	6	-	-
47	HYPERTROPHY OF TONSILS AND ADENOIDS 510	-	-	-	-	-	-	-	-	-	-
48	EMPYEMA AND ABSCESS OF LUNG 518,521	1	1	-	-	-	2	2	-	-	-
49	PLEURISY 519	-	-	-	-	-	-	-	-	-	-
50	OTHER CHRONIC INTERSTITIAL PNEUMONIA 525	20	9	7	3	1	21	16	5	-	-
51	BRONCHIECTASIS 526	4	3	1	-	-	11	7	4	-	-
52	OTHER DISEASES OF LUNG AND PLEURAL CAVITY 527	64	57	6	1	-	80	71	9	-	-
53	EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	58	52	5	1	-	75	68	7	-	-
54	ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY 527.0,527.2	6	5	1	-	-	5	3	2	-	-
55	OTHER RESPIRATORY DISEASES RESIDUAL	13	11	2	-	-	4	2	2	-	-
56	IX. DISEASES OF THE DIGESTIVE SYSTEM	169	96	59	8	6	290	168	122	-	-
57	DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	-	-	-	-	-	1	1	-	-	-
58	ULCER OF STOMACH 540	8	6	2	-	-	23	16	7	-	-
59	ULCER OF DUODENUM 541	11	11	-	-	-	28	23	5	-	-
60	GASTRITIS AND DUODENITIS 543	-	-	-	-	-	4	2	2	-	-
61	APPENDICITIS 550-553	4	2	2	-	-	7	6	1	-	-
62	HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	20	9	11	-	-	46	20	26	-	-
63	GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	3	-	1	1	1	8	6	2	-	-
64	CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	10	4	6	-	-	15	5	10	-	-
65	CIRRHOSIS OF LIVER 581	80	46	26	3	5	97	59	38	-	-
66	WITHOUT MENTION OF ALCOHOLISM 581.0	45	27	13	2	3	67	36	31	-	-
67	WITH ALCOHOLISM 581.1	35	19	13	1	2	30	23	7	-	-
68	CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	3	-	3	-	-	12	5	7	-	-
69	OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	30	18	8	4	-	49	25	24	-	-
70	X. DISEASES OF THE GENITOURINARY SYSTEM	41	25	13	1	2	113	79	33	-	1
71	NEPHRITIS AND NEPHROSIS 590-594	17	8	8	-	1	47	33	14	-	-
72	ACUTE NEPHRITIS 590	1	-	1	-	-	4	4	-	-	-
73	NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	2	1	1	-	-	2	-	2	-	-
74	CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	14	7	6	-	1	41	29	12	-	-
75	INFECTIONS OF KIDNEY 600	9	5	2	1	1	30	16	13	-	1
76	CALCULI OF URINARY SYSTEM 602,604	-	-	-	-	-	5	4	1	-	-
77	OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	4	2	2	-	-	9	5	4	-	-
78	HYPERPLASIA OF PROSTATE 610	10	10	...	-	...	17	17	...	-	...
79	DISEASES OF BREAST 620,621	-	-	-	-	-	-	-	-	-	-
80	OTHER DISEASES OF GENITAL ORGANS RESIDUAL	1	-	1	-	-	5	4	1	-	-

and Sex: United States and Each State, 1965--Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

NEW JERSEY					NEW MEXICO					NEW YORK					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
30,943	15,912	12,794	1,244	993	2,038	1,195	755	48	40	86,976	45,042	36,618	2,767	2,549	01
28,489	14,798	11,640	1,140	911	1,773	1,050	649	43	31	80,315	41,901	33,561	2,518	2,335	02
22	11	9	2	-	3	2	1	-	-	59	30	21	6	2	03
717	260	395	26	36	85	26	54	2	3	2,111	764	1,168	80	99	04
267	98	156	7	6	38	11	25	1	1	722	249	425	23	25	05
73	47	24	1	1	10	5	4	1	-	215	129	69	11	6	06
29	9	16	-	4	3	-	2	-	1	100	30	63	4	3	07
348	106	199	18	25	34	10	23	-	1	1,074	356	611	42	65	08
22,780	12,502	8,821	865	592	1,277	829	409	23	16	67,172	36,694	26,998	1,893	1,587	09
7,981	3,656	3,803	275	247	289	151	123	8	7	22,594	9,973	11,444	531	646	10
14,789	8,839	5,015	590	345	988	678	286	15	9	44,562	26,710	15,549	1,362	941	11
10	7	3	-	-	-	-	-	-	-	16	11	5	-	-	12
109	67	29	5	8	17	10	6	1	-	320	173	123	10	14	13
1	1	-	-	-	2	2	-	-	-	10	5	3	-	2	14
81	51	17	5	8	9	6	3	-	-	188	124	59	3	2	15
27	15	12	-	-	6	2	3	1	-	122	44	61	7	10	16
2,158	954	1,021	92	91	128	62	56	6	4	3,843	1,553	2,037	111	142	17
1,734	731	870	60	73	88	42	38	4	4	3,397	1,342	1,835	92	128	18
424	223	151	32	18	40	20	18	2	-	446	211	202	19	14	19
732	335	315	46	36	148	81	54	9	4	1,381	683	557	82	59	20
25	16	6	2	1	3	-	2	1	-	62	33	24	4	1	21
20	9	8	2	1	5	2	3	-	-	51	26	20	2	3	22
193	89	84	8	12	31	13	14	4	-	577	277	252	23	25	23
494	221	217	34	22	109	66	35	4	4	691	347	261	53	30	24
1,971	669	1,050	104	148	115	40	69	2	4	5,429	2,004	2,657	336	432	25
395	144	192	33	26	27	12	14	1	-	694	317	317	30	30	26
1,576	525	858	71	122	88	28	55	1	4	4,735	1,687	2,340	306	402	27
401	168	177	34	22	42	21	16	2	3	1,090	446	495	86	63	28
262	123	111	16	12	23	13	9	-	1	700	322	320	35	23	29
139	45	66	18	10	19	8	7	2	2	390	124	175	51	40	30
1,657	765	800	49	43	173	92	74	1	6	4,463	2,187	2,080	103	93	31
1,163	458	649	26	30	130	67	58	1	4	3,116	1,342	1,678	59	37	32
372	257	92	15	8	27	18	9	-	-	1,013	710	252	30	21	33
11	5	4	1	1	-	-	-	-	-	15	5	9	-	1	34
111	45	55	7	4	16	7	7	-	2	319	130	141	14	34	35
396	181	177	21	17	50	32	16	2	-	1,108	508	482	60	58	36
2,997	1,725	851	261	160	453	249	157	29	18	10,187	5,507	3,498	679	503	37
16	6	7	1	2	6	2	3	-	1	63	29	22	6	6	38
30	9	10	6	5	9	2	6	-	1	76	36	35	-	5	39
1,936	953	640	212	131	225	101	89	21	14	7,109	3,331	2,823	531	424	40
291	146	90	34	21	43	17	21	3	2	1,178	567	405	127	79	41
1,389	693	479	133	84	79	37	30	7	5	5,305	2,444	2,182	365	314	42
180	81	49	30	20	23	11	9	3	-	295	153	113	13	16	43
76	33	22	15	6	80	36	29	8	7	331	167	123	26	15	44
32	19	9	2	2	6	4	2	-	-	102	52	35	8	7	45
145	113	26	4	2	44	30	13	1	-	537	411	108	9	9	46
2	-	2	-	-	-	-	-	-	-	9	5	3	-	1	47
35	18	9	2	6	5	1	2	2	-	84	53	16	13	2	48
11	3	5	2	1	-	-	-	-	-	23	9	11	2	1	49
127	94	26	5	2	26	12	14	1	1	389	238	113	23	15	50
44	31	10	2	1	6	3	3	-	-	159	92	56	8	3	51
544	430	89	19	6	109	86	20	3	-	1,433	1,137	221	57	18	52
497	405	75	13	4	96	81	13	2	-	1,295	1,056	185	43	11	53
47	25	14	6	2	13	5	7	1	-	138	81	36	14	7	54
75	49	18	6	2	15	8	5	1	1	203	114	55	22	12	55
2,756	1,454	996	164	142	359	186	129	26	18	8,488	4,317	2,930	818	423	56
3	-	1	1	1	-	-	-	-	-	7	1	3	1	2	57
206	131	62	9	4	27	13	10	2	2	700	413	234	42	11	58
176	128	41	4	3	16	10	6	-	-	616	419	166	19	12	59
15	7	6	-	2	2	1	-	1	-	57	31	19	4	3	60
65	26	31	6	2	11	8	2	1	-	164	70	61	20	13	61
344	138	173	17	16	50	21	27	2	-	923	419	435	34	35	62
80	26	18	21	15	53	19	18	10	6	212	99	75	24	14	63
205	88	110	2	5	17	9	8	-	-	475	211	241	14	9	64
1,081	636	319	71	55	108	70	27	5	6	3,810	1,952	1,015	583	260	65
764	450	231	48	35	72	45	21	2	4	2,347	1,229	708	266	144	66
317	186	88	23	20	36	25	6	3	2	1,463	723	307	317	116	67
184	82	96	2	4	25	12	10	1	2	483	203	260	6	14	68
397	192	139	31	35	50	23	21	4	2	1,041	499	421	71	50	69
944	456	346	79	63	147	83	49	6	9	2,694	1,364	935	207	188	70
369	164	147	35	23	67	37	22	1	7	985	456	368	90	71	71
15	7	7	1	-	7	3	3	-	1	33	14	13	2	4	72
32	9	17	2	4	5	5	-	-	-	55	20	28	5	2	73
322	148	123	32	19	55	29	19	1	6	897	422	327	83	65	74
300	115	132	25	28	35	11	18	4	2	865	335	394	58	78	75
42	18	24	-	-	4	3	1	-	-	152	80	57	7	8	76
98	56	29	8	5	11	5	5	1	-	226	125	72	17	12	77
104	93	...	11	...	22	22	...	-	...	381	348	...	33	...	78
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	79
31	10	14	-	7	8	5	3	-	-	84	20	43	2	19	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	NEVADA					NEW HAMPSHIRE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	1	---	1	---	-	1	---	1	---	-
02	SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	1	---	1	---	-	-	---	-	---	-
03	TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	-	---	-	---	-	-	---	-	---	-
04	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	-	---	-	---	-	-	---	-	---	-
05	ECTOPIC PREGNANCY.....645	-	---	-	---	-	-	---	-	---	-
06	ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	---	-	---	-	-	---	-	---	-
07	ABORTION WITH SEPSIS.....651	-	---	-	---	-	-	---	-	---	-
08	ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	---	-	---	-	-	---	-	---	-
09	OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	-	---	-	---	-	1	---	1	---	-
10	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	4	2	2	-	-	6	4	2	-	-
11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	-	-	-	-	-	3	2	1	-	-
12	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	4	2	2	-	-	3	2	1	-	-
13	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	6	4	2	-	-	19	10	9	-	-
14	ARTHRITIS AND SPONDYLITIS.....720-725	3	2	1	-	-	6	2	4	-	-
15	MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	1	-	1	-	-
16	OSTEOMYELITIS AND PERIOSTITIS.....730	-	-	-	-	-	1	1	-	-	-
17	ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	-	-	-	-	-
18	INBORN DEFECT OF MUSCLE.....744.1	1	-	1	-	-	5	4	1	-	-
19	OT. DIS. OF MUSCULOSKELETAL SYS....731-736,736-744.0,744.2	2	2	-	-	-	6	3	3	-	-
20	XIV. CONGENITAL MALFORMATIONS.....	56	26	26	3	1	80	41	39	-	-
21	SPINA BIFIDA AND MENINGOCELE.....751	2	1	1	-	-	7	4	3	-	-
22	CONGENITAL HYDROCEPHALUS, ETC.....752,753	10	2	8	-	-	8	5	3	-	-
23	CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	29	15	12	1	1	38	18	20	-	-
24	OTHER CONGENITAL MALFORMATIONS.....750,755-759	15	8	5	2	-	27	14	13	-	-
25	XV. CERTAIN DISEASES OF EARLY INFANCY.....	140	69	47	12	12	164	101	62	1	-
26	XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	45	36	6	2	1	77	49	28	-	-
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	17	12	5	-	-	5	1	4	-	-
28	SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	28	24	1	2	1	72	48	24	-	-
29	XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	468	303	114	42	9	406	286	118	1	1
30	ACCIDENTS.....E800-E962	345	230	81	29	5	309	216	91	1	1
31	RAILWAY ACCIDENTS.....E800-E802	7	6	-	1	-	-	-	-	-	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E835	173	122	38	12	1	138	103	33	1	1
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	171	121	38	11	1	136	101	33	1	1
34	TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1	1	-	-	-	3	3	-	-	-
35	TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	15	10	3	1	1	28	20	8	-	-
36	OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	57	42	12	3	-	36	23	12	1	-
37	NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	62	49	12	1	-	63	52	10	-	1
38	TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	36	19	11	6	-	6	3	3	-	-
39	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	2	1	-	1	-	2	2	-	-	-
40	OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	2	-	2	-	-	3	3	-	-	-
41	WATER TRANSPORT ACCIDENTS.....E850-E858	1	1	-	-	-	8	7	1	-	-
42	AIRCRAFT ACCIDENTS.....E860-E866	11	9	2	-	-	2	2	-	-	-
43	ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	10	2	8	-	-	4	3	1	-	-
44	ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	2	1	1	-	-	7	7	-	-	-
45	ACCIDENTAL FALLS.....E900-E904	48	29	13	5	1	64	33	31	-	-
46	FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	13	10	1	2	-	19	11	8	-	-
47	FALL ON SAME LEVEL.....E903	9	4	5	-	-	27	12	15	-	-
48	UNSPECIFIED FALLS.....E904	26	15	7	3	1	18	10	8	-	-
49	BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	7	5	2	-	-	5	5	-	-	-
50	ACCIDENT CAUSED BY MACHINERY.....E912	4	4	-	-	-	-	-	-	-	-
51	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	3	3	-	-	-	-	-	-	-	-
52	ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	21	8	7	5	1	26	14	12	-	-
53	ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	-	-	-	-	-	-	-	-	-	-
54	ACCIDENT CAUSED BY FIREARM.....E919	12	11	1	-	-	3	1	2	-	-
55	INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	5	3	-	1	1	4	2	2	-	-
56	ACCIDENTAL DROWNING.....E929	16	10	2	3	1	26	25	1	-	-
57	EXCESSIVE HEAT AND INSOLATION.....E931	1	1	-	-	-	-	-	-	-	-
58	COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	7	7	-	-	-	2	-	2	-	-
59	ALL OTHER ACCIDENTS.....RESIDUAL	15	8	5	2	-	17	11	6	-	-
60	SUICIDE.....E963,E970-E979	86	56	26	2	2	81	58	23	-	-
61	SUICIDE BY POISONING.....E970-E973	29	13	15	-	1	34	20	14	-	-
62	SUICIDE BY HANGING AND STRANGULATION.....E974	8	5	2	-	1	13	8	5	-	-
63	SUICIDE BY FIREARM AND EXPLOSIVE.....E976	45	35	8	2	-	29	27	2	-	-
64	SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	4	3	1	-	-	5	3	2	-	-
65	HOMICIDE.....E964,E980-E985	37	17	7	11	2	15	11	4	-	-
66	ASSAULT BY FIREARM AND EXPLOSIVE.....E961	22	9	6	5	2	4	3	1	-	-
67	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	8	3	1	4	-	2	2	-	-	-
68	ASSAULT BY OTHER MEANS.....E964,E980,E983	4	3	-	1	-	9	6	3	-	-
69	INJURY BY INTERVENTION OF POLICE.....E964	2	1	-	1	-	-	-	-	-	-
70	EXECUTION.....E985	1	1	-	-	-	-	-	-	-	-
71	INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	1	1	-	-	-

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

NEW JERSEY					NEW MEXICO					NEW YORK					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
45	...	23	...	22	9	...	5	...	4	146	...	76	...	70	01
5	...	3	...	2	2	...	1	...	1	21	...	13	...	8	02
8	...	4	...	4	1	...	-	...	1	15	...	9	...	6	03
5	...	5	...	-	3	...	3	...	-	15	...	12	...	3	04
4	...	-	...	4	-	...	-	...	-	10	...	1	...	9	05
4	...	-	...	4	-	...	-	...	-	14	...	6	...	8	06
6	...	3	...	3	-	...	-	...	-	32	...	15	...	17	07
1	...	-	...	1	-	...	-	...	-	3	...	2	...	1	08
12	...	8	...	4	3	...	1	...	2	36	...	18	...	18	09
54	12	37	-	5	10	4	4	1	1	185	60	109	2	14	10
8	3	5	-	-	2	1	-	1	-	46	20	21	1	4	11
46	9	32	-	5	8	3	4	-	1	139	40	88	1	10	12
101	43	48	3	7	25	10	15	-	-	268	121	129	5	13	13
41	10	26	2	3	12	6	6	-	-	106	42	61	-	3	14
2	-	2	-	-	-	-	-	-	-	7	-	7	-	-	15
9	5	2	1	1	-	-	-	-	-	21	12	3	2	4	16
4	1	3	-	-	2	2	-	-	-	10	4	4	-	2	17
22	18	4	-	-	1	-	1	-	-	58	39	16	1	2	18
23	9	11	-	3	10	2	8	-	-	66	24	38	2	2	19
658	306	263	46	43	110	56	39	10	5	1,738	739	704	162	133	20
45	15	29	-	1	5	4	1	-	-	135	57	62	8	8	21
64	31	20	6	7	12	2	6	2	2	139	61	61	10	7	22
346	168	131	27	20	52	28	18	3	3	893	379	336	92	86	23
203	92	83	13	15	41	22	14	5	-	571	242	245	52	32	24
1,823	713	529	327	254	364	199	128	25	12	4,967	2,064	1,464	772	667	25
257	108	100	30	19	405	189	111	56	49	1,135	463	433	147	92	26
33	10	22	1	-	22	10	9	1	2	38	12	25	-	1	27
224	98	78	29	19	383	179	102	55	47	1,097	451	408	147	91	28
3,576	1,967	1,017	417	175	980	632	200	103	45	10,100	5,589	2,980	1,101	430	29
2,783	1,514	824	302	143	807	505	173	92	37	7,603	4,281	2,362	671	289	30
32	25	4	3	-	5	3	-	1	1	54	41	5	6	2	31
1,138	705	277	109	47	425	284	72	46	23	2,874	1,808	738	232	96	32
1,115	690	270	108	47	413	277	70	46	20	2,826	1,772	729	229	96	33
13	8	3	2	-	5	5	-	-	-	42	30	8	3	1	34
310	185	73	36	16	78	48	11	14	5	820	474	219	84	43	35
467	277	126	42	22	161	97	36	18	10	1,032	613	303	82	34	36
302	202	63	28	9	153	117	19	12	5	786	563	162	48	13	37
23	18	5	-	-	16	10	4	2	-	146	92	37	12	5	38
23	15	7	1	-	12	7	2	-	3	48	36	9	3	-	39
7	4	3	-	-	7	5	2	-	-	12	9	3	-	-	40
31	23	4	4	-	2	2	-	-	-	83	70	4	8	1	41
43	40	1	2	-	27	21	6	-	-	75	66	8	1	-	42
66	22	21	14	9	20	8	10	1	1	181	67	36	63	15	43
37	22	6	4	5	18	14	2	2	-	92	65	19	5	3	44
666	290	317	43	16	75	28	36	9	2	2,384	1,062	1,103	155	64	45
189	117	55	13	4	19	11	5	3	-	742	392	245	73	32	46
116	52	48	13	3	37	11	23	2	1	884	333	509	25	17	47
361	121	214	17	9	19	6	8	4	1	758	337	349	57	15	48
23	19	2	1	1	13	10	1	1	1	52	43	4	4	1	49
29	22	2	5	-	16	14	-	1	1	79	71	4	4	-	50
24	20	-	4	-	8	7	1	-	-	42	39	-	3	-	51
266	106	84	44	32	31	19	10	1	1	527	241	182	57	47	52
11	3	6	1	1	3	1	1	1	-	34	16	7	5	6	53
20	11	1	7	1	31	24	5	2	-	72	61	5	4	2	54
60	29	15	9	7	11	3	7	1	-	141	76	51	6	8	55
128	80	23	22	3	36	24	7	5	-	335	228	53	46	8	56
2	2	-	-	-	2	-	1	1	-	2	1	-	1	-	57
44	13	23	5	3	6	2	3	1	-	103	41	44	8	10	58
156	78	35	25	18	71	36	9	19	7	461	276	96	63	26	59
570	376	163	21	10	113	85	21	5	2	1,659	1,011	521	91	36	60
158	76	76	4	2	23	15	7	-	1	427	219	197	6	5	61
168	127	38	2	1	12	7	2	2	1	393	278	94	15	6	62
144	117	16	8	3	75	61	11	3	-	326	274	33	19	-	63
100	56	33	7	4	3	2	1	-	-	513	240	197	51	25	64
221	76	30	93	22	60	42	6	6	6	837	296	97	339	105	65
90	38	12	34	6	39	27	6	4	2	251	104	23	105	19	66
78	17	8	43	10	7	4	-	1	2	329	90	21	177	41	67
44	17	10	11	6	10	7	-	1	2	234	87	53	49	45	68
9	4	-	5	-	4	4	-	-	-	23	15	-	8	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
2	1	-	1	-	-	-	-	-	-	1	1	-	-	-	71

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	NORTH CAROLINA					NORTH DAKOTA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	ALL CAUSES	41,693	17,431	12,299	6,705	5,258	5,569	3,346	2,091	82	50
02	I. INFECTIVE AND PARASITIC DISEASES	437	160	98	109	70	38	22	13	2	1
03	TUBERCULOSIS, ALL FORMS 001-019	160	69	26	43	22	11	8	3	-	-
04	TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	151	66	25	40	20	10	7	3	-	-
05	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	2	2	-	-	-	1	1	-	-	-
06	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	2	1	-	1	-	-	-	-	-	-
07	TUBERCULOSIS OF BONES AND JOINTS 012,013	-	-	-	-	-	-	-	-	-	-
08	TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	-	-	-	-	-	-	-	-	-	-
09	DISSEMINATED TUBERCULOSIS 019	5	-	1	2	2	-	-	-	-	-
10	SYPHILIS AND ITS SEQUELAE 020-029	53	25	7	16	5	7	3	3	-	1
11	CONGENITAL SYPHILIS 020	2	-	-	2	-	-	-	-	-	-
12	EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
13	ANEURYSM OF AORTA 022	40	21	6	9	4	3	1	1	-	1
14	OTHER CARDIOVASCULAR SYPHILIS 023	5	2	-	2	1	3	1	2	-	-
15	TABES DORSALIS 024	1	1	-	-	-	-	-	-	-	-
16	GENERAL PARALYSIS OF INSANE 025	1	-	1	-	-	-	-	-	-	-
17	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	3	1	-	2	-	-	-	-	-	-
18	ALL OTHER SYPHILIS 027-029	1	-	-	1	-	1	1	-	-	-
19	GONOCOCCAL INFECTION C30-035	2	-	-	1	1	-	-	-	-	-
20	TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
21	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	1	-	1	-	-	-	-	-	-	-
22	CHOLERA 043	-	-	-	-	-	-	-	-	-	-
23	BRUCELLOSIS 044	1	1	-	-	-	-	-	-	-	-
24	DYSENTERY, ALL FORMS 045-048	3	-	1	2	-	-	-	-	-	-
25	FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	-	-	-	-	-
26	SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
27	STREPTOCOCCAL SORE THROAT 051	-	-	-	-	-	-	-	-	-	-
28	ERYSIPELAS 052	-	-	-	-	-	-	-	-	-	-
29	SEPTICEMIA AND PYEMIA 053	85	23	25	18	19	6	3	2	1	-
30	DIPHTHERIA 055	1	-	-	1	-	-	-	-	-	-
31	WHOOPING COUGH 056	1	-	-	-	1	-	-	-	-	-
32	MENINGOCOCCAL INFECTIONS 057	39	17	10	8	4	5	4	1	-	-
33	PLAGUE 058	-	-	-	-	-	-	-	-	-	-
34	LEPROSY 060	-	-	-	-	-	-	-	-	-	-
35	TETANUS 061	3	-	-	3	-	-	-	-	-	-
36	ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
37	ACUTE POLIOMYELITIS 080	-	-	-	-	-	-	-	-	-	-
38	LATE EFFECTS OF ACUTE POLIOMYELITIS 081	3	-	2	1	-	1	1	-	-	-
39	ACUTE INFECTIOUS ENCEPHALITIS 082	10	3	5	1	1	2	-	1	1	-
40	LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	2	1	-	-	1	-	-	-	-	-
41	SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
42	MEASLES 085	8	2	3	2	1	-	-	-	-	-
43	YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
44	INFECTIOUS HEPATITIS 092	17	4	6	1	6	1	-	1	-	-
45	RABIES 094	-	-	-	-	-	-	-	-	-	-
46	TICK-BORNE TYPHUS 104	2	-	1	-	1	-	-	-	-	-
47	ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	1	-	-	1	-	-	-	-	-	-
48	MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
49	SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
50	HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
51	FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
52	ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
53	OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	-	-	-	-	-
54	ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	45	15	11	11	8	5	3	2	-	-
55	II. NEOPLASMS	5,662	2,378	2,054	633	597	886	491	385	4	6
56	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	5,511	2,324	1,990	616	581	873	489	374	4	6
57	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	126	63	38	15	10	12	11	1	-	-
58	OF LIP 140	5	3	1	-	1	1	1	-	-	-
59	OF TONGUE 141	29	15	9	5	-	2	2	-	-	-
60	OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	41	11	20	4	6	6	5	1	-	-
61	OF PHARYNX 145-148	51	34	8	6	3	3	3	-	-	-
62	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	1,440	578	500	191	171	293	173	118	1	1
63	OF ESOPHAGUS 150	94	32	25	30	7	11	10	1	-	-
64	OF STOMACH 151	292	115	77	58	42	73	53	19	1	-
65	OF SMALL INTESTINE, INCLUDING DUODENUM 152	10	6	2	1	1	6	5	1	-	-
66	OF LARGE INTESTINE, EXCEPT RECTUM 153	435	152	196	31	56	80	36	44	-	-
67	CECUM, APPENDIX, AND ASCENDING COLON 153.0	49	13	26	3	7	10	3	7	-	-
68	TRANSVERSE COLON 153.1	20	8	6	2	4	2	1	1	-	-
69	DESCENDING COLON 153.2	8	1	6	-	1	4	1	3	-	-
70	SIGMOID COLON 153.3	68	31	28	5	4	17	7	10	-	-
71	MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	1	1	-	-	-
72	LARGE INTESTINE, PART UNSPECIFIED 153.8	265	92	121	18	34	42	20	22	-	-
73	INTESTINAL TRACT, PART UNSPECIFIED 153.9	25	7	9	3	6	4	3	1	-	-
74	OF RECTUM 154	146	68	47	15	16	33	17	16	-	-
75	OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	80	38	33	2	7	28	12	15	-	1
76	LIVER 155.0	24	21	2	-	1	5	3	2	-	-
77	OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	56	17	31	2	6	23	9	13	-	1
78	OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	75	26	23	16	10	10	8	2	-	-
79	OF PANCREAS 157	280	127	89	35	29	48	29	19	-	-
80	OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	28	14	8	3	3	4	3	1	-	-

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

OHIO					OKLAHOMA					OREGON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
98,440	50,130	39,825	4,711	3,774	23,825	12,696	8,769	1,319	1,041	18,160	10,640	7,166	224	130	01
794	401	234	100	59	247	132	61	31	23	119	69	46	1	3	02
374	203	84	58	29	110	59	19	20	12	39	29	9	-	1	03
357	193	82	56	26	98	57	16	14	11	35	27	7	-	1	04
2	1	1	-	-	6	-	3	2	1	-	-	-	-	-	05
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	06
2	1	-	1	-	1	1	-	-	-	1	1	-	-	-	07
8	7	-	-	1	2	-	-	2	-	1	-	1	-	-	08
4	1	1	1	1	3	1	-	2	-	2	1	1	-	-	09
122	65	24	25	8	33	19	9	5	-	16	9	5	-	2	10
3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
51	32	13	5	1	22	15	5	2	-	7	2	3	-	2	13
42	19	4	17	2	7	2	2	3	-	3	3	-	-	-	14
6	5	-	-	1	-	-	-	-	-	2	2	-	-	-	15
10	6	1	2	1	1	-	1	-	-	3	1	2	-	-	16
7	1	4	1	1	1	1	-	-	-	1	1	-	-	-	17
3	1	1	-	1	2	1	1	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
2	1	-	1	-	2	1	-	-	1	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
2	-	1	-	1	7	4	1	1	1	1	1	-	-	-	24
2	-	2	-	-	2	1	1	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
2	1	1	-	-	1	-	1	-	-	1	-	1	-	-	27
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	28
95	46	32	10	7	34	18	12	-	4	20	9	10	1	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	31
39	21	16	1	1	11	7	3	1	-	9	6	3	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
5	4	1	-	-	4	1	1	-	2	1	-	1	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
6	4	2	-	-	-	-	-	-	-	4	2	2	-	-	38
26	11	13	1	1	10	6	1	3	-	5	1	4	-	-	39
3	1	2	-	-	1	-	-	-	1	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
13	3	9	-	1	3	1	2	-	-	1	-	1	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
33	13	16	-	4	6	4	1	-	1	7	3	4	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
69	28	30	4	7	19	10	8	1	-	15	9	6	-	-	54
16,549	8,165	7,029	762	593	3,844	1,940	1,581	183	140	2,976	1,686	1,241	28	21	55
16,326	8,086	6,923	751	566	3,788	1,922	1,545	181	140	2,927	1,666	1,212	28	21	56
366	264	72	20	10	84	55	21	5	3	58	41	16	-	1	57
11	8	2	-	1	2	2	-	-	-	2	2	-	-	-	58
100	66	25	9	-	11	6	5	-	-	11	9	2	-	-	59
107	74	25	4	4	38	21	13	2	2	18	11	6	-	1	60
148	116	20	7	5	33	26	3	3	1	27	19	8	-	-	61
5,305	2,588	2,282	258	177	1,114	524	475	67	48	882	487	375	12	8	62
280	183	49	35	13	50	30	11	7	2	54	39	13	2	-	63
908	496	319	66	27	213	109	75	19	10	173	111	57	1	4	64
44	22	20	1	1	6	3	2	1	-	10	7	3	-	-	65
1,946	846	975	59	66	373	144	195	12	22	271	121	149	-	1	66
252	97	142	6	7	61	26	33	-	2	37	13	24	-	-	67
86	35	40	6	5	14	6	6	2	-	6	5	-	-	1	68
69	36	32	-	1	9	6	2	-	1	6	4	2	-	-	69
371	171	175	11	14	54	23	31	-	-	64	25	39	-	-	70
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	71
1,058	457	530	34	37	213	70	115	10	18	147	71	76	-	-	72
109	49	56	2	2	21	12	8	-	1	11	3	8	-	-	73
652	352	254	33	13	98	45	44	3	6	107	69	36	1	1	74
392	141	219	14	18	85	34	44	6	1	46	21	22	3	-	75
110	58	35	9	8	30	16	11	3	-	14	10	2	2	-	76
282	83	184	5	10	55	18	33	3	1	32	11	20	1	-	77
160	66	83	4	7	67	30	31	4	2	17	7	10	-	-	78
836	438	325	44	29	195	117	60	14	4	192	105	80	5	2	79
87	44	38	2	3	27	12	13	1	1	12	7	5	-	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	NORTH CAROLINA					NORTH DAKOTA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	MALIGNANT NEOPLASMS, ETC.--CON.										
01	MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	879	613	109	134	23	123	105	16	1	1
02	OF LARYNX....161	46	29	5	11	1	3	3	-	-	-
03	OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	239	178	28	28	5	43	36	7	-	-
04	OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	576	400	69	92	15	74	65	7	1	1
05	OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	18	6	7	3	2	3	1	2	-	-
06	MALIGNANT NEOPLASM OF BREAST....170	493	-	393	-	100	87	-	87	-	-
07	MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	672	270	339	116	147	126	63	62	-	1
08	OF CERVIX UTERI....171	217	...	139	...	78	13	...	13	...	-
09	OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	133	...	89	...	44	17	...	16	...	1
10	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	127	...	105	...	22	31	...	31	...	-
11	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	9	...	6	...	3	2	...	2	...	-
12	OF PROSTATE....177	362	246	...	116	...	62	62	...	-	...
13	OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	24	24	...	-	...	1	1	...	-	...
14	MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	210	106	66	28	10	58	35	21	-	2
15	OF KIDNEY....180	99	52	31	12	4	31	15	15	-	1
16	OF BLADDER AND OTHER URINARY ORGANS....181	111	54	35	16	6	27	20	6	-	1
17	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....156B,165,190-199	882	397	319	80	86	81	50	29	2	-
18	OF SKIN....190,191	119	54	51	7	7	11	8	3	-	-
19	OF EYE....192	7	4	3	-	-	1	1	-	-	-
20	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	167	92	51	13	11	23	18	5	-	-
21	OF THYROID GLAND....194	15	4	9	1	1	3	3	-	-	-
22	OF BONE....196	52	21	16	9	6	3	1	2	-	-
23	OF CONNECTIVE TISSUE....197	31	20	9	2	-	4	2	2	-	-
24	OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	43	23	13	3	4	6	2	3	1	-
25	OF UNSPECIFIED SITES....156B,165,198,199B	448	179	167	45	57	30	15	14	1	-
26	LEUKEMIA AND ALEUKEMIA....204	306	150	111	26	19	42	25	17	-	-
27	LYMPHOSARCOMA, ETC....200-203,205	303	147	115	26	15	51	27	23	-	1
28	LYMPHOSARCOMA AND RETICULOSARCOMA....200	121	63	47	8	3	28	12	15	-	1
29	HODGKINS DISEASE....201	74	40	24	8	2	7	3	4	-	-
30	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	108	44	44	10	10	16	12	4	-	-
31	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	151	54	64	17	16	13	2	11	-	-
32	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	12	...	6	...	6	1	...	1	...	-
33	BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	19	9	9	-	1	4	-	4	-	-
34	OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	18	6	7	4	1	6	1	5	-	-
35	UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	-	...	-	...	-
36	NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	79	31	31	12	5	1	1	-	-	-
37	OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	23	8	11	1	3	1	-	1	-	-
38	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	904	286	308	117	193	133	62	65	2	4
39	ASTHMA....241	97	36	24	13	24	22	18	4	-	-
40	NONTOXIC GOITER....250,251	1	-	1	-	-	-	-	-	-	-
41	THYROTOXICOSIS WITH OR WITHOUT GOITER....252	9	1	4	-	4	1	-	1	-	-
42	ALL OTHER DISEASES OF THYROID GLAND....253,254	9	3	6	-	-	5	2	3	-	-
43	DIABETES MELLITUS....260	662	202	231	88	141	94	36	53	2	3
44	DISEASES OF THYMUS GLAND....273	1	1	-	-	-	-	-	-	-	-
45	DISEASES OF ADRENAL GLANDS....274	7	1	4	1	1	2	1	1	-	-
46	PELLAGRA....281	-	-	-	-	-	-	-	-	-	-
47	OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	38	8	11	8	11	2	1	1	-	-
48	CYSTIC FIBROSIS....289A	19	9	7	2	1	1	-	-	-	1
49	ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	61	25	20	5	11	6	4	2	-	-
50	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	135	40	43	28	24	9	7	2	-	-
51	ANEMIAS....290-293	91	20	27	23	21	8	6	2	-	-
52	PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	5	2	2	1	-	2	2	-	-	-
53	ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	86	18	25	22	21	6	4	2	-	-
54	PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	15	5	6	3	1	-	-	-	-	-
55	OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	29	15	10	2	2	1	1	-	-	-
56	V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	173	84	30	40	19	9	7	2	-	-
57	SENILE PSYCHOSIS....304	3	1	2	-	-	-	-	-	-	-
58	ALCOHOLIC PSYCHOSIS....307	19	13	3	3	-	3	3	-	-	-
59	OTHER PSYCHOSES....300-303,305,306,308,309	27	11	10	3	3	1	1	-	-	-
60	ALCOHOLISM....322	105	52	8	32	13	4	3	1	-	-
61	MENTAL DEFICIENCY....325	15	6	5	2	2	-	-	-	-	-
62	OTHER DISORDERS OF PERSONALITY....RESIDUAL	4	1	2	-	1	1	-	1	-	-
63	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	5,807	1,966	2,092	872	877	717	352	355	4	6
64	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	5,451	1,842	1,982	795	832	658	313	336	4	5
65	SUBARACHNOID HEMORRHAGE....330	209	76	80	21	32	21	9	8	2	2
66	CEREBRAL HEMORRHAGE....331	3,039	971	1,045	512	511	414	192	219	1	2
67	CEREBRAL EMBOLISM AND THROMBOSIS....332	1,725	648	665	199	213	171	85	84	1	1
68	OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	478	147	192	63	76	52	27	25	-	-
69	MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	54	14	12	14	14	5	4	1	-	-
70	MULTIPLE SCLEROSIS....345	29	7	16	4	2	8	5	3	-	-
71	PARALYSIS AGITANS....350	42	19	17	4	2	11	6	5	-	-
72	CEREBRAL SPASTIC INFANTILE PARALYSIS....351	22	6	9	6	1	1	-	-	-	1
73	EPILEPSY....353	53	20	7	15	11	10	9	1	-	-
74	INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
75	CATARACT....385	2	-	2	-	-	-	-	-	-	-
76	GLAUCOMA....387	-	-	-	-	-	-	-	-	-	-
77	OTITIS MEDIA AND MASTOIDITIS....391-393	10	3	2	3	2	-	-	-	-	-
78	OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	144	55	45	31	13	24	15	9	-	-

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

OHIO					OKLAHOMA					OREGON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,921	2,234	437	212	38	645	495	106	32	12	564	466	89	8	1	01
169	137	17	13	2	18	14	1	3	-	24	18	4	2	-	02
1,186	903	175	95	13	187	149	30	6	2	304	259	41	3	1	03
1,508	1,154	233	100	21	428	328	67	23	10	224	181	40	3	-	04
58	40	12	4	2	12	4	8	-	-	12	8	4	-	-	05
1,492	10	1,375	3	104	268	2	251	-	15	219	5	210	-	4	06
2,344	854	1,245	120	125	567	240	263	30	34	409	190	215	2	2	07
486	...	424	...	62	87	...	77	...	10	63	...	61	...	2	08
340	...	312	...	28	91	...	77	...	14	52	...	52	...	-	09
499	...	467	...	32	112	...	102	...	10	95	...	95	...	-	10
45	...	42	...	3	7	...	7	...	-	7	...	7	...	-	11
919	801	...	118	...	256	227	...	29	...	184	182	...	2	...	12
55	53	...	2	...	14	13	...	1	...	8	8	...	-	...	13
852	517	281	33	21	162	101	48	9	4	146	90	52	2	2	14
345	214	114	10	7	61	36	20	4	1	53	33	17	1	2	15
507	303	167	23	14	101	65	28	5	3	93	57	35	1	-	16
1,538	804	623	62	49	545	293	217	20	15	321	175	144	-	2	17
213	120	87	5	1	83	56	25	1	1	42	21	21	-	-	18
13	8	4	1	-	4	2	2	-	-	5	2	3	-	-	19
367	204	141	12	10	96	54	34	6	2	101	60	41	-	-	20
52	13	38	-	1	14	4	9	1	-	16	7	9	-	-	21
90	46	33	5	6	45	29	14	1	1	12	11	-	-	1	22
61	25	29	3	4	18	12	6	-	-	8	4	4	-	-	23
82	49	27	3	3	38	20	14	2	2	11	7	4	-	-	24
660	339	264	33	24	247	116	113	9	9	126	63	62	-	1	25
685	367	287	18	13	230	122	90	14	4	173	116	54	2	1	26
823	448	321	25	29	173	90	74	4	5	155	96	57	2	-	27
381	220	147	9	5	74	37	32	3	2	71	44	26	1	-	28
187	108	71	4	4	40	22	16	-	2	43	26	17	-	-	29
255	120	103	12	20	59	31	26	1	1	41	26	14	1	-	30
223	79	106	11	27	56	18	36	2	-	49	20	29	-	-	31
21	...	13	...	8	5	...	5	...	-	5	...	5	...	-	32
57	20	27	2	8	13	5	7	1	-	18	8	10	-	-	33
63	24	27	5	7	8	1	7	-	-	11	5	6	-	-	34
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	35
43	15	21	4	3	18	10	7	1	-	7	5	2	-	-	36
37	20	16	-	1	12	2	10	-	-	8	2	6	-	-	37
2,893	1,055	1,543	108	187	587	224	265	41	57	383	173	201	6	3	38
210	103	71	19	17	75	43	20	9	3	50	32	18	-	-	39
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	40
28	3	21	1	3	3	-	3	-	-	6	1	5	-	-	41
14	2	11	-	1	9	2	7	-	-	1	-	1	-	-	42
2,346	816	1,296	80	154	404	144	186	26	48	267	112	147	5	3	43
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	44
29	5	23	1	-	6	4	2	-	-	6	2	4	-	-	45
1	-	-	1	-	1	-	1	-	-	1	1	-	-	-	46
62	25	30	4	3	34	11	20	2	1	17	10	7	-	-	47
26	18	8	-	-	9	4	5	-	-	4	2	2	-	-	48
176	82	83	2	9	46	16	21	4	5	29	12	16	1	-	49
315	137	132	24	22	82	36	38	3	5	51	26	23	1	1	50
178	72	75	16	15	54	24	24	2	4	30	16	13	1	-	51
22	9	12	1	-	7	2	4	1	-	9	5	3	1	-	52
156	63	63	15	15	47	22	20	1	4	21	11	10	-	-	53
46	19	21	2	4	13	4	8	-	1	13	5	7	-	1	54
91	46	36	6	3	15	8	6	1	-	8	5	3	-	-	55
252	132	65	42	13	76	48	16	10	2	51	33	17	1	-	56
14	3	10	-	1	8	4	3	-	1	6	1	5	-	-	57
21	15	1	5	-	7	6	-	1	-	7	7	-	-	-	58
43	24	17	1	1	10	5	5	-	-	6	3	3	-	-	59
128	69	15	33	11	42	26	6	9	1	24	18	5	1	-	60
43	21	19	3	-	8	7	1	-	-	6	4	2	-	-	61
3	-	3	-	-	1	-	1	-	-	2	-	2	-	-	62
11,901	5,109	5,803	466	523	3,344	1,496	1,516	168	164	2,437	1,157	1,243	23	14	63
11,143	4,720	5,507	420	496	3,156	1,397	1,446	156	157	2,269	1,068	1,168	22	11	64
449	175	195	27	52	93	30	53	3	7	91	42	44	2	3	65
5,971	2,566	2,938	207	260	1,937	861	882	100	94	1,116	514	580	17	5	66
3,795	1,618	1,863	161	153	787	361	355	36	35	783	385	393	3	2	67
928	361	511	25	31	339	145	156	17	21	279	127	151	-	1	68
98	43	39	9	7	34	24	6	2	2	19	11	8	-	-	69
99	41	54	3	1	9	4	3	-	2	27	10	17	-	-	70
163	92	66	3	2	43	17	24	2	-	47	29	18	-	-	71
44	24	14	2	4	8	5	2	1	-	6	3	2	-	1	72
91	48	20	19	4	23	12	10	-	1	10	6	3	-	1	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
13	7	5	-	1	1	-	1	-	-	4	1	2	1	-	77
250	134	98	10	8	68	36	24	6	2	55	29	25	-	1	78

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	NORTH CAROLINA					NORTH DAKOTA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	VII. DISEASES OF THE CIRCULATORY SYSTEM	16,659	7,504	5,075	2,276	1,804	2,436	1,550	864	18	4
02	DISEASES OF HEART 400-402,410-443	15,092	6,941	4,492	2,050	1,609	2,183	1,421	743	16	3
03	RHEUMATIC FEVER 400-402	9	3	-	3	3	3	1	2	-	-
04	CHRONIC RHEUMATIC HEART DISEASE 410-416	209	75	86	24	24	47	24	22	1	-
05	DISEASES OF MITRAL VALVE 410	70	27	35	3	5	27	13	13	1	-
06	DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	20	12	5	3	-	6	4	2	-	-
07	DISEASES OF PULMONARY VALVE, ETC 413,414	9	4	3	1	1	3	1	2	-	-
08	OTHER RHEUMATIC HEART DISEASES 412,415,416	110	32	43	17	18	11	6	5	-	-
09	ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS 420	10,893	5,587	3,154	1,254	898	1,834	1,241	576	14	3
10	ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	1,873	649	778	228	218	382	225	154	3	-
11	HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	9,011	4,932	2,374	1,025	680	1,451	1,016	421	11	3
12	ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	9	6	2	1	-	1	-	1	-	-
13	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	64	25	25	10	4	20	12	8	-	-
14	OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	-	-	-	-	-	-	-	-	-	-
15	OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	33	20	10	3	-	15	11	4	-	-
16	OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	31	5	15	7	4	5	1	4	-	-
17	OTHER MYOCARDIAL DEGENERATION 422	1,100	396	441	134	129	104	56	48	-	-
18	WITH ARTERIOSCLEROSIS 422.1	962	354	393	106	109	90	48	42	-	-
19	WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	138	42	48	28	20	14	8	6	-	-
20	OTHER DISEASES OF HEART 430-434	1,034	416	260	223	135	86	46	39	1	-
21	ACUTE AND SUBACUTE ENDOCARDITIS 430	8	4	2	1	1	2	1	1	-	-
22	ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	27	6	6	12	3	3	1	2	-	-
23	FUNCTIONAL DISEASE OF HEART 433	311	113	106	48	44	23	9	14	-	-
24	OTHER AND UNSPECIFIED DISEASES OF HEART 434	688	293	146	162	87	58	35	22	1	-
25	HYPERTENSIVE HEART DISEASE 440-443	1,783	439	526	402	416	89	41	48	-	-
26	HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	442	123	127	103	89	21	12	9	-	-
27	OTHER HYPERTENSIVE HEART DISEASE 440,441,443	1,341	316	399	299	327	68	29	39	-	-
28	OTHER HYPERTENSIVE DISEASE 444-447	370	116	102	91	61	32	17	14	-	1
29	HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	238	88	76	49	25	22	13	8	-	1
30	ESSENTIAL HYPERTENSION 444,445,447	132	28	26	42	36	10	4	6	-	-
31	DISEASES OF ARTERIES 450-456	927	346	389	88	104	184	102	80	2	-
32	GENERAL ARTERIOSCLEROSIS 450	667	212	318	61	76	139	69	68	2	-
33	AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	183	110	44	17	12	33	29	4	-	-
34	GANGRENE OF UNSPECIFIED CAUSE 455	9	2	3	3	1	-	-	-	-	-
35	OTHER ARTERIAL DISEASES 452-454,456	68	22	24	7	15	12	4	8	-	-
36	DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS 460-468	270	101	92	47	30	37	10	27	-	-
37	VIII. DISEASES OF THE RESPIRATORY SYSTEM	2,170	932	552	398	288	287	182	90	9	6
38	ACUTE UPPER RESPIRATORY INFECTIONS 470-475	37	11	4	11	11	1	-	1	-	-
39	INFLUENZA 480-483	63	22	17	12	12	6	5	1	-	-
40	PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	1,408	487	403	290	228	183	106	62	9	6
41	LOBAR PNEUMONIA 490	188	75	53	35	25	23	16	6	1	-
42	BRONCHOPNEUMONIA 491	591	221	206	94	70	127	76	43	5	3
43	PRIMARY ATYPICAL PNEUMONIA 492	146	36	23	40	47	16	7	5	2	2
44	PNEUMONIA, OTHER AND UNSPECIFIED 493	483	155	121	121	86	17	7	8	1	1
45	ACUTE BRONCHITIS 500	17	7	3	4	3	4	4	-	-	-
46	BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	107	65	20	13	9	20	13	7	-	-
47	HYPERTROPHY OF TONSILS AND ADENOIDS 510	3	2	-	-	1	-	-	-	-	-
48	EMPYEMA AND ABSCESS OF LUNG 518,521	13	6	3	3	1	1	1	-	-	-
49	PLEURISY 519	1	-	-	1	-	1	1	-	-	-
50	OTHER CHRONIC INTERSTITIAL PNEUMONIA 525	60	30	21	5	4	8	5	3	-	-
51	BRONCHIECTASIS 526	36	18	12	5	1	8	6	2	-	-
52	OTHER DISEASES OF LUNG AND PLEURAL CAVITY 527	363	261	53	39	10	35	30	5	-	-
53	EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	314	241	39	29	5	34	30	4	-	-
54	ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY 527.0,527.2	49	20	14	10	5	1	-	1	-	-
55	OTHER RESPIRATORY DISEASES RESIDUAL	62	23	16	15	8	20	11	9	-	-
56	IX. DISEASES OF THE DIGESTIVE SYSTEM	1,356	589	382	208	177	223	133	82	5	3
57	DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	2	-	1	-	1	1	-	1	-	-
58	ULCER OF STOMACH 540	95	46	20	17	12	16	12	4	-	-
59	ULCER OF DUODENUM 541	87	55	17	11	4	14	11	3	-	-
60	GASTRITIS AND DUODENITIS 543	9	5	3	-	1	5	2	3	-	-
61	APPENDICITIS 550-553	31	15	4	11	1	8	4	4	-	-
62	HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	205	68	80	29	28	40	23	17	-	-
63	GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	120	20	19	44	37	11	7	4	-	-
64	CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	61	24	25	6	6	15	7	7	1	-
65	CIRRHOSIS OF LIVER 581	345	170	92	46	37	50	31	13	4	2
66	WITHOUT MENTION OF ALCOHOLISM 581.0	233	111	64	32	26	30	17	11	1	1
67	WITH ALCOHOLISM 581.1	112	59	28	14	11	20	14	2	3	1
68	CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	85	41	33	1	10	16	5	11	-	-
69	OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	316	145	88	43	40	47	31	15	-	1
70	X. DISEASES OF THE GENITOURINARY SYSTEM	832	280	236	179	137	83	60	19	3	1
71	NEPHRITIS AND NEPHROSIS 590-594	333	104	67	91	71	25	17	6	1	1
72	ACUTE NEPHRITIS 590	15	6	2	4	3	2	2	-	-	-
73	NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	22	12	3	3	4	4	1	2	1	-
74	CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	296	86	62	84	64	19	14	4	-	1
75	INFECTIONS OF KIDNEY 600	299	87	121	44	47	21	11	8	2	-
76	CALCULI OF URINARY SYSTEM 602,604	42	15	21	1	5	-	-	-	-	-
77	OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	74	34	20	17	3	11	10	1	-	-
78	HYPERPLASIA OF PROSTATE 610	60	35	...	25	...	18	18	...	-	...
79	DISEASES OF BREAST 620,621	-	-	-	-	-	-	-	-	-	-
80	OTHER DISEASES OF GENITAL ORGANS RESIDUAL	24	5	7	1	11	8	4	4	-	-

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

OHIO					OKLAHOMA					OREGON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
44,226	23,356	17,815	1,667	1,388	9,630	5,524	3,358	393	355	7,775	4,682	2,989	73	31	01
39,472	21,188	15,630	1,470	1,184	8,671	5,053	2,960	360	298	6,936	4,266	2,575	67	28	02
17	4	8	2	3	4	1	2	1	-	2	1	1	-	-	03
883	375	462	19	27	98	47	38	4	9	198	85	110	2	1	04
362	136	208	5	13	41	22	15	-	4	74	36	37	-	1	05
114	76	30	5	3	10	7	3	-	-	33	18	15	-	-	06
43	19	23	1	-	5	3	1	-	1	18	8	10	-	-	07
364	144	201	8	11	42	15	19	4	4	73	23	48	2	-	08
30,850	17,717	11,413	1,006	714	6,988	4,292	2,226	272	198	5,672	3,655	1,950	49	18	09
8,695	3,941	4,245	271	238	1,268	640	522	56	50	1,373	726	628	17	2	10
22,139	13,766	7,163	735	475	5,714	3,647	1,704	216	147	4,298	2,929	1,321	32	16	11
16	10	5	-	1	6	5	-	-	1	1	-	1	-	-	12
219	113	88	9	9	40	19	15	3	3	56	33	23	-	-	13
9	6	2	-	1	1	1	-	-	-	2	1	1	-	-	14
131	78	41	7	5	20	11	5	2	2	45	27	18	-	-	15
79	29	45	2	3	19	7	10	1	1	9	5	4	-	-	16
2,638	1,103	1,365	91	79	437	198	209	17	13	261	132	123	3	3	17
2,235	939	1,160	74	62	276	128	132	8	8	213	104	104	3	2	18
403	164	205	17	17	161	70	77	9	5	48	28	19	-	1	19
1,360	632	606	54	68	591	305	235	24	27	272	153	115	2	2	20
43	26	15	2	-	8	5	1	1	1	12	9	3	-	-	21
79	40	25	5	9	15	9	5	-	1	7	2	5	-	-	22
428	198	204	6	20	154	76	70	3	5	90	49	39	-	2	23
810	368	362	41	39	414	215	159	20	20	163	93	68	2	-	24
3,505	1,244	1,688	289	284	513	191	235	39	48	475	207	253	11	4	25
1,130	483	487	95	65	119	49	54	10	6	159	80	76	2	1	26
2,375	761	1,201	194	219	394	142	181	29	42	316	127	177	9	3	27
695	293	306	51	45	152	73	60	4	15	62	35	26	-	1	28
441	208	182	28	23	84	44	34	2	4	41	27	14	-	-	29
254	85	124	23	22	68	29	26	2	11	21	8	12	-	1	30
3,442	1,623	1,607	103	109	664	329	280	21	34	674	327	341	5	1	31
2,545	1,066	1,334	67	78	491	230	225	15	21	475	203	269	2	1	32
684	452	196	26	10	119	76	33	4	6	161	108	52	1	-	33
4	4	-	-	-	5	1	2	-	2	1	-	1	-	-	34
209	101	77	10	21	49	22	20	2	5	37	16	19	2	-	35
617	252	272	43	50	143	69	58	8	8	103	54	47	1	1	36
4,755	2,807	1,448	324	176	1,242	727	411	67	37	914	620	272	14	8	37
83	40	17	15	11	11	4	5	2	-	6	3	3	-	-	38
145	63	74	3	5	56	21	25	7	3	4	-	4	-	-	39
2,436	1,221	941	167	107	686	334	285	37	30	524	317	192	9	6	40
397	204	138	34	21	85	41	35	5	4	48	32	15	1	-	41
1,473	735	573	97	68	308	161	121	13	13	281	172	104	3	2	42
288	139	122	15	12	59	27	26	1	5	70	42	24	2	2	43
278	143	108	21	6	234	105	103	18	8	125	71	49	3	2	44
83	36	35	10	2	12	10	2	-	-	8	6	2	-	-	45
296	200	69	19	8	45	29	9	6	1	44	35	8	1	-	46
9	4	5	-	-	1	1	-	-	-	-	-	-	-	-	47
38	17	13	5	3	9	8	1	-	-	5	4	-	1	-	48
7	4	2	1	-	1	1	-	-	-	1	-	1	-	-	49
267	157	66	23	21	42	22	16	2	2	33	18	14	1	-	50
94	47	41	5	1	16	12	3	1	-	14	6	6	1	1	51
1,120	899	143	63	15	326	266	48	11	1	250	220	28	1	1	52
1,051	858	120	62	11	298	251	38	8	1	231	207	22	1	1	53
69	41	23	1	4	28	15	10	3	-	19	13	6	-	-	54
177	119	42	13	3	37	19	17	1	-	25	11	14	-	-	55
3,717	1,906	1,469	183	159	844	422	327	44	51	700	440	240	10	10	56
5	3	-	1	1	-	-	-	-	-	1	1	-	-	-	57
330	190	112	13	15	55	34	20	1	-	61	44	14	2	1	58
288	203	63	18	4	75	59	15	1	-	54	48	6	-	-	59
27	18	5	1	3	5	3	2	-	-	4	4	-	-	-	60
87	46	27	12	2	27	17	6	1	3	11	8	3	-	-	61
553	230	279	22	22	130	50	70	5	5	90	45	45	-	-	62
138	51	75	6	6	33	9	14	6	4	22	10	9	2	1	63
244	97	132	4	11	42	13	26	2	1	34	15	15	-	-	64
1,191	674	387	67	63	223	124	65	14	20	259	183	65	5	6	65
839	477	286	41	35	183	107	56	8	12	120	77	39	1	3	66
352	197	101	26	28	40	17	9	6	8	139	106	26	4	3	67
267	110	149	4	4	74	25	40	-	9	51	24	27	-	-	68
587	284	240	35	28	180	88	69	14	9	113	58	52	1	2	69
1,507	782	523	105	97	549	256	191	58	44	251	155	86	6	4	70
554	266	207	39	42	253	100	89	34	30	91	55	32	2	2	71
20	5	11	2	2	14	4	8	-	2	4	-	4	-	-	72
39	18	15	5	1	15	5	8	2	-	10	6	4	-	-	73
495	243	181	32	39	224	91	73	32	28	77	49	24	2	2	74
540	233	226	36	45	153	65	70	9	9	90	47	40	1	2	75
49	25	21	2	1	14	8	6	-	-	10	6	4	-	-	76
137	76	41	14	6	48	22	18	6	2	22	14	8	-	-	77
164	153	...	11	...	55	48	...	7	...	31	29	...	2	...	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
63	29	28	3	3	26	13	8	2	3	7	4	2	1	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	NORTH CAROLINA					NORTH DAKOTA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	39	...	12	...	27	3	...	3	...	-
02	SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	5	...	2	...	3	-	...	-	...	-
03	TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	10	...	3	...	7	-	...	-	...	-
04	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	5	...	1	...	4	-	...	-	...	-
05	ECTOPIC PREGNANCY.....645	2	...	-	...	2	-	...	-	...	-
06	ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	-	...	-	...	-
07	ABORTION WITH SEPSIS.....651	6	...	1	...	5	-	...	-	...	-
08	ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	1	...	-	...	1	-	...	-	...	-
09	OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	10	...	5	...	5	3	...	3	...	-
10	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	74	16	24	12	22	8	4	4	-	-
11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	13	4	5	3	1	1	1	-	-	-
12	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	61	12	19	9	21	7	3	4	-	-
13	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	103	46	33	13	11	11	7	4	-	-
14	ARTHRITIS AND SPONDYLITIS.....720-725	52	22	19	4	7	3	2	1	-	-
15	MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-
16	OSTEOMYELITIS AND PERIOSTITIS.....730	4	1	1	1	1	2	1	1	-	-
17	ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	3	1	-	2	-	-	-	-	-	-
18	INBORN DEFECT OF MUSCLE.....744.1	24	16	4	3	1	2	2	-	-	-
19	OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	20	6	9	3	2	4	2	2	-	-
20	XIV. CONGENITAL MALFORMATIONS	526	207	185	72	62	59	33	25	-	1
21	SPINA BIFIDA AND MENINGOCELE.....751	60	25	28	4	3	2	1	1	-	-
22	CONGENITAL HYDROCEPHALUS, ETC.....752,753	58	12	25	15	6	9	4	4	-	1
23	CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	241	95	82	29	35	29	17	12	-	-
24	OTHER CONGENITAL MALFORMATIONS.....750,755-759	167	75	50	24	18	19	11	8	-	-
25	XV. CERTAIN DISEASES OF EARLY INFANCY	1,619	534	335	423	327	174	91	67	9	7
26	XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	1,006	302	160	267	277	38	16	16	3	3
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	95	22	31	19	23	15	4	10	1	-
28	SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	911	280	129	248	254	23	12	6	2	3
29	XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	4,191	2,107	680	1,058	346	455	329	95	23	8
30	ACCIDENTS.....E800-E962	3,221	1,638	554	747	282	392	281	87	19	5
31	RAILWAY ACCIDENTS.....E800-E802	31	17	-	14	-	4	1	-	3	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E835	1,636	917	252	359	108	178	130	39	6	3
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	1,604	903	245	353	103	174	126	39	6	3
34	TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	57	27	9	16	5	10	8	2	-	-
35	TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	288	131	32	90	35	14	10	2	1	1
36	OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	611	331	135	107	38	93	64	24	3	2
37	NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	574	375	53	123	23	55	42	11	2	-
38	TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	74	39	16	17	2	2	2	-	-	-
39	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	32	14	7	6	5	4	4	-	-	-
40	OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	5	3	-	2	-	1	-	1	-	-
41	WATER TRANSPORT ACCIDENTS.....E850-E858	49	43	-	6	-	5	4	1	-	-
42	AIRCRAFT ACCIDENTS.....E860-E866	19	17	1	1	-	7	7	-	-	-
43	ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	60	33	11	13	3	4	3	1	-	-
44	ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	23	10	6	5	2	8	7	1	-	-
45	ACCIDENTAL FALLS.....E900-E904	338	135	144	38	21	54	33	20	-	1
46	FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	99	48	25	19	7	18	16	2	-	-
47	FALL ON SAME LEVEL.....E903	56	16	33	5	2	19	11	7	-	1
48	UNSPECIFIED FALLS.....E904	183	71	86	14	12	17	6	11	-	-
49	BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	44	22	1	20	1	6	5	1	-	-
50	ACCIDENT CAUSED BY MACHINERY.....E912	53	43	1	9	-	21	18	3	-	-
51	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	41	32	4	4	1	3	2	1	-	-
52	ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	267	96	37	72	62	18	14	4	-	-
53	ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	12	4	2	5	1	2	2	-	-	-
54	ACCIDENT CAUSED BY FIREARM.....E919	99	54	10	28	7	13	9	-	4	-
55	INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	61	13	19	13	16	4	1	3	-	-
56	ACCIDENTAL DROWNING.....E929	199	106	17	71	5	16	13	3	-	-
57	EXCESSIVE HEAT AND INSOLATION.....E931	4	1	-	3	-	-	-	-	-	-
58	COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	49	16	15	9	9	3	1	2	-	-
59	ALL OTHER ACCIDENTS.....RESIDUAL	231	76	34	75	46	45	31	7	6	1
60	SUICIDE.....E963,E970-E979	461	348	89	41	3	57	47	7	2	1
61	SUICIDE BY POISONING.....E970-E973	67	45	21	1	-	11	8	3	-	-
62	SUICIDE BY HANGING AND STRANGULATION.....E974	34	27	1	6	-	11	9	1	1	-
63	SUICIDE BY FIREARM AND EXPLOSIVE.....E976	335	258	47	28	2	30	28	1	1	-
64	SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	45	18	20	6	1	5	2	2	-	1
65	HOMICIDE.....E964,E980-E985	488	120	37	270	61	6	1	1	2	2
66	ASSAULT BY FIREARM AND EXPLOSIVE.....E981	345	82	29	200	34	2	1	1	-	-
67	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	82	15	3	52	12	3	-	-	2	1
68	ASSAULT BY OTHER MEANS.....E964,E980,E983	56	20	5	16	15	1	-	-	-	1
69	INJURY BY INTERVENTION OF POLICE.....E984	5	3	-	2	-	-	-	-	-	-
70	EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
71	INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	1	1	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

OHIO					OKLAHOMA					OREGON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
42	...	29	...	13	14	...	12	...	2	1	...	1	...	-	01
8	...	5	...	3	1	...	-	...	1	-	...	-	...	-	02
4	...	3	...	1	-	...	-	...	-	-	...	-	...	-	03
9	...	7	...	2	6	...	6	...	-	1	...	1	...	-	04
2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	05
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	06
3	...	2	...	1	1	...	-	...	1	-	...	-	...	-	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
15	...	10	...	5	5	...	5	...	-	-	...	-	...	-	09
98	21	60	2	15	19	5	10	-	4	18	6	10	-	2	10
20	7	12	-	1	4	2	1	-	1	6	5	-	-	1	11
78	14	48	2	14	15	3	9	-	3	12	1	10	-	1	12
238	98	132	1	7	55	27	25	-	3	45	20	24	-	1	13
118	34	80	-	4	31	9	19	-	3	24	8	15	-	1	14
6	1	4	-	1	-	-	-	-	-	1	-	1	-	-	15
20	10	9	-	1	3	2	1	-	-	1	-	1	-	-	16
7	2	5	-	-	1	1	-	-	-	2	-	2	-	-	17
42	28	13	1	-	15	14	1	-	-	10	9	1	-	-	18
45	23	21	-	1	5	1	4	-	-	7	3	4	-	-	19
1,064	501	437	64	62	210	108	77	16	9	168	86	79	1	2	20
67	27	35	1	4	16	5	10	1	-	6	2	4	-	-	21
112	52	51	6	3	28	9	13	5	1	16	9	6	-	1	22
532	258	204	33	37	93	53	29	5	6	89	46	42	-	1	23
353	164	147	24	18	73	41	25	5	2	57	29	27	1	-	24
2,680	1,306	882	284	208	583	292	174	74	43	376	207	149	8	12	25
680	314	236	78	52	593	290	208	58	37	191	102	81	6	2	26
50	14	34	-	2	77	25	47	3	2	39	12	26	1	-	27
630	300	202	78	50	516	265	161	55	35	152	90	55	5	2	28
6,729	4,040	1,988	501	200	1,906	1,169	499	173	65	1,704	1,178	464	46	16	29
5,177	3,125	1,602	307	143	1,551	923	443	127	58	1,326	913	370	34	9	30
51	45	3	3	-	13	11	-	2	-	9	9	-	-	-	31
2,369	1,554	642	131	42	759	446	216	64	33	670	454	201	12	3	32
2,326	1,525	631	129	41	734	432	207	63	32	651	441	195	12	3	33
97	59	34	4	-	29	18	10	1	-	19	15	4	-	-	34
391	256	87	31	17	91	50	22	13	6	74	42	27	5	-	35
1,009	624	323	49	13	367	206	125	22	14	255	168	84	2	1	36
530	373	116	30	11	210	137	39	22	12	166	120	43	1	2	37
299	213	71	15	-	37	21	11	5	-	137	96	37	4	-	38
43	29	11	2	1	25	14	9	1	1	19	13	6	-	-	39
9	6	3	-	-	7	5	2	-	-	3	1	2	-	-	40
38	33	1	4	-	9	9	-	-	-	30	27	1	2	-	41
50	40	10	-	-	39	30	9	-	-	22	19	3	-	-	42
73	28	36	4	5	31	19	6	4	2	17	9	7	1	-	43
115	72	26	6	11	23	13	8	2	-	7	5	1	1	-	44
1,203	534	599	44	26	243	108	123	8	4	166	95	69	2	-	45
384	215	130	28	11	57	36	15	6	-	63	41	21	1	-	46
394	166	209	10	9	59	18	40	1	-	37	17	20	-	-	47
425	153	260	6	6	127	54	68	1	4	66	37	28	1	-	48
63	53	3	7	-	20	18	2	-	-	51	47	2	1	1	49
94	85	7	2	-	39	37	1	1	-	39	32	3	4	-	50
51	43	4	3	1	27	23	1	3	-	13	12	1	-	-	51
292	152	90	28	22	85	38	24	14	9	76	41	27	3	5	52
16	9	5	1	1	4	3	1	-	-	1	1	-	-	-	53
89	71	10	4	4	41	30	5	5	1	30	26	3	1	-	54
91	49	26	4	12	19	9	7	2	1	23	14	9	-	-	55
216	156	31	25	4	67	50	8	7	2	97	72	20	5	-	56
4	1	2	1	-	4	4	-	-	-	-	-	-	-	-	57
52	21	22	3	6	14	8	6	-	-	12	6	6	-	-	58
301	173	82	37	9	107	62	24	15	6	60	43	15	2	-	59
1,134	772	317	29	16	241	191	44	6	-	300	221	68	6	5	60
320	165	147	3	5	50	28	22	-	-	89	45	42	1	1	61
212	149	57	4	2	29	22	3	4	-	31	27	2	1	1	62
495	401	73	17	4	151	132	17	2	-	166	141	19	4	2	63
107	57	40	5	5	11	9	2	-	-	14	8	5	-	1	64
418	143	69	165	41	113	54	12	40	7	77	43	26	6	2	65
251	90	40	99	22	81	39	9	30	3	44	24	12	6	2	66
66	10	7	43	6	15	6	-	6	3	6	3	3	-	-	67
82	33	22	14	13	14	7	3	3	1	23	12	11	-	-	68
19	10	-	9	-	3	2	-	1	-	3	3	-	-	-	69
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	70
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	71

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	PENNSYLVANIA					RHODE ISLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	ALL CAUSES	125,972	63,954	51,899	5,681	4,438	9,683	5,185	4,259	139	100
02	I. INFECTIVE AND PARASITIC DISEASES	1,230	702	291	155	82	73	49	17	5	2
03	TUBERCULOSIS, ALL FORMS 001-019	628	385	98	105	40	30	23	5	2	-
04	TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	598	370	92	102	34	30	23	5	2	-
05	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	3	3	-	-	-	-	-	-	-	-
06	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	2	-	-	-	2	-	-	-	-	-
07	TUBERCULOSIS OF BONES AND JOINTS 012,013	3	2	1	-	-	-	-	-	-	-
08	TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	8	3	2	1	2	-	-	-	-	-
09	DISSEMINATED TUBERCULOSIS 019	14	7	3	2	2	-	-	-	-	-
10	SYPHILIS AND ITS SEQUELAE 020-029	198	124	38	25	11	14	8	3	1	2
11	CONGENITAL SYPHILIS 020	-	-	-	-	-	-	-	-	-	-
12	EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
13	ANEURYSM OF AORTA 022	140	95	28	11	6	8	7	1	-	-
14	OTHER CARDIOVASCULAR SYPHILIS 023	33	15	7	8	3	4	1	2	-	1
15	TABES DORSALIS 024	1	-	1	-	-	-	-	-	-	-
16	GENERAL PARALYSIS OF INSANE 025	7	4	-	3	-	-	-	-	-	-
17	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	14	9	2	2	1	1	-	-	-	1
18	ALL OTHER SYPHILIS 027-029	3	1	-	1	1	1	-	-	1	-
19	GONOCOCCAL INFECTION 030-035	-	-	-	-	-	-	-	-	-	-
20	TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
21	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	1	1	-	-	-	1	1	-	-	-
22	CHOLERA 043	-	-	-	-	-	-	-	-	-	-
23	BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
24	DYSENTERY, ALL FORMS 045-048	3	2	-	-	1	2	-	2	-	-
25	FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	-	-	-	-	-
26	SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
27	STREPTOCOCCAL SORE THROAT 051	1	-	1	-	-	-	-	-	-	-
28	ERYSIPELAS 052	1	-	1	-	-	-	-	-	-	-
29	SEPTICEMIA AND PYEMIA 053	168	79	64	11	14	9	6	3	-	-
30	DIPHTHERIA 055	-	-	-	-	-	-	-	-	-	-
31	WHOOPING COUGH 056	2	-	2	-	-	-	-	-	-	-
32	MENINGOCOCCAL INFECTIONS 057	40	20	14	3	3	4	3	1	-	-
33	PLAGUE 058	-	-	-	-	-	-	-	-	-	-
34	LEPROSY 060	-	-	-	-	-	-	-	-	-	-
35	TETANUS 061	4	2	1	1	-	-	-	-	-	-
36	ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
37	ACUTE POLIOMYELITIS 080	-	-	-	-	-	-	-	-	-	-
38	LATE EFFECTS OF ACUTE POLIOMYELITIS 081	7	6	1	-	-	-	-	-	-	-
39	ACUTE INFECTIOUS ENCEPHALITIS 082	24	12	10	1	1	-	-	-	-	-
40	LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	3	1	2	-	-	-	-	-	-	-
41	SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
42	MEASLES 085	12	5	6	1	-	-	-	-	-	-
43	YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
44	INFECTIOUS HEPATITIS 092	30	13	16	1	-	3	2	1	-	-
45	RABIES 094	-	-	-	-	-	-	-	-	-	-
46	TICK-BORNE TYPHUS 104	1	-	1	-	-	-	-	-	-	-
47	ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
48	MALARIA 110-117	2	2	-	-	-	-	-	-	-	-
49	SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
50	HYDATID DISEASE 125	1	1	-	-	-	-	-	-	-	-
51	FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
52	ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
53	OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	-	-	-	-	-
54	ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	104	49	36	7	12	10	6	2	2	-
55	II. NEOPLASMS	21,016	10,345	9,060	941	670	1,780	955	789	25	11
56	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	20,658	10,171	8,910	923	654	1,753	945	773	25	10
57	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	432	316	85	22	9	39	33	6	-	-
58	OF LIP 140	4	4	-	-	-	2	1	1	-	-
59	OF TONGUE 141	118	82	29	5	2	8	8	-	-	-
60	OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	135	91	32	9	3	16	13	3	-	-
61	OF PHARYNX 145-148	175	139	24	8	4	13	11	2	-	-
62	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	6,985	3,439	3,019	322	205	653	356	283	10	4
63	OF ESOPHAGUS 150	428	293	69	51	15	36	30	6	-	-
64	OF STOMACH 151	1,279	708	443	98	30	122	65	50	5	2
65	OF SMALL INTESTINE, INCLUDING DUODENUM 152	48	25	16	4	3	4	2	2	-	-
66	OF LARGE INTESTINE, EXCEPT RECTUM 153	2,465	1,076	1,253	62	74	249	128	120	1	-
67	CECUM, APPENDIX, AND ASCENDING COLON 153.0	324	136	166	9	13	44	22	22	-	-
68	TRANSVERSE COLON 153.1	126	51	65	5	5	13	10	3	-	-
69	DESCENDING COLON 153.2	101	50	49	1	1	8	4	4	-	-
70	SIGMOID COLON 153.3	456	183	249	12	12	51	27	23	1	-
71	MULTIPLE PARTS OF LARGE INTESTINE 153.7	5	3	2	-	-	-	-	-	-	-
72	LARGE INTESTINE, PART UNSPECIFIED 153.8	1,269	568	636	27	38	120	57	63	-	-
73	INTESTINAL TRACT, PART UNSPECIFIED 153.9	184	85	86	8	5	13	8	5	-	-
74	OF RECTUM 154	860	454	361	26	19	97	56	40	-	1
75	OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	445	167	245	15	18	35	12	22	-	1
76	LIVER 155.0	117	70	36	8	3	8	3	5	-	-
77	CT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	328	97	209	7	15	27	9	17	-	1
78	OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	285	137	132	11	5	15	9	6	-	-
79	OF PANCREAS 157	1,048	523	438	51	36	81	46	31	4	-
80	OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	127	56	62	4	5	14	8	6	-	-

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
21,723	7,751	5,396	4,731	3,845	6,529	3,666	2,516	199	148	35,122	16,120	12,093	3,709	3,200	01
300	85	49	94	72	53	25	12	5	11	431	221	119	60	31	02
101	36	8	36	21	26	13	4	3	6	248	141	56	34	17	03
97	36	6	34	19	19	12	3	3	1	229	134	52	29	14	04
2	-	-	1	1	1	-	-	-	1	4	2	-	1	1	05
1	-	-	1	-	1	-	-	-	1	2	1	1	-	-	06
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	07
-	-	-	-	-	2	1	-	-	1	4	3	-	1	-	08
1	-	-	-	1	3	-	1	-	2	8	1	2	3	2	09
48	18	8	15	7	5	4	1	-	-	20	6	2	10	2	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
37	16	8	9	4	4	3	1	-	-	5	3	1	1	-	13
7	1	-	4	2	1	1	-	-	-	9	-	1	7	1	14
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	15
1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	16
2	-	-	2	-	-	-	-	-	-	4	2	-	1	1	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
9	-	-	3	6	3	-	-	1	2	5	-	1	3	1	24
2	1	-	-	1	-	-	-	-	-	1	1	-	-	-	25
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	26
4	1	-	-	3	-	-	-	-	-	3	-	2	1	-	27
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	28
46	12	9	11	14	4	1	2	-	1	29	13	7	5	4	29
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	30
7	-	-	3	4	1	-	-	-	1	1	-	-	-	1	31
26	7	8	7	4	1	-	-	-	1	28	15	9	1	3	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
7	-	2	3	2	-	-	-	-	-	9	5	1	2	1	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	37
1	-	-	1	-	-	-	-	-	-	3	2	1	-	-	38
6	-	2	2	2	3	1	1	1	-	15	4	8	2	1	39
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
6	-	2	1	3	-	-	-	-	-	7	3	3	-	1	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
8	1	5	1	1	1	-	1	-	-	14	4	10	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
3	-	-	2	1	-	-	-	-	-	2	2	-	-	-	53
21	7	4	8	2	8	6	2	-	-	39	21	16	2	-	54
2,802	1,044	889	429	440	1,040	533	483	12	12	5,207	2,269	2,019	483	436	55
2,728	1,022	863	417	426	1,026	523	479	12	12	5,124	2,238	1,989	477	420	56
50	20	9	13	8	16	10	6	-	-	121	77	34	8	2	57
1	1	-	-	-	-	-	-	-	-	10	9	1	-	-	58
13	5	2	4	2	8	5	3	-	-	21	11	9	1	-	59
16	5	6	4	1	4	1	3	-	-	39	21	16	1	1	60
20	9	1	5	5	4	4	-	-	-	51	36	8	6	1	61
775	260	241	149	125	344	173	160	6	5	1,497	583	622	184	108	62
77	27	12	26	12	10	7	3	-	-	85	38	13	24	10	63
152	37	28	50	37	68	43	23	1	1	290	135	80	51	24	64
6	4	2	-	-	4	2	2	-	-	13	5	4	2	2	65
217	79	85	15	38	109	44	64	1	-	503	159	275	34	35	66
21	10	5	1	5	16	8	8	-	-	80	26	43	2	9	67
11	4	3	3	1	6	1	5	-	-	14	4	6	3	1	68
4	-	2	-	2	7	2	5	-	-	18	5	11	1	1	69
14	1	7	2	4	17	6	11	-	-	76	19	46	5	6	70
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	71
154	58	65	9	22	57	25	31	1	-	298	98	164	22	14	72
13	6	3	-	4	6	2	4	-	-	16	7	4	1	4	73
61	18	19	15	9	36	20	15	-	1	121	53	44	15	9	74
42	12	16	4	10	37	16	20	-	1	107	30	57	12	8	75
10	3	2	4	1	12	7	5	-	-	31	11	7	10	3	76
32	9	14	-	9	25	9	15	-	1	76	19	50	2	5	77
39	10	15	7	7	7	3	3	-	1	60	21	25	10	4	78
164	66	59	29	10	67	36	28	2	1	295	132	113	36	14	79
17	7	5	3	2	6	2	2	2	-	23	10	11	-	2	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	PENNSYLVANIA					RHODE ISLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	MALIGNANT NEOPLASMS, ETC.--CON.										
01	MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	3,440	2,610	498	282	50	294	239	47	7	1
02	OF LARYNX....161	162	135	17	8	2	22	17	4	1	-
03	OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	1,269	950	167	130	22	114	95	16	3	-
04	OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	1,944	1,483	295	142	24	151	124	24	2	1
05	OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	65	42	19	2	2	7	3	3	1	-
06	MALIGNANT NEOPLASM OF BREAST....170	1,849	18	1,720	1	110	156	1	155	-	-
07	MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	2,604	954	1,418	93	139	227	94	126	3	4
08	OF CERVIX UTERI....171	463	...	399	...	64	33	...	32	...	1
09	OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	435	...	395	...	40	39	...	38	...	1
10	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	605	...	570	...	35	55	...	53	...	2
11	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	54	...	54	...	-	3	...	3	...	-
12	OF PROSTATE....177	964	872	...	92	...	97	94	...	3	...
13	OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	83	82	...	1	...	-	-	...	-	...
14	MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	975	594	318	38	25	85	61	24	-	-
15	OF KIDNEY....180	363	212	132	16	3	26	15	11	-	-
16	OF BLADDER AND OTHER URINARY ORGANS....181	612	382	186	22	22	59	46	13	-	-
17	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....156B,165,190-199	2,450	1,222	1,056	101	71	143	76	65	1	1
18	OF SKIN....190,191	241	141	89	6	5	25	14	11	-	-
19	OF EYE....192	22	10	11	-	1	-	-	-	-	-
20	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	386	218	152	10	6	34	17	17	-	-
21	OF THYROID GLAND....194	83	24	52	2	5	1	1	-	-	-
22	OF BONE....196	116	67	39	9	1	4	3	1	-	-
23	OF CONNECTIVE TISSUE....197	96	56	30	6	4	4	3	1	-	-
24	OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	126	74	48	2	4	7	2	5	-	-
25	OF UNSPECIFIED SITES....156B,165,198,199B	1,378	632	635	66	45	68	36	30	1	1
26	LEUKEMIA AND ALEUKEMIA....204	881	480	361	22	18	65	35	27	3	-
27	LYMPHOSARCOMA, ETC....200-203,205	1,042	538	435	42	27	91	50	40	1	-
28	LYMPHOSARCOMA AND RETICULOSARCOMA....200	497	254	218	17	8	39	23	16	-	-
29	HODGKINS DISEASE....201	232	145	76	7	4	19	12	7	-	-
30	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	313	139	141	18	15	33	15	17	1	-
31	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	358	174	150	18	16	27	10	16	-	1
32	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	16	...	12	...	4	1	...	1	...	-
33	BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	48	14	28	2	4	7	2	4	-	1
34	OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	65	43	18	4	-	3	1	2	-	-
35	UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	1	...	1	...	-	-	...	-	...	-
36	NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	151	78	60	7	6	9	5	4	-	-
37	OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	77	39	31	5	2	7	2	5	-	-
38	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	3,539	1,276	1,938	119	206	280	109	168	2	1
39	ASTHMA....241	270	149	97	11	13	18	9	9	-	-
40	NONTOXIC GOITER....250,251	5	-	4	1	-	-	-	-	-	-
41	THYROTOXICOSIS WITH OR WITHOUT GOITER....252	31	7	20	3	1	2	-	2	-	-
42	ALL OTHER DISEASES OF THYROID GLAND....253,254	30	6	23	-	1	1	-	1	-	-
43	DIABETES MELLITUS....260	2,863	968	1,648	80	167	236	90	143	2	1
44	DISEASES OF THYMUS GLAND....273	6	6	-	-	-	-	-	-	-	-
45	DISEASES OF ADRENAL GLANDS....274	28	6	19	2	1	3	1	2	-	-
46	PELLAGRA....281	-	-	-	-	-	-	-	-	-	-
47	OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	106	39	50	8	9	6	3	3	-	-
48	CYSTIC FIBROSIS....289A	24	10	13	1	-	6	3	3	-	-
49	ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	176	85	64	13	14	8	3	5	-	-
50	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	384	177	170	20	17	20	10	10	-	-
51	ANEMIAS....290-293	236	107	107	10	12	17	8	9	-	-
52	PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	25	12	13	-	-	4	2	2	-	-
53	ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	211	95	94	10	12	13	6	7	-	-
54	PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	45	22	18	2	3	1	-	1	-	-
55	OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	103	48	45	8	2	2	2	-	-	-
56	V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	208	110	56	32	10	24	16	6	-	2
57	SENILE PSYCHOSIS....304	10	5	5	-	-	1	-	1	-	-
58	ALCOHOLIC PSYCHOSIS....307	18	13	-	3	2	5	5	-	-	-
59	OTHER PSYCHOSES....300-303,305,306,308,309	36	9	20	6	1	4	2	1	-	1
60	ALCOHOLISM....322	105	62	15	23	5	13	9	3	-	1
61	MENTAL DEFICIENCY....325	35	20	13	-	2	1	-	1	-	-
62	OTHER DISORDERS OF PERSONALITY....RESIDUAL	4	1	3	-	-	-	-	-	-	-
63	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	13,470	5,685	6,812	429	544	971	424	517	14	16
64	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	12,534	5,249	6,416	374	495	895	393	479	9	14
65	SUBARACHNOID HEMORRHAGE....330	486	176	248	20	42	22	9	12	-	1
66	CEREBRAL HEMORRHAGE....331	6,617	2,818	3,322	206	271	517	231	270	7	9
67	CEREBRAL EMBOLISM AND THROMBOSIS....332	4,342	1,803	2,276	117	146	305	123	177	1	4
68	OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	1,089	452	570	31	36	51	30	20	1	-
69	MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	121	49	42	17	13	12	5	5	1	1
70	MULTIPLE SCLEROSIS....345	104	36	59	1	8	7	2	5	-	-
71	PARALYSIS AGITANS....350	234	125	107	1	1	18	7	10	1	-
72	CEREBRAL SPASTIC INFANTILE PARALYSIS....351	43	20	13	3	7	3	-	2	1	-
73	EPILEPSY....353	103	48	37	15	3	8	5	1	1	1
74	INFLAMMATORY DISEASES OF EYE....370-379	1	1	-	-	-	-	-	-	-	-
75	CATARACT....385	3	1	1	-	1	-	-	-	-	-
76	GLAUCOMA....387	-	-	-	-	-	-	-	-	-	-
77	OTITIS MEDIA AND MASTOIDITIS....391-393	10	5	4	-	1	-	-	-	-	-
78	OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	317	151	133	18	15	28	12	15	1	-

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
503	342	63	78	20	147	117	26	3	1	861	622	114	107	18	01
31	24	2	5	-	10	9	1	-	-	45	29	4	10	2	02
165	123	16	23	3	96	74	20	2	-	351	262	32	51	6	03
298	190	43	50	15	36	30	4	1	1	444	321	69	45	9	04
9	5	2	-	2	5	4	1	-	-	21	10	9	1	1	05
230	2	155	1	72	86	1	85	-	-	433	3	336	1	93	06
453	106	162	76	109	156	76	77	1	2	862	263	406	71	122	07
126	...	66	...	60	14	...	14	...	-	229	...	166	...	63	08
66	...	38	...	28	26	...	25	...	1	108	...	73	...	35	09
72	...	52	...	20	38	...	37	...	1	175	...	153	...	22	10
7	...	6	...	1	1	...	1	...	-	16	...	14	...	2	11
177	102	...	75	...	70	69	...	1	...	312	246	...	66	...	12
5	4	...	1	...	7	7	...	-	...	22	17	...	5	...	13
109	49	30	16	14	55	35	20	-	-	210	117	65	14	14	14
44	23	10	7	4	30	16	14	-	-	83	43	29	5	6	15
65	26	20	9	10	25	19	6	-	-	127	74	36	9	8	16
335	128	106	47	54	110	52	53	2	3	653	331	225	52	45	17
36	18	15	2	1	9	6	3	-	-	126	71	46	3	6	18
-	-	-	-	-	4	1	3	-	-	5	3	2	-	-	19
60	27	19	7	7	21	9	12	-	-	156	88	49	13	6	20
10	1	6	2	1	2	1	1	-	-	23	8	15	-	-	21
14	4	4	2	4	5	2	3	-	-	47	29	15	1	2	22
8	5	1	1	1	6	3	3	-	-	25	10	10	2	3	23
17	6	3	5	3	4	2	1	-	1	19	11	4	1	3	24
190	67	58	28	37	59	28	27	2	2	252	111	84	32	25	25
140	62	45	20	13	50	25	25	-	-	265	132	105	16	12	26
133	53	52	17	11	62	34	27	-	1	222	110	82	24	6	27
55	22	27	4	2	30	17	12	-	1	108	56	40	11	1	28
25	13	8	2	2	15	9	6	-	-	50	28	19	2	1	29
53	18	17	11	7	17	8	9	-	-	64	26	23	11	4	30
74	22	26	12	14	14	10	4	-	-	83	31	30	6	16	31
16	...	7	...	9	-	...	-	...	-	9	...	2	...	7	32
12	5	3	2	2	2	1	1	-	-	25	8	13	1	3	33
11	4	4	3	-	5	3	2	-	-	18	10	6	2	-	34
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	35
27	10	8	7	2	3	3	-	-	-	19	9	4	3	3	36
8	3	4	-	1	4	3	1	-	-	12	4	5	-	3	37
465	106	160	75	124	160	71	81	2	6	705	232	259	69	105	38
35	8	16	7	4	11	7	4	-	-	94	37	30	14	13	39
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	40
5	1	3	-	1	-	-	-	-	-	14	2	6	1	5	41
5	3	2	-	-	1	-	1	-	-	8	2	3	1	2	42
357	79	116	52	110	126	54	65	2	5	469	140	210	44	75	43
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	44
7	2	4	1	-	4	2	1	-	1	7	1	2	4	-	45
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	46
13	3	6	3	1	5	1	4	-	-	34	14	16	2	2	47
9	6	3	-	-	2	1	1	-	-	21	10	10	1	-	48
31	3	9	11	8	11	6	5	-	-	56	25	21	2	8	49
83	18	17	27	21	25	9	15	-	1	107	35	49	8	15	50
61	5	13	23	20	18	6	11	-	1	71	21	29	7	14	51
2	-	1	1	-	4	1	3	-	-	9	2	6	1	-	52
59	5	12	22	20	14	5	8	-	1	62	19	23	6	14	53
9	5	3	-	1	1	1	-	-	-	17	6	10	-	1	54
13	8	1	4	-	6	2	4	-	-	19	8	10	1	-	55
67	27	11	22	7	17	9	5	2	1	131	63	45	12	11	56
3	-	2	-	1	3	1	2	-	-	18	2	14	-	2	57
11	9	-	1	1	1	-	1	-	-	4	2	-	2	-	58
8	1	3	4	-	4	3	-	1	-	24	6	15	2	1	59
41	15	5	17	4	5	3	-	1	1	67	43	9	8	7	60
4	2	1	-	1	4	2	2	-	-	11	6	4	-	1	61
-	-	-	-	-	-	-	-	-	-	7	4	3	-	-	62
3,238	870	840	774	754	844	425	393	14	12	5,179	1,888	2,059	585	647	63
3,046	807	796	729	714	784	398	365	11	10	4,931	1,789	1,981	548	613	64
118	32	38	29	19	14	7	7	-	-	187	64	75	18	30	65
1,805	426	428	497	454	480	239	230	4	7	2,892	1,007	1,105	384	396	66
884	272	267	159	186	192	99	87	4	2	1,349	517	589	111	132	67
239	77	63	44	55	98	53	41	3	1	503	201	212	35	55	68
46	8	9	13	16	8	1	5	1	1	53	19	11	12	11	69
15	3	5	3	4	10	4	6	-	-	15	5	6	2	2	70
21	12	6	1	2	14	6	8	-	-	40	21	17	1	1	71
5	1	1	1	2	4	2	2	-	-	23	10	12	-	1	72
28	8	4	10	6	6	2	2	2	-	33	10	5	12	6	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
2	1	-	1	-	1	1	-	-	-	5	-	1	3	1	77
75	30	19	16	10	17	11	5	-	1	79	34	26	7	12	78

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	PENNSYLVANIA					RHODE ISLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	VII. DISEASES OF THE CIRCULATORY SYSTEM	58,381	30,391	24,860	1,659	1,471	4,687	2,515	2,095	42	35
02	DISEASES OF HEART 400-402,410-443	52,692	27,865	22,121	1,428	1,278	4,307	2,327	1,909	40	31
03	RHEUMATIC FEVER 400-402	34	13	14	3	4	-	-	-	-	-
04	CHRONIC RHEUMATIC HEART DISEASE 410-416	1,247	473	702	31	41	80	37	43	-	-
05	DISEASES OF MITRAL VALVE 410	507	173	303	14	17	23	13	10	-	-
06	DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	117	70	39	5	3	9	7	2	-	-
07	DISEASES OF PULMONARY VALVE, ETC 413,414	84	34	47	-	3	3	-	3	-	-
08	OTHER RHEUMATIC HEART DISEASES 412,415,416	539	196	313	12	18	45	17	28	-	-
09	ARTERIOSCLEROTIC HEART DIS. INCL. CORONARY DIS 420	40,571	23,052	15,780	960	779	3,777	2,102	1,617	32	26
10	ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	10,638	4,789	5,356	239	254	1,294	515	758	9	12
11	HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	29,918	18,253	10,420	720	525	2,479	1,586	856	23	14
12	ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	15	10	4	1	-	4	1	3	-	-
13	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	324	176	122	15	11	14	6	8	-	-
14	OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	9	6	3	-	-	2	1	1	-	-
15	OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	189	120	57	9	3	10	5	5	-	-
16	OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	126	50	62	6	8	2	-	2	-	-
17	OTHER MYOCARDIAL DEGENERATION 422	4,542	1,869	2,462	107	104	126	50	73	1	2
18	WITH ARTERIOSCLEROSIS 422.1	3,860	1,577	2,121	83	79	88	41	45	1	1
19	WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	682	292	341	24	25	38	9	28	-	1
20	OTHER DISEASES OF HEART 430-434	2,054	966	931	91	66	99	48	47	3	1
21	ACUTE AND SUBACUTE ENDOCARDITIS 430	62	34	23	4	1	4	3	1	-	-
22	ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	56	28	20	4	4	3	1	2	-	-
23	FUNCTIONAL DISEASE OF HEART 433	689	298	352	23	16	33	16	16	1	-
24	OTHER AND UNSPECIFIED DISEASES OF HEART 434	1,247	606	536	60	45	59	28	28	2	1
25	HYPERTENSIVE HEART DISEASE 440-443	3,920	1,316	2,110	221	273	211	84	121	4	2
26	HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	1,016	413	526	30	47	34	15	18	1	-
27	OTHER HYPERTENSIVE HEART DISEASE 440,441,443	2,904	903	1,584	191	226	177	69	103	3	2
28	OTHER HYPERTENSIVE DISEASE 444-447	765	296	359	69	41	86	35	49	-	2
29	HYPERTENSIGN WITH ARTERIOLAR NEPHROSCLEROSIS 446	439	200	191	29	19	57	26	30	-	1
30	ESSENTIAL HYPERTENSION 444,445,447	326	96	168	40	22	29	9	19	-	1
31	DISEASES OF ARTERIES 450-456	3,854	1,797	1,897	85	75	235	126	106	1	2
32	GENERAL ARTERIOSCLEROSIS 450	2,861	1,192	1,576	54	39	158	76	80	-	2
33	AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	704	467	207	15	15	62	42	19	1	-
34	GANGRENE OF UNSPECIFIED CAUSE 455	28	16	11	1	-	2	1	1	-	-
35	OTHER ARTERIAL DISEASES 452-454,456	261	122	103	15	21	13	7	6	-	-
36	DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS 460-468	1,070	433	483	77	77	59	27	31	1	-
37	VIII. DISEASES OF THE RESPIRATORY SYSTEM	6,709	4,267	1,880	359	203	462	313	137	8	4
38	ACUTE UPPER RESPIRATORY INFECTIONS 470-475	25	13	9	2	1	4	-	3	1	-
39	INFLUENZA 480-483	99	45	48	2	4	3	2	1	-	-
40	PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	3,597	1,784	1,396	242	175	265	153	104	6	2
41	LOBAR PNEUMONIA 490	533	276	196	39	22	35	24	10	-	1
42	BRONCHOPNEUMONIA 491	1,829	904	709	127	89	134	84	47	3	-
43	PRIMARY ATYPICAL PNEUMONIA 492	455	228	179	17	31	39	22	15	1	1
44	PNEUMONIA, OTHER AND UNSPECIFIED 493	780	376	312	59	33	57	23	32	2	-
45	ACUTE BRONCHITIS 500	57	32	21	2	2	8	4	4	-	-
46	BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	215	146	56	10	3	39	33	5	-	1
47	HYPERTROPHY OF TONSILS AND ADENOIDS 510	4	1	3	-	-	-	-	-	-	-
48	EMPYEMA AND ABSCESS OF LUNG 518,521	80	43	23	10	4	3	1	2	-	-
49	PLEURISY 519	10	6	4	-	-	-	-	-	-	-
50	OTHER CHRONIC INTERSTITIAL PNEUMONIA 525	209	128	68	11	2	10	8	2	-	-
51	BRONCHIECTASIS 526	124	81	33	9	1	8	8	-	-	-
52	OTHER DISEASES OF LUNG AND PLEURAL CAVITY 527	1,194	962	167	54	11	116	101	13	1	1
53	EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	1,068	902	120	41	5	100	90	10	-	-
54	ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY 527.0,527.2	126	60	47	13	6	16	11	3	1	1
55	OTHER RESPIRATORY DISEASES RESIDUAL	1,095	1,026	52	17	-	6	3	3	-	-
56	IX. DISEASES OF THE DIGESTIVE SYSTEM	4,653	2,503	1,780	217	153	387	228	147	6	6
57	DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	3	1	1	-	1	-	-	-	-	-
58	ULCER OF STOMACH 540	342	220	98	19	5	32	21	11	-	-
59	ULCER OF DUODENUM 541	298	204	72	13	9	24	17	7	-	-
60	GASTRITIS AND DUODENITIS 543	27	14	9	2	2	1	1	-	-	-
61	APPENDICITIS 550-553	129	74	45	7	3	15	9	6	-	-
62	HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	751	315	371	38	27	58	29	25	2	2
63	GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	147	63	57	9	18	9	3	6	-	-
64	CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	282	100	162	4	16	26	16	10	-	-
65	CIRRHOSIS OF LIVER 581	1,422	907	413	66	36	132	84	40	4	4
66	WITHOUT MENTION OF ALCOHOLISM 581.0	1,039	643	327	42	27	76	50	22	2	2
67	WITH ALCOHOLISM 581.1	383	264	86	24	9	56	34	18	2	2
68	CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	309	124	176	1	8	27	9	18	-	-
69	OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	943	481	376	58	28	63	39	24	-	-
70	X. DISEASES OF THE GENITOURINARY SYSTEM	1,876	942	651	148	135	135	68	62	3	2
71	NEPHRITIS AND NEPHROSIS 590-594	823	385	308	65	65	52	27	24	1	-
72	ACUTE NEPHRITIS 590	38	17	9	8	4	2	1	1	-	-
73	NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	55	30	16	6	3	5	4	1	-	-
74	CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	730	338	283	51	58	45	22	22	1	-
75	INFECTIONS OF KIDNEY 600	503	203	216	31	53	50	17	32	1	-
76	CALCULI OF URINARY SYSTEM 602,604	80	41	35	4	-	5	3	2	-	-
77	OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	200	106	58	28	8	14	10	3	-	1
78	HYPERPLASIA OF PROSTATE 610	207	189	...	18	...	10	9	...	1	...
79	DISEASES OF BREAST 620,621	-	-	-	-	-	-	-	-	-	-
80	OTHER DISEASES OF GENITAL ORGANS RESIDUAL	63	18	34	2	9	4	2	1	-	1

and Sex: United States and Each State, 1965–Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,451	3,325	2,196	1,603	1,327	2,804	1,681	1,065	39	19	14,166	6,938	4,875	1,227	1,126	01
7,581	3,049	1,961	1,403	1,168	2,534	1,542	940	34	18	12,691	6,310	4,302	1,088	991	02
9	2	1	2	4	3	1	2	-	-	10	3	5	1	1	03
81	28	27	11	15	37	16	18	2	1	192	75	55	10	12	04
36	15	16	2	3	16	6	10	-	-	88	30	47	4	7	05
8	-	3	3	2	7	3	3	1	-	20	16	3	1	-	06
7	4	1	2	-	1	-	-	-	1	4	-	3	-	1	07
30	9	7	4	10	13	7	5	1	-	80	29	42	5	4	08
5,225	2,515	1,372	745	593	2,042	1,304	701	23	14	9,815	5,279	3,186	744	604	09
918	328	305	142	143	376	181	185	7	3	2,461	995	971	270	225	10
4,298	2,184	1,064	602	448	1,665	1,122	516	16	11	7,349	4,282	2,215	473	379	11
9	3	3	1	2	1	1	-	-	-	5	2	2	1	-	12
52	22	8	16	6	7	4	3	-	-	105	35	28	19	23	13
-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	14
23	17	1	3	2	3	3	-	-	-	32	20	7	5	-	15
29	5	7	13	4	4	1	3	-	-	70	14	20	13	23	16
589	161	226	113	89	169	82	84	2	1	848	352	353	65	78	17
500	143	191	89	77	132	61	70	1	-	541	243	213	37	48	18
89	18	35	24	12	37	21	14	1	1	307	109	140	28	30	19
482	147	110	130	95	135	79	50	6	-	465	213	155	55	42	20
5	1	1	2	1	1	-	1	-	-	14	6	4	3	1	21
14	7	2	3	2	2	2	-	-	-	16	5	5	2	4	22
110	30	42	22	16	47	27	20	-	-	146	57	58	19	12	23
353	109	65	103	76	85	50	29	6	-	289	145	88	31	25	24
1,143	174	217	386	366	141	56	82	1	2	1,256	353	478	194	231	25
227	39	45	69	74	32	17	15	-	-	219	74	103	23	19	26
916	135	172	317	292	109	39	67	1	2	1,037	279	375	171	212	27
177	37	29	65	46	45	25	20	-	-	273	105	52	38	38	28
85	25	18	22	20	38	22	16	-	-	174	74	59	17	24	29
92	12	11	43	26	7	3	4	-	-	99	31	33	21	14	30
563	197	157	115	94	196	102	90	3	1	986	430	420	62	74	31
389	115	115	86	73	146	73	70	3	-	742	297	351	42	52	32
121	67	20	25	9	36	23	13	-	-	178	101	48	16	13	33
11	4	3	-	4	2	1	1	-	-	1	1	-	-	-	34
42	11	19	4	8	12	5	6	-	1	65	31	21	4	9	35
130	42	49	20	19	29	12	15	2	-	216	93	61	39	23	36
1,105	407	226	264	208	334	217	73	25	19	2,030	1,010	623	238	159	37
8	4	-	-	4	2	1	1	-	-	13	4	3	6	-	38
56	9	5	21	21	13	9	4	-	-	69	24	28	5	12	39
683	164	162	197	160	184	105	48	16	15	1,213	491	441	168	113	40
158	48	41	35	34	31	17	7	6	1	219	72	58	47	42	41
279	67	71	78	63	92	55	26	4	7	617	269	224	81	43	42
66	11	18	20	17	23	13	8	-	2	62	26	23	10	3	43
180	38	32	64	46	36	20	7	6	5	315	124	136	30	25	44
8	2	1	4	1	2	1	1	-	-	19	6	7	4	2	45
27	12	7	5	3	15	11	3	1	-	108	73	21	12	2	46
1	-	1	-	-	-	-	-	-	-	4	2	-	-	2	47
10	2	1	4	3	2	1	-	-	1	19	11	4	1	3	48
4	3	-	1	-	-	-	-	-	-	2	1	-	1	-	49
53	28	19	3	3	23	12	6	4	1	79	44	28	3	4	50
6	-	2	4	-	5	3	1	-	1	48	23	17	6	2	51
222	171	21	22	8	79	69	7	2	1	413	310	66	26	11	52
188	160	17	11	-	75	68	6	1	-	386	301	56	23	6	53
34	11	4	11	8	4	1	1	1	1	27	9	10	3	5	54
27	12	7	3	5	9	5	2	2	-	43	21	8	6	8	55
679	249	196	129	105	210	115	73	7	15	1,093	493	392	103	105	56
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	57
47	21	12	12	2	15	10	4	-	1	83	51	22	7	3	58
38	21	8	8	1	22	20	2	-	-	84	58	18	6	2	59
8	5	1	-	2	2	-	2	-	-	14	8	4	-	2	60
26	11	3	7	5	4	2	1	1	-	44	23	10	3	8	61
106	27	39	18	22	38	16	15	2	5	160	65	62	20	13	62
101	10	13	39	39	12	5	3	2	2	90	24	32	18	16	63
31	12	14	3	2	7	2	4	-	1	52	18	27	2	5	64
138	74	40	15	9	38	24	8	1	5	257	122	77	28	30	65
114	63	35	9	7	27	17	8	-	2	184	81	61	20	22	66
24	11	5	6	2	11	7	-	1	3	73	41	16	8	8	67
40	14	17	5	4	23	7	15	-	1	96	34	55	1	6	68
143	54	49	21	19	49	29	19	1	-	212	89	85	18	20	69
453	151	104	124	74	90	48	36	4	2	711	295	217	117	82	70
197	62	35	58	42	42	20	20	2	-	279	112	84	47	36	71
13	3	-	6	4	-	-	-	-	-	10	3	3	3	1	72
11	5	2	1	3	4	3	1	-	-	7	3	2	2	-	73
173	54	33	51	35	38	17	19	2	-	262	106	79	42	35	74
158	46	48	39	25	29	13	14	-	2	248	76	102	30	40	75
19	5	9	4	1	1	1	-	-	-	22	10	10	1	1	76
29	10	9	7	3	6	3	2	1	-	61	33	14	13	1	77
35	22	...	13	...	11	10	...	1	...	80	57	...	23	...	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
15	6	3	3	3	1	1	-	-	-	21	7	7	3	4	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	PENNSYLVANIA					RHODE ISLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	42	...	27	...	15	1	...	1	...	-
02	SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	5	...	3	...	2	-	...	-	...	-
03	TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	12	...	10	...	2	1	...	1	...	-
04	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	6	...	4	...	2	-	...	-	...	-
05	ECTOPIC PREGNANCY.....645	3	...	1	...	2	-	...	-	...	-
06	ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	2	...	1	...	1	-	...	-	...	-
07	ABORTION WITH SEPSIS.....651	7	...	3	...	4	-	...	-	...	-
08	ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
09	OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	7	...	5	...	2	-	...	-	...	-
10	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	170	57	94	8	11	14	6	7	1	-
11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	37	17	16	3	1	4	2	2	-	-
12	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	133	40	78	5	10	10	4	5	1	-
13	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	243	103	126	10	4	32	15	16	1	-
14	ARTHRITIS AND SPONDYLITIS.....720-725	120	42	73	2	3	15	7	8	-	-
15	MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	5	3	2	-	-	-	-	-	-	-
16	OSTEOMYELITIS AND PERIOSTITIS.....730	13	4	9	-	-	-	-	-	-	-
17	ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	7	2	5	-	-	1	-	1	-	-
18	INBORN DEFECT OF MUSCLE.....744.1	53	37	13	2	1	7	5	2	-	-
19	OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	45	15	24	6	-	9	3	5	1	-
20	XIV. CONGENITAL MALFORMATIONS	1,081	503	460	70	48	88	50	34	1	3
21	SPINA BIFIDA AND MENINGOCELE.....751	57	16	39	2	-	6	1	4	-	1
22	CONGENITAL HYDROCEPHALUS, ETC.....752,753	109	49	49	5	6	6	6	-	-	-
23	CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	581	270	240	43	28	43	24	16	1	2
24	OTHER CONGENITAL MALFORMATIONS.....750,755-759	334	168	132	20	14	33	19	14	-	-
25	XV. CERTAIN DISEASES OF EARLY INFANCY	3,003	1,397	991	350	265	243	137	84	13	9
26	XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	2,879	1,275	630	599	375	26	9	15	2	-
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	94	37	57	-	-	1	-	1	-	-
28	SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	2,785	1,238	573	599	375	25	9	14	2	-
29	XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	7,088	4,221	2,073	565	229	460	281	154	16	9
30	ACCIDENTS.....E800-E962	5,558	3,316	1,719	348	175	376	230	128	13	5
31	RAILWAY ACCIDENTS.....E800-E802	42	33	2	6	1	-	-	-	-	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E835	2,288	1,555	563	115	55	115	88	23	2	2
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	2,248	1,523	556	114	55	111	84	23	2	2
34	TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	33	25	8	-	-	3	-	3	-	-
35	TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	505	318	132	33	22	21	15	4	1	1
36	OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	874	589	230	34	21	37	25	10	1	1
37	NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	528	387	96	37	8	44	40	4	-	-
38	TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	308	204	90	10	4	6	4	2	-	-
39	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	40	32	7	1	-	4	4	-	-	-
40	OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	18	14	4	-	-	1	1	-	-	-
41	WATER TRANSPORT ACCIDENTS.....E850-E858	36	29	2	4	1	13	11	2	-	-
42	AIRCRAFT ACCIDENTS.....E860-E866	29	25	4	-	-	1	1	-	-	-
43	ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	110	40	49	16	5	3	2	-	-	1
44	ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	106	70	22	10	4	4	1	1	1	1
45	ACCIDENTAL FALLS.....E900-E904	1,416	617	714	59	26	137	61	75	1	-
46	FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	473	280	148	39	6	26	13	13	-	-
47	FALL ON SAME LEVEL.....E903	355	140	190	14	11	62	36	45	1	-
48	UNSPECIFIED FALLS.....E904	588	197	376	6	9	29	12	17	-	-
49	BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	94	83	3	8	-	4	4	-	-	-
50	ACCIDENT CAUSED BY MACHINERY.....E912	84	77	3	4	-	3	2	-	1	-
51	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	46	37	3	6	-	4	4	-	-	-
52	ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	336	153	98	41	44	37	15	17	4	1
53	ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	29	14	9	5	1	-	-	-	-	-
54	ACCIDENT CAUSED BY FIREARM.....E919	86	73	6	7	-	2	2	-	-	-
55	INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	102	52	39	4	7	4	4	-	-	-
56	ACCIDENTAL DROWNING.....E929	220	157	38	22	3	18	14	2	2	-
57	EXCESSIVE HEAT AND INSOLATION.....E931	4	1	1	2	-	-	-	-	-	-
58	COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	123	47	60	8	8	10	7	3	-	-
59	ALL OTHER ACCIDENTS.....RESIDUAL	389	239	99	31	20	20	13	5	2	-
60	SUICIDE.....E963,E970-E979	1,133	782	300	43	8	59	37	21	-	1
61	SUICIDE BY POISONING.....E970-E973	314	175	130	5	4	29	16	13	-	-
62	SUICIDE BY HANGING AND STRANGULATION.....E974	223	160	51	11	1	11	8	3	-	-
63	SUICIDE BY FIREARM AND EXPLOSIVE.....E976	431	369	46	15	1	11	11	-	-	-
64	SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	165	78	73	12	2	8	2	5	-	1
65	HOMICIDE.....E964,E980-E985	397	123	54	174	46	25	14	5	3	3
66	ASSAULT BY FIREARM AND EXPLOSIVE.....E981	174	59	25	77	13	8	4	3	1	-
67	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	100	13	5	67	15	4	3	-	-	1
68	ASSAULT BY OTHER MEANS.....E964,E980,E983	112	45	24	25	18	13	7	2	2	2
69	INJURY BY INTERVENTION OF POLICE.....E984	11	6	-	5	-	-	-	-	-	-
70	EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
71	INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1965–Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
35	...	10	...	25	3	...	2	...	1	25	...	9	...	16	01
11	...	3	...	8	1	...	1	...	-	5	...	2	...	3	02
7	...	3	...	4	-	...	-	...	-	7	...	1	...	6	03
5	...	1	...	4	-	...	-	...	-	1	...	-	...	1	04
2	...	-	...	2	-	...	-	...	-	1	...	1	...	-	05
2	...	-	...	2	-	...	-	...	-	1	...	-	...	1	06
2	...	-	...	2	-	...	-	...	-	2	...	-	...	2	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
6	...	3	...	3	2	...	1	...	1	8	...	5	...	3	09
29	8	6	7	8	12	3	9	-	-	43	6	21	5	11	10
6	1	1	3	1	1	1	-	-	-	8	-	3	2	3	11
23	7	5	4	7	11	2	9	-	-	35	6	18	3	8	12
44	18	14	8	4	25	15	9	1	-	97	30	51	7	9	13
20	10	6	2	2	14	5	8	1	-	63	18	33	4	8	14
4	-	2	2	-	-	-	-	-	-	-	-	-	-	-	15
2	-	1	1	-	2	2	-	-	-	3	1	1	1	-	16
3	2	1	-	-	2	2	-	-	-	3	1	1	1	-	17
8	4	2	2	-	3	3	-	-	-	7	4	3	-	-	18
7	2	2	1	2	4	3	1	-	-	21	6	13	1	1	19
243	92	91	33	27	55	26	27	1	1	386	168	129	52	37	20
32	7	19	3	3	4	3	1	-	-	31	9	22	-	-	21
18	5	7	4	2	4	2	2	-	-	46	17	12	7	10	22
124	50	45	14	15	30	13	16	-	1	186	90	51	27	18	23
69	30	20	12	7	17	8	8	1	-	123	52	44	18	9	24
833	262	154	227	190	177	72	77	13	15	1,179	496	309	213	161	25
595	110	44	222	219	92	49	24	12	7	662	257	170	137	98	26
9	1	3	1	4	12	6	4	1	1	22	5	12	3	2	27
586	109	41	221	215	80	43	20	11	6	640	252	158	134	96	28
2,301	979	389	693	240	588	368	132	62	26	2,970	1,719	707	393	151	29
1,798	765	321	521	191	514	309	126	56	23	2,269	1,323	579	265	102	30
19	9	-	9	1	2	1	-	1	-	20	12	2	6	-	31
849	419	156	222	52	252	150	60	28	14	1,149	742	271	108	28	32
835	413	155	216	51	239	145	54	26	14	1,120	725	262	106	27	33
30	14	8	7	1	10	8	2	-	-	32	23	6	2	1	34
175	65	20	68	22	17	10	1	5	1	158	88	34	26	10	35
182	100	44	34	4	133	78	33	13	9	575	352	164	46	13	36
131	69	16	39	7	69	46	13	6	4	319	239	50	28	2	37
317	165	67	68	17	10	3	5	2	-	36	23	8	4	1	38
14	6	1	6	1	13	5	6	2	-	29	17	9	2	1	39
1	1	-	-	-	4	3	-	1	-	7	5	1	1	-	40
22	17	-	5	-	4	3	-	1	-	26	21	3	2	-	41
21	16	5	-	-	7	7	-	-	-	7	5	2	-	-	42
41	10	11	13	7	9	2	3	4	-	57	24	18	10	5	43
17	5	3	3	6	9	8	1	-	-	17	12	3	1	1	44
174	60	75	20	19	84	48	33	3	-	309	139	152	8	10	45
36	14	6	11	5	24	16	6	2	-	70	42	22	3	3	46
27	10	14	3	-	25	17	8	-	-	80	42	32	3	3	47
111	36	55	6	14	35	15	19	1	-	159	55	98	2	4	48
28	12	-	15	1	2	1	-	1	-	31	25	1	5	-	49
27	12	1	14	-	25	24	1	-	-	47	40	3	4	-	50
31	19	-	11	1	3	3	-	-	-	13	11	1	1	-	51
157	40	26	50	41	20	9	5	4	2	186	75	49	34	28	52
10	4	2	3	1	1	-	-	1	-	8	3	-	4	1	53
67	34	3	22	8	14	8	3	1	2	58	36	7	14	1	54
28	6	5	8	9	3	1	2	-	-	32	14	7	7	4	55
124	34	12	70	8	26	16	4	4	2	102	62	16	19	5	56
2	-	-	2	-	1	-	-	1	-	4	4	-	-	-	57
23	9	8	3	3	5	4	1	-	-	27	7	14	5	1	58
157	58	14	51	34	43	21	13	6	3	169	86	29	36	18	59
227	150	48	25	4	59	53	5	-	1	380	265	92	17	6	60
31	21	10	-	-	7	7	-	-	-	49	30	17	2	-	61
17	9	2	6	-	10	6	4	-	-	39	22	13	3	1	62
167	113	34	17	3	38	38	-	-	-	252	196	49	7	-	63
12	7	2	2	1	4	2	1	-	1	40	17	13	5	5	64
275	63	20	147	45	15	6	1	6	2	321	131	36	111	43	65
193	42	15	105	31	2	1	-	-	1	220	97	28	69	26	66
47	12	-	29	6	3	-	-	3	-	56	14	1	29	12	67
27	6	5	8	8	9	5	1	2	1	41	19	7	10	5	68
8	3	-	5	-	1	-	-	1	-	4	1	-	3	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	71

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	ALL CAUSES	83,656	41,391	29,384	7,214	5,667	6,682	3,782	2,756	86	58
02	I. INFECTIVE AND PARASITIC DISEASES	1,168	563	351	158	96	65	43	15	4	3
03	TUBERCULOSIS, ALL FORMS 001-019	436	244	119	51	22	13	11	-	-	2
04	TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	399	229	106	45	19	9	9	-	-	-
05	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	11	3	5	3	-	1	-	-	-	1
06	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	4	-	2	1	1	1	1	-	-	-
07	TUBERCULOSIS OF BONES AND JOINTS 012,013	3	1	2	-	-	-	-	-	-	-
08	TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	2	1	1	-	-	1	1	-	-	-
09	DISSEMINATED TUBERCULOSIS 019	17	10	3	2	2	1	-	-	-	1
10	SYPHILIS AND ITS SEQUELAE C20-029	153	83	30	27	13	13	11	1	1	-
11	CONGENITAL SYPHILIS 020	8	4	2	-	2	-	-	-	-	-
12	EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
13	ANEURYSM OF AORTA 022	100	61	21	12	6	9	8	-	1	-
14	OTHER CARDIOVASCULAR SYPHILIS 023	30	11	1	13	5	3	3	-	-	-
15	TABES DORSALIS 024	4	3	1	-	-	-	-	-	-	-
16	GENERAL PARALYSIS OF INSANE 025	3	1	2	-	-	-	-	-	-	-
17	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	5	3	1	1	-	-	-	-	-	-
18	ALL OTHER SYPHILIS C27-029	3	-	2	1	-	1	-	1	-	-
19	GONOCOCCAL INFECTION 030-035	-	-	-	-	-	-	-	-	-	-
20	TYPHOID FEVER 040	1	-	-	-	1	-	-	-	-	-
21	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	5	2	1	2	-	2	1	1	-	-
22	CHOLERA 043	-	-	-	-	-	-	-	-	-	-
23	BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
24	DYSENTERY, ALL FORMS 045-048	62	26	17	12	7	-	-	-	-	-
25	FOOD POISONING, INFECTION AND INTOXICATION 049	3	1	2	-	-	-	-	-	-	-
26	SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
27	STREPTOCOCCAL SORE THROAT 051	7	2	1	1	3	-	-	-	-	-
28	ERYSIPELAS 052	1	-	1	-	-	-	-	-	-	-
29	SEPTICEMIA AND PYEMIA 053	169	70	56	22	21	14	8	4	1	1
30	DIPHTHERIA 055	3	3	-	-	-	-	-	-	-	-
31	WHOOPING COUGH 056	7	3	2	1	1	-	-	-	-	-
32	MENINGOCOCCAL INFECTIONS 057	54	22	20	7	5	3	1	2	-	-
33	PLAGUE 058	-	-	-	-	-	-	-	-	-	-
34	LEPROSY 060	1	1	-	-	-	-	-	-	-	-
35	TETANUS 061	30	8	8	12	2	-	-	-	-	-
36	ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
37	ACUTE POLIOMYELITIS 080	4	-	4	-	-	-	-	-	-	-
38	LATE EFFECTS OF ACUTE POLIOMYELITIS 081	10	6	4	-	-	1	1	-	-	-
39	ACUTE INFECTIOUS ENCEPHALITIS 082	26	12	12	2	-	6	4	1	1	-
40	LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	1	1	-	-	-	1	1	-	-	-
41	SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
42	MEASLES 085	42	19	14	5	4	2	2	-	-	-
43	YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
44	INFECTIOUS HEPATITIS 092	61	18	35	2	6	3	1	1	1	-
45	RABIES 094	-	-	-	-	-	-	-	-	-	-
46	TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
47	ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
48	MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
49	SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
50	HYDATIC DISEASE 125	-	-	-	-	-	-	-	-	-	-
51	FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
52	ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
53	OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	1	-	-	1	-	-	-	-	-	-
54	ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	91	42	25	13	11	7	2	5	-	-
55	II. NEOPLASMS	13,478	6,530	5,270	906	772	944	512	422	7	3
56	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	13,274	6,447	5,178	893	756	920	499	411	7	3
57	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	307	214	64	17	12	16	12	4	-	-
58	OF LIP 140	8	6	1	-	1	-	-	-	-	-
59	OF TONGUE 141	70	55	13	2	-	7	5	2	-	-
60	OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	100	59	28	8	5	2	2	-	-	-
61	OF PHARYNX 145-148	129	94	22	7	6	7	5	2	-	-
62	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	3,850	1,754	1,539	325	232	264	148	113	2	1
63	OF ESOPHAGUS 150	190	96	39	43	12	11	9	2	-	-
64	OF STOMACH 151	783	363	255	100	65	58	33	24	1	-
65	OF SMALL INTESTINE, INCLUDING DUODENUM 152	38	14	21	2	1	1	1	-	-	-
66	OF LARGE INTESTINE, EXCEPT RECTUM 153	1,202	481	604	52	65	82	46	35	1	-
67	CECUM, APPENDIX, AND ASCENDING COLON 153.0	141	59	70	3	9	8	5	3	-	-
68	TRANSVERSE COLON 153.1	42	16	22	1	3	4	2	2	-	-
69	DESCENDING COLON 153.2	44	20	20	3	1	5	4	1	-	-
70	SIGMOID COLON 153.3	169	64	91	6	8	15	11	4	-	-
71	MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	-	-	-	-	-
72	LARGE INTESTINE, PART UNSPECIFIED 153.6	764	305	381	36	42	42	21	21	-	-
73	INTESTINAL TRACT, PART UNSPECIFIED 153.9	42	17	20	3	2	8	3	4	1	-
74	OF RECTUM 154	278	145	98	19	16	21	12	9	-	-
75	OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	348	141	165	33	9	28	8	20	-	-
76	LIVER 155.0	189	94	64	26	5	7	4	3	-	-
77	DT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	159	47	101	7	4	21	4	17	-	-
78	OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	83	38	30	6	9	4	4	-	-	-
79	OF PANCREAS 157	836	443	284	63	46	54	32	21	-	1
80	OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	92	33	43	7	9	5	3	2	-	-

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

VERMONT					VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,608	2,495	2,107	6	-	37,148	15,961	11,909	5,293	3,985	27,475	15,538	11,064	547	326	01
42	31	11	-	-	391	132	84	112	63	182	110	51	12	9	02
21	17	4	-	-	155	58	28	50	19	58	39	15	3	1	03
21	17	4	-	-	135	53	26	42	14	48	32	12	3	1	04
-	-	-	-	-	5	1	1	2	1	-	-	-	-	-	05
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	06
-	-	-	-	-	2	1	-	-	1	5	4	1	-	-	07
-	-	-	-	-	2	-	1	-	1	1	1	-	-	-	08
-	-	-	-	-	10	3	-	5	2	4	2	2	-	-	09
5	3	2	-	-	57	14	7	27	9	50	34	12	2	2	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
3	2	1	-	-	31	10	7	11	3	36	24	11	1	-	13
1	-	1	-	-	22	4	-	14	4	6	5	-	-	1	14
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	15
1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	16
-	-	-	-	-	2	-	-	-	2	3	2	1	-	-	17
-	-	-	-	-	1	-	-	1	-	2	-	-	1	1	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	1	-	-	1	-	2	2	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	5	2	1	-	2	3	1	1	-	1	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
3	1	2	-	-	66	22	16	18	10	19	6	11	2	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	3	-	-	2	1	1	1	-	-	-	31
2	1	1	-	-	19	5	8	2	4	12	8	3	1	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	5	-	3	1	1	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
1	1	-	-	-	2	2	-	-	-	2	1	-	1	-	38
-	-	-	-	-	9	4	2	1	2	5	1	2	1	1	39
-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
1	-	1	-	-	4	3	-	-	1	1	1	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
2	1	1	-	-	10	3	6	-	1	5	4	-	-	1	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	53
7	7	-	-	-	47	15	11	8	13	23	11	7	2	3	54
709	373	335	1	-	5,656	2,345	2,072	739	500	4,583	2,498	1,972	74	39	55
698	368	329	1	-	5,553	2,315	2,021	728	489	4,499	2,453	1,934	74	38	56
10	10	-	-	-	130	79	17	28	6	104	69	32	2	1	57
-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	58
3	3	-	-	-	27	13	4	7	3	32	20	12	-	-	59
3	3	-	-	-	38	23	6	8	1	27	19	7	-	1	60
4	4	-	-	-	63	41	7	13	2	43	28	13	2	-	61
207	108	99	-	-	1,520	610	545	253	112	1,375	761	573	28	13	62
11	5	6	-	-	125	53	12	52	8	76	56	19	1	-	63
26	14	12	-	-	272	112	76	61	23	279	166	98	12	3	64
3	1	2	-	-	13	3	4	5	1	6	2	4	-	-	65
83	41	42	-	-	469	179	216	39	35	437	200	229	5	3	66
12	4	8	-	-	63	17	37	6	3	76	33	42	-	1	67
6	2	4	-	-	11	4	4	1	2	20	10	9	-	1	68
7	3	4	-	-	16	6	6	3	1	8	4	4	-	-	69
24	10	14	-	-	68	22	36	5	5	65	37	27	1	-	70
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	71
29	18	11	-	-	274	114	119	19	22	248	111	132	4	1	72
5	4	1	-	-	37	16	14	5	2	18	3	15	-	-	73
36	23	13	-	-	151	66	57	17	11	148	97	48	-	3	74
10	3	7	-	-	103	34	51	17	1	111	61	43	5	2	75
1	-	1	-	-	48	19	16	13	-	40	24	12	3	1	76
9	3	6	-	-	55	15	35	4	1	71	37	31	2	1	77
2	-	2	-	-	64	27	23	8	6	28	13	12	3	-	78
31	17	14	-	-	290	122	100	46	22	267	153	110	2	2	79
5	4	1	-	-	33	14	6	8	5	23	13	10	-	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	MALIGNANT NEOPLASMS, ETC.--CON.										
01	MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	2,621	2,013	351	212	45	128	106	20	1	1
02	OF LARYNX....161	137	107	11	16	3	3	3	-	-	-
03	OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	1,084	852	132	86	14	41	37	4	-	-
04	OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	1,350	1,024	196	104	26	81	65	14	1	1
05	OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	50	30	12	6	2	3	1	2	-	-
06	MALIGNANT NEOPLASM OF BREAST....170	1,078	3	960	-	115	93	1	91	-	1
07	MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	1,824	647	862	144	171	157	79	76	2	-
08	OF CERVIX UTERI....171	398	...	314	...	84	26	...	26	...	-
09	OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	243	...	194	...	49	14	...	14	...	-
10	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	357	...	324	...	33	34	...	34	...	-
11	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	35	...	30	...	5	2	...	2	...	-
12	OF PROSTATE....177	756	614	...	142	...	74	73	...	1	...
13	OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	35	33	...	2	...	7	6	...	1	...
14	MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	558	322	181	38	17	37	28	8	1	-
15	OF KIDNEY....180	283	156	102	20	5	18	11	6	1	-
16	OF BLADDER AND OTHER URINARY ORGANS....181	275	166	79	18	12	19	17	2	-	-
17	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....1568,165,190-199	1,657	796	674	89	98	120	67	52	1	-
18	OF SKIN....190,191	330	189	127	6	8	19	13	5	1	-
19	OF EYE....192	22	10	11	1	-	1	1	-	-	-
20	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	358	175	164	10	9	31	18	13	-	-
21	OF THYROID GLAND....194	36	10	21	2	3	5	2	3	-	-
22	OF BONE....196	93	45	35	7	6	6	5	1	-	-
23	OF CONNECTIVE TISSUE....197	64	34	24	3	3	5	2	3	-	-
24	OF OTHER SPECIFIED SITES, NOT SECONDARY....195.199A	86	51	27	3	5	6	2	4	-	-
25	OF UNSPECIFIED SITES....1568,165,198,199B	668	282	265	57	64	47	24	23	-	-
26	LEUKEMIA AND ALEUKEMIA....204	690	360	268	33	29	55	28	27	-	-
27	LYMPHOSARCOMA, ETC....200-203,205	689	338	279	35	37	50	30	20	-	-
28	LYMPHOSARCOMA AND RETICULOSARCOMA....200	341	172	141	16	12	26	11	15	-	-
29	HODGKINS DISEASE....201	158	91	56	7	4	11	9	2	-	-
30	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	190	75	82	12	21	13	10	3	-	-
31	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	204	83	92	13	16	24	13	11	-	-
32	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	13	...	8	...	5	-	...	-	...	-
33	BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	54	24	25	3	2	3	2	1	-	-
34	OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	48	19	20	5	4	4	2	2	-	-
35	UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	1	...	1	...	-	-	...	-	...	-
36	NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	48	21	24	2	1	12	5	7	-	-
37	OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	40	19	14	3	4	5	4	1	-	-
38	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES	1,889	675	882	119	213	177	75	98	1	3
39	ASTHMA....241	219	103	64	29	23	22	16	6	-	-
40	NONTOXIC GOITER....250,251	-	-	-	-	-	-	-	-	-	-
41	THYROTOXICOSIS WITH OR WITHOUT GOITER....252	13	3	7	-	3	2	1	1	-	-
42	ALL OTHER DISEASES OF THYROID GLAND....253,254	18	5	10	1	2	2	-	2	-	-
43	DIABETES MELLITUS....260	1,309	430	657	71	151	126	47	76	1	2
44	DISEASES OF THYMUS GLAND....273	8	5	1	-	2	-	-	-	-	-
45	DISEASES OF ADRENAL GLANDS....274	20	11	7	1	1	2	2	-	-	-
46	PELLAGRA....281	5	1	4	-	-	-	-	-	-	-
47	OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	114	44	52	8	10	5	2	3	-	-
48	CYSTIC FIBROSIS....289A	28	12	15	-	1	5	1	4	-	-
49	ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	155	61	65	9	20	13	6	6	-	1
50	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	293	124	115	27	27	26	15	11	-	-
51	ANEMIAS....290-293	202	85	74	19	24	12	7	5	-	-
52	PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	16	10	6	-	-	3	1	2	-	-
53	ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	186	75	68	19	24	9	6	3	-	-
54	PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	37	13	19	4	1	3	-	3	-	-
55	OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	54	26	22	4	2	11	8	3	-	-
56	V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	172	92	53	19	8	17	11	4	2	-
57	SENILE PSYCHOSIS....304	10	5	5	-	-	2	1	1	-	-
58	ALCOHOLIC PSYCHOSIS....307	32	28	1	2	1	1	1	-	-	-
59	OTHER PSYCHOSES....300-303,305,306,308,309	38	11	20	3	4	1	1	-	-	-
60	ALCOHOLISM....322	72	41	16	12	3	8	5	1	2	-
61	MENTAL DEFICIENCY....325	16	6	8	2	-	4	3	1	-	-
62	OTHER DISORDERS OF PERSONALITY....RESIDUAL	4	1	3	-	-	1	-	1	-	-
63	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	10,275	4,085	4,351	860	979	746	328	408	6	4
64	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	9,558	3,777	4,093	772	916	665	290	365	6	4
65	SUBARACHNOID HEMORRHAGE....330	418	142	180	34	62	26	13	12	1	-
66	CEREBRAL HEMORRHAGE....331	5,857	2,286	2,442	497	632	400	178	217	3	2
67	CEREBRAL EMBOLISM AND THROMBOSIS....332	2,132	896	947	152	137	165	73	90	-	2
68	OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	1,151	453	524	89	85	74	26	46	2	-
69	MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	142	52	43	24	23	11	5	6	-	-
70	MULTIPLE SCLEROSIS....345	44	13	25	2	4	9	4	5	-	-
71	PARALYSIS AGITANS....350	94	46	43	1	4	20	10	10	-	-
72	CEREBRAL SPASTIC INFANTILE PARALYSIS....351	30	15	11	3	1	6	2	4	-	-
73	EPILEPSY....353	93	43	25	15	10	6	1	5	-	-
74	INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
75	CATARACT....385	3	1	1	1	-	-	-	-	-	-
76	GLAUCOMA....387	1	1	-	-	-	-	-	-	-	-
77	OTITIS MEDIA AND MASTOIDITIS....391-393	11	3	5	2	1	-	-	-	-	-
78	OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	299	134	105	40	20	29	16	13	-	-

and Sex: United States and Each State, 1965–Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

VERMONT					VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
114	95	18	1	-	1,032	698	133	178	23	747	601	124	18	4	01
6	5	1	-	-	48	26	10	11	1	32	27	4	1	-	02
31	29	1	1	-	350	249	40	54	7	310	255	47	7	1	03
77	61	16	-	-	610	411	78	108	13	393	310	71	10	2	04
-	-	-	-	-	24	12	5	5	2	12	9	2	-	1	05
71	-	71	-	-	456	2	357	1	96	413	4	405	-	4	06
100	39	61	-	-	803	216	377	99	111	583	275	291	8	9	07
24	...	24	...	-	192	...	135	...	57	97	...	92	...	5	08
14	...	14	...	-	110	...	79	...	31	84	...	81	...	3	09
20	...	20	...	-	169	...	149	...	20	112	...	111	...	1	10
3	...	3	...	-	17	...	14	...	3	7	...	7	...	-	11
36	36	...	-	...	294	202	...	92	...	270	262	...	8	...	12
3	3	...	-	...	21	14	...	7	...	13	13	...	-	...	13
39	24	15	-	-	264	135	81	33	15	239	157	75	7	-	14
15	7	8	-	-	109	62	30	11	6	97	57	38	2	-	15
24	17	7	-	-	155	73	51	22	9	142	100	37	5	-	16
76	43	33	-	-	810	329	311	95	75	512	295	209	6	2	17
8	6	2	-	-	100	53	38	5	4	63	37	26	-	-	18
2	-	2	-	-	9	6	2	1	-	2	1	1	-	-	19
19	10	9	-	-	118	55	50	10	3	112	74	38	-	-	20
3	-	3	-	-	22	4	14	1	3	23	6	17	-	-	21
4	4	-	-	-	39	14	18	5	2	23	17	5	1	-	22
3	3	-	-	-	27	13	10	2	2	15	8	6	1	-	23
4	-	4	-	-	34	12	14	4	4	16	8	8	-	-	24
33	20	13	-	-	461	172	165	67	57	258	144	108	4	2	25
36	19	17	-	-	235	104	98	12	21	247	140	106	1	-	26
45	30	15	-	-	303	142	102	29	30	279	151	119	4	5	27
20	14	6	-	-	146	68	59	11	8	131	69	61	1	-	28
7	5	2	-	-	71	37	18	7	9	65	39	24	1	1	29
18	11	7	-	-	86	37	25	11	13	83	43	34	2	4	30
11	5	6	-	-	103	30	51	11	11	84	45	38	-	1	31
1	...	1	...	-	9	...	4	...	5	-	...	-	...	-	32
2	1	1	-	-	11	1	8	2	-	18	6	12	-	-	33
3	1	2	-	-	14	5	7	2	-	15	10	5	-	-	34
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	35
2	2	-	-	-	47	17	25	2	3	34	18	15	-	1	36
3	1	2	-	-	22	7	7	5	3	16	11	5	-	-	37
92	38	54	-	-	817	244	305	108	160	659	302	331	11	15	38
8	5	3	-	-	85	30	25	18	12	63	29	30	1	3	39
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	40
1	-	1	-	-	13	1	8	1	3	1	-	1	-	-	41
1	-	1	-	-	9	1	2	-	6	7	1	6	-	-	42
69	28	41	-	-	567	166	220	70	111	484	217	247	9	11	43
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	44
-	-	-	-	-	8	4	3	-	1	6	6	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
2	-	2	-	-	48	12	15	12	9	27	12	14	1	-	47
3	1	2	-	-	12	2	9	-	1	13	7	6	-	-	48
8	4	4	-	-	74	28	23	6	17	56	29	26	-	1	49
12	8	4	-	-	119	47	46	14	12	86	45	40	-	1	50
7	5	2	-	-	77	27	28	12	10	55	35	20	-	-	51
-	-	-	-	-	11	2	7	-	2	10	5	5	-	-	52
7	5	2	-	-	66	25	21	12	8	45	30	15	-	-	53
2	1	1	-	-	17	8	7	1	1	10	4	5	-	1	54
3	2	1	-	-	25	12	11	1	1	21	6	15	-	-	55
15	6	9	-	-	204	87	51	51	15	87	59	22	4	2	56
1	1	-	-	-	2	-	2	-	-	4	1	3	-	-	57
1	-	1	-	-	18	11	2	5	-	8	7	-	1	-	58
5	1	4	-	-	27	4	18	2	3	18	9	8	1	-	59
7	4	3	-	-	147	71	25	42	9	47	37	7	2	1	60
1	-	1	-	-	10	1	4	2	3	8	4	3	-	1	61
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	62
564	246	317	1	-	4,578	1,524	1,700	686	668	3,483	1,650	1,738	54	41	63
527	231	295	1	-	4,246	1,406	1,600	617	623	3,206	1,513	1,607	48	38	64
14	7	7	-	-	228	69	79	37	43	146	64	76	3	3	65
256	108	147	1	-	2,263	724	826	360	353	1,790	839	907	25	19	66
212	97	115	-	-	1,274	449	504	155	166	962	465	469	16	12	67
45	19	26	-	-	481	164	191	65	61	308	145	155	4	4	68
1	-	1	-	-	70	26	13	19	12	35	21	9	5	-	69
6	2	4	-	-	22	6	8	2	6	41	17	23	-	1	70
8	3	5	-	-	46	20	20	3	3	72	38	34	-	-	71
-	-	-	-	-	9	2	4	1	2	8	4	4	-	-	72
7	3	4	-	-	44	12	6	16	10	28	11	17	-	-	73
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	2	1	-	1	-	3	-	3	-	-	77
15	7	8	-	-	138	50	49	27	12	90	46	41	1	2	78

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	VII. OISEASES OF THE CIRCULATORY SYSTEM.....	31,900	16,759	10,823	2,354	1,964	2,464	1,438	1,006	16	4
02	OISEASES OF HEART.....400-402,410-443	28,826	15,434	9,503	2,133	1,756	2,246	1,327	900	15	4
03	RHEUMATIC FEVER.....400-402	24	11	5	5	3	3	1	2	-	-
04	CHRONIC RHEUMATIC HEART DISEASE.....410-416	364	141	179	25	19	120	44	76	-	-
05	DISEASES OF MITRAL VALVE.....410	143	54	77	8	4	39	12	27	-	-
06	DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	49	32	14	2	1	14	10	4	-	-
07	DISEASES OF PULMONARY VALVE, ETC.....413,414	26	9	16	-	1	11	2	9	-	-
08	OTHER RHEUMATIC HEART DISEASES.....412,415,416	146	46	72	15	13	56	20	36	-	-
09	ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS.....420	21,882	12,587	6,843	1,405	1,047	1,688	1,075	600	10	3
10	ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	4,225	1,885	1,734	324	282	430	209	217	4	-
11	HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	17,631	10,692	5,098	1,079	762	1,258	866	383	6	3
12	ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	26	10	11	2	3	-	-	-	-	-
13	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	157	67	66	10	14	12	7	5	-	-
14	OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	2	1	1	-	-	1	1	-	-	-
15	OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	90	41	39	3	7	9	6	3	-	-
16	OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	65	25	26	7	7	2	-	2	-	-
17	OTHER MYOCARDIAL DEGENERATION.....422	1,818	738	824	128	128	132	63	68	-	1
18	WITH ARTERIOSCLEROSIS.....422.1	1,363	554	620	90	99	110	52	57	-	1
19	WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	455	184	204	38	29	22	11	11	-	-
20	OTHER DISEASES OF HEART.....430-434	2,572	1,262	811	275	224	141	79	61	1	-
21	ACUTE AND SUBACUTE ENDOCARDITIS.....430	26	17	8	-	1	3	2	1	-	-
22	ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	56	21	23	7	5	2	2	-	-	-
23	FUNCTIONAL DISEASE OF HEART.....433	578	236	253	39	50	38	19	18	1	-
24	OTHER AND UNSPECIFIED DISEASES OF HEART.....434	1,912	988	527	229	168	98	56	42	-	-
25	HYPERTENSIVE HEART DISEASE.....440-443	2,009	628	775	285	321	150	58	88	4	-
26	HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	438	170	171	52	45	36	15	20	1	-
27	OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	1,571	458	604	233	276	114	43	68	3	-
28	OTHER HYPERTENSIVE OISEASE.....444-447	465	168	181	58	58	21	9	12	-	-
29	HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	245	111	94	22	18	10	5	5	-	-
30	ESSENTIAL HYPERTENSION.....444,445,447	220	57	87	36	40	11	4	7	-	-
31	DISEASES OF ARTERIES.....450-456	2,040	906	925	109	100	141	68	72	1	-
32	GENERAL ARTERIOSCLERDSIS.....450	1,485	587	760	73	65	90	40	49	1	-
33	AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	345	237	74	16	18	30	21	9	-	-
34	GANGRENE OF UNSPECIFIED CAUSE.....455	21	7	10	3	1	1	1	-	-	-
35	OTHER ARTERIAL DISEASES.....452-454,456	189	75	81	17	16	20	6	14	-	-
36	OIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	569	251	214	54	50	56	34	22	-	-
37	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	4,972	2,651	1,592	446	283	423	276	130	10	7
38	ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	34	11	14	5	4	4	1	2	1	-
39	INFLUENZA.....480-483	167	59	85	8	15	14	9	5	-	-
40	PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	2,836	1,312	1,036	276	212	217	117	87	8	5
41	LOBAR PNEUMONIA.....490	384	184	133	42	25	27	17	8	2	-
42	BRONCHOPNEUMONIA.....491	1,226	592	453	102	79	97	51	39	4	3
43	PRIMARY ATYPICAL PNEUMONIA.....492	223	98	87	21	17	20	14	5	-	1
44	PNEUMONIA, OTHER AND UNSPECIFIED.....493	1,003	438	363	111	91	73	35	35	2	1
45	ACUTE BRONCHITIS.....500	46	19	18	7	2	5	-	4	-	1
46	BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	273	176	66	25	6	27	22	5	-	-
47	HYPERTROPHY OF TONSILS AND ADENOIDS.....510	2	1	1	-	-	-	-	-	-	-
48	EMPYEMA AND ABSCESS OF LUNG.....518,521	56	34	9	12	1	5	4	1	-	-
49	PLEURISY.....519	4	2	1	1	-	-	-	-	-	-
50	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	245	117	82	27	19	21	16	5	-	-
51	BRONCHIECTASIS.....526	86	47	38	1	-	4	3	1	-	-
52	OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	1,051	811	170	60	10	103	90	11	1	1
53	EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	947	759	141	44	3	85	76	9	-	-
54	ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY....527.0,527.2	104	52	29	16	7	18	14	2	1	1
55	OTHER RESPIRATORY DISEASES.....RESIDUAL	172	62	72	24	14	23	14	9	-	-
56	IX. DISEASES OF THE OIGESTIVE SYSTEM.....	3,321	1,639	1,266	227	189	289	148	131	7	3
57	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	3	1	1	-	1	1	-	1	-	-
58	ULCER OF STOMACH.....540	212	143	45	17	7	29	17	12	-	-
59	ULCER OF DUODENUM.....541	198	139	44	13	2	20	17	2	1	-
60	GASTRITIS AND DUODENITIS.....543	30	15	10	4	1	2	2	-	-	-
61	APPENDICITIS.....550-553	86	48	22	12	4	9	7	2	-	-
62	HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	502	182	252	31	37	43	25	18	-	-
63	GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	344	132	135	39	38	22	4	13	4	1
64	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	170	69	84	7	10	9	2	7	-	-
65	CIRRHOSIS OF LIVER.....581	872	513	267	55	37	63	28	33	-	2
66	WITHOUT MENTION OF ALCOHOLISM.....581.0	646	374	208	39	25	34	15	19	-	-
67	WITH ALCOHOLISM.....581.1	226	139	59	16	12	29	13	14	-	2
68	CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	230	89	129	6	6	20	11	8	1	-
69	OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	674	308	277	43	46	71	35	35	1	-
70	X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,626	665	576	226	159	83	51	28	1	3
71	NEPHRITIS AND NEPHROSIS.....590-594	666	233	244	96	93	37	22	14	-	1
72	ACUTE NEPHRITIS.....590	24	8	9	3	4	1	-	1	-	-
73	NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	47	20	16	4	7	1	1	-	-	-
74	CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	595	205	219	89	82	35	21	13	-	1
75	INFECTIONS OF KIDNEY.....600	533	193	233	62	45	27	14	11	-	2
76	CALCULI OF URINARY SYSTEM.....602,604	44	22	17	3	2	3	1	1	1	-
77	OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	173	78	59	26	10	6	5	1	-	-
78	HYPERPLASIA OF PROSTATE.....610	138	108	...	30	...	6	6	...	-	...
79	DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
80	OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	72	31	23	9	9	4	3	1	-	-

and Sex: United States and Each State, 1965–Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

VERMONT					VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,041	1,099	939	3	-	15,317	6,999	4,963	1,806	1,549	11,997	7,058	4,700	164	75	01
1,822	1,005	814	3	-	13,714	6,381	4,380	1,587	1,366	10,721	6,375	4,133	150	63	02
1	-	1	-	-	8	1	4	2	1	5	-	4	1	-	03
33	14	19	-	-	199	90	73	16	20	240	108	124	6	2	04
16	7	9	-	-	77	31	33	6	7	92	36	53	2	1	05
3	-	3	-	-	20	9	8	2	1	39	26	12	1	-	06
2	1	1	-	-	9	6	3	-	-	15	8	7	-	-	07
12	6	6	-	-	93	44	29	8	12	94	38	52	3	1	08
1,521	876	643	2	-	9,999	5,235	3,069	996	699	8,587	5,418	3,017	110	42	09
525	244	281	-	-	2,169	890	899	206	174	1,933	1,014	881	26	12	10
996	632	362	2	-	7,823	4,341	2,168	789	525	6,647	4,402	2,131	84	30	11
-	-	-	-	-	7	4	2	1	-	7	2	5	-	-	12
12	7	5	-	-	74	23	25	15	11	80	49	29	2	-	13
-	-	-	-	-	3	-	1	2	-	1	1	-	-	-	14
10	6	4	-	-	46	16	16	8	6	56	34	21	1	-	15
2	1	1	-	-	25	7	8	5	5	23	14	8	1	-	16
112	55	56	1	-	1,271	442	505	148	176	631	281	333	10	7	17
96	46	49	1	-	1,070	386	437	112	135	501	236	257	3	5	18
16	9	7	-	-	201	56	68	36	41	130	45	76	7	2	19
42	21	21	-	-	640	262	214	93	71	484	243	229	6	6	20
5	2	3	-	-	23	6	13	2	2	17	7	10	-	-	21
2	2	-	-	-	15	7	3	2	3	12	5	5	1	1	22
9	6	3	-	-	253	99	98	31	25	175	94	77	3	1	23
26	11	15	-	-	349	150	100	58	41	280	137	137	2	4	24
101	32	69	-	-	1,523	328	490	317	388	694	276	397	15	6	25
26	12	14	-	-	338	92	115	70	61	234	107	118	5	4	26
75	20	55	-	-	1,185	236	375	247	327	460	169	279	10	2	27
40	19	21	-	-	289	83	79	72	55	105	56	43	2	4	28
23	15	8	-	-	146	58	50	27	11	48	29	18	-	1	29
17	4	13	-	-	143	25	29	45	44	57	27	25	2	3	30
153	58	95	-	-	1,042	436	398	103	105	1,013	545	450	10	8	31
110	31	79	-	-	736	261	320	73	82	762	362	385	8	7	32
35	23	12	-	-	226	140	50	22	14	188	140	47	1	-	33
-	-	-	-	-	6	3	1	-	2	4	3	1	-	-	34
8	4	4	-	-	74	32	27	8	7	59	40	17	1	1	35
26	17	9	-	-	272	99	106	44	23	158	82	74	2	-	36
300	189	111	-	-	2,152	1,034	573	345	200	1,398	902	437	33	26	37
2	1	1	-	-	33	14	8	8	3	9	7	2	-	-	38
13	6	7	-	-	53	16	25	7	5	25	8	17	-	-	39
169	85	84	-	-	1,346	548	409	234	155	775	416	311	25	23	40
29	17	12	-	-	217	97	70	33	17	84	52	24	5	3	41
93	42	51	-	-	664	293	205	101	65	398	212	164	11	11	42
19	13	6	-	-	98	31	25	24	18	89	49	34	4	2	43
28	13	15	-	-	367	127	109	76	55	204	103	89	5	7	44
3	3	-	-	-	18	7	6	3	2	19	11	7	1	-	45
18	16	2	-	-	87	60	17	6	4	61	48	12	1	-	46
-	-	-	-	-	2	2	-	-	-	1	-	-	-	1	47
1	1	-	-	-	11	6	1	3	1	17	13	3	-	1	48
-	-	-	-	-	4	3	1	-	-	2	1	-	-	1	49
11	9	2	-	-	115	46	27	26	16	49	31	17	1	-	50
5	5	-	-	-	30	11	14	5	-	20	15	5	-	-	51
66	52	14	-	-	405	296	57	42	10	374	322	48	4	-	52
60	50	10	-	-	342	267	42	30	3	333	288	42	3	-	53
6	2	4	-	-	63	29	15	12	7	41	34	6	1	-	54
12	11	1	-	-	48	25	8	11	4	46	30	15	1	-	55
164	84	80	-	-	1,289	593	428	145	123	975	510	427	20	18	56
-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	57
13	8	5	-	-	104	54	28	16	6	89	54	30	4	1	58
15	13	2	-	-	77	45	24	6	2	73	47	23	3	-	59
-	-	-	-	-	11	6	4	-	1	8	6	2	-	-	60
3	3	-	-	-	37	15	12	7	3	20	14	6	-	-	61
22	10	12	-	-	196	67	75	26	28	125	49	75	-	1	62
6	2	4	-	-	74	13	25	16	20	41	20	19	1	1	63
22	10	12	-	-	47	23	22	2	-	63	23	38	-	2	64
41	24	17	-	-	377	203	111	35	28	311	187	107	9	8	65
27	14	13	-	-	263	132	86	25	20	217	128	81	5	3	66
14	10	4	-	-	114	71	25	10	8	94	59	26	4	5	67
16	4	12	-	-	67	23	40	1	3	57	17	38	-	2	68
26	10	16	-	-	295	142	85	36	32	188	93	89	3	3	69
80	55	24	1	-	697	258	220	132	87	344	206	122	11	5	70
24	15	9	-	-	255	85	74	55	41	136	77	49	7	3	71
1	1	-	-	-	4	1	-	2	1	6	5	-	1	-	72
1	1	-	-	-	21	8	4	6	3	7	4	3	-	-	73
22	13	9	-	-	230	76	70	47	37	123	68	46	6	3	74
25	12	12	1	-	247	77	109	33	28	89	42	43	3	1	75
4	4	-	-	-	21	12	7	-	2	16	8	6	1	1	76
5	3	2	-	-	73	23	24	19	7	40	26	14	-	-	77
19	19	...	-	...	71	51	...	20	...	44	44	...	-	...	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
3	2	1	-	-	30	10	6	5	9	19	9	10	-	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	87	...	57	...	30	5	...	3	...	2
02	SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	8	...	7	...	1	1	...	-	...	1
03	TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	20	...	16	...	4	2	...	2	...	-
04	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	10	...	6	...	4	2	...	1	...	1
05	ECTOPIC PREGNANCY.....645	4	...	3	...	1	-	...	-	...	-
06	ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	-	...	-	...	-
07	ABORTION WITH SEPSIS.....651	14	...	5	...	9	-	...	-	...	-
08	ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
09	OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	31	...	20	...	11	-	...	-	...	-
10	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	120	31	66	11	12	8	4	4	-	-
11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	25	9	9	5	2	1	-	1	-	-
12	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	95	22	57	6	10	7	4	3	-	-
13	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	208	94	101	5	8	22	7	15	-	-
14	ARTHRITIS AND SPONDYLITIS.....720-725	105	40	63	-	2	12	3	9	-	-
15	MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	6	1	3	-	2	-	-	-	-	-
16	OSTEOMYELITIS AND PERIOSTITIS.....730	6	4	1	-	1	2	1	1	-	-
17	ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	5	4	1	-	-	-	-	-	-	-
18	INBORN DEFECT OF MUSCLE.....744.1	41	32	6	2	1	5	2	3	-	-
19	OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	45	13	27	3	2	3	1	2	-	-
20	XIV. CONGENITAL MALFORMATIONS	1,052	489	409	81	73	103	58	41	2	2
21	SPINA BIFIDA AND MENINGOCELE.....751	74	27	43	3	1	2	2	-	-	-
22	CONGENITAL HYDROCEPHALUS, ETC.....752,753	98	53	29	7	9	6	4	1	-	1
23	CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	560	263	207	46	44	64	34	27	2	1
24	OTHER CONGENITAL MALFORMATIONS.....750,755-759	320	146	130	25	19	31	18	13	-	-
25	XV. CERTAIN DISEASES OF EARLY INFANCY	3,259	1,440	999	484	336	249	149	89	5	6
26	XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	1,806	818	507	278	203	291	159	117	9	6
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	249	88	116	14	31	54	20	31	2	1
28	SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	1,557	730	391	264	172	237	139	86	7	5
29	XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	8,030	4,736	1,966	1,013	315	770	508	234	16	12
30	ACCIDENTS.....E800-E962	6,198	3,692	1,624	654	228	642	418	198	16	10
31	RAILWAY ACCIDENTS.....E800-E802	45	33	2	9	1	7	6	1	-	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E835	3,122	1,967	807	259	89	299	190	94	8	7
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	3,028	1,918	778	246	86	280	175	90	8	7
34	TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	103	66	35	2	-	9	7	2	-	-
35	TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	393	243	82	49	19	45	21	18	3	3
36	OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	1,815	1,102	536	126	51	126	85	38	2	1
37	NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	633	462	103	57	11	87	56	25	3	3
38	TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	84	45	22	12	5	13	6	7	-	-
39	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	94	49	29	13	3	19	15	4	-	-
40	OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	24	18	4	2	-	2	2	-	-	-
41	WATER TRANSPORT ACCIDENTS.....E850-E858	96	84	4	7	1	6	5	1	-	-
42	AIRCRAFT ACCIDENTS.....E860-E866	95	83	12	-	-	42	31	11	-	-
43	ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	108	47	40	12	9	14	8	6	-	-
44	ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	56	37	12	6	1	4	4	-	-	-
45	ACCIDENTAL FALLS.....E900-E904	731	326	364	28	13	84	42	41	1	-
46	FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	178	112	52	12	2	36	29	7	-	-
47	FALL ON SAME LEVEL.....E903	161	71	80	7	3	20	7	13	-	-
48	UNSPECIFIED FALLS.....E904	392	143	232	9	8	28	6	21	1	-
49	BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	63	55	-	8	-	16	12	3	1	-
50	ACCIDENT CAUSED BY MACHINERY.....E912	113	98	5	10	-	18	17	1	-	-
51	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	112	92	7	12	1	7	6	1	-	-
52	ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	476	209	114	101	52	29	20	9	-	-
53	ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	23	7	6	6	4	2	2	-	-	-
54	ACCIDENT CAUSED BY FIREARM.....E919	177	128	23	20	6	16	14	1	1	-
55	INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	140	65	43	20	12	8	5	3	-	-
56	ACCIDENTAL DROWNING.....E929	339	212	47	73	7	18	14	3	-	1
57	EXCESSIVE HEAT AND INSOLATION.....E931	9	3	2	2	2	-	-	-	-	-
58	COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	76	30	30	8	8	12	7	5	-	-
59	ALL OTHER ACCIDENTS.....RESIDUAL	393	198	102	71	22	58	33	18	5	2
60	SUICIDE.....E963,E970-E979	994	701	247	33	13	109	77	31	-	1
61	SUICIDE BY POISONING.....E970-E973	187	93	88	4	2	32	16	15	-	1
62	SUICIDE BY HANGING AND STRANGULATION.....E974	92	67	16	5	4	5	4	1	-	-
63	SUICIDE BY FIREARM AND EXPLOSIVE.....E976	664	513	123	23	5	68	54	14	-	-
64	SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	51	28	20	1	2	4	3	1	-	-
65	HOMICIDE.....E964,E980-E985	836	341	95	326	74	19	13	5	-	1
66	ASSAULT BY FIREARM AND EXPLOSIVE.....E981	561	227	59	228	47	10	8	2	-	-
67	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	169	60	7	86	16	2	1	-	-	1
68	ASSAULT BY OTHER MEANS.....E964,E980,E983	93	46	29	7	11	7	4	3	-	-
69	INJURY BY INTERVENTION OF POLICE.....E984	12	7	-	5	-	-	-	-	-	-
70	EXECUTION.....E985	1	1	-	-	-	-	-	-	-	-
71	INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	2	2	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1965–Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

VERMONT					VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
-	...	-	...	-	27	...	9	...	18	13	...	8	...	5	01
-	...	-	...	-	2	...	-	...	2	3	...	1	...	2	02
-	...	-	...	-	9	...	1	...	8	1	...	1	...	-	03
-	...	-	...	-	2	...	2	...	-	2	...	1	...	1	04
-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	05
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	06
-	...	-	...	-	3	...	-	...	3	3	...	2	...	1	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
-	...	-	...	-	9	...	5	...	4	3	...	3	...	-	09
6	1	5	-	-	67	13	28	13	13	24	9	14	-	1	10
1	-	1	-	-	10	4	4	1	1	7	3	4	-	-	11
5	1	4	-	-	57	9	24	12	12	17	6	10	-	1	12
11	3	8	-	-	90	36	33	4	17	65	24	41	-	-	13
5	-	5	-	-	48	13	21	3	11	39	12	27	-	-	14
-	-	-	-	-	5	1	3	-	1	2	-	2	-	-	15
1	-	1	-	-	4	3	-	-	1	3	2	1	-	-	16
1	-	1	-	-	2	1	1	-	-	3	2	1	-	-	17
1	1	-	-	-	17	13	2	-	2	5	4	1	-	-	18
3	2	1	-	-	14	5	6	1	2	13	4	9	-	-	19
59	27	32	-	-	461	186	184	54	37	261	126	113	13	9	20
3	1	2	-	-	51	24	23	3	1	8	1	7	-	-	21
5	2	3	-	-	46	13	17	10	6	33	15	17	-	1	22
37	16	21	-	-	210	90	81	25	14	126	61	54	5	6	23
14	8	6	-	-	154	59	63	16	16	94	49	35	8	2	24
99	54	45	-	-	1,421	562	364	279	216	653	330	257	31	35	25
60	36	24	-	-	548	185	139	141	83	238	128	98	4	8	26
7	2	5	-	-	57	14	23	11	9	43	18	24	-	1	27
53	34	19	-	-	491	171	116	130	74	195	110	74	4	7	28
354	245	109	-	-	3,314	1,716	710	664	224	2,427	1,581	693	116	37	29
291	201	90	-	-	2,473	1,251	574	479	169	1,906	1,240	554	85	27	30
-	-	-	-	-	20	12	-	8	-	17	16	-	1	-	31
131	101	30	-	-	1,037	589	203	187	58	822	539	235	37	11	32
128	98	30	-	-	1,019	578	198	186	57	794	523	224	37	10	33
3	1	2	-	-	19	11	5	1	2	37	25	11	1	-	34
15	10	5	-	-	175	81	28	48	18	108	67	34	5	2	35
50	35	15	-	-	363	209	90	50	14	329	211	100	13	5	36
39	37	2	-	-	254	154	34	55	11	227	161	50	13	3	37
21	15	6	-	-	208	123	41	32	12	93	59	29	5	-	38
3	3	-	-	-	18	11	5	1	1	28	16	11	-	1	39
2	1	1	-	-	4	2	1	1	-	8	3	4	1	-	40
3	3	-	-	-	49	34	2	12	1	73	62	9	2	-	41
13	10	3	-	-	24	22	2	-	-	29	24	5	-	-	42
4	2	2	-	-	64	30	15	17	2	37	12	21	2	2	43
1	-	1	-	-	19	14	2	2	1	29	20	8	1	-	44
55	28	27	-	-	426	161	208	38	19	339	178	155	4	2	45
20	17	3	-	-	124	67	29	20	8	113	82	29	2	-	46
21	7	14	-	-	65	25	33	6	1	83	44	36	1	2	47
14	4	10	-	-	237	69	146	12	10	143	52	90	1	-	48
7	7	-	-	-	68	47	3	18	-	41	35	1	5	-	49
5	5	-	-	-	43	29	1	13	-	31	29	-	2	-	50
4	4	-	-	-	27	21	3	2	1	11	10	-	1	-	51
23	11	12	-	-	194	55	40	57	42	120	79	31	8	2	52
-	-	-	-	-	13	3	4	6	-	8	2	4	-	2	53
6	6	-	-	-	66	40	5	16	5	35	32	2	1	-	54
5	2	3	-	-	36	11	11	8	6	34	23	9	1	1	55
11	7	4	-	-	167	86	28	46	7	121	89	16	13	3	56
-	-	-	-	-	2	-	-	2	-	1	-	-	-	1	57
3	2	1	-	-	33	10	9	9	5	35	9	25	-	1	58
18	12	6	-	-	181	85	37	37	22	115	78	29	6	2	59
59	42	17	-	-	510	371	102	33	4	432	298	117	12	5	60
17	7	10	-	-	93	52	37	4	-	157	97	52	4	4	61
7	5	2	-	-	55	44	8	3	-	48	33	14	1	-	62
33	29	4	-	-	323	258	43	19	3	174	145	22	6	1	63
2	1	1	-	-	39	17	14	7	1	53	23	29	1	-	64
4	2	2	-	-	331	94	34	152	51	88	42	22	19	5	65
4	2	2	-	-	206	59	24	93	30	45	23	11	8	3	66
-	-	-	-	-	58	10	2	40	6	20	10	5	5	-	67
-	-	-	-	-	63	23	8	17	15	21	9	6	4	2	68
-	-	-	-	-	4	2	-	2	-	2	-	-	2	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	71

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	WEST VIRGINIA					WISCONSIN				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	ALL CAUSES	19,186	10,577	7,380	723	506	40,164	22,658	16,819	389	298
02	I. INFECTIVE AND PARASITIC DISEASES	175	92	62	12	9	290	175	100	13	2
03	TUBERCULOSIS, ALL FORMS 001-019	89	45	31	10	3	114	78	30	6	-
04	TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	84	41	30	10	3	109	76	28	5	-
05	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	2	1	1	-	-	1	-	1	-	-
06	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	-	-	-	-	-
07	TUBERCULOSIS OF BONES AND JOINTS 012,013	2	2	-	-	-	-	-	-	-	-
08	TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	1	1	-	-	-	2	2	-	-	-
09	DISSEMINATED TUBERCULOSIS 019	-	-	-	-	-	2	-	1	1	-
10	SYPHILIS AND ITS SEQUELAE C20-029	28	13	9	2	4	38	21	14	2	1
11	CONGENITAL SYPHILIS 020	-	-	-	-	-	1	1	-	-	-
12	EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
13	ANEURYSM OF AORTA 022	17	10	5	-	2	23	13	8	1	1
14	OTHER CARDIOVASCULAR SYPHILIS 023	5	2	2	1	-	11	5	5	1	-
15	TABES DORSALIS 024	-	-	-	-	-	-	-	-	-	-
16	GENERAL PARALYSIS OF INSANE 025	1	1	-	-	-	1	1	-	-	-
17	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	4	-	1	1	2	1	-	1	-	-
18	ALL OTHER SYPHILIS 027-029	1	-	1	-	-	1	1	-	-	-
19	GONOCOCCAL INFECTION C30-035	-	-	-	-	-	-	-	-	-	-
20	TYPHOID FEVER 040	1	1	-	-	-	-	-	-	-	-
21	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	-	-	-	-	-	3	-	3	-	-
22	CHOLERA 043	-	-	-	-	-	-	-	-	-	-
23	BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
24	DYSENTERY, ALL FORMS 045-048	1	1	-	-	-	-	-	-	-	-
25	FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	-	-	-	-	-
26	SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
27	STREPTOCOCCAL SORE THROAT 051	3	2	1	-	-	-	-	-	-	-
28	ERYSIPELAS 052	-	-	-	-	-	-	-	-	-	-
29	SEPTICEMIA AND PYEMIA 053	18	13	3	-	2	40	23	16	1	-
30	DIPHTHERIA 055	-	-	-	-	-	-	-	-	-	-
31	WHOOPING COUGH 056	-	-	-	-	-	-	-	-	-	-
32	MENINGOCOCCAL INFECTIONS 057	3	2	1	-	-	23	15	7	1	-
33	PLAGUE 058	-	-	-	-	-	-	-	-	-	-
34	LEPROSY 060	-	-	-	-	-	-	-	-	-	-
35	TETANUS 061	1	-	1	-	-	5	3	2	-	-
36	ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
37	ACUTE POLIOMYELITIS 080	-	-	-	-	-	-	-	-	-	-
38	LATE EFFECTS OF ACUTE POLIOMYELITIS 081	2	-	2	-	-	3	3	-	-	-
39	ACUTE INFECTIOUS ENCEPHALITIS 082	6	2	4	-	-	7	5	2	-	-
40	LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	-	-	-	-	-	3	2	1	-	-
41	SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
42	MEASLES 085	7	2	5	-	-	6	3	3	-	-
43	YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
44	INFECTIOUS HEPATITIS 092	5	2	3	-	-	6	5	1	-	-
45	RABIES 094	1	1	-	-	-	-	-	-	-	-
46	TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
47	ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
48	MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
49	SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
50	HYDATID DISEASE 125	1	-	1	-	-	-	-	-	-	-
51	FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
52	ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
53	OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	-	-	-	-	-
54	ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	9	8	1	-	-	42	17	21	3	1
55	II. NEOPLASMS	2,831	1,476	1,184	103	68	6,831	3,593	3,147	48	43
56	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	2,785	1,454	1,166	99	66	6,752	3,557	3,105	48	42
57	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	45	31	14	-	-	120	102	17	1	-
58	OF LIP 140	2	2	-	-	-	2	2	-	-	-
59	OF TONGUE 141	12	8	4	-	-	37	32	4	1	-
60	OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	18	13	5	-	-	40	31	9	-	-
61	OF PHARYNX 145-148	13	8	5	-	-	41	37	4	-	-
62	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	873	473	348	33	19	2,279	1,229	1,017	18	15
63	OF ESOPHAGUS 150	44	31	8	5	-	113	85	21	4	3
64	OF STOMACH 151	171	104	52	11	4	497	286	201	6	4
65	OF SMALL INTESTINE, INCLUDING DUODENUM 152	7	3	2	2	-	19	8	10	1	-
66	OF LARGE INTESTINE, EXCEPT RECTUM 153	247	116	125	3	3	762	369	382	3	8
67	CECUM, APPENDIX, AND ASCENDING COLON 153.0	29	11	18	-	-	109	47	62	-	-
68	TRANSVERSE COLON 153.1	20	6	13	-	1	47	18	29	-	-
69	DESCENDING COLON 153.2	8	3	5	-	-	38	21	17	-	-
70	SIGMOID COLON 153.3	39	18	19	1	1	144	69	73	-	2
71	MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	3	1	2	-	-
72	LARGE INTESTINE, PART UNSPECIFIED 153.8	132	69	60	2	1	376	193	174	3	6
73	INTESTINAL TRACT, PART UNSPECIFIED 153.9	19	9	10	-	-	45	20	25	-	-
74	OF RECTUM 154	92	52	35	2	3	296	176	120	-	-
75	OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	71	38	30	-	3	180	72	106	2	-
76	LIVER 155.0	27	19	8	-	-	40	24	15	1	-
77	CT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	44	19	22	-	3	140	48	91	1	-
78	OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	56	25	28	1	2	50	31	19	-	-
79	OF PANCREAS 157	166	94	60	9	3	327	186	139	2	-
80	OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	19	10	8	-	1	35	16	19	-	-

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
2,808	1,669	1,052	50	37	01
29	18	6	2	3	02
4	3	-	1	-	03
4	3	-	1	-	04
-	-	-	-	-	05
-	-	-	-	-	06
-	-	-	-	-	07
-	-	-	-	-	08
-	-	-	-	-	09
9	8	1	-	-	10
-	-	-	-	-	11
-	-	-	-	-	12
7	6	1	-	-	13
1	1	-	-	-	14
-	-	-	-	-	15
-	-	-	-	-	16
1	1	-	-	-	17
-	-	-	-	-	18
-	-	-	-	-	19
-	-	-	-	-	20
1	1	-	-	-	21
-	-	-	-	-	22
-	-	-	-	-	23
-	-	-	-	-	24
-	-	-	-	-	25
-	-	-	-	-	26
-	-	-	-	-	27
-	-	-	-	-	28
2	1	1	-	-	29
-	-	-	-	-	30
-	-	-	-	-	31
3	1	2	-	-	32
-	-	-	-	-	33
-	-	-	-	-	34
-	-	-	-	-	35
-	-	-	-	-	36
-	-	-	-	-	37
2	1	1	-	-	38
1	-	-	-	1	39
-	-	-	-	-	40
-	-	-	-	-	41
-	-	-	-	-	42
-	-	-	-	-	43
3	2	-	-	1	44
-	-	-	-	-	45
-	-	-	-	-	46
-	-	-	-	-	47
-	-	-	-	-	48
-	-	-	-	-	49
-	-	-	-	-	50
-	-	-	-	-	51
-	-	-	-	-	52
-	-	-	-	-	53
4	1	1	1	1	54
383	213	163	4	3	55
375	210	159	4	2	56
7	6	1	-	-	57
1	1	-	-	-	58
1	1	-	-	-	59
3	2	1	-	-	60
2	2	-	-	-	61
111	69	41	1	-	62
4	3	-	1	-	63
28	23	5	-	-	64
-	-	-	-	-	65
27	16	11	-	-	66
3	-	3	-	-	67
1	1	-	-	-	68
-	-	-	-	-	69
4	3	1	-	-	70
-	-	-	-	-	71
19	12	7	-	-	72
-	-	-	-	-	73
11	4	7	-	-	74
8	6	2	-	-	75
1	1	-	-	-	76
7	5	2	-	-	77
5	3	2	-	-	78
27	13	14	-	-	79
1	1	-	-	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	WEST VIRGINIA					WISCONSIN				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	MALIGNANT NEOPLASMS, ETC.--CON.										
01	MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	486	393	68	23	2	927	771	137	16	3
02	OF LARYNX....161	21	17	3	1	-	47	44	3	-	-
03	OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	160	131	25	4	-	375	325	39	11	-
04	OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	300	241	39	18	2	485	392	87	5	1
05	OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	5	4	1	-	-	20	10	8	-	2
06	MALIGNANT NEOPLASM OF BREAST....170	230	1	214	-	15	682	5	667	-	10
07	MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	394	143	213	20	18	890	405	475	2	8
08	OF CERVIX UTERI....171	117	...	108	...	9	137	...	131	...	6
09	OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	43	...	39	...	4	123	...	123	...	-
10	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	60	...	58	...	2	203	...	201	...	2
11	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	11	...	8	...	3	20	...	20	...	-
12	OF PROSTATE....177	159	139	...	20	...	379	377	...	2	...
13	OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	4	4	...	-	...	28	28	...	-	...
14	MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	128	82	38	4	4	350	220	125	2	3
15	OF KIDNEY....180	56	36	16	2	2	160	96	61	1	2
16	OF BLADDER AND OTHER URINARY ORGANS....181	72	46	22	2	2	190	124	64	1	1
17	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....1568,165,190-199	389	196	178	10	5	713	384	325	4	-
18	OF SKIN....190,191	40	28	12	-	-	80	47	33	-	-
19	OF EYE....192	5	4	1	-	-	6	1	5	-	-
20	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	65	40	24	1	-	169	98	69	2	-
21	OF THYROID GLAND....194	12	3	8	1	-	37	15	22	-	-
22	OF BONE....196	23	13	9	1	-	43	29	14	-	-
23	OF CONNECTIVE TISSUE....197	12	8	4	-	-	31	18	13	-	-
24	OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	18	9	7	2	-	26	18	8	-	-
25	OF UNSPECIFIED SITES....1568,165,198,199B	214	91	113	5	5	321	158	161	2	-
26	LEUKEMIA AND ALEUKEMIA....204	121	66	50	4	1	415	231	181	2	1
27	LYMPHOSARCOMA, ETC....200-203,205	119	69	43	5	2	376	210	161	3	2
28	LYMPHOSARCOMA AND RETICULOSARCOMA....200	67	34	30	3	-	195	97	94	2	2
29	HODGKINS DISEASE....201	23	16	7	-	-	75	49	26	-	-
30	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	29	19	6	2	2	106	64	41	1	-
31	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	46	22	18	4	2	79	36	42	-	1
32	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	1	...	1	...	-	10	...	10	...	-
33	BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	7	1	5	-	1	21	14	7	-	-
34	OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	7	3	3	1	-	17	6	11	-	-
35	UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	1	...	1	...	-	-	...	-	...	-
36	NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	19	11	6	2	-	18	8	9	-	1
37	OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	11	7	2	1	1	13	8	5	-	-
38	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	431	180	222	12	17	1,058	476	566	5	11
39	ASTHMA....241	61	36	21	3	1	111	62	44	2	3
40	NONTOXIC GOITER....250,251	2	-	2	-	-	1	-	1	-	-
41	THYROTOXICOSIS WITH OR WITHOUT GOITER....252	7	1	6	-	-	13	3	9	-	1
42	ALL OTHER DISEASES OF THYROID GLAND....253,254	1	-	-	1	-	7	1	6	-	-
43	DIABETES MELLITUS....260	296	108	171	4	13	783	326	449	1	7
44	DISEASES OF THYMUS GLAND....273	-	-	-	-	-	2	-	1	1	-
45	DISEASES OF ADRENAL GLANDS....274	4	3	-	1	-	11	9	2	-	-
46	PELLAGRA....281	1	1	-	-	-	-	-	-	-	-
47	OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	25	11	10	3	1	21	14	7	-	-
48	CYSTIC FIBROSIS....289A	3	3	-	-	-	13	5	8	-	-
49	ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	31	17	12	-	2	96	56	39	1	-
50	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	50	30	15	2	3	111	61	46	1	3
51	ANEMIAS....290-293	30	15	11	2	2	67	35	29	1	2
52	PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	3	1	-	-	2	15	7	8	-	-
53	ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	27	14	11	2	-	52	28	21	1	2
54	PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	6	4	2	-	-	14	10	4	-	-
55	OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	14	11	2	-	1	30	16	13	-	1
56	V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	45	30	11	3	1	78	53	24	1	-
57	SENILE PSYCHOSIS....304	3	1	2	-	-	4	3	1	-	-
58	ALCOHOLIC PSYCHOSIS....307	6	5	-	1	-	12	12	-	-	-
59	OTHER PSYCHOSES....300-303,305,306,308,309	3	2	1	-	-	16	9	7	-	-
60	ALCOHOLISM....322	23	15	6	2	-	31	24	6	1	-
61	MENTAL DEFICIENCY....325	7	5	2	-	-	14	5	9	-	-
62	OTHER DISORDERS OF PERSONALITY....RESIDUAL	3	2	-	-	1	1	-	1	-	-
63	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	2,208	1,004	1,024	105	75	4,812	2,352	2,394	32	34
64	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	2,081	946	964	99	72	4,450	2,162	2,232	24	32
65	SUBARACHNOID HEMORRHAGE....330	82	36	45	1	-	149	81	64	2	2
66	CEREBRAL HEMORRHAGE....331	1,103	491	509	64	39	2,376	1,165	1,188	7	16
67	CEREBRAL EMBOLISM AND THROMBOSIS....332	622	286	287	24	25	1,356	661	674	12	9
68	OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	274	133	123	10	8	569	255	306	3	5
69	MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	19	10	6	2	1	40	22	15	2	1
70	MULTIPLE SCLEROSIS....345	10	3	7	-	-	50	21	29	-	-
71	PARALYSIS AGITANS....350	20	12	7	1	-	80	43	37	-	-
72	CEREBRAL SPASTIC INFANTILE PARALYSIS....351	11	5	5	1	-	14	6	6	1	1
73	EPILEPSY....353	21	10	10	1	-	44	25	16	3	-
74	INFLAMMATORY DISEASES OF EYE....370-379	1	-	-	-	1	1	1	-	-	-
75	CATARACT....365	-	-	-	-	-	-	-	-	-	-
76	GLAUCOMA....367	-	-	-	-	-	-	-	-	-	-
77	OTITIS MEDIA AND MASTOIDITIS....391-393	3	1	2	-	-	6	1	5	-	-
78	OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	42	17	23	1	1	127	71	54	2	-

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
57	46	10	-	1	01
3	3	-	-	-	02
19	16	3	-	-	03
34	26	7	-	1	04
1	1	-	-	-	05
33	-	32	-	1	06
64	32	30	2	-	07
12	...	12	...	-	08
6	...	6	...	-	09
10	...	10	...	-	10
2	...	2	...	-	11
33	31	...	2	...	12
1	1	...	-	...	13
18	13	5	-	-	14
9	5	4	-	-	15
9	8	1	-	-	16
51	26	25	-	-	17
3	1	2	-	-	18
1	-	1	-	-	19
11	7	4	-	-	20
-	-	-	-	-	21
4	3	1	-	-	22
1	1	-	-	-	23
5	3	2	-	-	24
26	11	15	-	-	25
17	9	8	-	-	26
17	9	7	1	-	27
7	3	4	-	-	28
7	5	2	-	-	29
3	1	1	1	-	30
8	3	4	-	1	31
-	...	-	...	-	32
-	-	-	-	-	33
3	3	-	-	-	34
-	...	-	...	-	35
1	-	-	-	1	36
4	-	4	-	-	37
84	35	46	1	2	38
9	5	4	-	-	39
-	-	-	-	-	40
1	-	1	-	-	41
1	1	-	-	-	42
58	23	34	-	1	43
-	-	-	-	-	44
2	1	1	-	-	45
-	-	-	-	-	46
2	-	2	-	-	47
2	-	2	-	-	48
9	5	2	1	1	49
13	9	4	-	-	50
9	6	3	-	-	51
1	1	-	-	-	52
8	5	3	-	-	53
-	-	-	-	-	54
4	3	1	-	-	55
16	11	5	-	-	56
1	-	1	-	-	57
2	1	1	-	-	58
2	1	1	-	-	59
10	9	1	-	-	60
-	-	-	-	-	61
1	-	1	-	-	62
346	162	177	3	4	63
303	140	156	3	4	64
10	6	3	-	1	65
185	90	93	2	-	66
69	31	34	1	3	67
39	13	26	-	-	68
4	2	2	-	-	69
5	2	3	-	-	70
4	-	4	-	-	71
4	3	1	-	-	72
11	8	3	-	-	73
-	-	-	-	-	74
-	-	-	-	-	75
1	1	-	-	-	76
-	-	-	-	-	77
14	6	8	-	-	78

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	WEST VIRGINIA					WISCONSIN				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	VII. DISEASES OF THE CIRCULATORY SYSTEM	8,507	4,714	3,316	269	208	18,306	10,661	7,426	127	92
02	DISEASES OF HEART..400-402,410-443	7,649	4,260	2,968	238	183	16,158	9,530	6,447	107	74
03	RHEUMATIC FEVER..400-402	-	-	-	-	-	16	10	4	-	2
04	CHRONIC RHEUMATIC HEART DISEASE..410-416	147	55	88	2	2	358	156	192	3	7
05	DISEASES OF MITRAL VALVE..410	62	22	38	1	1	134	57	75	-	2
06	DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC..411	8	6	2	-	-	48	29	16	1	2
07	DISEASES OF PULMONARY VALVE, ETC..413,414	8	1	7	-	-	26	8	18	-	-
08	OTHER RHEUMATIC HEART DISEASES..412,415,416	69	26	41	1	1	150	62	83	2	3
09	ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS..420	5,912	3,497	2,115	176	124	12,990	7,994	4,874	78	44
10	ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED..420.0	1,768	875	775	64	54	3,299	1,586	1,684	15	14
11	HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	4,138	2,619	1,337	112	70	9,689	6,407	3,189	63	30
12	ANGINA PECTORIS WITHOUT MENTION CORONARY DIS..420.2	6	3	3	-	-	2	1	1	-	-
13	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC..421	48	29	19	-	-	104	61	41	2	-
14	OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC..421.0	1	-	1	-	-	1	1	-	-	-
15	OF ACRTIC VALVE, NOT SPECIFIED AS RHEUMATIC..421.1	26	20	6	-	-	51	35	15	1	-
16	OF OTHER VALVES, NOT SPEC. AS RHEUMATIC..421.2-421.4	21	9	12	-	-	52	25	26	1	-
17	CTHER MYOCARDIAL DEGENERATION..422	538	248	256	20	14	1,122	565	554	3	-
18	WITH ARTERIOSCLEROSIS..422.1	450	206	215	17	12	893	437	454	2	-
19	WITHOUT MENTION OF ARTERIOSCLEROSIS..422.0,422.2	88	42	41	3	2	229	128	100	1	-
20	OTHER DISEASES OF HEART..430-434	359	175	161	14	9	487	293	189	2	3
21	ACUTE AND SUBACUTE ENDOCARDITIS..430	6	3	2	1	-	8	5	3	-	-
22	ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	7	5	2	-	-	20	12	7	-	1
23	FUNCTIONAL DISEASE OF HEART..433	122	53	62	2	5	168	89	78	-	1
24	OTHER AND UNSPECIFIED DISEASES OF HEART..434	224	114	95	11	4	291	187	101	2	1
25	HYPERTENSIVE HEART DISEASE..440-443	645	256	329	26	34	1,081	451	593	19	18
26	HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS..442	167	79	77	3	8	321	148	169	2	2
27	OTHER HYPERTENSIVE HEART DISEASE..440,441,443	478	177	252	23	26	760	303	424	17	16
28	OTHER HYPERTENSIVE DISEASE..444-447	171	86	69	9	7	280	133	137	8	2
29	HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS..446	119	53	53	7	6	167	90	73	3	1
30	ESSENTIAL HYPERTENSION..444,445,447	52	33	16	2	1	113	43	64	5	1
31	DISEASES OF ARTERIES..450-456	578	310	234	18	16	1,523	816	686	8	13
32	GENERAL ARTERIOSCLEROSIS..450	437	227	182	15	13	1,142	558	568	6	10
33	AORTIC ANEURYSM, NONSYPHILITIC, ETC..451	96	62	31	2	1	289	223	61	2	3
34	GANGRENE OF UNSPECIFIED CAUSE..455	4	3	1	-	-	5	4	1	-	-
35	OTHER ARTERIAL DISEASES..452-454,456	41	18	20	1	2	87	31	56	-	-
36	DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS..460-468	109	58	45	4	2	345	182	156	4	3
37	VIII. DISEASES OF THE RESPIRATORY SYSTEM	1,160	724	366	49	21	1,864	1,199	622	28	15
38	ACUTE UPPER RESPIRATORY INFECTIONS..470-475	3	2	-	1	-	21	9	12	-	-
39	INFLUENZA..480-483	26	9	17	-	-	46	26	20	-	-
40	PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN..490-493	680	394	246	22	18	1,121	641	446	22	12
41	LOBAR PNEUMONIA..490	112	72	32	3	5	167	104	58	1	4
42	BRONCHOPNEUMONIA..491	320	186	120	6	8	598	342	239	11	6
43	PRIMARY ATYPICAL PNEUMONIA..492	59	34	24	-	1	126	64	55	7	-
44	PNEUMONIA, OTHER AND UNSPECIFIED..493	189	102	70	13	4	230	131	94	3	2
45	ACUTE BRONCHITIS..500	7	3	3	-	1	29	15	13	-	1
46	BRONCHITIS, CHRONIC AND UNQUALIFIED..501,502	66	41	22	2	1	70	51	18	1	-
47	HYPERTROPHY OF TONSILS AND ADENOIDS..510	2	2	-	-	-	-	-	-	-	-
48	EMPYEMA AND ABSCESS OF LUNG..518,521	4	3	-	1	-	10	7	3	-	-
49	PLEURISY..519	2	-	1	1	-	4	2	2	-	-
50	OTHER CHRONIC INTERSTITIAL PNEUMONIA..525	32	21	6	5	-	70	47	21	1	1
51	BRONCHIECTASIS..526	26	15	11	-	-	46	32	14	-	-
52	OTHER DISEASES OF LUNG AND PLEURAL CAVITY..527	244	186	47	10	1	384	335	45	3	1
53	EMPHYSEMA WITHOUT MENTION OF BRONCHITIS..527.1	220	173	39	8	-	351	313	36	2	-
54	ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY..527.C,527.2	24	13	8	2	1	33	22	9	1	1
55	OTHER RESPIRATORY DISEASES..RESIDUAL	68	48	13	7	-	63	34	28	1	-
56	IX. DISEASES OF THE DIGESTIVE SYSTEM	611	342	232	21	16	1,443	809	607	16	11
57	DISEASES OF TEETH AND SUPPORTING STRUCTURES..530-535	2	-	2	-	-	2	2	-	-	-
58	ULCER OF STOMACH..540	52	38	11	2	1	130	92	36	2	-
59	ULCER OF DUODENUM..541	32	15	15	2	-	114	85	29	-	-
60	GASTRITIS AND DUODENITIS..543	3	2	1	-	-	5	3	2	-	-
61	APPENDICITIS..550-553	14	9	5	-	-	51	31	18	1	1
62	HERNIA AND INTESTINAL OBSTRUCTION..560,561,570	102	47	49	3	3	249	111	133	3	2
63	GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER..571	34	16	14	1	3	53	27	23	2	1
64	CHRONIC ENTERITIS AND ULCERATIVE COLITIS..572	32	14	18	-	-	81	33	48	-	-
65	CIRRHOSIS OF LIVER..581	159	105	46	4	4	373	232	131	5	5
66	WITHOUT MENTION OF ALCOHOLISM..581.0	114	72	37	3	2	263	158	98	4	3
67	WITH ALCOHOLISM..581.1	45	33	9	1	2	110	74	33	1	2
68	CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS..584,585	54	25	28	-	1	162	77	83	1	1
69	OTHER DISEASES OF DIGESTIVE SYSTEM..RESIDUAL	127	71	43	9	4	223	116	104	2	1
70	X. DISEASES OF THE GENITOURINARY SYSTEM	329	191	106	21	11	618	349	238	14	17
71	NEPHRITIS AND NEPHROSIS..590-594	122	68	37	12	5	243	135	92	6	10
72	ACUTE NEPHRITIS..590	6	2	4	-	-	10	5	5	-	-
73	NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS..591	5	4	1	-	-	25	13	10	-	2
74	CHRONIC AND UNSPECIFIED NEPHRITIS, ETC..592-594	111	62	32	12	5	208	117	77	6	8
75	INFECTIONS OF KIDNEY..600	103	45	49	4	5	195	77	108	6	4
76	CALCULI OF URINARY SYSTEM..602,604	8	5	2	-	1	37	20	16	-	1
77	OTHER DISEASES OF URINARY SYSTEM..601,603,605-609	29	17	12	-	-	43	28	13	1	1
78	HYPERPLASIA OF PROSTATE..610	56	52	...	4	...	81	80	...	1	...
79	DISEASES OF BREAST..620,621	-	-	-	-	-	-	-	-	-	-
80	OTHER DISEASES OF GENITAL ORGANS..RESIDUAL	11	4	6	1	-	19	9	9	-	1

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
1,076	677	383	10	6	01
948	601	332	9	6	02
-	-	-	-	-	03
28	14	14	-	-	04
14	5	9	-	-	05
5	4	1	-	-	06
1	1	-	-	-	07
8	4	4	-	-	08
726	481	234	7	4	09
151	76	73	1	1	10
575	405	161	6	3	11
-	-	-	-	-	12
2	1	1	-	-	13
-	-	-	-	-	14
2	1	1	-	-	15
-	-	-	-	-	16
83	46	35	1	1	17
51	24	26	-	1	18
32	22	9	1	-	19
65	40	24	-	1	20
2	2	-	-	-	21
2	1	1	-	-	22
22	14	8	-	-	23
39	23	15	-	1	24
44	19	24	1	-	25
17	7	9	1	-	26
27	12	15	-	-	27
13	6	7	-	-	28
6	2	4	-	-	29
7	4	3	-	-	30
86	51	34	1	-	31
55	29	26	-	-	32
21	17	4	-	-	33
-	-	-	-	-	34
10	5	4	1	-	35
29	19	10	-	-	36
203	129	64	4	6	37
-	-	-	-	-	38
5	2	3	-	-	39
121	72	41	4	4	40
14	11	3	-	-	41
54	31	21	2	-	42
9	6	2	-	1	43
44	24	15	2	3	44
2	2	-	-	-	45
13	11	2	-	-	46
-	-	-	-	-	47
2	1	1	-	-	48
-	-	-	-	-	49
9	6	3	-	-	50
2	1	1	-	-	51
44	29	13	-	2	52
39	27	11	-	1	53
5	2	2	-	1	54
5	5	-	-	-	55
116	71	37	3	4	56
-	-	-	-	-	57
10	9	1	-	-	58
11	8	2	1	-	59
1	1	-	-	-	60
8	4	4	-	-	61
19	9	8	1	1	62
5	3	1	-	1	63
4	3	1	-	-	64
26	14	10	1	1	65
19	10	7	1	1	66
7	4	3	-	-	67
9	6	3	-	-	68
22	14	7	-	1	69
38	25	11	-	2	70
14	6	7	-	1	71
1	1	-	-	-	72
-	-	-	-	-	73
13	5	7	-	1	74
14	11	2	-	1	75
-	-	-	-	-	76
3	2	1	-	-	77
5	5	...	-	...	78
-	-	-	-	-	79
2	1	1	-	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

	Cause of death	WEST VIRGINIA					WISCONSIN				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
01	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	14	...	13	...	1	11	...	7	...	4
02	SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	2	...	2	...	-	4	...	3	...	1
03	TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	-	...	-	...	-	3	...	3	...	-
04	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	8	...	7	...	1	3	...	1	...	2
05	ECTOPIC PREGNANCY.....645	-	...	-	...	-	-	...	-	...	-
06	ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	2	...	2	...	-	-	...	-	...	-
07	ABORTION WITH SEPSIS.....651	-	...	-	...	-	1	...	-	...	1
08	ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
09	OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	2	...	2	...	-	-	...	-	...	-
10	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	19	8	11	-	-	42	17	25	-	-
11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	4	3	1	-	-	12	7	5	-	-
12	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	15	5	10	-	-	30	10	20	-	-
13	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	29	17	12	-	-	95	40	54	-	1
14	ARTHRITIS AND SPONDYLITIS.....720-725	19	9	10	-	-	40	7	32	-	1
15	MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	3	3	-	-	-
16	OSTEOMYELITIS AND PERIOSTITIS.....730	-	-	-	-	-	-	-	-	-	-
17	ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	6	3	3	-	-
18	INBORN DEFECT OF MUSCLE.....744.1	5	4	1	-	-	28	21	7	-	-
19	OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	5	4	1	-	-	18	6	12	-	-
20	XIV. CONGENITAL MALFORMATIONS	191	94	89	5	3	455	231	204	10	10
21	SPINA BIFIDA AND MENINGOCELE.....751	24	9	15	-	-	23	10	12	1	-
22	CONGENITAL HYDROCEPHALUS, ETC.....752,753	14	10	4	-	-	52	23	27	1	1
23	CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	92	45	42	3	2	216	109	95	6	6
24	OTHER CONGENITAL MALFORMATIONS.....750,755-759	61	30	28	2	1	164	89	70	2	3
25	XV. CERTAIN DISEASES OF EARLY INFANCY	533	304	184	22	23	1,147	638	448	36	25
26	XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	606	359	178	42	27	242	142	92	4	4
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	36	12	23	1	-	99	44	52	2	1
28	SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	570	347	155	41	27	143	98	40	2	3
29	XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	1,447	1,012	355	57	23	2,761	1,862	819	54	26
30	ACCIDENTS.....E800-E962	1,189	828	303	39	19	2,232	1,505	668	41	18
31	RAILWAY ACCIDENTS.....E800-E802	14	11	2	1	-	16	13	3	-	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E835	484	360	103	15	6	1,054	770	256	21	7
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	476	355	100	15	6	1,027	751	248	21	7
34	TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	3	2	1	-	-	54	38	14	2	-
35	TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	69	49	16	3	1	116	74	35	6	1
36	OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	147	110	34	1	2	507	366	133	4	4
37	NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	129	104	17	6	2	329	260	60	7	2
38	TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	128	90	32	5	1	21	13	6	2	-
39	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	8	5	3	-	-	27	19	8	-	-
40	OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	3	2	1	-	-	7	3	3	-	1
41	WATER TRANSPORT ACCIDENTS.....E850-E858	4	4	-	-	-	31	28	2	1	-
42	AIRCRAFT ACCIDENTS.....E860-E866	12	10	2	-	-	20	16	4	-	-
43	ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	15	8	7	-	-	41	17	23	1	-
44	ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	26	14	11	-	1	51	30	18	3	-
45	ACCIDENTAL FALLS.....E900-E904	197	95	95	5	2	493	242	244	4	3
46	FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	54	34	17	2	1	120	84	35	1	-
47	FALL ON SAME LEVEL.....E903	29	19	10	-	-	156	65	87	2	2
48	UNSPECIFIED FALLS.....E904	114	42	68	3	1	217	93	122	1	1
49	BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	72	67	1	4	-	26	23	2	1	-
50	ACCIDENT CAUSED BY MACHINERY.....E912	33	33	-	-	-	72	69	2	1	-
51	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	12	12	-	-	-	20	20	-	-	-
52	ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	118	73	32	4	9	79	42	33	-	4
53	ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	3	2	1	-	-	11	6	3	1	1
54	ACCIDENT CAUSED BY FIREARM.....E919	38	31	7	-	-	46	42	4	-	-
55	INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	14	6	8	-	-	35	25	9	1	-
56	ACCIDENTAL DROWNING.....E929	51	43	4	4	-	69	73	14	2	-
57	EXCESSIVE HEAT AND INSOLATION.....E931	-	-	-	-	-	1	1	-	-	-
58	COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	15	5	9	-	1	21	14	7	-	-
59	ALL OTHER ACCIDENTS.....RESIDUAL	78	52	20	6	-	119	71	41	5	2
60	SUICIDE.....E963,E970-E979	194	148	39	5	2	468	329	134	2	3
61	SUICIDE BY POISONING.....E970-E973	24	15	7	2	-	144	75	68	-	1
62	SUICIDE BY HANGING AND STRANGULATION.....E974	25	17	5	2	1	98	66	30	1	1
63	SUICIDE BY FIREARM AND EXPLOSIVE.....E976	129	109	19	1	-	190	167	21	1	1
64	SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	16	7	8	-	1	36	21	15	-	-
65	HOMICIDE.....E964,E980-E985	64	36	13	13	2	61	28	17	11	5
66	ASSAULT BY FIREARM AND EXPLOSIVE.....E981	41	23	9	9	-	33	11	11	8	3
67	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	10	3	2	3	2	8	6	-	2	-
68	ASSAULT BY OTHER MEANS.....E964,E980,E983	12	9	2	1	-	18	9	6	1	2
69	INJURY BY INTERVENTION OF POLICE.....E984	1	1	-	-	-	2	2	-	-	-
70	EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
71	INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
1	...	1	...	-	01
-	...	-	...	-	02
1	...	1	...	-	03
-	...	-	...	-	04
-	...	-	...	-	05
-	...	-	...	-	06
-	...	-	...	-	07
-	...	-	...	-	08
-	...	-	...	-	09
2	1	1	-	-	10
-	-	-	-	-	11
2	1	1	-	-	12
6	1	5	-	-	13
6	1	5	-	-	14
-	-	-	-	-	15
-	-	-	-	-	16
-	-	-	-	-	17
-	-	-	-	-	18
-	-	-	-	-	19
32	14	15	2	1	20
1	-	1	-	-	21
2	1	1	-	-	22
13	7	6	-	-	23
16	6	7	2	1	24
90	55	30	3	2	25
23	10	12	-	1	26
4	1	3	-	-	27
19	9	9	-	1	28
351	238	92	18	3	29
279	189	77	11	2	30
3	3	-	-	-	31
128	88	32	7	1	32
127	87	32	7	1	33
-	-	-	-	-	34
11	7	4	-	-	35
52	31	13	7	1	36
59	46	13	-	-	37
5	3	2	-	-	38
1	1	-	-	-	39
4	3	1	-	-	40
3	3	-	-	-	41
5	3	2	-	-	42
1	-	1	-	-	43
12	8	4	-	-	44
38	16	21	1	-	45
12	4	8	-	-	46
8	6	1	1	-	47
18	6	12	-	-	48
7	7	-	-	-	49
9	9	-	-	-	50
2	2	-	-	-	51
10	5	4	1	-	52
1	1	-	-	-	53
9	6	2	1	-	54
8	5	2	1	-	55
16	13	3	-	-	56
-	-	-	-	-	57
5	2	2	-	1	58
18	15	3	-	-	59
61	44	14	2	1	60
16	6	10	-	-	61
3	2	-	-	1	62
40	35	3	2	-	63
2	1	1	-	-	64
11	5	1	5	-	65
9	4	-	5	-	66
1	-	1	-	-	67
1	1	-	-	-	68
-	-	-	-	-	69
-	-	-	-	-	70
-	-	-	-	-	71

Section 2. Infant Mortality

Table		Page
2-1.	Infant and neonatal mortality rates, by color: Birth-registration States or United States, 1915-65	2-3
2-2.	Infant mortality rates by age, color, and sex: United States, 1965	2-3
2-3.	Infant mortality rates by age and color: United States, 1956-65	2-4
2-4.	Infant mortality rates for 55 selected causes: United States, 1956-65	2-5
2-5.	Infant mortality rates by color: United States, each division and State, 1961-65	2-6
2-6.	Neonatal mortality rates by color: United States, each division and State, 1961-65	2-7
2-7.	Deaths under 1 year, by age, race, and sex: United States and each State, 1965	2-8
2-8.	Deaths under 1 year and under 28 days, by month and color, for the United States and each State; and by age and sex for the United States: 1965	2-22
2-9.	Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by month: United States, 1965	2-29
2-10.	Deaths under 1 year and under 28 days, from 55 selected causes, by color, for population-size groups in metropolitan and nonmetropolitan counties: United States, 1965	2-32
2-11.	Deaths under 1 year from 55 selected causes, by age, color, and sex: United States, 1965	2-38
2-12.	Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by color: United States and each State, 1965	2-56

Table 2-1. Infant and Neonatal Mortality Rates, by Color: Birth-Registration States or United States, 1915-65

[Prior to 1933, data are for birth-registration States only. Rates are deaths under 1 year and under 28 days per 1,000 live births in specified group]

Year	Infant mortality rate			Neonatal mortality rate			Year	Infant mortality rate			Neonatal mortality rate		
	Total	White	Nonwhite	Total	White	Nonwhite		Total	White	Nonwhite	Total	White	Nonwhite
1965	24.7	21.5	40.3	17.7	16.1	25.4	1949	31.3	28.9	47.3	21.4	20.3	28.6
1964	24.8	21.6	41.1	17.9	16.2	26.5	1948	32.0	29.9	46.5	22.2	21.2	29.1
1963[1]	25.2	22.2	41.5	18.2	16.7	26.1	1947	32.2	30.1	48.5	22.8	21.7	31.0
1962[1]	25.3	22.3	41.4	18.3	16.9	26.1	1946	33.8	31.8	49.5	24.0	23.1	31.5
1961	25.3	22.4	40.7	18.4	16.9	26.2	1945	38.3	35.6	57.0	24.3	23.3	32.0
1960	26.0	22.9	43.2	18.7	17.2	26.9	1944	39.8	36.9	60.3	24.7	23.6	32.5
1959	26.4	23.2	44.0	19.0	17.5	27.7	1943	40.4	37.5	62.5	24.7	23.7	32.9
1958	27.1	23.8	45.7	19.5	17.8	29.0	1942	40.4	37.3	64.6	25.7	24.5	34.6
1957	26.3	23.3	43.7	19.1	17.5	27.8	1941	45.3	41.2	74.8	27.7	26.1	39.0
1956	26.0	23.2	42.1	18.9	17.5	27.0	1940	47.0	43.2	73.8	28.8	27.2	39.7
1955	26.4	23.6	42.8	19.1	17.7	27.2	1935-39	53.2	49.2	81.3	31.0	29.5	41.4
1954	26.6	23.9	42.9	19.1	17.8	27.0	1930-34[2]	60.4	55.2	98.6	34.4	32.5	48.2
1953	27.8	25.0	44.7	19.6	18.3	27.4	1925-29	69.0	65.0	105.4	37.2	36.0	47.9
1952	28.4	25.5	47.0	19.8	18.5	28.0	1920-24	76.7	73.3	115.3	39.7	38.7	51.1
1951	28.4	25.8	44.8	20.0	18.9	27.3	1915-19	95.7	92.8	149.7	43.4	42.3	58.1
1950	29.2	26.8	44.5	20.5	19.4	27.5							

[1] Figures by color exclude data for residents of New Jersey; see Technical Appendix.
[2] For 1932-34, Mexicans are included with "Nonwhite."

Table 2-2. Infant Mortality Rates by Age, Color, and Sex: United States, 1965

[Rates per 100,000 live births in specified group]

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	2,469.6	2,772.1	2,151.7	2,151.1	2,436.9	1,849.4	4,032.7	4,438.8	3,615.2
Under 28 days	1,766.3	1,998.2	1,522.5	1,608.3	1,829.1	1,375.2	2,541.6	2,939.5	2,235.3
Under 1 day	1,016.5	1,142.9	883.6	930.1	1,048.4	805.2	1,440.5	1,613.3	1,263.0
Under 1 hour	193.9	205.6	181.6	182.0	189.4	174.1	252.5	286.1	217.9
1-23 hours	822.6	937.3	702.0	748.1	858.9	631.1	1,188.1	1,327.2	1,045.0
1 day	258.3	291.8	223.1	240.0	275.4	202.6	348.3	373.5	322.4
2 days	158.9	187.0	129.3	152.9	181.7	122.5	188.1	213.2	162.2
3 days	66.4	80.2	51.9	61.9	76.4	46.7	88.3	99.2	77.1
4 days	37.4	41.2	33.3	33.0	36.2	29.6	58.9	66.3	51.3
5 days	28.9	32.7	24.8	24.3	27.1	21.3	51.2	60.8	41.4
6 days	20.7	23.6	17.7	17.7	19.8	15.5	35.5	42.5	28.4
7-13 days	83.2	93.3	72.5	69.4	78.0	60.4	150.8	169.5	131.6
14-20 days	53.2	58.4	47.7	43.8	47.6	39.9	99.1	112.2	85.7
21-27 days	42.9	47.0	38.6	35.2	38.6	31.6	80.8	89.0	72.3
28-59 days	170.1	191.2	148.0	130.0	150.0	108.9	367.0	395.8	337.4
2 months	130.4	147.5	112.5	100.9	117.5	83.4	275.3	296.6	253.3
3 months	103.5	116.4	90.0	80.5	91.6	68.9	216.3	239.9	192.1
4 months	74.3	80.5	67.9	56.1	61.9	50.0	163.9	173.0	154.5
5 months	52.1	56.9	47.1	39.3	43.2	35.1	115.2	124.9	105.1
6 months	41.7	43.5	39.9	32.1	33.4	30.7	89.1	93.6	84.4
7 months	33.8	34.8	32.8	26.0	26.5	25.4	72.3	75.9	68.5
8 months	28.1	30.7	25.4	21.7	24.2	19.1	59.4	62.9	55.8
9 months	25.6	25.6	25.6	20.9	21.5	20.3	48.7	46.2	51.3
10 months	21.8	22.8	20.7	17.4	18.5	16.2	43.4	44.0	42.7
11 months	21.8	24.1	19.3	17.9	19.6	16.1	40.7	46.5	34.7

Table 2-3. Infant Mortality Rates by Age and Color: United States, 1956-65

[Rates per 100,000 live births in specified group]

Age and color	1965	1964	1963[1]	1962[1]	1961	1960	1959	1958	1957	1956
TOTAL										
Under 1 year	2,469.6	2,477.5	2,522.9	2,531.1	2,529.2	2,604.0	2,638.7	2,706.8	2,634.5	2,598.6
Under 28 days	1,766.3	1,788.4	1,821.6	1,832.0	1,838.7	1,872.6	1,903.0	1,945.8	1,905.8	1,889.4
Under 1 day	1,016.5	1,022.6	1,037.5	1,035.7	1,025.8	1,034.2	1,029.8	1,021.5	994.8	992.7
1 day	258.3	263.2	265.6	262.0	266.5	271.2	277.7	277.0	275.2	282.1
2 days	158.9	160.2	168.2	173.1	172.0	176.9	182.3	186.0	183.3	174.5
3 days	66.4	72.2	72.9	77.4	79.1	82.6	85.2	93.9	89.6	89.1
4 days	37.4	40.0	41.8	43.6	44.3	46.3	50.1	57.7	53.8	53.2
5 days	28.9	28.4	30.7	31.2	34.7	34.2	36.8	44.5	42.0	41.5
6 days	20.7	21.4	22.4	22.8	24.1	25.0	28.3	32.7	31.9	32.2
7-13 days	83.2	85.5	85.7	91.5	93.5	99.0	105.2	118.9	118.9	116.4
14-20 days	53.2	51.3	52.8	53.0	56.2	58.2	59.8	64.2	65.9	61.1
21-27 days	42.9	43.5	43.9	41.5	42.5	45.0	47.8	49.5	50.3	46.8
28-59 days	170.1	165.4	162.5	161.5	162.0	170.8	172.5	177.1	166.2	161.8
2 months	130.4	128.7	129.4	132.4	129.4	132.9	132.8	137.1	126.6	122.5
3 months	103.5	95.9	99.2	96.8	97.6	100.7	102.3	104.7	97.8	94.3
4 months	74.3	69.7	75.0	71.4	70.6	77.2	74.8	78.8	78.3	74.7
5 months	52.1	53.4	55.8	55.6	55.6	57.4	62.5	61.6	59.4	57.6
6 months	41.7	43.4	45.0	44.3	43.6	47.2	47.1	50.8	49.4	47.7
7 months	33.8	34.9	36.4	35.7	34.5	39.2	38.3	39.0	39.2	40.1
8 months	28.1	29.1	29.7	30.4	29.7	33.2	32.5	33.4	34.5	34.4
9 months	25.6	26.1	24.7	26.0	24.9	26.7	26.9	29.5	29.6	27.6
10 months	21.8	21.9	22.1	23.1	21.4	23.0	23.8	25.3	23.8	25.0
11 months	21.8	20.6	21.6	21.9	21.2	22.9	22.3	23.8	23.9	23.5
WHITE										
Under 1 year	2,151.1	2,158.6	2,216.5	2,233.7	2,243.4	2,290.6	2,320.9	2,377.6	2,330.9	2,318.6
Under 28 days	1,608.3	1,620.4	1,667.8	1,685.9	1,693.5	1,724.2	1,747.5	1,777.0	1,753.2	1,747.6
Under 1 day	930.1	929.3	954.1	959.1	953.5	960.7	954.2	948.9	925.3	926.6
1 day	240.0	244.9	248.1	247.4	252.4	253.3	262.9	260.3	261.1	270.9
2 days	152.9	152.4	162.3	165.2	165.3	172.0	175.2	176.4	176.0	165.7
3 days	61.9	66.8	67.4	73.3	74.8	77.7	79.6	84.4	82.4	82.9
4 days	33.0	36.3	36.6	39.3	39.0	41.3	45.3	50.4	47.7	49.2
5 days	24.3	24.8	27.1	27.7	30.1	30.4	31.7	38.5	37.1	37.6
6 days	17.7	19.0	19.8	19.4	21.0	22.5	24.9	27.3	28.0	28.3
7-13 days	69.4	72.8	74.4	77.4	78.0	85.3	87.8	100.7	101.7	99.6
14-20 days	43.8	41.2	42.7	42.7	45.5	46.2	48.3	51.9	52.7	50.0
21-27 days	35.2	32.8	35.3	34.3	34.0	34.8	37.6	38.3	41.1	36.9
28-59 days	130.0	130.6	129.8	129.3	128.7	133.8	137.0	139.6	134.2	130.4
2 months	100.9	99.4	101.9	104.5	103.8	103.4	103.3	106.8	99.5	99.0
3 months	80.5	74.8	76.3	74.7	77.7	78.6	78.5	82.8	76.8	75.9
4 months	56.1	52.3	57.2	55.7	54.5	57.3	55.7	60.6	61.4	58.3
5 months	39.3	40.2	41.7	41.3	42.7	43.2	47.6	48.7	45.5	46.0
6 months	32.1	33.8	33.6	34.7	34.2	35.2	36.0	39.5	38.4	37.9
7 months	26.0	27.8	28.5	28.2	27.5	30.4	30.4	31.5	31.1	31.7
8 months	21.7	22.8	23.4	23.6	24.6	26.4	25.4	27.2	27.9	28.3
9 months	20.9	21.7	20.2	21.1	20.1	21.3	21.4	23.7	23.4	23.0
10 months	17.4	17.8	18.7	19.1	18.2	18.4	20.1	21.3	20.0	21.0
11 months	17.9	17.2	17.4	17.6	17.8	18.3	18.1	18.9	19.5	19.5
NONWHITE										
Under 1 year	4,032.7	4,109.6	4,149.3	4,135.9	4,071.4	4,321.1	4,404.8	4,569.1	4,370.9	4,205.7
Under 28 days	2,541.6	2,648.1	2,610.0	2,605.1	2,621.9	2,685.7	2,766.9	2,900.5	2,778.5	2,703.2
Under 1 day	1,440.5	1,500.0	1,456.8	1,434.1	1,416.1	1,436.6	1,449.6	1,432.4	1,391.9	1,371.6
1 day	348.3	357.0	353.7	337.8	342.0	369.5	360.1	371.8	356.1	346.4
2 days	188.1	200.2	203.2	215.4	208.4	203.9	221.7	239.9	225.0	225.2
3 days	88.3	99.8	102.4	100.8	102.3	109.4	116.5	147.4	130.7	124.6
4 days	58.9	59.4	68.6	66.1	72.7	73.8	76.3	98.7	89.2	76.1
5 days	51.2	46.6	50.4	50.2	59.6	58.4	65.7	78.7	70.1	63.6
6 days	35.5	33.9	37.2	41.6	41.1	38.3	47.3	63.3	54.2	54.6
7-13 days	150.8	150.5	142.3	168.8	177.7	173.9	202.2	221.5	217.3	212.5
14-20 days	99.1	102.7	106.1	109.1	113.7	124.3	123.6	133.5	140.8	124.5
21-27 days	80.8	98.0	89.4	81.2	88.2	100.4	104.1	113.2	103.3	104.1
28-59 days	367.0	343.0	342.0	337.6	341.3	373.5	369.7	389.1	349.1	342.1
2 months	275.3	278.9	280.6	289.3	267.7	294.8	297.2	308.5	281.5	257.2
3 months	216.3	204.0	225.7	219.8	204.8	221.7	234.8	228.7	217.7	200.1
4 months	163.9	158.9	173.4	169.3	157.8	186.3	180.9	181.9	174.8	168.7
5 months	115.2	121.4	131.5	133.4	125.3	138.6	144.9	134.9	139.3	124.0
6 months	89.1	92.2	107.2	93.7	94.7	113.2	108.9	114.3	112.6	104.3
7 months	72.3	71.1	79.2	77.5	72.1	87.5	82.0	81.1	85.7	88.1
8 months	59.4	61.5	63.5	68.1	56.8	70.5	71.8	68.1	72.5	69.8
9 months	48.7	48.9	50.2	52.4	50.9	56.3	57.3	62.2	65.2	54.1
10 months	43.4	42.8	41.0	46.1	38.7	48.2	44.6	48.0	45.3	47.8
11 months	40.7	38.3	44.9	43.6	39.6	47.8	45.7	51.8	48.6	46.5

[1] Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Table 2-4. Infant Mortality Rates for 55 Selected Causes: United States, 1956-65

[Rates are deaths under 1 year per 100,000 live births. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Deaths are classified according to the Sixth Revision for 1956-57 and according to the Seventh Revision for 1958-65. Asterisk indicates rate based on a frequency of less than 20]

Cause of death	1965	1964	1963	1962	1961	1960	1959	1958	1957	1956
All causes	2,469.6	2,477.5	2,522.9	2,531.1	2,529.2	2,604.0	2,638.7	2,706.8	2,634.5	2,598.6
Dysentery, all forms 045-048	2.3	2.7	2.3	2.8	2.4	3.3	4.0	4.4	5.1	5.2
Septicemia and pyemia 053	9.0	9.2	8.9	8.8	8.8	9.6	10.0	10.3	10.2	7.9
Whooping cough 056	1.1	1.6	2.1	1.6	1.3	1.7	4.3	3.1	2.9	4.1
Meningococcal infections 057	7.3	5.1	5.0	4.5	3.8	4.6	4.8	5.8	5.8	6.1
Tetanus 061	0.7	0.8	1.1	1.3	1.5	1.6	1.9	2.0	1.8	1.9
Other infective and parasitic dis. 001-044,049-052,054,055,058-060,062-138	13.4	13.5	13.0	14.4	12.7	13.1	13.1	13.8	12.5	15.2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	6.0	5.8	6.3	6.3	6.9	7.0	6.6	6.2	6.6	7.2
Benign neoplasms and neoplasms of unspecified nature 210-239	2.8	2.4	3.1	3.0	2.9	3.2	3.0	3.2	3.1	3.8
Diseases of thymus gland 273	1.5	1.8	2.2	2.4	2.1	2.7	3.5	3.3	4.0	4.4
Meningitis, except meningococcal and tuberculous 340	22.4	23.7	21.1	21.8	20.5	20.5	19.7	20.9	18.1	17.9
Other diseases of nervous system and sense organs 330-334,341-398	18.7	17.2	16.9	18.4	20.1	22.3	22.0	22.9	20.0	19.2
Acute upper respiratory infections 470-475	8.7	9.1	9.4	9.7	9.1	9.8	11.7	10.8	10.8	9.9
Influenza and pneumonia, except pneumonia of newborn 480-493	213.7	206.7	217.5	215.6	215.6	230.8	229.6	235.9	225.9	207.4
Influenza 480-483	4.8	3.4	8.7	6.8	6.0	12.6	8.0	10.6	15.2	6.9
Pneumonia, except pneumonia of newborn 490-493	208.9	203.3	208.8	208.8	209.6	218.2	221.6	225.3	210.7	200.5
Bronchitis 500-502	12.5	12.3	13.3	13.9	14.0	15.4	17.3	18.6	18.0	18.8
Other diseases of respiratory system 510-522,525-527	43.7	39.5	41.6	38.2	37.3	36.1	35.5	36.3	61.6	54.4
Pulmonary congestion and hypostasis 522	5.3	5.5	5.7	4.3	5.1	4.3	3.7	---	---	---
Other chronic interstitial pneumonia 525	28.7	24.5	26.0	24.1	21.5	21.9	20.9	---	---	---
Bronchiectasis 526	*0.0	*0.1	*0.1	*0.1	*0.0	*0.0	*0.0	---	---	---
Other diseases of lung and pleural cavity 527.2	6.2	5.3	6.1	5.7	6.2	5.5	5.9	---	---	---
All other diseases of respiratory system 510-521,527.1	3.5	4.0	3.7	4.0	4.5	4.3	4.9	---	---	---
Hernia and intestinal obstruction 560,561,570	22.7	21.4	22.2	21.3	21.8	21.7	22.5	22.6	24.5	25.9
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	45.4	50.3	51.1	56.2	53.8	61.6	60.1	63.5	72.8	67.4
Other diseases of digestive system 530-542,544-553,573-587	10.1	9.7	16.1	15.7	15.5	15.9	16.1	17.6	13.0	13.9
Congenital malformations 750-759	357.5	352.5	355.8	355.9	363.5	361.4	367.0	370.0	371.4	376.5
Spina bifida and meningocele 751	30.7	29.4	32.6	32.0	24.5	25.7	28.2	27.6	27.6	31.3
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	29.4	30.4	30.2	31.9	38.1	38.6	38.8	39.7	41.6	40.9
Congenital malformations of circulatory system 754	174.6	171.0	172.3	172.3	178.7	178.2	177.2	181.0	178.0	177.5
Other congenital malformations 750,755-759	122.9	121.6	120.7	119.8	122.3	118.8	122.8	121.8	124.2	126.9
Certain diseases of early infancy 760-776	1,472.6	1,497.2	1,529.1	1,540.2	1,538.4	1,575.3	1,600.0	1,639.9	1,564.2	1,549.7
Birth injuries 760,761	205.2	210.6	218.5	227.2	232.5	238.6	246.5	264.7	267.9	276.6
Without mention of immaturity (.0)	77.8	82.5	83.4	88.4	90.1	94.0	98.0	108.7	111.6	119.4
With immaturity (.5)	127.4	128.1	135.1	138.8	142.3	144.6	148.5	156.1	156.3	157.2
Intracranial and spinal injury at birth 760	65.5	63.1	65.4	69.6	70.6	74.6	80.7	92.9	97.3	104.1
Without mention of immaturity (.0)	36.0	37.0	38.6	41.7	40.4	43.6	48.1	56.5	60.0	66.3
With immaturity (.5)	29.5	26.1	26.8	27.9	30.2	31.0	32.6	36.3	37.3	37.7
Other birth injury 761	139.7	147.5	153.1	157.6	161.8	164.0	165.8	171.9	170.6	172.5
Without mention of immaturity (.0)	41.8	45.4	44.8	46.7	49.7	50.4	49.8	52.1	51.5	53.0
With immaturity (.5)	97.9	102.0	108.3	110.9	112.1	113.6	116.0	119.7	119.0	119.5
Postnatal asphyxia and atelectasis 762	410.3	416.2	437.6	449.4	445.7	458.9	466.1	485.2	443.6	434.2
Without mention of immaturity (.0)	109.2	109.6	120.1	119.9	119.5	123.4	129.4	138.9	126.1	124.0
With immaturity (.5)	301.1	306.6	317.5	329.5	326.1	335.5	336.6	346.2	317.5	310.2
Pneumonia of newborn 763	73.7	76.7	77.6	80.4	83.0	83.2	88.6	93.2	87.3	81.7
Without mention of immaturity (.0)	52.8	57.5	56.2	58.9	60.3	60.2	62.9	65.1	59.9	57.1
With immaturity (.5)	20.9	19.3	21.4	21.5	22.6	23.0	25.7	28.1	27.5	24.6
Diarrhea of newborn 764	9.8	9.9	9.4	9.8	9.8	10.9	11.6	12.6	12.1	12.7
Without mention of immaturity (.0)	7.8	8.0	7.8	7.6	7.7	8.5	9.1	10.2	9.4	10.2
With immaturity (.5)	2.0	1.9	1.6	2.2	2.2	2.4	2.5	2.5	2.7	2.5
Other infections of newborn 765-768	20.9	21.5	20.5	19.0	17.5	18.3	19.1	25.7	20.1	16.5
Without mention of immaturity (.0)	11.6	12.2	12.4	11.3	11.1	11.9	13.1	16.2	13.5	11.1
With immaturity (.5)	9.3	9.3	8.2	7.7	6.4	6.4	6.0	9.6	6.7	5.3
Neonatal disorders arising from certain diseases of mother during pregnancy 769	18.8	16.6	17.9	18.7	21.4	23.5	20.6	19.1	15.3	15.9
Without mention of immaturity (.0-.4)	8.0	6.2	6.5	6.8	7.8	8.3	6.9	6.5	4.7	4.7
With immaturity (.5-.9)	10.8	10.4	11.4	11.9	13.6	15.2	13.7	12.6	10.6	11.3
Hemolytic disease of newborn (erythroblastosis) 770	39.3	41.2	44.8	47.8	49.2	50.4	51.5	56.4	59.3	56.7
Without mention of immaturity (.0-.2)	28.4	30.6	35.0	37.5	38.6	40.0	40.9	45.8	48.0	45.1
With immaturity (.5-.7)	10.9	10.6	9.8	10.3	10.7	10.4	10.6	10.6	11.3	11.7
Hemorrhagic disease of newborn 771	12.7	13.2	13.8	12.8	13.2	14.6	15.9	16.2	17.4	17.3
Without mention of immaturity (.0)	7.2	8.4	8.3	7.5	8.1	9.2	9.6	9.8	10.8	11.0
With immaturity (.5)	5.4	4.8	5.5	5.3	5.1	5.3	6.3	6.4	6.5	6.3
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	269.4	265.4	253.2	222.4	198.9	189.2	179.7	159.5	95.3	93.0
Without mention of immaturity (.0)	67.6	68.1	67.8	60.3	57.4	55.3	52.7	49.1	23.1	23.2
With immaturity (.5)	201.8	197.3	185.3	162.0	141.5	134.0	127.0	110.4	72.2	69.7
Immaturity with mention of any other subsidiary condition 774	28.7	29.3	26.5	22.9	31.6	30.8	31.5	30.8	58.5	51.9
Immaturity, unqualified 776	383.8	398.6	409.2	429.7	435.7	457.0	468.9	476.4	487.3	493.2
Symptoms and ill-defined conditions 780-793,795	63.0	64.3	61.8	54.4	56.1	59.1	58.1	65.5	60.1	61.4
All other diseases Residual	40.7	41.1	32.3	32.2	32.6	32.6	33.6	33.8	33.1	33.4
Accidents E800-E962	88.2	84.6	85.7	87.7	83.9	90.0	90.9	93.2	86.3	84.0
Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	18.1	19.5	19.8	20.1	28.8	28.3	27.2	30.2	26.4	23.7
Accidental mechanical suffocation in bed and cradle E924	18.6	19.4	20.3	22.0	21.7	23.9	27.0	26.8	25.1	24.3
Other accidental causes E800-E920,E923,E925-E962	51.5	45.6	45.6	45.6	33.4	37.8	36.7	36.1	34.9	36.0
Homicide E964,E980-E984	5.7	5.4	5.0	5.1	4.5	4.7	3.5	3.2	2.9	3.0

Table 2-5. Infant Mortality Rates by Color: United States, Each Division and State, 1961-65

[Rates are deaths under 1 year per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1965			1964			1963			1962			1961		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
United States[1]	24.7	21.5	40.3	24.8	21.6	41.1	25.2	22.2	41.5	25.3	22.3	41.4	25.3	22.4	40.7
Geographic divisions:															
New England	22.1	21.2	37.5	21.1	20.5	34.4	22.0	21.3	36.2	22.7	22.0	37.8	22.6	22.0	34.6
Middle Atlantic[1]	23.3	20.3	40.6	23.7	20.9	40.9	23.8	21.3	40.0	24.3	21.8	41.3	23.6	21.1	41.1
East North Central	23.6	21.3	40.1	23.2	21.0	40.1	23.3	21.5	37.8	23.2	21.4	37.5	23.7	22.1	36.2
West North Central	22.1	20.8	38.7	22.2	20.9	40.3	22.3	21.1	39.7	22.4	21.3	38.6	22.8	21.7	39.2
South Atlantic	28.3	22.4	41.9	28.4	22.0	43.8	29.4	22.9	44.9	29.2	22.9	44.6	29.1	22.8	44.3
East South Central	30.7	23.7	47.3	30.5	23.8	46.9	31.8	24.5	49.6	31.1	24.6	46.9	31.1	25.0	45.8
West South Central	26.6	22.5	40.6	27.2	23.1	41.6	27.9	24.1	41.6	27.7	24.0	41.8	27.2	23.3	41.2
Mountain	24.2	22.8	37.7	25.6	24.2	40.4	26.1	24.1	48.3	26.2	24.6	45.3	26.6	25.0	45.5
Pacific	22.1	21.1	28.8	21.9	21.0	28.4	22.4	21.5	28.6	22.9	21.8	30.7	23.3	22.5	29.3
New England:															
Maine	22.6	22.5	*32.5	23.5	23.5	21.3	24.1	24.1	*24.6	25.3	25.2	*32.8	25.3	25.2	*27.3
New Hampshire	21.1	21.2	*10.9	22.6	22.5	*41.7	22.7	22.6	*27.3	22.1	21.9	*43.5	24.4	24.4	*16.7
Vermont	21.9	22.0	-	24.7	24.6	*62.5	24.6	24.7	-	22.7	22.8	-	27.2	27.2	-
Massachusetts	22.2	21.4	38.5	19.8	19.3	*31.7	20.6	20.2	29.6	21.8	21.3	33.2	21.6	21.1	33.1
Rhode Island	22.5	21.6	42.0	24.9	24.0	46.3	23.9	22.5	54.7	25.5	24.5	48.6	22.5	22.3	26.6
Connecticut	21.9	20.3	36.9	20.6	19.2	35.4	22.7	21.0	41.0	22.7	21.0	41.2	22.3	20.9	38.6
Middle Atlantic:															
New York	23.4	20.2	39.5	24.1	20.9	41.5	24.0	21.2	39.4	24.7	21.7	42.3	23.7	21.1	40.3
New Jersey	23.2	19.2	43.5	23.7	20.4	41.6	23.7	---	---	23.8	---	---	23.6	20.7	41.5
Pennsylvania	23.3	21.0	40.4	23.1	21.1	38.9	23.7	21.4	41.3	24.0	22.0	39.3	23.6	21.3	42.3
East North Central:															
Ohio	22.3	20.5	37.0	22.0	20.4	35.7	23.2	21.6	36.9	22.8	21.0	37.9	23.1	21.7	35.4
Indiana	23.5	22.2	38.5	23.8	22.4	39.8	23.4	21.9	39.5	23.2	21.9	38.0	24.0	22.5	40.1
Illinois	25.6	21.4	44.5	25.1	21.4	43.5	23.9	20.9	38.7	24.0	21.3	37.5	24.3	21.8	37.2
Michigan	23.6	21.6	37.8	23.0	21.0	39.1	23.2	21.5	36.9	24.0	22.4	36.8	23.9	22.6	34.3
Wisconsin	21.9	21.6	28.7	20.8	20.1	37.8	22.3	21.8	33.7	20.7	19.9	39.0	22.7	22.3	31.7
West North Central:															
Minnesota	20.3	20.0	30.1	20.5	20.2	30.4	20.8	20.6	29.1	20.9	20.6	33.9	22.2	22.0	34.1
Iowa	20.6	20.5	26.0	21.2	20.7	45.9	20.6	20.4	33.7	19.8	19.5	34.2	20.6	20.4	34.2
Missouri	25.4	22.3	42.2	24.2	21.0	42.7	24.1	21.4	41.0	25.4	23.1	39.1	24.7	21.9	42.4
North Dakota	21.2	20.2	40.2	23.1	22.3	38.3	24.6	23.8	43.3	22.6	22.0	35.7	23.2	22.2	45.6
South Dakota	22.7	19.5	48.8	22.5	21.0	36.2	24.7	22.7	46.6	25.3	22.9	54.2	25.1	22.7	53.2
Nebraska	22.6	22.0	35.2	22.7	22.0	35.2	21.6	20.6	40.5	20.8	20.0	35.9	22.8	22.2	33.4
Kansas	20.4	19.7	29.2	22.0	20.7	39.4	22.4	21.3	37.8	22.3	21.4	35.7	22.1	21.8	26.2
South Atlantic:															
Delaware	24.3	20.1	40.8	21.7	17.1	39.4	24.5	20.3	41.2	21.5	17.9	36.4	26.2	20.7	47.9
Maryland	24.7	21.8	34.9	24.5	20.1	40.1	25.6	21.6	39.8	26.8	22.4	42.5	25.7	21.0	41.7
District of Columbia	32.0	24.5	34.1	34.0	22.6	38.0	33.0	25.4	36.1	34.9	26.4	38.3	35.6	27.2	39.2
Virginia	26.6	22.2	39.7	28.0	22.7	44.4	29.2	24.1	45.0	29.2	23.9	45.8	28.0	23.1	43.1
West Virginia	26.8	26.1	41.6	23.5	22.8	38.7	26.1	25.6	36.6	26.5	26.1	34.3	26.7	26.3	33.7
North Carolina	30.5	22.1	48.3	30.3	21.5	49.4	31.2	22.2	50.8	30.5	22.2	48.7	30.7	22.6	48.3
South Carolina	31.3	22.7	43.3	31.1	23.1	42.4	33.0	22.4	48.1	31.5	23.5	42.8	32.4	22.7	45.7
Georgia	28.9	21.7	41.6	29.2	21.9	42.6	31.0	23.0	45.8	30.1	22.3	44.4	29.4	21.5	43.4
Florida	28.3	22.4	44.0	28.9	23.0	44.9	27.9	22.6	42.7	28.5	22.3	46.0	28.9	23.2	44.9
East South Central:															
Kentucky	25.3	23.7	42.6	25.4	23.6	44.7	27.8	26.3	44.4	26.9	25.1	45.6	27.8	26.1	46.0
Tennessee	28.0	23.8	42.0	28.2	24.8	40.4	28.0	23.5	44.2	28.7	24.8	42.2	29.2	25.5	42.3
Alabama	30.8	23.3	43.8	31.0	23.1	44.6	32.2	24.5	45.3	30.8	23.0	43.9	31.1	23.7	43.6
Mississippi	40.6	24.5	54.4	39.4	23.1	53.2	41.3	22.9	57.6	40.0	25.7	52.6	37.8	23.6	49.9
West South Central:															
Arkansas	25.7	20.6	37.7	26.8	22.3	37.8	28.5	23.4	41.4	28.8	24.3	39.8	27.5	21.8	40.9
Louisiana	30.5	22.0	43.1	29.8	20.5	43.8	30.4	20.6	45.5	31.3	21.8	45.9	30.3	21.6	43.7
Oklahoma	23.1	21.7	30.7	22.6	20.9	32.3	24.3	22.3	35.5	23.8	21.9	36.0	24.0	22.1	35.7
Texas	26.0	23.1	41.1	27.4	24.4	42.6	27.6	25.5	39.3	27.1	24.9	39.7	26.7	24.3	40.0
Mountain:															
Montana	25.0	24.3	32.2	26.6	24.5	50.1	24.2	22.3	46.6	25.9	24.0	48.8	25.6	23.7	47.5
Idaho	24.5	24.5	*24.6	22.2	22.3	*19.8	22.8	22.4	*43.4	24.1	24.1	*23.5	23.1	23.0	*28.5
Wyoming	22.1	21.2	*42.3	29.0	28.5	*39.6	28.5	27.7	*47.9	30.3	29.7	*46.1	27.0	26.0	*52.3
Colorado	24.3	24.0	30.8	25.4	24.6	43.9	25.9	25.6	34.0	25.2	24.4	45.5	26.2	25.8	37.1
New Mexico	26.9	25.6	35.4	29.1	27.1	42.4	30.5	28.2	46.6	30.0	28.5	41.2	29.6	28.2	40.3
Arizona	25.4	21.6	43.0	26.3	24.0	38.0	28.8	23.3	56.2	28.5	24.3	50.0	30.6	26.6	52.4
Utah	18.7	17.8	47.8	20.0	19.2	50.0	18.6	18.2	34.4	19.7	19.1	40.9	20.3	19.8	41.9
Nevada	24.8	23.7	32.7	29.0	28.4	33.3	30.3	28.3	46.1	29.7	28.8	36.3	28.3	26.6	41.1
Pacific:															
Washington	21.4	20.4	36.4	22.5	21.7	35.3	22.1	20.9	39.6	22.8	21.7	41.7	22.7	21.8	37.5
Oregon	21.1	20.8	28.2	22.4	21.9	33.6	21.4	21.4	21.3	21.9	21.6	31.5	22.9	22.6	31.8
California	22.1	21.2	28.1	21.8	20.8	28.9	22.3	21.5	28.3	22.9	21.9	30.7	23.3	22.5	28.9
Alaska	38.1	24.0	66.1	29.7	19.2	52.2	31.9	24.8	46.7	34.2	22.2	59.0	37.0	25.7	60.2
Hawaii	21.3	20.9	21.5	19.9	20.9	19.4	22.5	20.7	23.3	20.8	18.3	22.0	21.7	21.8	21.6

[1] Figures by color exclude data for residents of New Jersey for 1962 and 1963; see Technical Appendix.

Table 2-6. Neonatal Mortality Rates by Color: United States, Each Division and State, 1961-65

[Rates are deaths under 28 days per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1965			1964			1963			1962			1961		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
United States[1]	17.7	16.1	25.4	17.9	16.2	26.5	18.2	16.7	26.1	18.3	16.9	26.1	18.4	16.9	26.2
Geographic divisions:															
New England	16.9	16.3	28.0	15.6	15.2	23.9	16.8	16.3	26.4	17.4	16.9	26.6	17.2	16.9	25.7
Middle Atlantic[1]	17.5	15.5	29.1	18.1	16.1	29.9	18.2	16.3	28.8	18.5	16.9	29.7	18.1	16.4	30.3
East North Central	17.4	16.0	28.1	17.5	16.0	28.7	17.6	16.4	26.9	17.5	16.3	26.7	17.8	16.7	26.1
West North Central	16.4	15.8	24.6	16.7	15.9	27.6	16.7	16.1	25.1	16.7	16.2	24.1	17.0	16.5	25.8
South Atlantic	19.3	17.1	24.3	19.3	16.6	25.9	19.8	17.3	25.8	19.9	17.4	25.8	20.1	17.5	26.5
East South Central	20.1	17.4	26.4	20.4	17.3	27.8	20.9	17.7	28.6	20.9	18.3	27.1	21.1	18.6	26.9
West South Central	18.2	16.2	24.9	18.8	16.8	26.0	19.4	17.6	25.9	19.4	17.6	26.2	18.8	17.0	25.5
Mountain	16.8	16.7	17.6	17.9	17.7	20.1	18.2	17.8	23.1	18.2	17.9	21.6	18.9	18.5	23.9
Pacific	15.9	15.3	19.9	16.0	15.5	20.1	16.6	16.1	20.6	16.8	16.1	21.3	17.1	16.6	20.5
New England:															
Maine	16.9	16.8	*28.5	16.8	16.8	*14.2	18.0	18.0	*14.1	18.0	18.0	*18.2	18.7	18.7	*15.2
New Hampshire	15.4	15.4	*10.9	16.4	16.3	*41.7	17.9	17.9	*18.2	17.0	16.9	*32.6	17.3	17.3	*16.7
Vermont	16.1	16.2	-	18.8	18.7	*62.5	19.0	19.1	-	18.2	18.2	-	20.7	20.7	-
Massachusetts	17.0	16.5	27.7	14.6	14.3	22.2	15.7	15.4	21.0	16.5	16.3	22.7	16.6	16.4	23.7
Rhode Island	17.5	16.8	31.8	19.1	18.6	32.7	18.5	17.5	39.4	20.0	19.5	31.9	16.9	17.0	*14.6
Connecticut	17.1	16.0	28.2	15.4	14.5	24.3	17.3	16.0	30.9	17.8	16.7	30.3	17.3	16.3	30.7
Middle Atlantic:															
New York	17.5	15.3	28.8	18.2	15.9	30.6	17.9	16.1	28.2	18.6	16.7	30.0	18.1	16.3	29.7
New Jersey	17.5	14.9	30.4	18.2	15.9	30.7	18.8	---	---	18.3	---	---	18.1	16.0	30.9
Pennsylvania	17.7	16.2	28.6	17.8	16.5	27.5	18.2	16.7	30.2	18.5	17.1	28.9	18.2	16.6	31.3
East North Central:															
Ohio	16.5	15.2	26.8	17.0	15.8	27.1	17.8	16.7	26.9	17.7	16.4	28.4	17.9	16.8	27.3
Indiana	17.5	16.7	26.1	17.5	16.6	27.7	17.6	16.5	29.2	17.4	16.5	27.4	17.6	16.5	28.8
Illinois	18.7	16.0	30.9	18.6	16.4	29.2	17.7	15.9	26.6	17.7	16.1	25.5	17.8	16.3	25.3
Michigan	17.5	16.1	27.0	17.5	15.8	30.6	17.4	16.2	26.9	17.9	16.8	26.8	18.0	17.0	25.6
Wisconsin	16.5	16.4	17.8	15.8	15.4	25.4	16.9	16.6	24.7	15.8	15.3	27.6	17.2	17.0	22.8
West North Central:															
Minnesota	15.2	15.3	13.6	15.6	15.4	23.5	15.9	15.9	16.6	15.7	15.6	20.0	16.4	16.4	19.8
Iowa	15.4	15.4	*17.7	15.9	15.5	36.7	15.4	15.3	21.8	15.0	14.8	24.7	15.6	15.5	21.8
Missouri	18.6	16.8	28.3	17.8	15.9	29.0	17.6	16.0	27.4	18.9	17.8	26.0	18.1	16.4	29.0
North Dakota	15.7	15.0	*27.3	18.0	17.8	*22.1	18.3	18.4	*17.9	16.8	16.8	*17.1	17.8	17.4	*27.9
South Dakota	15.1	14.5	19.4	15.1	14.9	17.4	17.9	17.9	17.7	17.4	17.4	17.8	18.3	17.6	26.2
Nebraska	17.6	17.2	25.6	17.5	17.2	24.2	16.8	16.4	22.9	15.5	15.0	24.3	17.6	17.4	22.1
Kansas	15.3	15.1	18.7	16.7	15.8	28.8	17.1	16.3	27.3	16.8	16.4	22.4	16.8	16.7	17.9
South Atlantic:															
Delaware	16.8	15.2	23.4	14.7	12.5	22.9	17.8	16.0	24.9	15.7	14.4	20.9	19.4	16.9	29.4
Maryland	18.3	16.7	24.0	18.3	15.8	27.2	19.2	16.6	28.5	20.3	17.7	29.6	19.3	16.4	29.0
District of Columbia	22.5	19.0	23.5	25.7	18.6	28.2	24.3	18.9	26.4	26.0	21.6	27.9	27.2	22.5	29.3
Virginia	18.8	16.8	24.9	20.3	17.6	28.7	20.9	18.3	28.9	21.0	18.3	29.3	20.1	17.7	27.4
West Virginia	20.2	19.6	31.8	16.7	16.4	23.4	18.5	18.4	21.9	19.3	19.1	21.6	19.6	19.5	21.8
North Carolina	20.0	16.9	26.7	19.9	16.1	28.2	19.9	16.7	26.8	19.7	16.7	26.4	20.4	17.2	27.4
South Carolina	18.8	17.2	20.9	18.2	17.0	19.9	19.0	16.7	22.4	17.8	17.3	18.6	19.6	16.7	23.6
Georgia	18.5	16.2	22.6	18.7	16.2	23.2	19.4	17.1	23.7	19.4	16.6	24.6	19.6	16.6	25.1
Florida	19.8	17.4	26.3	20.1	17.4	27.3	19.7	17.4	26.1	19.8	17.1	27.3	20.2	18.1	26.1
East South Central:															
Kentucky	17.3	16.5	25.7	17.9	16.7	30.1	18.3	17.4	27.6	19.2	18.1	30.8	20.4	19.3	31.8
Tennessee	19.5	17.4	26.4	19.6	17.6	26.7	19.5	17.5	26.6	20.1	18.1	26.9	20.3	18.7	25.6
Alabama	19.8	17.5	23.8	20.5	17.4	26.0	21.3	18.4	26.2	20.4	17.9	24.7	20.7	17.7	25.6
Mississippi	24.5	19.4	28.9	24.2	17.7	29.7	25.3	17.6	32.0	24.7	20.1	28.8	23.5	18.6	27.8
West South Central:															
Arkansas	15.9	14.6	18.7	17.1	16.1	19.5	18.2	17.1	21.0	19.2	17.8	22.5	17.4	16.0	20.6
Louisiana	20.9	17.0	26.6	20.9	16.3	27.8	21.4	16.2	29.4	21.9	17.1	29.2	21.7	16.9	29.0
Oklahoma	16.2	15.6	19.2	16.7	15.8	21.7	18.0	16.9	24.2	18.2	17.4	23.9	17.3	16.4	22.7
Texas	18.0	16.3	26.3	18.8	17.2	27.2	19.1	18.1	24.5	18.8	17.7	25.0	18.4	17.3	24.3
Mountain:															
Montana	18.1	18.4	*15.3	18.8	18.0	27.5	16.6	16.2	21.7	17.7	17.6	19.7	18.4	17.4	31.2
Idaho	17.4	17.5	*16.4	16.1	16.4	*5.6	17.2	17.1	*23.1	17.7	17.9	*8.8	17.4	17.5	*9.5
Wyoming	16.3	15.7	*28.2	23.9	23.9	*24.4	22.2	22.0	*27.4	22.9	22.9	*23.0	21.0	20.5	*35.9
Colorado	17.6	17.4	20.7	18.7	18.2	30.2	19.2	19.0	24.0	18.6	18.0	33.6	19.6	19.3	28.0
New Mexico	17.7	18.4	13.9	19.0	19.0	19.5	20.3	20.2	21.1	19.5	19.9	16.3	20.0	19.9	20.6
Arizona	15.9	15.6	17.3	16.4	16.6	15.7	18.1	17.0	23.5	17.9	17.1	21.8	19.7	19.0	23.3
Utah	13.5	13.3	21.6	14.6	14.3	*25.0	13.1	13.1	*10.9	14.3	14.2	*17.3	15.1	15.0	*21.0
Nevada	19.4	18.8	23.5	21.2	21.1	22.2	22.9	21.6	33.0	22.9	22.4	26.7	21.3	20.8	24.6
Pacific:															
Washington	15.2	14.6	24.5	15.9	15.5	21.3	16.1	15.5	24.9	15.9	15.4	23.8	16.3	15.8	23.6
Oregon	14.5	14.3	17.2	15.7	15.5	20.0	15.8	15.8	*15.6	15.0	14.9	18.1	16.0	16.0	15.5
California	16.1	15.4	20.4	16.1	15.5	21.3	16.7	16.1	20.5	17.0	16.3	22.3	17.2	16.7	21.2
Alaska	19.7	17.2	24.6	17.0	14.3	22.9	20.6	18.9	24.1	18.6	16.9	21.9	21.8	19.4	26.7
Hawaii	16.0	15.9	16.0	14.9	14.6	15.0	18.3	15.8	19.4	16.6	14.9	17.4	16.7	17.0	16.6

[1]Figures by color exclude data for residents of New Jersey for 1962 and 1963; see Technical Appendix.

Table 2-7. Deaths Under 1 Year, by Age, Race,

	Area, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	United States	92,866	7,292	30,932	9,713	5,974	2,497	1,405	1,085	780
2	Male	53,419	3,962	18,063	5,623	3,604	1,546	794	631	455
3	Female	39,447	3,330	12,869	4,090	2,370	951	611	454	325
4	White	67,198	5,685	23,370	7,496	4,777	1,935	1,030	759	554
5	Male	39,098	3,039	13,781	4,418	2,916	1,226	580	435	318
6	Female	28,100	2,646	9,589	3,078	1,861	709	450	324	236
7	Negro	24,230	1,513	7,206	2,121	1,135	542	362	303	213
8	Male	13,507	868	4,066	1,157	645	309	208	179	130
9	Female	10,723	645	3,140	964	490	233	154	124	83
10	Other	1,438	94	356	96	62	20	13	23	13
11	Male	814	55	216	48	43	11	6	17	7
12	Female	624	39	140	48	19	9	7	6	6
13	Alabama	2,174	143	543	223	155	65	30	22	13
14	Male	1,240	78	319	122	87	34	18	13	7
15	Female	934	65	224	101	68	31	12	9	6
16	White	1,043	79	324	125	96	37	13	10	8
17	Male	592	42	191	69	54	21	7	5	4
18	Female	451	37	133	56	42	16	6	5	4
19	Negro	1,130	64	219	98	58	28	17	12	5
20	Male	647	36	128	53	32	13	11	8	3
21	Female	483	28	91	45	26	15	6	4	2
22	Other	1	-	-	-	1	-	-	-	-
23	Male	1	-	-	-	1	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	Alaska	269	19	59	9	10	3	4	4	2
26	Male	161	12	34	4	7	2	1	2	1
27	Female	108	7	25	5	3	1	3	2	1
28	White	113	13	33	7	7	2	3	3	2
29	Male	67	7	17	2	5	1	1	1	1
30	Female	46	6	16	5	2	1	2	2	1
31	Negro	23	2	9	-	1	-	-	-	-
32	Male	13	2	6	-	-	-	-	-	-
33	Female	10	-	3	-	1	-	-	-	-
34	Other	133	4	17	2	2	1	1	1	-
35	Male	81	3	11	2	2	1	-	1	-
36	Female	52	1	6	-	-	-	1	-	-
37	Arizona	861	57	260	74	54	19	10	8	5
38	Male	504	29	172	45	34	11	4	3	3
39	Female	357	28	88	29	20	8	6	5	2
40	White	605	39	219	62	42	17	7	6	2
41	Male	368	20	147	39	27	10	3	2	1
42	Female	237	19	72	23	15	7	4	4	1
43	Negro	58	8	19	1	4	1	-	-	-
44	Male	27	2	8	1	3	-	-	-	-
45	Female	31	6	11	-	1	1	-	-	-
46	Other	198	10	22	11	8	1	3	2	3
47	Male	109	7	17	5	4	1	1	1	2
48	Female	89	3	5	6	4	-	2	1	1
49	Arkansas	945	60	235	105	58	24	15	11	6
50	Male	536	32	134	65	31	14	6	8	2
51	Female	409	28	101	40	27	10	9	3	4
52	White	531	41	149	76	43	17	10	4	3
53	Male	302	24	85	49	22	10	4	2	-
54	Female	229	17	64	27	21	7	6	2	3
55	Negro	413	19	86	29	15	7	5	7	3
56	Male	233	8	49	16	9	4	2	6	2
57	Female	180	11	37	13	6	3	3	1	1
58	Other	1	-	-	-	-	-	-	-	-
59	Male	1	-	-	-	-	-	-	-	-
60	Female	-	-	-	-	-	-	-	-	-
61	California	7,844	624	2,757	789	503	214	126	90	57
62	Male	4,586	347	1,602	473	323	134	78	54	35
63	Female	3,258	277	1,155	316	180	80	48	36	22
64	White	6,581	548	2,278	654	442	177	108	73	49
65	Male	3,837	298	1,324	387	282	113	65	47	29
66	Female	2,744	250	954	267	160	64	43	26	20
67	Negro	1,119	69	425	122	51	35	15	15	8
68	Male	652	42	240	78	34	21	11	5	6
69	Female	467	27	185	44	17	14	4	10	2
70	Other	144	7	54	13	10	2	3	2	-
71	Male	97	7	38	8	7	-	2	2	-
72	Female	47	-	16	5	3	2	1	-	-
73	Colorado	895	72	333	88	53	21	17	9	7
74	Male	526	47	188	53	28	13	9	6	3
75	Female	369	25	145	35	25	8	8	3	4
76	White	837	67	311	87	47	19	16	9	7
77	Male	500	43	177	52	26	13	9	6	3
78	Female	337	24	134	35	21	6	7	3	4
79	Negro	46	5	19	1	6	2	-	-	-
80	Male	22	4	10	1	2	-	-	-	-
81	Female	24	1	9	-	4	2	-	-	-
82	Other	12	-	3	-	-	-	1	-	-
83	Male	4	-	1	-	-	-	-	-	-
84	Female	8	-	2	-	-	-	1	-	-
85	Connecticut	1,188	114	456	136	80	30	20	14	7
86	Male	714	61	276	88	46	20	11	7	5
87	Female	474	53	180	48	34	10	9	7	2
88	White	997	93	388	118	69	23	17	11	5
89	Male	603	43	243	82	41	16	9	5	3
90	Female	394	50	145	36	28	7	8	6	2
91	Negro	190	21	67	18	11	7	3	3	2
92	Male	111	18	33	6	5	4	2	2	2
93	Female	79	3	34	12	6	3	1	1	-
94	Other	1	-	1	-	-	-	-	-	-
95	Male	-	-	-	-	-	-	-	-	-
96	Female	1	-	1	-	-	-	-	-	-

and Sex: United States and Each State, 1965

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
59,678	3,128	2,000	1,613	66,419	6,398	4,904	3,893	2,795	1,960	1,569	1,271	1,056	964	819	818	1
34,678	1,798	1,125	906	38,507	3,684	2,842	2,243	1,551	1,096	838	670	591	494	439	464	2
25,000	1,330	875	707	27,912	2,714	2,062	1,650	1,244	864	731	601	465	470	380	354	3
45,606	2,168	1,369	1,099	50,242	4,062	3,152	2,516	1,752	1,227	1,002	811	678	654	543	559	4
26,713	1,251	763	619	29,346	2,407	1,885	1,469	993	693	536	425	388	345	297	314	5
18,893	917	606	480	20,896	1,655	1,267	1,047	759	534	466	386	290	309	246	245	6
13,395	913	607	486	15,401	2,228	1,644	1,295	956	672	512	408	346	280	252	236	7
7,562	522	350	274	8,708	1,224	888	726	510	367	272	223	190	134	130	135	8
5,833	391	257	212	6,693	1,004	756	569	446	305	240	185	156	146	122	101	9
677	47	24	28	776	108	108	82	87	61	55	52	32	30	24	23	10
403	25	12	13	453	53	69	48	48	36	30	22	13	15	12	15	11
274	22	12	15	323	55	39	34	39	25	25	30	19	15	12	8	12
1,194	95	54	54	1,397	174	128	117	85	66	47	41	29	29	29	32	13
678	54	33	28	793	91	77	62	46	43	33	29	19	20	14	13	14
516	41	21	26	604	83	51	55	39	23	14	12	10	9	15	19	15
692	45	22	24	783	51	46	42	28	22	17	11	12	11	9	11	16
393	26	14	11	444	26	28	26	14	12	12	7	8	8	4	3	17
299	19	8	13	339	25	18	16	14	10	5	4	4	3	5	8	18
501	50	32	30	613	123	82	75	57	44	30	30	17	18	20	21	19
284	28	19	17	348	65	49	36	32	31	21	22	11	12	10	10	20
217	22	13	13	265	58	33	39	25	13	9	8	6	6	10	11	21
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	22
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
110	16	5	8	139	30	22	16	19	9	8	7	7	1	7	4	25
63	10	3	5	81	18	15	11	12	6	4	4	3	-	5	2	26
47	6	2	3	58	12	7	5	7	3	4	3	4	1	2	2	27
70	7	3	1	81	12	6	3	5	1	1	2	-	-	1	1	28
35	4	3	1	43	7	4	2	5	1	1	2	-	-	1	1	29
35	3	-	-	38	5	2	1	-	-	-	-	-	-	-	-	30
12	1	-	1	14	2	1	2	-	-	2	1	-	-	-	1	31
8	-	-	1	9	-	1	-	-	-	1	1	-	-	-	1	32
4	1	-	-	5	2	-	2	-	-	1	-	-	-	-	-	33
28	8	2	6	44	16	15	11	14	8	5	4	7	1	6	2	34
20	6	-	3	29	11	10	9	7	5	2	1	3	-	4	-	35
8	2	2	3	15	5	5	2	7	3	3	3	4	1	2	2	36
487	23	17	11	538	54	45	43	46	29	36	18	12	10	16	14	37
301	15	4	6	326	40	21	22	26	14	24	2	7	5	8	9	38
186	8	13	5	212	14	24	21	20	15	12	16	5	5	8	5	39
394	18	14	9	435	36	26	22	26	14	14	5	6	7	8	6	40
249	12	3	5	269	27	14	16	12	6	9	-	4	3	5	3	41
145	6	11	4	166	9	12	6	14	8	5	5	2	4	3	3	42
33	1	2	1	37	5	5	2	3	1	3	1	-	-	1	-	43
14	1	-	1	16	4	1	1	3	-	2	-	-	-	-	-	44
19	-	2	-	21	1	4	1	-	1	1	1	-	-	1	-	45
60	4	1	1	66	13	14	19	17	14	19	12	6	3	7	8	46
38	2	1	-	41	9	6	5	11	8	13	2	3	2	3	6	47
22	2	-	1	25	4	8	14	6	6	6	10	3	1	4	2	48
514	34	16	19	583	89	64	49	38	27	25	29	12	10	11	8	49
292	23	10	13	338	50	31	34	20	12	14	15	7	5	5	5	50
222	11	6	6	245	39	33	15	18	15	11	14	5	5	6	3	51
343	16	8	10	377	34	30	14	15	12	11	16	5	7	6	4	52
196	11	6	5	218	20	13	9	6	6	7	10	3	3	3	4	53
147	5	2	5	159	14	17	5	9	6	4	6	2	4	3	-	54
171	18	8	9	206	55	34	35	23	15	14	12	7	3	5	4	55
96	12	4	8	120	30	18	25	14	6	7	4	4	2	2	1	56
75	6	4	1	86	25	16	10	9	9	7	8	3	1	3	3	57
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
5,160	237	178	135	5,710	525	435	312	224	144	119	104	93	60	67	51	61
3,046	133	107	80	3,366	314	248	180	140	79	59	52	46	30	39	33	62
2,114	104	71	55	2,344	211	187	132	84	65	60	52	47	30	28	18	63
4,329	208	147	111	4,795	441	357	264	200	117	93	91	75	49	54	45	64
2,545	116	87	65	2,813	266	203	148	125	66	45	44	38	26	35	28	65
1,784	92	60	46	1,982	175	154	116	75	51	48	47	37	23	19	17	66
740	24	27	22	813	78	70	45	22	20	23	9	15	9	11	4	67
437	13	17	13	480	45	41	30	14	9	12	5	8	2	3	3	68
303	11	10	9	333	33	29	15	8	11	11	4	7	7	8	1	69
91	5	4	2	102	6	8	3	2	7	3	4	3	2	2	2	70
64	4	3	2	73	3	4	2	1	4	2	3	-	2	1	2	71
27	1	1	-	29	3	4	1	1	3	1	1	3	-	1	-	72
600	25	11	12	648	64	41	38	18	26	19	13	11	9	3	5	73
347	18	5	7	377	38	26	23	11	17	8	9	6	5	2	4	74
253	7	6	5	271	26	15	15	7	9	11	4	5	4	1	1	75
563	25	10	11	609	61	38	34	17	23	15	13	10	9	3	5	76
329	18	5	7	359	36	24	22	11	16	6	9	6	5	2	4	77
234	7	5	4	250	25	14	12	6	7	9	4	4	4	1	1	78
33	-	1	1	35	3	1	4	-	1	2	-	-	-	-	-	79
17	-	-	-	17	2	1	1	-	-	1	-	-	-	-	-	80
16	-	1	1	18	1	-	3	-	1	1	-	-	-	-	-	81
4	-	-	-	4	-	2	-	1	2	2	-	1	-	-	-	82
1	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	83
3	-	-	-	3	-	1	-	1	1	1	-	1	-	-	-	84
857	34	20	20	931	70	42	38	34	15	9	14	6	13	8	8	85
514	18	13	7	552	43	30	25	18	9	4	8	3	10	7	5	86
343	16	7	13	379	27	12	13	16	6	5	6	3	3	1	3	87
724	26	16	19	785	54	36	33	28	12	8	13	4	10	7	7	88
442	15	9	6	472	31	26	22	15	7	3	7	2	8	6	4	89
282	11	7	13	313	23	10	11	13	5	5	6	2	2	1	3	90
132	8	4	1	145	16	6	5	6	3	1	1	2	3	1	1	91
72	3	4	1	80	12	4	3	3	2	1	1	1	2	1	1	92
60	5	-	-	65	4	2	2	3	1	-	-	1	1	-	-	93
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	94
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	96

Table 2-7. Deaths Under 1 Year, by Age, Race,

	Area, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Delaware	260	18	75	41	12	5	1	5	4
2	Male	147	10	46	21	6	5	-	3	2
3	Female	113	8	29	20	6	-	1	2	2
4	White	171	11	55	27	10	4	1	4	4
5	Male	98	5	34	13	5	4	-	3	2
6	Female	73	6	21	14	5	-	1	1	2
7	Negro	89	7	20	14	2	1	-	1	-
8	Male	49	5	12	8	1	1	-	-	-
9	Female	40	2	8	6	1	-	-	1	-
10	Other	-	-	-	-	-	-	-	-	-
11	Male	-	-	-	-	-	-	-	-	-
12	Female	-	-	-	-	-	-	-	-	-
13	District of Columbia	577	44	217	48	27	12	14	4	4
14	Male	332	22	118	32	16	8	7	3	3
15	Female	245	22	99	16	11	4	7	1	1
16	White	97	12	43	6	6	2	2	-	1
17	Male	57	8	23	5	5	2	-	-	1
18	Female	40	4	20	1	1	-	2	-	-
19	Negro	478	32	173	42	21	10	12	4	3
20	Male	273	14	94	27	11	6	7	3	2
21	Female	205	18	79	15	10	4	5	1	1
22	Other	2	-	1	-	-	-	-	-	-
23	Male	2	-	1	-	-	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	Florida	3,025	172	969	314	234	84	45	31	27
26	Male	1,685	106	560	180	141	49	22	21	17
27	Female	1,340	66	409	134	93	35	23	10	10
28	White	1,733	113	633	174	165	55	28	15	17
29	Male	992	65	380	99	99	32	15	11	10
30	Female	741	48	253	75	66	23	13	4	7
31	Negro	1,287	58	334	140	69	29	17	16	10
32	Male	689	40	179	81	42	17	7	10	7
33	Female	598	18	155	59	27	12	10	6	3
34	Other	5	1	2	-	-	-	-	-	-
35	Male	4	1	1	-	-	-	-	-	-
36	Female	1	-	1	-	-	-	-	-	-
37	Georgia	2,734	172	728	274	161	73	40	32	28
38	Male	1,572	107	430	165	90	45	22	16	18
39	Female	1,162	65	298	109	71	28	18	16	10
40	White	1,303	92	404	176	96	48	20	15	15
41	Male	755	54	253	102	50	30	9	10	9
42	Female	548	38	151	74	46	18	11	5	6
43	Negro	1,429	80	323	98	65	25	20	17	13
44	Male	816	53	177	63	40	15	13	6	9
45	Female	613	27	146	35	25	10	7	11	4
46	Other	2	-	1	-	-	-	-	-	-
47	Male	1	-	-	-	-	-	-	-	-
48	Female	1	-	1	-	-	-	-	-	-
49	Hawaii	348	35	128	37	14	11	4	11	4
50	Male	193	19	71	18	10	7	2	8	2
51	Female	155	16	57	19	4	4	2	3	2
52	White	105	13	40	10	5	4	2	3	-
53	Male	59	6	24	7	5	2	1	2	-
54	Female	46	7	16	3	-	2	1	1	-
55	Negro	11	4	3	-	1	-	-	1	-
56	Male	8	3	1	-	1	-	-	1	-
57	Female	3	1	2	-	-	-	-	-	-
58	Other	232	18	85	27	8	7	2	7	4
59	Male	126	10	46	11	4	5	1	5	2
60	Female	106	8	39	16	4	2	1	2	2
61	Idaho	327	27	103	39	24	7	4	6	3
62	Male	194	16	52	28	15	6	1	3	2
63	Female	133	11	51	11	9	1	3	3	1
64	White	318	25	100	39	24	7	4	5	3
65	Male	188	15	49	28	15	6	1	2	2
66	Female	130	10	51	11	9	1	3	3	1
67	Negro	-	-	-	-	-	-	-	-	-
68	Male	-	-	-	-	-	-	-	-	-
69	Female	-	-	-	-	-	-	-	-	-
70	Other	9	2	3	-	-	-	-	1	-
71	Male	6	1	3	-	-	-	-	1	-
72	Female	3	1	-	-	-	-	-	-	-
73	Illinois	5,340	410	1,842	464	296	148	94	89	60
74	Male	3,030	202	1,079	263	179	93	58	49	27
75	Female	2,310	208	763	201	117	55	36	40	33
76	White	3,652	324	1,297	351	221	102	62	52	38
77	Male	2,092	157	763	202	133	67	35	28	19
78	Female	1,560	167	534	149	88	35	27	24	19
79	Negro	1,665	84	537	112	75	45	32	35	22
80	Male	924	45	308	60	46	26	23	20	8
81	Female	741	39	229	52	29	19	9	15	14
82	Other	23	2	8	1	-	1	-	2	-
83	Male	14	-	8	1	-	-	-	1	-
84	Female	9	2	-	-	-	1	-	1	-
85	Indiana	2,309	196	774	265	179	58	34	32	15
86	Male	1,368	121	461	156	116	35	22	17	10
87	Female	941	75	313	109	63	23	12	15	5
88	White	1,991	173	673	229	157	53	28	30	14
89	Male	1,188	108	399	141	103	32	17	15	10
90	Female	803	65	274	88	54	21	11	15	4
91	Negro	316	23	100	36	21	5	6	2	1
92	Male	179	13	62	15	12	3	5	2	-
93	Female	137	10	38	21	9	2	1	-	1
94	Other	2	-	1	-	1	-	-	-	-
95	Male	1	-	-	-	1	-	-	-	-
96	Female	1	-	1	-	-	-	-	-	-

and Sex: United States and Each State, 1965—Con.

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
161	8	9	2	180	18	10	15	3	11	4	3	2	3	8	3	1
93	6	4	-	103	11	5	8	2	5	2	2	2	1	4	2	2
68	2	5	2	77	7	5	7	1	6	2	1	-	2	4	1	3
116	6	5	2	129	9	5	9	2	5	2	1	1	2	5	1	4
66	5	4	-	75	6	3	5	1	2	-	1	1	1	2	1	5
50	1	1	2	54	3	2	4	1	3	2	-	-	1	3	-	6
45	2	4	-	51	9	5	6	1	6	2	2	1	1	3	2	7
27	1	-	-	28	5	2	3	1	3	2	1	1	-	2	1	8
18	1	4	-	23	4	3	3	-	3	-	1	-	1	1	1	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
370	14	12	10	406	46	30	23	19	7	8	10	8	4	3	13	13
209	7	8	4	228	31	15	16	11	5	7	6	4	2	1	6	14
161	7	4	6	178	15	15	7	8	2	1	4	4	2	2	7	15
72	1	1	1	75	10	4	1	3	-	-	2	-	-	1	1	16
44	1	-	-	45	6	1	-	2	-	-	1	-	-	1	1	17
28	-	1	1	30	4	3	1	1	-	-	1	-	-	-	-	18
297	13	11	9	330	36	25	22	16	7	8	8	8	4	2	12	19
164	6	8	4	182	25	13	16	9	5	7	5	4	2	-	5	20
133	7	3	5	148	11	12	6	7	2	1	3	4	2	2	7	21
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	22
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
1,876	115	74	53	2,118	216	170	135	92	67	48	45	44	35	27	28	25
1,096	59	38	28	1,221	125	79	70	46	34	22	21	23	12	16	16	26
780	56	36	25	897	91	91	65	46	33	26	24	21	23	11	12	27
1,200	67	46	32	1,345	97	83	49	39	28	20	21	15	12	14	10	28
711	36	25	17	789	54	43	24	23	12	8	9	8	6	9	7	29
489	31	21	15	556	43	40	25	16	16	12	12	7	6	5	3	30
673	48	28	21	770	119	87	85	53	38	28	24	29	23	13	18	31
383	23	13	11	430	71	36	45	23	21	14	12	15	6	7	9	32
290	25	15	10	340	48	51	40	30	17	14	12	14	17	6	9	33
3	-	-	-	3	-	-	1	-	1	-	-	-	-	-	-	34
2	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	35
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	36
1,508	112	69	61	1,750	233	194	158	118	69	38	52	36	36	26	24	37
893	68	40	31	1,032	135	95	94	58	43	17	28	21	17	17	15	38
615	44	29	30	718	98	99	64	60	26	21	24	15	19	9	9	39
866	55	28	25	974	70	71	47	37	18	18	16	13	16	11	12	40
517	29	17	12	575	39	37	31	21	12	6	7	5	8	7	7	41
349	26	11	13	399	31	34	16	16	6	12	9	8	8	4	5	42
641	57	41	36	775	163	122	111	81	51	20	36	23	20	15	12	43
376	39	23	19	457	96	57	63	37	31	11	21	16	9	10	8	44
265	18	18	17	318	67	65	48	44	20	9	15	7	11	5	4	45
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	47
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	48
244	9	3	5	261	24	15	9	6	9	2	5	6	6	2	3	49
137	5	3	3	148	12	11	5	2	7	2	2	1	2	-	1	50
107	4	-	2	113	12	4	4	4	2	-	3	5	4	2	2	51
77	1	-	2	80	6	2	3	-	3	-	4	2	2	1	2	52
47	1	-	1	49	3	1	-	-	2	-	2	1	-	-	1	53
30	-	-	1	31	3	1	3	-	1	-	2	1	2	1	1	54
9	1	-	-	10	1	-	-	-	-	-	-	-	-	-	-	55
6	1	-	-	7	1	-	-	-	-	-	-	-	-	-	-	56
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	57
158	7	3	3	171	17	13	6	6	6	2	1	4	4	1	1	58
84	3	3	2	92	8	10	5	2	5	2	-	-	2	-	-	59
74	4	-	1	79	9	3	1	4	1	-	1	4	2	1	1	60
213	7	8	5	233	24	14	15	13	11	6	3	2	1	1	4	61
123	4	3	1	131	20	8	12	7	5	4	2	2	-	-	3	62
90	3	5	4	102	4	6	3	6	6	2	1	-	1	1	1	63
207	7	8	5	227	23	12	15	13	11	6	3	2	1	1	4	64
118	4	3	1	126	20	7	12	7	5	4	2	2	-	-	3	65
89	3	5	4	101	3	5	3	6	6	2	1	-	1	1	1	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
6	-	-	-	6	1	2	-	-	-	-	-	-	-	-	-	70
5	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	71
1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	72
3,403	229	158	101	3,891	438	257	177	131	113	80	66	63	49	42	33	73
1,950	122	89	50	2,211	246	160	95	80	68	42	34	28	22	22	22	74
1,453	107	69	51	1,680	192	97	82	51	45	38	32	35	27	20	11	75
2,447	129	84	61	2,721	254	171	119	91	76	46	42	40	31	35	26	76
1,404	71	47	34	1,556	147	109	62	59	45	28	22	14	15	18	17	77
1,043	58	37	27	1,165	107	62	57	32	31	18	20	26	16	17	9	78
942	99	73	40	1,154	181	85	57	39	37	34	24	23	18	7	6	79
536	51	41	16	644	99	51	32	20	23	14	12	14	7	4	4	80
406	48	32	24	510	82	34	25	19	14	20	12	9	11	3	2	81
14	1	1	-	16	3	1	1	1	-	-	-	-	-	-	1	82
10	-	1	-	11	-	-	1	1	-	-	-	-	-	-	1	83
4	1	-	-	5	3	1	-	-	-	-	-	-	-	-	-	84
1,553	79	46	39	1,717	141	111	92	59	39	41	27	25	11	21	25	85
938	42	17	24	1,021	87	59	51	38	23	23	16	16	5	14	15	86
615	37	29	15	696	54	52	41	21	16	18	11	9	6	7	10	87
1,357	71	40	33	1,501	124	91	75	47	28	35	22	22	8	17	21	88
825	38	17	19	899	76	47	44	32	15	20	13	16	3	12	11	89
532	33	23	14	602	48	44	31	15	13	15	9	6	5	5	10	90
194	8	6	6	214	17	20	17	12	11	6	5	3	3	4	4	91
112	4	-	5	121	11	12	7	6	8	3	3	-	2	2	4	92
82	4	6	1	93	6	8	10	6	3	3	2	3	1	2	-	93
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	94
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	95
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	96

Table 2-7. Deaths Under 1 Year, by Age, Race,

	Area, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Iowa	1,049	108	362	117	77	32	13	13	12
2	Male	608	66	211	80	39	18	7	6	9
3	Female	441	42	151	37	38	14	6	7	3
4	White	1,024	106	353	117	77	31	13	12	12
5	Male	593	65	205	80	39	18	7	6	9
6	Female	431	41	148	37	38	13	6	6	3
7	Negro	24	2	8	-	-	1	-	1	-
8	Male	14	1	5	-	-	-	-	-	-
9	Female	10	1	3	-	-	1	-	1	-
10	Other	1	-	1	-	-	-	-	-	-
11	Male	1	-	1	-	-	-	-	-	-
12	Female	-	-	-	-	-	-	-	-	-
13	Kansas	801	74	246	96	76	29	11	13	10
14	Male	502	47	154	70	47	18	9	8	7
15	Female	299	27	92	26	29	11	2	5	3
16	White	715	63	226	86	71	27	10	12	10
17	Male	447	39	142	62	46	17	9	7	7
18	Female	268	24	84	24	25	10	1	5	3
19	Negro	84	10	19	10	5	2	1	1	-
20	Male	54	7	12	8	1	1	-	1	-
21	Female	30	3	7	2	4	1	1	-	-
22	Other	2	1	1	-	-	-	-	-	-
23	Male	1	1	-	-	-	-	-	-	-
24	Female	1	-	1	-	-	-	-	-	-
25	Kentucky	1,556	97	496	153	107	50	21	14	16
26	Male	878	42	298	82	65	27	11	6	9
27	Female	678	55	198	71	42	23	10	8	7
28	White	1,331	83	423	138	96	47	20	13	14
29	Male	751	35	255	74	58	25	11	5	8
30	Female	580	48	168	64	38	22	9	8	6
31	Negro	224	14	72	15	11	3	1	1	2
32	Male	126	7	42	8	7	2	-	1	1
33	Female	98	7	30	7	4	1	1	-	1
34	Other	1	-	1	-	-	-	-	-	-
35	Male	1	-	1	-	-	-	-	-	-
36	Female	-	-	-	-	-	-	-	-	-
37	Louisiana	2,428	144	758	253	158	57	38	27	24
38	Male	1,330	81	438	143	92	33	18	13	16
39	Female	1,098	63	320	110	66	24	20	14	8
40	White	1,046	78	358	136	88	26	26	10	8
41	Male	587	43	207	80	52	16	16	6	7
42	Female	459	35	151	56	36	10	10	4	1
43	Negro	1,377	66	399	117	69	31	12	17	16
44	Male	740	38	230	63	40	17	2	7	9
45	Female	637	28	169	54	29	14	10	10	7
46	Other	5	-	1	-	1	-	-	-	-
47	Male	3	-	1	-	-	-	-	-	-
48	Female	2	-	-	-	1	-	-	-	-
49	Maine	446	47	169	37	31	12	4	8	4
50	Male	279	27	104	21	25	11	4	5	2
51	Female	167	20	65	16	6	1	-	3	2
52	White	438	46	164	37	30	12	4	8	4
53	Male	274	26	101	21	24	11	4	5	2
54	Female	164	20	63	16	6	1	-	3	2
55	Negro	3	-	2	-	-	-	-	-	-
56	Male	1	-	1	-	-	-	-	-	-
57	Female	2	-	1	-	-	-	-	-	-
58	Other	5	1	3	-	1	-	-	-	-
59	Male	4	1	2	-	1	-	-	-	-
60	Female	1	-	1	-	-	-	-	-	-
61	Maryland	1,823	159	633	197	107	49	28	38	18
62	Male	1,047	88	365	114	64	26	21	25	11
63	Female	776	71	268	83	43	23	7	13	7
64	White	1,248	110	445	148	85	37	21	19	14
65	Male	739	57	258	90	51	23	16	12	7
66	Female	509	53	187	58	34	14	5	7	7
67	Negro	573	49	187	48	22	12	7	19	4
68	Male	307	31	107	23	13	3	5	13	4
69	Female	266	18	80	25	9	9	2	6	-
70	Other	2	-	1	1	-	-	-	-	-
71	Male	1	-	-	1	-	-	-	-	-
72	Female	1	-	1	-	-	-	-	-	-
73	Massachusetts	2,227	208	784	266	159	68	40	30	13
74	Male	1,259	105	464	146	91	46	21	18	9
75	Female	968	103	320	120	68	22	19	12	4
76	White	2,056	190	723	250	154	66	39	28	11
77	Male	1,167	96	432	136	89	46	21	17	7
78	Female	889	94	291	114	65	20	18	11	4
79	Negro	164	18	59	15	5	2	1	2	2
80	Male	88	9	31	9	2	-	-	1	2
81	Female	76	9	28	6	3	2	1	1	-
82	Other	7	-	2	1	-	-	-	-	-
83	Male	4	-	1	1	-	-	-	-	-
84	Female	3	-	1	-	-	-	-	-	-
85	Michigan	3,943	377	1,437	416	226	100	42	38	33
86	Male	2,239	191	840	233	136	68	28	18	19
87	Female	1,704	186	597	183	90	32	14	20	14
88	White	3,164	302	1,140	352	192	83	34	28	29
89	Male	1,805	151	675	197	118	57	23	12	16
90	Female	1,359	151	465	155	74	26	11	16	13
91	Negro	774	75	297	62	34	17	8	10	4
92	Male	432	40	165	35	18	11	5	6	3
93	Female	342	35	132	27	16	6	3	4	1
94	Other	5	-	-	2	-	-	-	-	-
95	Male	2	-	-	1	-	-	-	-	-
96	Female	3	-	-	1	-	-	-	-	-

and Sex: United States and Each State, 1965—Con.

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
734	28	15	10	787	75	52	26	19	17	16	12	13	14	7	11	1
436	14	6	7	463	45	31	12	10	8	8	7	7	8	4	5	2
298	14	9	3	324	30	21	14	9	9	8	5	6	6	3	6	3
721	26	15	8	770	73	51	24	17	17	15	12	13	14	7	11	4
429	13	6	6	454	44	30	10	9	8	7	7	7	8	4	5	5
292	13	9	2	316	29	21	14	8	9	8	5	6	6	3	6	6
12	2	-	2	16	2	1	2	2	-	1	-	-	-	-	-	7
6	1	-	1	8	1	1	2	1	-	1	-	-	-	-	-	8
6	1	-	1	8	1	-	-	1	-	-	-	-	-	-	-	9
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	10
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
555	22	11	14	602	46	36	30	20	10	12	13	8	11	5	8	13
360	14	5	10	389	22	24	17	10	7	9	8	6	6	1	3	14
195	8	6	4	213	24	12	13	10	3	3	5	2	5	4	5	15
505	20	10	12	547	39	29	28	18	9	12	10	3	9	5	6	16
329	12	4	8	353	17	21	15	9	7	9	6	3	4	1	2	17
176	8	6	4	194	22	8	13	9	2	3	4	-	5	4	4	18
48	2	1	2	53	7	7	2	2	1	-	3	5	2	-	2	19
30	2	1	2	35	5	3	2	1	-	-	2	3	2	-	1	20
18	-	-	-	18	2	4	-	1	1	-	1	2	-	-	1	21
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	22
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	23
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24
954	56	33	23	1,066	105	84	82	55	32	31	27	18	23	14	19	25
540	31	19	16	606	62	47	45	28	20	17	14	11	12	7	9	26
414	25	14	7	460	43	37	37	27	12	14	13	7	11	7	10	27
834	47	29	20	930	87	61	68	47	28	26	23	15	21	11	14	28
471	25	16	13	525	52	37	39	25	17	12	11	9	11	6	7	29
363	22	13	7	405	35	24	29	22	11	14	12	6	10	5	7	30
119	9	4	3	135	18	23	14	8	4	5	4	3	2	3	5	31
68	6	3	3	80	10	10	6	3	3	5	3	2	1	1	2	32
51	3	1	-	55	8	13	8	5	1	-	1	1	1	2	3	33
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	34
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1,459	86	68	50	1,663	191	139	105	67	52	67	32	31	22	30	29	37
834	47	33	29	943	92	71	59	31	26	30	19	15	13	15	16	38
625	39	35	21	720	99	68	46	36	26	37	13	16	9	15	13	39
730	40	24	15	809	50	40	34	23	16	16	10	13	12	10	13	40
427	22	13	6	468	23	21	18	12	6	6	7	8	7	4	7	41
303	18	11	9	341	27	19	16	11	10	10	3	5	5	6	6	42
727	46	44	35	852	140	98	70	44	36	51	22	18	10	20	16	43
406	25	20	23	474	68	50	40	19	20	24	12	7	6	11	9	44
321	21	24	12	378	72	48	30	25	16	27	10	11	4	9	7	45
2	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	46
1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	47
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	48
312	11	5	6	334	24	16	20	14	9	9	7	6	1	4	2	49
199	10	2	2	213	12	12	12	11	4	5	4	3	1	1	1	50
113	1	3	4	121	12	4	8	3	5	4	3	3	-	3	1	51
305	11	5	6	327	24	16	20	14	9	9	7	6	1	3	2	52
194	10	2	2	208	12	12	12	11	4	5	4	3	1	1	1	53
111	1	3	4	119	12	4	8	3	5	4	3	3	-	2	1	54
2	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	55
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	56
1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	57
5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	58
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	59
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	60
1,229	53	41	31	1,354	108	107	67	44	44	27	15	12	17	19	9	61
714	33	22	13	782	56	69	45	20	22	14	9	7	9	10	4	26
515	20	19	18	572	52	38	22	24	22	13	6	5	8	9	5	36
879	29	25	26	959	63	63	42	28	26	18	10	7	15	11	6	46
514	19	15	13	561	37	46	30	13	16	9	6	4	8	6	3	56
365	10	10	13	398	26	17	12	15	10	9	4	3	7	5	3	66
348	24	16	5	393	45	44	25	16	18	9	5	5	2	8	3	67
199	14	7	-	220	19	23	15	7	6	5	3	3	1	4	1	68
149	10	9	5	173	26	21	10	9	12	4	2	2	1	4	2	69
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	70
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	71
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	72
1,568	57	48	37	1,710	141	109	70	48	34	30	25	17	12	13	18	73
900	30	24	25	979	78	63	40	23	18	10	15	10	6	4	13	74
668	27	24	12	731	63	46	30	25	16	20	10	7	6	9	5	75
1,461	49	45	32	1,587	126	101	66	45	28	28	21	14	12	11	17	76
844	28	23	23	918	66	59	37	22	14	10	11	9	6	3	12	77
617	21	22	9	669	60	42	29	23	14	18	10	5	6	8	5	78
104	7	2	5	118	15	8	4	3	5	2	4	2	-	2	1	79
54	2	1	2	59	12	4	3	1	3	-	4	-	-	1	1	80
50	5	1	3	59	3	4	1	2	2	2	-	2	-	1	-	81
3	1	1	-	5	-	-	-	-	1	-	-	1	-	-	-	82
2	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-	83
1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	84
2,669	112	76	54	2,911	250	209	159	101	74	57	37	49	32	29	35	85
1,533	64	40	34	1,671	127	123	96	47	45	29	18	29	17	16	21	86
1,136	48	36	20	1,240	123	86	63	54	29	28	19	20	15	13	14	87
2,160	85	68	42	2,355	201	164	124	83	59	43	27	36	27	18	27	88
1,249	47	35	25	1,356	98	99	78	36	40	24	15	20	14	9	16	89
911	38	33	17	999	103	65	46	47	19	19	12	16	13	9	11	90
507	27	8	12	554	49	44	35	18	15	14	9	13	5	11	7	91
283	17	5	9	314	29	24	18	11	5	5	3	9	3	7	4	92
224	10	3	3	240	20	20	17	7	10	9	6	4	2	4	3	93
2	-	-	-	2	-	1	-	-	-	-	1	-	-	-	1	94
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	95
1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	96

Table 2-7. Deaths Under 1 Year, by Age, Race,

	Area, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Minnesota	1,435	140	521	170	69	31	25	15	11
2	Male	820	71	295	96	44	15	13	10	6
3	Female	615	69	226	74	25	16	13	5	5
4	White	1,384	136	509	169	69	31	26	15	10
5	Male	792	68	286	96	44	15	13	10	6
6	Female	592	68	223	73	25	16	13	5	4
7	Negro	26	3	9	-	-	-	-	-	-
8	Male	17	2	7	-	-	-	-	-	-
9	Female	9	1	2	-	-	-	-	-	-
10	Other	25	1	3	1	-	-	-	-	1
11	Male	11	1	2	-	-	-	-	-	-
12	Female	14	-	1	1	-	-	-	-	1
13	Mississippi	2,125	124	471	202	115	69	41	23	14
14	Male	1,209	67	272	116	64	48	26	16	10
15	Female	916	57	199	86	51	21	15	7	4
16	White	595	49	189	87	51	27	7	8	6
17	Male	352	22	114	51	29	18	4	6	4
18	Female	243	27	75	36	22	9	3	2	2
19	Negro	1,525	75	279	115	64	42	33	15	8
20	Male	854	45	156	65	35	30	22	10	6
21	Female	671	30	123	50	29	12	11	5	2
22	Other	5	-	3	-	-	-	1	-	-
23	Male	3	-	2	-	-	-	-	-	-
24	Female	2	-	1	-	-	-	1	-	-
25	Missouri	2,064	144	731	228	132	54	32	23	21
26	Male	1,178	81	416	131	78	29	15	9	12
27	Female	886	63	315	97	54	25	17	14	9
28	White	1,531	118	540	170	113	43	22	19	18
29	Male	884	69	313	103	65	22	13	7	10
30	Female	647	49	227	67	48	21	9	12	8
31	Negro	532	25	191	58	19	11	10	4	3
32	Male	294	12	103	28	13	7	2	2	2
33	Female	238	13	88	30	6	4	8	2	1
34	Other	1	1	-	-	-	-	-	-	-
35	Male	-	-	-	-	-	-	-	-	-
36	Female	1	1	-	-	-	-	-	-	-
37	Montana	341	38	95	38	27	9	8	4	4
38	Male	191	24	55	18	15	5	5	4	2
39	Female	150	14	40	20	12	4	3	-	2
40	White	301	36	86	36	25	9	8	4	4
41	Male	168	22	48	18	13	5	5	4	2
42	Female	133	14	38	18	12	4	3	-	2
43	Negro	4	-	3	-	-	-	-	-	-
44	Male	3	-	3	-	-	-	-	-	-
45	Female	1	-	-	-	-	-	-	-	-
46	Other	36	2	6	2	2	-	-	-	-
47	Male	20	2	4	-	2	-	-	-	-
48	Female	16	-	2	2	-	-	-	-	-
49	Nebraska	628	48	242	83	35	14	9	8	5
50	Male	363	20	146	54	18	9	5	5	1
51	Female	265	28	96	29	17	5	4	3	4
52	White	577	40	229	77	35	13	9	7	5
53	Male	331	17	138	49	18	8	5	5	1
54	Female	246	23	91	28	17	5	4	2	4
55	Negro	40	7	11	6	-	1	-	1	-
56	Male	26	2	7	5	-	1	-	-	-
57	Female	14	5	4	1	-	-	-	1	-
58	Other	11	1	2	-	-	-	-	-	-
59	Male	6	1	1	-	-	-	-	-	-
60	Female	5	-	1	-	-	-	-	-	-
61	Nevada	235	22	87	25	10	4	3	3	3
62	Male	135	9	50	17	6	1	1	2	3
63	Female	100	13	37	8	4	3	2	1	-
64	White	196	18	73	24	7	4	1	3	2
65	Male	114	7	44	16	4	1	-	2	2
66	Female	82	11	29	8	3	3	1	1	-
67	Negro	31	2	13	1	3	-	2	-	1
68	Male	17	1	5	1	2	-	1	-	1
69	Female	14	1	8	-	1	-	1	-	-
70	Other	8	2	1	-	-	-	-	-	-
71	Male	4	1	1	-	-	-	-	-	-
72	Female	4	1	-	-	-	-	-	-	-
73	New Hampshire	275	27	97	28	21	8	4	4	-
74	Male	163	18	57	16	14	2	2	2	-
75	Female	112	9	40	12	7	6	2	2	-
76	White	274	27	96	28	21	8	4	4	-
77	Male	162	18	56	16	14	2	2	2	-
78	Female	112	9	40	12	7	6	2	2	-
79	Negro	1	-	1	-	-	-	-	-	-
80	Male	1	-	1	-	-	-	-	-	-
81	Female	-	-	-	-	-	-	-	-	-
82	Other	-	-	-	-	-	-	-	-	-
83	Male	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-
85	New Jersey	2,904	230	1,087	353	183	83	46	26	15
86	Male	1,686	122	626	192	112	56	24	18	9
87	Female	1,218	108	461	161	71	27	22	8	6
88	White	2,007	185	722	264	145	63	28	19	11
89	Male	1,185	97	414	149	90	44	15	14	6
90	Female	822	88	308	115	55	19	13	5	5
91	Negro	865	42	357	88	38	19	18	6	4
92	Male	482	24	206	43	22	11	9	4	3
93	Female	383	18	151	45	16	8	9	2	1
94	Other	32	3	8	1	-	1	-	1	-
95	Male	19	1	6	-	-	1	-	-	-
96	Female	13	2	2	1	-	-	-	1	-

and Sex: United States and Each State, 1965—Con.

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
983	48	18	29	1,078	73	59	58	41	35	23	16	16	14	10	12	1
550	27	8	17	602	51	37	37	19	17	13	8	12	9	5	10	2
433	21	10	12	476	22	22	21	22	18	10	8	4	5	5	2	3
965	48	16	26	1,055	69	54	53	38	34	22	15	13	10	10	11	4
538	27	8	17	590	50	34	32	18	16	13	8	12	5	5	9	5
427	21	8	9	465	19	20	21	20	18	9	7	1	5	5	2	6
12	-	2	1	15	1	2	4	1	-	-	-	1	2	-	-	7
9	-	-	-	9	-	2	4	-	-	-	-	-	2	-	-	8
3	-	2	1	6	1	-	-	1	-	-	-	1	-	-	-	9
6	-	-	2	8	3	3	1	2	1	1	1	2	2	-	1	10
3	-	-	-	3	1	1	1	1	1	-	-	-	2	-	1	11
3	-	-	2	5	2	2	-	1	-	1	1	2	-	-	-	12
1,059	99	76	49	1,283	207	148	115	96	71	51	44	39	24	23	24	13
619	54	53	34	760	110	83	66	41	39	27	26	19	13	16	9	14
440	45	23	15	523	97	65	49	55	32	24	18	20	11	7	15	15
424	19	18	10	471	36	24	21	7	9	4	5	6	4	1	7	16
248	6	12	9	275	21	16	15	3	6	4	3	4	1	1	3	17
176	13	6	1	196	15	8	6	4	3	-	2	2	3	-	4	18
631	80	58	39	808	171	124	94	89	62	47	38	33	20	22	17	19
369	48	41	25	483	89	67	51	38	33	23	22	15	12	15	6	20
262	32	17	14	325	82	57	43	51	29	24	16	18	8	7	11	21
4	-	-	-	4	-	-	-	-	-	-	1	-	-	-	-	22
2	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	23
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	24
1,365	71	40	37	1,513	131	93	70	60	39	34	29	25	27	20	23	25
771	41	23	22	857	76	54	41	38	24	21	13	12	16	12	14	26
594	30	17	15	656	55	39	29	22	15	13	16	13	11	8	9	27
1,043	50	33	29	1,155	94	59	43	37	28	25	22	14	20	16	18	28
602	28	17	18	665	57	35	23	22	16	17	13	5	11	10	10	29
441	22	16	11	490	37	24	20	15	12	8	9	9	9	6	8	30
321	21	7	8	357	37	34	27	23	11	9	7	11	7	4	5	31
169	13	6	4	192	19	19	18	16	8	4	-	7	5	2	4	32
152	8	1	4	165	18	15	9	7	3	5	7	4	2	2	1	33
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	36
223	10	6	8	247	22	12	23	9	10	6	3	3	2	1	3	37
128	7	4	4	143	6	5	15	6	5	5	3	1	1	-	1	38
95	3	2	4	104	16	7	8	3	5	1	-	2	1	1	2	39
208	8	5	7	228	18	10	17	7	8	4	3	2	1	1	2	40
117	5	4	3	129	6	5	11	5	4	3	3	1	1	-	-	41
91	3	1	4	99	12	5	6	2	4	1	-	1	-	1	2	42
3	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	43
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	45
12	2	1	1	16	3	2	6	2	2	2	-	1	1	-	1	46
8	2	-	1	11	-	-	4	1	1	2	-	-	-	-	1	47
4	-	1	-	5	3	2	2	1	1	-	-	1	1	-	-	48
444	19	13	13	489	41	20	22	12	7	9	7	7	6	4	4	49
258	7	9	9	283	24	14	11	5	4	5	4	5	4	2	2	50
186	12	4	4	206	17	6	11	7	3	4	3	2	2	2	2	51
415	15	12	10	452	39	18	20	10	6	8	6	7	5	3	3	52
241	5	8	7	261	22	13	9	4	3	4	3	5	3	2	2	53
174	10	4	3	191	17	5	11	6	3	4	3	2	2	1	1	54
26	2	1	2	31	1	2	2	2	-	1	-	-	1	-	-	55
15	1	1	2	19	1	1	2	1	-	1	-	-	1	-	-	56
11	1	-	-	12	-	1	-	1	-	-	-	-	-	-	-	57
3	2	-	1	6	1	-	-	-	1	-	1	-	-	1	1	58
2	1	-	-	3	1	-	-	-	1	-	1	-	-	-	-	59
1	1	-	1	3	-	-	-	-	-	-	-	-	-	1	1	60
157	11	5	11	184	14	7	14	3	3	2	3	1	2	-	2	61
89	6	4	7	106	6	6	10	1	1	2	1	-	-	-	2	62
68	5	1	4	78	8	1	4	2	2	-	2	1	2	-	-	63
132	10	5	9	156	9	6	12	3	3	1	1	1	2	-	2	64
76	5	4	6	91	4	5	9	1	1	1	-	-	-	-	2	65
56	5	1	3	65	5	1	3	2	2	-	1	1	2	-	-	66
22	-	-	1	23	4	1	1	-	-	-	2	-	-	-	-	67
11	-	-	1	12	2	1	1	-	-	-	1	-	-	-	-	68
11	-	-	-	11	2	-	-	-	-	-	1	-	-	-	-	69
3	1	-	1	5	1	-	1	-	-	1	-	-	-	-	-	70
2	1	-	-	3	-	-	-	-	-	1	-	-	-	-	-	71
1	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	72
189	6	4	2	201	16	16	11	6	4	4	3	3	7	3	1	73
111	2	2	1	116	12	10	6	4	2	2	1	1	5	3	1	74
78	4	2	1	85	4	6	5	2	2	2	2	2	2	-	-	75
188	6	4	2	200	16	16	11	6	4	4	3	3	7	3	1	76
110	2	2	1	115	12	10	6	4	2	2	1	1	5	3	1	77
78	4	2	1	85	4	6	5	2	2	2	2	2	2	-	-	78
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	79
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
2,023	82	39	41	2,185	150	169	108	73	49	45	29	23	31	18	24	85
1,159	53	17	15	1,244	93	110	73	43	27	23	15	15	19	11	13	86
864	29	22	26	941	57	59	35	30	22	22	14	8	12	7	11	87
1,437	60	31	31	1,559	103	101	68	44	21	26	17	15	20	13	20	88
829	40	13	11	893	66	71	49	27	11	15	9	12	12	9	11	89
608	20	18	20	666	37	30	19	17	10	11	8	3	8	4	9	90
572	21	8	10	611	44	63	39	26	27	19	11	7	9	5	4	91
322	12	4	4	342	24	36	23	14	16	8	6	2	7	2	2	92
250	9	4	6	269	20	27	16	12	11	11	5	5	2	3	2	93
14	1	-	-	15	3	5	1	3	1	-	1	1	2	-	-	94
8	1	-	-	9	3	3	1	2	-	-	-	1	-	-	-	95
6	-	-	-	6	-	2	-	1	1	-	1	-	2	-	-	96

Table 2-7. Deaths Under 1 Year, by Age, Race,

	Area, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	New Mexico	655	36	211	59	41	17	11	8	5
2	Male	391	26	128	36	26	13	8	7	3
3	Female	264	10	83	23	15	4	3	1	2
4	White	535	34	195	53	33	16	10	4	5
5	Male	316	24	120	32	19	12	7	3	3
6	Female	219	10	75	21	14	4	3	1	2
7	Negro	18	-	4	2	-	-	1	2	-
8	Male	13	-	1	1	-	-	1	2	-
9	Female	5	-	3	1	-	-	-	-	-
10	Other	102	2	12	4	8	1	-	2	-
11	Male	62	2	7	3	7	1	-	2	-
12	Female	40	-	5	1	1	-	-	-	-
13	New York	7,848	687	2,878	883	526	175	110	66	48
14	Male	4,446	377	1,603	501	316	106	55	37	26
15	Female	3,402	310	1,275	382	210	69	55	29	22
16	White	5,676	509	2,049	656	411	137	82	44	33
17	Male	3,269	282	1,166	384	255	82	40	24	18
18	Female	2,407	227	883	272	156	55	42	20	15
19	Negro	2,130	174	814	223	111	38	28	21	14
20	Male	1,157	93	428	117	59	24	15	13	7
21	Female	973	81	386	106	52	14	13	8	7
22	Other	42	4	15	4	4	-	-	1	1
23	Male	20	2	9	-	2	-	-	-	1
24	Female	22	2	6	4	2	-	-	1	-
25	North Carolina	2,976	187	878	312	177	71	42	45	20
26	Male	1,691	107	520	163	107	48	28	25	12
27	Female	1,285	80	358	149	70	23	14	20	8
28	White	1,464	111	494	200	115	41	21	22	9
29	Male	858	64	302	106	70	31	14	13	6
30	Female	606	47	192	94	45	10	7	9	3
31	Negro	1,459	74	370	106	61	30	21	23	11
32	Male	798	42	208	53	36	17	14	12	6
33	Female	661	32	162	53	25	13	7	11	5
34	Other	53	2	14	6	1	-	-	-	-
35	Male	35	1	10	4	1	-	-	-	-
36	Female	18	1	4	2	-	-	-	-	-
37	North Dakota	280	22	105	28	20	5	4	-	2
38	Male	164	14	59	14	14	4	3	-	-
39	Female	116	8	46	14	6	1	1	-	2
40	White	252	18	96	28	16	5	3	-	2
41	Male	150	12	55	14	12	4	2	-	-
42	Female	102	6	41	14	4	1	1	-	2
43	Negro	3	1	1	-	1	-	-	-	-
44	Male	2	1	1	-	-	-	-	-	-
45	Female	1	-	-	-	1	-	-	-	-
46	Other	25	3	8	-	3	-	1	-	-
47	Male	12	1	3	-	2	-	1	-	-
48	Female	13	2	5	-	1	-	-	-	-
49	Ohio	4,349	428	1,560	458	264	118	61	41	38
50	Male	2,538	218	929	260	170	67	33	27	22
51	Female	1,811	210	631	198	94	51	28	14	16
52	White	3,572	351	1,284	367	223	105	51	36	34
53	Male	2,106	178	765	213	146	61	29	22	20
54	Female	1,466	173	519	154	77	44	22	14	14
55	Negro	771	76	274	91	40	13	10	5	4
56	Male	429	39	164	47	23	6	4	5	2
57	Female	342	37	110	44	17	7	6	-	2
58	Other	6	1	2	-	1	-	-	-	-
59	Male	3	1	-	-	1	-	-	-	-
60	Female	3	-	2	-	-	-	-	-	-
61	Oklahoma	990	82	320	99	61	30	10	14	11
62	Male	593	49	197	63	41	20	7	6	8
63	Female	397	33	123	36	20	10	3	8	3
64	White	787	63	261	85	54	26	8	12	6
65	Male	471	38	159	55	38	18	6	4	4
66	Female	316	25	102	30	16	8	2	8	2
67	Negro	153	11	49	13	6	3	2	1	4
68	Male	89	7	32	7	2	1	1	1	3
69	Female	64	4	17	6	4	2	1	-	1
70	Other	50	8	10	1	1	1	-	1	1
71	Male	33	4	6	1	1	1	-	1	1
72	Female	17	4	4	-	-	-	-	-	-
73	Oregon	695	55	213	68	35	17	9	9	8
74	Male	393	25	121	42	20	12	6	4	4
75	Female	302	30	92	26	15	5	3	5	4
76	White	659	51	202	67	34	17	8	8	8
77	Male	376	23	118	41	19	12	5	3	4
78	Female	283	28	84	26	15	5	3	5	4
79	Negro	21	3	7	-	1	-	1	-	-
80	Male	8	1	2	-	1	-	1	-	-
81	Female	13	2	5	-	-	-	-	-	-
82	Other	15	1	4	1	-	-	-	1	-
83	Male	9	1	1	1	-	-	-	1	-
84	Female	6	-	3	-	-	-	-	-	-
85	Pennsylvania	4,768	416	1,797	472	306	135	76	54	45
86	Male	2,762	214	1,047	284	169	88	35	36	27
87	Female	2,006	202	750	188	137	47	41	18	18
88	White	3,794	340	1,432	394	249	110	63	40	33
89	Male	2,206	172	834	242	139	72	27	26	20
90	Female	1,588	168	598	152	110	38	36	14	13
91	Negro	948	74	351	73	56	24	13	13	12
92	Male	544	42	208	38	29	16	8	9	7
93	Female	404	32	143	35	27	8	5	4	5
94	Other	26	2	14	5	1	1	-	1	-
95	Male	12	-	5	4	1	-	-	1	-
96	Female	14	2	9	1	-	1	-	-	-

and Sex: United States and Each State, 1965—Con.

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
388	25	9	9	431	38	26	29	28	24	24	18	9	13	8	7	1
247	13	4	7	271	20	16	14	18	17	10	9	6	4	3	3	2
141	12	5	2	160	18	10	15	10	7	14	9	3	9	5	4	3
350	20	7	7	384	29	22	18	17	17	15	8	7	7	7	4	4
220	10	3	5	238	15	12	8	12	13	7	2	5	-	3	1	5
130	10	4	2	146	14	10	10	5	4	8	6	2	7	4	3	6
9	1	1	-	11	2	1	1	1	-	-	-	-	2	-	-	7
5	1	1	-	7	2	1	1	-	-	-	-	-	2	-	-	8
4	-	-	-	4	-	-	-	1	-	-	-	-	-	-	-	9
29	4	1	2	36	7	3	10	10	7	9	10	2	4	1	3	10
22	2	-	2	26	3	3	5	6	4	3	7	1	2	-	2	11
7	2	1	-	10	4	-	5	4	3	6	3	1	2	1	1	12
5,373	226	152	118	5,869	504	387	302	226	143	95	94	71	60	47	50	13
3,021	137	84	69	3,311	299	230	170	134	81	44	51	39	31	24	32	14
2,352	89	68	49	2,558	205	157	132	92	62	51	43	32	29	23	18	15
3,921	167	113	86	4,287	339	277	227	153	103	63	70	49	37	35	36	16
2,251	100	62	50	2,463	210	165	131	96	59	28	33	29	19	16	20	17
1,670	67	51	36	1,824	129	112	96	57	44	35	37	20	18	19	16	18
1,423	57	38	31	1,549	160	109	75	73	40	31	23	22	22	12	14	19
756	36	22	19	833	87	64	39	38	22	16	17	10	11	8	12	20
667	21	16	12	716	73	45	36	35	18	15	6	12	11	4	2	21
29	2	1	1	33	5	1	-	-	-	1	1	-	1	-	-	22
14	1	-	-	15	2	1	-	-	-	-	1	-	1	-	-	23
15	1	1	1	18	3	-	-	-	-	1	-	-	-	-	-	24
1,732	106	67	50	1,955	247	205	170	108	72	63	42	34	34	25	21	25
1,010	60	40	26	1,136	145	116	91	60	41	28	18	21	14	10	11	26
722	46	27	24	819	102	89	79	48	31	35	24	13	20	15	10	27
1,013	53	34	19	1,119	79	67	51	39	18	26	19	10	17	9	10	28
606	34	21	13	674	50	43	27	19	9	10	8	3	8	3	4	29
407	19	13	6	445	29	24	24	20	9	16	11	7	9	6	6	30
696	51	31	31	809	163	133	113	68	54	34	20	23	15	16	11	31
388	26	18	13	445	91	69	59	41	32	16	9	17	5	7	7	32
308	25	13	18	364	72	64	54	27	22	18	11	6	10	9	4	33
23	2	2	-	27	5	5	6	1	-	3	3	1	2	-	-	34
16	-	1	-	17	4	4	5	-	-	2	1	1	1	-	-	35
7	2	1	-	10	1	1	1	1	-	1	2	-	1	-	-	36
186	12	6	3	207	18	11	10	11	8	4	3	2	4	1	1	37
108	6	4	3	121	9	7	6	7	5	3	3	1	1	-	1	38
78	6	2	-	86	9	4	4	4	3	1	-	1	3	1	-	39
168	12	5	3	188	16	10	10	7	7	3	3	2	4	1	1	40
99	6	3	3	111	9	6	6	5	4	3	3	1	1	-	1	41
69	6	2	-	77	7	4	4	2	3	-	-	1	3	1	-	42
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	43
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	44
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	45
15	-	1	-	16	2	1	-	4	1	1	-	-	-	-	-	46
7	-	1	-	8	-	1	-	2	1	-	-	-	-	-	-	47
8	-	-	-	8	2	-	-	2	-	1	-	-	-	-	-	48
2,968	120	67	67	3,222	266	220	165	118	82	72	50	45	41	36	32	49
1,726	73	39	28	1,866	168	133	102	67	44	45	26	28	23	18	18	50
1,242	47	28	39	1,356	98	87	63	51	38	27	24	17	18	18	14	51
2,451	101	53	54	2,659	209	187	132	90	62	66	43	34	31	32	27	52
1,434	63	30	20	1,547	134	116	84	53	35	41	24	22	19	17	14	53
1,017	38	23	34	1,112	75	71	48	37	27	25	19	12	12	15	13	54
513	19	14	12	558	57	33	33	28	20	6	7	11	10	4	4	55
290	10	9	8	317	34	17	18	14	9	4	2	6	4	1	3	56
223	9	5	4	241	23	16	15	14	11	2	5	5	6	3	1	57
4	-	-	1	5	-	-	-	-	-	-	-	-	-	-	1	58
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	59
2	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	60
627	33	20	14	694	61	44	47	34	24	27	14	10	12	11	12	61
391	17	15	8	431	36	19	29	15	8	18	11	5	6	8	7	62
236	16	5	6	263	25	25	18	19	16	9	3	5	6	3	5	63
515	27	15	10	567	52	29	37	20	15	19	11	8	8	10	11	64
322	14	11	5	352	32	9	23	8	5	13	9	3	3	7	7	65
193	13	4	5	215	20	20	14	12	10	6	2	5	5	3	4	66
89	6	3	2	100	5	10	8	10	8	7	1	1	2	-	1	67
54	3	2	2	61	2	7	4	5	3	4	1	1	1	-	-	68
35	3	1	-	39	3	3	4	5	5	3	-	-	1	-	1	69
23	-	2	2	27	4	5	2	4	1	1	2	1	2	1	-	70
15	-	2	1	18	2	3	2	2	-	1	1	1	2	1	-	71
8	-	-	1	9	2	2	-	2	1	-	1	-	-	-	-	72
414	26	21	16	477	46	49	32	25	21	8	9	8	7	9	4	73
234	12	9	9	264	26	32	19	17	14	3	2	7	4	4	1	74
180	14	12	7	213	20	17	13	8	7	5	7	1	3	5	3	75
395	26	20	14	455	44	45	28	23	19	8	9	8	7	9	4	76
225	12	9	9	255	26	29	17	15	13	3	2	7	4	4	1	77
170	14	11	5	200	18	16	11	8	6	5	7	1	3	5	3	78
12	-	1	-	13	2	1	3	1	1	-	-	-	-	-	-	79
5	-	-	-	5	-	-	1	1	1	-	-	-	-	-	-	80
7	-	1	-	8	2	1	2	-	-	-	-	-	-	-	-	81
7	-	-	2	9	-	3	1	1	1	-	-	-	-	-	-	82
4	-	-	-	4	-	3	1	1	-	-	-	-	-	-	-	83
3	-	-	2	5	-	-	-	-	1	-	-	-	-	-	-	84
3,301	137	90	88	3,616	285	195	181	108	92	62	68	43	41	37	40	85
1,900	82	64	49	2,095	174	116	113	55	45	35	38	26	22	23	20	86
1,401	55	26	39	1,521	111	79	68	53	47	27	30	17	19	14	20	87
2,661	117	80	69	2,927	205	144	150	77	64	45	51	36	35	26	34	88
1,532	68	57	39	1,696	129	86	96	39	32	25	29	23	18	17	16	89
1,129	49	23	30	1,231	76	58	54	38	32	20	22	13	17	9	18	90
616	20	10	18	664	80	51	31	30	28	17	17	7	6	11	6	91
357	14	7	9	387	45	30	17	16	13	10	9	3	4	6	4	92
259	6	3	9	277	35	21	14	14	15	7	8	4	2	5	2	93
24	-	-	1	25	-	-	-	1	-	-	-	-	-	-	-	94
11	-	-	1	12	-	-	-	-	-	-	-	-	-	-	-	95
13	-	-	-	13	-	-	-	1	-	-	-	-	-	-	-	96

Table 2-7. Deaths Under 1 Year, by Age, Race,

	Area, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Rhode Island	390	35	145	43	27	11	6	8	2
2	Male	235	17	89	25	20	9	4	6	1
3	Female	155	18	56	18	7	2	2	2	1
4	White	357	33	127	42	26	11	6	8	2
5	Male	217	16	78	25	19	9	4	6	1
6	Female	140	17	49	17	7	2	2	2	1
7	Negro	32	2	17	1	1	-	-	-	-
8	Male	17	1	10	-	1	-	-	-	-
9	Female	15	1	7	1	-	-	-	-	-
10	Other	1	-	1	-	-	-	-	-	-
11	Male	1	-	1	-	-	-	-	-	-
12	Female	-	-	-	-	-	-	-	-	-
13	South Carolina	1,659	78	386	131	101	48	29	16	17
14	Male	937	39	235	73	54	27	18	11	11
15	Female	722	39	151	58	47	21	11	5	6
16	White	694	47	210	82	62	26	15	8	8
17	Male	412	27	133	48	33	17	11	6	6
18	Female	282	20	77	34	29	9	4	2	2
19	Negro	965	31	176	49	39	22	14	8	9
20	Male	525	12	102	25	21	10	7	5	5
21	Female	440	19	74	24	18	12	7	3	4
22	Other	-	-	-	-	-	-	-	-	-
23	Male	-	-	-	-	-	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	South Dakota	315	28	94	32	13	5	6	2	4
26	Male	151	13	46	16	7	2	2	-	2
27	Female	164	15	48	16	6	3	4	2	2
28	White	242	23	85	29	8	5	6	2	1
29	Male	114	10	40	16	5	2	2	-	1
30	Female	128	13	45	13	3	3	4	2	-
31	Negro	2	1	-	-	-	-	-	-	-
32	Male	2	1	-	-	-	-	-	-	-
33	Female	-	-	-	-	-	-	-	-	-
34	Other	71	4	9	3	5	-	-	-	3
35	Male	35	2	6	-	2	-	-	-	1
36	Female	36	2	3	3	3	-	-	-	2
37	Tennessee	2,044	162	572	228	147	62	43	31	21
38	Male	1,220	97	362	125	90	39	25	18	16
39	Female	824	65	210	103	57	23	18	13	5
40	White	1,345	115	400	154	114	49	29	23	9
41	Male	823	64	264	81	74	34	18	14	7
42	Female	522	51	136	73	40	15	11	9	2
43	Negro	699	47	172	74	33	13	14	8	12
44	Male	397	33	98	44	16	5	7	4	9
45	Female	302	14	74	30	17	8	7	4	3
46	Other	-	-	-	-	-	-	-	-	-
47	Male	-	-	-	-	-	-	-	-	-
48	Female	-	-	-	-	-	-	-	-	-
49	Texas	5,608	325	1,787	581	383	163	72	59	57
50	Male	3,238	180	1,065	335	224	98	43	32	27
51	Female	2,370	145	722	246	159	65	29	27	30
52	White	4,161	250	1,355	451	318	126	55	40	33
53	Male	2,402	129	810	264	189	75	32	20	14
54	Female	1,759	121	545	187	129	51	23	20	19
55	Negro	1,440	75	431	129	64	37	17	19	24
56	Male	832	51	255	70	34	23	11	12	13
57	Female	608	24	176	59	30	14	6	7	11
58	Other	7	-	1	1	1	-	-	-	-
59	Male	4	-	-	1	1	-	-	-	-
60	Female	3	-	1	-	-	-	-	-	-
61	Utah	416	25	141	59	34	15	5	3	2
62	Male	242	13	80	38	27	10	4	3	1
63	Female	174	12	61	21	7	5	1	-	1
64	White	385	23	134	57	33	14	5	3	2
65	Male	227	12	75	37	26	10	4	3	1
66	Female	158	11	59	20	7	4	1	-	1
67	Negro	6	-	4	1	-	-	-	-	-
68	Male	3	-	3	-	-	-	-	-	-
69	Female	3	-	1	1	-	-	-	-	-
70	Other	25	2	3	1	1	1	-	-	-
71	Male	12	1	2	1	1	-	-	-	-
72	Female	13	1	1	-	-	1	-	-	-
73	Vermont	178	17	69	17	9	2	4	1	2
74	Male	94	8	37	10	7	1	2	-	1
75	Female	84	9	32	7	2	1	2	1	1
76	White	178	17	69	17	9	2	4	1	2
77	Male	94	8	37	10	7	1	2	-	1
78	Female	84	9	32	7	2	1	2	1	1
79	Negro	-	-	-	-	-	-	-	-	-
80	Male	-	-	-	-	-	-	-	-	-
81	Female	-	-	-	-	-	-	-	-	-
82	Other	-	-	-	-	-	-	-	-	-
83	Male	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-
85	Virginia	2,365	210	734	249	163	54	39	35	24
86	Male	1,349	106	428	144	103	35	29	20	14
87	Female	1,016	104	306	105	60	19	10	15	10
88	White	1,489	148	501	159	122	37	22	23	14
89	Male	870	74	302	95	78	26	17	12	7
90	Female	619	74	199	64	44	11	5	11	7
91	Negro	869	61	231	88	41	17	17	12	10
92	Male	477	32	125	49	25	9	12	8	7
93	Female	392	29	106	39	16	8	5	4	3
94	Other	7	1	2	2	-	-	-	-	-
95	Male	2	-	1	-	-	-	-	-	-
96	Female	5	1	1	2	-	-	-	-	-

and Sex: United States and Each State, 1965—Con.

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
277	11	7	8	303	25	20	9	15	6	4	2	2	3	-	1	1
171	6	2	6	185	11	12	6	9	5	4	1	2	-	-	-	2
106	5	5	2	118	14	8	3	6	1	-	1	-	3	-	1	3
255	9	7	7	278	21	20	8	13	6	3	2	2	3	-	1	4
158	5	2	6	171	10	12	5	8	5	3	1	2	-	-	-	5
97	4	5	1	107	11	8	3	5	1	-	1	-	3	-	1	6
21	2	-	1	24	4	-	1	2	-	1	-	-	-	-	-	7
12	1	-	-	13	1	-	1	1	-	1	-	-	-	-	-	8
9	1	-	1	11	3	-	-	1	-	-	-	-	-	-	-	9
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	10
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
806	94	47	47	994	151	129	106	85	44	38	33	23	23	13	20	13
468	59	24	24	575	83	73	55	52	24	24	18	10	6	7	10	14
338	35	23	23	419	68	56	51	33	20	14	15	13	17	6	10	15
458	37	13	20	528	35	32	23	14	15	12	9	10	7	4	5	16
281	28	3	9	321	21	21	8	9	10	7	5	3	2	2	3	17
177	9	10	11	207	14	11	15	5	5	5	4	7	5	2	2	18
348	57	34	27	466	116	97	83	71	29	26	24	13	16	9	15	19
187	31	21	15	254	62	52	47	43	14	17	13	7	4	5	7	20
161	26	13	12	212	54	45	36	28	15	9	11	6	12	4	8	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
184	13	6	6	209	26	22	14	10	6	6	4	3	6	7	2	25
88	6	2	2	98	13	13	7	6	2	3	2	2	2	3	-	26
96	7	4	4	111	13	9	7	4	4	3	2	1	4	4	2	27
159	11	4	6	180	18	9	9	6	3	3	3	1	3	6	1	28
76	5	2	2	85	10	3	4	4	1	2	1	-	2	2	-	29
83	6	2	4	95	8	6	5	2	2	1	2	1	1	4	1	30
1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	31
1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
24	2	2	-	28	7	13	5	4	3	3	1	2	3	1	1	34
11	1	-	-	12	2	10	3	2	1	1	1	2	-	1	-	35
13	1	2	-	16	5	3	2	2	2	2	-	-	3	-	1	36
1,266	83	39	34	1,422	164	118	99	62	48	31	19	21	16	14	30	37
772	42	22	23	859	85	76	59	40	26	20	11	14	7	6	17	38
494	41	17	11	563	79	42	40	22	22	11	8	7	9	8	13	39
893	47	22	20	982	90	68	66	31	28	20	14	12	8	9	17	40
556	24	13	15	608	49	42	40	22	16	12	8	9	5	4	8	41
337	23	9	5	374	41	26	26	9	12	8	6	3	3	5	9	42
373	36	17	14	440	74	50	33	31	20	11	5	9	8	5	13	43
216	18	9	8	251	36	34	19	18	10	8	3	5	2	2	9	44
157	18	8	6	189	38	16	14	13	10	3	2	4	6	3	4	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
3,427	210	148	89	3,874	407	281	239	172	130	106	91	79	92	66	71	49
2,004	123	83	60	2,270	243	157	124	89	75	56	51	43	53	31	46	50
1,423	87	65	29	1,604	164	124	115	83	55	50	40	36	39	35	25	51
2,628	156	104	59	2,947	269	198	168	116	93	80	57	62	74	46	51	52
1,533	90	56	43	1,722	168	115	83	59	54	43	28	33	42	21	34	53
1,095	66	48	16	1,225	101	83	85	57	39	37	29	29	32	25	17	54
796	54	44	29	923	137	82	71	55	37	26	34	17	18	20	20	55
469	33	27	16	545	75	41	41	30	21	13	23	10	11	10	12	56
327	21	17	13	378	62	41	30	25	16	13	11	7	7	10	8	57
3	-	-	1	4	1	1	-	1	-	-	-	-	-	-	-	58
2	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-	59
1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	60
284	8	5	5	302	19	21	11	11	7	10	7	11	7	8	2	61
176	4	4	2	186	8	10	5	2	5	8	4	6	4	4	-	62
108	4	1	3	116	11	11	6	9	2	2	3	5	3	4	2	63
271	8	5	4	288	17	18	11	9	5	9	3	11	5	7	2	64
168	4	4	2	178	7	9	5	1	4	8	3	6	3	3	-	65
103	4	1	2	110	10	9	6	8	1	1	-	5	2	4	2	66
5	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	67
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	68
2	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	69
8	-	-	1	9	2	2	-	2	2	1	4	-	2	1	-	70
5	-	-	-	5	1	1	-	1	1	-	1	-	1	1	-	71
3	-	-	1	4	1	1	-	1	1	1	3	-	1	-	-	72
121	5	1	4	131	10	11	6	7	4	1	-	1	1	3	3	73
66	2	1	4	73	5	6	3	2	1	-	-	1	1	1	1	74
55	3	-	-	58	5	5	3	5	3	1	-	-	-	2	2	75
121	5	1	4	131	10	11	6	7	4	1	-	1	1	3	3	76
66	2	1	4	73	5	6	3	2	1	-	-	1	1	1	1	77
55	3	-	-	58	5	5	3	5	3	1	-	-	-	2	2	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
1,508	78	50	42	1,678	164	128	95	75	43	41	30	30	31	34	16	85
879	47	27	23	976	92	69	54	55	22	18	7	16	14	17	9	86
629	31	23	19	702	72	59	41	20	21	23	23	14	17	17	7	87
1,026	48	28	26	1,128	93	57	53	39	26	20	11	17	16	19	10	88
611	28	13	13	665	55	31	29	26	16	8	4	9	10	11	6	89
415	20	15	13	463	38	26	24	13	10	12	7	8	6	8	4	90
477	30	22	16	545	71	70	42	36	17	21	19	13	15	14	6	91
267	19	14	10	310	37	37	25	29	6	10	3	7	4	6	3	92
210	11	8	6	235	34	33	17	7	11	11	16	6	11	8	3	93
5	-	-	-	5	-	1	-	-	-	-	-	-	-	1	-	94
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	95
4	-	-	-	4	-	-	-	-	-	-	-	-	-	1	-	96

Table 2-7. Deaths Under 1 Year, by Age, Race,

	Area, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Washington	1,132	117	355	106	71	37	17	8	4
2	Male	644	63	196	60	37	25	6	7	3
3	Female	488	54	159	46	34	12	11	1	1
4	White	1,010	103	319	96	68	34	14	7	4
5	Male	584	55	178	56	35	24	5	6	3
6	Female	426	48	141	40	33	10	9	1	1
7	Negro	53	8	12	6	2	-	2	-	-
8	Male	27	5	6	2	1	-	-	-	-
9	Female	26	3	6	4	1	-	2	-	-
10	Other	69	6	24	4	1	3	1	1	-
11	Male	33	3	12	2	1	1	1	1	-
12	Female	36	3	12	2	-	2	-	-	-
13	West Virginia	862	62	269	101	74	30	12	12	10
14	Male	513	36	167	60	48	19	5	5	6
15	Female	349	26	102	41	26	11	7	7	4
16	White	794	59	243	91	72	26	11	11	9
17	Male	480	36	152	57	47	16	5	5	5
18	Female	314	23	91	34	25	10	6	6	4
19	Negro	67	3	26	10	2	4	1	1	1
20	Male	32	-	15	3	1	3	-	-	1
21	Female	35	3	11	7	1	1	1	1	-
22	Other	1	-	-	-	-	-	-	-	-
23	Male	1	-	-	-	-	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	Wisconsin	1,815	158	669	207	114	59	24	16	15
26	Male	1,052	84	386	125	76	35	10	8	9
27	Female	763	74	283	82	38	24	14	8	6
28	White	1,707	148	643	197	106	54	23	16	14
29	Male	989	80	366	120	70	33	10	8	9
30	Female	718	68	277	77	36	21	13	8	5
31	Negro	92	8	25	9	7	5	1	-	1
32	Male	55	4	19	4	5	2	-	-	-
33	Female	37	4	6	5	2	3	1	-	1
34	Other	16	2	1	1	1	-	-	-	-
35	Male	8	-	1	1	1	-	-	-	-
36	Female	8	2	-	-	-	-	-	-	-
37	Wyoming	145	12	54	12	15	-	1	2	-
38	Male	91	8	35	7	9	-	-	1	-
39	Female	54	4	19	5	6	-	1	1	-
40	White	133	12	48	11	15	-	1	2	-
41	Male	85	8	30	7	9	-	-	1	-
42	Female	48	4	18	4	6	-	1	1	-
43	Negro	1	-	1	-	-	-	-	-	-
44	Male	1	-	1	-	-	-	-	-	-
45	Female	-	-	-	-	-	-	-	-	-
46	Other	11	-	5	1	-	-	-	-	-
47	Male	5	-	4	-	-	-	-	-	-
48	Female	6	-	1	1	-	-	-	-	-

and Sex: United States and Each State, 1965—Con.

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
715	45	23	20	803	82	60	53	39	28	16	14	8	14	8	7	11
397	27	12	9	445	48	39	34	19	19	9	8	5	8	6	4	2
318	18	11	11	358	34	21	19	20	9	7	6	3	6	2	3	3
645	39	18	19	721	75	57	42	32	25	16	12	7	11	6	6	4
362	23	11	8	404	45	36	30	16	18	9	7	4	7	5	3	5
283	16	7	11	317	30	21	12	16	7	7	5	3	4	1	3	6
30	4	3	1	38	2	1	5	1	2	-	-	1	2	-	1	7
14	4	1	1	20	1	1	2	-	-	-	-	1	1	-	1	8
16	-	2	-	18	1	-	3	1	2	-	-	-	1	-	-	9
40	2	2	-	44	5	2	6	6	1	-	2	-	1	2	-	10
21	-	-	-	21	2	2	2	3	1	-	1	-	-	1	-	11
19	2	2	-	23	3	-	4	3	-	-	1	-	1	1	-	12
570	37	21	20	648	52	37	33	28	10	12	11	12	10	5	4	13
346	25	12	12	395	29	23	23	13	4	4	5	8	6	2	1	14
224	12	9	8	253	23	14	10	15	6	8	6	4	4	3	3	15
522	34	21	19	596	50	34	27	27	10	12	11	11	8	4	4	16
323	23	12	11	369	28	21	20	13	4	4	5	8	5	2	1	17
199	11	9	8	227	22	13	7	14	6	8	6	3	3	2	3	18
48	2	-	1	51	2	3	6	1	-	-	-	1	2	1	-	19
23	1	-	1	25	1	2	3	-	-	-	-	-	1	-	-	20
25	1	-	-	26	1	1	3	1	-	-	-	1	1	1	-	21
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	22
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
1,262	43	40	23	1,368	85	82	68	56	33	30	22	17	26	15	13	25
733	29	28	10	800	51	54	31	35	17	17	9	10	12	10	6	26
528	14	12	13	568	34	28	37	21	16	13	13	7	14	5	7	27
1,201	39	39	22	1,301	76	72	62	51	29	29	20	15	26	13	13	28
696	27	27	10	760	47	47	29	31	14	16	9	9	12	9	6	29
505	12	12	12	541	29	25	33	20	15	13	11	6	14	4	7	30
56	3	1	1	61	9	8	5	1	3	1	-	2	-	2	-	31
34	2	1	-	37	4	6	2	-	3	1	-	1	-	1	-	32
22	1	-	1	24	5	2	3	1	-	-	-	1	-	1	-	33
5	1	-	-	6	-	2	1	4	1	-	2	-	-	-	-	34
3	-	-	-	3	-	1	-	4	-	-	-	-	-	-	-	35
2	1	-	-	3	-	1	1	-	1	-	2	-	-	-	-	36
96	8	3	-	107	8	4	7	4	3	6	1	-	1	1	3	37
60	4	1	-	65	6	2	5	2	2	4	1	-	1	1	2	38
36	4	2	-	42	2	2	2	2	1	2	-	-	-	-	1	39
89	7	3	-	99	6	4	7	3	3	5	1	-	1	1	3	40
55	4	1	-	60	6	2	5	1	2	4	1	-	1	1	2	41
34	3	2	-	39	-	2	2	2	1	1	-	-	-	-	1	42
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	43
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
6	1	-	-	7	2	-	-	1	-	1	-	-	-	-	-	46
4	-	-	-	4	-	-	-	1	-	-	-	-	-	-	-	47
2	1	-	-	3	2	-	-	-	-	1	-	-	-	-	-	48

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1965

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES													
Both Sexes													
Under 1 year	92,866	8,780	7,800	8,410	7,377	7,693	7,520	7,696	7,405	7,300	7,593	7,395	7,897
White	67,198	6,199	5,487	6,022	5,461	5,698	5,561	5,566	5,439	5,324	5,408	5,356	5,677
Nonwhite	25,668	2,581	2,313	2,388	1,916	1,995	1,959	2,130	1,966	1,976	2,185	2,039	2,220
Under 28 days	66,419	5,602	4,929	5,576	5,345	5,807	5,870	6,018	5,827	5,618	5,453	5,139	5,235
White	50,242	4,279	3,720	4,217	4,105	4,417	4,427	4,467	4,378	4,232	4,059	3,894	4,047
Nonwhite	16,177	1,323	1,209	1,359	1,240	1,390	1,443	1,551	1,449	1,386	1,394	1,245	1,188
Under 7 days	59,678	4,948	4,352	5,036	4,897	5,314	5,361	5,441	5,280	4,964	4,810	4,595	4,690
White	45,606	3,856	3,332	3,842	3,785	4,065	4,075	4,063	3,999	3,771	3,645	3,506	3,667
Nonwhite	14,072	1,092	1,020	1,194	1,102	1,249	1,286	1,378	1,281	1,193	1,165	1,089	1,023
Under 1 hour	7,292	580	544	591	609	640	643	695	632	616	594	560	588
White	5,685	476	428	455	493	484	507	502	492	475	478	431	464
Nonwhite	1,607	104	116	136	116	156	136	193	140	141	116	129	124
1-23 hours	30,932	2,611	2,249	2,641	2,547	2,788	2,820	2,839	2,716	2,544	2,500	2,365	2,312
White	23,370	1,997	1,700	2,006	1,937	2,130	2,118	2,102	2,045	1,924	1,859	1,781	1,771
Nonwhite	7,562	614	549	635	610	658	702	737	671	620	641	584	541
1 day	9,713	764	703	840	800	846	896	876	857	797	766	744	824
White	7,496	612	531	647	624	649	679	677	645	609	594	566	663
Nonwhite	2,217	152	172	193	176	197	217	199	212	188	172	178	161
2 days	5,974	493	443	479	482	531	505	542	538	512	478	461	510
White	4,777	399	358	379	396	417	409	439	427	399	360	372	422
Nonwhite	1,197	94	85	100	86	114	96	103	111	113	118	89	88
3 days	2,497	220	178	201	199	221	226	198	241	222	202	197	192
White	1,935	174	140	157	150	175	167	153	181	166	165	159	148
Nonwhite	562	46	38	44	49	46	59	45	60	56	37	38	44
4 days	1,405	123	105	127	114	117	122	115	123	136	110	99	114
White	1,030	93	80	84	85	89	92	71	90	96	81	79	90
Nonwhite	375	30	25	43	29	28	30	44	33	40	29	20	24
5 days	1,085	84	78	90	76	94	88	102	107	84	102	99	81
White	759	56	60	60	57	69	58	70	70	65	72	66	56
Nonwhite	326	28	18	30	19	25	30	32	37	19	30	33	25
6 days	780	73	52	67	60	77	61	74	66	53	58	70	69
White	554	49	35	54	43	52	45	49	49	37	36	52	53
Nonwhite	226	24	17	13	17	25	16	25	17	16	22	18	16
7-13 days	3,128	276	247	237	212	220	235	297	290	318	310	251	235
White	2,168	172	166	172	152	159	157	210	203	223	205	183	166
Nonwhite	960	104	81	65	60	61	78	87	87	95	105	68	69
14-20 days	2,000	200	178	165	128	164	170	151	145	185	180	153	181
White	1,369	135	115	112	87	112	115	107	99	135	116	109	127
Nonwhite	631	65	63	53	41	52	55	44	46	50	64	44	54
21-27 days	1,613	178	152	138	118	109	104	129	112	151	153	140	129
White	1,099	116	107	91	81	81	80	87	77	103	93	96	87
Nonwhite	514	62	45	47	37	28	24	42	35	48	60	44	42
28-59 days	6,398	739	630	629	416	457	432	469	447	466	566	529	618
White	4,062	437	374	394	283	314	301	301	306	295	348	336	373
Nonwhite	2,336	302	256	235	133	143	131	168	141	171	218	193	245
2 months	4,904	567	522	523	368	316	289	275	261	342	463	479	499
White	3,152	346	326	323	250	227	191	185	170	213	278	331	312
Nonwhite	1,752	221	196	200	118	89	98	90	91	129	185	148	187
3 months	3,893	529	488	450	286	251	214	198	196	227	297	337	420
White	2,516	338	299	274	178	176	152	137	128	159	192	204	279
Nonwhite	1,377	191	189	176	108	75	62	61	68	68	105	133	141
4 months	2,795	340	323	330	251	207	164	137	140	157	224	228	294
White	1,752	195	200	215	154	139	116	96	94	94	132	143	174
Nonwhite	1,043	145	123	115	97	68	48	41	46	63	92	85	120
5 months	1,960	257	233	193	169	139	127	107	108	104	137	175	211
White	1,227	149	133	117	108	97	80	67	77	72	96	117	114
Nonwhite	733	108	100	76	61	42	47	40	31	32	41	58	97
6 months	1,569	199	162	164	126	109	102	119	76	107	109	124	172
White	1,002	112	88	108	99	64	67	80	54	73	64	84	109
Nonwhite	567	87	74	56	27	45	35	39	22	34	45	40	63
7 months	1,271	152	142	152	106	94	81	98	79	68	73	109	117
White	811	87	94	104	70	52	54	65	45	49	53	67	71
Nonwhite	460	65	48	48	36	42	27	33	34	19	20	42	46
8 months	1,056	113	117	125	84	84	70	68	84	66	64	77	104
White	678	74	84	80	53	57	50	32	44	43	49	52	60
Nonwhite	378	39	33	45	31	27	20	36	40	23	15	25	44
9 months	964	117	85	91	82	100	64	78	79	54	73	65	76
White	654	82	56	66	53	61	52	51	60	34	48	42	49
Nonwhite	310	35	29	25	29	39	12	27	19	20	25	23	27
10 months	819	79	89	87	67	54	52	71	45	44	75	73	83
White	543	45	64	57	48	36	32	50	35	27	53	48	48
Nonwhite	276	34	25	30	19	18	20	21	10	17	22	25	35
11 months	818	66	80	90	77	75	55	58	63	47	59	60	68
White	559	55	49	67	60	58	39	35	48	33	36	38	41
Nonwhite	259	31	31	23	17	17	16	23	15	14	23	22	27
Male													
Under 1 year	53,419	5,027	4,470	4,852	4,232	4,360	4,337	4,434	4,239	4,256	4,381	4,243	4,588
White	39,098	3,605	3,149	3,552	3,180	3,253	3,231	3,297	3,153	3,127	3,144	3,100	3,307
Nonwhite	14,321	1,422	1,321	1,300	1,052	1,107	1,106	1,137	1,086	1,129	1,237	1,143	1,281
Under 28 days	38,507	3,270	2,808	3,224	3,079	3,298	3,413	3,513	3,369	3,293	3,163	2,959	3,118
White	29,346	2,525	2,135	2,475	2,404	2,517	2,573	2,661	2,552	2,487	2,354	2,251	2,412
Nonwhite	9,161	745	673	749	675	781	840	852	817	806	809	708	706
Under 7 days	34,678	2,882	2,500	2,917	2,815	3,029	3,125	3,187	3,064	2,910	2,795	2,653	2,801
White	26,713	2,267	1,932	2,257	2,215	2,318	2,375	2,427	2,345	2,219	2,129	2,036	2,193
Nonwhite	7,965	615	568	660	600	711	750	760	719	691	666	617	608
Under 1 hour	3,962	332	296	319	312	340	357	379	336	327	327	310	327
White	3,039	274	225	239	246	245	281	269	261	252	253	238	256
Nonwhite	923	58	71	80	66	95	76	110	75	75	74	72	71

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1965—Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES—Con.													
Male--Con.													
Under 28 days—Con.													
Under 7 days—Con.													
1-23 hours	18,063	1,527	1,287	1,555	1,484	1,577	1,678	1,666	1,588	1,500	1,470	1,348	1,383
White	13,781	1,184	983	1,199	1,155	1,217	1,261	1,259	1,210	1,139	1,103	1,017	1,054
Nonwhite	4,282	343	304	356	329	360	417	407	378	361	367	331	329
1 day	5,623	417	399	487	472	482	502	518	504	481	435	448	478
White	4,418	337	315	386	375	372	385	409	389	359	349	351	391
Nonwhite	1,205	80	84	101	97	110	117	109	115	122	86	97	87
2 days	3,604	305	266	276	287	318	293	322	323	304	290	274	346
White	2,916	247	213	225	240	246	236	271	266	246	217	221	288
Nonwhite	688	58	53	51	47	72	57	51	57	58	73	53	58
3 days	1,546	141	119	121	122	135	135	129	146	141	123	123	111
White	1,226	114	94	100	99	110	100	101	111	108	100	99	90
Nonwhite	320	27	25	21	23	25	35	28	35	33	23	24	21
4 days	794	75	56	63	65	73	65	68	71	79	62	53	64
White	580	56	42	40	44	58	47	46	50	56	48	43	50
Nonwhite	214	19	14	23	21	15	18	22	21	23	14	10	14
5 days	631	41	45	56	46	60	57	60	59	48	53	54	52
White	435	29	37	39	34	41	36	42	34	38	38	35	32
Nonwhite	196	12	8	17	12	19	21	18	25	10	15	19	20
6 days	455	44	32	40	27	44	38	45	37	30	35	43	40
White	318	26	23	29	22	29	29	30	24	21	21	32	32
Nonwhite	137	18	9	11	5	15	9	15	13	9	14	11	8
7-13 days	1,798	168	132	127	121	132	139	156	163	190	183	137	150
White	1,251	111	89	98	84	99	92	115	114	133	116	95	105
Nonwhite	547	57	43	29	37	33	47	41	49	57	67	42	45
14-20 days	1,125	112	100	100	74	90	89	88	75	111	93	92	101
White	763	75	62	66	55	62	58	62	50	79	57	65	72
Nonwhite	362	37	38	34	19	28	31	26	25	32	36	27	29
21-27 days	906	108	76	80	69	47	60	82	67	82	92	77	66
White	619	72	52	54	50	38	48	57	43	56	52	55	42
Nonwhite	287	36	24	26	19	9	12	25	24	26	40	22	24
28-59 days	3,684	407	372	369	238	281	254	264	253	288	308	307	343
White	2,407	235	221	254	161	197	187	178	174	188	198	195	219
Nonwhite	1,277	172	151	115	77	84	67	86	79	100	110	112	124
2 months	2,842	345	302	299	219	183	168	142	149	206	269	283	277
White	1,885	220	187	185	160	134	113	105	102	134	165	206	174
Nonwhite	957	125	115	114	59	49	55	37	47	72	104	77	103
3 months	2,243	282	297	271	169	139	120	125	114	132	171	187	236
White	1,469	190	177	164	104	100	88	86	82	92	112	119	155
Nonwhite	774	92	120	107	65	39	32	39	32	40	59	68	81
4 months	1,551	181	186	180	143	114	86	74	77	86	126	133	165
White	993	110	117	127	80	75	65	54	50	51	85	85	94
Nonwhite	558	71	69	53	63	39	21	20	27	35	41	48	71
5 months	1,096	136	130	110	96	80	73	62	57	50	82	93	127
White	693	78	77	71	66	57	49	41	42	30	56	59	67
Nonwhite	403	58	53	39	30	23	24	21	15	20	26	34	60
6 months	838	118	85	91	65	48	49	61	41	61	63	69	87
White	536	70	44	61	54	28	32	39	31	43	39	47	48
Nonwhite	302	48	41	30	11	20	17	22	10	18	24	22	39
7 months	670	69	89	90	49	42	43	51	39	34	40	60	64
White	425	39	55	62	29	26	28	38	23	27	24	37	37
Nonwhite	245	30	34	28	20	16	15	13	16	7	16	23	27
8 months	591	57	68	74	57	48	35	31	44	33	42	47	55
White	388	35	50	52	38	35	26	17	25	20	31	30	29
Nonwhite	203	22	18	22	19	13	9	14	19	13	11	17	26
9 months	494	72	39	45	41	54	30	40	44	23	36	32	38
White	345	50	26	34	28	33	23	27	34	17	26	21	26
Nonwhite	149	22	13	11	13	21	7	13	10	6	10	11	12
10 months	439	44	46	51	32	29	29	39	27	26	39	37	40
White	297	25	32	32	21	18	19	33	22	20	28	24	23
Nonwhite	142	19	14	19	11	11	10	6	5	6	11	13	17
11 months	464	46	48	48	44	44	37	32	25	24	42	36	38
White	314	28	28	35	35	33	28	18	16	18	26	26	23
Nonwhite	150	18	20	13	9	11	9	14	9	6	16	10	15
Female													
Under 1 year	39,447	3,753	3,330	3,558	3,145	3,333	3,183	3,262	3,166	3,044	3,212	3,152	3,309
White	28,100	2,594	2,338	2,470	2,281	2,445	2,330	2,269	2,286	2,197	2,264	2,256	2,370
Nonwhite	11,347	1,159	992	1,088	864	888	853	993	880	847	948	896	939
Under 28 days	27,912	2,332	2,121	2,352	2,266	2,509	2,457	2,505	2,458	2,325	2,290	2,180	2,117
White	20,896	1,754	1,585	1,742	1,701	1,900	1,854	1,806	1,826	1,745	1,705	1,643	1,635
Nonwhite	7,016	578	536	610	565	609	603	699	632	580	585	537	482
Under 7 days	25,000	2,066	1,852	2,119	2,072	2,285	2,236	2,254	2,216	2,054	2,015	1,942	1,889
White	18,893	1,589	1,400	1,585	1,570	1,747	1,700	1,636	1,654	1,552	1,516	1,470	1,474
Nonwhite	6,107	477	452	534	502	538	536	618	562	502	499	472	415
Under 1 hour	3,330	248	248	272	297	300	286	316	296	289	267	250	261
White	2,646	202	203	216	247	239	226	233	231	223	225	193	208
Nonwhite	684	46	45	56	50	61	60	83	65	66	42	57	53
1-23 hours	12,869	1,084	962	1,086	1,063	1,211	1,142	1,173	1,128	1,044	1,030	1,017	929
White	9,589	813	717	807	782	913	857	843	835	785	756	764	717
Nonwhite	3,280	271	245	279	281	298	285	330	293	259	274	253	212
1 day	4,090	347	304	353	328	364	394	358	353	316	331	296	346
White	3,078	275	216	261	249	277	294	268	256	250	245	215	272
Nonwhite	1,012	72	88	92	79	87	100	90	97	66	86	81	74
2 days	2,370	188	177	203	195	213	212	220	215	208	188	187	164
White	1,861	152	145	154	156	171	173	168	161	153	143	151	134
Nonwhite	509	36	32	49	39	42	39	52	54	55	45	36	30
3 days	951	79	59	80	77	86	91	69	95	81	79	74	81
White	709	60	46	57	51	65	67	52	70	58	65	60	58
Nonwhite	242	19	13	23	26	21	24	17	25	23	14	14	23

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1965—Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES--Con.													
Female--Con.													
Under 28 days--Con.													
Under 7 days--Con.													
4 days	611	48	49	64	49	44	57	47	52	57	48	46	50
White	450	37	38	44	41	31	45	25	40	40	33	36	40
Nonwhite	161	11	11	20	8	13	12	22	12	17	15	10	10
5 days	454	43	33	34	30	34	31	42	48	36	49	45	29
White	324	27	23	21	23	28	22	28	36	27	34	31	24
Nonwhite	130	16	10	13	7	6	9	14	12	9	15	14	5
6 days	325	29	20	27	33	33	23	29	29	23	23	27	29
White	236	23	12	25	21	23	16	19	25	16	15	20	21
Nonwhite	89	6	8	2	12	10	7	10	4	7	8	7	8
7-13 days	1,330	108	115	110	91	88	96	141	127	128	127	114	85
White	917	61	77	74	68	60	65	95	89	90	89	88	61
Nonwhite	413	47	38	36	23	28	31	46	38	38	38	26	24
14-20 days	875	88	78	65	54	74	81	63	70	74	87	61	80
White	606	60	53	46	32	50	57	45	49	56	59	44	55
Nonwhite	269	28	25	19	22	24	24	18	21	18	28	17	25
21-27 days	707	70	76	58	49	62	44	47	45	69	61	63	63
White	480	44	55	37	31	43	32	30	34	47	41	41	45
Nonwhite	227	26	21	21	18	19	12	17	11	22	20	22	18
28-59 days	2,714	332	258	260	178	176	178	205	194	178	258	222	275
White	1,655	202	153	140	122	117	114	123	132	107	150	141	154
Nonwhite	1,059	130	105	120	56	59	64	82	62	71	108	81	121
2 months	2,062	222	220	224	149	133	121	133	112	136	194	196	222
White	1,267	126	139	138	90	93	78	80	68	79	113	125	138
Nonwhite	795	96	81	86	59	40	43	53	44	57	81	71	84
3 months	1,650	247	191	179	117	112	94	73	82	95	126	150	184
White	1,047	148	122	110	74	76	64	51	46	67	80	85	124
Nonwhite	603	99	69	69	43	36	30	22	36	28	46	65	60
4 months	1,244	159	137	150	108	93	78	63	63	71	98	95	129
White	759	85	83	88	74	64	51	42	44	43	47	58	80
Nonwhite	485	74	54	62	34	29	27	21	19	28	51	37	49
5 months	864	121	103	83	73	59	54	45	51	54	55	82	84
White	534	71	56	46	42	40	31	26	35	42	40	58	47
Nonwhite	330	50	47	37	31	19	23	19	16	12	15	24	37
6 months	731	81	77	73	61	61	53	58	35	46	46	55	85
White	466	42	44	47	45	36	35	41	23	30	25	37	61
Nonwhite	265	39	33	26	16	25	18	17	12	16	21	18	24
7 months	601	83	53	62	57	52	38	47	40	34	33	49	53
White	386	48	39	42	41	26	26	27	22	22	29	30	34
Nonwhite	215	35	14	20	16	26	12	20	18	12	4	19	19
8 months	465	56	49	51	27	36	35	37	40	33	22	30	49
White	290	39	34	28	15	22	24	15	19	23	18	22	31
Nonwhite	175	17	15	23	12	14	11	22	21	10	4	8	18
9 months	470	45	46	46	41	46	34	38	35	31	37	33	38
White	309	32	30	32	25	28	29	24	26	17	22	21	23
Nonwhite	161	13	16	14	16	18	5	14	9	14	15	12	15
10 months	380	35	43	36	35	25	23	32	18	18	36	36	43
White	246	20	32	25	27	18	13	17	13	7	25	24	25
Nonwhite	134	15	11	11	8	7	10	15	5	11	11	12	18
11 months	354	40	32	42	33	31	18	26	38	23	17	24	30
White	245	27	21	32	25	25	11	17	32	15	10	12	18
Nonwhite	109	13	11	10	8	6	7	9	6	8	7	12	12
ALABAMA													
Under 1 year	2,174	216	217	196	162	165	142	164	173	158	185	175	221
White	1,043	91	84	97	81	88	68	82	103	85	80	80	104
Nonwhite	1,131	125	133	99	81	77	74	82	70	73	105	95	117
Under 28 days	1,397	119	97	111	121	116	109	132	145	117	118	101	111
White	783	72	45	66	68	65	55	74	88	69	56	57	68
Nonwhite	614	47	52	45	53	51	54	58	57	48	62	44	43
ALASKA													
Under 1 year	269	24	21	32	18	18	22	23	17	21	32	17	24
White	113	11	11	19	6	4	8	11	11	9	5	6	12
Nonwhite	156	13	10	13	12	14	14	12	6	12	27	11	12
Under 28 days	139	12	10	24	8	8	14	13	11	7	11	8	13
White	81	8	7	15	4	1	7	8	8	5	4	6	8
Nonwhite	58	4	3	9	4	7	7	5	3	2	7	2	5
ARIZONA													
Under 1 year	861	75	61	74	78	86	70	73	59	70	72	75	68
White	605	49	41	50	54	64	56	50	43	47	51	52	48
Nonwhite	256	26	20	24	24	22	14	23	16	23	21	23	20
Under 28 days	538	42	36	44	50	57	54	41	34	48	47	47	38
White	435	29	30	35	38	50	45	30	29	40	42	37	30
Nonwhite	103	13	6	9	12	7	9	11	5	8	5	10	8
ARKANSAS													
Under 1 year	945	86	87	109	69	76	58	59	90	68	86	76	81
White	531	43	53	58	32	47	38	30	55	41	49	38	47
Nonwhite	414	43	34	51	37	29	20	29	35	27	37	38	34
Under 28 days	583	44	48	49	42	52	41	47	65	46	59	44	46
White	377	30	32	29	22	38	25	27	43	32	40	28	31
Nonwhite	206	14	16	20	20	14	16	20	22	14	19	16	15
CALIFORNIA													
Under 1 year	7,844	770	617	670	660	664	646	646	609	667	659	576	660
White	6,581	653	521	562	544	561	550	532	497	560	558	482	561
Nonwhite	1,263	117	96	108	116	103	96	114	112	107	101	94	99
Under 28 days	5,710	505	428	457	498	501	489	482	487	517	487	403	456
White	4,795	426	363	385	413	422	416	388	393	443	417	336	393
Nonwhite	915	79	65	72	85	79	73	94	94	74	70	67	63

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1965—Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
COLORADO													
Under 1 year	895	66	79	78	81	74	74	89	56	67	72	86	73
White	837	64	73	71	79	70	71	81	47	64	70	78	69
Nonwhite	58	2	6	7	2	4	3	8	9	3	2	8	4
Under 28 days	648	43	55	56	60	56	63	71	41	47	51	60	45
White	609	42	53	51	59	54	60	65	36	45	49	53	42
Nonwhite	39	1	2	5	1	2	3	6	5	2	2	7	3
CONNECTICUT													
Under 1 year	1,188	101	107	97	105	99	102	102	86	94	102	96	97
White	997	80	90	81	93	86	87	88	72	79	85	78	78
Nonwhite	191	21	17	16	12	13	15	14	14	15	17	18	19
Under 28 days	931	76	82	74	82	80	81	85	67	81	78	69	76
White	785	62	71	62	76	69	68	73	56	67	65	54	62
Nonwhite	146	14	11	12	6	11	13	12	11	14	13	15	14
DELAWARE													
Under 1 year	260	21	22	16	23	30	21	22	26	23	17	18	21
White	171	14	17	8	14	25	14	14	15	11	10	12	17
Nonwhite	89	7	5	8	9	5	7	8	11	12	7	6	4
Under 28 days	180	13	18	11	13	20	18	19	21	18	7	8	14
White	129	8	14	6	10	19	12	13	12	11	4	7	13
Nonwhite	51	5	4	5	3	1	6	6	9	7	3	1	1
DISTRICT OF COLUMBIA													
Under 1 year	577	53	55	45	48	49	42	55	42	47	50	34	57
White	97	7	9	4	12	6	5	11	10	7	9	8	9
Nonwhite	480	46	46	41	36	43	37	44	32	40	41	26	48
Under 28 days	406	27	30	32	29	36	35	41	34	37	40	24	41
White	75	7	6	2	10	5	3	9	6	5	8	7	7
Nonwhite	331	20	24	30	19	31	32	32	28	32	32	17	34
FLORIDA													
Under 1 year	3,025	270	264	259	235	241	262	256	242	249	241	242	264
White	1,733	149	128	149	129	141	156	152	134	161	143	139	152
Nonwhite	1,292	121	136	110	106	100	106	104	108	88	98	103	112
Under 28 days	2,118	163	148	157	159	177	210	204	187	201	176	165	171
White	1,345	105	89	103	101	114	130	129	107	137	115	100	115
Nonwhite	773	58	59	54	58	63	80	75	80	64	61	65	56
GEORGIA													
Under 1 year	2,734	294	261	275	185	217	224	219	194	189	221	212	243
White	1,303	134	118	117	89	111	126	111	92	90	105	101	109
Nonwhite	1,431	160	143	158	96	106	98	108	102	99	116	111	134
Under 28 days	1,750	156	142	149	125	161	173	171	134	137	146	119	137
White	974	90	79	82	70	91	101	95	73	69	78	72	74
Nonwhite	776	66	63	67	55	70	72	76	61	68	68	47	63
HAWAII													
Under 1 year	348	39	35	26	22	32	21	32	16	31	31	30	33
White	105	14	10	3	10	14	6	9	3	11	9	4	13
Nonwhite	243	25	25	23	12	18	15	23	13	20	23	26	20
Under 28 days	261	29	28	15	18	20	14	30	13	28	23	21	22
White	80	9	8	3	8	8	5	9	3	10	6	2	9
Nonwhite	181	20	20	12	10	12	9	21	10	18	17	19	13
IDAHO													
Under 1 year	327	23	25	31	30	30	35	22	22	31	24	28	26
White	318	21	25	30	30	29	35	22	20	29	24	28	25
Nonwhite	9	2	-	1	-	1	-	-	2	2	-	-	1
Under 28 days	233	13	24	21	22	18	25	18	15	23	17	20	17
White	227	11	24	21	22	17	25	18	14	21	17	20	17
Nonwhite	6	2	-	-	-	1	-	-	1	2	-	-	-
ILLINOIS													
Under 1 year	5,340	475	418	470	397	456	468	486	456	416	407	424	467
White	3,652	304	286	321	268	319	336	307	319	302	271	304	315
Nonwhite	1,688	171	132	149	129	137	132	179	137	114	136	120	152
Under 28 days	3,891	308	282	343	291	344	369	374	356	325	299	296	304
White	2,721	207	186	243	194	238	275	244	260	234	207	222	211
Nonwhite	1,170	101	96	100	97	106	94	130	96	91	92	74	93
INDIANA													
Under 1 year	2,309	224	209	220	174	196	187	182	181	188	168	187	193
White	1,991	185	189	186	150	171	150	160	165	164	147	159	165
Nonwhite	318	39	20	34	24	25	37	22	16	24	21	28	28
Under 28 days	1,717	156	140	147	136	159	151	144	139	153	124	138	131
White	1,501	132	129	127	115	138	125	130	130	133	109	121	112
Nonwhite	216	24	11	20	21	20	26	14	9	20	15	17	19
IOWA													
Under 1 year	1,049	107	75	93	96	92	89	76	79	86	75	88	93
White	1,024	105	74	91	95	88	86	75	79	85	72	86	88
Nonwhite	25	2	1	2	1	4	3	1	-	1	3	2	5
Under 28 days	787	75	44	59	79	73	74	65	71	61	56	63	67
White	770	73	44	58	78	69	72	65	71	60	54	63	63
Nonwhite	17	2	-	1	1	4	2	-	-	1	2	-	4

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1965—Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS													
Under 1 year	801	73	67	86	54	67	61	79	59	65	65	53	72
White	715	68	63	77	48	58	54	66	56	57	59	49	60
Nonwhite	86	5	4	9	6	9	7	13	3	8	6	4	12
Under 28 days	602	53	47	56	41	53	50	63	50	48	51	42	48
White	547	50	45	49	38	47	46	53	48	43	47	39	42
Nonwhite	55	3	2	7	3	6	4	10	2	5	4	3	6
KENTUCKY													
Under 1 year	1,556	142	142	152	121	138	116	127	113	112	136	133	124
White	1,331	122	118	128	105	114	98	105	102	91	117	124	107
Nonwhite	225	20	24	24	16	24	18	22	11	21	19	9	17
Under 28 days	1,066	92	88	93	86	108	87	96	84	79	91	94	68
White	930	81	77	79	77	91	76	81	76	63	82	89	58
Nonwhite	136	11	11	14	9	17	11	15	8	16	9	5	10
LOUISIANA													
Under 1 year	2,428	261	221	207	160	184	184	220	186	174	222	207	202
White	1,046	102	99	90	83	84	75	98	89	76	84	76	90
Nonwhite	1,382	159	122	117	77	100	109	122	97	98	138	131	112
Under 28 days	1,663	147	125	115	114	137	138	168	144	131	174	147	123
White	809	76	68	53	62	71	64	76	71	64	75	57	72
Nonwhite	854	71	57	62	52	66	74	92	73	67	99	90	51
MAINE													
Under 1 year	446	52	40	39	46	28	43	43	29	26	28	33	39
White	438	52	40	39	46	27	42	41	29	24	27	33	38
Nonwhite	8	-	-	-	-	1	1	2	-	2	1	-	1
Under 28 days	334	39	28	27	32	20	32	38	22	22	22	21	31
White	327	39	28	27	32	20	31	36	22	20	21	21	30
Nonwhite	7	-	-	-	-	-	1	2	-	2	1	-	1
MARYLAND													
Under 1 year	1,823	176	160	164	142	147	159	156	138	154	138	147	142
White	1,248	122	99	106	105	98	110	103	88	108	96	108	105
Nonwhite	575	54	61	58	37	49	49	53	50	46	42	39	37
Under 28 days	1,354	116	99	117	105	116	128	129	103	128	106	110	97
White	959	86	64	77	78	79	88	91	67	90	78	86	75
Nonwhite	395	30	35	40	27	37	40	38	36	38	28	24	22
MASSACHUSETTS													
Under 1 year	2,227	216	164	206	197	185	188	189	190	178	156	188	170
White	2,056	202	147	184	183	171	173	176	177	166	141	177	159
Nonwhite	171	14	17	22	14	14	15	13	13	12	15	11	11
Under 28 days	1,710	150	119	151	144	150	152	151	160	148	117	142	126
White	1,587	140	108	135	135	141	138	140	149	139	109	135	118
Nonwhite	123	10	11	16	9	9	14	11	11	9	8	7	8
MICHIGAN													
Under 1 year	3,943	338	320	355	342	311	321	330	340	301	322	337	326
White	3,164	274	258	281	273	242	271	252	279	248	247	272	267
Nonwhite	779	64	62	74	69	69	50	78	61	53	75	65	59
Under 28 days	2,911	232	220	235	259	239	251	264	273	227	239	258	214
White	2,355	190	171	191	211	187	211	207	231	185	182	214	175
Nonwhite	556	42	49	44	48	52	40	57	42	42	57	44	39
MINNESOTA													
Under 1 year	1,435	124	108	133	128	137	111	120	116	122	106	111	119
White	1,384	121	104	126	127	129	106	113	113	121	104	107	113
Nonwhite	51	3	4	7	1	8	5	7	3	1	2	4	6
Under 28 days	1,078	101	71	89	90	101	86	95	86	101	82	85	91
White	1,055	99	70	86	90	98	83	92	84	101	81	82	89
Nonwhite	23	2	1	3	-	3	3	3	2	-	1	3	2
MISSISSIPPI													
Under 1 year	2,125	239	197	182	139	141	152	180	158	166	179	174	218
White	595	50	47	53	46	47	40	56	54	52	40	57	53
Nonwhite	1,530	189	150	129	93	94	112	124	104	114	139	117	165
Under 28 days	1,283	122	81	104	94	104	105	127	116	115	110	97	108
White	471	41	31	41	37	38	31	51	45	44	33	41	38
Nonwhite	812	81	50	63	57	66	74	76	71	71	77	56	70
MISSOURI													
Under 1 year	2,064	185	168	189	161	168	186	165	170	183	156	176	157
White	1,531	142	123	130	122	123	137	127	123	127	118	134	125
Nonwhite	533	43	45	59	39	45	49	38	47	56	38	42	32
Under 28 days	1,513	131	102	129	108	128	147	137	134	147	116	126	108
White	1,155	99	75	87	83	98	109	111	100	110	91	102	90
Nonwhite	358	32	27	42	25	30	38	26	34	37	25	24	18
MONTANA													
Under 1 year	341	29	30	30	25	29	33	28	39	27	24	22	25
White	301	29	26	27	24	27	30	22	34	22	23	16	21
Nonwhite	40	-	4	3	1	2	3	6	5	5	1	6	4
Under 28 days	247	24	20	23	17	25	22	23	29	16	16	15	17
White	228	24	19	21	16	25	21	17	27	16	16	11	15
Nonwhite	19	-	1	2	1	-	1	6	2	-	-	4	2

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1965—Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEBRASKA													
Under 1 year	628	60	43	52	62	43	51	59	55	45	51	45	62
White	577	53	39	45	57	40	48	54	53	42	47	42	57
Nonwhite	51	7	4	7	5	3	3	5	2	3	4	3	5
Under 28 days	489	46	32	43	45	33	38	49	48	37	41	30	47
White	452	41	29	38	42	30	36	45	46	35	38	29	43
Nonwhite	37	5	3	5	3	3	2	4	2	2	3	1	4
NEVADA													
Under 1 year	235	20	27	17	18	14	15	34	19	17	19	17	18
White	196	14	22	11	16	13	14	29	17	15	17	14	14
Nonwhite	39	6	5	6	2	1	1	5	2	2	2	3	4
Under 28 days	184	16	19	10	14	9	10	27	18	16	16	13	16
White	156	12	15	9	12	9	9	23	16	14	15	10	12
Nonwhite	28	4	4	1	2	-	1	4	2	2	1	3	4
NEW HAMPSHIRE													
Under 1 year	275	24	25	22	20	26	16	25	25	20	25	22	25
White	274	24	25	22	20	26	16	25	25	20	25	21	25
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	1	-
Under 28 days	201	17	15	19	14	19	13	19	19	17	18	17	14
White	200	17	15	19	14	19	13	19	19	17	18	16	14
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	1	-
NEW JERSEY													
Under 1 year	2,904	297	238	243	244	236	246	238	232	210	229	268	223
White	2,007	210	176	162	161	174	179	162	159	136	167	173	148
Nonwhite	897	87	62	81	83	62	67	76	73	74	62	95	75
Under 28 days	2,185	191	162	174	178	194	197	194	192	166	169	204	164
White	1,559	140	128	123	124	147	147	137	133	109	131	126	114
Nonwhite	626	51	34	51	54	47	50	57	59	57	38	78	50
NEW MEXICO													
Under 1 year	655	60	43	52	62	56	61	41	57	57	60	49	57
White	535	42	37	43	49	47	46	37	47	47	48	41	51
Nonwhite	120	18	6	9	13	9	15	4	10	10	12	8	6
Under 28 days	431	38	26	35	43	32	40	31	32	35	43	32	44
White	384	32	23	31	36	30	35	28	29	34	38	27	41
Nonwhite	47	6	3	4	7	2	5	3	3	1	5	5	3
NEW YORK													
Under 1 year	7,848	740	684	723	656	636	650	631	654	572	604	614	684
White	5,676	560	501	510	469	455	485	451	468	399	425	449	504
Nonwhite	2,172	180	183	213	187	181	165	180	186	173	179	165	180
Under 28 days	5,869	497	466	537	477	488	518	499	548	459	457	436	487
White	4,287	371	352	388	350	353	381	360	396	326	322	319	369
Nonwhite	1,582	126	114	149	127	135	137	139	152	133	135	117	118
NORTH CAROLINA													
Under 1 year	2,976	318	263	277	229	250	223	206	232	214	252	239	273
White	1,464	139	111	135	115	133	110	106	132	111	112	132	128
Nonwhite	1,512	179	152	142	114	117	113	100	100	103	140	107	145
Under 28 days	1,955	158	156	154	162	198	162	159	200	158	152	150	146
White	1,119	90	78	90	91	113	85	86	116	93	85	96	96
Nonwhite	836	68	78	64	71	85	77	73	84	65	67	54	50
NORTH DAKOTA													
Under 1 year	280	24	28	23	18	28	28	16	25	24	25	25	16
White	252	21	25	21	17	27	22	13	25	21	23	23	14
Nonwhite	28	3	3	2	1	1	6	3	-	3	2	2	2
Under 28 days	207	17	16	18	12	23	21	12	15	20	22	19	12
White	188	16	15	16	12	22	16	10	15	18	20	18	10
Nonwhite	19	1	1	2	-	1	5	2	-	2	2	1	2
OHIO													
Under 1 year	4,349	379	375	405	357	397	359	335	352	338	369	310	373
White	3,572	314	295	347	297	333	285	272	284	281	315	249	300
Nonwhite	777	65	80	58	60	64	74	63	68	57	54	61	73
Under 28 days	3,222	260	232	285	264	300	289	262	289	260	282	227	272
White	2,659	215	181	244	221	259	227	217	236	211	243	180	225
Nonwhite	563	45	51	41	43	41	62	45	53	49	39	47	47
OKLAHOMA													
Under 1 year	990	91	87	91	78	85	91	80	79	70	101	71	66
White	787	70	69	68	63	66	73	62	68	58	73	58	59
Nonwhite	203	21	18	23	15	19	18	18	11	12	28	13	7
Under 28 days	694	58	52	57	56	62	74	67	58	57	66	43	44
White	567	48	43	44	47	49	60	52	50	49	49	36	40
Nonwhite	127	10	9	13	9	13	14	15	8	8	17	7	4
OREGON													
Under 1 year	695	62	54	69	46	63	58	65	55	52	63	61	47
White	659	57	54	63	45	57	57	62	52	51	59	57	45
Nonwhite	36	5	-	6	1	6	1	3	3	1	4	4	2
Under 28 days	477	39	38	40	34	46	47	48	42	40	41	33	29
White	455	38	38	38	33	41	46	46	39	39	38	30	29
Nonwhite	22	1	-	2	1	5	1	2	3	1	3	3	
PENNSYLVANIA													
Under 1 year	4,768	433	387	426	366	416	409	421	383	392	382	341	412
White	3,794	344	307	355	299	338	313	339	293	304	298	267	337
Nonwhite	974	89	80	71	67	78	96	82	90	88	84	74	75
Under 28 days	3,616	298	259	303	279	323	331	339	308	320	281	263	312
White	2,927	250	210	254	235	260	256	273	240	251	223	211	264
Nonwhite	689	48	49	49	44	63	75	66	68	69	58	52	48

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1965—Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RHODE ISLAND													
Under 1 year	390	37	29	39	28	40	40	32	35	23	28	32	27
White	357	35	28	35	25	38	33	30	33	19	25	30	26
Nonwhite	33	2	1	4	3	2	7	2	2	4	3	2	1
Under 28 days	303	29	18	33	19	34	33	29	32	14	18	24	20
White	278	27	17	30	17	33	28	27	30	11	16	23	19
Nonwhite	25	2	1	3	2	1	5	2	2	3	2	1	1
SOUTH CAROLINA													
Under 1 year	1,659	185	166	143	114	110	121	121	130	140	141	146	142
White	694	71	62	50	45	62	70	55	57	58	46	61	57
Nonwhite	965	114	104	93	69	48	51	66	73	82	95	85	85
Under 28 days	994	79	77	71	76	82	95	90	89	94	90	77	74
White	528	44	42	33	37	48	61	44	45	50	36	44	44
Nonwhite	466	35	35	38	39	34	34	46	44	44	54	33	30
SOUTH DAKOTA													
Under 1 year	315	24	24	29	34	31	26	27	21	23	34	16	26
White	242	17	15	19	26	27	22	16	16	20	27	15	22
Nonwhite	73	7	9	10	8	4	4	11	5	3	7	1	4
Under 28 days	209	18	14	17	27	19	17	19	12	17	21	11	17
White	180	14	9	15	21	19	16	14	11	16	18	10	17
Nonwhite	29	4	5	2	6	-	1	5	1	1	3	1	-
TENNESSEE													
Under 1 year	2,044	190	181	189	165	161	152	164	156	162	177	182	165
White	1,345	113	113	120	121	103	96	118	100	109	123	123	106
Nonwhite	699	77	68	69	44	58	56	46	56	53	54	59	59
Under 28 days	1,422	120	102	111	125	120	118	130	120	118	123	122	113
White	982	75	75	79	93	79	78	96	80	79	85	85	78
Nonwhite	440	45	27	32	32	41	40	34	40	39	38	37	35
TEXAS													
Under 1 year	5,608	511	425	511	412	479	427	487	449	474	468	479	486
White	4,161	384	310	373	312	354	331	368	336	337	343	356	357
Nonwhite	1,447	127	115	138	100	125	96	119	113	137	125	123	129
Under 28 days	3,874	306	259	340	280	336	320	375	350	359	321	327	301
White	2,947	239	200	261	219	253	256	287	259	262	237	242	232
Nonwhite	927	67	59	79	61	83	64	88	91	97	84	85	69
UTAH													
Under 1 year	416	42	41	33	40	31	31	32	29	40	29	28	40
White	385	38	38	28	37	28	28	27	29	40	28	27	37
Nonwhite	31	4	3	5	3	3	3	5	-	-	1	1	3
Under 28 days	302	31	28	23	32	24	23	24	17	30	20	21	29
White	288	29	27	20	31	24	21	22	17	30	19	20	28
Nonwhite	14	2	1	3	1	-	2	2	-	-	1	1	1
VERMONT													
Under 1 year	178	19	18	16	9	26	10	15	11	18	17	6	13
White	178	19	18	16	9	26	10	15	11	18	17	6	13
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 28 days	131	13	12	10	7	22	9	9	8	14	12	5	10
White	131	13	12	10	7	22	9	9	8	14	12	5	10
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year	2,365	234	198	222	176	199	179	205	188	173	199	188	204
White	1,489	135	112	148	112	122	115	139	123	111	124	117	131
Nonwhite	876	99	86	74	64	77	64	66	65	62	75	71	73
Under 28 days	1,678	137	126	148	129	156	146	158	141	130	137	134	136
White	1,128	95	79	100	86	98	94	112	98	92	86	94	94
Nonwhite	550	42	47	48	43	58	52	46	43	38	51	40	42
WASHINGTON													
Under 1 year	1,132	106	86	107	92	93	87	80	81	91	110	96	103
White	1,010	98	81	98	84	78	74	70	71	79	100	89	88
Nonwhite	122	8	5	9	8	15	13	10	10	12	10	7	15
Under 28 days	803	69	64	66	64	62	67	60	61	64	81	73	72
White	721	65	60	59	60	52	60	52	54	58	74	67	60
Nonwhite	82	4	4	7	4	10	7	8	7	6	7	6	12
WEST VIRGINIA													
Under 1 year	862	63	64	91	76	67	72	78	81	57	78	65	70
White	794	60	59	80	72	65	64	73	72	50	74	57	68
Nonwhite	68	3	5	11	4	2	8	5	9	7	4	8	2
Under 28 days	648	39	44	57	60	59	61	65	64	44	60	46	49
White	596	38	40	51	56	58	54	61	55	38	57	40	48
Nonwhite	52	1	4	6	4	1	7	4	9	6	3	6	1
WISCONSIN													
Under 1 year	1,815	165	136	176	165	139	144	146	157	160	146	137	144
White	1,707	157	130	168	150	135	135	135	148	148	137	130	134
Nonwhite	108	8	6	8	15	4	9	11	9	12	9	7	10
Under 28 days	1,368	125	97	123	116	104	117	113	134	128	111	99	101
White	1,301	122	93	118	105	102	111	104	130	119	105	95	97
Nonwhite	67	3	4	5	11	2	6	9	4	9	6	4	4
WYOMING													
Under 1 year	145	17	8	20	12	7	7	15	13	15	12	13	6
White	133	16	7	17	12	7	7	14	11	13	12	11	6
Nonwhite	12	1	1	3	-	-	-	1	2	2	-	2	-
Under 28 days	107	13	3	14	9	4	6	12	9	13	8	10	6
White	99	12	3	13	9	4	6	11	7	11	8	9	6
Nonwhite	8	1	-	1	-	-	-	1	2	2	-	1	-

Table 2-9. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 55 Selected Causes, by Month: United States, 1965

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 1 year—all causes	92,866	8,780	7,800	8,410	7,377	7,693	7,520	7,696	7,405	7,300	7,593	7,395	7,897
Dysentery, all forms—045-048	85	9	5	3	6	8	6	8	7	8	12	7	6
Septicemia and pyemia—053	338	41	32	28	24	35	18	18	14	28	30	29	41
Whooping cough—056	42	4	8	3	-	5	2	2	6	4	4	3	1
Meningococcal infections—057	274	26	33	32	28	23	15	11	16	12	22	20	36
Tetanus—061	25	2	1	-	2	3	4	3	1	3	4	1	1
Other infective and parasitic diseases—001-044,049-052,054,055,058-060,062-138	505	52	60	57	41	44	33	42	23	30	41	50	32
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	226	16	22	25	13	26	25	21	14	12	14	13	25
Benign neoplasms and neoplasms of unspecified nature—210-239	105	14	9	7	9	11	7	6	7	8	6	13	8
Diseases of thymus gland—273	55	5	3	9	3	3	1	5	9	4	6	4	3
Meningitis, except meningococcal and tuberculous—340	844	103	77	85	67	73	52	50	49	52	74	79	83
Other diseases of nervous system and sense organs—330-334,341-398	704	67	58	67	56	51	56	57	56	53	61	52	70
Acute upper respiratory infections—470-475	328	45	36	40	34	20	23	18	15	14	20	28	35
Influenza and pneumonia, except pneumonia of newborn—480-493	8,036	1,105	1,029	994	646	475	431	380	353	413	598	704	908
Influenza—480-483	182	27	39	38	13	7	3	3	3	5	14	18	12
Pneumonia, except pneumonia of newborn—490-493	7,854	1,078	990	956	633	468	428	377	350	408	584	686	896
Bronchitis—500-502	470	81	73	80	36	25	25	25	19	18	26	37	45
Other diseases of respiratory system—510-522,525-527	1,643	180	165	202	124	130	84	120	93	105	128	140	172
Pulmonary congestion and hypostasis—522	199	18	14	22	22	27	12	16	9	10	17	17	15
Other chronic interstitial pneumonia—525	1,080	130	112	133	75	74	57	76	59	68	83	92	121
Bronchiectasis—526	1	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity—527.2	232	20	25	30	18	18	10	16	12	13	22	24	24
All other diseases of respiratory system—510-521,527.1	131	12	13	17	9	11	5	12	13	14	6	7	12
Hernia and intestinal obstruction—560,561,570	852	83	65	81	70	69	61	69	85	68	64	76	61
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	1,709	227	173	170	87	118	91	129	120	133	138	159	164
Other diseases of digestive system—530-542,544-553,573-587	378	34	30	38	19	22	38	45	27	35	26	35	29
Congenital malformations—750-759	13,443	1,282	1,157	1,176	1,067	1,056	1,093	1,099	1,052	1,184	1,100	1,065	1,112
Spina bifida and meningocele—751	1,153	120	108	102	78	91	85	115	79	113	90	78	94
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	1,105	93	86	103	100	80	88	83	86	96	107	89	94
Congenital malformations of circulatory system—754	6,565	675	576	580	513	538	539	506	502	559	524	522	531
Other congenital malformations—750,755-759	4,620	394	387	391	376	347	381	395	385	416	379	376	393
Certain diseases of early infancy—760-776	55,375	4,658	4,092	4,642	4,505	4,926	4,945	5,023	4,872	4,556	4,554	4,247	4,355
Birth injuries—760,761	7,718	664	562	645	649	677	686	704	701	606	638	560	626
Without mention of immaturity (.0)	2,927	260	218	241	224	247	233	277	275	232	254	227	239
With immaturity (.5)	4,791	404	344	404	425	430	453	427	426	374	384	333	387
Intracranial and spinal injury at birth—760	2,463	201	183	208	198	203	207	231	220	192	208	201	211
Without mention of immaturity (.0)	1,355	120	104	114	96	117	99	123	128	115	118	114	107
With immaturity (.5)	1,108	81	79	94	102	86	108	108	92	77	90	87	104
Other birth injury—761	5,255	463	379	437	451	474	479	473	481	414	430	359	415
Without mention of immaturity (.0)	1,572	140	114	127	128	130	134	154	147	117	136	113	132
With immaturity (.5)	3,683	323	265	310	323	344	345	319	334	297	294	246	283
Postnatal asphyxia and atelectasis—762	15,429	1,281	1,158	1,316	1,243	1,391	1,452	1,427	1,286	1,250	1,220	1,205	1,200
Without mention of immaturity (.0)	4,107	359	303	362	288	325	379	381	356	360	327	323	344
With immaturity (.5)	11,322	922	855	954	955	1,066	1,073	1,046	930	890	893	882	856
Pneumonia of newborn—763	2,773	283	235	252	207	231	199	215	250	243	208	213	237
Without mention of immaturity (.0)	1,987	200	174	195	145	163	141	149	181	167	147	157	168
With immaturity (.5)	786	83	61	57	62	68	58	66	69	76	61	56	69
Diarrhea of newborn—764	367	40	26	22	17	13	28	23	44	46	61	28	19
Without mention of immaturity (.0)	292	32	24	18	11	12	22	21	32	36	48	23	13
With immaturity (.5)	75	8	2	4	6	1	6	2	12	10	13	5	6
Other infections of newborn—765-768	786	65	52	60	63	63	64	70	76	76	73	70	54
Without mention of immaturity (.0)	436	44	30	32	33	38	28	40	43	41	43	38	26
With immaturity (.5)	350	21	22	28	30	25	36	30	33	35	30	32	28
Neonatal disorders arising from certain diseases of mother during pregnancy—769	708	68	76	60	55	75	74	44	49	64	52	46	45
Without mention of immaturity (.0-.4)	301	27	36	28	17	31	30	23	25	23	21	17	23
With immaturity (.5-.9)	407	41	40	32	38	44	44	21	24	41	31	29	22
Hemolytic disease of newborn (erythroblastosis)—770	1,476	142	107	133	93	131	123	137	132	104	117	125	132
Without mention of immaturity (.0-.2)	1,068	95	81	101	58	90	90	102	101	75	91	88	96
With immaturity (.5-.7)	408	47	26	32	35	41	33	35	31	29	26	37	36
Hemorrhagic disease of newborn—771	476	36	39	41	40	40	33	35	40	46	45	44	37
Without mention of immaturity (.0)	272	20	29	26	18	20	19	23	20	28	26	23	20
With immaturity (.5)	204	16	10	15	22	20	14	12	20	18	19	21	17
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	10,132	837	702	786	762	908	900	930	928	853	876	814	836
Without mention of immaturity (.0)	2,542	232	194	211	164	187	206	231	222	221	210	218	246
With immaturity (.5)	7,590	605	508	575	598	721	694	699	706	632	666	596	590
Immaturity with mention of any other subsidiary condition—774	1,079	100	89	78	83	102	90	102	80	97	88	78	92
Immaturity, unqualified—776	14,431	1,142	1,046	1,249	1,293	1,295	1,296	1,336	1,286	1,171	1,176	1,084	1,077
Symptoms and ill-defined conditions—780-793,795	2,369	254	227	229	178	166	169	173	133	163	201	220	256
All other diseases—Residual	1,531	156	143	147	103	148	90	107	134	104	129	112	158
Accidents—E800-E962	3,316	316	281	297	237	243	240	268	275	269	318	287	285
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	681	73	60	50	61	54	49	50	42	60	64	58	60
Accidental mechanical suffocation in bed and cradle—E924	700	68	63	71	51	49	47	44	58	55	60	61	73
Other accidental causes—E800-E920,E923,E925-E962	1,935	175	158	176	125	140	144	174	175	154	194	168	152
Homicide—E964,E980-E984	213	20	21	18	22	13	11	17	25	24	17	14	11

Table 2-9. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 55 Selected Causes, by Month: United States, 1965—Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 28 days—all causes	66,419	5,602	4,929	5,576	5,345	5,807	5,870	6,018	5,827	5,618	5,453	5,139	5,235
Dysentery, all forms—045-048	4	-	-	-	-	-	-	-	1	2	1	-	-
Septicemia and pyemia—053	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	24	1	2	2	3	4	3	1	-	2	3	1	2
Tetanus—061	24	2	1	-	2	3	4	2	1	3	4	1	1
Other infective and parasitic diseases—001-044,049-052,054,055,058-060,062-138	87	9	6	4	7	6	9	11	6	6	10	9	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	34	3	4	3	2	3	2	5	4	4	1	2	1
Benign neoplasms and neoplasms of unspecified nature—210-239	57	6	5	4	6	5	4	4	4	2	5	9	3
Diseases of thymus gland—273	15	2	1	2	-	-	-	2	4	1	1	1	1
Meningitis, except meningococcal and tuberculous—340	248	26	12	19	15	23	17	27	15	25	20	26	23
Other diseases of nervous system and sense organs—330-334,341-398	52	7	2	1	3	5	9	10	3	4	4	2	2
Acute upper respiratory infections—470-475	27	5	3	1	4	-	4	-	1	3	3	1	2
Influenza and pneumonia, except pneumonia of newborn—480-493	14	2	3	4	-	-	1	-	-	1	-	3	-
Influenza—480-483	14	2	3	4	-	-	1	-	-	1	-	3	-
Pneumonia, except pneumonia of newborn—490-493	...	...	...	...	...	...	...	...	...	...	...	...	...
Bronchitis—500-502	30	6	5	2	3	-	3	1	-	1	3	3	3
Other diseases of respiratory system—510-522,525-527	159	6	13	19	15	14	5	17	16	14	17	12	11
Pulmonary congestion and hypostasis—522	44	2	4	6	4	7	3	6	2	-	5	4	1
Other chronic interstitial pneumonia—525	16	-	1	1	4	-	-	1	2	2	2	1	2
Bronchiectasis—526	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity—527.2	36	1	3	5	2	3	1	2	3	4	5	3	4
All other diseases of respiratory system—510-521,527.1	63	3	5	7	5	4	1	8	9	8	5	4	4
Hernia and intestinal obstruction—560,561,570	629	62	42	58	41	55	46	53	65	54	51	56	46
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	7	-	-	1	2	-	-	1	1	1	-	-	1
Other diseases of digestive system—530-542,544-553,573-587	181	11	17	13	9	10	24	24	13	18	11	15	16
Congenital malformations—750-759	8,775	772	706	741	661	695	743	759	733	858	692	703	712
Spina bifida and meningocele—751	660	66	58	51	41	51	42	78	51	76	42	46	58
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	588	40	40	56	45	45	54	53	48	55	47	53	52
Congenital malformations of circulatory system—754	3,812	367	305	321	269	312	338	304	323	371	304	312	286
Other congenital malformations—750,755-759	3,715	299	303	313	306	287	309	324	311	356	299	292	316
Certain diseases of early infancy—760-776	54,210	4,527	3,960	4,542	4,422	4,840	4,862	4,940	4,799	4,453	4,456	4,162	4,247
Birth injuries—760,761	7,708	663	562	644	648	676	685	704	700	605	636	560	625
Without mention of immaturity (.0)	2,921	259	218	240	223	247	232	277	274	232	254	227	238
With immaturity (.5)	4,787	404	344	404	425	429	453	427	426	373	382	333	387
Intracranial and spinal injury at birth—760	2,463	201	183	208	198	203	207	231	220	192	208	201	211
Without mention of immaturity (.0)	1,355	120	104	114	96	117	99	123	128	115	118	114	107
With immaturity (.5)	1,108	81	79	94	102	86	108	108	92	77	90	87	104
Other birth injury—761	5,245	462	379	436	450	473	478	473	480	413	428	359	414
Without mention of immaturity (.0)	1,566	139	114	126	127	130	133	154	146	117	136	113	131
With immaturity (.5)	3,679	323	265	310	323	343	345	319	334	296	292	246	283
Postnatal asphyxia and atelectasis—762	15,166	1,247	1,132	1,297	1,221	1,376	1,426	1,402	1,275	1,227	1,199	1,186	1,178
Without mention of immaturity (.0)	3,908	333	283	344	270	313	360	365	346	346	311	307	330
With immaturity (.5)	11,258	914	849	953	951	1,063	1,066	1,037	929	881	888	879	848
Pneumonia of newborn—763	2,773	283	235	252	207	231	199	215	250	243	208	213	237
Without mention of immaturity (.0)	1,987	200	174	195	145	163	141	149	181	167	147	157	168
With immaturity (.5)	786	83	61	57	62	68	58	66	69	76	61	56	69
Diarrhea of newborn—764	366	40	26	22	17	13	28	23	43	46	61	28	19
Without mention of immaturity (.0)	291	32	24	18	11	12	22	21	31	36	48	23	13
With immaturity (.5)	75	8	2	4	6	1	6	2	12	10	13	5	6
Other infections of newborn—765-768	784	65	52	60	62	62	64	70	76	76	73	70	54
Without mention of immaturity (.0)	435	44	30	32	33	37	28	40	43	41	43	38	26
With immaturity (.5)	349	21	22	28	29	25	36	30	33	35	30	32	28
Neonatal disorders arising from certain diseases of mother during pregnancy—769	625	62	64	49	44	63	66	43	44	61	49	41	39
Without mention of immaturity (.0-.4)	219	22	24	17	6	19	22	22	20	20	18	12	17
With immaturity (.5-.9)	406	40	40	32	38	44	44	21	24	41	31	29	22
Hemolytic disease of newborn (erythroblastosis)—770	1,464	138	107	132	93	130	122	137	131	104	115	123	132
Without mention of immaturity (.0-.2)	1,057	92	81	100	58	89	89	102	100	75	89	86	96
With immaturity (.5-.7)	407	46	26	32	35	41	33	35	31	29	26	37	36
Hemorrhagic disease of newborn—771	469	35	39	39	40	39	32	35	40	46	44	43	37
Without mention of immaturity (.0)	265	19	29	24	18	19	18	23	20	28	25	22	20
With immaturity (.5)	204	16	10	15	22	20	14	12	20	18	19	21	17
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	9,584	774	642	740	728	874	867	893	891	797	825	774	779
Without mention of immaturity (.0)	2,067	175	138	170	135	156	178	202	189	174	168	185	197
With immaturity (.5)	7,517	599	504	570	593	718	689	691	702	623	657	589	582
Immaturity with mention of any other subsidiary condition—774	912	83	63	63	73	88	82	90	71	82	74	66	77
Immaturity, unqualified—776	14,359	1,137	1,038	1,244	1,289	1,288	1,291	1,328	1,278	1,166	1,172	1,058	1,070
Symptoms and ill-defined conditions—780-793,795	737	63	58	72	69	59	64	62	60	57	59	57	57
All other diseases—Residual	529	47	36	46	37	50	29	45	50	47	47	42	53
Accidents—E800-E962	454	33	42	33	29	28	32	44	39	47	57	27	43
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	121	7	12	8	8	9	8	13	6	14	15	8	13
Accidental mechanical suffocation in bed and cradle—E924	66	3	7	5	4	6	2	4	7	6	12	2	8
Other accidental causes—E800-E920,E923,E925-E962	267	23	23	20	17	13	22	27	26	27	30	17	22
Homicide—E964,E980-E984	122	12	11	9	15	7	9	10	12	15	8	7	7

Table 2-9. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 55 Selected Causes, by Month: United States, 1965—Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
28 days to 11 months—all causes	26,447	3,178	2,871	2,834	2,032	1,886	1,650	1,678	1,578	1,682	2,140	2,256	2,662
Dysentery, all forms—045-048	81	9	5	3	6	8	6	8	6	6	11	7	6
Septicemia and pyemia—053	338	41	32	28	24	35	18	18	14	28	30	29	41
Whooping cough—056	42	4	8	3	-	5	2	2	6	4	4	3	1
Meningococcal infections—057	250	25	31	30	25	19	12	10	16	10	19	19	34
Tetanus—061	1	-	-	-	-	-	-	1	-	-	-	-	-
Other infective and parasitic diseases—001-044,049-052,054,055,058-060,062-138	418	43	54	53	34	38	24	31	17	24	31	41	28
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	192	13	18	22	11	23	23	16	10	8	13	11	24
Benign neoplasms and neoplasms of unspecified nature—210-239	48	8	4	3	3	6	3	2	3	6	1	4	5
Diseases of thymus gland—273	40	3	2	7	3	3	1	3	5	3	5	3	2
Meningitis, except meningococcal and tuberculous—340	596	77	65	66	52	50	35	23	34	27	54	53	60
Other diseases of nervous system and sense organs—330-334,341-398	652	60	56	66	53	46	47	47	53	49	57	50	68
Acute upper respiratory infections—470-475	301	40	33	39	30	20	19	18	14	11	17	27	33
Influenza and pneumonia, except pneumonia of newborn—480-493	8,022	1,103	1,026	990	646	475	430	380	353	412	598	701	908
Influenza—480-483	168	25	36	34	13	7	2	3	3	4	14	15	12
Pneumonia, except pneumonia of newborn—490-493	7,854	1,078	990	956	633	468	428	377	350	408	584	686	896
Bronchitis—500-502	440	75	68	58	33	25	22	24	19	17	23	34	42
Other diseases of respiratory system—510-522,525-527	1,484	174	152	183	109	116	79	103	77	91	111	128	161
Pulmonary congestion and hypostasis—522	155	16	10	16	18	20	9	10	7	10	12	13	14
Other chronic interstitial pneumonia—525	1,064	130	111	132	71	74	57	75	57	66	81	91	119
Bronchiectasis—526	1	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity—527.2	196	19	22	25	16	15	9	14	9	9	17	21	20
All other diseases of respiratory system—510-521,527.1	68	9	8	10	4	7	4	4	4	6	1	3	8
Hernia and intestinal obstruction—560,561,570	223	21	23	23	29	14	15	16	20	14	13	20	15
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	1,702	227	173	169	85	118	91	128	119	132	138	159	163
Other diseases of digestive system—530-542,544-553,573,587	197	23	13	25	10	12	14	21	14	17	15	20	13
Congenital malformations—750-759	4,668	510	451	435	406	361	350	340	319	326	408	362	400
Spina bifida and meningocele—751	493	54	50	51	37	40	43	37	28	37	48	32	36
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	517	53	46	47	55	35	34	30	38	41	60	36	42
Congenital malformations of circulatory system—754	2,753	308	271	259	244	226	201	202	179	188	220	210	245
Other congenital malformations—750,755-759	905	95	84	78	70	60	72	71	74	60	80	84	77
Certain diseases of early infancy—760-776	1,165	131	132	100	83	86	83	83	73	103	98	85	108
Birth injuries—760,761	10	1	-	1	1	1	1	-	1	1	2	-	1
Without mention of immaturity (.0)	6	1	-	1	1	-	1	-	1	-	-	-	1
With immaturity (.5)	4	-	-	-	-	1	-	-	-	1	2	-	-
Intracranial and spinal injury at birth—760	...	...	...	...	...	...	...	...	...	...	...	...	...
Without mention of immaturity (.0)	...	...	...	...	...	...	...	...	...	...	...	...	...
With immaturity (.5)	...	...	...	...	...	...	...	...	...	...	...	...	...
Other birth injury—761	10	1	-	1	1	1	1	-	1	1	2	-	1
Without mention of immaturity (.0)	6	1	-	1	1	-	1	-	1	-	-	-	1
With immaturity (.5)	4	-	-	-	-	1	-	-	-	1	2	-	-
Postnatal asphyxia and atelectasis—762	263	34	26	19	22	15	26	25	11	23	21	19	22
Without mention of immaturity (.0)	199	26	20	18	18	12	19	16	10	14	16	16	14
With immaturity (.5)	64	8	6	1	4	3	7	9	1	9	5	3	8
Pneumonia of newborn—763	...	...	...	...	...	...	...	...	...	...	...	...	...
Without mention of immaturity (.0)	...	...	...	...	...	...	...	...	...	...	...	...	...
With immaturity (.5)	...	...	...	...	...	...	...	...	...	...	...	...	...
Diarrhea of newborn—764	1	-	-	-	-	-	-	-	1	-	-	-	-
Without mention of immaturity (.0)	1	-	-	-	-	-	-	-	1	-	-	-	-
With immaturity (.5)	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infections of newborn—765-768	2	-	-	-	1	1	-	-	-	-	-	-	-
Without mention of immaturity (.0)	1	-	-	-	-	1	-	-	-	-	-	-	-
With immaturity (.5)	1	-	-	-	1	-	-	-	-	-	-	-	-
Neonatal disorders arising from certain diseases of mother during pregnancy—769	83	6	12	11	11	12	8	1	5	3	3	5	6
Without mention of immaturity (.0-.4)	82	5	12	11	11	12	8	1	5	3	3	5	6
With immaturity (.5-.9)	1	1	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn (erythroblastosis)—770	12	4	-	1	-	1	1	-	1	-	2	2	-
Without mention of immaturity (.0-.2)	11	3	-	1	-	1	1	-	1	-	2	2	-
With immaturity (.5-.7)	1	1	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn—771	7	1	-	2	-	1	1	-	-	-	1	1	-
Without mention of immaturity (.0)	7	1	-	2	-	1	1	-	-	-	1	1	-
With immaturity (.5)	-	-	-	-	-	-	-	-	-	-	-	-	-
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	548	63	60	46	34	34	33	37	37	56	51	40	57
Without mention of immaturity (.0)	475	57	56	41	29	31	28	29	33	47	42	33	49
With immaturity (.5)	73	6	4	5	5	3	5	8	4	9	9	7	8
Immaturity with mention of any other subsidiary condition—774	167	17	26	15	10	14	8	12	9	15	14	12	15
Immaturity, unqualified—776	72	5	8	5	4	7	5	8	8	5	4	6	7
Symptoms and ill-defined conditions—780-793,795	1,632	191	169	157	109	107	105	111	73	106	142	163	199
All other diseases—Residual	1,002	109	107	101	66	98	61	62	84	57	82	70	105
Accidents—E800-E962	2,862	283	239	264	208	215	208	224	236	222	261	260	242
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	560	66	48	42	53	45	41	37	36	46	49	50	47
Accidental mechanical suffocation in bed and cradle—E924	634	65	56	66	47	43	45	40	51	49	48	59	65
Other accidental causes—E800-E920,E923,E925-E962	1,668	152	135	156	108	127	122	147	149	127	164	151	130
Homicide—E964,E980-E984	91	8	10	9	7	6	2	7	13	9	9	7	4

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1965

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Total, under 1 year—all causes	92,866	51,324	41,542	57,964	43,052	14,912	34,902	8,272	26,630
Dysentery, all forms—045-048	85	25	60	19	18	1	66	7	59
Septicemia and pyemia—053	338	168	170	181	144	37	157	24	133
Whooping cough—056	42	16	26	18	13	5	24	3	21
Meningococcal infections—057	274	143	131	168	115	53	106	28	78
Tetanus—061	25	7	18	9	3	6	16	4	12
Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-138	505	218	287	265	176	89	240	42	198
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	226	110	116	145	98	47	81	12	69
Benign neoplasms and neoplasms of unspecified nature—210-239	105	51	54	65	42	23	40	9	31
Diseases of thymus gland—273	55	29	26	35	25	10	20	4	16
Meningitis, except meningococcal and tuberculous—340	844	453	391	545	395	150	299	58	241
Other diseases of nervous system and sense organs—330-334,341-398	704	378	326	434	320	114	270	58	212
Acute upper respiratory infections—470-475	328	193	135	199	169	30	129	24	105
Influenza and pneumonia, except pneumonia of newborn—480-493	8,036	4,101	3,935	4,536	3,402	1,134	3,500	699	2,801
Influenza—480-483	182	52	130	47	29	18	135	23	112
Pneumonia, except pneumonia of newborn—490-493	7,854	4,049	3,805	4,489	3,373	1,116	3,365	676	2,689
Bronchitis—500-502	470	245	225	294	212	82	176	33	143
Other diseases of respiratory system—510-522,525-527	1,643	959	684	1,164	843	321	479	116	363
Pulmonary congestion and hypostasis—522	199	129	70	140	109	31	59	20	39
Other chronic interstitial pneumonia—525	1,080	659	421	824	592	232	256	67	189
Bronchiectasis—526	1	1	-	1	1	-	-	-	-
Other diseases of lung and pleural cavity—527.2	232	98	134	110	82	28	122	16	106
All other diseases of respiratory system—510-521,527.1	131	72	59	89	59	30	42	13	29
Hernia and intestinal obstruction—560,561,570	852	467	385	559	400	159	293	67	226
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	1,709	653	1,056	669	495	174	1,040	158	882
Other diseases of digestive system—530-542,544-553,573-587	378	207	171	228	175	53	150	32	118
Congenital malformations—750-759	13,443	7,459	5,984	8,761	6,292	2,469	4,682	1,167	3,515
Spina bifida and meningocele—751	1,153	624	529	715	508	207	438	116	322
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	1,105	612	493	705	515	190	400	97	303
Congenital malformations of circulatory system—754	6,565	3,621	2,944	4,309	3,078	1,231	2,256	543	1,713
Other congenital malformations—750,755-759	4,620	2,602	2,018	3,032	2,191	841	1,588	411	1,177
Certain diseases of early infancy—760-776	55,375	31,943	23,432	35,769	26,947	8,822	19,606	4,996	14,610
Birth injuries—760,761	7,718	4,287	3,431	4,937	3,556	1,381	2,781	731	2,050
Without mention of immaturity (.0)	2,927	1,538	1,389	1,793	1,281	512	1,134	257	877
With immaturity (.5)	4,791	2,749	2,042	3,144	2,275	869	1,647	474	1,173
Intracranial and spinal injury at birth—760	2,463	1,499	964	1,742	1,307	435	721	192	529
Without mention of immaturity (.0)	1,355	745	610	872	628	244	483	117	366
With immaturity (.5)	1,108	754	354	870	679	191	238	75	163
Other birth injury—761	5,255	2,788	2,467	3,195	2,249	946	2,060	539	1,521
Without mention of immaturity (.0)	1,572	793	779	921	653	268	651	140	511
With immaturity (.5)	3,683	1,995	1,688	2,274	1,596	678	1,409	399	1,010
Postnatal asphyxia and atelectasis—762	15,429	9,383	6,046	10,637	8,078	2,559	4,792	1,305	3,487
Without mention of immaturity (.0)	4,107	2,264	1,843	2,563	1,884	679	1,544	380	1,164
With immaturity (.5)	11,322	7,119	4,203	8,074	6,194	1,880	3,248	925	2,323
Pneumonia of newborn—763	2,773	1,549	1,224	1,711	1,323	388	1,062	226	836
Without mention of immaturity (.0)	1,987	1,110	877	1,225	954	271	762	156	606
With immaturity (.5)	786	439	347	486	369	117	300	70	230
Diarrhea of newborn—764	367	159	208	144	117	27	223	42	181
Without mention of immaturity (.0)	292	127	165	111	89	22	181	38	143
With immaturity (.5)	75	32	43	33	28	5	42	4	38
Other infections of newborn—765-768	786	471	315	539	419	120	247	52	195
Without mention of immaturity (.0)	436	245	191	276	214	62	160	31	129
With immaturity (.5)	350	226	124	263	205	58	87	21	66
Neonatal disorders arising from certain diseases of mother during pregnancy—769	708	371	337	428	308	120	280	63	217
Without mention of immaturity (.0-.4)	301	159	142	187	135	52	114	24	90
With immaturity (.5-.9)	407	212	195	241	173	68	166	39	127
Hemolytic disease of newborn (erythroblastosis)—770	1,476	781	695	999	671	328	477	110	367
Without mention of immaturity (.0-.2)	1,068	561	507	707	472	235	361	89	272
With immaturity (.5-.7)	408	220	188	292	199	93	116	21	95
Hemorrhagic disease of newborn—771	476	281	195	316	245	71	160	36	124
Without mention of immaturity (.0)	272	146	126	179	128	51	93	18	75
With immaturity (.5)	204	135	69	137	117	20	67	18	49
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	10,132	5,530	4,602	6,121	4,560	1,561	4,011	970	3,041
Without mention of immaturity (.0)	2,542	1,182	1,360	1,294	920	374	1,248	262	986
With immaturity (.5)	7,590	4,348	3,242	4,827	3,640	1,187	2,763	708	2,055
Immaturity with mention of any other subsidiary condition—774	1,079	641	438	734	557	177	345	84	261
Immaturity, unqualified—776	14,431	8,490	5,941	9,203	7,113	2,090	5,228	1,377	3,851
Symptoms and ill-defined conditions—780-793,795	2,369	995	1,374	1,060	775	285	1,309	220	1,089
All other diseases—Residual	1,531	794	737	913	645	268	618	149	469
Accidents—E800-E962	3,316	1,576	1,740	1,770	1,228	542	1,546	348	1,198
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	681	314	367	362	234	128	319	80	239
Accidental mechanical suffocation in bed and cradle—E924	700	319	381	320	226	94	380	93	287
Other accidental causes—E800-E920,E923,E925-E962	1,935	943	992	1,088	768	320	847	175	672
Homicide—E964,E980-E984	213	134	79	158	120	38	55	14	41

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1965—Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
White, under 1 year—all causes	67,198	35,118	32,080	41,766	28,768	12,998	25,432	6,350	19,082
Dysentery, all forms-045-048	32	12	20	8	8	-	24	4	20
Septicemia and pyemia-053	203	94	109	106	78	28	97	16	81
Whooping cough-056	20	11	9	12	10	2	8	1	7
Meningococcal infections-057	223	115	108	137	90	47	86	25	61
Tetanus-061	12	3	9	5	2	3	7	1	6
Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	351	146	205	190	115	75	161	31	130
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	197	91	106	128	81	47	69	10	59
Benign neoplasms and neoplasms of unspecified nature-210-239	88	44	44	57	36	21	31	8	23
Diseases of thymus gland-273	44	19	25	25	15	10	19	4	15
Meningitis, except meningococcal and tuberculous-340	538	273	265	352	234	118	186	39	147
Other diseases of nervous system and sense organs-330-334,341-398	524	279	245	323	231	92	201	48	153
Acute upper respiratory infections-470-475	209	130	79	138	116	22	71	14	57
Influenza and pneumonia, except pneumonia of newborn-480-493	4,739	2,359	2,380	2,802	1,926	876	1,937	433	1,504
Influenza-480-483	65	13	52	21	10	11	44	3	41
Pneumonia, except pneumonia of newborn-490-493	4,674	2,346	2,328	2,781	1,916	865	1,893	430	1,463
Bronchitis-500-502	319	157	162	201	132	69	118	25	93
Other diseases of respiratory system-510-522,525-527	1,092	586	506	765	504	261	327	82	245
Pulmonary congestion and hypostasis-522	140	85	55	96	70	26	44	15	29
Other chronic interstitial pneumonia-525	701	384	317	515	334	181	186	50	136
Bronchiectasis-526	1	1	-	1	1	-	-	-	-
Other diseases of lung and pleural cavity-527.2	149	66	83	80	56	24	69	10	59
All other diseases of respiratory system-510-521,527.1	101	50	51	73	43	30	28	7	21
Hernia and intestinal obstruction-560,561,570	710	380	330	471	325	146	239	55	184
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	748	306	442	344	236	108	404	70	334
Other diseases of digestive system-530-542,544-553,573-587	243	122	121	145	98	47	98	24	74
Congenital malformations-750-759	11,420	6,056	5,364	7,310	5,003	2,307	4,110	1,053	3,057
Spina bifida and meningocele-751	1,063	563	500	649	451	198	414	112	302
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	914	492	422	579	408	171	335	84	251
Congenital malformations of circulatory system-754	5,478	2,844	2,634	3,492	2,350	1,142	1,986	494	1,492
Other congenital malformations-750,755-759	3,965	2,157	1,808	2,590	1,794	796	1,375	363	1,012
Certain diseases of early infancy-760-776	40,846	21,761	19,085	25,601	17,820	7,781	15,245	3,941	11,304
Birth injuries-760,761	6,201	3,210	2,991	3,869	2,597	1,272	2,332	613	1,719
Without mention of immaturity (.0)	2,289	1,134	1,155	1,400	930	470	889	204	685
With immaturity (.5)	3,912	2,076	1,836	2,469	1,667	802	1,443	409	1,034
Intracranial and spinal injury at birth-760	1,800	1,004	796	1,230	845	385	570	159	411
Without mention of immaturity (.0)	1,042	543	499	669	447	222	373	96	277
With immaturity (.5)	758	461	297	561	398	163	197	63	134
Other birth injury-761	4,401	2,206	2,195	2,639	1,752	887	1,762	454	1,308
Without mention of immaturity (.0)	1,247	591	656	731	483	248	516	108	408
With immaturity (.5)	3,154	1,615	1,539	1,908	1,269	639	1,246	346	900
Postnatal asphyxia and atelectasis-762	11,520	6,420	5,100	7,636	5,378	2,258	3,884	1,042	2,842
Without mention of immaturity (.0)	3,108	1,599	1,509	1,887	1,293	594	1,221	306	915
With immaturity (.5)	8,412	4,821	3,591	5,749	4,085	1,664	2,663	736	1,927
Pneumonia of newborn-763	1,776	925	851	1,086	758	328	690	167	523
Without mention of immaturity (.0)	1,228	629	599	746	520	226	482	109	373
With immaturity (.5)	548	296	252	340	238	102	208	58	150
Diarrhea of newborn-764	138	65	73	67	51	16	71	14	57
Without mention of immaturity (.0)	108	51	57	50	37	13	58	14	44
With immaturity (.5)	30	14	16	17	14	3	13	-	13
Other infections of newborn-765-768	499	290	209	340	246	94	159	44	115
Without mention of immaturity (.0)	279	151	128	177	126	51	102	25	77
With immaturity (.5)	220	139	81	163	120	43	57	19	38
Neonatal disorders arising from certain diseases of mother during pregnancy-769	538	259	279	323	212	111	215	47	168
Without mention of immaturity (.0-.4)	223	107	116	136	89	47	87	18	69
With immaturity (.5-.9)	315	152	163	187	123	64	128	29	99
Hemolytic disease of newborn (erythroblastosis)-770	1,362	706	656	921	602	319	441	104	337
Without mention of immaturity (.0-.2)	980	505	475	648	421	227	332	84	248
With immaturity (.5-.7)	382	201	181	273	181	92	109	20	89
Hemorrhagic disease of newborn-771	331	189	142	220	162	58	111	27	84
Without mention of immaturity (.0)	184	97	87	125	84	41	59	13	46
With immaturity (.5)	147	92	55	95	78	17	52	14	38
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	7,671	3,899	3,772	4,470	3,104	1,366	3,201	795	2,406
Without mention of immaturity (.0)	1,834	813	1,021	938	611	327	896	202	694
With immaturity (.5)	5,837	3,086	2,751	3,532	2,493	1,039	2,305	593	1,712
Immaturity with mention of any other subsidiary condition-774	761	414	347	498	349	149	263	65	198
Immaturity, unqualified-776	10,049	5,384	4,665	6,171	4,361	1,810	3,878	1,023	2,855
Symptoms and ill-defined conditions-780-793,795	1,077	499	578	617	398	219	460	101	359
All other diseases-Residual	1,152	579	573	695	460	235	457	119	338
Accidents-E800-E962	2,267	1,010	1,257	1,230	776	454	1,037	234	803
Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	480	204	276	272	162	110	208	42	166
Accidental mechanical suffocation in bed and cradle-E924	452	194	258	211	134	77	241	60	181
Other accidental causes-E800-E920,E923,E925-E962	1,335	612	723	747	480	267	588	132	456
Homicide-E964,E980-E984	144	86	58	104	74	30	40	12	28

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1965 – Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Nonwhite, under 1 year—all causes	25,668	16,206	9,462	16,198	14,284	1,914	9,470	1,922	7,548
Dysentery, all forms-045-048	53	13	40	11	10	1	42	3	39
Septicemia and pyemia-053	135	74	61	75	66	9	60	8	52
Whooping cough-056	22	5	17	6	3	3	16	2	14
Meningococcal infections-057	51	28	23	31	25	6	20	3	17
Tetanus-061	13	4	9	4	1	3	9	3	6
Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	154	72	82	75	61	14	79	11	68
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	29	19	10	17	17	-	12	2	10
Benign neoplasms and neoplasms of unspecified nature-210-239	17	7	10	8	6	2	9	1	8
Diseases of thymus gland-273	11	10	1	10	10	-	1	-	1
Meningitis, except meningococcal and tuberculous-340	306	180	126	193	161	32	113	19	94
Other diseases of nervous system and sense organs-330-334,341-398	180	99	81	111	89	22	69	10	59
Acute upper respiratory infections-470-475	119	63	56	61	53	8	58	10	48
Influenza and pneumonia, except pneumonia of newborn-480-493	3,297	1,742	1,555	1,734	1,476	258	1,563	266	1,297
Influenza-480-483	117	39	78	26	19	7	91	20	71
Pneumonia, except pneumonia of newborn-490-493	3,180	1,703	1,477	1,708	1,457	251	1,472	246	1,226
Bronchitis-500-502	151	88	63	93	80	13	58	8	50
Other diseases of respiratory system-510-522,525-527	551	373	178	399	339	60	152	34	118
Pulmonary congestion and hypostasis-522	59	44	15	44	39	5	15	5	10
Other chronic interstitial pneumonia-525	379	275	104	309	258	51	70	17	53
Bronchiectasis-526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-527.2	83	32	51	30	26	4	53	6	47
All other diseases of respiratory system-510-521,527.1	30	22	8	16	16	-	14	6	8
Hernia and intestinal obstruction-560,561,570	142	87	55	88	75	13	54	12	42
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	961	347	614	325	259	66	636	88	548
Other diseases of digestive system-530-542,544-553,573-587	135	85	50	83	77	6	52	8	44
Congenital malformations-750-759	2,023	1,403	620	1,451	1,289	162	572	114	458
Spina bifida and meningocele-751	90	61	29	66	57	9	24	4	20
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	191	120	71	126	107	19	65	13	52
Congenital malformations of circulatory system-754	1,087	777	310	817	728	89	270	49	221
Other congenital malformations-750,755-759	655	445	210	442	397	45	213	48	165
Certain diseases of early infancy-760-776	14,529	10,182	4,347	10,168	9,127	1,041	4,361	1,055	3,306
Birth injuries-760,761	1,517	1,077	440	1,068	959	109	449	118	331
Without mention of immaturity (.0)	638	404	234	393	351	42	245	53	192
With immaturity (.5)	879	673	206	675	608	67	204	65	139
Intracranial and spinal injury at birth-760	663	495	168	512	462	50	151	33	118
Without mention of immaturity (.0)	313	202	111	203	181	22	110	21	89
With immaturity (.5)	350	293	57	309	281	28	41	12	29
Other birth injury-761	854	582	272	556	497	59	298	85	213
Without mention of immaturity (.0)	325	202	123	190	170	20	135	32	103
With immaturity (.5)	529	380	149	366	327	39	163	53	110
Postnatal asphyxia and atelectasis-762	3,909	2,963	946	3,001	2,700	301	908	263	645
Without mention of immaturity (.0)	999	665	334	676	591	85	323	74	249
With immaturity (.5)	2,910	2,298	612	2,325	2,109	216	585	189	396
Pneumonia of newborn-763	997	624	373	625	565	60	372	59	313
Without mention of immaturity (.0)	759	481	278	479	434	45	280	47	233
With immaturity (.5)	238	143	95	146	131	15	92	12	80
Diarrhea of newborn-764	229	94	135	77	66	11	152	28	124
Without mention of immaturity (.0)	184	76	108	61	52	9	123	24	99
With immaturity (.5)	45	18	27	16	14	2	29	4	25
Other infections of newborn-765-768	287	181	106	199	173	26	88	8	80
Without mention of immaturity (.0)	157	94	63	99	88	11	58	6	52
With immaturity (.5)	130	87	43	100	85	15	30	2	28
Neonatal disorders arising from certain diseases of mother during pregnancy-769	170	112	58	105	96	9	65	16	49
Without mention of immaturity (.0-.4)	78	52	26	51	46	5	27	6	21
With immaturity (.5-.9)	92	60	32	54	50	4	38	10	28
Hemolytic disease of newborn (erythroblastosis)-770	114	75	39	78	69	9	36	6	30
Without mention of immaturity (.0-.2)	88	56	32	59	51	8	29	5	24
With immaturity (.5-.7)	26	19	7	19	18	1	7	1	6
Hemorrhagic disease of newborn-771	145	92	53	96	83	13	49	9	40
Without mention of immaturity (.0)	88	49	39	54	44	10	34	5	29
With immaturity (.5)	57	43	14	42	39	3	15	4	11
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	2,461	1,631	830	1,651	1,456	195	810	175	635
Without mention of immaturity (.0)	708	369	339	356	309	47	352	60	292
With immaturity (.5)	1,753	1,262	491	1,295	1,147	148	458	115	343
Immaturity with mention of any other subsidiary condition-774	318	227	91	236	208	28	82	19	63
Immaturity, unqualified-776	4,382	3,106	1,276	3,032	2,752	280	1,350	354	996
Symptoms and ill-defined conditions-780-793,795	1,292	496	796	443	377	66	849	119	730
All other diseases-Residual	379	215	164	218	185	33	161	30	131
Accidents-E800-E962	1,049	566	483	540	452	88	509	114	395
Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	201	110	91	90	72	18	111	38	73
Accidental mechanical suffocation in bed and cradle-E924	248	125	123	109	92	17	139	33	106
Other accidental causes-E800-E920,E923,E925-E962	600	331	269	341	288	53	259	43	216
Homicide-E964,E980-E984	69	48	21	54	46	8	15	2	13

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1965—Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Total, under 28 days—all causes	66,419	37,860	28,559	42,786	31,893	10,893	23,633	5,967	17,666
Dysentery, all forms-045-048	4	2	2	1	1	-	3	1	2
Septicemia and pyemia-053	-	-	-	-	-	-	-	-	-
Whooping cough-056	-	-	-	-	-	-	-	-	-
Meningococcal infections-057	24	12	12	16	11	5	8	1	7
Tetanus-061	24	6	18	9	3	6	15	3	12
Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	87	46	41	50	33	17	37	13	24
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	34	17	17	23	15	8	11	2	9
Benign neoplasms and neoplasms of unspecified nature-210-239	57	29	28	37	25	12	20	4	16
Diseases of thymus gland-273	15	6	9	9	6	3	6	-	6
Meningitis, except meningococcal and tuberculous-340	248	150	98	167	132	35	81	18	63
Other diseases of nervous system and sense organs-330-334,341-398	52	26	26	30	21	9	22	5	17
Acute upper respiratory infections-470-475	27	16	11	19	14	5	8	2	6
Influenza and pneumonia, except pneumonia of newborn-480-493	14	2	12	1	1	-	13	1	12
Influenza-480-483	14	2	12	1	1	-	13	1	12
Pneumonia, except pneumonia of newborn-490-493	...	...	...	...	...	...	...	...	...
Bronchitis-500-502	30	14	16	18	13	5	12	1	11
Other diseases of respiratory system-510-522,525-527	159	83	76	105	71	34	54	12	42
Pulmonary congestion and hypostasis-522	44	22	22	29	18	11	15	4	11
Other chronic interstitial pneumonia-525	16	7	9	10	6	4	6	1	5
Bronchiectasis-526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-527.2	36	19	17	20	17	3	16	2	14
All other diseases of respiratory system-510-521,527.1	63	35	28	46	30	16	17	5	12
Hernia and intestinal obstruction-560,561,570	629	342	287	421	297	124	208	45	163
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	7	4	3	4	4	-	3	-	3
Other diseases of digestive system-530-542,544-553,573-587	181	97	84	115	85	30	66	12	54
Congenital malformations-750-759	8,775	4,852	3,923	5,717	4,063	1,654	3,058	789	2,269
Spina bifida and meningocele-751	660	351	309	400	280	120	260	71	189
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	588	305	283	383	261	122	205	44	161
Congenital malformations of circulatory system-754	3,812	2,090	1,722	2,479	1,752	727	1,333	338	995
Other congenital malformations-750,755-759	3,715	2,106	1,609	2,455	1,770	685	1,260	336	924
Certain diseases of early infancy-760-776	54,210	31,327	22,883	35,117	26,440	8,677	19,093	4,887	14,206
Birth injuries-760,761	7,708	4,280	3,428	4,929	3,550	1,379	2,779	730	2,049
Without mention of immaturity (.0)-	2,921	1,534	1,387	1,788	1,278	510	1,133	256	877
With immaturity (.5)-	4,787	2,746	2,041	3,141	2,272	869	1,646	474	1,172
Intracranial and spinal injury at birth-760	2,463	1,499	964	1,742	1,307	435	721	192	529
Without mention of immaturity (.0)-	1,355	745	610	872	628	244	483	117	366
With immaturity (.5)-	1,108	754	354	870	679	191	238	75	163
Other birth injury-761	5,245	2,781	2,464	3,187	2,243	944	2,058	538	1,520
Without mention of immaturity (.0)-	1,566	789	777	916	650	266	650	139	511
With immaturity (.5)-	3,679	1,992	1,687	2,271	1,593	678	1,408	399	1,009
Postnatal asphyxia and atelectasis-762	15,166	9,210	5,956	10,457	7,929	2,528	4,709	1,281	3,428
Without mention of immaturity (.0)-	3,908	2,135	1,773	2,430	1,774	656	1,478	361	1,117
With immaturity (.5)-	11,258	7,075	4,183	8,027	6,155	1,872	3,231	920	2,311
Pneumonia of newborn-763	2,773	1,549	1,224	1,711	1,323	388	1,062	226	836
Without mention of immaturity (.0)-	1,987	1,110	877	1,225	954	271	762	156	606
With immaturity (.5)-	786	439	347	486	369	117	300	70	230
Diarrhea of newborn-764	366	158	208	143	116	27	223	42	181
Without mention of immaturity (.0)-	291	126	165	110	88	22	181	38	143
With immaturity (.5)-	75	32	43	33	28	5	42	4	38
Other infections of newborn-765-768	784	470	314	538	418	120	246	52	194
Without mention of immaturity (.0)-	435	245	190	276	214	62	159	31	128
With immaturity (.5)-	349	225	124	262	204	58	87	21	66
Neonatal disorders arising from certain diseases of mother during pregnancy-769	625	328	297	371	272	99	254	56	198
Without mention of immaturity (.0-.4)-	219	116	103	130	99	31	89	17	72
With immaturity (.5-.9)-	406	212	194	241	173	68	165	39	126
Hemolytic disease of newborn (erythroblastosis)-770	1,464	777	687	992	668	324	472	109	363
Without mention of immaturity (.0-.2)-	1,057	557	500	701	469	232	356	88	268
With immaturity (.5-.7)-	407	220	187	291	199	92	116	21	95
Hemorrhagic disease of newborn-771	469	277	192	310	241	69	159	36	123
Without mention of immaturity (.0)-	265	142	123	173	124	49	92	18	74
With immaturity (.5)-	204	135	69	137	117	20	67	18	49
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	9,584	5,274	4,310	5,873	4,361	1,512	3,711	913	2,798
Without mention of immaturity (.0)-	2,067	966	1,101	1,080	752	328	987	214	773
With immaturity (.5)-	7,517	4,308	3,209	4,793	3,609	1,184	2,724	699	2,025
Immaturity with mention of any other subsidiary condition-774	912	547	365	631	481	150	281	66	215
Immaturity, unqualified-776	14,359	8,457	5,902	9,162	7,081	2,081	5,197	1,376	3,821
Symptoms and ill-defined conditions-780-793,795	737	273	464	271	204	67	466	69	397
All other diseases-Residual	529	268	261	328	220	108	201	48	153
Accidents-E800-E962	454	207	247	237	161	76	217	46	171
Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	121	51	70	59	33	26	62	18	44
Accidental mechanical suffocation in bed and cradle-E924	66	29	37	29	23	6	37	6	31
Other accidental causes-E800-E920,E923,E925-E962	267	127	140	149	105	44	118	22	96
Homicide-E964,E980-E984	122	81	41	91	73	18	31	8	23

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1965 – Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
White, under 28 days—all causes	50,242	26,700	23,542	31,609	21,888	9,721	18,633	4,812	13,821
Dysentery, all forms-045-048	1	1	-	1	1	-	-	-	-
Septicemia and pyemia-053	-	-	-	-	-	-	-	-	-
Whooping cough-056	-	-	-	-	-	-	-	-	-
Meningococcal infections-057	19	10	9	12	9	3	7	1	6
Tetanus-061	11	2	9	5	2	3	6	-	6
Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	67	36	31	39	25	14	28	11	17
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	28	13	15	19	11	8	9	2	7
Benign neoplasms and neoplasms of unspecified nature-210-239	48	25	23	32	21	11	16	4	12
Diseases of thymus gland-273	9	1	8	4	1	3	5	-	5
Meningitis, except meningococcal and tuberculous-340	191	108	83	121	92	29	70	16	54
Other diseases of nervous system and sense organs-330-334,341-398	36	15	21	17	10	7	19	5	14
Acute upper respiratory infections-470-475	17	11	6	14	10	4	3	1	2
Influenza and pneumonia, except pneumonia of newborn-480-493	3	-	3	-	-	-	3	-	3
Influenza-480-483	3	-	3	-	-	-	3	-	3
Pneumonia, except pneumonia of newborn-490-493	...	...	...	...	...	...	...	...	...
Bronchitis-500-502	22	10	12	15	10	5	7	-	7
Other diseases of respiratory system-510-522,525-527	126	61	65	84	52	32	42	9	33
Pulmonary congestion and hypostasis-522	33	12	21	21	10	11	12	2	10
Other chronic interstitial pneumonia-525	12	6	6	8	5	3	4	1	3
Bronchiectasis-526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-527.2	26	15	11	16	14	2	10	1	9
All other diseases of respiratory system-510-521,527.1	55	28	27	39	23	16	16	5	11
Hernia and intestinal obstruction-560,561,570	544	291	253	364	249	115	180	42	138
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	4	3	1	3	3	-	1	-	1
Other diseases of digestive system-530-542,544-553,573-587	112	50	62	67	41	26	45	9	36
Congenital malformations-750-759	7,652	4,071	3,581	4,912	3,343	1,569	2,740	728	2,012
Spina bifida and meningocele-751	611	321	290	365	251	114	246	70	176
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	507	259	248	331	218	113	176	41	135
Congenital malformations of circulatory system-754	3,293	1,711	1,582	2,078	1,393	685	1,215	318	897
Other congenital malformations-750,755-759	3,241	1,780	1,461	2,138	1,481	657	1,103	299	804
Certain diseases of early infancy-760-776	40,267	21,475	18,792	25,269	17,594	7,675	14,998	3,881	11,117
Birth injuries-760,761	6,192	3,204	2,988	3,862	2,592	1,270	2,330	612	1,718
Without mention of immaturity (.0)	2,283	1,130	1,153	1,395	927	468	888	203	685
With immaturity (.5)	3,909	2,074	1,835	2,467	1,665	802	1,442	409	1,033
Intracranial and spinal injury at birth-760	1,800	1,004	796	1,230	845	385	570	159	411
Without mention of immaturity (.0)	1,042	543	499	669	447	222	373	96	277
With immaturity (.5)	758	461	297	561	398	163	197	63	134
Other birth injury-761	4,392	2,200	2,192	2,632	1,747	885	1,760	453	1,307
Without mention of immaturity (.0)	1,241	587	654	726	480	246	515	107	408
With immaturity (.5)	3,151	1,613	1,538	1,906	1,267	639	1,245	346	899
Postnatal asphyxia and atelectasis-762	11,351	6,323	5,028	7,532	5,300	2,232	3,819	1,023	2,796
Without mention of immaturity (.0)	2,972	1,520	1,452	1,802	1,229	573	1,170	291	879
With immaturity (.5)	8,379	4,803	3,576	5,730	4,071	1,659	2,649	732	1,917
Pneumonia of newborn-763	1,776	925	851	1,086	758	328	690	167	523
Without mention of immaturity (.0)	1,228	629	599	746	520	226	482	109	373
With immaturity (.5)	548	296	252	340	238	102	208	58	150
Diarrhea of newborn-764	138	65	73	67	51	16	71	14	57
Without mention of immaturity (.0)	108	51	57	50	37	13	58	14	44
With immaturity (.5)	30	14	16	17	14	3	13	-	13
Other infections of newborn-765-768	498	290	208	340	246	94	158	44	114
Without mention of immaturity (.0)	278	151	127	177	126	51	101	25	76
With immaturity (.5)	220	139	81	163	120	43	57	19	38
Neonatal disorders arising from certain diseases of mother during pregnancy-769	486	237	249	287	194	93	199	43	156
Without mention of immaturity (.0-.4)	172	85	87	100	71	29	72	14	58
With immaturity (.5-.9)	314	152	162	187	123	64	127	29	98
Hemolytic disease of newborn (erythroblastosis)-770	1,354	704	650	917	601	316	437	103	334
Without mention of immaturity (.0-.2)	973	503	470	645	420	225	328	83	245
With immaturity (.5-.7)	381	201	180	272	181	91	109	20	89
Hemorrhagic disease of newborn-771	327	188	139	217	161	56	110	27	83
Without mention of immaturity (.0)	180	96	84	122	83	39	58	13	45
With immaturity (.5)	147	92	55	95	78	17	52	14	38
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	7,465	3,804	3,661	4,375	3,035	1,340	3,090	769	2,321
Without mention of immaturity (.0)	1,660	737	923	858	556	302	802	181	621
With immaturity (.5)	5,805	3,067	2,738	3,517	2,479	1,038	2,288	588	1,700
Immaturity with mention of any other subsidiary condition-774	662	364	298	433	307	126	229	57	172
Immaturity, unqualified-776	10,018	5,371	4,647	6,153	4,349	1,804	3,865	1,022	2,843
Symptoms and ill-defined conditions-780-793,795	278	124	154	144	98	46	134	26	108
All other diseases-Residual	425	206	219	264	167	97	161	39	122
Accidents-E800-E962	296	134	162	161	102	59	135	32	103
Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	86	34	52	46	25	21	40	9	31
Accidental mechanical suffocation in bed and cradle-E924	40	21	19	19	15	4	21	6	15
Other accidental causes-E800-E920,E923,E925-E962	170	79	91	96	62	34	74	17	57
Homicide-E964,E980-E984	86	53	33	62	47	15	24	6	18

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1965 – Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Nonwhite, under 28 days--all causes	16,177	11,160	5,017	11,177	10,005	1,172	5,000	1,155	3,845
Dysentery, all forms--045-048	3	1	2	-	-	-	3	1	2
Septicemia and pyemia--053	-	-	-	-	-	-	-	-	-
Whooping cough--056	-	-	-	-	-	-	-	-	-
Meningococcal infections--057	5	2	3	4	2	2	1	-	1
Tetanus--061	13	4	9	4	1	3	9	3	6
Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	20	10	10	11	8	3	9	2	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	6	4	2	4	4	-	2	-	2
Benign neoplasms and neoplasms of unspecified nature--210-239	9	4	5	5	4	1	4	-	4
Diseases of thymus gland--273	6	5	1	5	5	-	1	-	1
Meningitis, except meningococcal and tuberculous--340	57	42	15	46	40	6	11	2	9
Other diseases of nervous system and sense organs--330-334,341-398	16	11	5	13	11	2	3	-	3
Acute upper respiratory infections--470-475	10	5	5	5	4	1	5	1	4
Influenza and pneumonia, except pneumonia of newborn--480-493	11	2	9	1	1	-	10	1	9
Influenza--480-483	11	2	9	1	1	-	10	1	9
Pneumonia, except pneumonia of newborn--490-493	...	...	...	...	...	...	...	...	...
Bronchitis--500-502	8	4	4	3	3	-	5	1	4
Other diseases of respiratory system--510-522,525-527	33	22	11	21	19	2	12	3	9
Pulmonary congestion and hypostasis--522	11	10	1	8	8	-	3	2	1
Other chronic interstitial pneumonia--525	4	1	3	2	1	1	2	-	2
Bronchiectasis--526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity--527.2	10	4	6	4	3	1	6	1	5
All other diseases of respiratory system--510-521,527.1	8	7	1	7	7	-	1	-	1
Hernia and intestinal obstruction--560,561,570	85	51	34	57	48	9	28	3	25
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	3	1	2	1	1	-	2	-	2
Other diseases of digestive system--530-542,544-553,573-587	69	47	22	48	44	4	21	3	18
Congenital malformations--750-759	1,123	781	342	805	720	85	318	61	257
Spina bifida and meningocele--751	49	30	19	35	29	6	14	1	13
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	81	46	35	52	43	9	29	3	26
Congenital malformations of circulatory system--754	519	379	140	401	359	42	118	20	98
Other congenital malformations--750,755-759	474	326	148	317	289	28	157	37	120
Certain diseases of early infancy--760-776	13,943	9,852	4,091	9,848	8,846	1,002	4,095	1,006	3,089
Birth injuries--760,761	1,516	1,076	440	1,067	958	109	449	118	331
Without mention of immaturity (.0)	638	404	234	393	351	42	245	53	192
With immaturity (.5)	878	672	206	674	607	67	204	65	139
Intracranial and spinal injury at birth--760	663	495	168	512	462	50	151	33	118
Without mention of immaturity (.0)	313	202	111	203	181	22	110	21	89
With immaturity (.5)	350	293	57	309	281	28	41	12	29
Other birth injury--761	853	581	272	555	496	59	298	85	213
Without mention of immaturity (.0)	325	202	123	190	170	20	135	32	103
With immaturity (.5)	528	379	149	365	326	39	163	53	110
Postnatal asphyxia and atelectasis--762	3,815	2,887	928	2,925	2,629	296	890	258	632
Without mention of immaturity (.0)	936	615	321	628	545	83	308	70	238
With immaturity (.5)	2,879	2,272	607	2,297	2,084	213	582	188	394
Pneumonia of newborn--763	997	624	373	625	565	60	372	59	313
Without mention of immaturity (.0)	759	481	278	479	434	45	280	47	233
With immaturity (.5)	238	143	95	146	131	15	92	12	80
Diarrhea of newborn--764	228	93	135	76	65	11	152	28	124
Without mention of immaturity (.0)	183	75	108	60	51	9	123	24	99
With immaturity (.5)	45	18	27	16	14	2	29	4	25
Other infections of newborn--765-768	286	180	106	198	172	26	88	8	80
Without mention of immaturity (.0)	157	94	63	99	88	11	58	6	52
With immaturity (.5)	129	86	43	99	84	15	30	2	28
Neonatal disorders arising from certain diseases of mother during pregnancy--769	139	91	48	84	78	6	55	13	42
Without mention of immaturity (.0-.4)	47	31	16	30	28	2	17	3	14
With immaturity (.5-.9)	92	60	32	54	50	4	38	10	28
Hemolytic disease of newborn (erythroblastosis)--770	110	73	37	75	67	8	35	6	29
Without mention of immaturity (.0-.2)	84	54	30	56	49	7	28	5	23
With immaturity (.5-.7)	26	19	7	19	18	1	7	1	6
Hemorrhagic disease of newborn--771	142	89	53	93	80	13	49	9	40
Without mention of immaturity (.0)	85	46	39	51	41	10	34	5	29
With immaturity (.5)	57	43	14	42	39	3	15	4	11
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	2,119	1,470	649	1,498	1,326	172	621	144	477
Without mention of immaturity (.0)	407	229	178	222	196	26	185	33	152
With immaturity (.5)	1,712	1,241	471	1,276	1,130	146	436	111	325
Immaturity with mention of any other subsidiary condition--774	250	183	67	198	174	24	52	9	43
Immaturity, unqualified--776	4,341	3,086	1,255	3,009	2,732	277	1,332	354	978
Symptoms and ill-defined conditions--780-793,795	459	149	310	127	106	21	332	43	289
All other diseases--Residual	104	62	42	64	53	11	40	9	31
Accidents--E800-E962	158	73	85	76	59	17	82	14	68
Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	35	17	18	13	8	5	22	9	13
Accidental mechanical suffocation in bed and cradle--E924	26	8	18	10	8	2	16	-	16
Other accidental causes--E800-E920,E923,E925-E962	97	48	49	53	43	10	44	5	39
Homicide--E964,E980-E984	36	28	8	29	26	3	7	2	5

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Total, both sexes—all causes	92,866	7,292	30,932	9,713	5,974	2,497	1,405	1,085	780
2	Dysentery, all forms-045-048	85	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-053	338	-	-	-	-	-	-	-	-
4	Whooping cough-056	42	-	-	-	-	-	-	-	-
5	Meningococcal infections-057	274	-	-	1	2	-	-	-	-
6	Tetanus-061	25	1	-	-	-	-	-	-	3
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	505	4	13	3	4	5	3	2	4
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	226	2	11	5	4	1	1	-	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	105	16	18	5	5	1	1	2	-
10	Diseases of thymus gland-273	55	1	3	4	2	1	-	-	-
11	Meningitis, except meningococcal and tuberculous-340	844	1	2	10	15	15	8	11	16
12	Other diseases of nervous system and sense organs-330-334,341-398	704	1	8	7	10	5	2	1	2
13	Acute upper respiratory infections-470-475	328	-	-	1	-	-	-	-	1
14	Influenza and pneumonia, except pneumonia of newborn-480-493	8,036	1	-	-	-	-	-	-	2
15	Influenza-480-483	182	1	-	-	-	-	-	-	2
16	Pneumonia, except pneumonia of newborn-490-493	7,854	...	...	...	...	...	...	...	...
17	Bronchitis-500-502	470	-	2	-	-	1	-	-	1
18	Other diseases of respiratory system-510-522,525-527	1,643	14	51	25	14	7	4	-	1
19	Pulmonary congestion and hypostasis-522	199	3	11	3	6	5	-	-	-
20	Other chronic interstitial pneumonia-525	1,080	-	4	1	-	-	1	-	-
21	Bronchiectasis-526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	232	4	10	8	3	1	-	-	1
23	All other diseases of respiratory system-510-521,527.1	131	7	26	13	5	1	3	-	-
24	Hernia and intestinal obstruction-560,561,570	852	81	242	69	60	23	20	13	7
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	1,709	-	-	-	-	-	-	-	1
26	Other diseases of digestive system-530-542,544-553,573-587	378	3	7	6	20	27	22	20	12
27	Congenital malformations-750-759	13,443	1,293	2,423	777	870	541	337	266	206
28	Spina bifida and meningocele-751	1,153	116	156	37	32	22	17	14	12
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	1,105	138	207	51	44	17	14	9	6
30	Congenital malformations of circulatory system-754	6,565	113	673	446	581	358	199	154	125
31	Other congenital malformations-750,755-759	4,620	926	1,387	243	213	144	107	89	63
32	Certain diseases of early infancy-760-776	55,375	5,654	27,800	8,633	4,822	1,771	935	716	487
33	Birth injuries-760,761	7,718	1,391	3,836	1,109	647	256	137	72	53
34	Without mention of immaturity (.0)	2,927	561	1,171	479	322	145	75	36	23
35	With immaturity (.5)	4,791	830	2,665	630	325	111	62	36	30
36	Intracranial and spinal injury at birth-760	2,463	106	920	541	371	177	101	50	38
37	Without mention of immaturity (.0)	1,355	73	482	278	213	110	58	30	18
38	With immaturity (.5)	1,108	33	438	263	158	67	43	20	20
39	Other birth injury-761	5,255	1,285	2,916	568	276	79	36	22	15
40	Without mention of immaturity (.0)	1,572	488	689	201	109	35	17	6	5
41	With immaturity (.5)	3,683	797	2,227	367	167	44	19	16	10
42	Postnatal asphyxia and atelectasis-762	15,429	1,355	8,405	2,745	1,367	465	200	134	96
43	Without mention of immaturity (.0)	4,107	383	1,849	824	455	168	54	31	22
44	With immaturity (.5)	11,322	972	6,556	1,921	912	297	146	103	74
45	Pneumonia of newborn-763	2,773	26	389	272	306	153	110	111	83
46	Without mention of immaturity (.0)	1,987	21	243	169	196	96	71	70	49
47	With immaturity (.5)	786	5	146	103	110	57	39	41	34
48	Diarrhea of newborn-764	367	2	5	5	-	5	7	8	8
49	Without mention of immaturity (.0)	292	2	5	3	-	4	5	7	7
50	With immaturity (.5)	75	-	-	2	-	1	2	1	1
51	Other infections of newborn-765-768	786	45	119	67	87	64	54	44	40
52	Without mention of immaturity (.0)	436	9	37	45	58	35	29	20	27
53	With immaturity (.5)	350	36	82	22	29	29	25	24	13
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	708	79	308	107	55	25	12	7	5
55	Without mention of immaturity (.0-.4)	301	33	91	39	20	9	4	2	2
56	With immaturity (.5-.9)	407	46	217	68	35	16	8	5	3
57	Hemolytic disease of newborn (erythroblastosis)-770	1,476	307	700	163	93	71	33	26	13
58	Without mention of immaturity (.0-.2)	1,068	230	496	117	72	52	25	18	8
59	With immaturity (.5-.7)	408	77	204	46	21	19	8	8	5
60	Hemorrhagic disease of newborn-771	476	14	142	83	84	53	29	21	8
61	Without mention of immaturity (.0)	272	10	93	45	42	31	10	10	5
62	With immaturity (.5)	204	4	49	38	42	22	19	11	3
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	10,132	507	4,658	2,193	1,267	353	136	101	60
64	Without mention of immaturity (.0)	2,542	79	786	524	383	110	34	23	15
65	With immaturity (.5)	7,590	428	3,872	1,669	884	243	102	78	45
66	Immaturity with mention of any other subsidiary condition-774	1,079	70	411	128	86	44	27	26	21
67	Immaturity, unqualified-776	14,431	1,858	8,827	1,761	830	282	190	166	100
68	Symptoms and ill-defined conditions-780-793,795	2,369	110	181	85	56	35	22	13	12
69	All other diseases-Residual	1,531	17	117	51	51	38	31	18	14
70	Accidents-E800-E962	3,316	18	39	20	35	25	17	21	10
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	681	-	4	5	11	13	7	7	3
72	Accidental mechanical suffocation in bed and cradle-E924	700	1	2	1	2	1	2	4	2
73	Other accidental causes-E800-E920,E923,E925-E962	1,935	17	33	14	22	11	8	10	5
74	Homicide-E964,E980-E984	213	75	15	11	4	1	2	2	1

by Age, Color, and Sex: United States, 1965

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
59,678	3,128	2,000	1,613	66,419	6,398	4,904	3,893	2,795	1,960	1,569	1,271	1,056	964	819	818	1
-	2	2	-	4	13	13	12	11	5	4	6	5	7	2	3	2
-	-	-	-	-	102	59	47	29	30	21	18	8	8	9	7	3
-	-	-	-	-	8	8	8	4	4	2	2	-	3	1	2	4
3	7	7	7	24	37	19	26	36	25	27	27	16	11	14	12	5
4	14	6	-	24	-	-	-	-	-	-	-	-	-	-	1	6
38	16	17	16	87	62	50	57	41	29	35	30	32	30	24	28	7
24	3	2	5	34	16	16	21	16	19	20	11	12	17	21	23	8
48	2	5	2	57	4	5	6	5	7	6	4	4	2	3	2	9
11	2	1	1	15	8	10	11	2	1	3	2	1	2	-	-	10
78	81	54	35	248	100	74	70	90	45	52	36	30	42	30	27	11
36	6	6	4	52	114	94	60	70	59	53	45	30	52	40	35	12
2	5	10	10	27	61	64	68	38	20	14	12	5	6	5	8	13
3	3	4	4	14	1,932	1,685	1,368	910	573	389	347	252	215	162	189	14
3	3	4	4	14	31	23	28	20	8	12	14	10	9	11	2	15
...	...	...	...	...	1,901	1,662	1,340	890	565	377	333	242	206	151	187	16
4	4	4	18	30	80	94	59	70	43	24	20	20	15	9	6	17
116	15	19	9	159	392	375	265	149	84	64	57	29	20	31	18	18
28	6	6	4	44	49	37	31	13	8	7	4	2	2	1	1	19
6	2	5	3	16	279	272	195	108	61	47	39	18	12	23	10	20
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	21
27	5	3	1	36	49	50	29	21	11	7	10	7	4	4	4	22
55	2	5	1	63	15	16	10	7	4	2	4	2	2	3	3	23
515	52	34	28	629	82	31	29	23	11	9	10	10	7	4	7	24
1	2	3	1	7	421	244	196	165	133	127	83	116	77	67	73	25
117	36	16	12	181	54	30	28	17	11	11	9	9	12	11	5	26
6,713	951	631	480	8,775	1,266	754	627	474	384	276	213	202	170	158	144	27
406	82	95	77	660	153	81	66	40	43	28	22	17	15	8	20	28
486	40	26	36	588	91	73	59	46	53	43	36	35	27	28	26	29
2,649	573	352	238	3,812	732	446	401	307	224	149	119	111	96	98	70	30
3,172	256	158	129	3,715	290	154	101	81	64	56	36	39	32	24	28	31
50,818	1,672	964	756	54,210	469	245	146	94	49	52	28	28	18	19	17	32
7,501	123	49	35	7,708	4	1	1	-	1	1	-	-	-	2	-	33
2,812	56	29	24	2,921	2	1	1	-	1	-	-	-	-	1	-	34
4,689	67	20	11	4,787	2	-	-	-	-	1	-	-	-	1	-	35
2,304	90	40	29	2,463	...	...	...	...	...	...	...	...	...	...	...	36
1,282	48	25	20	1,355	...	...	...	...	...	...	...	...	...	...	...	37
1,042	42	15	9	1,108	...	...	...	...	...	...	...	...	...	...	...	38
5,197	33	9	6	5,245	4	1	1	-	1	1	-	-	-	2	-	39
1,550	8	4	4	1,566	2	1	1	-	1	-	-	-	-	1	-	40
3,647	25	5	2	3,679	2	-	-	-	-	1	-	-	-	1	-	41
14,767	237	106	56	15,166	104	60	31	27	10	12	7	6	2	1	3	42
3,786	73	25	24	3,908	60	53	27	23	8	10	6	6	2	1	3	43
10,981	164	81	32	11,258	44	7	4	4	2	2	1	-	-	-	-	44
1,450	480	428	415	2,773	...	...	...	...	...	...	...	...	...	...	...	45
915	339	369	364	1,987	...	...	...	...	...	...	...	...	...	...	...	46
535	141	59	51	786	...	...	...	...	...	...	...	...	...	...	...	47
40	109	123	94	366	1	-	-	-	-	-	-	-	-	-	-	48
33	81	97	80	291	1	-	-	-	-	-	-	-	-	-	-	49
7	28	26	14	75	-	-	-	-	-	-	-	-	-	-	-	50
520	157	67	40	784	1	1	-	-	-	-	-	-	-	-	-	51
260	96	53	26	435	-	1	-	-	-	-	-	-	-	-	-	52
260	61	14	14	349	1	-	-	-	-	-	-	-	-	-	-	53
598	12	9	6	625	16	14	16	10	7	9	1	4	1	3	2	54
200	8	6	5	219	16	14	15	10	7	9	1	4	1	3	2	55
398	4	3	1	406	-	-	1	-	-	-	-	-	-	-	-	56
1,406	42	12	4	1,464	5	2	2	1	-	-	1	1	-	-	-	57
1,018	29	9	1	1,057	5	1	2	1	-	-	1	1	-	-	-	58
388	13	3	3	407	-	1	-	-	-	-	-	-	-	-	-	59
434	23	8	4	469	5	1	-	-	-	-	-	1	-	-	-	60
246	12	4	3	265	5	1	-	-	-	-	-	1	-	-	-	61
188	11	4	1	204	-	-	-	-	-	-	-	-	-	-	-	62
9,275	187	64	58	9,584	168	122	81	51	27	29	17	15	14	12	12	63
1,954	47	31	35	2,067	130	107	71	48	26	27	15	14	13	12	12	64
7,321	140	33	23	7,517	38	15	10	3	1	2	2	1	1	-	-	65
813	52	32	15	912	114	32	13	2	2	-	2	-	1	1	-	66
14,014	250	66	29	14,359	51	12	2	3	2	1	-	1	-	-	-	67
514	84	65	74	737	432	367	268	181	113	80	60	36	35	27	33	68
337	73	67	52	529	193	169	119	95	68	82	60	57	63	46	50	69
185	97	79	93	454	538	485	383	265	243	215	186	148	146	130	123	70
50	26	18	27	121	138	120	92	48	52	29	25	21	14	11	10	71
15	10	21	20	66	171	146	117	58	56	31	26	12	8	4	5	72
120	61	40	46	267	229	219	174	159	135	155	135	115	124	115	108	73
111	1	4	6	122	14	13	19	10	4	3	5	6	6	6	5	74

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Total, male--all causes	53,419	3,962	18,063	5,623	3,604	1,546	794	631	455
2	Dysentery, all forms--045-048	44	-	-	-	-	-	-	-	-
3	Septicemia and pyemia--053	194	-	-	-	-	-	-	-	-
4	Whooping cough--056	26	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	156	-	-	-	1	-	-	-	-
6	Tetanus--061	12	-	-	-	-	-	-	-	1
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	286	1	4	2	3	4	2	2	3
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	118	-	6	1	3	-	1	-	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	46	6	7	2	3	1	-	1	-
10	Diseases of thymus gland--273	41	1	1	1	2	1	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	467	1	1	5	9	9	6	6	12
12	Other diseases of nervous system and sense organs--330-334,341-398	410	1	7	4	6	2	1	1	2
13	Acute upper respiratory infections--470-475	206	-	-	1	-	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn--480-493	4,604	-	-	-	-	-	-	-	2
15	Influenza--480-483	96	-	-	-	-	-	-	-	2
16	Pneumonia, except pneumonia of newborn--490-493	4,508	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	273	-	-	-	-	-	-	-	1
18	Other diseases of respiratory system--510-522,525-527	947	9	27	17	8	4	3	-	-
19	Pulmonary congestion and hypostasis--522	122	2	6	2	3	3	-	-	-
20	Other chronic interstitial pneumonia--525	617	-	2	-	-	-	1	-	-
21	Bronchiectasis--526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	133	2	7	7	2	1	-	-	-
23	All other diseases of respiratory system--510-521,527.1	74	5	12	8	3	-	2	-	-
24	Hernia and intestinal obstruction--560,561,570	492	35	125	39	29	15	13	7	3
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	957	-	-	-	-	-	-	-	-
26	Other diseases of digestive system--530-542,544-553,573-587	226	2	6	4	9	13	11	16	9
27	Congenital malformations--750-759	7,178	580	1,272	473	527	317	185	151	108
28	Spina bifida and meningocele--751	472	38	69	14	17	7	10	6	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	544	61	86	25	21	11	9	5	3
30	Congenital malformations of circulatory system--754	3,703	69	381	292	371	220	112	91	66
31	Other congenital malformations--750,755-759	2,459	412	736	142	118	79	54	49	38
32	Certain diseases of early infancy--760-776	32,491	3,202	16,412	4,981	2,911	1,117	532	420	293
33	Birth injuries--760,761	4,715	815	2,354	698	403	160	81	43	33
34	Without mention of immaturity (.0)	1,778	333	702	303	204	88	45	21	13
35	With immaturity (.5)	2,937	482	1,652	395	199	72	36	22	20
36	Intracranial and spinal injury at birth--760	1,565	74	563	369	238	113	61	28	24
37	Without mention of immaturity (.0)	859	51	287	193	140	71	35	17	9
38	With immaturity (.5)	706	23	276	176	98	42	26	11	15
39	Other birth injury--761	3,150	741	1,791	329	165	47	20	15	9
40	Without mention of immaturity (.0)	919	282	415	110	64	17	10	4	4
41	With immaturity (.5)	2,231	459	1,376	219	101	30	10	11	5
42	Postnatal asphyxia and atelectasis--762	9,153	770	5,028	1,623	833	285	114	78	54
43	Without mention of immaturity (.0)	2,460	213	1,087	519	295	100	30	19	16
44	With immaturity (.5)	6,693	557	3,941	1,104	538	185	84	59	38
45	Pneumonia of newborn--763	1,616	12	233	140	202	93	62	68	48
46	Without mention of immaturity (.0)	1,174	10	144	87	136	62	43	45	30
47	With immaturity (.5)	442	2	89	53	66	31	19	23	18
48	Diarrhea of newborn--764	226	1	5	4	-	3	3	5	5
49	Without mention of immaturity (.0)	182	1	5	2	-	3	2	4	4
50	With immaturity (.5)	44	-	-	2	-	-	1	1	1
51	Other infections of newborn--765-768	468	24	66	36	48	43	30	33	26
52	Without mention of immaturity (.0)	265	7	18	26	32	27	18	13	15
53	With immaturity (.5)	203	17	48	10	16	16	12	20	11
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	393	40	170	62	33	15	6	5	3
55	Without mention of immaturity (.0-.4)	169	17	47	25	12	6	3	2	1
56	With immaturity (.5-.9)	224	23	123	37	21	9	3	3	2
57	Hemolytic disease of newborn (erythroblastosis)--770	789	124	380	93	57	49	20	18	9
58	Without mention of immaturity (.0-.2)	578	91	275	67	44	36	16	15	6
59	With immaturity (.5-.7)	211	33	105	26	13	13	4	3	3
60	Hemorrhagic disease of newborn--771	283	7	66	55	52	42	21	13	3
61	Without mention of immaturity (.0)	158	5	41	32	28	24	7	7	1
62	With immaturity (.5)	125	2	25	23	24	18	14	6	2
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	6,118	284	2,816	1,306	800	233	83	58	38
64	Without mention of immaturity (.0)	1,619	46	488	329	285	75	22	12	12
65	With immaturity (.5)	4,499	238	2,328	977	515	158	61	46	26
66	Immaturity with mention of any other subsidiary condition--774	617	44	239	70	50	25	11	13	13
67	Immaturity, unqualified--776	8,113	1,081	5,055	894	433	169	101	86	61
68	Symptoms and ill-defined conditions--780-793,795	1,383	60	106	44	40	24	10	9	7
69	All other diseases--Residual	852	7	59	31	35	23	20	8	8
70	Accidents--E800-E962	1,887	10	25	14	17	15	8	9	5
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	381	-	3	2	7	8	3	4	-
72	Accidental mechanical suffocation in bed and cradle--E924	395	1	1	1	-	-	1	2	2
73	Other accidental causes--E800-E920,E923,E925-E962	1,111	9	21	11	10	7	4	3	3
74	Homicide--E964,E980-E984	123	47	5	4	1	1	2	1	1

by Age, Color, and Sex: United States, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
34,678	1,798	1,125	906	38,507	3,684	2,842	2,243	1,551	1,096	838	670	591	494	439	464	1
-	2	1	-	3	5	8	6	6	3	2	3	2	3	1	2	2
-	-	-	-	-	62	36	28	15	17	10	10	7	3	4	2	3
-	-	-	-	-	5	5	4	3	2	1	2	-	2	1	1	4
1	3	2	5	11	23	14	17	23	13	15	18	10	1	5	6	5
1	7	4	-	12	-	-	-	-	-	-	-	-	-	-	-	6
21	10	9	9	49	36	24	37	28	19	21	9	16	14	12	21	7
11	3	1	2	17	7	5	8	7	9	10	7	9	10	12	17	8
20	1	3	-	24	-	2	2	4	4	3	1	2	2	2	-	9
6	2	-	1	9	7	10	10	1	1	1	1	1	-	-	-	10
49	41	38	19	147	54	34	32	55	34	30	18	15	20	17	11	11
24	2	2	4	32	77	61	37	29	32	28	21	21	26	22	24	12
1	4	5	9	19	37	39	50	23	11	7	6	4	4	2	4	13
2	1	3	1	7	1,129	973	780	527	330	210	201	141	108	95	103	14
2	1	3	1	7	15	12	14	11	3	9	11	4	5	3	2	15
...	...	...	...	...	1,114	961	766	516	327	201	190	137	103	92	101	16
1	4	3	12	20	42	60	34	42	29	13	9	9	8	5	2	17
68	10	8	6	92	217	221	165	86	48	35	29	16	9	17	12	18
16	4	2	2	24	29	26	20	10	6	3	2	1	-	1	-	19
3	-	2	3	8	152	161	119	60	33	27	21	9	7	12	8	20
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	21
19	4	1	1	25	26	24	19	13	7	3	4	5	2	3	2	22
30	2	3	-	35	10	10	7	3	2	1	2	1	-	1	2	23
266	33	21	21	341	55	24	21	19	6	3	7	6	4	1	5	24
-	2	2	-	4	249	144	114	84	73	69	44	67	46	28	35	25
70	18	12	8	108	37	16	19	11	6	7	3	5	5	6	3	26
3,613	543	318	252	4,726	716	422	325	222	187	128	103	115	83	77	74	27
162	42	39	30	273	60	28	29	15	20	12	10	7	9	1	8	28
221	20	11	17	269	56	40	25	22	22	20	19	28	15	12	16	29
1,602	328	183	126	2,239	430	256	213	145	106	76	56	58	40	48	36	30
1,628	153	85	79	1,945	170	98	58	40	39	20	18	22	19	16	14	31
29,868	959	563	435	31,825	275	140	78	53	26	30	16	16	15	11	6	32
4,587	78	29	17	4,711	2	-	-	-	1	1	-	-	-	-	-	33
1,709	40	15	12	1,776	1	-	-	-	1	-	-	-	-	-	-	34
2,878	38	14	5	2,935	1	-	-	-	-	1	-	-	-	-	-	35
1,470	57	24	14	1,565	...	...	...	...	...	...	...	...	...	...	...	36
803	33	14	9	859	...	...	...	...	...	...	...	...	...	...	...	37
667	24	10	5	706	...	...	...	...	...	...	...	...	...	...	...	38
3,117	21	5	3	3,146	2	-	-	-	1	1	-	-	-	-	-	39
906	7	1	3	917	1	-	-	-	1	-	-	-	-	-	-	40
2,211	14	4	-	2,229	1	-	-	-	-	1	-	-	-	-	-	41
8,785	133	60	28	9,006	58	39	17	16	3	8	4	1	1	-	-	42
2,279	46	11	14	2,350	33	34	15	13	3	7	3	1	1	-	-	43
6,506	87	49	14	6,656	25	5	2	3	-	1	1	-	-	-	-	44
858	273	254	231	1,616	...	...	...	...	...	...	...	...	...	...	...	45
557	195	222	200	1,174	...	...	...	...	...	...	...	...	...	...	...	46
301	78	32	31	442	...	...	...	...	...	...	...	...	...	...	...	47
26	69	68	62	225	1	-	-	-	-	-	-	-	-	-	-	48
21	50	56	54	181	1	-	-	-	-	-	-	-	-	-	-	49
5	19	12	8	44	-	-	-	-	-	-	-	-	-	-	-	50
306	97	37	27	467	-	1	-	-	-	-	-	-	-	-	-	51
156	57	31	20	264	-	1	-	-	-	-	-	-	-	-	-	52
150	40	6	7	203	-	-	-	-	-	-	-	-	-	-	-	53
334	6	7	4	351	7	7	9	5	5	5	-	3	-	1	-	54
113	5	5	4	127	7	7	9	5	5	5	-	3	-	1	-	55
221	1	2	-	224	-	-	-	-	-	-	-	-	-	-	-	56
750	26	5	2	783	3	-	1	-	-	-	1	1	-	-	-	57
550	18	3	1	572	3	-	1	-	-	-	1	1	-	-	-	58
200	8	2	1	211	-	-	-	-	-	-	-	-	-	-	-	59
259	15	3	1	278	4	-	-	-	-	-	-	1	-	-	-	60
145	7	1	-	153	4	-	-	-	-	-	-	1	-	-	-	61
114	8	2	1	125	-	-	-	-	-	-	-	-	-	-	-	62
5,618	92	42	34	5,786	110	70	45	30	15	15	10	9	13	9	6	63
1,269	27	23	22	1,341	78	61	38	29	14	15	8	8	12	9	6	64
4,349	65	19	12	4,445	32	9	7	1	1	-	2	1	1	-	-	65
465	31	21	10	527	63	17	5	1	1	-	1	-	1	1	-	66
7,880	139	37	19	8,075	27	6	1	1	1	1	-	1	-	-	-	67
300	44	40	38	422	242	226	163	99	72	43	36	23	21	15	21	68
191	47	40	27	305	113	100	70	52	34	41	26	28	30	21	32	69
103	62	48	53	266	288	272	228	156	139	130	97	75	77	80	79	70
27	18	11	17	73	74	66	47	26	30	18	9	15	10	6	7	71
8	5	12	9	34	88	77	67	35	35	24	15	7	5	3	5	72
68	39	25	27	159	126	129	114	95	74	88	73	53	62	71	67	73
62	-	2	4	68	8	6	15	6	1	1	3	3	3	5	4	74

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Total, female--all causes	39,447	3,330	12,869	4,090	2,370	951	611	454	325
2	Dysentery, all forms--045-048	41	-	-	-	-	-	-	-	-
3	Septicemia and pyemia--053	144	-	-	-	-	-	-	-	-
4	Whooping cough--056	16	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	118	-	-	1	1	-	-	-	-
6	Tetanus--061	13	1	-	-	-	-	-	-	2
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	219	3	9	1	1	1	1	-	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	108	2	5	4	1	1	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	59	10	11	3	2	-	1	1	-
10	Diseases of thymus gland--273	14	-	2	3	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	377	-	1	5	6	6	2	5	4
12	Other diseases of nervous system and sense organs--330-334,341-398	294	-	1	3	4	3	1	-	-
13	Acute upper respiratory infections--470-475	122	-	-	-	-	-	-	-	1
14	Influenza and pneumonia, except pneumonia of newborn--480-493	3,432	1	-	-	-	-	-	-	-
15	Influenza--480-483	86	1	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn--490-493	3,346	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	197	-	2	-	-	1	-	-	-
18	Other diseases of respiratory system--510-522,525-527	696	5	24	8	6	3	1	-	1
19	Pulmonary congestion and hypostasis--522	77	1	5	1	3	2	-	-	-
20	Other chronic interstitial pneumonia--525	463	-	2	1	-	-	-	-	-
21	Bronchiectasis--526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	99	2	3	1	1	-	-	-	1
23	All other diseases of respiratory system--510-521,527.1	57	2	14	5	2	1	1	-	-
24	Hernia and intestinal obstruction--560,561,570	360	46	117	30	31	8	7	6	4
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	752	-	-	-	-	-	-	-	1
26	Other diseases of digestive system--530-542,544-553,573-587	152	1	1	2	11	14	11	4	3
27	Congenital malformations--750-759	6,265	713	1,151	304	343	224	152	115	98
28	Spina bifida and meningocele--751	681	78	87	23	15	15	7	8	11
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	561	77	121	26	23	6	5	4	3
30	Congenital malformations of circulatory system--754	2,862	44	292	154	210	138	87	63	59
31	Other congenital malformations--750,755-759	2,161	514	651	101	95	65	53	40	25
32	Certain diseases of early infancy--760-776	22,884	2,452	11,388	3,652	1,911	654	403	296	194
33	Birth injuries--760,761	3,003	576	1,482	411	244	96	56	29	20
34	Without mention of immaturity (.0)	1,149	228	469	176	118	57	30	15	10
35	With immaturity (.5)	1,854	348	1,013	235	126	39	26	14	10
36	Intracranial and spinal injury at birth--760	898	32	357	172	133	64	40	22	14
37	Without mention of immaturity (.0)	496	22	195	85	73	39	23	13	9
38	With immaturity (.5)	402	10	162	87	60	25	17	9	5
39	Other birth injury--761	2,105	544	1,125	239	111	32	16	7	6
40	Without mention of immaturity (.0)	653	206	274	91	45	18	7	2	1
41	With immaturity (.5)	1,452	338	851	148	66	14	9	5	5
42	Postnatal asphyxia and atelectasis--762	6,276	585	3,377	1,122	534	180	86	56	42
43	Without mention of immaturity (.0)	1,647	170	762	305	160	68	24	12	6
44	With immaturity (.5)	4,629	415	2,615	817	374	112	62	44	36
45	Pneumonia of newborn--763	1,157	14	156	132	104	60	48	43	35
46	Without mention of immaturity (.0)	813	11	99	82	60	34	28	25	19
47	With immaturity (.5)	344	3	57	50	44	26	20	18	16
48	Diarrhea of newborn--764	141	1	-	1	-	2	4	3	3
49	Without mention of immaturity (.0)	110	1	-	1	-	1	3	3	3
50	With immaturity (.5)	31	-	-	-	-	1	1	-	-
51	Other infections of newborn--765-768	318	21	53	31	39	21	24	11	14
52	Without mention of immaturity (.0)	171	2	19	19	26	8	11	7	12
53	With immaturity (.5)	147	19	34	12	13	13	13	4	2
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	315	39	138	45	22	10	6	2	2
55	Without mention of immaturity (.0-.4)	132	16	44	14	8	3	1	-	1
56	With immaturity (.5-.9)	183	23	94	31	14	7	5	2	1
57	Hemolytic disease of newborn (erythroblastosis)--770	687	183	320	70	36	22	13	8	4
58	Without mention of immaturity (.0-.2)	490	139	221	50	28	16	9	3	2
59	With immaturity (.5-.7)	197	44	99	20	8	6	4	5	2
60	Hemorrhagic disease of newborn--771	193	7	76	28	32	11	8	8	5
61	Without mention of immaturity (.0)	114	5	52	13	14	7	3	3	4
62	With immaturity (.5)	79	2	24	15	18	4	5	5	1
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	4,014	223	1,842	887	467	120	53	43	22
64	Without mention of immaturity (.0)	923	33	298	195	98	35	12	11	3
65	With immaturity (.5)	3,091	190	1,544	692	369	85	41	32	19
66	Immaturity with mention of any other subsidiary condition--774	462	26	172	58	36	19	16	13	8
67	Immaturity, unqualified--776	6,318	777	3,772	867	397	113	89	80	39
68	Symptoms and ill-defined conditions--780-793,795	986	50	75	41	16	11	12	4	5
69	All other diseases--Residual	679	10	58	20	16	15	11	10	6
70	Accidents--E800-E962	1,429	8	14	6	18	10	9	12	5
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	300	-	1	3	4	5	4	3	3
72	Accidental mechanical suffocation in bed and cradle--E924	305	-	1	-	2	1	1	2	-
73	Other accidental causes--E800-E920,E923,E925-E962	824	8	12	3	12	4	4	7	2
74	Homicide--E964,E980-E984	90	28	10	7	3	-	-	1	-

by Age, Color, and Sex: United States, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
25,000	1,330	875	707	27,912	2,714	2,062	1,650	1,244	864	731	601	465	470	380	354	1
-	-	1	-	1	8	5	6	5	2	2	3	3	4	1	1	2
-	-	-	-	-	40	23	19	14	13	11	8	1	5	5	5	3
-	-	-	-	-	3	3	4	1	2	1	-	-	1	-	1	4
2	4	5	2	13	14	5	9	13	12	12	9	6	10	9	6	5
3	7	2	-	12	-	-	-	-	-	-	-	-	-	-	1	6
17	6	8	7	38	26	26	20	13	10	14	21	16	16	12	7	7
13	-	1	3	17	9	11	13	9	10	10	4	3	7	9	6	8
28	1	2	2	33	4	3	4	1	3	3	3	2	-	1	2	9
5	-	1	-	6	1	-	1	1	-	2	1	-	2	-	-	10
29	40	16	16	101	46	40	38	35	11	22	18	15	22	13	16	11
12	4	4	-	20	37	33	23	41	27	25	24	9	26	18	11	12
1	1	5	1	8	24	25	18	15	9	7	6	1	2	3	4	13
1	2	1	3	7	803	712	588	383	243	179	146	111	107	67	86	14
1	2	1	3	7	16	11	14	9	5	3	3	6	4	8	-	15
...	...	...	...	...	787	701	574	374	238	176	143	105	103	59	86	16
3	-	1	6	10	38	34	25	28	14	11	11	11	7	4	4	17
48	5	11	3	67	175	154	100	63	36	29	28	13	11	14	6	18
12	2	4	2	20	20	11	11	3	2	4	2	1	2	-	1	19
3	2	3	-	8	127	111	76	48	28	20	18	9	5	11	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
8	1	2	-	11	23	26	10	8	4	4	6	2	2	1	2	22
25	-	2	1	28	5	6	3	4	2	1	2	1	2	2	1	23
249	19	13	7	288	27	7	8	4	5	6	3	4	3	3	2	24
1	-	1	1	3	172	100	82	81	60	58	39	49	31	39	38	25
47	18	4	4	73	17	14	9	6	5	4	6	4	7	5	2	26
3,100	408	313	228	4,049	550	332	302	252	197	148	110	87	87	81	70	27
244	40	56	47	387	93	53	37	25	23	16	12	10	6	7	12	28
265	20	15	19	319	35	33	34	24	31	23	17	7	12	16	10	29
1,047	245	169	112	1,573	302	190	188	162	118	73	63	53	56	50	34	30
1,544	103	73	50	1,770	120	56	43	41	25	36	18	17	13	8	14	31
20,950	713	401	321	22,385	194	105	68	41	23	22	12	12	3	8	11	32
2,914	45	20	18	2,997	2	1	1	-	-	-	-	-	-	2	-	33
1,103	16	14	12	1,145	1	1	1	-	-	-	-	-	-	1	-	34
1,811	29	6	6	1,852	1	-	-	-	-	-	-	-	-	1	-	35
834	33	16	15	898	...	...	...	...	...	...	...	...	...	...	...	36
459	15	11	11	496	...	...	...	...	...	...	...	...	...	...	...	37
375	18	5	4	402	...	...	...	...	...	...	...	...	...	...	...	38
2,080	12	4	3	2,099	2	1	1	-	-	-	-	-	-	2	-	39
644	1	3	1	649	1	1	1	-	-	-	-	-	-	1	-	40
1,436	11	1	2	1,450	1	-	-	-	-	-	-	-	-	1	-	41
5,982	104	46	28	6,160	46	21	14	11	7	4	3	5	1	1	3	42
1,507	27	14	10	1,588	27	19	12	10	5	3	3	5	1	1	3	43
4,475	77	32	18	4,602	19	2	2	1	2	1	-	-	-	-	-	44
592	207	174	184	1,157	...	...	...	...	...	...	...	...	...	...	...	45
358	144	147	164	813	...	...	...	...	...	...	...	...	...	...	...	46
234	63	27	20	344	...	...	...	...	...	...	...	...	...	...	...	47
14	40	55	32	141	-	-	-	-	-	-	-	-	-	-	-	48
12	31	41	26	110	-	-	-	-	-	-	-	-	-	-	-	49
2	9	14	6	31	-	-	-	-	-	-	-	-	-	-	-	50
214	60	30	13	317	1	-	-	-	-	-	-	-	-	-	-	51
104	39	22	6	171	-	-	-	-	-	-	-	-	-	-	-	52
110	21	8	7	146	1	-	-	-	-	-	-	-	-	-	-	53
264	6	2	2	274	9	7	7	5	2	4	1	1	1	2	2	54
87	3	1	1	92	9	7	6	5	2	4	1	1	1	2	2	55
177	3	1	1	182	-	-	1	-	-	-	-	-	-	-	-	56
656	16	7	2	681	2	2	1	1	-	-	-	-	-	-	-	57
468	11	6	-	485	2	1	1	1	-	-	-	-	-	-	-	58
188	5	1	2	196	-	1	-	-	-	-	-	-	-	-	-	59
175	8	5	3	191	1	1	-	-	-	-	-	-	-	-	-	60
101	5	3	3	112	1	1	-	-	-	-	-	-	-	-	-	61
74	3	2	-	79	-	-	-	-	-	-	-	-	-	-	-	62
3,657	95	22	24	3,798	58	52	36	21	12	14	7	6	1	3	6	63
685	20	8	13	726	52	46	33	19	12	12	7	6	1	3	6	64
2,972	75	14	11	3,072	6	6	3	2	-	2	-	-	-	-	-	65
348	21	11	5	385	51	15	8	1	1	-	1	-	-	-	-	66
6,134	111	29	10	6,284	24	6	1	2	1	-	-	-	-	-	-	67
214	40	25	36	315	190	141	105	82	41	37	24	13	14	12	12	68
146	26	27	25	224	80	69	49	43	34	41	34	29	33	25	18	69
82	35	31	40	188	250	213	155	109	104	85	89	73	69	50	44	70
23	8	7	10	48	64	54	45	22	22	11	16	6	4	5	3	71
7	5	9	11	32	83	69	50	23	21	7	11	5	3	1	-	72
52	22	15	19	108	103	90	60	64	61	67	62	62	62	44	41	73
49	1	2	2	54	6	7	4	4	3	2	2	3	3	1	1	74

274-315 O - 67 - 20

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	White, both sexes--all causes	67,198	5,685	23,370	7,496	4,777	1,935	1,030	759	554
2	Dysentery, all forms-045-048	32	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-053	203	-	-	-	-	-	-	-	-
4	Whooping cough-056	20	-	-	-	-	-	-	-	-
5	Meningococcal infections-057	223	-	-	1	1	-	-	-	-
6	Tetanus-061	12	1	-	-	-	-	-	-	2
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	351	2	9	3	3	5	3	2	4
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	197	2	10	5	1	1	1	-	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	88	15	14	4	4	1	1	1	-
10	Diseases of thymus gland-273	44	1	2	2	1	1	-	-	-
11	Meningitis, except meningococcal and tuberculous-340	538	-	1	8	13	12	7	8	10
12	Other diseases of nervous system and sense organs-330-334,341-398	524	1	3	4	8	4	2	1	1
13	Acute upper respiratory infections-470-475	209	-	-	-	-	-	-	-	1
14	Influenza and pneumonia, except pneumonia of newborn-480-493	4,739	-	-	-	-	-	-	-	-
15	Influenza-480-483	65	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn-490-493	4,674	...	...	...	...	...	...	...	...
17	Bronchitis-500-502	319	-	2	-	-	1	-	-	-
18	Other diseases of respiratory system-510-522,525-527	1,092	12	42	21	11	6	4	-	1
19	Pulmonary congestion and hypostasis-522	140	2	6	2	4	4	-	-	-
20	Other chronic interstitial pneumonia-525	701	-	3	1	-	-	1	-	-
21	Bronchiectasis-526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	149	3	9	7	2	1	-	-	1
23	All other diseases of respiratory system-510-521,527.1	101	7	24	11	5	1	3	-	-
24	Hernia and intestinal obstruction-560,561,570	710	75	216	62	52	19	18	7	7
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	748	-	-	-	-	-	-	-	1
26	Other diseases of digestive system-530-542,544-553,573-587	243	3	5	3	14	19	13	9	3
27	Congenital malformations-750-759	11,420	1,164	2,138	651	770	466	286	223	173
28	Spina bifida and meningocele-751	1,063	108	143	34	31	20	16	14	10
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	914	121	179	40	40	15	11	8	5
30	Congenital malformations of circulatory system-754	5,478	98	574	381	513	304	173	132	111
31	Other congenital malformations-750,755-759	3,965	837	1,242	196	186	127	86	69	47
32	Certain diseases of early infancy-760-776	40,846	4,292	20,745	6,643	3,811	1,339	647	473	325
33	Birth injuries-760,761	6,201	1,137	3,132	866	524	197	103	51	38
34	Without mention of immaturity (.0)	2,289	445	914	363	266	113	56	30	16
35	With immaturity (.5)	3,912	692	2,218	503	258	84	47	21	22
36	Intracranial and spinal injury at birth-760	1,800	76	663	394	289	137	75	33	24
37	Without mention of immaturity (.0)	1,042	55	366	208	174	89	45	25	11
38	With immaturity (.5)	758	21	297	186	115	48	30	8	13
39	Other birth injury-761	4,401	1,061	2,469	472	235	60	28	18	14
40	Without mention of immaturity (.0)	1,247	390	548	155	92	24	11	5	5
41	With immaturity (.5)	3,154	671	1,921	317	143	36	17	13	9
42	Postnatal asphyxia and atelectasis-762	11,520	998	6,295	2,100	1,087	358	136	77	68
43	Without mention of immaturity (.0)	3,108	282	1,400	623	367	139	34	20	16
44	With immaturity (.5)	8,412	716	4,895	1,477	720	219	102	57	52
45	Pneumonia of newborn-763	1,776	15	252	201	219	109	67	70	48
46	Without mention of immaturity (.0)	1,228	11	146	123	138	65	37	44	25
47	With immaturity (.5)	548	4	106	78	81	44	30	26	23
48	Diarrhea of newborn-764	138	1	-	2	-	2	3	2	5
49	Without mention of immaturity (.0)	108	1	-	1	-	2	3	2	4
50	With immaturity (.5)	30	-	-	1	-	-	-	-	1
51	Other infections of newborn-765-768	499	26	78	48	59	45	33	21	26
52	Without mention of immaturity (.0)	279	3	24	33	41	23	18	7	17
53	With immaturity (.5)	220	23	54	15	18	22	15	14	9
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	538	55	240	84	46	20	12	5	4
55	Without mention of immaturity (.0-.4)	223	23	72	31	16	8	4	2	2
56	With immaturity (.5-.9)	315	32	168	53	30	12	8	3	2
57	Hemolytic disease of newborn (erythroblastosis)-770	1,362	294	661	150	82	62	28	24	13
58	Without mention of immaturity (.0-.2)	980	217	470	106	62	45	21	16	8
59	With immaturity (.5-.7)	382	77	191	44	20	17	7	8	5
60	Hemorrhagic disease of newborn-771	331	10	107	60	53	40	18	15	7
61	Without mention of immaturity (.0)	184	8	66	30	27	22	5	7	4
62	With immaturity (.5)	147	2	41	30	26	18	13	8	3
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	7,671	387	3,541	1,753	1,077	294	103	78	42
64	Without mention of immaturity (.0)	1,834	61	602	449	334	94	23	21	9
65	With immaturity (.5)	5,837	326	2,939	1,304	743	200	80	57	33
66	Immaturity with mention of any other subsidiary condition-774	761	53	292	92	70	32	17	20	14
67	Immaturity, unqualified-776	10,049	1,316	6,147	1,287	594	180	127	110	60
68	Symptoms and ill-defined conditions-780-793,795	1,077	34	68	31	21	14	10	4	5
69	All other diseases-Residual	1,152	15	88	39	44	33	27	16	13
70	Accidents-E800-E962	2,267	13	19	13	21	13	10	13	7
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	480	-	1	3	9	7	5	4	3
72	Accidental mechanical suffocation in bed and cradle-E924	452	1	-	-	-	-	2	3	1
73	Other accidental causes-E800-E920,E923,E925-E962	1,335	12	18	10	12	6	3	6	3
74	Homicide-E964,E980-E984	144	55	8	6	2	1	1	2	1

by Age, Color, and Sex: United States, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
45,606	2,168	1,369	1,099	50,242	4,062	3,152	2,516	1,752	1,227	1,002	811	678	654	543	559	1
-	-	1	-	1	4	4	4	4	2	1	3	2	4	1	2	2
-	-	-	-	-	59	35	35	18	18	10	10	4	5	5	4	3
-	-	-	-	-	3	6	3	2	3	-	-	-	-	1	2	4
2	5	6	6	19	29	16	20	31	18	21	24	14	8	11	12	5
3	7	1	-	11	-	-	-	-	-	-	-	-	-	-	1	6
31	13	9	14	67	45	32	39	26	17	27	20	23	18	17	20	7
20	2	1	5	28	14	14	18	15	18	15	9	12	17	16	21	8
40	2	5	1	48	3	3	5	4	6	5	4	4	1	3	2	9
7	1	-	1	9	8	8	11	1	-	3	2	-	2	-	-	10
59	61	45	26	191	70	41	45	50	28	26	20	13	18	20	16	11
24	5	4	3	36	81	68	41	64	42	40	36	21	41	25	29	12
1	4	6	6	17	40	46	41	23	15	8	6	3	3	2	5	13
-	-	3	-	3	1,153	1,022	825	528	323	225	192	144	132	88	104	14
-	-	3	-	3	9	6	11	5	1	7	5	7	6	5	-	15
...	...	...	...	...	1,144	1,016	814	523	322	218	187	137	126	83	104	16
3	2	3	14	22	50	67	41	53	28	13	13	11	13	5	3	17
97	10	13	6	126	268	255	176	88	56	41	31	16	14	9	12	18
18	6	6	3	33	32	26	23	10	7	4	2	1	2	-	-	19
5	1	3	3	12	193	190	125	58	40	32	19	10	8	7	7	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
23	2	1	-	26	34	26	20	15	5	3	8	4	4	1	3	22
51	1	3	-	55	9	14	8	5	4	1	2	1	-	1	2	23
456	41	31	16	544	65	27	17	17	7	5	8	7	5	3	5	24
1	1	2	-	4	149	104	77	57	55	64	43	64	46	42	43	25
69	23	12	8	112	34	19	21	8	10	7	6	5	10	7	4	26
5,871	818	550	413	7,652	1,039	612	512	373	299	222	168	162	133	126	122	27
376	76	87	72	611	140	74	60	37	38	26	21	16	15	7	18	28
419	33	22	33	507	76	56	49	37	40	32	29	24	22	21	21	29
2,286	503	306	198	3,293	594	353	321	232	170	119	88	91	74	82	61	30
2,790	206	135	110	3,241	229	129	82	67	51	45	30	31	22	16	22	31
38,275	1,019	540	433	40,267	236	120	70	54	22	29	15	14	8	7	4	32
6,048	86	32	26	6,192	4	1	1	-	1	1	-	-	-	1	-	33
2,203	42	20	18	2,283	2	1	1	-	1	-	-	-	-	1	-	34
3,845	44	12	8	3,909	2	-	-	-	-	1	-	-	-	-	-	35
1,691	62	26	21	1,800	...	...	...	...	...	...	...	...	...	...	....	36
973	38	17	14	1,042	...	...	...	...	...	...	...	...	...	...	...	37
718	24	9	7	758	...	...	...	...	...	...	...	...	...	...	...	38
4,357	24	6	5	4,392	4	1	1	-	1	1	-	-	-	1	-	39
1,230	4	3	4	1,241	2	1	1	-	1	-	-	-	-	1	-	40
3,127	20	3	1	3,151	2	-	-	-	-	1	-	-	-	-	-	41
11,119	138	59	35	11,351	60	40	21	20	7	10	5	2	2	-	2	42
2,881	53	21	17	2,972	42	35	19	16	6	8	4	2	2	-	2	43
8,238	85	38	18	8,379	18	5	2	4	1	2	1	-	-	-	-	44
981	291	254	250	1,776	...	...	...	...	...	...	...	...	...	...	...	45
589	195	224	220	1,228	...	...	...	...	...	...	...	...	...	...	...	46
392	96	30	30	548	...	...	...	...	...	...	...	...	...	...	...	47
15	47	42	34	138	-	-	-	-	-	-	-	-	-	-	-	48
13	33	34	28	108	-	-	-	-	-	-	-	-	-	-	-	49
2	14	8	6	30	-	-	-	-	-	-	-	-	-	-	-	50
336	99	39	24	498	-	1	-	-	-	-	-	-	-	-	-	51
166	64	30	18	278	-	1	-	-	-	-	-	-	-	-	-	52
170	35	9	6	220	-	-	-	-	-	-	-	-	-	-	-	53
466	11	4	5	486	8	10	9	9	4	5	-	3	1	2	1	54
158	8	2	4	172	8	10	8	9	4	5	-	3	1	2	1	55
308	3	2	1	314	-	-	1	-	-	-	-	-	-	-	-	56
1,314	27	10	3	1,354	3	2	1	-	-	-	1	1	-	-	-	57
945	19	8	1	973	3	1	1	-	-	-	1	1	-	-	-	58
369	8	2	2	381	-	1	-	-	-	-	-	-	-	-	-	59
310	9	4	4	327	4	-	-	-	-	-	-	-	-	-	-	60
169	7	1	3	180	4	-	-	-	-	-	-	-	-	-	-	61
141	2	3	1	147	-	-	-	-	-	-	-	-	-	-	-	62
7,275	124	38	28	7,465	67	41	31	24	7	12	8	7	5	3	1	63
1,593	31	20	16	1,660	50	34	28	22	7	10	7	5	3	1	64
5,682	93	18	12	5,805	17	7	3	2	-	2	1	-	-	-	-	65
590	36	27	9	662	69	20	6	-	2	-	1	-	-	1	-	66
9,821	151	31	15	10,018	21	5	1	1	1	1	-	1	-	-	-	67
187	28	28	35	278	230	191	136	73	51	31	23	17	15	13	19	68
275	61	50	39	425	137	128	90	75	44	62	40	34	49	34	34	69
109	64	55	68	296	341	324	277	181	162	144	133	105	108	104	92	70
32	18	15	21	86	87	92	64	36	33	23	15	15	8	11	10	71
7	7	11	15	40	108	84	91	34	39	18	17	8	7	4	2	72
70	39	29	32	170	146	148	122	111	90	103	101	82	93	89	80	73
76	1	4	5	86	4	10	12	7	3	3	5	3	4	4	3	74

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	White, male--all causes	39,098	3,039	13,781	4,418	2,916	1,226	580	435	318
2	Dysentery, all forms--045-048	16	-	-	-	-	-	-	-	-
3	Septicemia and pyemia--053	120	-	-	-	-	-	-	-	-
4	Whooping cough--056	13	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	133	-	-	-	1	-	-	-	-
6	Tetanus--061	2	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	205	-	4	2	2	4	2	2	3
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	100	-	5	1	1	-	1	-	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	36	6	5	1	3	1	-	-	-
10	Diseases of thymus gland--273	35	1	1	1	1	1	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	312	-	1	5	8	6	5	4	8
12	Other diseases of nervous system and sense organs--330-334,341-398	300	1	3	3	4	2	1	1	1
13	Acute upper respiratory infections--470-475	132	-	-	-	-	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn--480-493	2,831	-	-	-	-	-	-	-	-
15	Influenza--480-483	38	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn--490-493	2,793	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	192	-	-	-	-	-	-	-	-
18	Other diseases of respiratory system--510-522,525-527	653	8	22	15	7	4	3	-	-
19	Pulmonary congestion and hypostasis--522	92	1	4	2	3	3	-	-	-
20	Other chronic interstitial pneumonia--525	408	-	2	-	-	-	1	-	-
21	Bronchiectasis--526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	90	2	6	6	1	1	-	-	-
23	All other diseases of respiratory system--510-521,527.1	62	5	10	7	3	-	2	-	-
24	Hernia and intestinal obstruction--560,561,570	409	33	115	34	27	13	12	5	3
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	429	-	-	-	-	-	-	-	-
26	Other diseases of digestive system--530-542,544-553,573-587	152	2	4	2	6	10	7	6	3
27	Congenital malformations--750-759	6,062	504	1,122	398	466	280	157	128	88
28	Spina bifida and meningocele--751	425	35	64	12	16	6	10	6	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	449	53	74	20	19	9	7	4	2
30	Congenital malformations of circulatory system--754	3,121	58	331	253	329	194	98	80	58
31	Other congenital malformations--750,755-759	2,067	358	653	113	102	71	42	38	27
32	Certain diseases of early infancy--760-776	24,268	2,418	12,401	3,904	2,330	863	366	277	198
33	Birth injuries--760,761	3,837	680	1,944	554	329	124	62	29	25
34	Without mention of immaturity (.0)	1,407	272	548	235	171	68	36	17	11
35	With immaturity (.5)	2,430	408	1,396	319	158	56	26	12	14
36	Intracranial and spinal injury at birth--760	1,168	59	408	280	188	87	46	17	17
37	Without mention of immaturity (.0)	677	42	220	152	117	55	29	14	7
38	With immaturity (.5)	491	17	188	128	71	32	17	3	10
39	Other birth injury--761	2,669	621	1,536	274	141	37	16	12	8
40	Without mention of immaturity (.0)	730	230	328	83	54	13	7	3	4
41	With immaturity (.5)	1,939	391	1,208	191	87	24	9	9	4
42	Postnatal asphyxia and atelectasis--762	6,942	569	3,806	1,277	655	226	78	49	39
43	Without mention of immaturity (.0)	1,895	156	828	404	242	85	18	14	12
44	With immaturity (.5)	5,047	413	2,978	873	413	141	60	35	27
45	Pneumonia of newborn--763	1,058	7	153	105	149	72	36	41	26
46	Without mention of immaturity (.0)	745	5	86	64	98	45	23	27	13
47	With immaturity (.5)	313	2	67	41	51	27	13	14	13
48	Diarrhea of newborn--764	86	-	-	1	-	1	1	2	3
49	Without mention of immaturity (.0)	71	-	-	-	-	1	1	2	2
50	With immaturity (.5)	15	-	-	1	-	-	-	-	1
51	Other infections of newborn--765-768	295	14	41	27	36	30	17	14	17
52	Without mention of immaturity (.0)	172	2	12	20	25	19	12	4	10
53	With immaturity (.5)	123	12	29	7	11	11	5	10	7
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	303	28	134	51	28	10	6	4	2
55	Without mention of immaturity (.0-.4)	129	11	37	21	11	5	3	2	1
56	With immaturity (.5-.9)	174	17	97	30	17	5	3	2	1
57	Hemolytic disease of newborn (erythroblastosis)--770	721	117	358	85	50	44	17	16	9
58	Without mention of immaturity (.0-.2)	525	84	261	61	37	32	13	13	6
59	With immaturity (.5-.7)	196	33	97	24	13	12	4	3	3
60	Hemorrhagic disease of newborn--771	196	5	48	41	33	32	13	10	3
61	Without mention of immaturity (.0)	108	4	27	23	19	17	4	6	1
62	With immaturity (.5)	88	1	21	18	14	15	9	4	2
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	4,721	218	2,177	1,062	703	198	62	46	28
64	Without mention of immaturity (.0)	1,187	34	372	285	252	66	14	11	8
65	With immaturity (.5)	3,534	184	1,805	777	451	132	48	35	20
66	Immaturity with mention of any other subsidiary condition--774	432	33	166	52	41	20	6	11	8
67	Immaturity, unqualified--776	5,677	747	3,574	649	306	106	68	55	38
68	Symptoms and ill-defined conditions--780-793,795	648	17	40	16	16	12	5	1	3
69	All other diseases--Residual	620	6	45	22	32	20	17	6	7
70	Accidents--E800-E962	1,343	7	11	10	11	9	3	4	3
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	286	-	1	2	6	4	1	2	-
72	Accidental mechanical suffocation in bed and cradle--E924	272	1	-	-	-	-	1	1	1
73	Other accidental causes--E800-E920,E923,E925-E962	785	6	10	8	5	5	1	1	2
74	Homicide--E964,E980-E984	87	36	2	4	1	1	1	1	1

by Age, Color, and Sex: United States, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
26,713	1,251	763	619	29,346	2,407	1,885	1,469	993	693	536	425	388	345	297	314	1
-	-	1	-	1	1	4	1	2	1	-	2	1	2	-	1	2
-	-	-	-	-	35	22	21	13	12	4	5	3	2	2	1	3
-	-	-	-	-	2	4	1	2	2	-	-	-	-	1	1	4
1	3	2	4	10	18	12	13	20	10	13	17	9	1	4	6	5
-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	6
19	9	3	7	38	24	17	25	20	11	16	8	12	9	9	16	7
8	2	1	2	13	6	4	6	6	9	7	6	9	10	9	15	8
16	1	3	-	20	-	1	1	3	3	2	1	2	1	2	-	9
5	1	-	1	7	7	8	10	1	-	1	1	-	-	-	-	10
37	30	32	16	115	43	19	18	31	22	16	10	7	12	11	8	11
16	2	-	3	21	54	42	26	28	23	19	15	14	21	17	20	12
-	3	3	6	12	25	25	31	16	9	3	3	3	2	1	2	13
-	-	3	-	3	715	625	492	309	191	123	112	85	76	49	51	14
-	-	3	-	3	3	4	6	3	-	6	4	3	4	2	-	15
...	...	...	...	...	712	621	486	306	191	117	108	82	72	47	51	16
-	2	2	9	13	25	45	20	36	22	5	6	8	7	4	1	17
59	7	6	5	77	156	156	109	53	34	22	16	9	7	6	8	18
13	4	2	2	21	21	19	15	9	5	1	1	-	-	-	-	19
3	-	1	3	7	108	113	75	32	25	17	11	6	5	4	5	20
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	21
16	2	-	-	18	19	14	14	10	2	2	3	3	2	1	2	22
27	1	3	-	31	8	10	5	2	2	1	1	-	-	1	1	23
242	26	19	11	298	42	21	13	13	5	1	5	4	2	1	4	24
-	1	1	-	2	91	64	44	33	34	36	22	38	26	19	20	25
40	13	9	5	67	25	13	16	5	6	5	1	2	4	5	3	26
3,143	467	274	209	4,093	573	345	265	173	142	103	82	93	67	64	62	27
150	37	36	26	249	51	26	26	13	17	11	9	7	9	1	6	28
188	16	9	16	229	48	33	19	18	18	15	15	18	12	11	13	29
1,401	289	161	104	1,955	342	205	173	109	77	62	42	50	32	42	32	30
1,404	125	68	63	1,660	132	81	47	33	30	15	16	18	14	10	11	31
22,757	587	324	258	23,926	142	76	37	31	11	17	10	8	5	5	-	32
3,747	53	19	14	3,833	2	-	-	-	1	1	-	-	-	-	-	33
1,358	27	11	9	1,405	1	-	-	-	1	-	-	-	-	-	-	34
2,389	26	8	5	2,428	1	-	-	-	-	1	-	-	-	-	-	35
1,102	38	17	11	1,168	...	...	...	...	...	...	...	...	...	...	...	36
636	24	11	6	677	...	...	...	...	...	...	...	...	...	...	...	37
466	14	6	5	491	...	...	...	...	...	...	...	...	...	...	...	38
2,645	15	2	3	2,665	2	-	-	-	1	1	-	-	-	-	-	39
722	3	-	3	728	1	-	-	-	1	-	-	-	-	-	-	40
1,923	12	2	-	1,937	1	-	-	-	-	1	-	-	-	-	-	41
6,699	85	34	20	6,838	36	28	11	14	3	7	3	1	1	-	-	42
1,759	34	10	10	1,813	24	24	10	11	3	6	2	1	1	-	-	43
4,940	51	24	10	5,025	12	4	1	3	-	1	1	-	-	-	-	44
589	171	157	141	1,058	...	...	...	...	...	...	...	...	...	...	...	45
361	117	143	124	745	...	...	...	...	...	...	...	...	...	...	...	46
228	54	14	17	313	...	...	...	...	...	...	...	...	...	...	...	47
8	30	23	25	86	-	-	-	-	-	-	-	-	-	-	-	48
6	22	21	22	71	-	-	-	-	-	-	-	-	-	-	-	49
2	8	2	3	15	-	-	-	-	-	-	-	-	-	-	-	50
196	57	24	17	294	-	1	-	-	-	-	-	-	-	-	-	51
104	35	19	13	171	-	1	-	-	-	-	-	-	-	-	-	52
92	22	5	4	123	-	-	-	-	-	-	-	-	-	-	-	53
263	6	2	3	274	2	7	5	5	3	4	-	2	-	1	-	54
91	5	1	3	100	2	7	5	5	3	4	-	2	-	1	-	55
172	1	1	-	174	-	-	-	-	-	-	-	-	-	-	-	56
696	15	4	2	717	1	-	1	-	-	-	1	1	-	-	-	57
507	11	2	1	521	1	-	1	-	-	-	1	1	-	-	-	58
189	4	2	1	196	-	-	-	-	-	-	-	-	-	-	-	59
185	6	1	1	193	3	-	-	-	-	-	-	-	-	-	-	60
101	4	-	-	105	3	-	-	-	-	-	-	-	-	-	-	61
84	2	1	1	88	-	-	-	-	-	-	-	-	-	-	-	62
4,494	60	24	18	4,596	48	28	15	12	3	4	5	3	4	3	-	63
1,042	18	15	10	1,085	34	23	12	12	3	4	4	3	4	3	-	64
3,452	42	9	8	3,511	14	5	3	-	-	-	1	-	-	-	-	65
337	18	18	5	378	37	10	4	-	1	-	1	-	-	1	-	66
5,543	86	18	12	5,659	13	2	1	-	-	1	-	1	-	-	-	67
110	14	17	18	159	138	117	87	44	33	20	11	11	8	8	12	68
155	38	27	20	240	78	75	52	40	18	29	17	14	24	14	19	69
58	43	34	42	177	204	184	172	110	94	93	72	54	58	63	62	70
16	14	9	16	55	55	50	35	21	19	14	7	11	6	6	7	71
4	3	8	6	21	64	43	56	23	28	15	8	5	4	3	2	72
38	26	17	20	101	85	91	81	66	47	64	57	38	48	54	53	73
47	-	2	3	52	3	6	9	4	1	1	3	2	1	3	2	74

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	White, female--all causes	28,100	2,646	9,589	3,078	1,861	709	450	324	236
2	Dysentery, all forms--045-048	16	-	-	-	-	-	-	-	-
3	Septicemia and pyemia--053	83	-	-	-	-	-	-	-	-
4	Whooping cough--056	7	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	90	-	-	1	-	-	-	-	-
6	Tetanus--061	10	1	-	-	-	-	-	-	2
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	146	2	5	1	1	1	1	-	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	97	2	5	4	-	1	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	52	9	9	3	1	-	1	1	-
10	Diseases of thymus gland--273	9	-	1	1	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	226	-	-	3	5	6	2	4	2
12	Other diseases of nervous system and sense organs--330-334,341-398	224	-	-	1	4	2	1	-	-
13	Acute upper respiratory infections--470-475	77	-	-	-	-	-	-	-	1
14	Influenza and pneumonia, except pneumonia of newborn--480-493	1,908	-	-	-	-	-	-	-	-
15	Influenza--480-483	27	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn--490-493	1,881	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	127	-	2	-	-	1	-	-	-
18	Other diseases of respiratory system--510-522,525-527	439	4	20	6	4	2	1	-	1
19	Pulmonary congestion and hypostasis--522	48	1	2	-	1	1	-	-	-
20	Other chronic interstitial pneumonia--525	293	-	1	1	-	-	-	-	-
21	Bronchiectasis--526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	59	1	3	1	1	-	-	-	1
23	All other diseases of respiratory system--510-521,527.1	39	2	14	4	2	1	1	-	-
24	Hernia and intestinal obstruction--560,561,570	301	42	101	28	25	6	6	2	4
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	319	-	-	-	-	-	-	-	1
26	Other diseases of digestive system--530-542,544-553,573-587	91	1	1	1	8	9	6	3	-
27	Congenital malformations--750-759	5,358	660	1,016	253	304	186	129	95	85
28	Spina bifida and meningocele--751	638	73	79	22	15	14	6	8	9
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	465	68	105	20	21	6	4	4	3
30	Congenital malformations of circulatory system--754	2,357	40	243	128	184	110	75	52	53
31	Other congenital malformations--750,755-759	1,898	479	589	83	84	56	44	31	20
32	Certain diseases of early infancy--760-776	16,578	1,874	8,344	2,739	1,481	476	281	196	127
33	Birth injuries--760,761	2,364	457	1,188	312	195	73	41	22	13
34	Without mention of immaturity (.0)	882	173	366	128	95	45	20	13	5
35	With immaturity (.5)	1,482	284	822	184	100	28	21	9	8
36	Intracranial and spinal injury at birth--760	632	17	255	114	101	50	29	16	7
37	Without mention of immaturity (.0)	365	13	146	56	57	34	16	11	4
38	With immaturity (.5)	267	4	109	58	44	16	13	5	3
39	Other birth injury--761	1,732	440	933	198	94	23	12	6	6
40	Without mention of immaturity (.0)	517	160	220	72	38	11	4	2	1
41	With immaturity (.5)	1,215	280	713	126	56	12	8	4	5
42	Postnatal asphyxia and atelectasis--762	4,578	429	2,489	823	432	132	58	28	29
43	Without mention of immaturity (.0)	1,213	126	572	219	125	54	16	6	4
44	With immaturity (.5)	3,365	303	1,917	604	307	78	42	22	25
45	Pneumonia of newborn--763	718	8	99	96	70	37	31	29	22
46	Without mention of immaturity (.0)	483	6	60	59	40	20	14	17	12
47	With immaturity (.5)	235	2	39	37	30	17	17	12	10
48	Diarrhea of newborn--764	52	1	-	1	-	1	2	-	2
49	Without mention of immaturity (.0)	37	1	-	1	-	1	2	-	2
50	With immaturity (.5)	15	-	-	-	-	-	-	-	-
51	Other infections of newborn--765-768	204	12	37	21	23	15	16	7	9
52	Without mention of immaturity (.0)	107	1	12	13	16	4	6	3	7
53	With immaturity (.5)	97	11	25	8	7	11	10	4	2
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	235	27	106	33	18	10	6	1	2
55	Without mention of immaturity (.0-.4)	94	12	35	10	5	3	1	-	1
56	With immaturity (.5-.9)	141	15	71	23	13	7	5	1	1
57	Hemolytic disease of newborn (erythroblastosis)--770	641	177	303	65	32	18	11	8	4
58	Without mention of immaturity (.0-.2)	455	133	209	45	25	13	8	3	2
59	With immaturity (.5-.7)	186	44	94	20	7	5	3	5	2
60	Hemorrhagic disease of newborn--771	135	5	59	19	20	8	5	5	4
61	Without mention of immaturity (.0)	76	4	39	7	8	5	1	1	3
62	With immaturity (.5)	59	1	20	12	12	3	4	4	1
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	2,950	169	1,364	691	374	96	41	32	14
64	Without mention of immaturity (.0)	647	27	230	164	82	28	9	10	1
65	With immaturity (.5)	2,303	142	1,134	527	292	68	32	22	13
66	Immaturity with mention of any other subsidiary condition--774	329	20	126	40	29	12	11	9	6
67	Immaturity, unqualified--776	4,372	569	2,573	638	288	74	59	55	22
68	Symptoms and ill-defined conditions--780-793,795	429	17	28	15	5	2	5	3	2
69	All other diseases--Residual	532	9	43	17	12	13	10	10	6
70	Accidents--E800-E962	924	6	8	3	10	4	7	9	4
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	194	-	-	1	3	3	4	2	3
72	Accidental mechanical suffocation in bed and cradle--E924	180	-	-	-	-	-	1	2	-
73	Other accidental causes--E800-E920,E923,E925-E962	550	6	8	2	7	1	2	5	1
74	Homicide--E964,E980-E984	57	19	6	2	1	-	-	1	-

by Age, Color, and Sex: United States, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
18,893	917	606	480	20,896	1,655	1,267	1,047	759	534	466	386	290	309	246	245	1
-	-	-	-	-	3	-	3	2	1	1	1	1	2	1	1	2
-	-	-	-	-	24	13	14	5	6	6	5	1	3	3	3	3
-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	1	4
1	2	4	2	9	11	4	7	11	8	8	7	5	7	7	6	5
3	5	1	-	9	-	-	-	-	-	-	-	-	-	-	1	6
12	4	6	7	29	21	15	14	6	6	11	12	11	9	8	4	7
12	-	-	3	15	8	10	12	9	9	8	3	3	7	7	6	8
24	1	2	1	28	3	2	4	1	3	3	3	2	-	1	2	9
2	-	-	-	2	1	-	1	-	-	2	1	-	2	-	-	10
22	31	13	10	76	27	22	27	19	6	10	10	6	6	9	8	11
8	3	4	-	15	27	26	15	36	19	21	21	7	20	8	9	12
1	1	3	-	5	15	21	10	7	6	5	3	-	1	1	3	13
-	-	-	-	-	438	397	333	219	132	102	80	59	56	39	53	14
-	-	-	-	-	6	2	5	2	1	1	1	4	2	3	-	15
...	...	...	...	...	432	395	328	217	131	101	79	55	54	36	53	16
3	-	1	5	9	25	22	21	17	6	8	7	3	6	1	2	17
38	3	7	1	49	112	99	67	35	22	19	15	7	7	3	4	18
5	2	4	1	12	11	7	8	1	2	3	1	1	2	-	-	19
2	1	2	-	5	85	77	50	26	15	15	8	4	3	3	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
7	-	1	-	8	15	12	6	5	3	1	5	1	2	-	1	22
24	-	-	-	24	1	3	3	3	2	-	1	1	-	-	1	23
214	15	12	5	246	23	6	4	4	2	4	3	3	3	2	1	24
1	-	1	-	2	58	40	33	24	21	28	21	26	20	23	23	25
29	10	3	3	45	9	6	5	3	4	2	5	3	6	2	1	26
2,728	351	276	204	3,559	466	267	247	200	157	119	86	69	66	62	60	27
226	39	51	46	362	89	48	34	24	21	15	12	9	6	6	12	28
231	17	13	17	278	28	23	30	19	22	17	14	6	10	10	8	29
885	214	145	94	1,338	252	148	148	123	93	57	46	41	42	40	29	30
1,386	81	67	47	1,581	97	48	35	34	21	30	14	13	8	6	11	31
15,518	432	216	175	16,341	94	44	33	23	11	12	5	6	3	2	4	32
2,301	33	13	12	2,359	2	1	1	-	-	-	-	-	-	1	-	33
845	15	9	9	878	1	1	1	-	-	-	-	-	-	1	-	34
1,456	18	4	3	1,481	1	-	-	-	-	-	-	-	-	-	-	35
589	24	9	10	632	...	...	...	...	...	...	...	...	...	...	...	36
337	14	6	8	365	...	...	...	...	...	...	...	...	...	...	...	37
252	10	3	2	267	...	...	...	...	...	...	...	...	...	...	...	38
1,712	9	4	2	1,727	2	1	1	-	-	-	-	-	-	1	-	39
508	1	3	1	513	1	1	1	-	-	-	-	-	-	1	-	40
1,204	8	1	1	1,214	1	-	-	-	-	-	-	-	-	-	-	41
4,420	53	25	15	4,513	24	12	10	6	4	3	2	1	1	-	2	42
1,122	19	11	7	1,159	18	11	9	5	3	2	2	1	1	-	2	43
3,298	34	14	8	3,354	6	1	1	1	1	1	-	-	-	-	-	44
392	120	97	109	718	...	...	...	...	...	...	...	...	...	...	...	45
228	78	81	96	483	...	...	...	...	...	...	...	...	...	...	...	46
164	42	16	13	235	...	...	...	...	...	...	...	...	...	...	...	47
7	17	19	9	52	-	-	-	-	-	-	-	-	-	-	-	48
7	11	13	6	37	-	-	-	-	-	-	-	-	-	-	-	49
-	6	6	3	15	-	-	-	-	-	-	-	-	-	-	-	50
140	42	15	7	204	-	-	-	-	-	-	-	-	-	-	-	51
62	29	11	5	107	-	-	-	-	-	-	-	-	-	-	-	52
78	13	4	2	97	-	-	-	-	-	-	-	-	-	-	-	53
203	5	2	2	212	6	3	4	4	1	1	-	1	1	1	1	54
67	3	1	1	72	6	3	3	4	1	1	-	1	1	1	1	55
136	2	1	1	140	-	-	1	-	-	-	-	-	-	-	-	56
618	12	6	1	637	2	2	-	-	-	-	-	-	-	-	-	57
438	8	6	-	452	2	1	-	-	-	-	-	-	-	-	-	58
180	4	-	1	185	-	1	-	-	-	-	-	-	-	-	-	59
125	3	3	3	134	1	-	-	-	-	-	-	-	-	-	-	60
68	3	1	3	75	1	-	-	-	-	-	-	-	-	-	-	61
57	-	2	-	59	-	-	-	-	-	-	-	-	-	-	-	62
2,781	64	14	10	2,869	19	13	16	12	4	8	3	4	1	-	1	63
551	13	5	6	575	16	11	16	10	4	6	3	4	1	-	1	64
2,230	51	9	4	2,294	3	2	-	2	-	2	-	-	-	-	-	65
253	18	9	4	284	32	10	2	-	1	-	-	-	-	-	-	66
4,278	65	13	3	4,359	8	3	-	1	1	-	-	-	-	-	-	67
77	14	11	17	119	92	74	49	29	18	11	12	6	7	5	7	68
120	23	23	19	185	59	53	38	35	26	33	23	20	25	20	15	69
51	21	21	26	119	137	140	105	71	68	51	61	51	50	41	30	70
16	4	6	5	31	32	42	29	15	14	9	8	4	2	5	3	71
3	4	3	9	19	44	41	35	11	11	3	9	3	3	1	-	72
32	13	12	12	69	61	57	41	45	43	39	44	44	45	35	27	73
29	1	2	2	34	1	4	3	3	2	2	2	1	3	1	1	74

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Nonwhite, both sexes--all causes	25,668	1,607	7,562	2,217	1,197	562	375	326	226
2	Dysentery, all forms--045-048	53	-	-	-	-	-	-	-	-
3	Septicemia and pyemia--053	135	-	-	-	-	-	-	-	-
4	Whooping cough--056	22	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	51	-	-	-	1	-	-	-	-
6	Tetanus--061	13	-	-	-	-	-	-	-	1
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	154	2	4	-	1	-	-	-	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	29	-	1	-	3	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	17	1	4	1	1	-	-	1	-
10	Diseases of thymus gland--273	11	-	1	2	1	-	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	306	1	1	2	2	3	1	3	6
12	Other diseases of nervous system and sense organs--330-334,341-398	180	-	5	3	2	1	-	-	1
13	Acute upper respiratory infections--470-475	119	-	-	1	-	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn--480-493	3,297	1	-	-	-	-	-	-	2
15	Influenza--480-483	117	1	-	-	-	-	-	-	2
16	Pneumonia, except pneumonia of newborn--490-493	3,180	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	151	-	-	-	-	-	-	-	1
18	Other diseases of respiratory system--510-522,525-527	551	2	9	4	3	1	-	-	-
19	Pulmonary congestion and hypostasis--522	59	1	5	1	2	1	-	-	-
20	Other chronic interstitial pneumonia--525	379	-	1	-	-	-	-	-	-
21	Bronchiectasis--526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	83	1	1	1	1	-	-	-	-
23	All other diseases of respiratory system--510-521,527.1	30	-	2	2	-	-	-	-	-
24	Hernia and intestinal obstruction--560,561,570	142	6	26	7	8	4	2	6	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	961	-	-	-	-	-	-	-	-
26	Other diseases of digestive system--530-542,544-553,573-587	135	-	2	3	6	8	9	11	9
27	Congenital malformations--750-759	2,023	129	285	126	100	75	51	43	33
28	Spina bifida and meningocele--751	90	8	13	3	1	2	1	-	2
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	191	17	28	11	4	2	3	1	1
30	Congenital malformations of circulatory system--754	1,087	15	99	65	68	54	26	22	14
31	Other congenital malformations--750,755-759	655	89	145	47	27	17	21	20	16
32	Certain diseases of early infancy--760-776	14,529	1,362	7,055	1,990	1,011	432	288	243	162
33	Birth injuries--760,761	1,517	254	704	243	123	59	34	21	15
34	Without mention of immaturity (.0)	638	116	257	116	56	32	19	6	7
35	With immaturity (.5)	879	138	447	127	67	27	15	15	8
36	Intracranial and spinal injury at birth--760	663	30	257	147	82	40	26	17	14
37	Without mention of immaturity (.0)	313	18	116	70	39	21	13	5	7
38	With immaturity (.5)	350	12	141	77	43	19	13	12	7
39	Other birth injury--761	854	224	447	96	41	19	8	4	1
40	Without mention of immaturity (.0)	325	98	141	46	17	11	6	1	-
41	With immaturity (.5)	529	126	306	50	24	8	2	3	1
42	Postnatal asphyxia and atelectasis--762	3,909	357	2,110	645	280	107	64	57	28
43	Without mention of immaturity (.0)	999	101	449	201	88	29	20	11	6
44	With immaturity (.5)	2,910	256	1,661	444	192	78	44	46	22
45	Pneumonia of newborn--763	997	11	137	71	87	44	43	41	35
46	Without mention of immaturity (.0)	759	10	97	46	58	31	34	26	24
47	With immaturity (.5)	238	1	40	25	29	13	9	15	11
48	Diarrhea of newborn--764	229	1	5	3	-	3	4	6	3
49	Without mention of immaturity (.0)	184	1	5	2	-	2	2	5	3
50	With immaturity (.5)	45	-	-	1	-	1	2	1	-
51	Other infections of newborn--765-768	287	19	41	19	28	19	21	23	14
52	Without mention of immaturity (.0)	157	6	13	12	17	12	11	13	10
53	With immaturity (.5)	130	13	28	7	11	7	10	10	4
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	170	24	68	23	9	5	-	2	1
55	Without mention of immaturity (.0-.4)	78	10	19	8	4	1	-	-	-
56	With immaturity (.5-.9)	92	14	49	15	5	4	-	2	1
57	Hemolytic disease of newborn (erythroblastosis)--770	114	13	39	13	11	9	5	2	-
58	Without mention of immaturity (.0-.2)	88	13	26	11	10	7	4	2	-
59	With immaturity (.5-.7)	26	-	13	2	1	2	1	-	-
60	Hemorrhagic disease of newborn--771	145	4	35	23	31	13	11	6	1
61	Without mention of immaturity (.0)	88	2	27	15	15	9	5	3	1
62	With immaturity (.5)	57	2	8	8	16	4	6	3	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	2,461	120	1,117	440	190	59	33	23	18
64	Without mention of immaturity (.0)	708	18	184	75	49	16	11	2	6
65	With immaturity (.5)	1,753	102	933	365	141	43	22	21	12
66	Immaturity with mention of any other subsidiary condition--774	318	17	119	36	16	12	10	6	7
67	Immaturity, unqualified--776	4,382	542	2,680	474	236	102	63	56	40
68	Symptoms and ill-defined conditions--780-793,795	1,292	76	113	54	35	21	12	9	7
69	All other diseases--Residual	379	2	29	12	7	5	4	2	1
70	Accidents--E800-E962	1,049	5	20	7	14	12	7	8	3
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	201	-	3	2	2	6	2	3	-
72	Accidental mechanical suffocation in bed and cradle--E924	248	-	2	1	2	1	-	1	1
73	Other accidental causes--E800-E920,E923,E925-E962	600	5	15	4	10	5	5	4	2
74	Homicide--E964,E980-E984	69	20	7	5	2	-	1	-	-

by Age, Color, and Sex: United States, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
14,072	960	631	514	16,177	2,336	1,752	1,377	1,043	733	567	460	378	310	276	259	1
-	2	1	-	3	9	9	8	7	3	3	3	3	3	1	1	2
-	-	-	-	-	43	24	12	11	12	11	8	4	3	4	3	3
-	-	-	-	-	5	2	5	2	1	2	2	-	3	-	-	4
1	2	1	1	5	8	3	6	5	7	6	3	2	3	3	-	5
1	7	5	-	13	-	-	-	-	-	-	-	-	-	-	-	6
7	3	8	2	20	17	18	18	15	12	8	10	9	12	7	8	7
4	1	1	-	6	2	2	3	1	1	5	2	-	-	5	2	8
8	-	-	1	9	1	2	1	1	1	1	-	-	1	-	-	9
4	1	1	-	6	-	2	-	1	1	-	-	1	-	-	-	10
19	20	9	9	57	30	33	25	40	17	26	16	17	24	10	11	11
12	1	2	1	16	33	26	19	6	17	13	9	9	11	15	6	12
1	1	4	4	10	21	18	27	15	5	6	6	2	3	3	3	13
3	3	1	4	11	779	663	543	382	250	164	155	108	83	74	85	14
3	3	1	4	11	22	17	17	15	7	5	9	3	3	6	2	15
...	...	...	...	...	757	646	526	367	243	159	146	105	80	68	83	16
1	2	1	4	8	30	27	18	17	15	11	7	9	2	4	3	17
19	5	6	3	33	124	120	89	61	28	23	26	13	6	22	6	18
10	-	-	1	11	17	11	8	3	1	3	2	1	-	1	1	19
1	1	2	-	4	86	82	70	50	21	15	20	8	4	16	3	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
4	3	2	1	10	15	24	9	6	6	4	2	3	-	3	1	22
4	1	2	1	8	6	3	2	2	-	1	2	1	2	2	1	23
59	11	3	12	85	17	4	12	6	4	4	2	3	2	1	2	24
-	1	1	1	3	272	140	119	108	78	63	40	52	31	25	30	25
48	13	4	4	69	20	11	7	9	1	4	3	4	2	4	1	26
842	133	81	67	1,123	227	142	115	101	85	54	45	40	37	32	22	27
30	6	8	5	49	13	7	6	3	5	2	1	1	-	1	2	28
67	7	4	3	81	15	17	10	9	13	11	7	11	5	7	5	29
363	70	46	40	519	138	93	80	75	54	30	31	20	22	16	9	30
382	50	23	19	474	61	25	19	14	13	11	6	8	10	8	6	31
12,543	653	424	323	13,943	233	125	76	40	27	23	13	14	10	12	13	32
1,453	37	17	9	1,516	-	-	-	-	-	-	-	-	-	1	-	33
609	14	9	6	638	-	-	-	-	-	-	-	-	-	-	-	34
844	23	8	3	878	-	-	-	-	-	-	-	-	-	1	-	35
613	28	14	8	663	...	...	...	...	...	...	...	...	...	...	...	36
289	10	8	6	313	...	...	...	...	...	...	...	...	...	...	...	37
324	18	6	2	350	...	...	...	...	...	...	...	...	...	...	...	38
840	9	3	1	853	-	-	-	-	-	-	-	-	-	1	-	39
320	4	1	-	325	-	-	-	-	-	-	-	-	-	-	-	40
520	5	2	1	528	-	-	-	-	-	-	-	-	-	1	-	41
3,648	99	47	21	3,815	44	20	10	7	3	2	2	4	-	1	1	42
905	20	4	7	936	18	18	8	7	2	2	2	4	-	1	1	43
2,743	79	43	14	2,879	26	2	2	-	1	-	-	-	-	-	-	44
469	189	174	165	997	...	...	...	...	...	...	...	...	...	...	...	45
326	144	145	144	759	...	...	...	...	...	...	...	...	...	...	...	46
143	45	29	21	238	...	...	...	...	...	...	...	...	...	...	...	47
25	62	81	60	228	1	-	-	-	-	-	-	-	-	-	-	48
20	48	63	52	183	1	-	-	-	-	-	-	-	-	-	-	49
5	14	18	8	45	-	-	-	-	-	-	-	-	-	-	-	50
184	58	28	16	286	1	-	-	-	-	-	-	-	-	-	-	51
94	32	23	8	157	-	-	-	-	-	-	-	-	-	-	-	52
90	26	5	8	129	1	-	-	-	-	-	-	-	-	-	-	53
132	1	5	1	139	8	4	7	1	3	4	1	1	-	1	1	54
42	-	4	1	47	8	4	7	1	3	4	1	1	-	1	1	55
90	1	1	-	92	-	-	-	-	-	-	-	-	-	-	-	56
92	15	2	1	110	2	-	1	1	-	-	-	-	-	-	-	57
73	10	1	-	84	2	-	1	1	-	-	-	-	-	-	-	58
19	5	1	1	26	-	-	-	-	-	-	-	-	-	-	-	59
124	14	4	-	142	1	1	-	-	-	-	-	1	-	-	-	60
77	5	3	-	85	1	1	-	-	-	-	-	1	-	-	-	61
47	9	1	-	57	-	-	-	-	-	-	-	-	-	-	-	62
2,000	63	26	30	2,119	101	81	50	27	20	17	9	8	9	9	11	63
361	16	11	19	407	80	73	43	26	19	17	8	7	8	9	11	64
1,639	47	15	11	1,712	21	8	7	1	1	-	1	1	1	-	-	65
223	16	5	6	250	45	12	7	2	-	-	1	-	1	-	-	66
4,193	99	35	14	4,341	30	7	1	2	1	-	-	-	-	-	-	67
327	56	37	39	459	202	176	132	108	62	49	37	19	20	14	14	68
62	12	17	13	104	56	41	29	20	24	20	20	23	14	12	16	69
76	33	24	25	158	197	161	106	84	81	71	53	43	38	26	31	70
18	8	3	6	35	51	28	28	12	19	6	10	6	6	-	-	71
8	3	10	5	26	63	62	26	24	17	13	9	4	1	-	3	72
50	22	11	14	97	83	71	52	48	45	52	34	33	31	26	28	73
35	-	-	1	36	10	3	7	3	1	-	-	3	2	2	2	74

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Nonwhite, male--all causes	14,321	923	4,282	1,205	688	320	214	196	137
2	Dysentery, all forms--045-048	28	-	-	-	-	-	-	-	-
3	Septicemia and pyemia--053	74	-	-	-	-	-	-	-	-
4	Whooping cough--056	13	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	23	-	-	-	-	-	-	-	-
6	Tetanus--061	10	-	-	-	-	-	-	-	1
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	81	1	-	-	1	-	-	-	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	18	-	1	-	2	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	10	-	2	1	-	-	-	1	-
10	Diseases of thymus gland--273	6	-	-	-	1	-	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	155	1	-	-	1	3	1	2	4
12	Other diseases of nervous system and sense organs--330-334,341-398	110	-	4	1	2	-	-	-	1
13	Acute upper respiratory infections--470-475	74	-	-	1	-	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn--480-493	1,773	-	-	-	-	-	-	-	2
15	Influenza--480-483	58	-	-	-	-	-	-	-	2
16	Pneumonia, except pneumonia of newborn--490-493	1,715	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	81	-	-	-	-	-	-	-	1
18	Other diseases of respiratory system--510-522,525-527	294	1	5	2	1	-	-	-	-
19	Pulmonary congestion and hypostasis--522	30	1	2	-	-	-	-	-	-
20	Other chronic interstitial pneumonia--525	209	-	-	-	-	-	-	-	-
21	Bronchiectasis--526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	43	-	1	1	1	-	-	-	-
23	All other diseases of respiratory system--510-521,527.1	12	-	2	1	-	-	-	-	-
24	Hernia and intestinal obstruction--560,561,570	83	2	10	5	2	2	1	2	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	528	-	-	-	-	-	-	-	-
26	Other diseases of digestive system--530-542,544-553,573-587	74	-	2	2	3	3	4	10	6
27	Congenital malformations--750-759	1,116	76	150	75	61	37	28	23	20
28	Spina bifida and meningocele--751	47	3	5	2	1	1	-	-	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	95	8	12	5	2	2	2	1	1
30	Congenital malformations of circulatory system--754	582	11	50	39	42	26	14	11	8
31	Other congenital malformations--750,755-759	392	54	83	29	16	8	12	11	11
32	Certain diseases of early infancy--760-776	8,223	784	4,011	1,077	581	254	166	143	95
33	Birth injuries--760,761	878	135	410	144	74	36	19	14	8
34	Without mention of immaturity (.0)	371	61	154	68	33	20	9	4	2
35	With immaturity (.5)	507	74	256	76	41	16	10	10	6
36	Intracranial and spinal injury at birth--760	397	15	155	89	50	26	15	11	7
37	Without mention of immaturity (.0)	182	9	67	41	23	16	6	3	2
38	With immaturity (.5)	215	6	88	48	27	10	9	8	5
39	Other birth injury--761	481	120	255	55	24	10	4	3	1
40	Without mention of immaturity (.0)	189	52	87	27	10	4	3	1	-
41	With immaturity (.5)	292	68	168	28	14	6	1	2	1
42	Postnatal asphyxia and atelectasis--762	2,211	201	1,222	346	178	59	36	29	15
43	Without mention of immaturity (.0)	565	57	259	115	53	15	12	5	4
44	With immaturity (.5)	1,646	144	963	231	125	44	24	24	11
45	Pneumonia of newborn--763	558	5	80	35	53	21	26	27	22
46	Without mention of immaturity (.0)	429	5	58	23	38	17	20	18	17
47	With immaturity (.5)	129	-	22	12	15	4	6	9	5
48	Diarrhea of newborn--764	140	1	5	3	-	2	2	3	2
49	Without mention of immaturity (.0)	111	1	5	2	-	2	1	2	2
50	With immaturity (.5)	29	-	-	1	-	-	1	1	-
51	Other infections of newborn--765-768	173	10	25	9	12	13	13	19	9
52	Without mention of immaturity (.0)	93	5	6	6	7	8	6	9	5
53	With immaturity (.5)	80	5	19	3	5	5	7	10	4
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	90	12	36	11	5	5	-	1	1
55	Without mention of immaturity (.0-.4)	40	6	10	4	1	1	-	-	-
56	With immaturity (.5-.9)	50	6	26	7	4	4	-	1	1
57	Hemolytic disease of newborn (erythroblastosis)--770	68	7	22	8	7	5	3	2	-
58	Without mention of immaturity (.0-.2)	53	7	14	6	7	4	3	2	-
59	With immaturity (.5-.7)	15	-	8	2	-	1	-	-	-
60	Hemorrhagic disease of newborn--771	87	2	18	14	19	10	8	3	-
61	Without mention of immaturity (.0)	50	1	14	9	9	7	3	1	-
62	With immaturity (.5)	37	1	4	5	10	3	5	2	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	1,397	66	639	244	97	35	21	12	10
64	Without mention of immaturity (.0)	432	12	116	44	33	9	8	1	4
65	With immaturity (.5)	965	54	523	200	64	26	13	11	6
66	Immaturity with mention of any other subsidiary condition--774	185	11	73	18	9	5	5	2	5
67	Immaturity, unqualified--776	2,436	334	1,481	245	127	63	33	31	23
68	Symptoms and ill-defined conditions--780-793,795	735	43	66	28	24	12	5	8	4
69	All other diseases--Residual	232	1	14	9	3	3	3	2	1
70	Accidents--E800-E962	544	3	14	4	6	6	5	5	2
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	95	-	2	-	1	4	2	2	-
72	Accidental mechanical suffocation in bed and cradle--E924	123	-	1	1	-	-	-	1	1
73	Other accidental causes--E800-E920,E923,E925-E962	326	3	11	3	5	2	3	2	1
74	Homicide--E964,E980-E984	36	11	3	-	-	-	1	-	-

by Age, Color, and Sex: United States, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
7,965	547	362	287	9,161	1,277	957	774	558	403	302	245	203	149	142	150	1
-	2	-	-	2	4	4	5	4	2	2	1	1	1	1	1	2
-	-	-	-	-	27	14	7	2	5	6	5	4	1	2	1	3
-	-	-	-	-	3	1	3	1	-	1	2	-	2	-	-	4
-	-	-	1	1	5	2	4	3	3	2	1	1	-	1	-	5
1	5	4	-	10	-	-	-	-	-	-	-	-	-	-	-	6
2	1	6	2	11	12	7	12	8	8	5	1	4	5	3	5	7
3	1	-	-	4	1	1	2	1	-	3	1	-	-	3	2	8
4	-	-	-	4	-	1	1	1	1	1	-	-	1	-	-	9
1	1	-	-	2	-	2	-	-	1	-	-	1	-	-	-	10
12	11	6	3	32	11	15	14	24	12	14	8	8	8	6	3	11
8	-	2	1	11	23	19	11	1	9	9	6	7	5	5	4	12
1	1	2	3	7	12	14	19	7	2	4	3	1	2	1	2	13
2	1	-	1	4	414	348	288	218	139	87	89	56	32	46	52	14
2	1	-	1	4	12	8	8	8	3	3	7	1	1	1	2	15
...	...	...	...	...	402	340	280	210	136	84	82	55	31	45	50	16
1	2	1	3	7	17	15	14	6	7	8	3	1	1	1	1	17
9	3	2	1	15	61	65	56	33	14	13	13	7	2	11	4	18
3	-	-	-	3	8	7	5	1	1	2	1	1	-	1	-	19
-	-	1	-	1	44	48	44	28	8	10	10	3	2	8	3	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
3	2	1	1	7	7	10	5	3	5	1	1	2	-	2	-	22
3	1	-	-	4	2	-	2	1	-	-	1	1	-	-	1	23
24	7	2	10	43	13	3	8	6	1	2	2	2	2	-	1	24
-	1	1	-	2	158	80	70	51	39	33	22	29	20	9	15	25
30	5	3	3	41	12	3	3	6	-	2	2	3	1	1	-	26
470	76	44	43	633	143	77	60	49	45	25	21	22	16	13	12	27
12	5	3	4	24	9	2	3	2	3	1	1	-	-	-	2	28
33	4	2	1	40	8	7	6	4	4	5	4	10	3	1	3	29
201	39	22	22	284	88	51	40	36	29	14	14	8	8	6	4	30
224	28	17	16	285	38	17	11	7	9	5	2	4	5	6	3	31
7,111	372	239	177	7,899	133	64	41	22	15	13	6	8	10	6	6	32
840	25	10	3	878	-	-	-	-	-	-	-	-	-	-	-	33
351	13	4	3	371	-	-	-	-	-	-	-	-	-	-	-	34
489	12	6	-	507	-	-	-	-	-	-	-	-	-	-	-	35
368	19	7	3	397	...	...	...	...	...	...	...	...	...	...	...	36
167	9	3	3	182	...	...	...	...	...	...	...	...	...	...	...	37
201	10	4	-	215	...	...	...	...	...	...	...	...	...	...	...	38
472	6	3	-	481	-	-	-	-	-	-	-	-	-	-	-	39
184	4	1	-	189	-	-	-	-	-	-	-	-	-	-	-	40
288	2	2	-	292	-	-	-	-	-	-	-	-	-	-	-	41
2,086	48	26	8	2,168	22	11	6	2	-	1	1	-	-	-	-	42
520	12	1	4	537	9	10	5	2	-	1	1	-	-	-	-	43
1,566	36	25	4	1,631	13	1	1	-	-	-	-	-	-	-	-	44
269	102	97	90	558	...	...	...	...	...	...	...	...	...	...	...	45
196	78	79	76	429	...	...	...	...	...	...	...	...	...	...	...	46
73	24	18	14	129	...	...	...	...	...	...	...	...	...	...	...	47
18	39	45	37	139	1	-	-	-	-	-	-	-	-	-	-	48
15	28	35	32	110	1	-	-	-	-	-	-	-	-	-	-	49
3	11	10	5	29	-	-	-	-	-	-	-	-	-	-	-	50
110	40	13	10	173	-	-	-	-	-	-	-	-	-	-	-	51
52	22	12	7	93	-	-	-	-	-	-	-	-	-	-	-	52
58	18	1	3	80	-	-	-	-	-	-	-	-	-	-	-	53
71	-	5	1	77	5	-	4	-	2	1	-	1	-	-	-	54
22	-	4	1	27	5	-	4	-	2	1	-	1	-	-	-	55
49	-	1	-	50	-	-	-	-	-	-	-	-	-	-	-	56
54	11	1	-	66	2	-	-	-	-	-	-	-	-	-	-	57
43	7	1	-	51	2	-	-	-	-	-	-	-	-	-	-	58
11	4	-	-	15	-	-	-	-	-	-	-	-	-	-	-	59
74	9	2	-	85	1	-	-	-	-	-	-	1	-	-	-	60
44	3	1	-	48	1	-	-	-	-	-	-	1	-	-	-	61
30	6	1	-	37	-	-	-	-	-	-	-	-	-	-	-	62
1,124	32	18	16	1,190	62	42	30	18	12	11	5	6	9	6	6	63
227	9	8	12	256	44	38	26	17	11	11	4	5	8	6	6	64
897	23	10	4	934	18	4	4	1	1	-	1	1	1	-	-	65
128	13	3	5	149	26	7	1	1	-	-	-	-	1	-	-	66
2,337	53	19	7	2,416	14	4	-	1	1	-	-	-	-	-	-	67
190	30	23	20	263	104	109	76	55	39	23	25	12	13	7	9	68
36	9	13	7	65	35	25	18	12	16	12	9	14	6	7	13	69
45	19	14	11	89	84	88	56	46	45	37	25	21	19	17	17	70
11	4	2	1	18	19	16	12	5	11	4	2	4	4	-	-	71
4	2	4	3	13	24	34	11	12	7	9	7	2	1	-	3	72
30	13	8	7	58	41	38	33	29	27	24	16	15	14	17	14	73
15	-	-	1	16	5	-	6	2	-	-	-	1	2	2	2	74

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Nonwhite, female--all causes	11,347	684	3,280	1,012	509	242	161	130	89
2	Dysentery, all forms--045-048	25	-	-	-	-	-	-	-	-
3	Septicemia and pyemia--053	61	-	-	-	-	-	-	-	-
4	Whooping cough--056	9	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	28	-	-	-	1	-	-	-	-
6	Tetanus--061	3	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	73	1	4	-	-	-	-	-	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	11	-	-	-	1	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	7	1	2	-	1	-	-	-	-
10	Diseases of thymus gland--273	5	-	1	2	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	151	-	1	2	1	-	-	1	2
12	Other diseases of nervous system and sense organs--330-334,341-398	70	-	1	2	-	1	-	-	-
13	Acute upper respiratory infections--470-475	45	-	-	-	-	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn--480-493	1,524	1	-	-	-	-	-	-	-
15	Influenza--480-483	59	1	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn--490-493	1,465	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	70	-	-	-	-	-	-	-	-
18	Other diseases of respiratory system--510-522,525-527	257	1	4	2	2	1	-	-	-
19	Pulmonary congestion and hypostasis--522	29	-	3	1	2	1	-	-	-
20	Other chronic interstitial pneumonia--525	170	-	1	-	-	-	-	-	-
21	Bronchiectasis--526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	40	1	-	-	-	-	-	-	-
23	All other diseases of respiratory system--510-521,527.1	18	-	-	1	-	-	-	-	-
24	Hernia and intestinal obstruction--560,561,570	59	4	16	2	6	2	1	4	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	433	-	-	-	-	-	-	-	-
26	Other diseases of digestive system--530-542,544-553,573-587	61	-	-	1	3	5	5	1	3
27	Congenital malformations--750-759	907	53	135	51	39	38	23	20	13
28	Spina bifida and meningocele--751	43	5	8	1	-	1	1	-	2
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	96	9	16	6	2	-	1	-	-
30	Congenital malformations of circulatory system--754	505	4	49	26	26	28	12	11	6
31	Other congenital malformations--750,755-759	263	35	62	18	11	9	9	9	5
32	Certain diseases of early infancy--760-776	6,306	578	3,044	913	430	178	122	100	67
33	Birth injuries--760,761	639	119	294	99	49	23	15	7	7
34	Without mention of immaturity (.0)	267	55	103	48	23	12	10	2	5
35	With immaturity (.5)	372	64	191	51	26	11	5	5	2
36	Intracranial and spinal injury at birth--760	266	15	102	58	32	14	11	6	7
37	Without mention of immaturity (.0)	131	9	49	29	16	5	7	2	5
38	With immaturity (.5)	135	6	53	29	16	9	4	4	2
39	Other birth injury--761	373	104	192	41	17	9	4	1	-
40	Without mention of immaturity (.0)	136	46	54	19	7	7	3	-	-
41	With immaturity (.5)	237	58	138	22	10	2	1	1	-
42	Postnatal asphyxia and atelectasis--762	1,698	156	888	299	102	48	28	28	13
43	Without mention of immaturity (.0)	434	44	190	86	35	14	8	6	2
44	With immaturity (.5)	1,264	112	698	213	67	34	20	22	11
45	Pneumonia of newborn--763	439	6	57	36	34	23	17	14	13
46	Without mention of immaturity (.0)	330	5	39	23	20	14	14	8	7
47	With immaturity (.5)	109	1	18	13	14	9	3	6	6
48	Diarrhea of newborn--764	89	-	-	-	-	1	2	3	1
49	Without mention of immaturity (.0)	73	-	-	-	-	-	1	3	1
50	With immaturity (.5)	16	-	-	-	-	1	1	-	-
51	Other infections of newborn--765-768	114	9	16	10	16	6	8	4	5
52	Without mention of immaturity (.0)	64	1	7	6	10	4	5	4	5
53	With immaturity (.5)	50	8	9	4	6	2	3	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	80	12	32	12	4	-	-	1	-
55	Without mention of immaturity (.0-.4)	38	4	9	4	3	-	-	-	-
56	With immaturity (.5-.9)	42	8	23	8	1	-	-	1	-
57	Hemolytic disease of newborn (erythroblastosis)--770	46	6	17	5	4	4	2	-	-
58	Without mention of immaturity (.0-.2)	35	6	12	5	3	3	1	-	-
59	With immaturity (.5-.7)	11	-	5	-	1	1	1	-	-
60	Hemorrhagic disease of newborn--771	58	2	17	9	12	3	3	3	1
61	Without mention of immaturity (.0)	38	1	13	6	6	2	2	2	1
62	With immaturity (.5)	20	1	4	3	6	1	1	1	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	1,064	54	478	196	93	24	12	11	8
64	Without mention of immaturity (.0)	276	6	68	31	16	7	3	1	2
65	With immaturity (.5)	788	48	410	165	77	17	9	10	6
66	Immaturity with mention of any other subsidiary condition--774	133	6	46	18	7	7	5	4	2
67	Immaturity, unqualified--776	1,946	208	1,199	229	109	39	30	25	17
68	Symptoms and ill-defined conditions--780-793,795	557	33	47	26	11	9	7	1	3
69	All other diseases--Residual	147	1	15	3	4	2	1	-	-
70	Accidents--E800-E962	505	2	6	3	8	6	2	3	1
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	106	-	1	2	1	2	-	1	-
72	Accidental mechanical suffocation in bed and cradle--E924	125	-	1	-	2	1	-	-	-
73	Other accidental causes--E800-E920,E923,E925-E962	274	2	4	1	5	3	2	2	1
74	Homicide--E964,E980-E984	33	9	4	5	2	-	-	-	-

by Age, Color, and Sex: United States 1965—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
6,107	413	269	227	7,016	1,059	795	603	485	330	265	215	175	161	134	109	1
-	-	1	-	1	5	5	3	3	1	1	2	2	2	-	-	2
-	-	-	-	-	16	10	5	9	7	5	3	-	2	2	2	3
-	-	-	-	-	2	1	2	1	1	1	-	-	1	-	-	4
1	2	1	-	4	3	1	2	2	4	4	2	1	3	2	-	5
-	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	6
5	2	2	-	9	5	11	6	7	4	3	9	5	7	4	3	7
1	-	1	-	2	1	1	1	-	1	2	1	-	-	2	-	8
4	-	-	1	5	1	1	-	-	-	-	-	-	-	-	-	9
3	-	1	-	4	-	-	-	1	-	-	-	-	-	-	-	10
7	9	3	6	25	19	18	11	16	5	12	8	9	16	4	8	11
4	1	-	-	5	10	7	8	5	8	4	3	2	6	10	2	12
-	-	2	1	3	9	4	8	8	3	2	3	1	1	2	1	13
1	2	1	3	7	365	315	255	164	111	77	66	52	51	28	33	14
1	2	1	3	7	10	9	9	7	4	2	2	2	2	5	-	15
...	...	...	...	...	355	306	246	157	107	75	64	50	49	23	33	16
-	-	-	1	1	13	12	4	11	8	3	4	8	1	3	2	17
10	2	4	2	18	63	55	33	28	14	10	13	6	4	11	2	18
7	-	-	1	8	9	4	3	2	-	1	1	-	-	-	1	19
1	1	1	-	3	42	34	26	22	13	5	10	5	2	8	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	1	1	-	3	8	14	4	3	1	3	1	1	-	1	1	22
1	-	2	1	4	4	3	-	1	-	1	1	-	2	2	-	23
35	4	1	2	42	4	1	4	-	3	2	-	1	-	1	1	24
-	-	-	1	1	114	60	49	57	39	30	18	23	11	16	15	25
18	8	1	1	28	8	8	4	3	1	2	1	1	1	3	1	26
372	57	37	24	490	84	65	55	52	40	29	24	18	21	19	10	27
18	1	5	1	25	4	5	3	1	2	1	-	1	-	1	-	28
34	3	2	2	41	7	10	4	5	9	6	3	1	2	6	2	29
162	31	24	18	235	50	42	40	39	25	16	17	12	14	10	5	30
158	22	6	3	189	23	8	8	7	4	6	4	4	5	2	3	31
5,432	281	185	146	6,044	100	61	35	18	12	10	7	6	-	6	7	32
613	12	7	6	638	-	-	-	-	-	-	-	-	-	1	-	33
258	1	5	3	267	-	-	-	-	-	-	-	-	-	-	-	34
355	11	2	3	371	-	-	-	-	-	-	-	-	-	1	-	35
245	9	7	5	266	...	...	...	...	...	...	...	...	...	...	...	36
122	1	5	3	131	...	...	...	...	...	...	...	...	...	...	...	37
123	8	2	2	135	...	...	...	...	...	...	...	...	...	...	...	38
368	3	-	1	372	-	-	-	-	-	-	-	-	-	1	-	39
136	-	-	-	136	-	-	-	-	-	-	-	-	-	-	-	40
232	3	-	1	236	-	-	-	-	-	-	-	-	-	1	-	41
1,562	51	21	13	1,647	22	9	4	5	3	1	1	4	-	1	1	42
385	8	3	3	399	9	8	3	5	2	1	1	4	-	1	1	43
1,177	43	18	10	1,248	13	1	1	-	1	-	-	-	-	-	-	44
200	87	77	75	439	...	...	...	...	...	...	...	...	...	...	...	45
130	66	66	68	330	...	...	...	...	...	...	...	...	...	...	...	46
70	21	11	7	109	...	...	...	...	...	...	...	...	...	...	...	47
7	23	36	23	89	-	-	-	-	-	-	-	-	-	-	-	48
5	20	28	20	73	-	-	-	-	-	-	-	-	-	-	-	49
2	3	8	3	16	-	-	-	-	-	-	-	-	-	-	-	50
74	18	15	6	113	1	-	-	-	-	-	-	-	-	-	-	51
42	10	11	1	64	-	-	-	-	-	-	-	-	-	-	-	52
32	8	4	5	49	1	-	-	-	-	-	-	-	-	-	-	53
61	1	-	-	62	3	4	3	1	1	3	1	-	-	1	1	54
20	-	-	-	20	3	4	3	1	1	3	1	-	-	1	1	55
41	1	-	-	42	-	-	-	-	-	-	-	-	-	-	-	56
38	4	1	1	44	-	-	1	1	-	-	-	-	-	-	-	57
30	3	-	-	33	-	-	1	1	-	-	-	-	-	-	-	58
8	1	1	1	11	-	-	-	-	-	-	-	-	-	-	-	59
50	5	2	-	57	-	1	-	-	-	-	-	-	-	-	-	60
33	2	2	-	37	-	1	-	-	-	-	-	-	-	-	-	61
17	3	-	-	20	-	-	-	-	-	-	-	-	-	-	-	62
876	31	8	14	929	39	39	20	9	8	6	4	2	-	3	5	63
134	7	3	7	151	36	35	17	9	8	6	4	2	-	3	5	64
742	24	5	7	778	3	4	3	-	-	-	-	-	-	-	-	65
95	3	2	1	101	19	5	6	1	-	-	1	-	-	-	-	66
1,856	46	16	7	1,925	16	3	1	1	-	-	-	-	-	-	-	67
137	26	14	19	196	98	67	56	53	23	26	12	7	7	7	5	68
26	3	4	6	39	21	16	11	8	8	8	11	9	8	5	3	69
31	14	10	14	69	113	73	50	38	36	34	28	22	19	9	14	70
7	4	1	5	17	32	12	16	7	8	2	8	2	2	-	-	71
4	1	6	2	13	39	28	15	12	10	4	2	2	-	-	-	72
20	9	3	7	39	42	33	19	19	18	28	18	18	17	9	14	73
20	-	-	-	20	5	3	1	1	1	-	-	2	-	-	-	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers

	Cause of death	United States						
		Total, under 1 year	Under 28 days			28 days-11 months		
			Total	White	Nonwhite	Total	White	Nonwhite
1	All causes	92,866	66,419	50,242	16,177	26,447	16,956	9,491
2	Dysentery, all forms-045-048	85	4	1	3	81	31	50
3	Septicemia and pyemia-053	338	-	-	-	338	203	135
4	Whooping cough-056	42	-	-	-	42	20	22
5	Meningococcal infections-057	274	24	19	5	250	204	46
6	Tetanus-061	25	24	11	13	1	1	-
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	505	87	67	20	418	284	134
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	226	34	28	6	192	169	23
9	Benign neoplasms and neoplasms of unspecified nature-210-239	105	57	48	9	48	40	8
10	Diseases of thymus gland-273	55	15	9	6	40	35	5
11	Meningitis, except meningococcal and tuberculous-340	844	248	191	57	596	347	249
12	Other diseases of nervous system and sense organs-330-334,341-398	704	52	36	16	652	488	164
13	Acute upper respiratory infections-470-475	328	27	17	10	301	192	109
14	Influenza and pneumonia, except pneumonia of newborn-480-493	8,036	14	3	11	8,022	4,736	3,286
15	Influenza-480-483	182	14	3	11	168	62	106
16	Pneumonia, except pneumonia of newborn-490-493	7,854	...	...	...	7,854	4,674	3,180
17	Bronchitis-500-502	470	30	22	8	440	297	143
18	Other diseases of respiratory system-510-522,525-527	1,643	159	126	33	1,484	966	518
19	Pulmonary congestion and hypostasis-522	199	44	33	11	155	107	48
20	Other chronic interstitial pneumonia-525	1,080	16	12	4	1,064	689	375
21	Bronchiectasis-526	1	-	-	-	1	1	-
22	Other diseases of lung and pleural cavity-527.2	232	36	26	10	196	123	73
23	All other diseases of respiratory system-510-521,527.1	131	63	55	8	68	46	22
24	Hernia and intestinal obstruction-560,561,570	852	629	544	85	223	166	57
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	1,709	7	4	3	1,702	744	958
26	Other diseases of digestive system-530-542,544-553,573-587	378	181	112	69	197	131	66
27	Congenital malformations-750-759	13,443	8,775	7,652	1,123	4,668	3,768	900
28	Spina bifida and meningocele-751	1,153	660	611	49	493	452	41
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	1,105	588	507	81	517	407	110
30	Congenital malformations of circulatory system-754	6,565	3,812	3,293	519	2,753	2,185	568
31	Other congenital malformations-750,755-759	4,620	3,715	3,241	474	905	724	181
32	Certain diseases of early infancy-760-776	55,375	54,210	40,267	13,943	1,165	579	586
33	Birth injuries-760,761	7,718	7,708	6,192	1,516	10	9	1
34	Without mention of immaturity (.0)	2,927	2,921	2,283	638	6	6	-
35	With immaturity (.5)	4,791	4,787	3,909	878	4	3	1
36	Intracranial and spinal injury at birth-760	2,463	2,463	1,800	663	...	...	...
37	Without mention of immaturity (.0)	1,355	1,355	1,042	313	...	...	...
38	With immaturity (.5)	1,108	1,108	758	350	...	...	...
39	Other birth injury-761	5,255	5,245	4,392	853	10	9	1
40	Without mention of immaturity (.0)	1,572	1,566	1,241	325	6	6	-
41	With immaturity (.5)	3,683	3,679	3,151	528	4	3	1
42	Postnatal asphyxia and atelectasis-762	15,429	15,166	11,351	3,815	263	169	94
43	Without mention of immaturity (.0)	4,107	3,908	2,972	936	199	136	63
44	With immaturity (.5)	11,322	11,258	8,379	2,879	64	33	31
45	Pneumonia of newborn-763	2,773	2,773	1,776	997	...	...	...
46	Without mention of immaturity (.0)	1,987	1,987	1,228	759	...	...	...
47	With immaturity (.5)	786	786	548	238	...	...	...
48	Diarrhea of newborn-764	367	366	138	228	1	-	1
49	Without mention of immaturity (.0)	292	291	108	183	1	-	1
50	With immaturity (.5)	75	75	30	45	-	-	-
51	Other infections of newborn-765-768	786	784	498	286	2	1	1
52	Without mention of immaturity (.0)	436	435	278	157	1	1	-
53	With immaturity (.5)	350	349	220	129	1	-	1
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	708	625	486	139	83	52	31
55	Without mention of immaturity (.0-.4)	301	219	172	47	82	51	31
56	With immaturity (.5-.9)	407	406	314	92	1	1	-
57	Hemolytic disease of newborn (erythroblastosis)-770	1,476	1,464	1,354	110	12	8	4
58	Without mention of immaturity (.0-.2)	1,068	1,057	973	84	11	7	4
59	With immaturity (.5-.7)	408	407	381	26	1	1	-
60	Hemorrhagic disease of newborn-771	476	469	327	142	7	4	3
61	Without mention of immaturity (.0)	272	265	180	85	7	4	3
62	With immaturity (.5)	204	204	147	57	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	10,132	9,584	7,465	2,119	548	206	342
64	Without mention of immaturity (.0)	2,542	2,067	1,660	407	475	174	301
65	With immaturity (.5)	7,590	7,517	5,805	1,712	73	32	41
66	Immaturity with mention of any other subsidiary condition-774	1,079	912	662	250	167	99	68
67	Immaturity, unqualified-776	14,431	14,359	10,018	4,341	72	31	41
68	Symptoms and ill-defined conditions-780-793,795	2,369	737	278	459	1,632	799	833
69	All other diseases-Residual	1,531	529	425	104	1,002	727	275
70	Accidents-E800-E962	3,316	454	296	158	2,862	1,971	891
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	681	121	86	35	560	394	166
72	Accidental mechanical suffocation in bed and cradle-E924	700	66	40	26	634	412	222
73	Other accidental causes-E800-E920,E923,E925-E962	1,935	267	170	97	1,668	1,165	503
74	Homicide-E964,E980-E984	213	122	86	36	91	58	33

From 55 Selected Causes, by Color: United States and Each State, 1965

of the Seventh Revision of the International Lists, 1955]

Alabama					Alaska					Arizona					Arkansas					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
2,174	783	614	260	517	269	81	58	32	98	861	435	103	170	153	945	377	206	154	208	1
-	-	-	-	-	-	-	-	-	-	4	-	-	-	4	2	-	-	-	2	2
9	-	-	2	7	2	-	-	-	2	4	-	-	2	2	4	-	-	3	1	3
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4
5	-	-	4	1	3	-	1	-	2	4	-	-	3	1	3	-	-	-	3	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	6
15	1	1	2	11	9	-	-	-	9	4	-	-	1	3	10	-	-	7	3	7
2	-	-	2	-	1	-	-	-	1	1	-	-	-	1	2	-	1	1	-	8
2	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	10
18	3	-	4	11	4	-	-	-	4	19	1	-	8	10	9	1	1	3	4	11
20	1	1	8	10	1	1	-	-	-	6	-	-	2	4	5	-	-	3	2	12
8	-	2	4	2	3	-	-	-	3	3	-	-	2	1	2	-	-	-	2	13
237	-	1	67	169	40	-	-	10	30	99	-	-	58	41	117	-	2	44	71	14
11	-	1	2	8	6	-	-	-	6	2	-	-	1	1	13	-	2	-	11	15
226	...	...	65	161	34	...	...	10	24	97	...	...	57	40	104	...	...	44	60	16
3	-	-	1	2	3	-	-	1	2	-	-	-	-	-	3	-	-	2	1	17
33	3	-	11	19	9	1	-	4	4	8	-	1	7	-	5	-	-	3	2	18
4	-	-	2	2	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	19
22	1	-	8	13	5	-	-	4	1	6	-	1	5	-	3	-	-	2	1	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
7	2	-	1	4	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	22
-	-	-	-	-	2	-	-	-	2	1	-	-	1	-	1	-	-	-	1	23
13	3	4	3	3	2	-	1	-	1	12	7	2	2	1	2	2	-	-	-	24
70	-	1	13	56	23	-	-	-	23	50	-	-	20	30	20	-	-	3	17	25
5	-	1	3	1	5	-	2	-	3	4	-	-	2	2	3	1	1	-	1	26
247	139	31	48	29	33	19	5	7	2	106	57	11	26	12	128	59	12	32	25	27
23	14	2	5	2	1	1	-	-	-	9	2	1	3	3	7	2	-	5	-	28
16	6	1	7	2	2	-	-	2	-	7	2	2	2	1	16	6	1	3	6	29
116	57	11	28	20	18	10	2	4	2	52	27	4	15	6	57	23	3	17	14	30
92	62	17	8	5	12	8	3	1	-	38	26	4	6	2	48	28	8	7	5	31
1,163	616	510	7	30	104	58	44	1	1	459	364	80	10	5	498	306	171	5	16	32
129	79	47	3	-	8	5	3	-	-	68	51	17	-	-	59	41	18	-	-	33
62	36	23	3	-	2	1	1	-	-	33	22	11	-	-	29	20	9	-	-	34
67	43	24	-	-	6	4	2	-	-	35	29	6	-	-	30	21	9	-	-	35
50	25	25	...	...	2	1	1	...	...	19	13	6	...	...	17	10	7	...	...	36
28	17	11	...	...	2	1	1	...	...	16	12	4	...	...	14	9	5	...	...	37
22	8	14	...	...	-	-	-	...	...	3	1	2	...	...	3	1	2	...	...	38
79	54	22	3	-	6	4	2	-	-	49	38	11	-	-	42	31	11	-	-	39
34	19	12	3	-	-	-	-	-	-	17	10	7	-	-	15	11	4	-	-	40
45	35	10	-	-	6	4	2	-	-	32	28	4	-	-	27	20	7	-	-	41
241	140	98	-	3	23	17	6	-	-	112	90	18	3	1	99	64	32	2	1	42
85	47	38	-	-	10	6	4	-	-	46	35	8	2	1	37	23	13	1	-	43
156	93	60	-	3	13	11	2	-	-	66	55	10	1	-	62	41	19	1	1	44
93	37	56	...	...	5	1	4	...	...	23	16	7	...	...	27	12	15	...	...	45
65	19	46	...	...	3	1	2	...	...	19	14	5	...	...	21	10	11	...	...	46
28	18	10	...	...	2	-	2	...	...	4	2	2	...	...	6	2	4	...	...	47
10	3	7	-	-	1	-	1	-	-	5	4	1	-	-	6	3	3	-	-	48
7	2	5	-	-	1	-	1	-	-	5	4	1	-	-	4	2	2	-	-	49
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	50
29	15	14	-	-	5	2	3	-	-	7	3	4	-	-	13	5	8	-	-	51
13	4	9	-	-	4	2	2	-	-	6	2	4	-	-	6	3	3	-	-	52
16	11	5	-	-	1	-	1	-	-	1	1	-	-	-	7	2	5	-	-	53
11	8	3	-	-	-	-	-	-	-	4	3	1	-	-	8	6	2	-	-	54
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	4	2	2	-	-	55
10	7	3	-	-	-	-	-	-	-	2	2	-	-	-	4	4	-	-	-	56
20	17	-	-	3	1	1	-	-	-	10	9	1	-	-	9	7	2	-	-	57
15	12	-	-	3	1	1	-	-	-	6	5	1	-	-	8	6	2	-	-	58
5	5	-	-	-	-	-	-	-	-	4	4	-	-	-	1	1	-	-	-	59
8	3	5	-	-	-	-	-	-	-	2	1	1	-	-	1	-	1	-	-	60
6	2	4	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	61
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	62
230	120	87	3	20	17	7	8	1	1	79	66	5	4	4	139	69	37	2	11	63
87	36	29	3	19	5	2	1	1	1	27	18	1	4	4	49	27	11	1	10	64
143	84	58	-	1	12	5	7	-	-	52	48	4	-	-	90	62	26	1	1	65
14	10	2	1	1	2	1	1	-	-	3	-	-	3	-	21	3	14	1	3	66
378	184	191	-	3	42	24	18	-	-	146	121	25	-	-	116	76	39	-	1	67
191	9	54	30	98	5	1	2	1	1	27	-	8	-	19	43	2	4	14	23	68
37	4	5	16	12	4	-	1	-	3	12	2	-	4	6	22	2	3	10	7	69
90	2	3	34	51	17	1	1	8	7	35	3	1	22	9	63	3	9	24	27	70
16	-	-	3	13	4	-	1	2	1	11	2	-	5	4	8	1	1	2	4	71
25	1	-	11	13	5	-	-	3	2	5	-	-	5	-	21	-	2	8	11	72
49	1	3	20	25	8	1	-	3	4	19	1	1	12	5	34	2	6	14	12	73
3	1	-	1	1	-	-	-	-	-	4	1	-	1	2	1	1	-	-	-	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after cause of death are category numbers

	Cause of death	California					Colorado				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	All causes	7,844	4,795	915	1,786	348	895	609	39	228	19
2	Dysentery, all forms--045-048	2	-	-	1	1	1	-	-	-	1
3	Septicemia and pyemia--053	19	-	-	14	5	2	-	-	2	-
4	Whooping cough--056	5	-	-	5	-	-	-	-	-	-
5	Meningococcal infections--057	20	1	1	16	2	1	-	-	1	-
6	Tetanus--061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	42	6	-	32	4	4	-	-	4	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	27	4	-	19	4	2	-	-	2	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	9	5	2	2	-	2	2	-	-	-
10	Diseases of thymus gland--273	8	2	1	4	1	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	87	20	7	47	13	4	1	-	3	-
12	Other diseases of nervous system and sense organs--330-334,341-398	62	4	-	50	8	9	-	-	9	-
13	Acute upper respiratory infections--470-475	28	3	-	23	2	9	1	-	6	2
14	Influenza and pneumonia, except pneumonia of newborn--480-493	780	-	-	629	151	80	-	-	72	8
15	Influenza--480-483	2	-	-	2	-	3	-	-	2	1
16	Pneumonia, except pneumonia of newborn--490-493	778	...	...	627	151	77	...	...	70	7
17	Bronchitis--500-502	49	2	-	40	7	1	-	-	1	-
18	Other diseases of respiratory system--510-522,525-527	258	17	4	190	47	9	-	-	9	-
19	Pulmonary congestion and hypostasis--522	30	7	1	18	4	3	-	-	3	-
20	Other chronic interstitial pneumonia--525	204	2	-	160	42	1	-	-	1	-
21	Bronchiectasis--526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	8	3	-	4	1	4	-	-	4	-
23	All other diseases of respiratory system--510-521,527.1	16	5	3	8	-	1	-	-	1	-
24	Hernia and intestinal obstruction--560,561,570	97	65	7	22	3	8	7	-	1	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	61	-	-	50	11	10	-	-	10	-
26	Other diseases of digestive system--530-542,544-553,573-587	28	8	7	11	2	-	-	-	-	-
27	Congenital malformations--750-759	1,210	753	74	343	40	159	97	5	54	3
28	Spina bifida and meningocele--751	46	29	1	15	1	9	2	1	6	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	101	57	5	32	7	7	4	-	3	-
30	Congenital malformations of circulatory system--754	647	352	43	226	26	80	41	4	33	2
31	Other congenital malformations--750,755-759	416	315	25	70	6	63	50	-	12	1
32	Certain diseases of early infancy--760-776	4,674	3,824	800	41	9	541	493	34	14	-
33	Birth injuries--760,761	835	699	135	-	1	64	60	3	1	-
34	Without mention of immaturity (.0)	284	247	37	-	-	12	12	-	-	-
35	With immaturity (.5)	551	452	98	-	1	52	48	3	1	-
36	Intracranial and spinal injury at birth--760	286	210	76	...	...	22	21	1	...	...
37	Without mention of immaturity (.0)	115	98	17	...	...	7	7	-	...	...
38	With immaturity (.5)	171	112	59	...	...	15	14	1	...	...
39	Other birth injury--761	549	489	59	-	1	42	39	2	1	-
40	Without mention of immaturity (.0)	169	149	20	-	-	5	5	-	-	-
41	With immaturity (.5)	380	340	39	-	1	37	34	2	1	-
42	Postnatal asphyxia and atelectasis--762	1,242	1,054	175	13	-	129	121	7	1	-
43	Without mention of immaturity (.0)	311	271	31	9	-	22	21	1	-	-
44	With immaturity (.5)	931	783	144	4	-	107	100	6	1	-
45	Pneumonia of newborn--763	240	191	49	...	...	21	20	1	...	...
46	Without mention of immaturity (.0)	174	141	33	...	...	14	13	1	...	...
47	With immaturity (.5)	66	50	16	...	...	7	7	-	...	...
48	Diarrhea of newborn--764	14	7	7	-	-	1	1	-	-	-
49	Without mention of immaturity (.0)	12	6	6	-	-	-	-	-	-	-
50	With immaturity (.5)	2	1	1	-	-	1	1	-	-	-
51	Other infections of newborn--765-768	76	60	16	-	-	9	9	-	-	-
52	Without mention of immaturity (.0)	42	34	8	-	-	2	2	-	-	-
53	With immaturity (.5)	34	26	8	-	-	7	7	-	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	70	53	8	8	1	12	9	2	1	-
55	Without mention of immaturity (.0-.4)	29	16	4	8	1	3	2	1	-	-
56	With immaturity (.5-.9)	41	37	4	-	-	9	7	1	1	-
57	Hemolytic disease of newborn (erythroblastosis)--770	136	124	11	1	-	10	9	1	-	-
58	Without mention of immaturity (.0-.2)	104	96	8	-	-	4	4	-	-	-
59	With immaturity (.5-.7)	32	28	3	1	-	6	5	1	-	-
60	Hemorrhagic disease of newborn--771	49	45	4	-	-	10	9	-	1	-
61	Without mention of immaturity (.0)	25	21	4	-	-	3	2	-	1	-
62	With immaturity (.5)	24	24	-	-	-	7	7	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	896	739	143	10	4	143	131	7	5	-
64	Without mention of immaturity (.0)	142	117	17	5	3	14	10	-	4	-
65	With immaturity (.5)	754	622	126	5	1	129	121	7	1	-
66	Immaturity with mention of any other subsidiary condition--774	95	65	21	8	1	13	8	2	3	-
67	Immaturity, unqualified--776	1,021	787	231	1	2	129	116	11	2	-
68	Symptoms and ill-defined conditions--780-793,795	39	10	4	21	4	6	2	-	4	-
69	All other diseases--Residual	115	41	6	58	10	8	1	-	7	-
70	Accidents--E800-E962	206	26	-	161	19	35	2	-	28	5
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	40	3	-	32	5	8	1	-	5	2
72	Accidental mechanical suffocation in bed and cradle--E924	25	2	-	21	2	8	-	-	6	2
73	Other accidental causes--E800-E920,E923,E925-E962	141	21	-	108	12	19	1	-	17	1
74	Homicide--E964,E980-E984	18	4	2	7	5	4	3	-	1	-

From 55 Selected Causes, by Color: United States and Each State, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

Connecticut					Delaware					District of Columbia					Florida					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
1,188	785	146	212	45	260	129	51	42	38	577	75	331	22	149	3,025	1,345	773	388	519	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2
5	-	-	4	1	1	-	-	-	1	1	-	-	-	1	15	-	-	6	9	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	13	1	1	8	3	5
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	6
3	-	-	3	-	-	-	-	-	-	2	-	-	-	2	25	4	2	8	11	7
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	7	1	-	6	-	8
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	10
10	3	-	6	1	2	-	-	2	-	6	-	2	-	4	38	6	2	8	22	11
9	1	-	5	3	4	-	-	2	2	2	-	-	1	1	25	1	1	16	7	12
2	-	-	2	-	1	-	-	1	-	-	-	-	-	-	4	-	-	1	3	13
59	-	-	46	13	7	-	-	3	4	23	-	-	4	19	234	-	2	83	149	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-	2	-	6	15
59	...	...	46	13	7	...	...	3	4	23	...	...	4	19	226	...	...	83	143	16
6	1	-	4	1	1	-	-	1	-	2	-	-	-	2	11	-	-	4	7	17
13	2	-	7	4	17	1	1	6	9	6	-	1	-	5	85	3	1	34	47	18
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	27	1	1	12	13	19
7	-	-	6	1	17	1	1	6	9	5	-	-	-	5	51	1	-	18	32	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	3	-	-	3	-	22
4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	4	1	-	1	2	23
17	11	2	4	-	3	3	-	-	-	7	1	-	2	4	30	13	3	4	10	24
7	-	-	5	2	10	-	-	2	8	8	-	-	-	8	79	-	-	18	61	25
7	3	1	3	-	-	-	-	-	-	4	-	2	-	2	17	5	3	5	4	26
205	131	5	61	8	35	16	2	14	3	54	4	26	7	17	418	210	61	83	64	27
26	15	-	10	1	4	2	-	2	-	3	-	2	-	1	35	19	3	8	5	28
14	5	-	9	-	2	1	1	-	-	7	-	4	1	2	34	13	6	8	7	29
76	40	2	27	7	17	4	1	11	1	24	2	10	2	10	208	86	31	49	42	30
89	71	3	15	-	12	9	-	1	2	20	2	10	4	4	141	92	21	18	10	31
756	612	135	9	-	156	106	48	-	2	400	65	293	5	37	1,783	1,071	668	15	29	32
97	87	10	-	-	19	12	7	-	-	32	10	22	-	-	221	148	72	1	-	33
33	28	5	-	-	7	4	3	-	-	11	4	7	-	-	106	64	41	1	-	34
64	59	5	-	-	12	8	4	-	-	21	6	15	-	-	115	84	31	-	-	35
33	31	2	...	...	11	5	6	...	...	12	3	9	...	...	88	54	34	...	...	36
15	13	2	...	...	5	2	3	...	...	4	2	2	...	...	53	33	20	...	...	37
18	18	-	...	...	6	3	3	...	...	8	1	7	...	...	35	21	14	...	...	38
64	56	8	-	-	8	7	1	-	-	20	7	13	-	-	133	94	38	1	-	39
18	15	3	-	-	2	2	-	-	-	7	2	5	-	-	53	31	21	1	-	40
46	41	5	-	-	6	5	1	-	-	13	5	8	-	-	80	63	17	-	-	41
236	199	31	6	-	57	40	17	-	-	77	20	57	-	-	486	300	176	5	5	42
52	37	9	6	-	13	7	6	-	-	18	2	16	-	-	155	88	58	5	4	43
184	162	22	-	-	44	33	11	-	-	59	18	41	-	-	331	212	118	-	1	44
28	19	9	...	...	1	1	-	...	...	11	3	8	...	...	85	42	43	...	...	45
20	14	6	...	...	1	1	-	...	...	8	2	6	...	...	61	30	31	...	...	46
8	5	3	...	...	-	-	-	...	...	3	1	2	...	...	24	12	12	...	...	47
2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	20	3	17	-	-	48
2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	14	2	12	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1	5	-	-	50
7	6	1	-	-	2	1	1	-	-	3	-	3	-	-	29	19	10	-	-	51
5	5	-	-	-	1	1	-	-	-	2	-	2	-	-	14	10	4	-	-	52
2	1	1	-	-	1	-	1	-	-	1	-	1	-	-	15	9	6	-	-	53
8	5	2	1	-	-	-	-	-	-	3	1	1	-	1	32	15	12	2	3	54
2	1	-	1	-	-	-	-	-	-	3	1	1	-	1	13	6	2	2	3	55
6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	19	9	10	-	-	56
24	24	-	-	-	3	3	-	-	-	1	-	1	-	-	39	35	4	-	-	57
18	18	-	-	-	3	3	-	-	-	1	-	1	-	-	33	29	4	-	-	58
6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	59
4	4	-	-	-	3	1	2	-	-	5	1	4	-	-	14	8	6	-	-	60
3	3	-	-	-	2	1	1	-	-	2	1	1	-	-	9	5	4	-	-	61
1	1	-	-	-	1	-	1	-	-	3	-	3	-	-	5	3	2	-	-	62
119	93	26	-	-	28	23	3	-	2	86	16	29	5	36	371	228	122	5	16	63
18	15	3	-	-	8	5	1	-	2	54	5	8	5	36	89	52	24	3	10	64
101	78	23	-	-	20	18	2	-	-	32	11	21	-	-	282	176	98	2	6	65
31	17	12	2	-	-	-	-	-	-	3	1	2	-	-	48	24	19	1	4	66
200	156	44	-	-	43	25	18	-	-	178	13	165	-	-	438	249	187	1	1	67
31	6	2	18	5	-	-	-	-	-	15	2	2	1	10	78	8	11	20	39	68
21	10	-	10	1	2	2	-	-	-	6	1	-	-	5	58	12	10	16	20	69
29	2	-	21	6	19	1	-	9	9	37	-	4	2	31	96	10	6	49	31	70
9	1	-	5	3	5	-	-	2	3	4	-	-	1	3	19	3	3	8	5	71
3	-	-	3	-	4	-	-	3	1	3	-	-	-	3	19	2	1	8	8	72
17	1	-	13	3	10	1	-	4	5	30	-	4	1	25	58	5	2	33	18	73
4	2	1	1	-	1	-	-	1	-	3	2	1	-	-	4	-	-	2	2	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers

	Cause of death	Georgia					Hawaii				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	All causes	2,734	974	776	329	655	348	80	181	25	62
2	Dysentery, all forms-045-048	9	-	-	-	9	1	-	-	-	1
3	Septicemia and pyemia-053	15	-	-	8	7	-	-	-	-	-
4	Whooping cough-056	2	-	-	-	2	-	-	-	-	-
5	Meningococcal infections-057	10	3	-	4	3	1	-	-	1	-
6	Tetanus-061	1	-	1	-	-	-	-	-	-	-
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	25	3	-	11	11	5	1	2	1	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	7	1	-	5	1	-	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	1	-	-	1	-	3	-	-	1	2
10	Diseases of thymus gland-273	1	-	-	1	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-340	28	5	-	9	14	6	-	1	2	3
12	Other diseases of nervous system and sense organs-330-334,341-398	13	1	1	5	6	-	-	-	-	-
13	Acute upper respiratory infections-470-475	5	-	1	-	4	1	-	-	-	1
14	Influenza and pneumonia, except pneumonia of newborn-480-493	380	-	1	97	282	31	-	-	10	21
15	Influenza-480-483	15	-	1	3	11	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn-490-493	365	...	...	94	271	31	...	...	10	21
17	Bronchitis-500-502	13	1	3	3	6	2	-	-	-	2
18	Other diseases of respiratory system-510-522,525-527	69	2	1	14	52	1	-	-	-	1
19	Pulmonary congestion and hypostasis-522	1	-	-	1	-	-	-	-	-	-
20	Other chronic interstitial pneumonia-525	60	-	1	12	47	1	-	-	-	1
21	Bronchiectasis-526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	6	1	-	-	5	-	-	-	-	-
23	All other diseases of respiratory system-510-521,527.1	2	1	-	1	-	-	-	-	-	-
24	Hernia and intestinal obstruction-560,561,570	16	5	6	4	1	1	-	-	-	1
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	76	-	1	12	63	7	-	-	-	7
26	Other diseases of digestive system-530-542,544-553,573-587	16	1	6	2	7	1	-	1	-	-
27	Congenital malformations-750-759	296	139	55	72	30	50	13	22	4	11
28	Spina bifida and meningocele-751	32	16	3	13	-	1	-	-	1	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	26	8	7	5	6	3	-	-	2	1
30	Congenital malformations of circulatory system-754	133	59	16	42	16	27	6	12	1	8
31	Other congenital malformations-750,755-759	105	56	29	12	8	19	7	10	-	2
32	Certain diseases of early infancy-760-776	1,518	790	658	12	58	220	64	151	-	5
33	Birth injuries-760,761	167	105	62	-	-	22	9	13	-	-
34	Without mention of immaturity (.0)	85	54	31	-	-	7	1	6	-	-
35	With immaturity (.5)	82	51	31	-	-	15	8	7	-	-
36	Intracranial and spinal injury at birth-760	46	30	16	...	...	7	3	4	...	...
37	Without mention of immaturity (.0)	33	22	11	...	...	3	-	3	...	...
38	With immaturity (.5)	13	8	5	...	...	4	3	1	...	...
39	Other birth injury-761	121	75	46	-	-	15	6	9	-	-
40	Without mention of immaturity (.0)	52	32	20	-	-	4	1	3	-	-
41	With immaturity (.5)	69	43	26	-	-	11	5	6	-	-
42	Postnatal asphyxia and atelectasis-762	382	214	164	2	2	36	8	28	-	-
43	Without mention of immaturity (.0)	121	58	59	2	2	10	2	8	-	-
44	With immaturity (.5)	261	156	105	-	-	26	6	20	-	-
45	Pneumonia of newborn-763	110	39	71	...	...	17	2	15	...	...
46	Without mention of immaturity (.0)	83	25	58	...	...	11	2	9	...	...
47	With immaturity (.5)	27	14	13	...	...	6	-	6	...	...
48	Diarrhea of newborn-764	20	5	14	-	1	2	-	2	-	-
49	Without mention of immaturity (.0)	18	5	12	-	1	2	-	2	-	-
50	With immaturity (.5)	2	-	2	-	-	-	-	-	-	-
51	Other infections of newborn-765-768	55	23	31	-	1	8	2	6	-	-
52	Without mention of immaturity (.0)	35	14	21	-	-	4	-	4	-	-
53	With immaturity (.5)	20	9	10	-	1	4	2	2	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	17	5	8	1	3	7	-	5	-	2
55	Without mention of immaturity (.0-.4)	9	3	2	1	3	4	-	2	-	2
56	With immaturity (.5-.9)	8	2	6	-	-	3	-	3	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	25	20	4	-	1	5	3	2	-	-
58	Without mention of immaturity (.0-.2)	12	9	2	-	1	4	3	1	-	-
59	With immaturity (.5-.7)	13	11	2	-	-	1	-	1	-	-
60	Hemorrhagic disease of newborn-771	13	8	5	-	-	4	-	3	-	1
61	Without mention of immaturity (.0)	10	6	4	-	-	3	-	2	-	1
62	With immaturity (.5)	3	2	1	-	-	1	-	1	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	317	161	107	6	43	29	8	21	-	-
64	Without mention of immaturity (.0)	118	43	33	4	38	1	1	-	-	-
65	With immaturity (.5)	199	118	74	2	5	28	7	21	-	-
66	Immaturity with mention of any other subsidiary condition-774	32	10	17	2	3	5	-	4	-	1
67	Immaturity, unqualified-776	380	200	175	1	4	85	32	52	-	1
68	Symptoms and ill-defined conditions-780-793,795	61	3	17	13	28	8	2	3	2	1
69	All other diseases-Residual	41	11	9	11	10	1	-	-	-	1
70	Accidents-E800-E962	129	8	15	45	61	8	-	1	3	4
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	24	2	1	10	11	2	-	1	-	1
72	Accidental mechanical suffocation in bed and cradle-E924	29	2	2	9	16	2	-	-	1	1
73	Other accidental causes-E800-E920,E923,E925-E962	76	4	12	26	34	4	-	-	2	2
74	Homicide-E964,E980-E984	2	1	1	-	-	1	-	-	1	-

From 55 Selected Causes, by Color: United States and Each State, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

Idaho					Illinois					Indiana					Iowa					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
327	227	6	91	3	5,340	2,721	1,170	931	518	2,309	1,501	216	490	102	1,049	770	17	254	8	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2
1	-	-	1	-	4	-	-	2	2	8	-	-	6	2	5	-	-	5	-	3
-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	4
1	-	-	1	-	18	2	-	13	3	7	1	-	5	1	4	-	-	4	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
1	-	-	1	-	18	4	1	9	4	14	2	-	9	3	4	1	-	3	-	7
-	-	-	-	-	12	1	-	10	1	5	2	-	3	-	4	1	-	3	-	8
-	-	-	-	-	9	5	-	3	1	2	1	-	1	-	3	1	1	1	-	9
-	-	-	-	-	3	1	-	2	-	1	-	-	1	-	-	-	-	-	-	10
1	1	-	-	-	36	12	3	13	8	23	7	2	12	2	7	3	-	4	-	11
4	-	-	4	-	34	1	-	29	4	18	1	-	14	3	10	2	-	8	-	12
2	-	-	2	-	6	-	-	4	2	7	-	-	5	2	2	-	-	2	-	13
31	-	-	29	2	677	-	-	355	322	184	-	-	143	41	82	-	-	78	4	14
2	-	-	2	-	2	-	-	2	-	5	-	-	5	-	1	-	-	1	-	15
29	...	...	27	2	675	...	...	353	322	179	...	...	138	41	81	...	...	77	4	16
3	-	-	3	-	48	4	-	31	13	6	1	-	3	2	5	-	-	5	-	17
4	-	-	3	1	45	3	2	33	7	36	3	-	32	1	16	1	-	14	1	18
-	-	-	-	-	5	-	2	3	-	5	-	-	5	-	2	1	-	1	-	19
2	-	-	1	1	32	2	-	26	4	19	-	-	19	-	14	-	-	13	1	20
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	21
1	-	-	1	-	6	-	-	4	2	8	1	-	6	1	-	-	-	-	-	22
1	-	-	1	-	2	1	-	-	1	3	2	-	1	-	-	-	-	-	-	23
3	3	-	-	-	44	25	6	11	2	18	12	-	6	-	12	11	-	1	-	24
5	-	-	5	-	69	-	-	41	28	26	1	-	20	5	10	-	-	9	1	25
2	1	-	1	-	20	8	2	8	2	11	5	2	2	2	2	2	-	-	-	26
41	30	-	11	-	758	431	62	216	49	369	252	11	94	12	199	134	1	62	2	27
3	3	-	-	-	65	39	-	23	3	31	21	1	9	-	6	5	-	1	-	28
4	2	-	2	-	75	26	5	35	9	31	20	-	10	1	21	14	-	6	1	29
21	14	-	7	-	368	185	31	122	30	186	117	7	55	7	105	62	-	42	1	30
13	11	-	2	-	250	181	26	36	7	121	94	3	20	4	67	53	1	13	-	31
192	183	5	4	-	3,312	2,175	1,088	22	27	1,404	1,182	197	16	9	625	601	14	10	-	32
35	34	1	-	-	350	278	72	-	-	193	176	17	-	-	113	109	4	-	-	33
14	14	-	-	-	129	99	30	-	-	64	58	6	-	-	27	27	-	-	-	34
21	20	1	-	-	221	179	42	-	-	129	118	11	-	-	86	82	4	-	-	35
5	5	-	...	...	113	78	35	...	...	43	38	5	...	...	17	17	-	...	...	36
2	2	-	...	...	62	44	18	...	...	24	22	2	...	...	8	8	-	...	...	37
3	3	-	...	...	51	34	17	...	...	19	16	3	...	...	9	9	-	...	...	38
30	29	1	-	-	237	200	37	-	-	150	138	12	-	-	96	92	4	-	-	39
12	12	-	-	-	67	55	12	-	-	40	36	4	-	-	19	19	-	-	-	40
18	17	1	-	-	170	145	25	-	-	110	102	8	-	-	77	73	4	-	-	41
32	29	-	3	-	1,785	1,106	651	11	17	418	353	58	5	2	149	144	2	3	-	42
12	10	-	2	-	293	227	59	6	1	144	117	21	5	1	40	37	-	3	-	43
20	19	-	1	-	1,492	879	592	5	16	274	236	37	-	1	109	107	2	-	-	44
7	7	-	...	...	297	127	170	...	...	55	46	9	...	...	26	25	1	...	...	45
5	5	-	...	...	253	102	151	...	...	35	31	4	...	...	19	19	-	...	...	46
2	2	-	...	...	44	25	19	...	...	20	15	5	...	...	7	6	1	...	...	47
-	-	-	-	-	23	7	16	-	-	5	4	1	-	-	-	-	-	-	-	48
-	-	-	-	-	13	3	10	-	-	5	4	1	-	-	-	-	-	-	-	49
-	-	-	-	-	10	4	6	-	-	-	-	-	-	-	-	-	-	-	-	50
3	3	-	-	-	16	14	1	1	-	10	8	2	-	-	5	4	1	-	-	51
3	3	-	-	-	9	7	1	1	-	7	6	1	-	-	2	1	1	-	-	52
-	-	-	-	-	7	7	-	-	-	3	2	1	-	-	3	3	-	-	-	53
6	6	-	-	-	14	13	1	-	-	18	10	3	3	2	11	11	-	-	-	54
2	2	-	-	-	4	4	-	-	-	8	3	-	3	2	2	2	-	-	-	55
4	4	-	-	-	10	9	1	-	-	10	7	3	-	-	9	9	-	-	-	56
9	9	-	-	-	82	74	8	-	-	30	30	-	-	-	21	20	-	1	-	57
9	9	-	-	-	63	58	5	-	-	25	25	-	-	-	16	15	-	1	-	58
-	-	-	-	-	19	16	3	-	-	5	5	-	-	-	5	5	-	-	-	59
1	1	-	-	-	29	24	4	1	-	12	9	3	-	-	3	3	-	-	-	60
1	1	-	-	-	20	15	4	1	-	5	3	2	-	-	2	2	-	-	-	61
-	-	-	-	-	9	9	-	-	-	7	6	1	-	-	1	1	-	-	-	62
41	38	2	1	-	215	162	43	5	5	225	194	26	3	2	142	139	1	2	-	63
11	9	1	1	-	65	48	8	5	4	60	52	6	1	1	24	22	-	2	-	64
30	29	1	-	-	150	114	35	-	1	165	142	20	2	1	118	117	1	-	-	65
2	2	-	-	-	44	26	9	4	5	26	18	4	4	-	12	10	-	2	-	66
56	54	2	-	-	457	344	113	-	-	412	334	74	1	3	143	136	5	2	-	67
4	3	-	1	-	22	11	2	5	4	25	5	2	15	3	7	1	1	5	-	68
12	4	-	8	-	77	26	3	44	4	45	14	1	29	1	10	4	-	6	-	69
19	1	1	17	-	119	10	-	77	32	89	7	1	68	13	38	5	-	33	-	70
3	-	-	3	-	13	1	-	11	1	20	1	-	13	6	4	-	-	4	-	71
4	1	-	3	-	18	2	-	13	3	22	2	-	20	-	12	-	-	12	-	72
12	-	1	11	-	88	7	-	53	28	47	4	1	35	7	22	5	-	17	-	73
1	1	-	-	-	8	2	1	2	3	10	5	-	5	-	3	3	-	-	-	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers

	Cause of death	Kansas					Kentucky				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	All causes	801	547	55	168	31	1,556	930	136	401	89
2	Dysentery, all forms-045-048	-	-	-	-	-	2	-	-	2	-
3	Septicemia and pyemia-053	3	-	-	3	-	7	-	-	4	3
4	Whooping cough-056	-	-	-	-	-	-	-	-	-	-
5	Meningococcal infections-057	-	-	-	-	-	8	1	1	6	-
6	Tetanus-061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	8	2	-	5	1	7	-	-	6	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	2	-	-	2	-	6	1	-	5	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	-	-	-	-	-	3	2	-	1	-
10	Diseases of thymus gland-273	-	-	-	-	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-340	2	1	-	1	-	20	3	-	9	8
12	Other diseases of nervous system and sense organs-330-334,341-398	4	1	-	2	1	19	1	-	14	4
13	Acute upper respiratory infections-470-475	1	-	-	1	-	9	1	-	7	1
14	Influenza and pneumonia, except pneumonia of newborn-480-493	55	-	-	45	10	162	-	-	136	26
15	Influenza-480-483	4	-	-	4	-	3	-	-	3	-
16	Pneumonia, except pneumonia of newborn-490-493	51	...	...	41	10	159	...	...	133	26
17	Bronchitis-500-502	3	-	-	1	2	9	2	-	5	2
18	Other diseases of respiratory system-510-522,525-527	13	3	-	9	1	17	4	-	10	3
19	Pulmonary congestion and hypostasis-522	3	2	-	1	-	1	-	-	1	-
20	Other chronic interstitial pneumonia-525	7	-	-	7	-	7	-	-	5	2
21	Bronchiectasis-526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	1	-	-	1	-	5	1	-	3	1
23	All other diseases of respiratory system-510-521,527.1	2	1	-	-	1	4	3	-	1	-
24	Hernia and intestinal obstruction-560,561,570	7	3	-	4	-	6	6	-	-	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	8	-	-	8	-	42	-	-	30	12
26	Other diseases of digestive system-530-542,544-553,573-587	2	-	-	2	-	7	2	1	3	1
27	Congenital malformations-750-759	130	82	2	41	5	228	144	12	64	8
28	Spina bifida and meningocele-751	10	4	-	6	-	26	14	1	11	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	10	8	-	2	-	18	8	-	10	-
30	Congenital malformations of circulatory system-754	75	43	-	28	4	102	59	6	29	8
31	Other congenital malformations-750,755-759	35	27	2	5	1	82	63	5	14	-
32	Certain diseases of early infancy-760-776	497	436	52	4	5	874	739	120	11	4
33	Birth injuries-760,761	88	82	6	-	-	99	91	8	-	-
34	Without mention of immaturity (.0)	34	31	3	-	-	50	46	4	-	-
35	With immaturity (.5)	54	51	3	-	-	49	45	4	-	-
36	Intracranial and spinal injury at birth-760	22	21	1	...	...	28	24	4	...	...
37	Without mention of immaturity (.0)	16	15	1	...	...	16	14	2	...	...
38	With immaturity (.5)	6	6	-	...	...	12	10	2	...	...
39	Other birth injury-761	66	61	5	-	-	71	67	4	-	-
40	Without mention of immaturity (.0)	18	16	2	-	-	34	32	2	-	-
41	With immaturity (.5)	48	45	3	-	-	37	35	2	-	-
42	Postnatal asphyxia and atelectasis-762	109	91	16	1	1	223	193	29	-	1
43	Without mention of immaturity (.0)	32	26	5	1	-	75	67	7	-	1
44	With immaturity (.5)	77	65	11	-	1	148	126	22	-	-
45	Pneumonia of newborn-763	22	21	1	...	...	47	39	8	...	...
46	Without mention of immaturity (.0)	14	13	1	...	...	35	29	6	...	...
47	With immaturity (.5)	8	8	-	...	...	12	10	2	...	...
48	Diarrhea of newborn-764	4	2	2	-	-	8	5	3	-	-
49	Without mention of immaturity (.0)	4	2	2	-	-	6	3	3	-	-
50	With immaturity (.5)	-	-	-	-	-	2	2	-	-	-
51	Other infections of newborn-765-768	6	4	2	-	-	12	11	1	-	-
52	Without mention of immaturity (.0)	5	3	2	-	-	9	8	1	-	-
53	With immaturity (.5)	1	1	-	-	-	3	3	-	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	6	4	2	-	-	8	8	-	-	-
55	Without mention of immaturity (.0-.4)	3	2	1	-	-	2	2	-	-	-
56	With immaturity (.5-.9)	3	2	1	-	-	6	6	-	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	20	20	-	-	-	27	24	3	-	-
58	Without mention of immaturity (.0-.2)	16	16	-	-	-	19	16	3	-	-
59	With immaturity (.5-.7)	4	4	-	-	-	8	8	-	-	-
60	Hemorrhagic disease of newborn-771	3	2	1	-	-	10	10	-	-	-
61	Without mention of immaturity (.0)	3	2	1	-	-	7	7	-	-	-
62	With immaturity (.5)	-	-	-	-	-	3	3	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	126	111	11	1	3	165	133	22	8	2
64	Without mention of immaturity (.0)	39	34	1	1	3	42	30	3	7	2
65	With immaturity (.5)	87	77	10	-	-	123	103	19	1	-
66	Immaturity with mention of any other subsidiary condition-774	11	9	-	2	-	15	12	-	2	1
67	Immaturity, unqualified-776	102	90	11	-	1	260	213	46	1	-
68	Symptoms and ill-defined conditions-780-793,795	5	3	-	2	-	39	7	1	24	7
69	All other diseases-Residual	21	10	-	10	1	29	9	1	18	1
70	Accidents-E800-E962	35	4	1	26	4	60	7	-	46	7
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	6	-	-	6	-	19	4	-	13	2
72	Accidental mechanical suffocation in bed and cradle-E924	3	1	-	2	-	12	1	-	10	1
73	Other accidental causes-E800-E920,E923,E925-E962	26	3	1	18	4	29	2	-	23	4
74	Homicide-E964,E980-E984	5	2	-	2	1	2	1	-	-	1

From 55 Selected Causes, by Color: United States and Each State, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

Louisiana					Maine					Maryland					Massachusetts					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
2,428	809	854	237	528	446	327	7	111	1	1,823	959	395	289	180	2,227	1,587	123	469	48	1
5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
23	-	-	8	15	2	-	-	2	-	7	-	-	5	2	4	-	-	4	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
10	-	-	6	4	4	1	-	3	-	5	-	-	4	1	9	2	-	7	-	5
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
16	-	2	8	6	5	2	-	3	-	7	-	-	7	-	11	1	-	9	1	7
1	1	-	-	-	3	1	-	2	-	3	-	-	2	1	7	1	1	5	-	8
1	-	-	1	-	1	1	-	-	-	3	-	-	2	1	2	-	-	1	1	9
4	-	-	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	10
29	5	5	3	16	5	2	-	3	-	16	4	1	6	5	17	8	1	8	-	11
21	1	-	11	9	7	1	-	5	1	19	-	-	13	6	13	1	-	9	3	12
8	-	-	4	4	-	-	-	-	-	7	-	-	5	2	2	-	-	2	-	13
233	-	-	48	185	45	-	-	45	-	115	-	-	68	47	198	-	-	178	20	14
3	-	-	2	1	2	-	-	2	-	1	-	-	1	-	-	-	-	-	-	15
230	...	...	46	184	43	...	...	43	-	114	...	...	67	47	198	...	...	178	20	16
4	-	-	-	4	3	-	-	3	-	2	-	-	1	1	10	1	-	7	2	17
55	1	2	17	35	8	1	-	7	-	68	1	-	30	37	37	4	-	32	1	18
2	-	-	-	2	1	-	-	1	-	-	-	-	-	-	2	1	-	1	-	19
41	-	-	12	29	4	-	-	4	-	61	-	-	29	32	21	-	-	20	1	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
7	1	-	3	3	2	-	-	2	-	6	-	-	1	5	13	2	-	11	-	22
5	-	2	2	1	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	23
27	12	6	4	5	3	2	-	1	-	13	7	4	2	-	17	15	-	2	-	24
82	-	-	8	74	7	-	-	7	-	29	1	-	8	20	13	-	-	12	1	25
18	3	4	5	6	1	-	-	1	-	5	1	-	2	2	11	3	2	5	1	26
308	120	85	56	47	60	44	-	16	-	249	138	23	73	15	371	238	10	112	11	27
27	10	2	10	5	6	2	-	4	-	17	11	-	6	-	45	26	-	18	1	28
15	3	4	3	5	5	3	-	2	-	25	10	3	11	1	28	15	3	10	-	29
160	52	49	31	28	31	22	-	9	-	122	62	10	39	11	166	92	3	66	5	30
106	55	30	12	9	18	17	-	1	-	85	55	10	17	3	132	105	4	18	5	31
1,426	648	724	15	39	273	266	7	-	-	1,165	785	362	7	11	1,401	1,285	105	11	-	32
185	80	105	-	-	46	45	1	-	-	142	107	35	-	-	202	191	11	-	-	33
84	34	50	-	-	20	19	1	-	-	59	41	18	-	-	63	60	3	-	-	34
101	46	55	-	-	26	26	-	-	-	83	66	17	-	-	139	131	8	-	-	35
97	35	62	...	...	17	16	1	...	...	61	43	18	...	...	86	79	7	...	...	36
45	21	24	...	...	9	8	1	...	...	28	19	9	...	...	41	38	3	...	...	37
52	14	38	...	...	8	8	-	...	...	33	24	9	...	...	45	41	4	...	...	38
88	45	43	-	-	29	29	-	-	-	81	64	17	-	-	116	112	4	-	-	39
39	13	26	-	-	11	11	-	-	-	31	22	9	-	-	22	22	-	-	-	40
49	32	17	-	-	18	18	-	-	-	50	42	8	-	-	94	90	4	-	-	41
307	149	151	3	4	84	83	1	-	-	305	202	101	2	-	321	297	20	4	-	42
107	45	55	3	4	29	29	-	-	-	76	45	30	1	-	82	78	1	3	-	43
200	104	96	-	-	55	54	1	-	-	229	157	71	1	-	239	219	19	1	-	44
97	35	62	...	...	11	11	-	...	...	68	47	21	...	...	81	75	6	...	...	45
65	21	44	...	...	8	8	-	...	...	38	26	12	...	...	52	47	5	...	...	46
32	14	18	...	...	3	3	-	...	...	30	21	9	...	...	29	28	1	...	...	47
23	5	18	-	-	1	1	-	-	-	6	1	5	-	-	2	1	1	-	-	48
21	5	16	-	-	-	-	-	-	-	6	1	5	-	-	2	1	1	-	-	49
2	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	50
30	9	21	-	-	3	3	-	-	-	26	12	14	-	-	12	11	1	-	-	51
21	8	13	-	-	3	3	-	-	-	6	4	2	-	-	8	8	-	-	-	52
9	1	8	-	-	-	-	-	-	-	20	8	12	-	-	4	3	1	-	-	53
19	8	9	1	1	5	5	-	-	-	7	4	1	2	-	15	14	1	-	-	54
9	3	4	1	1	2	2	-	-	-	2	-	-	2	-	4	4	-	-	-	55
10	5	5	-	-	3	3	-	-	-	5	4	1	-	-	11	10	1	-	-	56
37	28	9	-	-	10	10	-	-	-	22	17	5	-	-	60	59	-	1	-	57
26	18	8	-	-	8	8	-	-	-	14	11	3	-	-	40	39	-	1	-	58
11	10	1	-	-	2	2	-	-	-	8	6	2	-	-	20	20	-	-	-	59
25	9	16	-	-	1	1	-	-	-	9	4	5	-	-	10	9	1	-	-	60
17	5	12	-	-	-	-	-	-	-	2	1	1	-	-	7	6	1	-	-	61
8	4	4	-	-	1	1	-	-	-	7	3	4	-	-	3	3	-	-	-	62
279	144	108	4	23	44	41	3	-	-	218	160	47	2	9	196	180	13	3	-	63
77	32	22	4	19	11	10	1	-	-	51	35	5	2	9	36	33	1	2	-	64
202	112	86	-	4	33	31	2	-	-	167	125	42	-	-	160	147	12	1	-	65
28	6	7	5	10	2	2	-	-	-	27	14	11	1	1	42	38	2	2	-	66
396	175	218	2	1	66	64	2	-	-	335	217	117	-	1	460	410	49	1	-	67
12	2	6	-	4	2	-	-	2	-	4	2	1	-	1	11	4	-	6	1	68
48	10	7	11	20	4	2	-	2	-	30	12	1	9	8	46	17	3	22	4	69
95	6	12	30	47	13	4	-	9	-	69	5	2	43	19	44	5	1	36	2	70
15	-	6	4	5	3	1	-	2	-	16	2	1	11	2	20	3	1	16	-	71
17	1	1	3	12	6	2	-	4	-	14	1	-	9	4	3	-	-	3	-	72
63	5	5	23	30	4	1	-	3	-	39	2	1	23	13	21	2	-	17	2	73
1	-	-	-	1	-	-	-	-	-	7	3	1	2	1	2	1	-	1	-	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers

	Cause of death	Michigan					Minnesota				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	All causes	3,943	2,355	556	809	223	1,435	1,055	25	329	28
2	Dysentery, all forms-045-048	1	1	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-053	8	-	-	8	-	4	-	-	3	1
4	Whooping cough-056	-	-	-	-	-	1	-	-	1	-
5	Meningococcal infections-057	14	1	-	10	3	6	-	-	6	-
6	Tetanus-061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	14	6	1	7	-	9	3	-	6	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-209	9	1	-	8	-	5	-	-	5	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	6	3	-	3	-	2	2	-	-	-
10	Diseases of thymus gland-273	4	-	-	4	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-340	29	7	1	16	5	11	2	-	8	1
12	Other diseases of nervous system and sense organs-330-334,341-398	30	2	-	23	5	11	-	-	10	1
13	Acute upper respiratory infections-470-475	8	1	-	4	3	2	-	-	1	1
14	Influenza and pneumonia, except pneumonia of newborn-480-493	294	-	-	212	82	61	-	-	53	8
15	Influenza-480-483	2	-	-	1	1	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn-490-493	292	...	...	211	81	61	...	...	53	8
17	Bronchitis-500-502	20	1	-	14	5	6	1	-	5	-
18	Other diseases of respiratory system-510-522,525-527	99	7	2	67	23	32	5	-	25	2
19	Pulmonary congestion and hypostasis-522	3	1	1	1	-	9	1	-	8	-
20	Other chronic interstitial pneumonia-525	81	-	1	57	23	6	-	-	5	1
21	Bronchiectasis-526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	4	-	-	4	-	14	3	-	11	-
23	All other diseases of respiratory system-510-521,527.1	11	6	-	5	-	3	1	-	1	1
24	Hernia and intestinal obstruction-560,561,570	26	17	1	7	1	24	19	-	5	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	33	-	-	25	8	9	-	-	7	2
26	Other diseases of digestive system-530-542,544-553,573-587	15	4	5	4	2	6	4	-	2	-
27	Congenital malformations-750-759	641	368	34	198	41	257	145	5	102	5
28	Spina bifida and meningocele-751	64	28	3	32	1	23	11	1	11	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	59	26	1	27	5	22	9	-	13	-
30	Congenital malformations of circulatory system-754	302	153	18	109	22	125	69	3	52	1
31	Other congenital malformations-750,755-759	216	161	12	30	13	87	56	1	26	4
32	Certain diseases of early infancy-760-776	2,430	1,890	509	21	10	871	852	14	5	-
33	Birth injuries-760,761	427	345	82	-	-	149	146	3	-	-
34	Without mention of immaturity (.0)	152	126	26	-	-	49	48	1	-	-
35	With immaturity (.5)	275	219	56	-	-	100	98	2	-	-
36	Intracranial and spinal injury at birth-760	94	76	18	...	...	40	38	2	...	...
37	Without mention of immaturity (.0)	53	45	8	...	...	24	24	-	...	...
38	With immaturity (.5)	41	31	10	...	...	16	14	2	...	...
39	Other birth injury-761	333	269	64	-	-	109	108	1	-	-
40	Without mention of immaturity (.0)	99	81	18	-	-	25	24	1	-	-
41	With immaturity (.5)	234	188	46	-	-	84	84	-	-	-
42	Postnatal asphyxia and atelectasis-762	601	490	105	5	1	225	222	3	-	-
43	Without mention of immaturity (.0)	165	134	27	4	-	65	65	-	-	-
44	With immaturity (.5)	436	356	78	1	1	160	157	3	-	-
45	Pneumonia of newborn-763	82	62	20	...	...	21	20	1	...	...
46	Without mention of immaturity (.0)	54	38	16	...	...	13	12	1	...	...
47	With immaturity (.5)	28	24	4	...	...	8	8	-	...	...
48	Diarrhea of newborn-764	6	3	3	-	-	1	1	-	-	-
49	Without mention of immaturity (.0)	4	2	2	-	-	-	-	-	-	-
50	With immaturity (.5)	2	1	1	-	-	1	1	-	-	-
51	Other infections of newborn-765-768	26	14	12	-	-	9	9	-	-	-
52	Without mention of immaturity (.0)	10	6	4	-	-	5	5	-	-	-
53	With immaturity (.5)	16	8	8	-	-	4	4	-	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	42	29	10	2	1	20	18	-	2	-
55	Without mention of immaturity (.0-.4)	16	10	3	2	1	9	7	-	2	-
56	With immaturity (.5-.9)	26	19	7	-	-	11	11	-	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	93	91	2	-	-	24	23	1	-	-
58	Without mention of immaturity (.0-.2)	71	70	1	-	-	15	15	-	-	-
59	With immaturity (.5-.7)	22	21	1	-	-	9	8	1	-	-
60	Hemorrhagic disease of newborn-771	27	18	8	-	1	4	4	-	-	-
61	Without mention of immaturity (.0)	17	11	5	-	1	2	2	-	-	-
62	With immaturity (.5)	10	7	3	-	-	2	2	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	354	272	71	7	4	162	158	2	2	-
64	Without mention of immaturity (.0)	77	59	8	6	4	18	16	-	2	-
65	With immaturity (.5)	277	213	63	1	-	144	142	2	-	-
66	Immaturity with mention of any other subsidiary condition-774	45	36	1	5	3	21	20	-	1	-
67	Immaturity, unqualified-776	727	530	195	2	-	235	231	4	-	-
68	Symptoms and ill-defined conditions-780-793,795	42	6	-	29	7	44	6	3	32	3
69	All other diseases-Residual	74	17	2	48	7	28	9	1	17	1
70	Accidents-E800-E962	141	21	1	99	20	44	6	-	35	3
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	33	8	-	19	6	3	1	-	2	-
72	Accidental mechanical suffocation in bed and cradle-E924	22	2	-	18	2	13	-	-	10	3
73	Other accidental causes-E800-E920,E923,E925-E962	86	11	1	62	12	28	5	-	23	-
74	Homicide-E964,E980-E984	5	2	-	2	1	2	1	-	1	-

From 55 Selected Causes, by Color: United States and Each State, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

Mississippi					Missouri					Montana					Nebraska					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
2,125	471	812	124	718	2,064	1,155	358	376	175	341	228	19	73	21	628	452	37	125	14	1
8	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
9	-	-	1	8	7	-	-	7	-	1	-	-	-	1	3	-	-	3	-	3
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
3	-	-	2	1	4	1	-	3	-	2	-	-	1	1	1	-	-	1	-	5
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
13	1	1	1	10	32	4	1	18	9	-	-	-	-	-	5	2	1	1	1	7
1	-	-	1	-	3	-	-	3	-	1	-	-	1	-	5	-	-	4	1	8
1	-	-	-	1	3	1	1	1	-	-	-	-	-	-	1	-	-	1	-	9
1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	10
25	2	2	3	18	13	4	-	8	1	3	-	-	1	2	2	1	-	1	-	11
16	1	-	8	7	18	-	-	14	4	2	-	-	1	1	2	-	-	2	-	12
9	-	1	1	7	3	-	-	3	-	2	1	-	1	-	1	-	-	1	-	13
192	1	1	18	172	151	1	-	93	57	23	-	-	13	10	56	-	-	48	8	14
16	1	1	-	14	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	15
176	...	...	18	158	150	...	...	93	57	22	...	...	13	9	56	...	...	48	8	16
12	-	1	2	9	14	1	1	8	4	4	-	-	4	-	2	-	-	2	-	17
18	3	2	2	11	31	4	-	15	12	7	-	1	5	1	1	-	-	1	-	18
2	-	-	1	1	1	1	-	-	-	2	-	-	1	1	1	-	-	1	-	19
5	1	-	1	3	21	-	-	11	10	2	-	-	2	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
8	-	2	-	6	6	2	-	3	1	2	-	-	2	-	-	-	-	-	-	22
3	2	-	-	1	3	1	-	1	1	1	-	1	-	-	-	-	-	-	-	23
16	4	2	5	5	24	14	4	4	2	7	6	-	1	-	5	3	-	2	-	24
164	-	-	8	156	31	-	-	12	19	2	-	-	1	1	3	-	-	2	1	25
11	2	3	1	5	11	3	2	4	2	1	-	-	1	-	-	-	-	-	-	26
185	76	47	27	35	304	182	21	82	19	54	30	2	20	2	98	60	3	35	-	27
17	10	-	5	2	24	9	1	12	2	2	-	1	1	-	8	4	-	4	-	28
19	10	3	-	6	17	5	2	8	2	3	1	-	2	-	10	7	-	3	-	29
81	27	17	15	22	153	91	7	45	10	27	11	1	13	2	49	29	1	19	-	30
68	29	27	7	5	110	77	11	17	5	22	18	-	4	-	31	20	2	9	-	31
998	363	596	4	35	1,251	911	313	14	13	205	185	16	2	2	416	379	32	4	1	32
75	33	42	-	-	167	137	29	1	-	22	22	-	-	-	90	83	7	-	-	33
48	17	31	-	-	77	60	16	1	-	6	6	-	-	-	17	15	2	-	-	34
27	16	11	-	-	90	77	13	-	-	16	16	-	-	-	73	68	5	-	-	35
21	7	14	...	...	47	31	16	...	...	1	1	-	...	...	11	9	2	...	...	36
17	5	12	...	...	36	25	11	...	...	1	1	-	...	...	4	3	1	...	...	37
4	2	2	...	...	11	6	5	...	...	-	-	-	...	...	7	6	1	...	...	38
54	26	28	-	-	120	106	13	1	-	21	21	-	-	-	79	74	5	-	-	39
31	12	19	-	-	41	35	5	1	-	5	5	-	-	-	13	12	1	-	-	40
23	14	9	-	-	79	71	8	-	-	16	16	-	-	-	66	62	4	-	-	41
200	91	106	1	2	329	281	45	3	-	40	33	4	2	1	104	96	7	1	-	42
85	37	45	1	2	80	71	8	1	-	16	11	3	1	1	19	18	-	1	-	43
115	54	61	-	-	249	210	37	2	-	24	22	1	1	-	85	78	7	-	-	44
59	15	44	...	...	71	47	24	...	...	6	6	-	...	...	15	14	1	...	...	45
42	11	31	...	...	58	37	21	...	...	5	5	-	...	...	9	8	1	...	...	46
17	4	13	...	...	13	10	3	...	...	1	1	-	...	...	6	6	-	...	...	47
41	1	40	-	-	4	2	2	-	-	-	-	-	-	-	2	1	1	-	-	48
34	1	33	-	-	4	2	2	-	-	-	-	-	-	-	2	1	1	-	-	49
7	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
21	6	15	-	-	15	12	3	-	-	4	4	-	-	-	4	4	-	-	-	51
16	5	11	-	-	9	7	2	-	-	1	1	-	-	-	1	1	-	-	-	52
5	1	4	-	-	6	5	1	-	-	3	3	-	-	-	3	3	-	-	-	53
15	7	8	-	-	15	13	2	-	-	3	3	-	-	-	7	7	-	-	-	54
5	2	3	-	-	6	6	-	-	-	1	1	-	-	-	3	3	-	-	-	55
10	5	5	-	-	9	7	2	-	-	2	2	-	-	-	4	4	-	-	-	56
23	14	8	1	-	28	26	2	-	-	6	6	-	-	-	14	14	-	-	-	57
18	10	7	1	-	17	16	1	-	-	5	5	-	-	-	5	5	-	-	-	58
5	4	1	-	-	11	10	1	-	-	1	1	-	-	-	9	9	-	-	-	59
15	3	12	-	-	12	9	3	-	-	1	-	1	-	-	3	3	-	-	-	60
10	1	9	-	-	7	5	2	-	-	-	-	-	-	-	1	1	-	-	-	61
5	2	3	-	-	5	4	1	-	-	1	-	1	-	-	2	2	-	-	-	62
189	81	82	1	25	310	207	84	9	10	57	49	7	-	1	83	73	8	1	1	63
94	31	41	-	22	92	53	21	9	9	13	10	2	-	1	9	7	-	1	1	64
95	50	41	1	3	218	154	63	-	1	44	39	5	-	-	74	66	8	-	-	65
12	2	6	1	3	24	20	2	1	1	-	-	-	-	-	9	7	-	2	-	66
348	110	233	-	5	276	157	117	-	2	66	62	4	-	-	85	77	8	-	-	67
322	11	136	17	158	39	7	9	18	5	9	3	-	6	-	2	-	1	-	1	68
39	3	6	8	22	38	9	3	18	8	2	1	-	1	-	5	3	-	2	-	69
77	2	14	14	47	78	7	3	50	18	16	2	-	14	-	19	3	-	15	1	70
12	-	3	2	7	13	3	-	9	1	2	-	-	2	-	3	1	-	2	-	71
19	-	1	4	14	12	1	-	7	4	3	-	-	3	-	2	-	-	2	-	72
46	2	10	8	26	53	3	3	34	13	11	2	-	9	-	14	2	-	11	1	73
1	-	-	-	1	8	6	-	1	1	-	-	-	-	-	-	-	-	-	-	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers

	Cause of death	Nevada					New Hampshire				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	All causes	235	156	28	40	11	275	200	1	74	-
2	Dysentery, all forms-045-048	-	-	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-053	-	-	-	-	-	-	-	-	-	-
4	Whooping cough-056	-	-	-	-	-	-	-	-	-	-
5	Meningococcal infections-057	1	-	-	1	-	2	-	-	2	-
6	Tetanus-061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-133	1	1	-	-	-	1	-	-	1	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	1	-	-	1	-	2	-	-	2	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	-	-	-	-	-	1	1	-	-	-
10	Diseases of thymus gland-273	-	-	-	-	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-340	2	-	1	1	-	1	1	-	-	-
12	Other diseases of nervous system and sense organs-330-334,341-398	-	-	-	-	-	2	-	-	2	-
13	Acute upper respiratory infections-470-475	3	-	1	2	-	2	-	-	2	-
14	Influenza and pneumonia, except pneumonia of newborn-480-493	13	-	-	10	3	26	-	-	26	-
15	Influenza-480-483	-	-	-	-	-	1	-	-	1	-
16	Pneumonia, except pneumonia of newborn-490-493	13	...	...	10	3	25	...	...	25	-
17	Bronchitis-500-502	2	-	-	2	-	-	-	-	-	-
18	Other diseases of respiratory system-510-522,525-527	9	1	-	5	3	3	-	-	3	-
19	Pulmonary congestion and hypostasis-522	-	-	-	-	-	-	-	-	-	-
20	Other chronic interstitial pneumonia-525	8	-	-	5	3	3	-	-	3	-
21	Bronchiectasis-526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	1	1	-	-	-	-	-	-	-	-
23	All other diseases of respiratory system-510-521,527.1	-	-	-	-	-	-	-	-	-	-
24	Hernia and intestinal obstruction-560,561,570	3	2	-	1	-	3	2	-	1	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	3	-	-	1	2	2	-	-	2	-
26	Other diseases of digestive system-530-542,544-553,573-587	2	2	-	-	-	1	-	-	1	-
27	Congenital malformations-750-759	39	30	2	6	1	51	31	-	20	-
28	Spina bifida and meningocele-751	2	2	-	-	-	7	3	-	4	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	6	6	-	-	-	5	1	-	4	-
30	Congenital malformations of circulatory system-754	19	13	1	4	1	23	16	-	7	-
31	Other congenital malformations-750,755-759	12	9	1	2	-	16	11	-	5	-
32	Certain diseases of early infancy-760-776	140	116	24	-	-	164	163	1	-	-
33	Birth injuries-760,761	20	16	4	-	-	30	30	-	-	-
34	Without mention of immaturity (.0)	10	8	2	-	-	7	7	-	-	-
35	With immaturity (.5)	10	8	2	-	-	23	23	-	-	-
36	Intracranial and spinal injury at birth-760	5	3	2	...	...	5	5	-	...	...
37	Without mention of immaturity (.0)	5	3	2	...	...	1	1	-	...	...
38	With immaturity (.5)	-	-	-	...	...	4	4	-	...	...
39	Other birth injury-761	15	13	2	-	-	25	25	-	-	-
40	Without mention of immaturity (.0)	5	5	-	-	-	6	6	-	-	-
41	With immaturity (.5)	10	8	2	-	-	19	19	-	-	-
42	Postnatal asphyxia and atelectasis-762	22	17	5	-	-	30	30	-	-	-
43	Without mention of immaturity (.0)	5	3	2	-	-	7	7	-	-	-
44	With immaturity (.5)	17	14	3	-	-	23	23	-	-	-
45	Pneumonia of newborn-763	3	3	-	...	...	12	12	-	...	...
46	Without mention of immaturity (.0)	2	2	-	...	...	5	5	-	...	...
47	With immaturity (.5)	1	1	-	...	...	7	7	-	...	...
48	Diarrhea of newborn-764	-	-	-	-	-	-	-	-	-	-
49	Without mention of immaturity (.0)	-	-	-	-	-	-	-	-	-	-
50	With immaturity (.5)	-	-	-	-	-	-	-	-	-	-
51	Other infections of newborn-765-768	-	-	-	-	-	-	-	-	-	-
52	Without mention of immaturity (.0)	-	-	-	-	-	-	-	-	-	-
53	With immaturity (.5)	-	-	-	-	-	-	-	-	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	3	3	-	-	-	2	2	-	-	-
55	Without mention of immaturity (.0-.4)	1	1	-	-	-	2	2	-	-	-
56	With immaturity (.5-.9)	2	2	-	-	-	-	-	-	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	3	3	-	-	-	5	5	-	-	-
58	Without mention of immaturity (.0-.2)	3	3	-	-	-	2	2	-	-	-
59	With immaturity (.5-.7)	-	-	-	-	-	3	3	-	-	-
60	Hemorrhagic disease of newborn-771	-	-	-	-	-	1	1	-	-	-
61	Without mention of immaturity (.0)	-	-	-	-	-	1	1	-	-	-
62	With immaturity (.5)	-	-	-	-	-	-	-	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	49	42	7	-	-	36	36	-	-	-
64	Without mention of immaturity (.0)	13	12	1	-	-	6	6	-	-	-
65	With immaturity (.5)	36	30	6	-	-	30	30	-	-	-
66	Immaturity with mention of any other subsidiary condition-774	2	2	-	-	-	-	-	-	-	-
67	Immaturity, unqualified-776	38	30	8	-	-	48	47	1	-	-
68	Symptoms and ill-defined conditions-780-793,795	2	1	-	1	-	4	1	-	3	-
69	All other diseases-Residual	2	2	-	-	-	2	1	-	1	-
70	Accidents-E800-E962	12	1	-	9	2	7	-	-	7	-
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	3	-	-	2	1	-	-	-	-	-
72	Accidental mechanical suffocation in bed and cradle-E924	3	-	-	2	1	-	-	-	-	-
73	Other accidental causes-E800-E920,E923,E925-E962	6	1	-	5	-	7	-	-	7	-
74	Homicide-E964,E980-E984	-	-	-	-	-	1	-	-	1	-

From 55 Selected Causes, by Color: United States and Each State, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

New Jersey					New Mexico					New York					North Carolina					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
2,904	1,559	626	448	271	655	384	47	151	73	7,848	4,287	1,582	1,389	590	2,976	1,119	836	345	676	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2
4	-	-	1	3	4	-	-	-	4	27	-	-	19	8	23	-	-	6	17	3
1	-	-	1	-	-	-	-	-	-	3	-	-	2	1	1	-	-	-	1	4
7	1	-	5	1	3	-	-	2	1	17	1	-	15	1	11	-	-	7	4	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
10	1	-	7	2	4	-	-	3	1	20	4	1	9	6	18	1	3	7	7	7
4	1	-	2	1	2	-	-	2	-	26	1	1	21	3	6	1	-	4	1	8
2	1	-	1	-	-	-	-	-	-	5	3	-	2	-	5	2	-	2	1	9
5	-	-	5	-	-	-	-	-	-	4	-	-	3	1	1	-	-	1	-	10
28	7	3	11	7	8	-	1	2	5	70	15	4	35	16	19	3	2	3	11	11
17	-	-	14	3	7	-	-	5	2	54	2	-	36	16	22	1	1	11	9	12
3	1	-	1	1	3	-	-	2	1	24	2	-	16	6	20	-	1	5	14	13
262	-	-	147	115	38	-	-	24	14	612	-	-	389	223	344	-	-	87	257	14
6	-	-	2	4	-	-	-	-	-	6	-	-	3	3	8	-	-	1	7	15
256	...	...	145	111	38	...	...	24	14	606	...	...	386	220	336	...	...	86	250	16
11	-	-	7	4	3	-	-	3	-	37	1	-	26	10	24	-	1	6	17	17
18	2	2	9	5	15	-	-	13	2	112	10	3	76	23	30	3	1	12	14	18
2	-	1	1	-	-	-	-	-	-	35	5	1	18	11	10	1	1	3	5	19
7	1	-	5	1	12	-	-	11	1	52	-	-	46	6	7	-	-	5	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	-	-	-	1	3	-	-	2	1	16	1	2	9	4	9	1	-	3	5	22
8	1	1	3	3	-	-	-	-	-	9	4	-	3	2	4	1	-	1	2	23
34	26	3	5	-	5	5	-	-	-	65	36	4	18	7	23	9	7	4	3	24
40	-	-	10	30	33	-	-	19	14	87	-	-	59	28	67	-	-	13	54	25
7	3	1	2	1	3	1	1	-	1	28	12	2	11	3	12	3	2	4	3	26
459	256	35	139	29	80	47	3	25	5	1,210	644	127	339	100	374	207	47	79	41	27
35	20	1	14	-	5	3	-	2	-	123	55	9	52	7	56	32	4	19	1	28
40	17	2	15	6	5	1	-	3	1	86	42	4	33	7	42	11	7	17	7	29
234	114	18	82	20	37	20	-	14	3	589	260	68	193	68	154	82	17	32	23	30
150	105	14	28	3	33	23	3	6	1	412	287	46	61	18	122	82	19	11	10	31
1,821	1,233	568	7	13	364	320	36	7	1	4,966	3,481	1,405	47	33	1,619	860	711	9	39	32
226	178	48	-	-	48	46	2	-	-	600	491	109	-	-	220	138	82	-	-	33
83	65	18	-	-	13	12	1	-	-	222	194	28	-	-	92	49	43	-	-	34
143	113	30	-	-	35	34	1	-	-	378	297	81	-	-	128	89	39	-	-	35
72	52	20	...	...	13	12	1	...	...	244	182	62	...	...	68	42	26	...	...	36
37	29	8	...	...	5	4	1	...	...	123	106	17	...	...	42	23	19	...	...	37
35	23	12	...	...	8	8	-	...	...	121	76	45	....	...	26	19	7	...	...	38
154	126	28	-	-	35	34	1	-	-	356	309	47	-	-	152	96	56	-	-	39
46	36	10	-	-	8	8	-	-	-	99	88	11	-	-	50	26	24	-	-	40
108	90	18	-	-	27	26	1	-	-	257	221	36	-	-	102	70	32	-	-	41
653	399	252	-	2	81	72	9	-	-	1,543	1,065	432	25	21	427	232	188	4	3	42
184	96	86	-	2	13	11	2	-	-	353	245	67	22	19	111	64	42	2	3	43
469	303	166	-	-	68	61	7	-	-	1,190	820	365	3	2	316	168	146	2	-	44
56	42	14	...	...	24	22	2	...	...	226	154	72	...	...	63	25	38	...	...	45
40	30	10	...	...	12	11	1	...	...	166	110	56	...	...	48	18	30	...	...	46
16	12	4	...	...	12	11	1	...	...	60	44	16	...	...	15	7	8	...	...	47
8	2	6	-	-	2	1	1	-	-	16	11	5	-	-	26	4	22	-	-	48
7	1	6	-	-	1	-	1	-	-	11	8	3	-	-	22	3	19	-	-	49
1	1	-	-	-	1	1	-	-	-	5	3	2	-	-	4	1	3	-	-	50
28	20	8	-	-	5	3	2	-	-	50	34	16	-	-	21	8	13	-	-	51
17	11	6	-	-	5	3	2	-	-	21	15	6	-	-	16	5	11	-	-	52
11	9	2	-	-	-	-	-	-	-	29	19	10	-	-	5	3	2	-	-	53
21	14	4	3	-	6	6	-	-	-	37	22	8	6	1	18	6	10	1	1	54
8	3	2	3	-	4	4	-	-	-	20	10	3	6	1	7	1	4	1	1	55
13	11	2	-	-	2	2	-	-	-	17	12	5	-	-	11	5	6	-	-	56
66	63	3	-	-	8	7	-	1	-	145	136	9	-	-	18	16	2	-	-	57
41	38	3	-	-	6	5	-	1	-	103	95	8	-	-	15	13	2	-	-	58
25	25	-	-	-	2	2	-	-	-	42	41	1	-	-	3	3	-	-	-	59
13	7	6	-	-	7	5	2	-	-	37	25	12	-	-	9	6	3	-	-	60
7	5	2	-	-	3	3	-	-	-	21	13	8	-	-	4	1	3	-	-	61
6	2	4	-	-	4	2	2	-	-	16	12	4	-	-	5	5	-	-	-	62
274	197	64	4	9	75	59	12	4	-	721	498	213	5	5	303	177	101	1	24	63
60	41	7	4	8	18	14	1	3	-	120	88	23	5	4	86	41	22	1	22	64
214	156	57	-	1	57	45	11	1	-	601	410	190	-	1	217	136	79	-	2	65
19	13	4	-	2	8	7	-	-	1	106	67	24	9	6	32	15	9	2	6	66
457	298	159	-	-	100	92	6	2	-	1,485	978	505	2	-	482	233	243	1	5	67
15	4	3	4	4	38	6	5	14	13	172	18	12	96	46	133	8	35	27	63	68
42	14	3	18	7	21	3	-	13	5	99	26	3	56	14	59	10	5	22	22	69
110	7	7	51	45	24	2	1	17	4	180	17	8	111	44	156	10	14	36	96	70
36	3	1	18	14	3	-	-	3	-	35	3	-	24	8	29	3	4	7	15	71
33	-	2	14	17	4	-	-	3	1	36	2	-	28	6	45	1	4	6	34	72
41	4	4	19	14	17	2	1	11	3	109	12	8	59	30	82	6	6	23	47	73
4	2	1	1	-	-	-	-	-	-	30	14	12	3	1	8	1	5	-	2	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers

	Cause of death	North Dakota					Ohio				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	All causes	280	188	19	64	9	4,349	2,659	563	913	214
2	Dysentery, all forms-045-048	-	-	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-053	-	-	-	-	-	11	-	-	7	4
4	Whooping cough-056	-	-	-	-	-	-	-	-	-	-
5	Meningococcal infections-057	3	-	-	3	-	10	1	-	9	-
6	Tetanus-061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	2	-	-	2	-	14	1	1	10	2
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	1	-	-	1	-	12	1	1	9	1
9	Benign neoplasms and neoplasms of unspecified nature-210-239	-	-	-	-	-	7	5	2	-	-
10	Diseases of thymus gland-273	-	-	-	-	-	1	-	-	1	-
11	Meningitis, except meningococcal and tuberculous-340	2	2	-	-	-	27	7	1	15	4
12	Other diseases of nervous system and sense organs-330-334,341-398	1	-	-	1	-	16	2	-	12	2
13	Acute upper respiratory infections-470-475	-	-	-	-	-	56	2	2	33	19
14	Influenza and pneumonia, except pneumonia of newborn-480-493	26	-	-	18	8	288	-	-	239	49
15	Influenza-480-483	1	-	-	1	-	3	-	-	2	1
16	Pneumonia, except pneumonia of newborn-490-493	25	...	...	17	8	285	...	...	237	48
17	Bronchitis-500-502	4	-	-	4	-	38	1	-	29	8
18	Other diseases of respiratory system-510-522,525-527	6	1	-	5	-	104	4	1	66	33
19	*Pulmonary congestion and hypostasis*-522	2	-	-	2	-	5	2	1	2	-
20	Other chronic interstitial pneumonia-525	3	-	-	3	-	85	-	-	57	28
21	Bronchiectasis-526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	-	-	-	-	-	10	1	-	5	4
23	All other diseases of respiratory system-510-521,527.1	1	1	-	-	-	4	1	-	2	1
24	Hernia and intestinal obstruction-560,561,570	5	5	-	-	-	40	28	1	11	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	6	-	-	6	-	35	-	-	29	6
26	Other diseases of digestive system-530-542,544-553,573-587	2	1	-	1	-	10	1	-	8	1
27	Congenital malformations-750-759	29	24	-	5	-	721	416	53	213	39
28	Spina bifida and meningocele-751	2	1	-	1	-	57	34	1	21	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	1	-	-	1	-	55	26	3	25	1
30	Congenital malformations of circulatory system-754	14	13	-	1	-	360	184	22	124	30
31	Other congenital malformations-750,755-759	12	10	-	2	-	249	172	27	43	7
32	Certain diseases of early infancy-760-776	174	153	16	5	-	2,677	2,143	483	42	9
33	Birth injuries-760,761	22	20	2	-	-	482	404	78	-	-
34	Without mention of immaturity (.0)	7	6	1	-	-	170	134	36	-	-
35	With immaturity (.5)	15	14	1	-	-	312	270	42	-	-
36	Intracranial and spinal injury at birth-760	5	5	-	...	...	119	94	25	...	...
37	Without mention of immaturity (.0)	4	4	-	...	...	68	54	14	...	...
38	With immaturity (.5)	1	1	-	...	...	51	40	11	...	...
39	Other birth injury-761	17	15	2	-	-	363	310	53	-	-
40	Without mention of immaturity (.0)	3	2	1	-	-	102	80	22	-	-
41	With immaturity (.5)	14	13	1	-	-	261	230	31	-	-
42	Postnatal asphyxia and atelectasis-762	43	39	3	1	-	726	597	115	13	1
43	Without mention of immaturity (.0)	12	11	-	1	-	195	155	29	11	-
44	With immaturity (.5)	31	28	3	-	-	531	442	86	2	1
45	Pneumonia of newborn-763	3	3	-	...	...	92	72	20	...	...
46	Without mention of immaturity (.0)	-	-	-	...	...	62	50	12	...	...
47	With immaturity (.5)	3	3	-	...	...	30	22	8	...	...
48	Diarrhea of newborn-764	1	1	-	-	-	3	3	-	-	-
49	Without mention of immaturity (.0)	1	1	-	-	-	3	3	-	-	-
50	With immaturity (.5)	-	-	-	-	-	-	-	-	-	-
51	Other infections of newborn-765-768	2	2	-	-	-	46	36	10	-	-
52	Without mention of immaturity (.0)	1	1	-	-	-	19	18	1	-	-
53	With immaturity (.5)	1	1	-	-	-	27	18	9	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	5	3	-	2	-	23	17	5	1	-
55	Without mention of immaturity (.0-.4)	4	2	-	2	-	11	8	2	1	-
56	With immaturity (.5-.9)	1	1	-	-	-	12	9	3	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	5	4	1	-	-	84	78	5	1	-
58	Without mention of immaturity (.0-.2)	4	3	1	-	-	61	58	2	1	-
59	With immaturity (.5-.7)	1	1	-	-	-	23	20	3	-	-
60	Hemorrhagic disease of newborn-771	-	-	-	-	-	20	16	2	1	1
61	Without mention of immaturity (.0)	-	-	-	-	-	12	10	-	1	1
62	With immaturity (.5)	-	-	-	-	-	8	6	2	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	50	47	3	-	-	529	408	98	18	5
64	Without mention of immaturity (.0)	11	10	1	-	-	116	88	9	17	2
65	With immaturity (.5)	39	37	2	-	-	413	320	89	1	3
66	Immaturity with mention of any other subsidiary condition-774	4	1	1	2	-	44	28	10	5	1
67	Immaturity, unqualified-776	39	33	6	-	-	628	484	140	3	1
68	Symptoms and ill-defined conditions-780-793,795	5	1	2	2	-	62	13	7	32	10
69	All other diseases-Residual	2	-	-	1	1	78	27	3	38	10
70	Accidents-E800-E962	12	1	1	10	-	125	3	6	102	14
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	1	-	-	1	-	36	1	-	28	7
72	Accidental mechanical suffocation in bed and cradle-E924	4	-	1	3	-	24	-	3	16	5
73	Other accidental causes-E800-E920,E923,E925-E962	7	1	-	6	-	65	2	3	58	2
74	Homicide-E964,E980-E984	-	-	-	-	-	17	4	2	8	3

From 55 Selected Causes, by Color: United States and Each State, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

Oklahoma					Oregon					Pennsylvania					Rhode Island					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
990	567	127	220	76	695	455	22	204	14	4,768	2,927	689	867	285	390	278	25	79	8	1
4	-	-	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2
4	-	-	3	1	4	-	-	4	-	12	-	-	12	-	3	-	-	3	-	3
3	-	-	2	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	4
2	-	-	2	-	2	-	-	2	-	9	-	-	7	2	1	1	-	-	-	5
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
5	-	-	4	1	2	2	-	-	-	13	1	-	10	2	2	-	-	2	-	7
4	1	-	3	-	1	1	-	-	-	16	3	-	11	2	-	-	-	-	-	8
2	1	-	1	-	1	-	-	1	-	7	3	-	4	-	-	-	-	-	-	9
-	-	-	-	-	1	-	-	1	-	6	3	-	3	-	-	-	-	-	-	10
13	1	-	11	1	7	3	-	4	-	36	9	3	19	5	5	2	-	2	1	11
9	-	-	8	1	4	-	-	3	1	46	3	-	34	9	1	-	-	1	-	12
5	-	-	3	2	2	-	-	2	-	4	1	-	1	2	3	-	-	2	1	13
73	-	1	54	18	74	-	-	68	6	287	-	-	222	65	43	-	-	41	2	14
5	-	1	1	3	1	-	-	1	-	4	-	-	4	-	-	-	-	-	-	15
68	...	...	53	15	73	...	...	67	6	283	...	...	218	65	43	...	...	41	2	16
3	-	-	1	2	5	1	-	4	-	26	1	1	22	2	2	-	-	1	1	17
14	4	-	6	4	10	-	-	10	-	43	3	1	36	3	6	1	-	5	-	18
2	2	-	-	-	3	-	-	3	-	5	1	-	4	-	-	-	-	-	-	19
7	-	-	5	2	3	-	-	3	-	22	-	-	19	3	4	-	-	4	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
3	-	-	1	2	3	-	-	3	-	10	-	1	9	-	2	1	-	1	-	22
2	2	-	-	-	1	-	-	1	-	6	2	-	4	-	-	-	-	-	-	23
4	3	1	-	-	7	6	-	1	-	55	38	7	9	1	3	2	1	-	-	24
14	-	-	5	9	8	-	-	5	3	45	1	-	28	16	1	-	-	1	-	25
1	-	-	1	-	4	2	-	2	-	22	5	4	9	4	-	-	-	-	-	26
139	86	6	40	7	107	75	2	30	-	707	424	49	202	32	58	42	1	12	3	27
14	9	1	4	-	4	4	-	-	-	51	24	-	25	2	6	2	1	3	-	28
18	10	1	4	3	8	5	1	2	-	54	32	3	15	4	1	1	-	-	-	29
62	30	2	27	3	59	35	-	24	-	377	196	25	133	23	24	14	-	7	3	30
45	37	2	5	1	36	31	1	4	-	225	172	21	29	3	27	25	-	2	-	31
583	458	110	8	7	376	349	20	7	-	3,001	2,352	603	34	12	243	220	22	1	-	32
82	71	11	-	-	73	71	2	-	-	454	380	72	2	-	46	39	7	-	-	33
26	20	6	-	-	15	15	-	-	-	170	156	14	-	-	10	9	1	-	-	34
56	51	5	-	-	58	56	2	-	-	284	224	58	2	-	36	30	6	-	-	35
18	15	3	...	...	18	18	-	...	...	151	120	31	...	...	15	13	2	...	...	36
14	11	3	...	...	4	4	-	...	...	90	80	10	...	...	5	5	-	...	...	37
4	4	-	...	...	14	14	-	...	...	61	40	21	...	...	10	8	2	...	...	38
64	56	8	-	-	55	53	2	-	-	303	260	41	2	-	31	26	5	-	-	39
12	9	3	-	-	11	11	-	-	-	80	76	4	-	-	5	4	1	-	-	40
52	47	5	-	-	44	42	2	-	-	223	184	37	2	-	26	22	4	-	-	41
139	105	25	6	3	76	66	7	3	-	795	658	121	12	4	89	80	8	1	-	42
52	41	4	5	2	28	23	2	3	-	206	159	32	11	4	12	9	2	1	-	43
87	64	21	1	1	48	43	5	-	-	589	499	89	1	-	77	71	6	-	-	44
20	16	4	...	...	18	15	3	...	...	114	93	21	...	...	9	9	-	...	...	45
13	10	3	...	...	17	14	3	...	...	79	66	13	...	...	4	4	-	...	...	46
7	6	1	...	...	1	1	-	...	...	35	27	8	...	...	5	5	-	...	...	47
3	1	2	-	-	2	2	-	-	-	14	11	3	-	-	-	-	-	-	-	48
2	1	1	-	-	1	1	-	-	-	12	9	3	-	-	-	-	-	-	-	49
1	-	1	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	50
14	8	6	-	-	6	6	-	-	-	35	22	13	-	-	2	2	-	-	-	51
9	5	4	-	-	4	4	-	-	-	17	12	5	-	-	1	1	-	-	-	52
5	3	2	-	-	2	2	-	-	-	18	10	8	-	-	1	1	-	-	-	53
10	8	2	-	-	11	9	1	1	-	34	22	8	2	2	1	1	-	-	-	54
2	2	-	-	-	5	4	-	1	-	14	7	3	2	2	-	-	-	-	-	55
8	6	2	-	-	6	5	1	-	-	20	15	5	-	-	1	1	-	-	-	56
9	8	1	-	-	14	14	-	-	-	81	76	5	-	-	5	5	-	-	-	57
4	3	1	-	-	9	9	-	-	-	66	61	5	-	-	2	2	-	-	-	58
5	5	-	-	-	5	5	-	-	-	15	15	-	-	-	3	3	-	-	-	59
5	5	-	-	-	1	1	-	-	-	20	16	4	-	-	-	-	-	-	-	60
5	5	-	-	-	-	-	-	-	-	8	7	1	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	12	9	3	-	-	-	-	-	-	-	62
122	97	20	1	4	77	72	3	2	-	599	456	128	11	4	32	30	2	-	-	63
35	24	6	1	4	22	20	-	2	-	115	89	15	8	3	4	4	-	-	-	64
87	73	14	-	-	55	52	3	-	-	484	367	113	3	1	28	26	2	-	-	65
21	11	9	1	-	7	5	2	-	-	59	42	10	5	2	1	1	-	-	-	66
158	128	30	-	-	91	88	2	1	-	796	576	218	2	-	58	53	5	-	-	67
29	5	4	14	6	31	3	-	26	2	154	14	10	44	86	4	3	1	-	-	68
15	4	2	6	3	13	5	-	7	1	90	32	3	44	11	8	5	-	3	-	69
62	4	2	45	11	32	6	-	25	1	172	28	5	112	27	6	1	-	5	-	70
13	-	1	11	1	8	4	-	4	-	42	9	1	25	7	2	1	-	1	-	71
21	2	-	14	5	-	-	-	-	-	39	7	-	28	4	2	-	-	2	-	72
28	2	1	20	5	24	2	-	21	1	91	12	4	59	16	2	-	-	2	-	73
1	-	-	1	-	3	2	-	1	-	16	6	3	3	4	1	1	-	-	-	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers

	Cause of death	South Carolina					South Dakota				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	All causes	1,659	528	466	166	499	315	180	29	62	44
2	Dysentery, all forms--045-048	4	-	1	-	3	1	-	-	-	1
3	Septicemia and pyemia--053	16	-	-	6	10	1	-	-	-	1
4	Whooping cough--056	4	-	-	-	4	1	-	-	-	1
5	Meningococcal infections--057	6	-	-	4	2	1	-	-	-	1
6	Tetanus--061	1	-	1	-	-	-	-	-	-	-
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	11	-	1	3	7	2	-	-	1	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	3	-	-	1	2	-	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	1	-	-	1	-	1	-	-	1	-
10	Diseases of thymus gland--273	-	-	-	-	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	18	3	4	3	8	3	-	-	1	2
12	Other diseases of nervous system and sense organs--330-334,341-398	11	-	-	3	8	3	-	-	3	-
13	Acute upper respiratory infections--470-475	5	-	-	2	3	1	-	-	1	-
14	Influenza and pneumonia, except pneumonia of newborn--480-493	218	-	1	29	188	32	-	-	13	19
15	Influenza--480-483	23	-	1	1	21	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn--490-493	195	...	...	28	167	32	...	...	13	19
17	Bronchitis--500-502	8	-	-	4	4	3	-	-	2	1
18	Other diseases of respiratory system--510-522,525-527	20	1	1	9	9	9	1	-	3	5
19	Pulmonary congestion and hypostasis--522	1	-	-	-	1	1	-	-	1	-
20	Other chronic interstitial pneumonia--525	9	-	-	8	1	6	1	-	2	3
21	Bronchiectasis--526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	9	-	1	1	7	1	-	-	-	1
23	All other diseases of respiratory system--510-521,527.1	1	1	-	-	-	1	-	-	-	1
24	Hernia and intestinal obstruction--560,561,570	9	8	-	-	1	3	3	-	-	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	63	-	-	5	58	4	-	-	2	2
26	Other diseases of digestive system--530-542,544-553,573-587	14	3	6	3	2	1	1	-	-	-
27	Congenital malformations--750-759	166	82	19	46	19	36	20	-	15	1
28	Spina bifida and meningocele--751	28	18	4	6	-	2	2	-	-	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	8	4	1	2	1	1	1	-	-	-
30	Congenital malformations of circulatory system--754	81	32	6	30	13	21	11	-	9	1
31	Other congenital malformations--750,755-759	49	28	8	8	5	12	6	-	6	-
32	Certain diseases of early infancy--760-776	833	410	382	6	35	177	147	26	2	2
33	Birth injuries--760,761	88	52	36	-	-	17	15	2	-	-
34	Without mention of immaturity (.0)	46	28	18	-	-	8	6	2	-	-
35	With immaturity (.5)	42	24	18	-	-	9	9	-	-	-
36	Intracranial and spinal injury at birth--760	27	16	11	...	...	7	5	2	...	...
37	Without mention of immaturity (.0)	17	9	8	...	...	4	2	2	...	...
38	With immaturity (.5)	10	7	3	...	...	3	3	-	...	...
39	Other birth injury--761	61	36	25	-	-	10	10	-	-	-
40	Without mention of immaturity (.0)	29	19	10	-	-	4	4	-	-	-
41	With immaturity (.5)	32	17	15	-	-	6	6	-	-	-
42	Postnatal asphyxia and atelectasis--762	187	109	77	-	1	39	38	-	1	-
43	Without mention of immaturity (.0)	61	31	29	-	1	13	12	-	1	-
44	With immaturity (.5)	126	78	48	-	-	26	26	-	-	-
45	Pneumonia of newborn--763	61	22	39	...	...	7	4	3	...	...
46	Without mention of immaturity (.0)	43	11	32	...	...	6	4	2	...	...
47	With immaturity (.5)	18	11	7	...	...	1	-	1	....	...
48	Diarrhea of newborn--764	28	5	23	-	-	-	-	-	-	-
49	Without mention of immaturity (.0)	19	3	16	-	-	-	-	-	-	-
50	With immaturity (.5)	9	2	7	-	-	-	-	-	-	-
51	Other infections of newborn--765-768	20	9	11	-	-	1	-	1	-	-
52	Without mention of immaturity (.0)	15	6	9	-	-	-	-	-	-	-
53	With immaturity (.5)	5	3	2	-	-	1	-	1	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	12	5	4	2	1	5	2	3	-	-
55	Without mention of immaturity (.0-.4)	6	1	2	2	1	1	1	-	-	-
56	With immaturity (.5-.9)	6	4	2	-	-	4	1	3	-	-
57	Hemolytic disease of newborn (erythroblastosis)--770	15	11	4	-	-	12	12	-	-	-
58	Without mention of immaturity (.0-.2)	10	8	2	-	-	11	11	-	-	-
59	With immaturity (.5-.7)	5	3	2	-	-	1	1	-	-	-
60	Hemorrhagic disease of newborn--771	12	6	6	-	-	2	-	2	-	-
61	Without mention of immaturity (.0)	5	3	2	-	-	1	-	1	-	-
62	With immaturity (.5)	7	3	4	-	-	1	-	1	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	151	77	47	-	27	40	33	4	1	2
64	Without mention of immaturity (.0)	57	23	9	-	25	9	6	1	-	2
65	With immaturity (.5)	94	54	38	-	2	31	27	3	1	-
66	Immaturity with mention of any other subsidiary condition--774	16	3	7	4	2	2	2	-	-	-
67	Immaturity, unqualified--776	243	111	128	-	4	52	41	11	-	-
68	Symptoms and ill-defined conditions--780-793,795	112	6	31	7	68	8	1	2	3	2
69	All other diseases--Residual	33	9	8	5	11	4	2	-	2	-
70	Accidents--E800-E962	101	5	11	29	56	23	4	1	13	5
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	16	1	1	5	9	3	1	-	2	-
72	Accidental mechanical suffocation in bed and cradle--E924	26	-	2	8	16	3	1	-	2	-
73	Other accidental causes--E800-E920,E923,E925-E962	59	4	8	16	31	17	2	1	9	5
74	Homicide--E964,E980-E984	2	1	-	-	1	1	1	-	-	-

From 55 Selected Causes, by Color: United States and Each State, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

Tennessee					Texas					Utah					Vermont					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
2,044	982	440	363	259	5,608	2,947	927	1,214	520	416	288	14	97	17	178	131	-	47	-	1
2	-	-	-	2	31	-	1	22	8	-	-	-	-	-	-	-	-	-	-	2
6	-	-	2	4	31	-	-	23	8	-	-	-	-	-	-	-	-	-	-	3
1	-	-	-	1	7	-	-	5	2	-	-	-	-	-	-	-	-	-	-	4
10	-	1	8	1	16	-	-	14	2	-	-	-	-	-	1	-	-	1	-	5
1	1	-	-	-	15	7	7	1	-	-	-	-	-	-	-	-	-	-	-	6
13	-	-	11	2	42	6	2	28	6	1	-	-	1	-	2	1	-	1	-	7
5	-	-	3	2	7	1	1	5	-	1	-	-	1	-	2	-	-	2	-	8
-	-	-	-	-	8	4	1	3	-	1	-	-	1	-	-	-	-	-	-	9
1	-	-	1	-	6	1	2	3	-	-	-	-	-	-	-	-	-	-	-	10
17	2	3	6	6	60	12	5	25	18	4	2	-	2	-	-	-	-	-	-	11
25	1	10	10	4	50	1	-	38	11	8	-	-	8	-	-	-	-	-	-	12
7	-	2	4	1	15	4	-	5	6	2	-	-	1	1	1	-	-	1	-	13
173	-	1	95	77	392	-	1	245	146	27	-	-	21	6	10	-	-	10	-	14
6	-	1	4	1	7	-	1	3	3	-	-	-	-	-	-	-	-	-	-	15
167	...	...	91	76	385	...	...	242	143	27	...	...	21	6	10	...	...	10	-	16
10	-	-	5	5	23	2	-	13	8	2	-	-	1	1	-	-	-	-	-	17
13	4	1	3	5	108	9	4	54	41	6	-	-	4	2	2	-	-	2	-	18
3	-	-	1	2	9	2	1	4	2	1	-	-	1	-	-	-	-	-	-	19
2	-	-	1	1	80	2	-	43	35	1	-	-	1	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
6	2	1	1	2	13	1	2	6	4	3	-	-	1	2	1	-	-	1	-	22
2	2	-	-	-	6	4	1	1	-	1	-	-	1	-	1	-	-	1	-	23
16	12	2	1	1	43	29	6	6	2	4	3	-	1	-	4	4	-	-	-	24
47	-	-	20	27	213	-	-	153	60	8	-	-	5	3	-	-	-	-	-	25
6	2	1	-	3	29	12	3	12	2	-	-	-	-	-	-	-	-	-	-	26
269	133	35	72	29	751	412	62	229	48	63	41	2	20	-	35	24	-	11	-	27
28	16	-	12	-	69	36	2	29	2	1	-	-	1	-	3	1	-	2	-	28
27	9	4	7	7	59	32	3	19	5	1	1	-	-	-	3	2	-	1	-	29
122	52	16	40	14	377	178	28	141	30	40	26	2	12	-	20	14	-	6	-	30
92	56	15	13	8	246	166	29	40	11	21	14	-	7	-	9	7	-	2	-	31
1,179	787	349	18	25	3,257	2,373	779	64	41	249	235	11	3	-	99	99	-	-	-	32
160	104	55	1	-	380	295	85	-	-	22	22	-	-	-	18	18	-	-	-	33
58	44	13	1	-	180	134	46	-	-	11	11	-	-	-	7	7	-	-	-	34
102	60	42	-	-	200	161	39	-	-	11	11	-	-	-	11	11	-	-	-	35
64	27	37	...	...	145	108	37	...	...	8	8	-	...	...	4	4	-	...	...	36
31	19	12	...	...	95	74	21	...	...	7	7	-	...	...	2	2	-	...	...	37
33	8	25	...	...	50	34	16	...	...	1	1	-	...	...	2	2	-	...	...	38
96	77	18	1	-	235	187	48	-	-	14	14	-	-	-	14	14	-	-	-	39
27	25	1	1	-	85	60	25	-	-	4	4	-	-	-	5	5	-	-	-	40
69	52	17	-	-	150	127	23	-	-	10	10	-	-	-	9	9	-	-	-	41
304	191	96	7	10	859	671	176	7	5	99	93	5	1	-	24	24	-	-	-	42
89	56	17	7	9	287	220	57	6	4	21	17	4	-	-	8	8	-	-	-	43
215	135	79	-	1	572	451	119	1	1	78	76	1	1	-	16	16	-	-	-	44
79	48	31	...	...	180	115	65	...	...	7	6	1	...	...	2	2	-	...	...	45
47	27	20	...	...	128	82	46	...	...	5	4	1	...	...	1	1	-	...	...	46
32	21	11	...	...	52	33	19	...	...	2	2	-	...	...	1	1	-	...	...	47
4	2	2	-	-	42	29	13	-	-	-	-	-	-	-	-	-	-	-	-	48
3	2	1	-	-	36	25	11	-	-	-	-	-	-	-	-	-	-	-	-	49
1	-	1	-	-	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	50
15	9	6	-	-	56	38	18	-	-	1	1	-	-	-	-	-	-	-	-	51
5	4	1	-	-	35	26	9	-	-	-	-	-	-	-	-	-	-	-	-	52
10	5	5	-	-	21	12	9	-	-	1	1	-	-	-	-	-	-	-	-	53
24	18	2	2	2	54	33	7	5	9	5	4	-	1	-	1	1	-	-	-	54
10	5	1	2	2	32	15	3	5	9	1	-	-	1	-	-	-	-	-	-	55
14	13	1	-	-	22	18	4	-	-	4	4	-	-	-	1	1	-	-	-	56
14	12	2	-	-	65	59	6	-	-	11	11	-	-	-	5	5	-	-	-	57
12	10	2	-	-	50	45	5	-	-	6	6	-	-	-	4	4	-	-	-	58
2	2	-	-	-	15	14	1	-	-	5	5	-	-	-	1	1	-	-	-	59
15	8	7	-	-	26	18	7	1	-	1	1	-	-	-	-	-	-	-	-	60
4	4	-	-	-	17	11	5	1	-	1	1	-	-	-	-	-	-	-	-	61
11	4	7	-	-	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	62
236	184	39	6	7	693	490	145	40	18	53	52	-	1	-	14	14	-	-	-	63
74	52	13	4	5	229	151	26	36	16	12	11	-	1	-	2	2	-	-	-	64
162	132	26	2	2	464	339	119	4	2	41	41	-	-	-	12	12	-	-	-	65
30	11	15	1	3	54	29	11	8	6	4	4	-	-	-	5	5	-	-	-	66
298	200	94	1	3	848	596	246	3	3	46	41	5	-	-	30	30	-	-	-	67
117	16	28	40	33	154	30	28	61	35	8	3	1	3	1	9	-	-	9	-	68
31	9	1	15	6	97	15	8	51	23	2	1	-	1	-	4	2	-	2	-	69
90	12	5	48	25	242	24	15	151	52	30	3	-	24	3	9	1	-	8	-	70
21	3	3	11	4	50	12	4	28	6	4	1	-	3	-	1	1	-	-	-	71
32	3	1	17	11	51	2	6	28	15	8	-	-	7	1	2	-	-	2	-	72
37	6	1	20	10	141	10	5	95	31	18	2	-	14	2	6	-	-	6	-	73
5	3	1	1	-	11	5	2	3	1	-	-	-	-	-	-	-	-	-	-	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers

	Cause of death	Virginia					Washington				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	All causes	2,365	1,128	550	361	326	1,132	721	82	289	40
2	Dysentery, all forms---045-048	3	-	-	2	1	1	-	-	-	1
3	Septicemia and pyemia---053	10	-	-	5	5	1	-	-	1	-
4	Whooping cough---056	3	-	-	-	3	1	-	-	1	-
5	Meningococcal infections---057	3	-	-	2	1	2	-	-	2	-
6	Tetanus---061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	10	1	-	6	3	5	1	-	3	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	4	-	-	3	1	1	-	-	1	-
9	Benign neoplasms and neoplasms of unspecified nature---210-239	2	2	-	-	-	2	1	-	1	-
10	Diseases of thymus gland---273	1	-	1	-	-	1	-	-	1	-
11	Meningitis, except meningococcal and tuberculous---340	21	5	1	5	10	10	5	-	5	-
12	Other diseases of nervous system and sense organs---330-334,341-398	16	1	2	8	5	5	1	-	4	-
13	Acute upper respiratory infections---470-475	25	-	-	15	10	4	-	-	4	-
14	Influenza and pneumonia, except pneumonia of newborn---480-493	184	-	-	81	103	76	-	-	62	14
15	Influenza---480-483	3	-	-	1	2	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn---490-493	181	...	...	80	101	76	...	...	62	14
17	Bronchitis---500-502	5	-	1	1	3	11	1	-	8	2
18	Other diseases of respiratory system---510-522,525-527	63	4	-	23	36	20	4	-	14	2
19	Pulmonary congestion and hypostasis---522	4	1	-	1	2	4	1	-	2	1
20	Other chronic interstitial pneumonia---525	43	-	-	14	29	8	-	-	8	-
21	Bronchiectasis---526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity---527.2	12	-	-	7	5	4	1	-	3	-
23	All other diseases of respiratory system---510-521,527.1	4	3	-	1	-	4	2	-	1	1
24	Hernia and intestinal obstruction---560,561,570	24	13	5	4	2	12	6	-	5	1
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	32	1	1	5	25	7	-	-	6	1
26	Other diseases of digestive system---530-542,544-553,573-587	7	1	3	2	1	4	3	1	-	-
27	Congenital malformations---750-759	315	168	27	86	34	176	101	13	57	5
28	Spina bifida and meningocele---751	41	20	2	18	1	6	4	-	2	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	28	11	3	10	4	15	8	1	6	-
30	Congenital malformations of circulatory system---754	139	54	12	52	21	81	41	4	31	5
31	Other congenital malformations---750,755-759	107	83	10	6	8	74	48	8	18	-
32	Certain diseases of early infancy---760-776	1,420	904	476	21	19	652	579	65	7	1
33	Birth injuries---760,761	188	127	61	-	-	104	97	7	-	-
34	Without mention of immaturity (.0)	83	48	35	-	-	38	35	3	-	-
35	With immaturity (.5)	105	79	26	-	-	66	62	4	-	-
36	Intracranial and spinal injury at birth---760	76	53	23	...	...	35	33	2	...	...
37	Without mention of immaturity (.0)	48	30	18	...	...	21	19	2	...	...
38	With immaturity (.5)	28	23	5	...	...	14	14	-	...	...
39	Other birth injury---761	112	74	38	-	-	69	64	5	-	-
40	Without mention of immaturity (.0)	35	18	17	-	-	17	16	1	-	-
41	With immaturity (.5)	77	56	21	-	-	52	48	4	-	-
42	Postnatal asphyxia and atelectasis---762	360	228	126	4	2	165	144	20	1	-
43	Without mention of immaturity (.0)	95	55	35	4	1	49	40	8	1	-
44	With immaturity (.5)	265	173	91	-	1	116	104	12	-	-
45	Pneumonia of newborn---763	70	39	31	...	...	21	18	3	...	...
46	Without mention of immaturity (.0)	55	30	25	...	...	13	11	2	...	...
47	With immaturity (.5)	15	9	6	...	...	8	7	1	...	...
48	Diarrhea of newborn---764	7	1	6	-	-	-	-	-	-	-
49	Without mention of immaturity (.0)	4	-	4	-	-	-	-	-	-	-
50	With immaturity (.5)	3	1	2	-	-	-	-	-	-	-
51	Other infections of newborn---765-768	20	10	10	-	-	8	8	-	-	-
52	Without mention of immaturity (.0)	14	7	7	-	-	3	3	-	-	-
53	With immaturity (.5)	6	3	3	-	-	5	5	-	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy---769	13	9	2	1	1	9	9	-	-	-
55	Without mention of immaturity (.0-.4)	7	4	1	1	1	5	5	-	-	-
56	With immaturity (.5-.9)	6	5	1	-	-	4	4	-	-	-
57	Hemolytic disease of newborn (erythroblastosis)---770	37	32	5	-	-	30	27	2	1	-
58	Without mention of immaturity (.0-.2)	26	22	4	-	-	16	14	1	1	-
59	With immaturity (.5-.7)	11	10	1	-	-	14	13	1	-	-
60	Hemorrhagic disease of newborn---771	13	7	6	-	-	6	6	-	-	-
61	Without mention of immaturity (.0)	8	4	4	-	-	3	3	-	-	-
62	With immaturity (.5)	5	3	2	-	-	3	3	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	335	218	92	11	14	146	130	13	2	1
64	Without mention of immaturity (.0)	100	60	18	10	12	34	28	5	1	-
65	With immaturity (.5)	235	158	74	1	2	112	102	8	1	1
66	Immaturity with mention of any other subsidiary condition---774	34	18	10	4	2	18	13	2	3	-
67	Immaturity, unqualified---776	343	215	127	1	-	145	127	18	-	-
68	Symptoms and ill-defined conditions---780-793,795	106	14	21	37	34	74	7	-	61	6
69	All other diseases---Residual	34	9	5	13	7	17	4	1	11	1
70	Accidents---E800-E962	69	3	4	39	23	48	7	2	35	4
71	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	15	2	1	5	7	11	2	1	7	1
72	Accidental mechanical suffocation in bed and cradle---E924	10	-	-	7	3	5	-	-	4	1
73	Other accidental causes---E800-E920,E923,E925-E962	44	1	3	27	13	32	5	1	24	2
74	Homicide---E964,E980-E984	8	2	3	3	-	2	1	-	-	1

From 55 Selected Causes, by Color: United States and Each State, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

West Virginia					Wisconsin					Wyoming					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
862	596	52	198	16	1,815	1,301	67	406	41	145	99	8	34	4	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
2	-	-	2	-	6	-	-	6	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	-	-	1	-	5	-	-	5	-	3	1	-	2	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
8	3	-	5	-	10	1	-	8	1	1	-	-	-	1	7
3	1	1	1	-	7	2	-	5	-	-	-	-	-	-	8
1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	9
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	10
6	3	1	2	-	15	5	-	7	3	2	2	-	-	-	11
9	1	-	8	-	14	2	-	11	1	-	-	-	-	-	12
1	-	-	1	-	7	-	-	7	-	-	-	-	-	-	13
60	1	-	53	6	120	-	-	106	14	12	-	-	11	1	14
1	1	-	-	-	4	-	-	4	-	-	-	-	-	-	15
59	...	...	53	6	116	...	...	102	14	12	...	...	11	1	16
2	-	-	1	1	6	-	-	6	-	-	-	-	-	-	17
7	2	-	3	2	23	3	-	17	3	2	-	1	1	-	18
2	1	-	-	1	3	1	-	2	-	-	-	-	-	-	19
1	-	-	1	-	12	-	-	11	1	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
2	1	-	-	1	6	-	-	4	2	2	-	1	1	-	22
2	-	-	2	-	2	2	-	-	-	-	-	-	-	-	23
8	8	-	-	-	22	20	-	2	-	-	-	-	-	-	24
14	-	-	11	3	24	-	-	22	2	2	-	-	1	1	25
3	3	-	-	-	6	-	-	6	-	3	1	-	2	-	26
130	81	5	43	1	315	185	6	114	10	20	12	2	5	1	27
20	12	-	8	-	22	13	1	8	-	1	1	-	-	-	28
8	4	-	4	-	35	12	-	21	2	2	2	-	-	-	29
58	36	3	19	-	140	75	3	57	5	6	2	-	4	-	30
44	29	2	12	1	118	85	2	28	3	11	7	2	1	1	31
532	480	45	7	-	1,147	1,074	60	12	1	90	82	5	3	-	32
78	72	6	-	-	244	229	15	-	-	12	12	-	-	-	33
40	37	3	-	-	62	59	3	-	-	5	5	-	-	-	34
38	35	3	-	-	182	170	12	-	-	7	7	-	-	-	35
26	23	3	...	...	42	38	4	...	...	-	-	-	...	...	36
22	19	3	...	...	29	27	2	...	...	-	-	-	...	...	37
4	4	-	...	...	13	11	2	...	...	-	-	-	...	...	38
52	49	3	-	-	202	191	11	-	-	12	12	-	-	-	39
18	18	-	-	-	33	32	1	-	-	5	5	-	-	-	40
34	31	3	-	-	169	159	10	-	-	7	7	-	-	-	41
147	128	17	2	-	246	221	22	2	1	23	17	3	3	-	42
37	31	5	1	-	63	60	1	1	1	6	4	-	2	-	43
110	97	12	1	-	183	161	21	1	-	17	13	3	1	-	44
28	27	1	...	...	46	43	3	...	...	6	6	-	...	...	45
21	20	1	...	...	31	30	1	...	...	4	4	-	...	...	46
7	7	-	...	...	15	13	2	...	...	2	2	-	...	...	47
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	48
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
2	1	1	-	-	9	8	1	-	-	-	-	-	-	-	51
1	-	1	-	-	4	4	-	-	-	-	-	-	-	-	52
1	1	-	-	-	5	4	1	-	-	-	-	-	-	-	53
8	8	-	-	-	23	19	2	2	-	-	-	-	-	-	54
-	-	-	-	-	13	11	-	2	-	-	-	-	-	-	55
8	8	-	-	-	10	8	2	-	-	-	-	-	-	-	56
18	16	1	1	-	35	35	-	-	-	2	2	-	-	-	57
13	11	1	1	-	26	26	-	-	-	2	2	-	-	-	58
5	5	-	-	-	9	9	-	-	-	-	-	-	-	-	59
2	2	-	-	-	7	7	-	-	-	1	1	-	-	-	60
1	1	-	-	-	4	4	-	-	-	1	1	-	-	-	61
1	1	-	-	-	3	3	-	-	-	-	-	-	-	-	62
97	91	3	3	-	218	212	-	6	-	22	22	-	-	-	63
33	28	2	3	-	48	43	-	5	-	7	7	-	-	-	64
64	63	1	-	-	170	169	-	1	-	15	15	-	-	-	65
10	9	-	1	-	16	15	-	1	-	-	-	-	-	-	66
140	124	16	-	-	302	284	17	1	-	24	22	2	-	-	67
29	8	-	20	1	10	-	-	9	1	-	-	-	-	-	68
19	4	-	15	-	22	5	-	16	1	2	-	-	2	-	69
26	1	-	23	2	52	2	-	46	4	8	1	-	7	-	70
4	-	-	4	-	12	-	-	11	1	1	1	-	-	-	71
6	-	-	6	-	14	1	-	13	-	1	-	-	1	-	72
16	1	-	13	2	26	1	-	22	3	6	-	-	6	-	73
1	-	-	1	-	2	1	-	1	-	-	-	-	-	-	74

Section 3. Fetal Mortality

Table		Page
3-1.	Minimum period of gestation for which fetal-death registration is required and fetal deaths by period of gestation: United States and each State, 1965	3-3
3-2.	Fetal deaths and fetal-death ratios by color: Birth-registration States, 1922-32, and United States, 1933-65	3-4
3-3.	Number and percentage distribution of fetal deaths, by age of mother, for specified periods of gestation: Selected areas combined, 1965	3-4
3-4.	Fetal deaths and fetal-death ratios, by legitimacy status, age of mother, and color: Total of 34 reporting States, 1965	3-5
3-5.	Fetal deaths and fetal-death rates, by plurality of birth, color, and sex: United States, 1965	3-5
3-6.	Fetal deaths, by period of gestation and color, and fetal-death ratios by color, for metropolitan and non-metropolitan counties in the United States and each geographic division; and for population-size groups in the United States: 1965	3-6
3-7.	Fetal-death ratios by color: United States, each division and State, 1961-65	3-8
3-8.	Fetal deaths by State of occurrence distributed according to State of residence: United States and each State, 1965	3-9
3-9.	Fetal deaths by month and color: United States and each State, 1965	3-12
3-10.	Fetal deaths by age of mother, total-birth order, color, and sex of child: United States, 1965	3-14
3-11.	Fetal deaths by age of mother and color: United States and each State, 1965	3-16
3-12.	Fetal deaths by total-birth order and color: United States and each State, 1965	3-18
3-13.	Fetal deaths by attendant, gestation group, and color: United States and each State, 1965	3-20
3-14.	Fetal deaths by birth weight, plurality of birth, color, and sex: United States, 1965	3-23
3-15.	Fetal deaths by period of gestation, plurality of birth, color, and sex: United States, 1965	3-24
3-16.	Fetal deaths by birth weight and color for the United States and each State; and by sex for the United States: 1965	3-25
3-17.	Fetal deaths by period of gestation and color for the United States and each State; and by sex for the United States: 1965	3-28

274-315 O - 67 - 22

Table 3-1. Minimum Period of Gestation for Which Fetal-Death Registration Is Required and Fetal Deaths by Period of Gestation: United States and Each State, 1965

[By place of occurrence]

Area	Minimum period of gestation for which fetal-death registration is required	Total fetal deaths	Period of gestation[1]											
			Under 16 weeks	16-19 weeks	20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41-42 weeks	43 weeks and over	Not stated
United States	...	87,453	22,329	4,265	7,059	6,469	6,797	7,698	4,337	6,923	11,599	1,847	791	7,339
Alabama	After 5th month (20 weeks)	1,453	5	11	120	143	199	148	114	146	447	8	5	107
Alaska	20 weeks or more[2]	91	-	-	6	6	13	16	6	14	22	5	1	2
Arizona	Advanced to 20th week	424	-	7	32	37	52	58	37	47	113	20	4	17
Arkansas	All periods of gestation	733	[3]57	43	67	63	73	62	49	46	166	8	3	96
California	Advanced to 20th week	4,523	11	35	274	356	395	634	190	716	209	281	160	1,262
Colorado	All periods of gestation	1,837	[3]1,014	218	96	56	63	71	32	65	62	15	4	141
Connecticut	20 weeks or more	633	-	-	63	67	87	96	50	100	128	15	9	18
Delaware	20 weeks or more	164	-	1	14	14	21	24	13	22	25	4	1	25
District of Columbia	After 5th month	447	4	4	27	38	45	71	25	64	8	23	15	123
Florida	20 weeks or more	1,684	-	2	177	187	243	224	186	163	453	31	11	7
Georgia	All periods of gestation	2,777	[3]754	249	249	216	221	196	140	128	426	21	16	161
Hawaii	All periods of gestation	1,071	[3]773	61	58	21	45	36	15	20	26	11	2	3
Idaho	After 20 weeks	159	-	1	14	12	15	15	5	13	20	8	-	56
Illinois	20 weeks or more	3,095	5	26	367	352	375	416	247	391	796	83	30	7
Indiana	20 weeks or more	1,280	2	14	90	111	141	162	93	134	270	27	6	230
Iowa	Advanced to 5th month (20 weeks)	591	1	4	44	81	64	71	53	94	140	23	8	8
Kansas	Weight in excess of 350 grams	491	3	10	47	39	59	78	29	71	108	28	10	9
Kentucky	20 weeks or more	924	-	-	73	112	109	125	113	91	277	10	2	12
Louisiana	After 20 weeks	1,318	1	18	102	154	176	162	115	158	390	23	6	13
Maine	All periods of gestation	349	[3]18	17	25	24	46	28	19	35	51	5	6	75
Maryland	20 weeks or more[4]	1,068	10	15	80	114	93	152	45	137	38	84	29	271
Massachusetts	20 weeks or more	1,328	2	15	152	138	157	216	98	208	180	58	18	86
Michigan	Advanced through 20th week	2,445	8	16	232	276	281	363	196	309	507	87	29	141
Minnesota	After 20 weeks	957	7	8	98	108	120	123	86	133	174	46	17	37
Mississippi	All periods of gestation	2,552	[3]954	222	207	156	164	119	79	94	444	8	2	103
Missouri	After 20 weeks	1,199	4	10	126	137	130	122	116	143	275	26	16	94
Montana	After 20 weeks	177	-	-	17	10	27	18	12	33	46	12	2	-
Nebraska	Advanced to 5th month	371	2	3	37	40	46	60	32	53	64	9	11	14
Nevada	After 20 weeks	140	-	1	19	17	22	21	12	23	10	2	1	12
New Hampshire	20 weeks or more	158	-	-	10	21	11	22	10	19	33	9	2	21
New Jersey	20 weeks or more	1,845	9	22	181	179	221	256	133	218	378	66	20	162
New Mexico	20 weeks or more	346	-	4	28	35	23	36	33	38	68	17	4	60
New York (excl. N.Y.C)	20 weeks or more	2,507	3	13	279	283	291	374	216	346	521	91	24	66
New York City	All periods of gestation	21,636	[3]13,409	1,906	1,059	586	419	469	138	423	170	153	123	2,781
North Carolina	Advanced to 20th week	1,709	-	2	190	206	191	246	131	189	493	32	11	18
North Dakota	20 weeks or more	214	14	11	23	24	13	25	17	31	43	10	3	-
Ohio	20 weeks or more	2,757	-	2	357	310	335	402	203	362	511	106	34	135
Oklahoma	20 weeks or more	569	2	9	36	64	62	95	46	65	166	13	5	6
Oregon	All periods of gestation	1,299	[3]552	119	82	63	46	47	39	54	81	15	5	196
Pennsylvania	After 16 weeks	3,993	8	502	683	445	440	440	239	376	705	107	37	11
Rhode Island	20 weeks or more[2]	388	103	18	36	25	33	43	19	39	48	12	5	7
South Carolina	After 20 weeks	1,057	5	10	72	108	124	126	85	98	300	7	2	120
South Dakota	20 weeks or more	212	13	3	26	16	27	24	16	23	48	5	6	5
Tennessee	20 weeks or more	1,361	-	1	183	177	204	174	111	93	398	11	5	4
Texas	20 weeks or more	3,264	7	27	320	369	400	450	349	356	857	66	25	38
Utah	After 20 weeks	233	-	2	15	21	19	35	19	36	41	9	-	36
Vermont	All periods of gestation	430	[3]145	30	16	7	9	17	3	11	3	6	3	180
Virginia	All periods of gestation	6,826	[3]4,412	546	308	211	190	206	112	153	355	26	16	291
Washington	20 weeks or more	655	6	8	71	69	81	91	67	95	117	24	9	17
West Virginia	Advanced to 5th month[5]	584	6	14	52	46	48	59	51	78	170	18	8	34
Wisconsin	After 20 weeks	1,041	-	3	115	113	116	161	86	154	201	57	18	17
Wyoming	After 20 weeks	88	-	2	4	6	12	13	7	15	17	6	2	4

[1]Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.
[2]Further specifies that certificates for fetal deaths of less than 20 weeks of gestation may be filed although registration is not mandatory.
[3]For areas which require reporting of fetal deaths at all periods of gestation, those at gestations of under 16 weeks are distributed as follows:

	Under 4 weeks	4-7 weeks	8-11 weeks	12-15 weeks
Arkansas	1	9	17	30
Colorado	8	174	478	354
Georgia	3	115	340	296
Hawaii	6	141	375	251
Maine	-	2	11	5
Mississippi	8	240	402	304
New York City	578	2,287	6,247	4,297
Oregon	1	112	260	179
Vermont	2	16	77	50
Virginia	36	951	2,245	1,180

[4]Further specifies that "if the gestation period is unknown but the fetus weighs 400 grams or more, a fetal-death certificate must be filed."
[5]Further specifies "or total length of 10 inches."

Table 3-2. Fetal Deaths and Fetal-Death Ratios by Color: Birth-Registration States, 1922-32, and United States, 1933-65

[Ratios per 1,000 live births in specified group]

Area and year	All fetal deaths reported regardless of period of gestation						Fetal deaths at gestations of 20 weeks or more and not stated					
	Number			Ratio			Number			Ratio		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
UNITED STATES												
1965	87,453	61,871	25,582	23.3	19.8	40.2	60,859	43,530	17,329	16.2	13.9	27.2
1964	94,467	67,267	27,200	23.5	20.0	41.3	65,931	47,345	18,586	16.4	14.1	28.2
1963[1]	94,194	66,203	25,705	23.0	19.9	40.2	64,640	45,495	17,075	15.8	13.7	26.7
1962[1]	95,841	68,178	25,498	23.0	20.1	39.7	66,421	47,326	17,128	15.9	13.9	26.7
1961	97,007	71,219	25,788	22.7	19.8	38.6	68,767	50,728	18,039	16.1	14.1	27.0
1960	94,452	69,116	25,336	22.2	19.2	38.6	68,480	50,894	17,586	16.1	14.1	26.8
1959	92,566	67,993	24,573	21.8	18.9	38.0	68,613	50,911	17,702	16.2	14.2	27.3
1958	92,873	68,970	23,903	22.1	19.3	37.9	69,355	51,969	17,386	16.5	14.5	27.5
1957	92,681	69,518	23,163	21.8	19.2	36.6	69,561	52,591	16,970	16.3	14.5	26.8
1956	92,282	69,227	23,055	22.2	19.5	37.3	68,659	51,865	16,794	16.5	14.6	27.2
1955	91,907	69,174	22,733	22.7	20.0	38.6	69,153	52,411	16,742	17.1	15.2	28.4
1954	92,144	70,043	22,101	22.9	20.3	38.5	70,109	53,532	16,577	17.5	15.5	28.9
1953	86,313	65,636	20,677	22.1	19.6	37.9	69,393	53,252	16,141	17.8	15.9	29.6
1952	85,549	64,702	20,847	22.2	19.5	39.8	70,447	53,541	16,906	18.3	16.1	32.2
1951	84,696	64,629	20,067	22.6	20.0	39.1	70,569	54,071	16,498	18.8	16.7	32.1
1950	81,300	62,092	19,208	22.9	20.3	39.2	68,262	52,319	15,943	19.2	17.1	32.5
1949	81,489	62,599	18,890	22.9	20.3	39.7	70,584	54,114	16,470	19.8	17.5	34.6
1948	83,021	64,262	18,759	23.5	20.9	41.3	72,838	56,232	16,606	20.6	18.3	36.5
1947	87,831	69,013	18,818	23.7	21.1	44.2	77,917	61,072	16,845	21.1	18.7	39.6
1946	84,270	67,677	16,593	25.6	23.2	44.2	74,849	59,494	15,355	22.8	20.4	40.9
1945	72,854	57,690	15,164	26.6	24.1	44.6	65,513	51,242	14,271	23.9	21.4	42.0
1944	75,495	60,053	15,442	27.0	24.5	45.4	68,374	---	---	24.5	---	---
1943	78,485	62,776	15,709	26.7	24.2	46.2	71,873	---	---	24.5	---	---
1942	79,174	63,301	15,873	28.2	25.5	49.3	72,017	---	---	25.6	---	---
1941	75,133	58,467	16,666	29.9	26.5	54.0	---	---	---	---	---	---
1940	73,802	57,220	16,582	31.3	27.7	56.7	---	---	---	---	---	---
1939	72,598	55,892	16,706	32.0	28.2	59.0	---	---	---	---	---	---
1938	73,467	56,306	17,161	32.1	28.1	61.1	---	---	---	---	---	---
1937	73,609	56,242	17,367	33.4	29.2	63.2	---	---	---	---	---	---
1936	73,735	56,156	17,579	34.4	29.8	66.9	---	---	---	---	---	---
1935	77,119	58,767	18,352	35.8	31.1	68.7	---	---	---	---	---	---
1934	78,503	59,643	18,860	36.2	31.4	70.1	---	---	---	---	---	---
1933	77,059	58,749	18,310	37.0	32.2	71.1	---	---	---	---	---	---
BIRTH-REGISTRATION STATES[2]												
1932	78,351	59,641	18,710	37.8	32.7	74.4	---	---	---	---	---	---
1931	80,616	62,417	18,199	38.2	33.4	74.1	---	---	---	---	---	---
1930	86,466	66,440	20,026	39.2	34.0	79.9	---	---	---	---	---	---
1929	85,678	66,124	19,554	39.5	34.4	79.7	---	---	---	---	---	---
1928	89,765	69,317	20,448	40.2	35.0	81.5	---	---	---	---	---	---
1927	82,931	67,056	15,875	38.8	34.8	74.8	---	---	---	---	---	---
1926	70,716	59,842	10,874	38.1	35.1	73.0	---	---	---	---	---	---
1925	71,519	60,762	10,757	38.1	35.1	73.1	---	---	---	---	---	---
1924	75,817	63,029	12,788	39.3	35.8	76.2	---	---	---	---	---	---
1923	69,757	59,089	10,668	38.9	35.9	71.8	---	---	---	---	---	---
1922	70,010	59,329	10,681	39.4	36.4	73.4	---	---	---	---	---	---

[1] Figures by color exclude data for residents of New Jersey; see Technical Appendix.
[2] Increased in number from 30 States and the District of Columbia in 1922 to the entire conterminous United States in 1933.

Table 3-3. Number and Percentage Distribution of Fetal Deaths, by Age of Mother, for Specified Periods of Gestation: Selected Areas Combined, 1965

[Includes only fetal deaths to residents of those areas in the United States which required reporting of all periods of gestation. The areas are Arkansas, Colorado, Georgia, Hawaii, Maine, Mississippi, New York City, Oregon, Vermont, and Virginia]

Age of mother	Period of gestation[1]							
	Number				Percent			
	Total	Under 20 weeks	20 weeks and over	Not stated	Total	Under 20 weeks	20 weeks and over	Not stated
Total	38,310	24,531	9,848	3,931	100.0	100.0	100.0	100.0
Under 15 years	105	45	44	16	0.3	0.2	0.4	0.4
15-19 years	4,327	2,334	1,504	489	11.3	9.5	15.3	12.4
20-24 years	11,256	7,400	2,667	1,189	29.4	30.2	27.1	30.2
25-29 years	9,449	6,325	2,183	941	24.7	25.8	22.2	23.9
30-34 years	6,551	4,278	1,625	648	17.1	17.4	16.5	16.5
35-39 years	4,520	2,846	1,248	426	11.8	11.6	12.7	10.8
40-44 years	1,898	1,180	524	194	5.0	4.8	5.3	4.9
45-49 years	204	123	53	28	0.5	0.5	0.5	0.7

[1] Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

Table 3-4. Fetal Deaths and Fetal-Death Ratios, by Legitimacy Status, Age of Mother, and Color: Total of 34 Reporting States, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. For list of States reporting legitimacy status, see Technical Appendix]

Age of mother and color	Number			Ratio		
	Total	Legitimate[1]	Illegitimate	Total	Legitimate[1]	Illegitimate
Total	37,204	32,240	4,964	15.5	14.6	25.5
Under 15 years	129	24	105	24.1	23.7	24.2
15-19 years	5,529	3,822	1,707	14.2	12.5	20.2
20-24 years	10,226	8,854	1,372	12.0	11.1	23.1
25-29 years	7,824	7,155	669	13.4	12.8	27.9
30-34 years	6,277	5,742	535	18.8	17.9	41.7
35-39 years	4,878	4,466	412	26.9	25.7	54.3
40 years and over	2,341	2,177	164	42.1	40.9	67.3
White	26,318	24,712	1,606	13.3	13.0	20.8
Under 15 years	30	15	15	18.8	21.8	16.5
15-19 years	3,445	2,905	540	11.9	11.3	16.8
20-24 years	7,539	7,034	505	10.5	10.1	18.8
25-29 years	5,804	5,591	213	11.7	11.4	23.4
30-34 years	4,446	4,277	169	15.9	15.5	39.0
35-39 years	3,370	3,265	105	22.4	22.1	37.6
40 years and over	1,684	1,625	59	36.6	36.1	58.4
Nonwhite	10,886	7,528	3,358	25.8	24.7	28.5
Under 15 years	99	9	90	26.4	27.6	26.3
15-19 years	2,084	917	1,167	20.7	18.9	22.4
20-24 years	2,687	1,820	867	19.9	17.7	26.6
25-29 years	2,020	1,564	456	23.2	21.6	30.7
30-34 years	1,831	1,465	366	33.4	31.6	43.1
35-39 years	1,508	1,201	307	48.6	45.8	64.0
40 years and over	657	552	105	68.3	67.4	73.5

[1]Includes legitimacy not stated.

Table 3-5. Fetal Deaths and Fetal-Death Rates, by Plurality of Birth, Color, and Sex: United States, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Rates per 1,000 live births and fetal deaths in specified group]

Plurality of birth and color	Number				Rate[1]		
	Total	Male	Female	Sex not stated	Total	Male	Female
Total	60,859	30,069	25,676	5,114	15.9	16.8	15.1
Fetal deaths in single deliveries	57,469	28,333	24,152	4,984	15.4	16.2	14.5
Fetal deaths in twin deliveries	3,270	1,678	1,469	123	42.0	44.1	39.8
Fetal deaths in other plural deliveries	120	58	55	7	106.0	116.1	97.0
White	43,530	21,563	18,677	3,290	13.7	14.3	13.1
Fetal deaths in single deliveries	41,110	20,324	17,585	3,201	13.2	13.8	12.6
Fetal deaths in twin deliveries	2,329	1,194	1,048	87	38.3	40.1	36.5
Fetal deaths in other plural deliveries	91	45	44	2	106.2	112.2	100.7
Nonwhite	17,329	8,506	6,999	1,824	26.5	28.6	24.3
Fetal deaths in single deliveries	16,359	8,009	6,567	1,783	25.7	27.8	23.5
Fetal deaths in twin deliveries	941	484	421	36	55.0	58.9	51.2
Fetal deaths in other plural deliveries	29	13	11	5	105.5	129.0	86.1

[1]Figures for "Sex not stated" are distributed.

Table 3-6. Fetal Deaths, by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1965

[Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and color	Fetal deaths					Fetal-death ratios
	Total	Period of gestation[1]				
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated	
United States	60,859	7,059	6,469	39,992	7,339	16.2
White	43,530	4,715	4,413	29,462	4,940	13.9
Nonwhite	17,329	2,344	2,056	10,530	2,399	27.2
Urban places	35,099	4,438	3,934	21,648	5,079	17.1
White	23,493	2,718	2,496	15,154	3,125	14.5
Nonwhite	11,606	1,720	1,438	6,494	1,954	27.2
Balance of area	25,760	2,621	2,535	18,344	2,260	15.0
White	20,037	1,997	1,917	14,308	1,815	13.3
Nonwhite	5,723	624	618	4,036	445	27.2
Metropolitan counties	39,461	4,906	4,338	24,830	5,387	16.2
White	27,926	3,168	2,930	18,395	3,433	13.9
Nonwhite	11,535	1,738	1,408	6,435	1,954	26.9
Urban places	30,078	3,867	3,392	18,224	4,595	17.4
White	19,744	2,307	2,116	12,577	2,744	14.7
Nonwhite	10,334	1,560	1,276	5,647	1,851	27.2
Balance of area	9,383	1,039	946	6,606	792	13.3
White	8,182	861	814	5,818	689	12.5
Nonwhite	1,201	178	132	788	103	24.6
Nonmetropolitan counties	21,398	2,153	2,131	15,162	1,952	16.1
White	15,604	1,547	1,483	11,067	1,507	13.9
Nonwhite	5,794	606	648	4,095	445	27.8
Urban places	5,021	571	542	3,424	484	15.6
White	3,749	411	380	2,577	381	13.6
Nonwhite	1,272	160	162	847	103	27.4
Balance of area	16,377	1,582	1,589	11,738	1,468	16.3
White	11,855	1,136	1,103	8,490	1,126	14.0
Nonwhite	4,522	446	486	3,248	342	27.9
New England	2,944	304	281	1,969	390	13.8
White	2,736	270	250	1,835	381	13.5
Nonwhite	208	34	31	134	9	19.3
Metropolitan counties	2,091	230	215	1,513	133	12.9
White	1,904	201	185	1,389	129	12.5
Nonwhite	187	29	30	124	4	19.0
Nonmetropolitan counties	853	74	66	456	257	16.7
White	832	69	65	446	252	16.6
Nonwhite	21	5	1	10	5	23.0
Middle Atlantic	14,083	2,191	1,493	7,384	3,015	21.2
White	10,088	1,429	1,079	5,871	1,709	17.8
Nonwhite	3,995	762	414	1,513	1,306	40.1
Metropolitan counties	12,177	1,948	1,287	6,001	2,941	22.5
White	8,336	1,211	890	4,589	1,646	18.7
Nonwhite	3,841	737	397	1,412	1,295	40.6
Nonmetropolitan counties	1,906	243	206	1,383	74	15.4
White	1,752	218	189	1,282	63	14.8
Nonwhite	154	25	17	101	11	29.8
East North Central	10,585	1,169	1,169	7,722	525	14.1
White	8,480	881	865	6,280	454	12.9
Nonwhite	2,105	288	304	1,442	71	23.0
Metropolitan counties	7,525	882	898	5,488	257	14.5
White	5,537	606	611	4,123	197	12.8
Nonwhite	1,988	276	287	1,365	60	23.1
Nonmetropolitan counties	3,060	287	271	2,234	268	13.2
White	2,943	275	254	2,157	257	13.0
Nonwhite	117	12	17	77	11	20.9
West North Central	3,924	399	445	2,909	171	13.2
White	3,443	337	386	2,567	153	12.5
Nonwhite	481	62	59	342	18	22.0
Metropolitan counties	1,952	210	240	1,467	35	13.3
White	1,591	158	195	1,208	30	12.2
Nonwhite	361	52	45	259	5	22.1
Nonmetropolitan counties	1,972	189	205	1,442	136	13.1
White	1,852	179	191	1,359	123	12.8
Nonwhite	120	10	14	83	13	21.7
South Atlantic	10,284	1,170	1,129	6,938	1,047	17.9
White	5,659	637	548	3,901	573	14.1
Nonwhite	4,625	533	581	3,037	474	26.6
Metropolitan counties	4,985	590	554	3,253	588	16.7
White	2,805	312	281	1,885	327	13.3
Nonwhite	2,180	278	273	1,368	261	25.2
Nonmetropolitan counties	5,299	580	575	3,685	459	19.1
White	2,854	325	267	2,016	246	15.0
Nonwhite	2,445	255	308	1,669	213	28.0
East South Central	5,045	571	585	3,661	228	19.6
White	2,524	269	297	1,872	86	13.9
Nonwhite	2,521	302	288	1,789	142	33.2
Metropolitan counties	1,651	210	216	1,181	44	17.7
White	791	91	102	582	16	12.2
Nonwhite	860	119	114	599	28	30.2
Nonmetropolitan counties	3,394	361	369	2,480	184	20.6
White	1,733	178	195	1,290	70	14.8
Nonwhite	1,661	183	174	1,190	114	35.1

[1]Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

Table 3-6. Fetal Deaths, by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1965—Con.

[See headnote at beginning of table]

Area and color	Fetal deaths					Fetal death ratios
	Total	Period of gestation[1]				
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated	
West South Central	5,766	538	653	4,417	158	15.4
White	3,694	341	393	2,856	104	12.7
Nonwhite	2,072	197	260	1,561	54	24.4
Metropolitan counties	3,232	318	400	2,458	56	15.0
White	2,160	205	239	1,678	38	12.8
Nonwhite	1,072	113	161	780	18	23.2
Nonmetropolitan counties	2,534	220	253	1,959	102	15.9
White	1,534	136	154	1,178	66	12.7
Nonwhite	1,000	84	99	781	36	25.8
Mountain	2,139	220	192	1,400	327	13.3
White	1,890	189	171	1,231	299	13.0
Nonwhite	249	31	21	169	28	16.6
Metropolitan counties	1,055	125	108	682	140	12.9
White	945	110	95	611	129	12.4
Nonwhite	110	15	13	71	11	19.8
Nonmetropolitan counties	1,084	95	84	718	187	13.8
White	945	79	76	620	170	13.7
Nonwhite	139	16	8	98	17	14.8
Pacific	6,089	497	522	3,592	1,478	13.1
White	5,016	362	424	3,049	1,181	12.5
Nonwhite	1,073	135	98	543	297	17.0
Metropolitan counties	4,793	393	420	2,787	1,193	12.9
White	3,857	274	332	2,330	921	12.1
Nonwhite	936	119	88	457	272	17.1
Nonmetropolitan counties	1,296	104	102	805	285	14.1
White	1,159	88	92	719	260	13.9
Nonwhite	137	16	10	86	25	16.4

[1]Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

Table 3-7. Fetal-Death Ratios by Color: United States, Each Division and State, 1961-65

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1965			1964			1963			1962			1961		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
United States[1]	16.2	13.9	27.2	16.4	14.1	28.2	15.8	13.7	26.7	15.9	13.9	26.7	16.1	14.1	27.0
Geographic divisions:															
New England[2]	13.8	13.5	19.3	14.0	13.9	17.3	11.8	11.7	13.3	13.7	13.4	21.2	13.7	13.4	21.0
Middle Atlantic[1]	21.2	17.8	40.1	21.9	18.5	41.9	19.6	17.8	37.9	19.4	17.9	37.3	19.6	17.3	35.0
East North Central	14.1	12.9	23.0	14.2	12.8	25.0	14.2	12.8	24.4	14.3	13.1	23.8	14.0	12.8	23.2
West North Central	13.2	12.5	22.0	13.1	12.1	26.2	12.6	11.9	22.0	12.7	12.0	22.5	12.9	12.1	24.1
South Atlantic	17.9	14.1	26.6	18.5	14.5	28.1	18.8	15.0	27.9	18.9	15.3	27.5	19.9	16.0	29.1
East South Central	19.6	13.9	33.2	18.9	14.0	30.7	18.8	13.7	31.2	19.3	14.4	31.3	19.6	14.9	30.7
West South Central	15.4	12.7	24.4	15.7	13.0	25.5	15.1	12.4	25.1	15.3	12.7	24.8	15.8	13.4	24.8
Mountain	13.3	13.0	16.6	13.5	13.2	16.9	14.1	13.9	16.2	13.8	13.5	17.3	13.0	12.6	17.6
Pacific	13.1	12.5	17.0	12.7	12.0	17.5	12.7	12.2	16.1	12.7	12.1	17.0	12.9	12.3	17.3
New England:															
Maine[3]	15.7	15.6	*28.5	15.0	15.0	*10.6	13.5	13.6	*10.6	15.3	15.3	*21.9	14.2	14.3	* 6.1
New Hampshire	12.7	12.7	-	13.7	13.7	*13.9	13.5	13.4	*18.2	15.5	15.6	*10.9	15.4	15.2	*66.7
Vermont[3]	30.6	30.5	*71.4	36.5	36.6	-	21.4	21.5	-	19.0	19.1	-	18.8	18.8	-
Massachusetts[2]	13.1	12.8	19.4	12.1	12.0	13.6	9.6	9.7	6.5	12.4	12.1	18.4	13.4	13.1	21.5
Rhode Island	15.2	14.9	*22.9	15.4	15.1	*21.8	15.9	15.4	28.0	16.5	15.5	43.1	14.6	14.2	*22.6
Connecticut	11.8	11.1	18.3	13.6	12.9	20.3	12.2	11.6	18.0	13.4	12.7	20.9	12.5	11.8	20.8
Middle Atlantic:															
New York[3]	26.0	21.1	51.1	27.3	22.3	53.9	22.7	19.3	41.5	22.8	19.5	42.3	22.9	19.9	42.2
New Jersey	15.2	13.4	24.2	15.4	13.5	25.6	15.6	---	---	14.9	---	---	15.3	13.8	25.0
Pennsylvania	16.8	15.3	28.6	17.1	15.6	28.5	17.1	15.4	30.2	16.8	15.5	27.4	16.9	15.5	28.4
East North Central:															
Ohio	14.1	13.0	23.0	14.1	13.1	23.2	14.0	12.8	24.6	14.5	13.5	22.5	13.9	13.1	20.9
Indiana	12.8	11.9	23.3	13.8	12.7	25.2	13.5	12.5	24.2	14.4	13.5	24.8	13.8	12.8	24.9
Illinois	14.8	13.1	22.6	15.2	13.1	25.5	15.0	13.0	25.1	14.7	13.0	23.3	14.7	13.0	23.4
Michigan	14.7	13.4	23.6	14.1	12.5	26.8	14.2	13.0	23.9	15.0	13.6	26.0	14.0	12.8	24.2
Wisconsin	12.6	12.1	22.6	12.5	12.2	19.0	13.0	12.7	19.7	11.8	11.3	23.8	12.7	12.1	26.5
West North Central:															
Minnesota	13.3	13.1	19.5	12.2	12.1	15.5	12.2	12.0	23.8	12.3	12.2	18.7	12.4	12.3	20.4
Iowa	11.3	11.2	*18.7	11.0	10.8	21.4	12.0	11.9	*18.8	11.3	11.2	19.0	11.6	11.5	*17.1
Missouri	14.5	13.0	22.9	16.0	13.5	30.4	13.6	11.9	23.7	15.0	13.2	25.8	14.7	12.8	27.1
North Dakota	13.7	13.9	*10.1	14.7	14.2	*23.6	12.5	12.3	*16.4	11.8	11.7	*14.3	13.2	13.0	*17.6
South Dakota	14.0	13.6	18.0	12.6	12.0	18.8	13.7	13.2	19.8	12.5	11.8	20.8	13.2	13.0	14.6
Nebraska	13.2	12.4	28.3	12.7	12.0	24.8	11.0	10.6	16.9	11.5	11.3	16.4	12.1	11.7	20.2
Kansas	12.3	11.5	22.4	11.6	10.9	20.5	12.5	11.9	20.0	11.7	11.2	17.7	11.9	11.1	22.8
South Atlantic:															
Delaware	15.7	13.6	23.9	13.9	11.6	22.9	13.5	11.8	20.2	14.7	12.9	21.8	14.2	12.1	22.3
Maryland	15.3	12.7	24.4	14.8	12.4	25.5	15.4	13.3	23.1	16.0	14.0	23.1	15.7	13.4	23.6
District of Columbia	17.2	9.6	19.4	17.8	12.2	19.8	19.9	14.2	22.2	18.0	13.9	19.7	18.6	15.1	20.0
Virginia[3]	21.6	18.2	31.8	23.5	20.1	34.1	25.5	22.4	35.1	27.4	24.0	38.0	29.6	26.5	39.0
West Virginia	16.9	16.3	28.1	15.9	15.7	19.6	17.1	16.9	21.3	16.0	15.8	21.6	17.7	17.5	21.8
North Carolina	17.6	13.2	26.8	18.4	13.7	28.6	18.0	13.5	27.9	18.2	13.8	27.8	19.6	14.5	31.0
South Carolina	20.2	13.9	28.8	20.6	13.3	31.0	20.2	12.1	31.7	17.7	10.9	27.4	19.9	12.5	30.0
Georgia[3]	18.3	14.0	25.8	19.3	14.3	28.4	19.5	15.1	27.8	19.7	15.3	27.8	19.8	14.6	29.0
Florida	15.9	11.8	26.5	16.5	12.4	27.7	15.7	12.1	25.7	15.6	11.9	25.9	16.5	12.6	27.3
East South Central:															
Kentucky	14.9	13.8	27.1	13.4	12.6	21.4	13.0	12.2	21.8	13.7	13.0	21.5	15.9	15.0	26.4
Tennessee	17.7	14.2	29.8	16.5	14.0	25.4	17.1	13.9	28.4	17.8	15.0	27.6	16.9	14.5	25.4
Alabama	20.7	13.3	33.5	20.3	14.6	30.4	20.2	14.6	29.9	20.1	14.0	30.5	21.2	14.8	32.0
Mississippi[3]	26.2	14.6	36.2	26.7	15.9	35.9	26.2	15.4	35.7	27.0	16.8	35.9	25.3	15.9	33.3
West South Central:															
Arkansas[3]	17.8	13.6	27.6	16.4	12.9	25.2	16.4	12.6	26.0	17.7	13.7	27.7	18.3	15.1	25.7
Louisiana	16.4	10.6	25.0	17.5	10.9	27.4	17.1	11.3	26.0	16.3	11.0	24.5	16.5	10.8	25.3
Oklahoma	13.1	12.0	19.2	13.6	12.2	22.0	12.0	10.8	19.0	12.3	10.9	21.2	12.8	11.4	21.2
Texas	15.0	13.3	23.8	15.4	13.7	24.4	14.9	13.0	25.4	15.1	13.4	24.8	15.8	14.2	24.6
Mountain:															
Montana	13.2	12.7	18.5	13.3	13.4	*12.1	12.6	12.7	*11.3	12.3	12.1	*15.0	11.2	11.1	*11.9
Idaho	11.5	11.2	*21.9	12.4	12.4	*14.1	10.8	10.9	* 2.9	9.9	9.8	*14.7	10.5	10.4	*15.8
Wyoming	13.1	12.4	*28.2	12.6	12.7	* 9.1	12.7	13.0	* 6.8	10.6	10.6	* 9.9	13.0	13.0	*13.1
Colorado[3]	16.0	16.0	17.0	16.3	15.8	26.8	18.6	18.2	26.1	17.6	17.6	18.3	16.4	16.0	24.6
New Mexico	13.8	13.8	13.9	13.7	13.9	12.3	13.7	13.8	12.7	14.3	14.1	16.3	13.0	12.7	14.6
Arizona	12.6	11.9	15.4	12.8	12.0	16.8	14.0	13.4	16.7	13.3	12.7	16.4	13.9	12.7	20.3
Utah	10.2	10.2	*10.8	10.0	9.8	*18.3	10.9	10.9	*12.5	11.2	11.0	*20.4	9.9	9.8	*16.1
Nevada	14.8	13.0	26.8	14.9	13.8	23.0	12.3	11.1	21.7	16.8	15.1	28.6	10.1	10.1	*10.3
Pacific:															
Washington	12.4	12.2	15.8	11.4	11.2	13.7	11.1	10.8	15.5	11.0	10.7	14.6	11.7	11.3	19.4
Oregon[3]	18.6	18.4	22.7	18.1	17.8	26.4	17.7	17.4	27.0	17.9	17.4	31.5	15.7	15.2	30.2
California	12.6	11.9	17.5	12.5	11.6	18.8	12.4	11.8	16.8	12.5	11.8	17.6	12.8	12.1	18.0
Alaska	12.7	11.9	14.4	11.5	10.5	13.8	13.7	12.7	15.7	12.3	8.6	19.9	11.8	11.4	12.5
Hawaii[3]	14.5	13.3	15.0	13.1	11.9	13.7	12.8	13.5	12.4	13.3	12.2	13.8	14.4	15.3	13.9

[1] Figures by color for 1962 and 1963 exclude data for residents of New Jersey; see Technical Appendix.
[2] Figures for 1963 exclude approximately 300 fetal deaths recorded in Massachusetts, primarily to residents of the State; see Technical Appendix.
[3] Maine, Vermont, New York City, Virginia, Georgia, Mississippi, Arkansas, Colorado, Oregon, and Hawaii required reporting of all fetal deaths regardless of period of gestation. Since fetal deaths for which gestation was not stated are included in computing the ratios in this table, the ratios may be overstated as a result of inclusion of some early fetal deaths from the "not stated" group.

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident]

State of occurrence	All fetal deaths occurring in State	Fetal deaths to residents occurring in county of residence	Total fetal deaths to non-residents	Fetal deaths to intra-state non-residents	Fetal deaths to interstate nonresidents by State of residence												
					Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
UNITED STATES	60,859	50,830	10,029	8,564	1,465	46	-	15	41	31	10	22	8	16	30	22	-	4
Alabama	1,437	1,208	229	208	21	...	-	-	-	1	-	-	-	-	5	5	-	-
Alaska	91	78	13	12	1	-	...	-	-	-	-	-	-	-	-	-	-	-
Arizona	417	393	24	18	6	-	-	...	1	3	-	-	-	-	1	-	-	-
Arkansas	633	483	150	130	20	-	-	-	...	1	-	-	-	-	-	-	-	-
California	4,477	4,173	304	292	12	1	-	-	-	...	-	-	-	-	-	-	-	-
Colorado	605	405	200	175	25	1	-	1	-	3	...	-	1	-	1	1	-	-
Connecticut	633	563	70	57	13	-	-	-	-	-	-	...	-	-	-	-	-	-
Delaware	163	154	9	6	3	-	-	-	-	-	-	-	...	-	-	-	-	-
District of Columbia	439	295	144	...	144	-	-	-	-	1	-	-	-	...	-	-	-	-
Florida	1,682	1,556	126	110	16	-	-	-	-	4	-	-	-	-	...	4	-	-
Georgia	1,774	1,279	495	427	68	22	-	-	-	-	-	-	-	-	12	...	-	-
Hawaii	237	234	3	3	-	-	-	-	-	-	-	-	-	-	-	-	...	-
Idaho	158	126	32	24	8	-	-	1	-	1	-	-	-	-	-	-	-	.
Illinois	3,064	2,730	334	297	37	-	-	-	1	1	-	-	-	-	1	-	-	-
Indiana	1,264	1,082	182	146	36	-	-	-	-	-	-	-	-	-	-	-	-	-
Iowa	586	429	157	132	25	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas	478	389	89	62	27	-	-	-	-	-	1	-	-	-	-	-	-	-
Kentucky	924	694	230	187	43	-	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana	1,299	818	481	470	11	-	-	-	2	1	-	-	-	-	-	-	-	-
Maine	314	262	52	37	15	-	-	-	-	-	-	2	-	-	-	-	-	-
Maryland	1,043	759	284	243	41	-	-	-	-	1	-	-	4	11	1	-	-	-
Massachusetts	1,311	1,059	252	220	32	-	-	-	-	-	-	3	-	-	-	-	-	-
Michigan	2,421	2,000	421	414	7	-	-	-	-	-	-	-	-	-	1	-	-	-
Minnesota	942	678	264	240	24	-	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi	1,376	1,081	295	259	36	16	-	-	1	-	-	-	-	-	1	-	-	-
Missouri	1,185	852	333	286	47	1	-	-	1	-	1	-	-	-	-	-	-	-
Montana	177	164	13	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	366	277	89	76	13	-	-	-	-	-	-	1	-	-	-	-	-	-
Nevada	139	130	9	5	4	-	-	-	-	3	-	-	-	-	-	-	-	-
New Hampshire	158	126	32	11	21	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,814	1,524	290	263	27	-	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	342	299	43	26	17	-	-	5	-	1	2	-	-	-	-	-	-	-
New York	8,812	8,197	615	494	121	-	-	-	-	1	1	13	-	-	2	-	-	-
North Carolina	1,707	1,407	300	272	28	-	-	-	-	-	-	-	-	-	-	1	-	-
North Dakota	189	114	75	58	17	-	-	-	-	1	-	-	-	-	-	-	-	-
Ohio	2,755	2,333	422	356	66	-	-	-	-	1	-	-	-	-	2	-	-	-
Oklahoma	558	450	108	99	9	-	-	-	-	-	-	-	-	-	-	-	-	-
Oregon	628	503	125	104	21	-	-	-	-	3	-	-	-	-	-	-	-	3
Pennsylvania	3,483	2,960	523	431	92	-	-	-	-	1	1	-	3	-	1	-	-	-
Rhode Island	267	229	38	24	14	-	-	-	-	-	-	2	-	-	-	-	-	-
South Carolina	1,042	926	116	105	11	-	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	196	136	60	49	11	-	-	-	-	-	1	-	-	-	-	-	-	-
Tennessee	1,360	1,086	274	178	96	5	-	-	22	1	-	-	-	-	2	10	-	-
Texas	3,230	2,880	350	322	28	-	-	-	13	2	-	-	-	-	-	-	-	-
Utah	231	195	36	26	10	-	-	8	-	-	1	-	-	-	-	-	-	-
Vermont	255	202	53	38	15	-	-	-	-	-	-	1	-	-	-	-	-	-
Virginia	1,868	978	890	853	37	-	-	-	-	-	-	-	-	5	-	-	-	-
Washington	641	585	56	50	6	-	-	-	-	-	-	-	-	-	-	1	-	1
West Virginia	564	409	155	93	62	-	-	-	-	-	-	-	-	-	-	-	-	-
Wisconsin	1,038	864	174	156	18	-	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming	86	76	10	8	2	-	-	-	-	-	2	-	-	-	-	-	-	-

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1965—Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident]

State of occurrence	Fetal deaths to interstate nonresidents by State of residence—Con.																	
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.
UNITED STATES	64	31	17	33	38	18	12	129	34	32	22	29	42	4	13	5	28	111	11
Alabama	1	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arizona	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Arkansas	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
California	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	1
Colorado	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	3
Connecticut	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-
Delaware	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	104	1	-	-	-	-	-	-	-	-	-	-
Florida	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-
Georgia	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Illinois	...	12	2	-	2	-	-	-	-	-	-	-	9	-	-	-	-	-	-
Indiana	19	...	-	-	3	-	-	-	-	9	-	-	-	-	-	-	-	-	-
Iowa	10	-	...	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-
Kansas	-	-	-	...	-	-	-	-	-	-	-	-	21	-	-	-	-	-	-
Kentucky	2	7	-	-	...	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Louisiana	-	-	-	-	-	...	-	-	-	-	-	2	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	...	-	4	-	-	-	-	-	-	1	8	-	-
Maryland	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	1	-
Massachusetts	-	-	-	-	-	-	2	-	...	-	-	-	-	-	-	-	13	1	-
Michigan	-	1	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-
Minnesota	-	-	3	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-
Mississippi	1	-	-	-	-	13	-	-	-	1	-	...	-	-	-	-	-	-	-
Missouri	18	-	-	25	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	1
Nebraska	-	-	6	1	-	1	-	-	-	-	-	-	-	-	...	-	-	-	-
Nevada	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-
New Hampshire	1	-	-	-	-	-	8	-	4	-	-	-	-	-	-	-	...	-	-
New Jersey	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	...	-
New Mexico	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...
New York	1	1	-	-	-	-	2	3	6	1	2	-	1	-	-	-	1	55	-
North Carolina	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	11	-	-	1	-	-	-	-	-
Ohio	-	9	-	-	10	-	-	-	-	17	-	-	1	-	-	-	-	-	-
Oklahoma	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Pennsylvania	-	1	-	-	-	-	-	16	1	-	-	-	-	-	-	-	-	49	-
Rhode Island	-	-	-	-	-	-	-	-	12	-	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
South Dakota	-	-	1	-	-	-	-	-	-	-	2	-	-	-	7	-	-	-	-
Tennessee	-	-	-	1	13	-	-	-	-	-	-	21	4	-	-	-	-	-	-
Texas	-	-	-	1	-	3	-	-	-	-	-	-	1	-	-	-	-	-	5
Utah	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Vermont	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	6	-	-
Virginia	1	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	-	2	-
Washington	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
West Virginia	-	-	-	-	6	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Wisconsin	7	-	1	-	-	-	-	-	-	1	7	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1965—Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident]

State of occurrence	Fetal deaths to interstate nonresidents by State of residence—Con.																			All fetal deaths to residents of State
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	47	37	9	57	15	5	56	11	38	10	31	40	6	9	92	19	40	23	2	60,859
Alabama	1	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1,462
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	90
Arizona	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	426
Arkansas	-	-	-	-	9	-	-	-	-	-	2	5	-	-	-	-	-	-	-	654
California	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	2	-	-	-	4,496
Colorado	-	-	-	1	-	-	2	-	-	-	-	2	1	-	1	2	-	-	1	590
Connecticut	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	642
Delaware	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	168
District of Columbia	-	1	-	1	-	-	-	-	-	-	-	-	-	-	36	-	-	-	-	311
Florida	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1,696
Georgia	2	1	-	-	-	-	-	-	27	-	2	-	-	-	-	-	-	-	-	1,728
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	237
Idaho	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	1	-	-	-	154
Illinois	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	4	-	3,091
Indiana	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,259
Iowa	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	6	-	578
Kansas	-	-	-	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	484
Kentucky	-	-	-	4	-	-	-	-	-	-	14	-	-	-	1	1	12	-	-	919
Louisiana	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	-	-	1,306
Maine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	311
Maryland	2	-	-	-	-	-	-	-	-	-	1	1	-	-	12	-	7	-	-	1,131
Massachusetts	5	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	1,313
Michigan	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	2,446
Minnesota	-	-	9	-	-	-	-	-	-	3	-	-	-	-	-	-	-	9	-	940
Mississippi	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1,369
Missouri	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,180
Montana	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	180
Nebraska	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	366
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	140
New Hampshire	2	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	165
New Jersey	8	-	-	-	-	-	16	-	-	-	-	2	-	-	-	-	-	-	-	1,898
New Mexico	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	-	336
New York	...	1	-	1	-	-	19	3	1	-	-	1	-	2	2	-	-	1	-	8,738
North Carolina	2	...	-	-	-	-	2	-	8	-	3	-	-	-	11	-	-	-	-	1,716
North Dakota	-	-	...	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	181
Ohio	2	-	-	...	-	-	7	-	1	-	-	4	-	-	1	-	11	-	-	2,746
Oklahoma	-	-	-	-	...	-	-	-	-	-	-	5	-	-	-	-	-	-	-	564
Oregon	-	-	-	1	-	...	-	-	-	-	-	1	-	-	-	12	-	-	-	612
Pennsylvania	5	2	-	4	-	-	...	-	-	-	1	1	-	-	1	-	4	1	-	3,447
Rhode Island	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	264
South Carolina	-	10	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	1,069
South Dakota	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	195
Tennessee	-	3	-	2	-	-	-	-	-	-	...	-	-	-	12	-	-	-	-	1,295
Texas	-	-	-	-	3	-	-	-	-	-	-	...	-	-	-	-	-	-	-	3,242
Utah	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	227
Vermont	5	-	-	-	-	-	-	-	-	-	-	-	-	...	1	-	-	-	-	249
Virginia	2	14	-	-	-	-	2	-	-	-	-	-	-	-	...	-	6	-	-	1,923
Washington	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	...	-	-	-	654
West Virginia	-	1	-	35	-	-	5	-	-	-	-	-	-	-	13	-	...	-	-	542
Wisconsin	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	...	-	1,043
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	86

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	60,859	5,213	4,655	5,098	4,948	5,048	5,028	5,595	5,453	5,179	5,050	4,823	4,769
White	43,530	3,705	3,350	3,682	3,490	3,567	3,607	3,948	3,945	3,689	3,643	3,461	3,443
Nonwhite	17,329	1,508	1,305	1,416	1,458	1,481	1,421	1,647	1,508	1,490	1,407	1,362	1,326
Alabama	1,462	136	111	123	131	121	114	146	135	124	108	111	102
White	596	57	41	57	45	41	41	66	51	49	48	55	45
Nonwhite	866	79	70	66	86	80	73	80	84	75	60	56	57
Alaska	90	12	10	11	11	8	8	3	5	4	7	5	6
White	56	8	3	6	7	6	6	2	2	1	6	5	4
Nonwhite	34	4	7	5	4	2	2	1	3	3	1	-	2
Arizona	426	48	36	23	30	32	37	40	41	35	33	35	36
White	334	35	29	16	25	26	29	35	30	27	21	31	30
Nonwhite	92	13	7	7	5	6	8	5	11	8	12	4	6
Arkansas	654	50	60	50	53	47	43	60	58	55	54	66	58
White	350	26	32	28	22	26	26	34	32	32	33	34	25
Nonwhite	304	24	28	22	31	21	17	26	26	23	21	32	33
California	4,496	374	325	353	377	377	366	420	409	366	393	368	368
White	3,709	308	276	295	306	317	305	332	339	312	318	299	302
Nonwhite	787	66	49	58	71	60	61	88	70	54	75	69	66
Colorado	590	51	36	49	39	67	52	44	56	37	39	52	68
White	558	51	35	48	35	57	48	43	53	34	38	51	65
Nonwhite	32	-	1	1	4	10	4	1	3	3	1	1	3
Connecticut	642	53	59	62	55	59	58	52	46	62	38	40	58
White	547	43	49	54	49	51	51	38	38	54	33	32	55
Nonwhite	95	10	10	8	6	8	7	14	8	8	5	8	3
Delaware	168	23	18	14	8	13	15	13	16	14	15	7	12
White	116	9	14	11	8	8	12	8	9	10	11	6	10
Nonwhite	52	14	4	3	-	5	3	5	7	4	4	1	2
District of Columbia	311	24	27	23	23	30	16	23	24	35	28	36	22
White	38	2	1	2	5	8	3	3	2	1	2	7	2
Nonwhite	273	22	26	21	18	22	13	20	22	34	26	29	20
Florida	1,696	144	117	128	120	143	134	164	136	156	174	142	138
White	917	78	63	72	66	80	66	90	63	94	99	81	65
Nonwhite	779	66	54	56	54	63	68	74	73	62	75	61	73
Georgia	1,728	156	129	150	109	151	166	173	138	146	160	126	124
White	840	87	70	75	44	64	74	78	66	70	88	58	66
Nonwhite	888	69	59	75	65	87	92	95	72	76	72	68	58
Hawaii	237	15	25	23	23	12	14	22	27	24	19	18	15
White	67	5	12	7	8	3	3	7	4	4	5	4	5
Nonwhite	170	10	13	16	15	9	11	15	23	20	14	14	10
Idaho	154	8	16	14	12	11	11	11	19	7	21	9	15
White	146	8	15	12	12	11	10	10	18	6	21	8	15
Nonwhite	8	-	1	2	-	-	1	1	1	1	-	1	-
Illinois	3,091	278	248	272	250	242	260	275	274	247	264	251	230
White	2,233	197	186	210	170	167	200	199	203	186	180	175	160
Nonwhite	858	81	62	62	80	75	60	76	71	61	84	76	70
Indiana	1,259	104	90	96	94	122	93	111	114	113	94	114	114
White	1,066	82	78	85	85	108	78	93	95	97	80	93	92
Nonwhite	193	22	12	11	9	14	15	18	19	16	14	21	22
Iowa	578	46	40	52	53	34	43	56	60	46	44	50	54
White	560	45	37	52	51	34	41	54	58	44	42	48	54
Nonwhite	18	1	3	-	2	-	2	2	2	2	2	2	-
Kansas	484	46	30	27	37	32	48	39	42	50	53	44	36
White	418	38	27	24	32	25	40	34	38	44	45	39	32
Nonwhite	66	8	3	3	5	7	8	5	4	6	8	5	4
Kentucky	919	82	66	62	80	69	74	87	91	83	68	76	81
White	776	69	56	49	59	60	63	78	76	70	63	65	68
Nonwhite	143	13	10	13	21	9	11	9	15	13	5	11	13
Louisiana	1,306	119	83	98	86	106	90	138	117	126	112	112	119
White	504	49	25	42	36	39	20	57	47	41	49	51	48
Nonwhite	802	70	58	56	50	67	70	81	70	85	63	61	71
Maine	311	36	17	30	22	19	27	26	23	28	25	31	27
White	304	36	16	30	22	18	27	25	23	26	24	30	27
Nonwhite	7	-	1	-	-	1	-	1	-	2	1	1	-
Maryland	1,131	88	98	101	99	103	90	102	77	87	99	87	100
White	729	52	64	74	65	58	58	59	56	55	63	61	64
Nonwhite	402	36	34	27	34	45	32	43	21	32	36	26	36
Massachusetts	1,313	92	112	121	113	105	106	126	121	116	101	111	89
White	1,227	82	102	116	105	101	100	121	115	105	94	105	81
Nonwhite	86	10	10	5	8	4	6	5	6	11	7	6	8
Michigan	2,446	209	196	207	201	202	197	205	224	224	200	181	200
White	1,959	159	151	168	164	174	159	166	183	179	165	136	155
Nonwhite	487	50	45	39	37	28	38	39	41	45	35	45	45
Minnesota	940	84	65	70	77	82	70	87	104	77	84	67	73
White	907	82	65	66	73	80	69	83	99	76	83	62	69
Nonwhite	33	2	-	4	4	2	1	4	5	1	1	5	4
Mississippi	1,369	124	115	98	122	120	111	149	132	103	96	102	97
White	353	37	31	27	23	31	35	36	34	15	23	25	36
Nonwhite	1,016	87	84	71	99	89	76	113	98	88	73	77	61

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1965—Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Missouri	1,180	103	95	83	86	90	95	132	110	85	113	97	91
White	891	78	70	60	64	64	74	92	88	64	90	72	75
Nonwhite	289	25	25	23	22	26	21	40	22	21	23	25	16
Montana	180	17	16	12	16	15	18	13	12	16	18	12	15
White	157	17	15	10	15	14	16	11	10	12	14	10	13
Nonwhite	23	-	1	2	1	1	2	2	2	4	4	2	2
Nebraska	366	37	29	25	23	34	22	42	25	26	26	39	38
White	325	31	23	20	19	31	20	41	22	26	23	34	35
Nonwhite	41	6	6	5	4	3	2	1	3	-	3	5	3
Nevada	140	14	7	9	10	15	5	14	18	13	14	9	12
White	108	12	4	5	6	12	4	12	16	10	10	6	11
Nonwhite	32	2	3	4	4	3	1	2	2	3	4	3	1
New Hampshire	165	14	12	14	11	16	20	13	16	16	13	8	12
White	165	14	12	14	11	16	20	13	16	16	13	8	12
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,898	152	163	166	146	169	146	175	166	174	149	130	162
White	1,399	116	120	117	100	132	114	130	127	121	105	94	123
Nonwhite	499	36	43	49	46	37	32	45	39	53	44	36	39
New Mexico	336	36	25	30	30	26	25	26	30	23	32	25	28
White	289	34	20	24	27	21	24	23	24	19	28	20	25
Nonwhite	47	2	5	6	3	5	1	3	6	4	4	5	3
New York	8,738	781	711	789	747	729	779	765	727	683	668	686	673
White	5,931	529	488	524	494	490	536	525	509	473	449	470	444
Nonwhite	2,807	252	223	265	253	239	243	240	218	210	219	216	229
North Carolina	1,716	139	131	154	141	145	158	154	152	150	143	130	119
White	875	81	72	66	70	54	84	81	81	75	69	77	65
Nonwhite	841	58	59	88	71	91	74	73	71	75	74	53	54
North Dakota	181	14	18	18	16	14	6	13	13	25	18	17	9
White	174	13	18	18	16	14	6	12	13	25	15	16	8
Nonwhite	7	1	-	-	-	-	-	1	-	-	3	1	1
Ohio	2,746	206	172	240	231	228	235	251	263	239	251	215	215
White	2,264	173	142	198	197	182	196	201	224	187	204	183	177
Nonwhite	482	33	30	42	34	46	39	50	39	52	47	32	38
Oklahoma	564	44	44	49	38	48	49	50	55	56	40	49	42
White	437	32	39	43	32	32	35	37	42	44	35	31	35
Nonwhite	127	12	5	6	6	16	14	13	13	12	5	18	7
Oregon	612	35	53	49	51	76	48	48	52	60	58	42	40
White	583	34	49	46	49	70	47	45	51	56	56	40	40
Nonwhite	29	1	4	3	2	6	1	3	1	4	2	2	-
Pennsylvania	3,447	300	281	289	274	280	286	314	309	288	274	265	287
White	2,758	244	219	231	233	214	212	250	254	234	227	210	230
Nonwhite	689	56	62	58	41	66	74	64	55	54	47	55	57
Rhode Island	264	21	22	23	31	23	18	27	25	23	18	16	17
White	246	19	21	22	30	19	16	26	24	23	15	14	17
Nonwhite	18	2	1	1	1	4	2	1	1	-	3	2	-
South Carolina	1,069	93	88	84	109	91	97	84	111	83	70	72	87
White	427	45	32	37	34	37	39	28	49	28	29	30	39
Nonwhite	642	48	56	47	75	54	58	56	62	55	41	42	48
South Dakota	195	18	20	17	19	7	17	14	16	20	20	16	11
White	168	14	18	14	15	7	15	12	15	17	15	16	10
Nonwhite	27	4	2	3	4	-	2	2	1	3	5	-	1
Tennessee	1,295	111	80	117	95	105	112	133	113	123	96	106	104
White	799	66	51	76	63	61	63	81	71	77	61	67	62
Nonwhite	496	45	29	41	32	44	49	52	42	46	35	39	42
Texas	3,242	267	218	270	253	236	251	334	316	298	287	282	230
White	2,403	181	169	209	179	170	191	240	232	221	214	216	181
Nonwhite	839	86	49	61	74	66	60	94	84	77	73	66	49
Utah	227	21	22	17	19	26	15	23	17	19	21	13	14
White	220	21	21	17	17	25	15	23	17	17	20	13	14
Nonwhite	7	-	1	-	2	1	-	-	-	2	1	-	-
Vermont	249	18	28	29	16	22	14	16	28	22	19	18	19
White	247	18	28	29	15	22	13	16	28	22	19	18	19
Nonwhite	2	-	-	-	1	-	1	-	-	-	-	-	-
Virginia	1,923	185	127	165	168	150	160	180	178	174	159	149	128
White	1,221	120	90	97	104	105	107	114	108	112	103	86	75
Nonwhite	702	65	37	68	64	45	53	66	70	62	56	63	53
Washington	654	61	42	48	59	49	69	58	56	48	51	62	51
White	601	57	41	45	54	45	66	51	49	41	45	58	49
Nonwhite	53	4	1	3	5	4	3	7	7	7	6	4	2
West Virginia	542	42	43	49	38	44	48	44	55	46	54	43	36
White	496	38	38	46	36	42	43	40	48	43	49	38	35
Nonwhite	46	4	5	3	2	2	5	4	7	3	5	5	1
Wisconsin	1,043	79	73	88	89	95	81	93	88	95	104	78	80
White	958	70	66	81	87	87	77	86	82	88	96	70	68
Nonwhite	85	9	7	7	2	8	4	7	6	7	8	8	12
Wyoming	86	3	6	7	7	8	11	7	13	9	5	3	7
White	78	3	6	7	6	8	10	7	11	6	5	3	6
Nonwhite	8	-	-	-	1	-	1	-	2	3	-	-	1

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Age of mother, color, and sex of child	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Total	60,859	17,160	9,757	8,437	6,683	5,085	3,619	2,593	6,150	1,375
Under 15 years	214	197	16	-	-	-	-	-	-	1
15-19 years	8,644	6,118	1,671	487	143	36	6	-	1	182
20-24 years	16,835	6,659	4,152	2,811	1,459	826	334	153	92	349
25-29 years	13,166	2,263	2,173	2,450	2,104	1,455	991	608	779	343
30-34 years	10,409	1,021	993	1,492	1,578	1,382	1,061	828	1,819	235
35-39 years	7,861	636	538	858	1,027	967	843	692	2,124	176
40-44 years	3,414	246	191	310	349	394	346	283	1,214	81
45-49 years	316	20	23	29	23	25	38	29	121	8
Male	30,069	8,583	4,778	4,105	3,287	2,569	1,810	1,306	3,222	409
Under 15 years	111	105	6	-	-	-	-	-	-	-
15-19 years	4,416	3,175	860	229	82	16	3	-	-	51
20-24 years	8,186	3,355	2,006	1,367	676	417	149	77	44	95
25-29 years	6,446	1,091	1,088	1,171	1,034	736	491	309	417	109
30-34 years	5,124	472	461	747	790	716	510	402	958	68
35-39 years	3,922	274	252	425	518	483	459	354	1,109	48
40-44 years	1,717	105	95	152	174	194	179	147	637	34
45-49 years	147	6	10	14	13	7	19	17	57	4
Female	25,676	7,216	4,155	3,585	2,872	2,149	1,557	1,119	2,643	380
Under 15 years	86	80	6	-	-	-	-	-	-	-
15-19 years	3,655	2,614	688	220	53	17	2	-	-	61
20-24 years	7,161	2,815	1,807	1,193	659	341	157	60	44	85
25-29 years	5,470	914	893	1,042	899	630	426	254	325	87
30-34 years	4,367	412	430	623	670	566	467	375	763	61
35-39 years	3,350	272	245	358	433	404	341	300	934	63
40-44 years	1,452	102	75	139	148	174	148	120	525	21
45-49 years	135	7	11	10	10	17	16	10	52	2
Sex not stated	5,114	1,361	824	747	524	367	252	168	285	586
Under 15 years	17	12	4	-	-	-	-	-	-	1
15-19 years	573	329	123	38	8	3	1	-	1	70
20-24 years	1,488	489	339	251	124	68	28	16	4	169
25-29 years	1,250	258	192	237	171	89	74	45	37	147
30-34 years	918	137	102	122	118	100	84	51	98	106
35-39 years	589	90	41	75	76	80	43	38	81	65
40-44 years	245	39	21	19	27	26	19	16	52	26
45-49 years	34	7	2	5	-	1	3	2	12	2
White	43,530	12,868	7,367	6,486	5,069	3,721	2,449	1,605	3,056	909
Under 15 years	51	48	3	-	-	-	-	-	-	-
15-19 years	5,438	4,122	925	203	50	15	2	-	-	121
20-24 years	12,385	5,320	3,201	2,035	916	469	141	57	25	221
25-29 years	9,764	1,816	1,815	2,009	1,635	1,036	604	306	320	223
30-34 years	7,538	811	809	1,253	1,307	1,073	739	533	863	150
35-39 years	5,632	535	439	700	848	781	653	480	1,071	125
40-44 years	2,498	201	161	263	295	326	278	214	696	64
45-49 years	224	15	14	23	18	21	32	15	81	5
Male	21,563	6,388	3,623	3,215	2,506	1,896	1,220	811	1,594	310
Under 15 years	26	24	2	-	-	-	-	-	-	-
15-19 years	2,733	2,097	467	99	26	7	2	-	-	35
20-24 years	6,094	2,676	1,566	1,010	427	252	55	25	12	71
25-29 years	4,853	888	928	984	818	523	299	159	171	83
30-34 years	3,717	389	368	635	662	565	343	264	438	53
35-39 years	2,770	227	209	349	415	380	356	240	558	36
40-44 years	1,268	84	78	128	147	163	148	116	374	30
45-49 years	102	3	5	10	11	6	17	7	41	2
Female	18,677	5,559	3,206	2,790	2,219	1,590	1,069	698	1,294	252
Under 15 years	23	23	-	-	-	-	-	-	-	-
15-19 years	2,376	1,823	396	95	18	7	-	-	-	37
20-24 years	5,386	2,312	1,421	879	425	184	75	22	12	56
25-29 years	4,120	748	757	873	709	465	258	123	129	58
30-34 years	3,203	323	362	524	563	459	338	242	375	37
35-39 years	2,437	236	198	294	372	337	269	217	467	47
40-44 years	1,041	89	64	117	125	144	117	88	281	16
45-49 years	91	5	8	8	7	14	12	6	30	1
Sex not stated	3,290	921	538	481	344	235	160	96	168	347
Under 15 years	2	1	1	-	-	-	-	-	-	-
15-19 years	329	202	62	9	6	1	-	-	-	49
20-24 years	905	332	214	146	64	33	11	10	1	94
25-29 years	791	180	130	152	108	48	47	24	20	82
30-34 years	618	99	79	94	82	69	58	27	50	60
35-39 years	425	72	32	57	61	64	28	23	46	42
40-44 years	189	28	19	18	23	19	13	10	41	18
45-49 years	31	7	1	5	-	1	3	2	10	2
Nonwhite	17,329	4,292	2,390	1,951	1,614	1,364	1,170	988	3,094	466
Under 15 years	163	149	13	-	-	-	-	-	-	1
15-19 years	3,206	1,996	746	284	93	21	4	-	1	61
20-24 years	4,450	1,339	951	776	543	357	193	96	67	128
25-29 years	3,402	447	358	441	469	419	387	302	459	120
30-34 years	2,871	210	184	239	271	309	322	295	956	85
35-39 years	2,229	101	99	158	179	186	190	212	1,053	51
40-44 years	916	45	30	47	54	68	68	69	518	17
45-49 years	92	5	9	6	5	4	6	14	40	3

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1965—Con.

[See headnote at beginning of table]

Age of mother, color, and sex of child	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Nonwhite—Con.										
Male	8,506	2,195	1,155	890	781	673	590	495	1,628	99
Under 15 years	85	81	4	-	-	-	-	-	-	-
15-19 years	1,683	1,078	393	130	56	9	1	-	-	16
20-24 years	2,092	679	440	357	249	165	94	52	32	24
25-29 years	1,593	203	160	187	216	213	192	150	246	26
30-34 years	1,407	83	93	112	128	151	167	138	520	15
35-39 years	1,152	47	43	76	103	103	103	114	551	12
40-44 years	449	21	17	24	27	31	31	31	263	4
45-49 years	45	3	5	4	2	1	2	10	16	2
Female	6,999	1,657	949	795	653	559	488	421	1,349	128
Under 15 years	63	57	6	-	-	-	-	-	-	-
15-19 years	1,279	791	292	125	35	10	2	-	-	24
20-24 years	1,775	503	386	314	234	157	82	38	32	29
25-29 years	1,350	166	136	169	190	165	168	131	196	29
30-34 years	1,164	89	68	99	107	127	129	133	388	24
35-39 years	913	36	47	64	61	67	72	83	467	16
40-44 years	411	13	11	22	23	30	31	32	244	5
45-49 years	44	2	3	2	3	3	4	4	22	1
Sex not stated	1,824	440	286	266	180	132	92	72	117	239
Under 15 years	15	11	3	-	-	-	-	-	-	1
15-19 years	244	127	61	29	2	2	1	-	1	21
20-24 years	583	157	125	105	60	35	17	6	3	75
25-29 years	459	78	62	85	63	41	27	21	17	65
30-34 years	300	38	23	28	36	31	26	24	48	46
35-39 years	164	18	9	18	15	16	15	15	35	23
40-44 years	56	11	2	1	4	7	6	6	11	8
45-49 years	3	-	1	-	-	-	-	-	2	-

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Age of mother							
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
United States	60,859	214	8,644	16,835	13,166	10,409	7,861	3,414	316
White	43,530	51	5,438	12,385	9,764	7,538	5,632	2,498	224
Nonwhite	17,329	163	3,206	4,450	3,402	2,871	2,229	916	92
Alabama	1,462	7	289	375	276	235	188	89	3
White	596	1	110	187	125	83	59	29	2
Nonwhite	866	6	179	188	151	152	129	60	1
Alaska	90	-	7	19	23	20	19	2	-
White	56	-	6	13	19	6	11	1	-
Nonwhite	34	-	1	6	4	14	8	1	-
Arizona	426	1	63	102	97	75	60	26	2
White	334	1	47	80	78	58	50	19	1
Nonwhite	92	-	16	22	19	17	10	7	1
Arkansas	654	6	127	152	125	110	87	41	6
White	350	-	66	92	73	56	43	18	2
Nonwhite	304	6	61	60	52	54	44	23	4
California	4,496	21	617	1,281	1,009	769	557	231	11
White	3,709	10	465	1,083	851	640	461	191	8
Nonwhite	787	11	152	198	158	129	96	40	3
Colorado	590	-	106	158	134	91	60	38	3
White	558	-	96	156	129	79	58	37	3
Nonwhite	32	-	10	2	5	12	2	1	-
Connecticut	642	1	67	174	153	120	85	39	3
White	547	-	46	149	136	102	75	37	2
Nonwhite	95	1	21	25	17	18	10	2	1
Delaware	168	-	26	43	33	32	17	17	-
White	116	-	13	23	27	26	13	14	-
Nonwhite	52	-	13	20	6	6	4	3	-
District of Columbia	311	-	51	92	65	57	36	10	-
White	38	-	3	13	8	9	5	-	-
Nonwhite	273	-	48	79	57	48	31	10	-
Florida	1,696	8	288	477	334	260	253	72	4
White	917	1	147	273	186	128	142	39	1
Nonwhite	779	7	141	204	148	132	111	33	3
Georgia	1,728	6	349	464	338	274	206	84	7
White	840	1	164	240	176	125	100	32	2
Nonwhite	888	5	185	224	162	149	106	52	5
Hawaii	237	-	25	78	55	36	30	13	-
White	67	-	5	19	22	7	10	4	-
Nonwhite	170	-	20	59	33	29	20	9	-
Idaho	154	-	36	38	32	24	15	8	1
White	146	-	36	34	30	22	15	8	1
Nonwhite	8	-	-	4	2	2	-	-	-
Illinois	3,091	16	411	845	675	552	396	177	19
White	2,233	2	263	613	514	403	285	139	14
Nonwhite	858	14	148	232	161	149	111	38	5
Indiana	1,259	2	234	360	276	184	137	60	6
White	1,066	2	192	323	235	151	113	45	5
Nonwhite	193	-	42	37	41	33	24	15	1
Iowa	578	-	66	171	121	105	79	32	4
White	560	-	61	166	117	104	77	31	4
Nonwhite	18	-	5	5	4	1	2	1	-
Kansas	484	-	72	153	108	69	53	27	2
White	418	-	59	139	98	59	42	20	1
Nonwhite	66	-	13	14	10	10	11	7	1
Kentucky	919	6	189	234	181	134	104	63	8
White	776	4	154	199	157	116	82	56	8
Nonwhite	143	2	35	35	24	18	22	7	-
Louisiana	1,306	2	204	401	256	202	151	81	9
White	504	1	73	168	105	73	54	28	2
Nonwhite	802	1	131	233	151	129	97	53	7
Maine	311	-	55	74	64	48	40	27	3
White	304	-	53	73	63	47	40	26	2
Nonwhite	7	-	2	1	1	1	-	1	1
Maryland	1,131	7	170	326	231	177	137	78	5
White	729	-	90	225	149	123	92	48	2
Nonwhite	402	7	80	101	82	54	45	30	3
Massachusetts	1,313	-	110	360	286	291	182	75	9
White	1,227	-	97	328	263	283	175	72	9
Nonwhite	86	-	13	32	23	8	7	3	-
Michigan	2,446	5	327	690	508	405	341	159	11
White	1,959	2	223	583	424	313	271	137	6
Nonwhite	487	3	104	107	84	92	70	22	5
Minnesota	940	-	76	255	224	180	132	64	9
White	907	-	65	246	220	176	128	63	9
Nonwhite	33	-	11	9	4	4	4	1	-
Mississippi	1,369	13	253	338	252	208	204	93	8
White	353	1	54	101	83	58	34	20	2
Nonwhite	1,016	12	199	237	169	150	170	73	6

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1965—Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Age of mother							
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Missouri	1,180	2	177	310	247	226	152	56	10
White	891	1	120	239	193	176	109	45	8
Nonwhite	289	1	57	71	54	50	43	11	2
Montana	180	-	14	63	41	18	26	18	-
White	157	-	14	53	37	15	23	15	-
Nonwhite	23	-	-	10	4	3	3	3	-
Nebraska	366	1	40	103	83	69	47	21	2
White	325	1	29	95	75	62	44	18	1
Nonwhite	41	-	11	8	8	7	3	3	1
Nevada	140	-	25	37	25	30	18	4	1
White	108	-	21	23	18	28	14	3	1
Nonwhite	32	-	4	14	7	2	4	1	-
New Hampshire	165	-	15	62	34	20	20	13	1
White	165	-	15	62	34	20	20	13	1
Nonwhite	-	-	-	-	-	-	-	-	-
New Jersey	1,898	8	180	507	429	377	277	108	12
White	1,399	1	110	354	338	291	205	88	12
Nonwhite	499	7	70	153	91	86	72	20	-
New Mexico	336	1	43	97	63	62	41	27	2
White	289	1	36	84	52	56	35	24	1
Nonwhite	47	-	7	13	11	6	6	3	1
New York	8,738	24	898	2,459	2,167	1,593	1,136	410	51
White	5,931	2	502	1,595	1,479	1,145	852	315	41
Nonwhite	2,807	22	396	864	688	448	284	95	10
North Carolina	1,716	10	315	496	320	279	201	91	4
White	875	1	153	295	158	135	92	40	1
Nonwhite	841	9	162	201	162	144	109	51	3
North Dakota	181	-	16	50	36	34	31	12	2
White	174	-	16	49	34	33	29	11	2
Nonwhite	7	-	-	1	2	1	2	1	-
Ohio	2,746	7	378	794	609	450	343	151	14
White	2,264	1	264	695	515	377	277	123	12
Nonwhite	482	6	114	99	94	73	66	28	2
Oklahoma	564	3	105	162	107	98	60	24	5
White	437	1	83	137	83	79	38	12	4
Nonwhite	127	2	22	25	24	19	22	12	1
Oregon	612	1	92	191	162	82	59	22	3
White	583	1	88	185	153	78	55	20	3
Nonwhite	29	-	4	6	9	4	4	2	-
Pennsylvania	3,447	14	410	913	778	634	466	215	17
White	2,758	1	286	747	635	515	377	183	14
Nonwhite	689	13	124	166	143	119	89	32	3
Rhode Island	264	-	19	76	56	50	46	15	2
White	246	-	18	69	54	45	44	15	1
Nonwhite	18	-	1	7	2	5	2	-	1
South Carolina	1,069	7	212	264	207	174	134	59	12
White	427	-	77	137	89	69	31	21	3
Nonwhite	642	7	135	127	118	105	103	38	9
South Dakota	195	-	21	49	40	34	38	9	4
White	168	-	19	43	38	26	33	6	3
Nonwhite	27	-	2	6	2	8	5	3	1
Tennessee	1,295	5	266	370	246	196	148	62	2
White	799	2	148	259	158	109	84	38	1
Nonwhite	496	3	118	111	88	87	64	24	1
Texas	3,242	13	535	868	642	536	439	190	19
White	2,403	6	364	660	486	387	338	149	13
Nonwhite	839	7	171	208	156	149	101	41	6
Utah	227	-	29	69	55	42	17	14	1
White	220	-	28	67	54	41	17	12	1
Nonwhite	7	-	1	2	1	1	-	2	-
Vermont	249	-	27	73	54	46	25	21	3
White	247	-	27	73	53	45	25	21	3
Nonwhite	2	-	-	-	1	1	-	-	-
Virginia	1,923	14	328	535	388	295	239	114	10
White	1,221	4	180	360	262	182	156	71	6
Nonwhite	702	10	148	175	126	113	83	43	4
Washington	654	-	99	190	145	107	80	33	-
White	601	-	84	175	134	104	72	32	-
Nonwhite	53	-	15	15	11	3	8	1	-
West Virginia	542	2	92	146	116	87	67	31	1
White	496	2	87	134	106	80	59	27	1
Nonwhite	46	-	5	12	10	7	8	4	-
Wisconsin	1,043	1	80	268	243	196	167	83	5
White	958	-	72	248	223	180	153	77	5
Nonwhite	85	1	8	20	20	16	14	6	-
Wyoming	86	-	10	23	17	16	15	5	-
White	78	-	9	21	15	13	15	5	-
Nonwhite	8	-	1	2	2	3	-	-	-

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Area and color	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
United States	60,859	17,160	9,757	8,437	6,683	5,085	3,619	2,593	6,150	1,375
White	43,530	12,868	7,367	6,486	5,069	3,721	2,449	1,605	3,056	909
Nonwhite	17,329	4,292	2,390	1,951	1,614	1,364	1,170	988	3,094	466
Alabama	1,462	392	220	164	138	112	101	72	254	9
White	596	196	107	99	65	46	32	22	24	5
Nonwhite	866	196	113	65	73	66	69	50	230	4
Alaska	90	15	16	10	12	8	8	3	18	-
White	56	13	14	7	9	5	4	2	2	-
Nonwhite	34	2	2	3	3	3	4	1	16	-
Arizona	426	120	75	46	42	34	26	15	62	6
White	334	95	63	38	36	28	21	11	37	5
Nonwhite	92	25	12	8	6	6	5	4	25	1
Arkansas	654	158	88	80	54	64	38	36	132	4
White	350	97	56	56	37	36	18	18	29	3
Nonwhite	304	61	32	24	17	28	20	18	103	1
California	4,496	1,395	784	669	504	345	226	144	322	107
White	3,709	1,171	682	563	419	275	180	109	239	71
Nonwhite	787	224	102	106	85	70	46	35	83	36
Colorado	590	116	53	52	40	22	22	12	30	243
White	558	103	53	50	36	22	21	10	26	237
Nonwhite	32	13	-	2	4	-	1	2	4	6
Connecticut	642	164	111	104	80	61	51	25	43	3
White	547	140	93	96	68	55	44	22	26	3
Nonwhite	95	24	18	8	12	6	7	3	17	-
Delaware	168	75	26	17	7	17	8	6	11	1
White	116	48	20	14	4	15	6	2	6	1
Nonwhite	52	27	6	3	3	2	2	4	5	-
District of Columbia	311	100	39	42	49	21	24	9	25	2
White	38	18	4	4	6	4	2	-	-	-
Nonwhite	273	82	35	38	43	17	22	9	25	2
Florida	1,696	491	276	223	200	141	86	75	198	6
White	917	309	174	151	116	68	37	18	40	4
Nonwhite	779	182	102	72	84	73	49	57	158	2
Georgia	1,728	485	254	205	182	140	90	85	262	25
White	840	278	149	121	95	82	31	25	50	9
Nonwhite	888	207	105	84	87	58	59	60	212	16
Hawaii	237	63	46	40	27	23	15	1	22	-
White	67	17	13	11	13	5	4	1	3	-
Nonwhite	170	46	33	29	14	18	11	-	19	-
Idaho	154	61	18	19	18	12	6	7	10	3
White	146	59	18	17	16	12	6	5	10	3
Nonwhite	8	2	-	2	2	-	-	2	-	-
Illinois	3,091	874	501	472	369	257	175	152	267	24
White	2,233	651	362	365	297	203	118	94	126	17
Nonwhite	858	223	139	107	72	54	57	58	141	7
Indiana	1,259	386	189	175	133	105	83	52	120	16
White	1,066	337	172	159	113	91	67	39	75	13
Nonwhite	193	49	17	16	20	14	16	13	45	3
Iowa	578	133	97	89	71	58	47	31	49	3
White	560	125	92	89	71	55	47	30	48	3
Nonwhite	18	8	5	-	-	3	-	1	1	-
Kansas	484	131	87	69	55	42	29	17	47	7
White	418	119	75	61	50	38	23	14	33	5
Nonwhite	66	12	12	8	5	4	6	3	14	2
Kentucky	919	289	148	100	97	80	54	46	98	7
White	776	247	125	89	83	66	39	40	82	5
Nonwhite	143	42	23	11	14	14	15	6	16	2
Louisiana	1,306	348	176	146	115	109	91	71	235	15
White	504	146	89	73	56	49	31	23	33	4
Nonwhite	802	202	87	73	59	60	60	48	202	11
Maine	311	104	49	40	33	25	13	17	29	1
White	304	101	48	39	33	25	13	16	28	1
Nonwhite	7	3	1	1	-	-	-	1	1	-
Maryland	1,131	358	185	150	133	111	68	29	90	7
White	729	247	128	107	100	65	41	15	22	4
Nonwhite	402	111	57	43	33	46	27	14	68	3
Massachusetts	1,313	394	177	197	170	113	82	59	102	19
White	1,227	363	163	181	160	109	79	57	96	19
Nonwhite	86	31	14	16	10	4	3	2	6	-
Michigan	2,446	677	407	328	276	231	165	110	229	23
White	1,959	537	348	272	228	194	135	84	149	12
Nonwhite	487	140	59	56	48	37	30	26	80	11
Minnesota	940	221	136	146	123	92	69	45	100	8
White	907	208	134	142	121	89	67	42	97	7
Nonwhite	33	13	2	4	2	3	2	3	3	1
Mississippi	1,369	314	177	135	107	94	88	87	357	10
White	353	107	65	53	39	28	15	14	29	3
Nonwhite	1,016	207	112	82	68	66	73	73	328	7

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1965—Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Area and color	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Missouri	1,180	326	197	156	111	112	70	67	131	10
White	891	255	159	127	87	81	51	45	79	7
Nonwhite	289	71	38	29	24	31	19	22	52	3
Montana	180	47	24	34	20	16	6	6	26	1
White	157	43	23	30	18	15	5	4	18	1
Nonwhite	23	4	1	4	2	1	1	2	8	-
Nebraska	366	91	60	56	50	31	15	17	39	7
White	325	78	50	53	49	29	14	16	29	7
Nonwhite	41	13	10	3	1	2	1	1	10	-
Nevada	140	42	24	19	18	11	4	8	11	3
White	108	36	19	13	14	9	4	6	5	2
Nonwhite	32	6	5	6	4	2	-	2	6	1
New Hampshire	165	54	28	14	22	10	12	10	15	-
White	165	54	28	14	22	10	12	10	15	-
Nonwhite	-	-	-	-	-	-	-	-	-	-
New Jersey	1,898	573	343	285	228	141	109	76	107	36
White	1,399	425	264	220	178	100	79	45	65	23
Nonwhite	499	148	79	65	50	41	30	31	42	13
New Mexico	336	89	45	46	27	27	24	23	55	-
White	289	76	42	39	25	26	20	20	41	-
Nonwhite	47	13	3	7	2	1	4	3	14	-
New York	8,738	2,400	1,510	1,363	1,003	691	463	285	454	569
White	5,931	1,702	1,056	941	714	474	314	164	270	296
Nonwhite	2,807	698	454	422	289	217	149	121	184	273
North Carolina	1,716	476	292	213	170	151	108	61	238	7
White	875	302	182	121	88	80	42	15	43	2
Nonwhite	841	174	110	92	82	71	66	46	195	5
North Dakota	181	51	21	22	15	17	13	13	27	2
White	174	50	20	22	13	17	13	13	24	2
Nonwhite	7	1	1	-	2	-	-	-	3	-
Ohio	2,746	766	474	403	310	248	186	109	224	26
White	2,264	638	400	339	267	209	147	79	163	22
Nonwhite	482	128	74	64	43	39	39	30	61	4
Oklahoma	564	158	114	103	57	31	23	18	58	2
White	437	134	91	87	47	26	12	14	26	-
Nonwhite	127	24	23	16	10	5	11	4	32	2
Oregon	612	167	93	105	69	63	41	23	43	8
White	583	161	88	104	67	60	39	18	38	8
Nonwhite	29	6	5	1	2	3	2	5	5	-
Pennsylvania	3,447	967	552	498	416	302	224	150	298	40
White	2,758	812	444	423	334	248	170	105	201	21
Nonwhite	689	155	108	75	82	54	54	45	97	19
Rhode Island	264	53	47	36	32	38	18	18	20	2
White	246	51	44	32	30	35	17	18	17	2
Nonwhite	18	2	3	4	2	3	1	-	3	-
South Carolina	1,069	307	143	128	105	80	60	48	186	12
White	427	141	72	72	51	32	21	13	21	4
Nonwhite	642	166	71	56	54	48	39	35	165	8
South Dakota	195	39	29	29	30	11	17	17	23	-
White	168	34	27	27	30	8	13	13	16	-
Nonwhite	27	5	2	2	-	3	4	4	7	-
Tennessee	1,295	412	238	157	147	100	48	56	132	5
White	799	283	170	109	99	48	23	24	39	4
Nonwhite	496	129	68	48	48	52	25	32	93	1
Texas	3,242	914	493	437	309	251	200	146	461	31
White	2,403	719	377	340	225	190	135	92	302	23
Nonwhite	839	195	116	97	84	61	65	54	159	8
Utah	227	70	37	25	27	20	15	17	16	-
White	220	67	36	25	27	20	15	16	14	-
Nonwhite	7	3	1	-	-	-	-	1	2	-
Vermont	249	73	27	28	28	28	22	11	28	4
White	247	72	27	28	28	27	22	11	28	4
Nonwhite	2	1	-	-	-	1	-	-	-	-
Virginia	1,923	605	309	259	185	148	110	92	188	27
White	1,221	431	208	182	132	88	50	44	69	17
Nonwhite	702	174	101	77	53	60	60	48	119	10
Washington	654	183	100	90	77	66	38	27	65	8
White	601	166	92	85	73	60	36	25	57	7
Nonwhite	53	17	8	5	4	6	2	2	8	1
West Virginia	542	167	82	73	47	44	32	25	66	6
White	496	161	75	65	40	43	28	23	57	4
Nonwhite	46	6	7	8	7	1	4	2	9	2
Wisconsin	1,043	244	134	131	131	124	88	61	114	16
White	958	225	120	123	126	116	78	56	98	16
Nonwhite	85	19	14	8	5	8	10	5	16	-
Wyoming	86	22	6	9	14	7	8	3	13	4
White	78	20	6	8	14	5	8	3	11	3
Nonwhite	8	2	-	1	-	2	-	-	2	1

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, Groups II and III, or was not stated, Group IV]

Area and color	All fetal deaths in groups II, III, and IV				Group II—fetal deaths of 20-27 weeks gestation[1]				Group III—fetal deaths of 28 weeks gestation or more[1]			
	Total	Attendant[2]			Total	Attendant[2]			Total	Attendant[2]		
		Physician in hospital[3]	Physician not in hospital	Midwife not in hospital		Physician in hospital[3]	Physician not in hospital	Midwife not in hospital		Physician in hospital[3]	Physician not in hospital	Midwife not in hospital
United States	60,859	57,278	2,003	748	13,528	12,539	687	144	39,992	38,005	955	563
White	43,530	42,231	941	53	9,128	8,733	331	8	29,462	28,826	449	45
Nonwhite	17,329	15,047	1,062	695	4,400	3,806	356	136	10,530	9,179	506	518
Alabama	1,462	1,141	67	185	270	215	15	28	1,084	856	42	139
White	596	578	8	6	110	108	-	-	449	436	5	6
Nonwhite	866	563	59	179	160	107	15	28	635	420	37	133
Alaska	90	83	-	2	12	11	-	1	76	70	-	1
White	56	56	-	-	10	10	-	-	45	45	-	-
Nonwhite	34	27	-	2	2	1	-	1	31	25	-	1
Arizona	426	410	8	2	70	70	-	-	337	322	8	2
White	334	323	7	1	56	56	-	-	266	256	7	1
Nonwhite	92	87	1	1	14	14	-	-	71	66	1	1
Arkansas	654	569	24	33	136	126	4	5	425	359	17	26
White	350	342	5	-	77	75	2	-	214	209	2	-
Nonwhite	304	227	19	33	59	51	2	5	211	150	15	26
California	4,496	4,391	79	-	645	625	17	-	2,592	2,569	19	-
White	3,709	3,628	59	-	502	487	12	-	2,228	2,207	17	-
Nonwhite	787	763	20	-	143	138	5	-	364	362	2	-
Colorado	590	570	20	-	149	139	10	-	299	294	5	-
White	558	539	19	-	142	133	9	-	278	273	5	-
Nonwhite	32	31	1	-	7	6	1	-	21	21	-	-
Connecticut	642	631	11	-	131	126	5	-	490	486	4	-
White	547	538	9	-	103	99	4	-	426	423	3	-
Nonwhite	95	93	2	-	28	27	1	-	64	63	1	-
Delaware	168	159	5	-	30	30	-	-	111	106	1	-
White	116	113	1	-	23	23	-	-	79	77	-	-
Nonwhite	52	46	4	-	7	7	-	-	32	29	1	-
District of Columbia	311	290	6	-	56	53	1	-	165	160	2	-
White	38	37	-	-	5	5	-	-	22	22	-	-
Nonwhite	273	253	6	-	51	48	1	-	143	138	2	-
Florida	1,696	1,584	40	53	366	332	16	11	1,320	1,242	24	42
White	917	894	14	1	184	173	7	-	728	716	7	1
Nonwhite	779	690	26	52	182	159	9	11	592	526	17	41
Georgia	1,728	1,520	65	18	452	406	15	5	1,121	985	43	10
White	840	819	9	-	214	210	-	-	549	534	9	-
Nonwhite	888	701	56	18	238	196	15	5	572	451	34	10
Hawaii	237	233	2	-	79	78	1	-	155	152	1	-
White	67	66	-	-	18	18	-	-	47	46	-	-
Nonwhite	170	167	2	-	61	60	1	-	108	106	1	-
Idaho	154	147	5	-	25	24	1	-	75	72	2	-
White	146	139	5	-	24	23	1	-	69	66	2	-
Nonwhite	8	8	-	-	1	1	-	-	6	6	-	-
Illinois	3,091	2,921	156	2	724	629	88	1	2,356	2,284	66	1
White	2,233	2,163	61	1	502	465	33	1	1,723	1,692	27	-
Nonwhite	858	758	95	1	222	164	55	-	633	592	39	1
Indiana	1,259	1,217	34	1	205	195	8	-	832	809	18	1
White	1,066	1,036	24	1	171	164	6	-	713	694	14	1
Nonwhite	193	181	10	-	34	31	2	-	119	115	4	-
Iowa	578	565	11	-	123	117	5	-	447	441	5	-
White	560	549	9	-	120	115	4	-	433	428	4	-
Nonwhite	18	16	2	-	3	2	1	-	14	13	1	-
Kansas	484	469	13	-	86	81	4	-	388	378	9	-
White	418	409	8	-	73	72	1	-	338	330	7	-
Nonwhite	66	60	5	-	13	9	3	-	50	48	2	-
Kentucky	919	878	23	12	181	173	4	2	721	689	18	10
White	776	752	13	8	143	140	2	-	617	596	11	8
Nonwhite	143	126	10	4	38	33	2	2	104	93	7	2
Louisiana	1,306	1,192	65	25	261	236	14	4	1,030	945	50	21
White	504	473	24	-	107	98	6	-	389	369	18	-
Nonwhite	802	719	41	25	154	138	8	4	641	576	32	21
Maine	311	297	7	-	49	46	2	-	187	182	3	-
White	304	290	7	-	48	45	2	-	182	177	3	-
Nonwhite	7	7	-	-	1	1	-	-	5	5	-	-
Maryland	1,131	1,092	32	2	201	193	8	-	640	630	8	1
White	729	710	15	-	119	114	5	-	435	427	7	-
Nonwhite	402	382	17	2	82	79	3	-	205	203	1	1

See footnotes at end of table.

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1965—Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, Groups II and III, or was not stated, Group IV]

Area and color	All fetal deaths in groups II, III, and IV				Group II—fetal deaths of 20-27 weeks gestation[1]				Group III—fetal deaths of 28 weeks gestation or more[1]			
	Total	Attendant[2]			Total	Attendant[2]			Total	Attendant[2]		
		Physician in hospital[3]	Physician not in hospital	Midwife not in hospital		Physician in hospital[3]	Physician not in hospital	Midwife not in hospital		Physician in hospital[3]	Physician not in hospital	Midwife not in hospital
Massachusetts	1,313	1,281	32	-	296	283	13	-	927	917	10	-
White	1,227	1,200	27	-	269	258	11	-	871	864	7	-
Nonwhite	86	81	5	-	27	25	2	-	56	53	3	-
Michigan	2,446	2,375	55	-	515	476	29	-	1,789	1,764	21	-
White	1,959	1,914	35	-	371	348	17	-	1,469	1,451	16	-
Nonwhite	487	461	20	-	144	128	12	-	320	313	5	-
Minnesota	940	925	15	-	208	201	7	-	693	687	6	-
White	907	895	12	-	203	196	7	-	665	662	3	-
Nonwhite	33	30	3	-	5	5	-	-	28	25	3	-
Mississippi	1,369	981	73	258	358	260	20	61	912	648	40	188
White	353	340	9	2	106	103	2	-	217	209	5	2
Nonwhite	1,016	641	64	256	252	157	18	61	695	439	35	186
Missouri	1,180	1,141	31	2	264	252	10	-	821	801	15	1
White	891	872	19	-	179	173	6	-	629	617	12	-
Nonwhite	289	269	12	2	85	79	4	-	192	184	3	1
Montana	180	178	1	-	29	29	-	-	150	148	1	-
White	157	155	1	-	24	24	-	-	132	130	1	-
Nonwhite	23	23	-	-	5	5	-	-	18	18	-	-
Nebraska	366	358	6	-	81	79	1	-	270	264	5	-
White	325	320	4	-	74	74	-	-	236	231	4	-
Nonwhite	41	38	2	-	7	5	1	-	34	33	1	-
Nevada	140	136	3	-	34	33	1	-	92	91	-	-
White	108	105	2	-	23	23	-	-	74	73	-	-
Nonwhite	32	31	1	-	11	10	1	-	18	18	-	-
New Hampshire	165	163	2	-	27	27	-	-	117	115	2	-
White	165	163	2	-	27	27	-	-	117	115	2	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,898	1,826	56	-	395	365	27	-	1,329	1,299	18	-
White	1,399	1,351	38	-	270	253	17	-	997	974	14	-
Nonwhite	499	475	18	-	125	112	10	-	332	325	4	-
New Mexico	336	321	6	3	60	56	2	-	219	212	1	3
White	289	279	3	3	50	48	1	-	190	183	1	3
Nonwhite	47	42	3	-	10	8	1	-	29	29	-	-
New York	8,738	8,354	274	-	2,187	2,096	85	-	3,731	3,665	56	-
White	5,931	5,744	107	-	1,440	1,401	36	-	2,930	2,886	35	-
Nonwhite	2,807	2,610	167	-	747	695	49	-	801	779	21	-
North Carolina	1,716	1,548	109	43	392	338	45	7	1,301	1,189	64	35
White	875	841	29	3	165	152	13	-	703	682	16	3
Nonwhite	841	707	80	40	227	186	32	7	598	507	48	32
North Dakota	181	173	8	-	44	41	3	-	137	132	5	-
White	174	166	8	-	42	39	3	-	132	127	5	-
Nonwhite	7	7	-	-	2	2	-	-	5	5	-	-
Ohio	2,746	2,665	77	-	665	634	29	-	1,949	1,904	43	-
White	2,264	2,209	53	-	504	483	20	-	1,632	1,603	28	-
Nonwhite	482	456	24	-	161	151	9	-	317	301	15	-
Oklahoma	564	544	14	3	100	95	5	-	454	441	7	3
White	437	424	9	1	77	75	2	-	352	342	6	1
Nonwhite	127	120	5	2	23	20	3	-	102	99	1	2
Oregon	612	591	20	-	139	135	4	-	280	270	9	-
White	583	564	18	-	131	127	4	-	269	261	7	-
Nonwhite	29	27	2	-	8	8	-	-	11	9	2	-
Pennsylvania	3,447	3,325	108	-	1,102	1,038	57	-	2,324	2,268	49	-
White	2,758	2,668	79	-	798	752	41	-	1,944	1,901	37	-
Nonwhite	689	657	29	-	304	286	16	-	380	367	12	-
Rhode Island	264	255	9	-	59	56	3	-	196	194	2	-
White	246	237	9	-	50	47	3	-	187	185	2	-
Nonwhite	18	18	-	-	9	9	-	-	9	9	-	-
South Carolina	1,069	882	69	50	189	158	21	5	761	634	40	39
White	427	411	10	1	71	68	2	-	322	310	7	1
Nonwhite	642	471	59	49	118	90	19	5	439	324	33	38
South Dakota	195	189	5	-	38	35	2	-	153	150	3	-
White	168	165	3	-	32	31	1	-	134	132	2	-
Nonwhite	27	24	2	-	6	4	1	-	19	18	1	-
Tennessee	1,295	1,219	57	12	347	329	15	-	944	887	41	12
White	799	779	15	2	207	198	7	-	589	579	7	2
Nonwhite	496	440	42	10	140	131	8	-	355	308	34	10
Texas	3,242	3,011	72	38	694	634	27	11	2,508	2,345	42	27
White	2,403	2,275	42	21	473	441	17	5	1,901	1,809	24	16
Nonwhite	839	736	30	17	221	193	10	6	607	536	18	11

See footnotes at end of table.

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1965—Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, Groups II and III, or was not stated, Group IV]

Area and color	All fetal deaths in groups II, III, and IV				Group II—fetal deaths of 20-27 weeks gestation[1]				Group III—fetal deaths of 28 weeks gestation or more[1]			
	Total	Attendant[2]			Total	Attendant[2]			Total	Attendant[2]		
		Physician in hospital[3]	Physician not in hospital	Midwife not in hospital		Physician in hospital[3]	Physician not in hospital	Midwife not in hospital		Physician in hospital[3]	Physician not in hospital	Midwife not in hospital
Utah	227	224	2	-	35	35	-	-	156	153	2	-
White	220	217	2	-	34	34	-	-	154	151	2	-
Nonwhite	7	7	-	-	1	1	-	-	2	2	-	-
Vermont	249	243	5	-	23	22	-	-	52	51	1	-
White	247	241	5	-	23	22	-	-	52	51	1	-
Nonwhite	2	2	-	-	-	-	-	-	-	-	-	-
Virginia	1,923	1,754	163	-	519	471	46	-	1,105	1,018	87	-
White	1,221	1,163	56	-	318	303	14	-	685	661	24	-
Nonwhite	702	591	107	-	201	168	32	-	420	357	63	-
Washington	654	642	11	-	144	137	7	-	489	485	4	-
White	601	589	11	-	125	118	7	-	460	456	4	-
Nonwhite	53	53	-	-	19	19	-	-	29	29	-	-
West Virginia	542	507	30	4	94	89	2	3	414	386	27	1
White	496	470	23	2	86	82	2	2	378	358	20	-
Nonwhite	46	37	7	2	8	7	-	1	36	28	7	1
Wisconsin	1,043	1,026	15	-	229	222	7	-	796	786	8	-
White	958	946	11	-	198	195	3	-	743	734	8	-
Nonwhite	85	80	4	-	31	27	4	-	53	52	-	-
Wyoming	86	82	2	-	10	8	1	-	72	70	1	-
White	78	74	2	-	7	5	1	-	68	66	1	-
Nonwhite	8	8	-	-	3	3	-	-	4	4	-	-

[1]Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.
[2]Fetal deaths attended by other and not specified persons are not shown separately but are included in "Total."
[3]Includes all fetal deaths in hospitals or institutions and fetal deaths attended by physicians in clinics.

Table 3-14. Fetal Deaths by Birth Weight, Plurality of Birth, Color, and Sex: United States, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Plurality of birth, color, and sex	Total	Birth weight[1]											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Total	60,859	5,198	9,139	6,463	6,162	6,379	6,135	5,817	3,219	1,235	676	446	9,990
Fetal deaths in single deliveries	57,469	4,530	8,420	6,035	5,745	6,017	5,880	5,745	3,203	1,227	675	445	9,547
Fetal deaths in twin deliveries	3,270	624	695	408	407	356	250	72	16	7	1	1	433
Fetal deaths in other plural deliveries	120	44	24	20	10	6	5	-	-	1	-	-	10
Male	30,069	2,484	4,797	3,346	3,213	3,330	3,177	3,077	1,865	744	410	278	3,348
Fetal deaths in single deliveries	28,333	2,159	4,426	3,120	2,980	3,144	3,033	3,041	1,853	739	410	278	3,150
Fetal deaths in twin deliveries	1,678	308	361	217	226	183	139	36	12	4	-	-	192
Fetal deaths in other plural deliveries	58	17	10	9	7	3	5	-	-	1	-	-	6
Female	25,676	1,905	4,114	3,036	2,893	3,009	2,928	2,717	1,341	481	262	167	2,823
Fetal deaths in single deliveries	24,152	1,612	3,779	2,840	2,711	2,833	2,818	2,682	1,338	478	261	166	2,634
Fetal deaths in twin deliveries	1,469	272	322	185	179	173	110	35	3	3	1	1	185
Fetal deaths in other plural deliveries	55	21	13	11	3	3	-	-	-	-	-	-	4
Sex not stated	5,114	809	228	81	56	40	30	23	13	10	4	1	3,819
Fetal deaths in single deliveries	4,984	759	215	75	54	40	29	22	12	10	4	1	3,763
Fetal deaths in twin deliveries	123	44	12	6	2	-	1	1	1	-	-	-	56
Fetal deaths in other plural deliveries	7	6	1	-	-	-	-	-	-	-	-	-	-
White	43,530	3,627	6,231	4,498	4,321	4,519	4,565	4,494	2,511	953	483	300	7,028
Fetal deaths in single deliveries	41,110	3,157	5,730	4,185	4,017	4,261	4,378	4,439	2,499	948	482	300	6,714
Fetal deaths in twin deliveries	2,329	442	479	297	295	252	184	55	12	5	1	-	307
Fetal deaths in other plural deliveries	91	28	22	16	9	6	3	-	-	-	-	-	7
Male	21,563	1,738	3,279	2,278	2,303	2,345	2,323	2,330	1,460	581	287	189	2,450
Fetal deaths in single deliveries	20,324	1,514	3,022	2,118	2,125	2,209	2,219	2,304	1,452	579	287	189	2,306
Fetal deaths in twin deliveries	1,194	213	248	153	171	133	101	26	8	2	-	-	139
Fetal deaths in other plural deliveries	45	11	9	7	7	3	3	-	-	-	-	-	5
Female	18,677	1,362	2,828	2,161	1,978	2,147	2,222	2,148	1,041	366	193	110	2,121
Fetal deaths in single deliveries	17,585	1,144	2,594	2,013	1,854	2,025	2,140	2,120	1,038	363	192	110	1,992
Fetal deaths in twin deliveries	1,048	202	222	139	122	119	82	28	3	3	1	-	127
Fetal deaths in other plural deliveries	44	16	12	9	2	3	-	-	-	-	-	-	2
Sex not stated	3,290	527	124	59	40	27	20	16	10	6	3	1	2,457
Fetal deaths in single deliveries	3,201	499	114	54	38	27	19	15	9	6	3	1	2,416
Fetal deaths in twin deliveries	87	27	9	5	2	-	1	1	1	-	-	-	41
Fetal deaths in other plural deliveries	2	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite	17,329	1,571	2,908	1,965	1,841	1,860	1,570	1,323	708	282	193	146	2,962
Fetal deaths in single deliveries	16,359	1,373	2,690	1,850	1,728	1,756	1,502	1,306	704	279	193	145	2,833
Fetal deaths in twin deliveries	941	182	216	111	112	104	66	17	4	2	-	1	126
Fetal deaths in other plural deliveries	29	16	2	4	1	-	2	-	-	1	-	-	3
Male	8,506	746	1,518	1,068	910	985	854	747	405	163	123	89	898
Fetal deaths in single deliveries	8,009	645	1,404	1,002	855	935	814	737	401	160	123	89	844
Fetal deaths in twin deliveries	484	95	113	64	55	50	38	10	4	2	-	-	53
Fetal deaths in other plural deliveries	13	6	1	2	-	-	2	-	-	1	-	-	1
Female	6,999	543	1,286	875	915	862	706	569	300	115	69	57	702
Fetal deaths in single deliveries	6,567	468	1,185	827	857	808	678	562	300	115	69	56	642
Fetal deaths in twin deliveries	421	70	100	46	57	54	28	7	-	-	-	1	58
Fetal deaths in other plural deliveries	11	5	1	2	1	-	-	-	-	-	-	-	2
Sex not stated	1,824	282	104	22	16	13	10	7	3	4	1	-	1,362
Fetal deaths in single deliveries	1,783	260	101	21	16	13	10	7	3	4	1	-	1,347
Fetal deaths in twin deliveries	36	17	3	1	-	-	-	-	-	-	-	-	15
Fetal deaths in other plural deliveries	5	5	-	-	-	-	-	-	-	-	-	-	-

[1] Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

Table 3-15. Fetal Deaths by Period of Gestation, Plurality of Birth, Color, and Sex: United States, 1965

Plurality of birth, color, and sex	Total	Period of gestation[1]								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Total	60,859	7,059	6,469	6,797	7,698	4,337	6,923	11,599	2,638	7,339
Fetal deaths in single deliveries	57,469	6,507	5,931	6,356	7,236	4,114	6,552	11,105	2,575	7,093
Fetal deaths in twin deliveries	3,270	518	517	421	448	216	359	486	60	245
Fetal deaths in other plural deliveries	120	34	21	20	14	7	12	8	3	1
Male	30,069	3,466	3,273	3,528	4,013	2,255	3,668	6,128	1,337	2,401
Fetal deaths in single deliveries	28,333	3,173	3,007	3,310	3,776	2,150	3,470	5,871	1,306	2,270
Fetal deaths in twin deliveries	1,678	278	258	211	226	103	191	252	29	130
Fetal deaths in other plural deliveries	58	15	8	7	11	2	7	5	2	1
Female	25,676	2,508	2,751	3,043	3,546	2,037	3,185	5,408	1,266	1,932
Fetal deaths in single deliveries	24,152	2,292	2,503	2,828	3,334	1,922	3,022	5,180	1,235	1,836
Fetal deaths in twin deliveries	1,469	198	238	202	209	110	161	225	30	96
Fetal deaths in other plural deliveries	55	18	10	13	3	5	2	3	1	-
Sex not stated	5,114	1,085	445	226	139	45	70	63	35	3,006
Fetal deaths in single deliveries	4,984	1,042	421	218	126	42	60	54	34	2,987
Fetal deaths in twin deliveries	123	42	21	8	13	3	7	9	1	19
Fetal deaths in other plural deliveries	7	1	3	-	-	-	3	-	-	-
White	43,530	4,715	4,413	4,690	5,708	3,148	5,565	8,120	2,231	4,940
Fetal deaths in single deliveries	41,110	4,337	4,035	4,367	5,349	2,992	5,272	7,806	2,178	4,774
Fetal deaths in twin deliveries	2,329	349	368	307	345	150	283	311	50	166
Fetal deaths in other plural deliveries	91	29	10	16	14	6	10	3	3	-
Male	21,563	2,338	2,245	2,409	2,965	1,636	2,955	4,209	1,111	1,695
Fetal deaths in single deliveries	20,324	2,131	2,061	2,244	2,782	1,564	2,796	4,050	1,085	1,611
Fetal deaths in twin deliveries	1,194	196	178	159	172	70	152	159	24	84
Fetal deaths in other plural deliveries	45	11	6	6	11	2	7	-	2	-
Female	18,677	1,673	1,856	2,118	2,647	1,477	2,563	3,869	1,096	1,378
Fetal deaths in single deliveries	17,585	1,532	1,675	1,966	2,482	1,396	2,434	3,720	1,070	1,310
Fetal deaths in twin deliveries	1,048	124	177	142	162	77	127	146	25	68
Fetal deaths in other plural deliveries	44	17	4	10	3	4	2	3	1	-
Sex not stated	3,290	704	312	163	96	35	47	42	24	1,867
Fetal deaths in single deliveries	3,201	674	299	157	85	32	42	36	23	1,853
Fetal deaths in twin deliveries	87	29	13	6	11	3	4	6	1	14
Fetal deaths in other plural deliveries	2	1	-	-	-	-	1	-	-	-
Nonwhite	17,329	2,344	2,056	2,107	1,990	1,189	1,358	3,479	407	2,399
Fetal deaths in single deliveries	16,359	2,170	1,896	1,989	1,887	1,122	1,280	3,299	397	2,319
Fetal deaths in twin deliveries	941	169	149	114	103	66	76	175	10	79
Fetal deaths in other plural deliveries	29	5	11	4	-	1	2	5	-	1
Male	8,506	1,128	1,028	1,119	1,048	619	713	1,919	226	706
Fetal deaths in single deliveries	8,009	1,042	946	1,066	994	586	674	1,821	221	659
Fetal deaths in twin deliveries	484	82	80	52	54	33	39	93	5	46
Fetal deaths in other plural deliveries	13	4	2	1	-	-	-	5	-	1
Female	6,999	835	895	925	899	560	622	1,539	170	554
Fetal deaths in single deliveries	6,567	760	828	862	852	526	588	1,460	165	526
Fetal deaths in twin deliveries	421	74	61	60	47	33	34	79	5	28
Fetal deaths in other plural deliveries	11	1	6	3	-	1	-	-	-	-
Sex not stated	1,824	381	133	63	43	10	23	21	11	1,139
Fetal deaths in single deliveries	1,783	368	122	61	41	10	18	18	11	1,134
Fetal deaths in twin deliveries	36	13	8	2	2	-	3	3	-	5
Fetal deaths in other plural deliveries	5	-	3	-	-	-	2	-	-	-

[1]Period of gestation reported in months allocated to gestation intervals in weeks as shown in Technical Appendix.

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area, color, and sex	Total	Birth weight[1]											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
United States	60,859	5,198	9,139	6,463	6,162	6,379	6,135	5,817	3,219	1,235	676	446	9,990
White	43,530	3,627	6,231	4,498	4,321	4,519	4,565	4,494	2,511	953	483	300	7,028
Nonwhite	17,329	1,571	2,908	1,965	1,841	1,860	1,570	1,323	708	282	193	146	2,962
Male	30,069	2,484	4,797	3,346	3,213	3,330	3,177	3,077	1,865	744	410	278	3,348
White	21,563	1,738	3,279	2,278	2,303	2,345	2,323	2,330	1,460	581	287	189	2,450
Nonwhite	8,506	746	1,518	1,068	910	985	854	747	405	163	123	89	898
Female	25,676	1,905	4,114	3,036	2,893	3,009	2,928	2,717	1,341	481	262	167	2,823
White	18,677	1,362	2,828	2,161	1,978	2,147	2,222	2,148	1,041	366	193	110	2,121
Nonwhite	6,999	543	1,286	875	915	862	706	569	300	115	69	57	702
Sex not stated	5,114	809	228	81	56	40	30	23	13	10	4	1	3,819
White	3,290	527	124	59	40	27	20	16	10	6	3	1	2,457
Nonwhite	1,824	282	104	22	16	13	10	7	3	4	1	-	1,362
Alabama	1,462	58	205	184	166	173	166	174	91	39	28	12	166
White	596	22	94	75	69	53	60	85	40	15	6	5	72
Nonwhite	866	36	111	109	97	120	106	89	51	24	22	7	94
Alaska	90	2	7	7	14	9	14	13	5	4	2	1	12
White	56	2	6	5	11	6	6	11	2	2	1	-	4
Nonwhite	34	-	1	2	3	3	8	2	3	2	1	1	8
Arizona	426	20	63	54	47	61	44	49	26	12	8	5	37
White	334	15	54	44	33	45	35	39	19	9	7	3	31
Nonwhite	92	5	9	10	14	16	9	10	7	3	1	2	6
Arkansas	654	42	80	67	72	63	62	76	32	13	10	9	128
White	350	25	43	32	31	29	33	37	18	8	5	4	85
Nonwhite	304	17	37	35	41	34	29	39	14	5	5	5	43
California	4,496	324	832	554	519	553	513	487	269	89	39	33	284
White	3,709	262	653	458	423	451	443	423	234	74	35	27	226
Nonwhite	787	62	179	96	96	102	70	64	35	15	4	6	58
Colorado	590	39	80	65	38	39	49	40	17	4	5	3	211
White	558	35	75	58	37	39	45	37	16	4	5	3	204
Nonwhite	32	4	5	7	1	-	4	3	1	-	-	-	7
Connecticut	642	60	99	93	66	77	89	54	33	7	8	7	49
White	547	54	77	80	53	66	83	48	24	7	7	3	45
Nonwhite	95	6	22	13	13	11	6	6	9	-	1	4	4
Delaware	168	9	21	17	16	20	15	12	6	-	1	2	49
White	116	7	17	11	6	16	11	8	6	-	1	2	31
Nonwhite	52	2	4	6	10	4	4	4	-	-	-	-	18
District of Columbia	311	13	70	50	30	41	32	14	12	6	7	4	32
White	38	-	6	4	3	5	4	-	3	2	-	-	11
Nonwhite	273	13	64	46	27	36	28	14	9	4	7	4	21
Florida	1,696	103	298	235	221	262	192	193	95	33	21	19	24
White	917	60	157	121	126	132	104	115	51	23	6	9	13
Nonwhite	779	43	141	114	95	130	88	78	44	10	15	10	11
Georgia	1,728	135	237	170	195	161	166	154	90	24	27	8	361
White	840	63	114	81	88	74	83	83	52	10	13	3	176
Nonwhite	888	72	123	89	107	87	83	71	38	14	14	5	185
Hawaii	237	35	37	25	27	27	14	14	10	4	-	-	44
White	67	5	8	9	9	7	3	1	3	4	-	-	18
Nonwhite	170	30	29	16	18	20	11	13	7	-	-	-	26
Idaho	154	6	22	6	4	12	12	20	6	3	-	-	63
White	146	6	21	6	3	11	11	18	6	3	-	-	61
Nonwhite	8	-	1	-	1	1	1	2	-	-	-	-	2
Illinois	3,091	261	576	358	375	386	393	333	195	76	37	29	72
White	2,233	189	362	248	267	272	296	267	161	57	30	20	64
Nonwhite	858	72	214	110	108	114	97	66	34	19	7	9	8
Indiana	1,259	66	183	144	130	115	135	122	84	35	23	14	208
White	1,066	59	148	124	113	97	120	107	76	31	18	11	162
Nonwhite	193	7	35	20	17	18	15	15	8	4	5	3	46
Iowa	578	52	94	60	44	67	67	80	48	22	7	5	32
White	560	51	92	54	41	64	65	80	48	22	7	5	31
Nonwhite	18	1	2	6	3	3	2	-	-	-	-	-	1
Kansas	484	31	75	64	54	65	58	54	31	22	5	5	20
White	418	25	62	50	48	57	51	51	28	20	4	4	18
Nonwhite	66	6	13	14	6	8	7	3	3	2	1	1	2
Kentucky	919	44	143	85	104	132	108	117	56	24	14	7	85
White	776	38	113	71	89	104	95	104	52	22	12	4	72
Nonwhite	143	6	30	14	15	28	13	13	4	2	2	3	13
Louisiana	1,306	30	223	170	158	178	159	153	86	33	20	12	84
White	504	12	80	60	55	64	67	66	36	14	4	1	45
Nonwhite	802	18	143	110	103	114	92	87	50	19	16	11	39
Maine	311	21	38	22	28	24	30	26	15	6	-	-	101
White	304	18	37	21	27	24	30	26	14	6	-	-	101
Nonwhite	7	3	1	1	1	-	-	-	1	-	-	-	-

[1]Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1965—Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area, color, and sex	Total	Birth weight[1]											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Maryland	1,131	54	145	85	77	70	56	55	27	14	6	2	540
White	729	32	79	47	31	40	37	36	22	12	2	1	390
Nonwhite	402	22	66	38	46	30	19	19	5	2	4	1	150
Massachusetts	1,313	102	225	156	132	153	152	111	54	24	10	12	182
White	1,227	95	204	144	123	145	144	103	52	23	9	12	173
Nonwhite	86	7	21	12	9	8	8	8	2	1	1	-	9
Michigan	2,446	141	383	267	288	280	243	244	161	65	40	16	318
White	1,959	93	280	212	221	226	202	209	138	56	33	12	277
Nonwhite	487	48	103	55	67	54	41	35	23	9	7	4	41
Minnesota	940	66	176	112	86	114	113	104	68	22	11	8	60
White	907	65	170	109	84	108	110	100	63	21	11	7	59
Nonwhite	33	1	6	3	2	6	3	4	5	1	-	1	1
Mississippi	1,369	100	192	145	119	138	138	145	71	33	23	16	249
White	353	35	44	36	26	34	31	35	19	3	2	3	85
Nonwhite	1,016	65	148	109	93	104	107	110	52	30	21	13	164
Missouri	1,180	87	169	121	116	123	128	137	69	31	12	11	176
White	891	54	127	85	85	91	94	107	54	27	10	8	149
Nonwhite	289	33	42	36	31	32	34	30	15	4	2	3	27
Montana	180	10	16	14	19	18	22	27	16	4	3	3	28
White	157	8	12	12	19	15	18	25	14	4	2	2	26
Nonwhite	23	2	4	2	-	3	4	2	2	-	1	1	2
Nebraska	366	34	55	44	47	41	44	40	21	9	4	6	21
White	325	31	45	39	42	38	39	35	21	9	4	4	18
Nonwhite	41	3	10	5	5	3	5	5	-	-	-	2	3
Nevada	140	11	27	20	11	22	18	9	5	3	-	-	14
White	108	9	20	14	8	18	15	6	5	3	-	-	10
Nonwhite	32	2	7	6	3	4	3	3	-	-	-	-	4
New Hampshire	165	11	21	16	14	22	11	17	8	7	1	1	36
White	165	11	21	16	14	22	11	17	8	7	1	1	36
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,898	173	305	211	186	210	197	146	100	37	19	14	300
White	1,399	125	217	148	146	151	153	119	74	26	13	10	217
Nonwhite	499	48	88	63	40	59	44	27	26	11	6	4	83
New Mexico	336	14	29	37	44	37	33	39	17	4	5	3	74
White	289	11	28	31	33	31	30	34	16	3	5	3	64
Nonwhite	47	3	1	6	11	6	3	5	1	1	-	-	10
New York	8,738	1,231	1,000	648	554	550	541	491	251	101	52	27	3,292
White	5,931	775	687	465	427	427	423	409	204	86	49	21	1,958
Nonwhite	2,807	456	313	183	127	123	118	82	47	15	3	6	1,334
North Carolina	1,716	115	306	210	250	183	217	202	106	34	19	9	65
White	875	57	141	108	122	84	125	123	54	21	12	1	27
Nonwhite	841	58	165	102	128	99	92	79	52	13	7	8	38
North Dakota	181	15	23	13	17	28	21	24	13	5	7	2	13
White	174	14	22	12	16	28	21	24	12	4	6	2	13
Nonwhite	7	1	1	1	1	-	-	-	1	1	1	-	-
Ohio	2,746	254	440	294	253	274	294	271	152	59	27	17	411
White	2,264	203	329	232	203	219	248	236	138	53	25	15	363
Nonwhite	482	51	111	62	50	55	46	35	14	6	2	2	48
Oklahoma	564	29	80	55	66	77	64	74	46	15	8	6	44
White	437	23	67	38	44	64	52	56	38	10	7	3	35
Nonwhite	127	6	13	17	22	12	13	18	8	5	1	3	9
Oregon	612	70	61	32	35	38	45	46	25	13	1	3	243
White	583	65	58	31	35	34	41	46	24	13	1	3	232
Nonwhite	29	5	3	1	-	4	4	-	1	-	-	-	11
Pennsylvania	3,447	592	506	357	343	360	322	299	185	69	43	35	336
White	2,758	425	374	269	270	296	278	269	167	57	37	32	284
Nonwhite	689	167	132	88	73	64	44	30	18	12	6	3	52
Rhode Island	264	29	48	24	31	30	40	21	13	5	-	1	22
White	246	25	45	22	30	28	38	21	12	4	-	1	20
Nonwhite	18	4	3	2	1	2	2	-	1	1	-	-	2
South Carolina	1,069	43	139	135	113	120	122	95	56	15	12	1	218
White	427	15	57	68	47	47	42	43	29	5	3	-	71
Nonwhite	642	28	82	67	66	73	80	52	27	10	9	1	147
South Dakota	195	17	25	27	15	26	21	21	21	3	7	2	10
White	168	15	22	24	15	21	20	18	18	2	7	1	5
Nonwhite	27	2	3	3	-	5	1	3	3	1	-	1	5
Tennessee	1,295	105	238	163	171	132	134	144	57	29	14	9	99
White	799	68	136	97	86	83	83	101	40	18	9	5	73
Nonwhite	496	37	102	66	85	49	51	43	17	11	5	4	26
Texas	3,242	160	493	420	398	375	405	404	222	73	58	39	195
White	2,403	118	338	302	293	265	303	321	188	63	50	25	137
Nonwhite	839	42	155	118	105	110	102	83	34	10	8	14	58

[1] Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1965—Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area, color, and sex	Total	Birth weight[1]											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Utah	227	4	30	20	22	20	20	24	12	4	-	-	71
White	220	4	28	20	22	17	20	23	12	4	-	-	70
Nonwhite	7	-	2	-	-	3	-	1	-	-	-	-	1
Vermont	249	35	17	8	11	17	8	11	5	4	1	-	132
White	247	34	17	8	11	17	8	11	5	4	1	-	131
Nonwhite	2	1	-	-	-	-	-	-	-	-	-	-	1
Virginia	1,923	197	272	189	173	195	159	169	83	34	12	8	432
White	1,221	137	152	106	91	112	100	118	56	21	6	5	317
Nonwhite	702	60	120	83	82	83	59	51	27	13	6	3	115
Washington	654	38	120	73	80	82	80	69	48	14	3	3	44
White	601	32	106	65	76	77	76	67	46	14	3	3	36
Nonwhite	53	6	14	8	4	5	4	2	2	-	-	-	8
West Virginia	542	40	64	46	71	57	60	73	34	18	8	5	66
White	496	36	58	45	65	50	59	64	33	18	6	4	58
Nonwhite	46	4	6	1	6	7	1	9	1	-	2	1	8
Wisconsin	1,043	65	143	80	103	110	100	108	64	30	6	12	222
White	958	59	122	71	96	104	91	100	58	28	6	12	211
Nonwhite	85	6	21	9	7	6	9	8	6	2	-	-	11
Wyoming	86	5	8	11	9	12	9	12	2	1	2	-	15
White	78	5	6	10	8	11	8	12	2	1	2	-	13
Nonwhite	8	-	2	1	1	1	1	-	-	-	-	-	2

[1]Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1965

Area, color, and sex	Total	Period of gestation[1]								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
United States	60,859	7,059	6,469	6,797	7,698	4,337	6,923	11,599	2,638	7,339
White	43,530	4,715	4,413	4,690	5,708	3,148	5,565	8,120	2,231	4,940
Nonwhite	17,329	2,344	2,056	2,107	1,990	1,189	1,358	3,479	407	2,399
Male	30,069	3,466	3,273	3,528	4,013	2,255	3,668	6,128	1,337	2,401
White	21,563	2,338	2,245	2,409	2,965	1,636	2,955	4,209	1,111	1,695
Nonwhite	8,506	1,128	1,028	1,119	1,048	619	713	1,919	226	706
Female	25,676	2,508	2,751	3,043	3,546	2,037	3,185	5,408	1,266	1,932
White	18,677	1,673	1,856	2,118	2,647	1,477	2,563	3,869	1,096	1,378
Nonwhite	6,999	835	895	925	899	560	622	1,539	170	554
Sex not stated	5,114	1,085	445	226	139	45	70	63	35	3,006
White	3,290	704	312	163	96	35	47	42	24	1,867
Nonwhite	1,824	381	133	63	43	10	23	21	11	1,139
Alabama	1,462	123	147	196	150	117	151	456	14	108
White	596	55	55	81	66	52	69	170	11	37
Nonwhite	866	68	92	115	84	65	82	286	3	71
Alaska	90	6	6	13	16	5	14	22	6	2
White	56	6	4	8	12	1	11	8	5	1
Nonwhite	34	-	2	5	4	4	3	14	1	1
Arizona	426	32	38	55	56	37	47	117	25	19
White	334	24	32	43	47	27	37	91	21	12
Nonwhite	92	8	6	12	9	10	10	26	4	7
Arkansas	654	69	67	79	67	48	50	170	11	93
White	350	44	33	38	37	23	27	81	8	59
Nonwhite	304	25	34	41	30	25	23	89	3	34
California	4,496	281	364	394	636	192	718	210	442	1,259
White	3,709	209	293	322	545	168	621	183	389	979
Nonwhite	787	72	71	72	91	24	97	27	53	280
Colorado	590	95	54	60	71	29	59	61	19	142
White	558	90	52	56	64	28	53	59	18	138
Nonwhite	32	5	2	4	7	1	6	2	1	4
Connecticut	642	62	69	86	99	50	101	130	24	21
White	547	50	53	73	87	44	92	111	19	18
Nonwhite	95	12	16	13	12	6	9	19	5	3
Delaware	168	15	15	22	25	13	22	26	3	27
White	116	12	11	14	14	11	18	19	3	14
Nonwhite	52	3	4	8	11	2	4	7	-	13
District of Columbia	311	19	37	32	44	14	43	8	24	90
White	38	1	4	2	9	2	4	2	3	11
Nonwhite	273	18	33	30	35	12	39	6	21	79
Florida	1,696	182	184	249	223	190	163	453	42	10
White	917	89	95	126	137	100	112	220	33	5
Nonwhite	779	93	89	123	86	90	51	233	9	5
Georgia	1,728	241	211	218	193	133	127	414	36	155
White	840	121	93	94	106	60	69	196	24	77
Nonwhite	888	120	118	124	87	73	58	218	12	78
Hawaii	237	58	21	45	36	15	20	26	13	3
White	67	13	5	13	9	4	6	8	7	2
Nonwhite	170	45	16	32	27	11	14	18	6	1
Idaho	154	13	12	14	15	7	14	19	6	54
White	146	12	12	13	13	5	13	19	6	53
Nonwhite	8	1	-	1	2	2	1	-	-	1
Illinois	3,091	370	354	379	426	250	391	797	113	11
White	2,233	270	232	251	296	184	327	578	87	8
Nonwhite	858	100	122	128	130	66	64	219	26	3
Indiana	1,259	94	111	142	157	91	135	273	34	222
White	1,066	82	89	123	134	75	120	230	31	182
Nonwhite	193	12	22	19	23	16	15	43	3	40
Iowa	578	45	78	65	72	55	92	134	29	8
White	560	45	75	61	72	52	89	130	29	7
Nonwhite	18	-	3	4	-	3	3	4	-	1
Kansas	484	46	40	59	78	27	73	111	40	10
White	418	41	32	45	69	23	66	97	38	7
Nonwhite	66	5	8	14	9	4	7	14	2	3
Kentucky	919	72	109	105	124	107	89	283	13	17
White	776	53	90	86	104	90	76	248	13	16
Nonwhite	143	19	19	19	20	17	13	35	-	1
Louisiana	1,306	108	153	177	162	115	158	390	28	15
White	504	47	60	63	58	49	81	123	15	8
Nonwhite	802	61	93	114	104	66	77	267	13	7
Maine	311	24	25	46	29	19	33	49	11	75
White	304	24	24	44	28	18	33	48	11	74
Nonwhite	7	-	1	2	1	1	-	1	-	1

[1]Period of gestation reported in months allocated to gestation interval in weeks as shown in the Technical Appendix.

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1965—Con.

Area, color, and sex	Total	Period of gestation[1]								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Maryland	1,131	85	116	103	170	51	155	40	121	290
White	729	50	69	64	106	36	107	27	95	175
Nonwhite	402	35	47	39	64	15	48	13	26	115
Massachusetts	1,313	157	139	159	211	99	206	177	75	90
White	1,227	141	128	149	200	92	199	160	71	87
Nonwhite	86	16	11	10	11	7	7	17	4	3
Michigan	2,446	237	278	283	369	196	311	509	121	142
White	1,959	163	208	217	289	162	270	417	114	119
Nonwhite	487	74	70	66	80	34	41	92	7	23
Minnesota	940	100	108	117	122	82	136	172	64	39
White	907	98	105	113	117	80	132	165	58	39
Nonwhite	33	2	3	4	5	2	4	7	6	-
Mississippi	1,369	201	157	165	119	80	92	445	11	99
White	353	61	45	35	39	17	40	82	4	30
Nonwhite	1,016	140	112	130	80	63	52	363	7	69
Missouri	1,180	127	137	132	123	117	140	268	41	95
White	891	82	97	100	95	79	127	190	38	83
Nonwhite	289	45	40	32	28	38	13	78	3	12
Montana	180	19	10	27	18	12	33	46	14	1
White	157	17	7	25	17	11	31	38	10	1
Nonwhite	23	2	3	2	1	1	2	8	4	-
Nebraska	366	38	43	43	59	31	52	67	18	15
White	325	34	40	33	54	25	48	58	18	15
Nonwhite	41	4	3	10	5	6	4	9	-	-
Nevada	140	17	17	22	21	13	24	10	2	14
White	108	9	14	15	19	13	16	9	2	11
Nonwhite	32	8	3	7	2	-	8	1	-	3
New Hampshire	165	11	16	14	26	12	21	32	12	21
White	165	11	16	14	26	12	21	32	12	21
Nonwhite	-	-	-	-	-	-	-	-	-	-
New Jersey	1,898	204	191	234	263	135	225	380	92	174
White	1,399	129	141	168	195	106	182	267	79	132
Nonwhite	499	75	50	66	68	29	43	113	13	42
New Mexico	336	26	34	23	38	33	36	70	19	57
White	289	20	30	17	33	26	33	64	17	49
Nonwhite	47	6	4	6	5	7	3	6	2	8
New York	8,738	1,319	868	701	843	352	759	689	387	2,820
White	5,931	835	605	515	636	283	608	583	305	1,561
Nonwhite	2,807	484	263	186	207	69	151	106	82	1,259
North Carolina	1,716	189	203	195	245	134	191	493	43	23
White	875	85	80	85	138	67	116	268	29	7
Nonwhite	841	104	123	110	107	67	75	225	14	16
North Dakota	181	20	24	12	24	19	29	41	12	-
White	174	18	24	12	23	18	29	39	11	-
Nonwhite	7	2	-	-	1	1	-	2	1	-
Ohio	2,746	355	310	333	401	202	365	509	139	132
White	2,264	271	233	266	327	168	312	439	120	128
Nonwhite	482	84	77	67	74	34	53	70	19	4
Oklahoma	564	36	64	62	94	48	67	165	18	10
White	437	28	49	45	73	35	55	129	15	8
Nonwhite	127	8	15	17	21	13	12	36	3	2
Oregon	612	81	58	44	44	39	53	80	20	193
White	583	76	55	42	44	37	51	75	20	183
Nonwhite	29	5	3	2	-	2	2	5	-	10
Pennsylvania	3,447	668	434	433	433	234	375	706	143	21
White	2,758	465	333	341	354	194	318	611	126	16
Nonwhite	689	203	101	92	79	40	57	95	17	5
Rhode Island	264	35	24	33	41	18	39	48	17	9
White	246	29	21	32	38	17	36	47	17	9
Nonwhite	18	6	3	1	3	1	3	1	-	-
South Carolina	1,069	79	110	124	132	89	98	309	9	119
White	427	36	35	35	70	40	57	113	7	34
Nonwhite	642	43	75	89	62	49	41	196	2	85
South Dakota	195	23	15	30	25	16	23	48	11	4
White	168	19	13	27	24	13	20	39	11	2
Nonwhite	27	4	2	3	1	3	3	9	-	2
Tennessee	1,295	175	172	192	164	105	92	376	15	4
White	799	100	107	109	95	56	70	245	14	3
Nonwhite	496	75	65	83	69	49	22	131	1	1
Texas	3,242	325	369	399	449	351	356	860	93	40
White	2,403	222	251	290	312	252	288	681	78	29
Nonwhite	839	103	118	109	137	99	68	179	15	11

[1]Period of gestation reported in months allocated to gestation interval in weeks as shown in the Technical Appendix.

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1965—Con.

Area, color, and sex	Total	Period of gestation[1]								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Utah	227	14	21	19	34	17	36	40	10	36
White	220	13	21	18	34	17	36	39	10	32
Nonwhite	7	1	-	1	-	-	-	1	-	4
Vermont	249	15	8	7	15	4	13	5	8	174
White	247	15	8	7	15	4	13	5	8	172
Nonwhite	2	-	-	-	-	-	-	-	-	2
Virginia	1,923	309	210	198	220	119	159	360	49	299
White	1,221	197	121	119	137	71	105	215	38	218
Nonwhite	702	112	89	79	83	48	54	145	11	81
Washington	654	71	73	83	94	66	96	118	32	21
White	601	58	67	78	81	66	92	114	29	16
Nonwhite	53	13	6	5	13	-	4	4	3	5
West Virginia	542	51	43	44	54	55	73	165	23	34
White	496	46	40	42	51	48	67	149	21	32
Nonwhite	46	5	3	2	3	7	6	16	2	2
Wisconsin	1,043	113	116	117	155	87	153	207	77	18
White	958	95	103	109	146	80	148	186	74	17
Nonwhite	85	18	13	8	9	7	5	21	3	1
Wyoming	86	4	6	13	13	7	15	15	9	4
White	78	4	3	12	13	7	14	13	9	3
Nonwhite	8	-	3	1	-	-	1	2	-	1

[1]Period of gestation reported in months allocated to gestation interval in weeks as shown in the Technical Appendix.

Section 4. Accident Mortality

Table		Page
4-1.	Deaths from motor vehicle accidents, by type of motor vehicle involved, cause of death, color, and sex: United States, 1965	4-3
4-2.	Deaths from nontransport accidents, by place of accident, cause of death, color, and sex: United States, 1965	4-6
4-3.	Deaths from motor vehicle accidents, by type of motor vehicle involved, age, race, and sex: United States, 1965	4-12
4-4.	Deaths from nontransport accidents, by place of accident, age, race, and sex: United States, 1965	4-20
4-5.	Deaths from motor vehicle accidents, by type of motor vehicle involved, color, and sex: United States and each State, 1965	4-22
4-6.	Deaths from nontransport accidents, by place of accident, color, and sex: United States and each State, 1965	4-27

Table 4-1. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States, 1965

[Includes each three-digit category from E810 to E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Type of motor vehicle involved									
			Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motorbus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
E810-E825	Motor vehicle traffic accidents	48,050	3,505	4,761	31	222	36,900	170	524	182	10	1,745
	Male	34,770	3,109	3,311	25	169	26,293	118	346	115	7	1,277
	Female	13,280	396	1,450	6	53	10,607	52	178	67	3	468
	White—Male	30,425	2,700	3,000	21	154	22,944	92	315	84	6	1,109
	Female	11,798	338	1,324	3	51	9,413	40	160	57	2	410
	Nonwhite—Male	4,345	409	311	4	15	3,349	26	31	31	1	168
	Female	1,482	58	126	3	2	1,194	12	18	10	1	58
E810	Involving collision with railway train	1,556	254	1	-	-	1,250	-	-	-	-	51
	Male	1,108	235	1	-	-	830	-	-	-	-	42
	Female	448	19	-	-	-	420	-	-	-	-	9
	White—Male	1,017	217	-	-	-	762	-	-	-	-	38
	Female	416	17	-	-	-	392	-	-	-	-	7
	Nonwhite—Male	91	18	1	-	-	68	-	-	-	-	4
	Female	32	2	-	-	-	28	-	-	-	-	2
E811	Involving collision with streetcar	5	-	-	-	-	5	-	-	-	-	-
	Male	5	-	-	-	-	5	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	White—Male	4	-	-	-	-	4	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	1	-	-	-	-	1	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E812	To pedestrian	8,117	880	19	1	-	6,658	2	2	116	-	439
	Male	5,787	677	19	1	-	4,690	1	1	79	-	319
	Female	2,330	203	-	-	-	1,968	1	1	37	-	120
	White—Male	4,614	543	15	1	-	3,747	-	1	55	-	252
	Female	1,876	172	-	-	-	1,576	-	1	31	-	96
	Nonwhite—Male	1,173	134	4	-	-	943	1	-	24	-	67
	Female	454	31	-	-	-	392	1	-	6	-	24
E813	To pedal cyclist	622	96	1	-	-	493	-	-	7	-	25
	Male	560	86	1	-	-	445	-	-	6	-	22
	Female	62	10	-	-	-	48	-	-	1	-	3
	White—Male	496	75	1	-	-	396	-	-	5	-	19
	Female	56	10	-	-	-	44	-	-	1	-	1
	Nonwhite—Male	64	11	-	-	-	49	-	-	1	-	3
	Female	6	-	-	-	-	4	-	-	-	-	2
E814	To rider or passenger of motorcycle in collision with nonmotor vehicle or object	59	-	-	-	-	59	-	-	-	-	-
	Male	54	-	-	-	-	54	-	-	-	-	-
	Female	5	-	-	-	-	5	-	-	-	-	-
	White—Male	53	-	-	-	-	53	-	-	-	-	-
	Female	4	-	-	-	-	4	-	-	-	-	-
	Nonwhite—Male	1	-	-	-	-	1	-	-	-	-	-
	Female	1	-	-	-	-	1	-	-	-	-	-
E815	To rider or passenger of motorcycle in collision with other motor vehicle	962	-	158	-	-	750	11	43	-	-	-
	Male	899	-	152	-	-	697	11	39	-	-	-
	Female	63	-	6	-	-	53	-	4	-	-	-
	White—Male	871	-	149	-	-	674	11	37	-	-	-
	Female	59	-	5	-	-	50	-	4	-	-	-
	Nonwhite—Male	28	-	3	-	-	23	-	2	-	-	-
	Female	4	-	1	-	-	3	-	-	-	-	-
E816	Other, involving two or more motor vehicles	17,736	523	4,538	30	218	11,281	156	475	-	10	505
	Male	11,576	484	3,109	24	165	7,052	105	302	-	7	328
	Female	6,160	39	1,429	6	53	4,229	51	173	-	3	177
	White—Male	10,381	446	2,811	20	150	6,299	80	275	-	6	294
	Female	5,651	36	1,306	3	51	3,893	40	155	-	2	165
	Nonwhite—Male	1,195	38	298	4	15	753	25	27	-	1	34
	Female	509	3	123	3	2	336	11	18	-	1	12
E817	To occupant of motor vehicle in collision with pedestrian or pedal cycle	-	-	-	-	-	-	-	-	-	-	-
E818	Involving collision with animal or animal-drawn vehicle	87	18	2	-	-	64	-	-	-	-	3
	Male	55	15	1	-	-	38	-	-	-	-	1
	Female	32	3	1	-	-	26	-	-	-	-	2
	White—Male	52	14	1	-	-	36	-	-	-	-	1
	Female	26	2	1	-	-	21	-	-	-	-	2
	Nonwhite—Male	3	1	-	-	-	2	-	-	-	-	-
	Female	6	1	-	-	-	5	-	-	-	-	-

Table 4-1. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States, 1965—Con.

[Includes each three-digit category from E810 to E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Type of motor vehicle involved									
			Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motorbus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
	Motor vehicle traffic accidents—Con.											
E819	Involving collision with fixed or unspecified object	1,829	148	2	-	1	1,605	-	-	2	-	71
	Male	1,434	138	1	-	1	1,232	-	-	1	-	61
	Female	395	10	1	-	-	373	-	-	1	-	10
	White—Male	1,244	124	-	-	1	1,063	-	-	1	-	55
	Female	344	8	-	-	-	326	-	-	1	-	9
	Nonwhite—Male	190	14	1	-	-	169	-	-	-	-	6
	Female	51	2	1	-	-	47	-	-	-	-	1
E820	While boarding and alighting	33	3	-	-	-	22	-	-	7	-	1
	Male	20	2	-	-	-	16	-	-	2	-	-
	Female	13	1	-	-	-	6	-	-	5	-	1
	White—Male	16	2	-	-	-	13	-	-	1	-	-
	Female	13	1	-	-	-	6	-	-	5	-	1
	Nonwhite—Male	4	-	-	-	-	3	-	-	1	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E821	To rider of motorcycle not involving collision	463	-	3	-	-	459	-	1	-	-	-
	Male	421	-	2	-	-	418	-	1	-	-	-
	Female	42	-	1	-	-	41	-	-	-	-	-
	White—Male	404	-	2	-	-	401	-	1	-	-	-
	Female	41	-	1	-	-	40	-	-	-	-	-
	Nonwhite—Male	17	-	-	-	-	17	-	-	-	-	-
	Female	1	-	-	-	-	1	-	-	-	-	-
E822	Involving overturning in roadway	1,132	263	-	-	-	811	-	-	3	-	55
	Male	891	241	-	-	-	607	-	-	-	-	43
	Female	241	22	-	-	-	204	-	-	3	-	12
	White—Male	775	207	-	-	-	527	-	-	-	-	41
	Female	212	18	-	-	-	182	-	-	2	-	10
	Nonwhite—Male	116	34	-	-	-	80	-	-	-	-	2
	Female	29	4	-	-	-	22	-	-	1	-	2
E823	Involving running off roadway	10,433	918	33	-	1	9,010	-	3	29	-	439
	Male	8,297	864	21	-	1	7,052	-	3	14	-	342
	Female	2,136	54	12	-	-	1,958	-	-	15	-	97
	White—Male	7,356	770	19	-	1	6,245	-	1	12	-	308
	Female	1,893	46	11	-	-	1,737	-	-	12	-	87
	Nonwhite—Male	941	94	2	-	-	807	-	2	2	-	34
	Female	243	8	1	-	-	221	-	-	3	-	10
E824	Other noncollision accident	878	296	4	-	2	515	1	-	16	-	44
	Male	671	267	4	-	2	352	1	-	12	-	33
	Female	207	29	-	-	-	163	-	-	4	-	11
	White—Male	561	213	2	-	2	302	1	-	9	-	32
	Female	174	23	-	-	-	139	-	-	4	-	8
	Nonwhite—Male	110	54	2	-	-	50	-	-	3	-	1
	Female	33	6	-	-	-	24	-	-	-	-	3
E825	Of unspecified nature	4,138	106	-	-	-	3,918	-	-	2	-	112
	Male	2,992	100	-	-	-	2,805	-	-	1	-	86
	Female	1,146	6	-	-	-	1,113	-	-	1	-	26
	White—Male	2,581	89	-	-	-	2,422	-	-	1	-	69
	Female	1,033	5	-	-	-	1,003	-	-	1	-	24
	Nonwhite—Male	411	11	-	-	-	383	-	-	-	-	17
	Female	113	1	-	-	-	110	-	-	-	-	2
E830-E835	Motor vehicle nontraffic accidents	1,113	450	6	-	1	607	-	2	7	1	39
	Male	814	372	5	-	1	404	-	2	6	1	23
	Female	299	78	1	-	-	203	-	-	1	-	16
	White—Male	719	327	5	-	1	356	-	2	5	1	22
	Female	260	72	1	-	-	174	-	-	1	-	12
	Nonwhite—Male	95	45	-	-	-	48	-	-	1	-	1
	Female	39	6	-	-	-	29	-	-	-	-	4
E830	To pedestrian	651	278	3	-	-	345	-	2	7	-	16
	Male	435	214	3	-	-	202	-	2	6	-	8
	Female	216	64	-	-	-	143	-	-	1	-	8
	White—Male	379	192	3	-	-	169	-	2	5	-	8
	Female	188	59	-	-	-	123	-	-	1	-	5
	Nonwhite—Male	56	22	-	-	-	33	-	-	1	-	-
	Female	28	5	-	-	-	20	-	-	-	-	3
E831	To pedal cyclist	6	4	-	-	-	1	-	-	-	-	1
	Male	5	4	-	-	-	-	-	-	-	-	1
	Female	1	-	-	-	-	1	-	-	-	-	-
	White—Male	5	4	-	-	-	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	1	-	-	-	-	-
E832	To rider or passenger of motorcycle	31	-	1	-	-	30	-	-	-	-	-
	Male	28	-	1	-	-	27	-	-	-	-	-
	Female	3	-	-	-	-	3	-	-	-	-	-
	White—Male	26	-	1	-	-	25	-	-	-	-	-
	Female	3	-	-	-	-	3	-	-	-	-	-
	Nonwhite—Male	2	-	-	-	-	2	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-

Table 4-1. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States, 1965—Con.

[Includes each three-digit category from E810 to E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Type of motor vehicle involved									
			Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motorbus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
	Motor vehicle nontraffic accidents—Con.											
E833	Other, involving two or more motor vehicles	16	2	1	-	-	13	-	-	-	-	-
	Male	14	2	1	-	-	11	-	-	-	-	-
	Female	2	-	-	-	-	2	-	-	-	-	-
	White—Male	14	2	1	-	-	11	-	-	-	-	-
	Female	2	-	-	-	-	2	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E834	While boarding and alighting	17	2	-	-	-	15	-	-	-	-	-
	Male	7	2	-	-	-	5	-	-	-	-	-
	Female	10	-	-	-	-	10	-	-	-	-	-
	White—Male	6	1	-	-	-	5	-	-	-	-	-
	Female	8	-	-	-	-	8	-	-	-	-	-
	Nonwhite—Male	1	1	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	2	-	-	-	-	-
E835	Of other and unspecified nature	392	164	1	-	1	203	-	-	-	1	22
	Male	325	150	-	-	1	159	-	-	-	1	14
	Female	67	14	1	-	-	44	-	-	-	-	8
	White—Male	289	128	-	-	1	146	-	-	-	1	13
	Female	59	13	1	-	-	38	-	-	-	-	7
	Nonwhite—Male	36	22	-	-	-	13	-	-	-	-	1
	Female	8	1	-	-	-	6	-	-	-	-	1

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1965

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
E870-E888	Accidental poisoning by solid and liquid substances	2,110	1,101	15	1	12	4	22	56	30	44	825
	Male	1,159	532	13	1	7	2	17	38	19	31	499
	Female	951	569	2	-	5	2	5	18	11	13	326
	White—Male	866	411	10	1	7	2	12	36	15	21	351
	Female	794	471	2	-	4	2	3	16	8	12	276
	Nonwhite—Male	293	121	3	-	-	-	5	2	4	10	148
	Female	157	98	-	-	1	-	2	2	3	1	50
E870	Accidental poisoning by morphine and other opium derivatives	69	35	-	-	-	1	5	5	2	3	18
	Male	59	30	-	-	-	1	5	2	2	3	16
	Female	10	5	-	-	-	-	-	3	-	-	2
	White—Male	45	23	-	-	-	1	3	1	2	2	13
	Female	6	2	-	-	-	-	-	2	-	-	2
	Nonwhite—Male	14	7	-	-	-	-	2	1	-	1	3
	Female	4	3	-	-	-	-	-	1	-	-	-
E871	Accidental poisoning by barbituric acid and derivatives	544	337	-	1	2	-	4	22	2	14	162
	Male	212	119	-	1	1	-	2	12	1	8	68
	Female	332	218	-	-	1	-	2	10	1	6	94
	White—Male	197	115	-	1	1	-	1	12	1	7	59
	Female	317	209	-	-	1	-	1	9	1	6	90
	Nonwhite—Male	15	4	-	-	-	-	1	-	-	1	9
	Female	15	9	-	-	-	-	1	1	-	-	4
E872	Accidental poisoning by aspirin and salicylates	175	99	-	-	-	2	-	2	2	1	69
	Male	89	48	-	-	-	1	-	2	1	1	36
	Female	86	51	-	-	-	1	-	-	1	-	33
	White—Male	69	38	-	-	-	1	-	2	1	1	26
	Female	67	37	-	-	-	1	-	-	1	-	28
	Nonwhite—Male	20	10	-	-	-	-	-	-	-	-	10
	Female	19	14	-	-	-	-	-	-	-	-	5
E873	Accidental poisoning by bromides	5	-	-	-	-	-	-	-	-	-	5
	Male	3	-	-	-	-	-	-	-	-	-	3
	Female	2	-	-	-	-	-	-	-	-	-	2
	White—Male	3	-	-	-	-	-	-	-	-	-	3
	Female	2	-	-	-	-	-	-	-	-	-	2
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E874	Accidental poisoning by other analgesic and soporific drugs	345	159	-	-	-	1	-	9	2	8	166
	Male	199	69	-	-	-	-	-	8	1	6	115
	Female	146	90	-	-	-	1	-	1	1	2	51
	White—Male	137	61	-	-	-	-	-	7	1	1	67
	Female	126	83	-	-	-	1	-	1	-	2	39
	Nonwhite—Male	62	8	-	-	-	-	-	1	-	5	48
	Female	20	7	-	-	-	-	-	-	1	-	12
E875	Accidental poisoning by sulfonamides	-	-	-	-	-	-	-	-	-	-	-
E876	Accidental poisoning by strychnine	5	4	-	-	-	-	-	-	-	-	1
	Male	1	1	-	-	-	-	-	-	-	-	-
	Female	4	3	-	-	-	-	-	-	-	-	1
	White—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	4	3	-	-	-	-	-	-	-	-	1
	Nonwhite—Male	1	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E877	Accidental poisoning by belladonna, hyoscine, and atropine	2	1	-	-	-	-	-	-	-	-	1
	Male	1	1	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1
	White—Male	1	1	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E878	Accidental poisoning by other and unspecified drugs	245	100	-	-	-	-	5	4	8	1	127
	Male	112	45	-	-	-	-	4	2	4	-	57
	Female	133	55	-	-	-	-	1	2	4	1	70
	White—Male	97	36	-	-	-	-	4	2	3	-	52
	Female	119	47	-	-	-	-	1	2	2	1	66
	Nonwhite—Male	15	9	-	-	-	-	-	-	1	-	5
	Female	14	8	-	-	-	-	-	-	2	-	4
E879	Accidental poisoning by noxious foodstuffs	8	-	-	-	-	-	-	-	-	-	8
	Male	4	-	-	-	-	-	-	-	-	-	4
	Female	4	-	-	-	-	-	-	-	-	-	4
	White—Male	3	-	-	-	-	-	-	-	-	-	3
	Female	4	-	-	-	-	-	-	-	-	-	4
	Nonwhite—Male	1	-	-	-	-	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
E880	Accidental poisoning by alcohol	201	95	1	-	1	-	5	5	4	7	83
	Male	161	74	1	-	1	-	3	4	4	6	68
	Female	40	21	-	-	-	-	2	1	-	1	15
	White—Male	107	46	1	-	1	-	3	4	3	4	45
	Female	25	15	-	-	-	-	1	1	-	1	7
	Nonwhite—Male	54	28	-	-	-	-	-	-	1	2	23
	Female	15	6	-	-	-	-	1	-	-	-	8

See footnotes at end of table.

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1965—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Residential institution (.7)	Other specified places (.8)	Place not specified (.9)
	Accidental poisoning by solid and liquid substances—Con.											
E881	Accidental poisoning by petroleum products	36	28	1	-	-	-	-	1	-	-	6
	Male	22	16	1	-	-	-	-	1	-	-	4
	Female	14	12	-	-	-	-	-	-	-	-	2
	White—Male	13	9	1	-	-	-	-	1	-	-	2
	Female	4	3	-	-	-	-	-	-	-	-	1
	Nonwhite—Male	9	7	-	-	-	-	-	-	-	-	2
	Female	10	9	-	-	-	-	-	-	-	-	1
E882	Accidental poisoning by industrial solvents	48	22	1	-	3	-	2	-	2	2	16
	Male	37	13	1	-	2	-	2	-	2	2	15
	Female	11	9	-	-	1	-	-	-	-	-	1
	White—Male	23	8	1	-	2	-	1	-	-	1	10
	Female	10	8	-	-	1	-	-	-	-	-	1
	Nonwhite—Male	14	5	-	-	-	-	1	-	2	1	5
	Female	1	1	-	-	-	-	-	-	-	-	-
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	47	22	1	-	2	-	-	1	1	2	18
	Male	24	9	1	-	-	-	-	1	-	1	12
	Female	23	13	-	-	2	-	-	-	1	1	6
	White—Male	19	6	1	-	-	-	-	1	-	1	10
	Female	12	6	-	-	1	-	-	-	1	-	4
	Nonwhite—Male	5	3	-	-	-	-	-	-	-	-	2
	Female	11	7	-	-	1	-	-	-	-	1	2
E884	Accidental poisoning by mercury and its compounds	10	2	-	-	-	-	-	-	1	1	6
	Male	8	2	-	-	-	-	-	-	-	1	5
	Female	2	-	-	-	-	-	-	-	1	-	1
	White—Male	7	2	-	-	-	-	-	-	-	1	4
	Female	2	-	-	-	-	-	-	-	1	-	1
	Nonwhite—Male	1	-	-	-	-	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
E885	Accidental poisoning by lead and its compounds	65	32	-	-	-	-	-	-	-	-	32
	Male	41	16	-	-	-	-	-	-	-	-	25
	Female	24	16	-	-	-	-	-	-	-	-	8
	White—Male	15	7	-	-	-	-	-	-	-	-	8
	Female	8	6	-	-	-	-	-	-	-	-	2
	Nonwhite—Male	26	9	-	-	-	-	-	-	-	-	17
	Female	16	10	-	-	-	-	-	-	-	-	6
E886	Accidental poisoning by arsenic and antimony, and their compounds	31	14	2	-	-	-	1	-	-	-	14
	Male	20	8	1	-	-	-	1	-	-	-	10
	Female	11	6	1	-	-	-	-	-	-	-	4
	White—Male	12	5	1	-	-	-	-	-	-	-	6
	Female	8	5	1	-	-	-	-	-	-	-	2
	Nonwhite—Male	8	3	-	-	-	-	1	-	-	-	4
	Female	3	1	-	-	-	-	-	-	-	-	2
E887	Accidental poisoning by fluorides	7	3	-	-	1	-	-	-	-	-	3
	Male	5	2	-	-	1	-	-	-	-	-	2
	Female	2	1	-	-	-	-	-	-	-	-	1
	White—Male	2	-	-	-	1	-	-	-	-	-	1
	Female	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite—Male	3	2	-	-	-	-	-	-	-	-	1
	Female	1	1	-	-	-	-	-	-	-	-	-
E888	Accidental poisoning by other and unspecified solid and liquid substances	267	148	9	-	3	-	-	7	6	5	89
	Male	161	79	8	-	2	-	-	6	4	3	59
	Female	106	69	1	-	1	-	-	1	2	2	30
	White—Male	116	54	5	-	2	-	-	6	4	3	42
	Female	78	47	1	-	1	-	-	1	2	2	24
	Nonwhite—Male	45	25	3	-	-	-	-	-	-	-	17
	Female	28	22	-	-	-	-	-	-	-	-	6
E890-E895	Accidental poisoning by gases and vapors	1,526	884	28	7	121	23	129	71	4	131	128
	Male	1,106	607	25	5	105	18	91	54	4	103	94
	Female	420	277	3	2	16	5	38	17	-	28	34
	White—Male	975	538	24	5	87	18	83	50	4	88	78
	Female	345	220	3	2	14	5	34	17	-	21	29
	Nonwhite—Male	131	69	1	-	18	-	8	4	-	15	16
	Female	75	57	-	-	2	-	4	-	-	7	5
E890	Accidental poisoning by utility (illuminating) gas	330	265	2	1	1	6	3	16	4	20	12
	Male	218	163	2	-	1	5	2	12	4	18	11
	Female	112	102	-	1	-	1	1	4	-	2	1
	White—Male	186	136	2	-	-	5	2	12	4	16	9
	Female	85	76	-	1	-	1	1	4	-	1	1
	Nonwhite—Male	32	27	-	-	1	-	-	-	-	2	2
	Female	27	26	-	-	-	-	-	-	-	1	-
E891	Accidental poisoning by motor vehicle exhaust gas	743	361	17	2	77	6	116	43	-	85	36
	Male	565	282	14	1	62	3	80	35	-	60	28
	Female	178	79	3	1	15	3	36	8	-	25	8
	White—Male	522	271	14	1	54	3	72	31	-	52	24
	Female	161	75	3	1	13	3	32	8	-	19	7
	Nonwhite—Male	43	11	-	-	8	-	8	4	-	8	4
	Female	17	4	-	-	2	-	4	-	-	6	1

See footnotes at end of table.

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1965—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Accidental poisoning by gases and vapors—Con.											
E892	Accidental poisoning by other carbon monoxide gas	311	198	4	3	10	11	7	10	-	15	53
	Male	215	123	4	3	10	10	6	7	-	14	38
	Female	96	75	-	-	-	1	1	3	-	1	15
	White—Male	178	97	4	3	7	10	6	7	-	12	32
	Female	70	52	-	-	-	1	1	3	-	1	12
	Nonwhite—Male	37	26	-	-	3	-	-	-	-	2	6
	Female	26	23	-	-	-	-	-	-	-	-	3
E893	Accidental poisoning by cyanide gas	2	1	-	-	1	-	-	-	-	-	-
	Male	2	1	-	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	White—Male	2	1	-	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E894	Accidental poisoning by other specified gases and vapors	125	54	5	1	28	-	3	2	-	8	24
	Male	94	34	5	1	28	-	3	-	-	8	15
	Female	31	20	-	-	-	-	-	2	-	-	9
	White—Male	80	30	4	1	23	-	3	-	-	7	12
	Female	26	16	-	-	-	-	-	2	-	-	8
	Nonwhite—Male	14	4	1	-	5	-	-	-	-	1	3
	Female	5	4	-	-	-	-	-	-	-	-	1
E895	Accidental poisoning by unspecified gases and vapors	15	5	-	-	4	-	-	-	-	3	3
	Male	12	4	-	-	3	-	-	-	-	3	2
	Female	3	1	-	-	1	-	-	-	-	-	1
	White—Male	7	3	-	-	2	-	-	-	-	1	1
	Female	3	1	-	-	1	-	-	-	-	-	1
	Nonwhite—Male	5	1	-	-	1	-	-	-	-	2	1
	Female	-	-	-	-	-	-	-	-	-	-	-
E900-E904	Accidental falls	19,984	10,127	148	21	572	116	1,023	654	3,310	604	3,409
	Male	9,972	4,540	137	21	565	89	780	506	1,296	505	1,533
	Female	10,012	5,587	11	-	7	27	243	148	2,014	99	1,876
	White—Male	8,895	4,046	125	19	503	80	651	450	1,234	431	1,356
	Female	9,511	5,255	11	-	6	24	228	145	1,958	87	1,797
	Nonwhite—Male	1,077	494	12	2	62	9	129	56	62	74	177
	Female	501	332	-	-	1	3	15	3	56	12	79
E900	Fall on stairs	2,143	1,757	2	-	8	3	9	176	63	56	69
	Male	1,299	1,031	2	-	7	2	6	138	29	40	44
	Female	844	726	-	-	1	1	3	38	34	16	25
	White—Male	1,109	877	2	-	7	1	6	122	27	33	34
	Female	792	679	-	-	1	1	3	37	33	14	24
	Nonwhite—Male	190	154	-	-	-	1	-	16	2	7	10
	Female	52	47	-	-	-	-	-	1	1	2	1
E901	Fall from ladders	354	207	13	-	48	5	5	27	1	30	18
	Male	330	185	13	-	48	5	4	27	1	30	17
	Female	24	22	-	-	-	-	1	-	-	-	1
	White—Male	314	178	13	-	47	5	4	25	1	27	14
	Female	21	19	-	-	-	-	1	-	-	-	1
	Nonwhite—Male	16	7	-	-	1	-	-	2	-	3	3
	Female	3	3	-	-	-	-	-	-	-	-	-
E902	Other falls from one level to another	3,305	1,275	97	17	427	62	109	164	683	340	131
	Male	2,314	765	95	17	424	48	87	149	326	307	96
	Female	991	510	2	-	3	14	22	15	357	33	35
	White—Male	1,964	611	85	15	377	44	71	126	303	256	76
	Female	873	429	2	-	2	12	18	15	342	24	29
	Nonwhite—Male	350	154	10	2	47	4	16	23	23	51	20
	Female	118	81	-	-	1	2	4	-	15	9	6
E903	Fall on same level	5,738	3,086	16	-	32	30	769	156	1,423	91	135
	Male	2,541	1,156	10	-	30	20	567	109	505	64	80
	Female	3,197	1,930	6	-	2	10	202	47	918	27	55
	White—Male	2,335	1,083	9	-	28	18	480	102	485	60	70
	Female	3,089	1,853	6	-	2	9	194	46	899	27	53
	Nonwhite—Male	206	73	1	-	2	2	87	7	20	4	10
	Female	108	77	-	-	-	1	8	1	19	-	2
E904	Unspecified falls	8,444	3,802	20	4	57	16	131	131	1,140	87	3,056
	Male	3,488	1,403	17	4	56	14	116	83	435	64	1,296
	Female	4,956	2,399	3	-	1	2	15	48	705	23	1,760
	White—Male	3,173	1,297	16	4	44	12	90	75	418	55	1,162
	Female	4,736	2,275	3	-	1	2	12	47	684	22	1,690
	Nonwhite—Male	315	106	1	-	12	2	26	8	17	9	134
	Female	220	124	-	-	-	-	3	1	21	1	70
E910-E936	Other accidents	28,669	11,974	2,130	525	1,877	732	749	640	1,029	5,064	3,949
	Male	21,232	7,272	1,964	508	1,858	605	652	518	625	4,478	2,752
	Female	7,437	4,702	166	17	19	127	97	122	404	586	1,197
	White—Male	16,765	5,483	1,717	457	1,523	503	531	444	526	3,545	2,036
	Female	5,451	3,313	132	10	18	121	79	104	350	479	845
	Nonwhite—Male	4,467	1,789	247	51	335	102	121	74	99	933	716
	Female	1,986	1,389	34	7	1	6	18	18	54	107	352

See footnotes at end of table.

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1965—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Residential institution (.7)	Other specified places (.8)	Place not specified (.9)
	Other accidents—Con.											
E910	Blow from falling or projected object or missile	1,493	309	133	191	459	29	56	48	9	198	61
	Male	1,414	264	126	189	456	24	51	46	8	191	59
	Female	79	45	7	2	3	5	5	2	1	7	2
	White—Male	1,193	229	118	182	371	21	41	38	-	150	43
	Female	65	33	5	2	3	5	5	2	1	7	2
	Nonwhite—Male	221	35	8	7	85	3	10	8	8	41	16
	Female	14	12	2	-	-	-	-	-	-	-	-
E911	Accident caused by vehicle	85	-	1	33	43	-	-	2	-	4	2
	Male	84	-	1	33	42	-	-	2	-	4	2
	Female	1	-	-	-	1	-	-	-	-	-	-
	White—Male	72	-	1	32	33	-	-	2	-	2	2
	Female	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite—Male	12	-	-	1	9	-	-	-	-	2	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E912	Accident caused by machinery	2,054	102	943	73	550	22	97	29	6	165	67
	Male	1,968	88	895	73	545	13	96	28	5	158	67
	Female	86	14	48	-	5	9	1	1	1	7	-
	White—Male	1,763	78	836	72	455	12	85	25	4	142	54
	Female	82	13	45	-	5	9	1	1	1	7	-
	Nonwhite—Male	205	10	59	1	90	1	11	3	1	16	13
	Female	4	1	3	-	-	-	-	-	-	-	-
E913	Accident caused by cutting and piercing instruments	136	76	8	-	4	1	5	10	3	7	22
	Male	110	60	5	-	4	1	5	8	2	6	19
	Female	26	16	3	-	-	-	-	2	1	1	3
	White—Male	62	35	3	-	3	1	2	6	1	4	7
	Female	20	12	2	-	-	-	-	1	1	1	3
	Nonwhite—Male	48	25	2	-	1	-	3	2	1	2	12
	Female	6	4	1	-	-	-	-	1	-	-	-
E914	Accident caused by electric current	1,071	293	86	21	227	15	108	44	8	186	83
	Male	998	235	85	21	226	15	104	41	7	185	79
	Female	73	58	1	-	1	-	4	3	1	1	4
	White—Male	886	207	75	20	190	13	91	38	5	172	75
	Female	66	53	1	-	1	-	3	3	-	1	4
	Nonwhite—Male	112	28	10	1	36	2	13	3	2	13	4
	Female	7	5	-	-	-	-	1	-	1	-	-
E915	Accident caused by explosion of pressure vessel	51	8	5	-	21	-	1	3	1	11	1
	Male	48	6	5	-	21	-	1	3	1	11	-
	Female	3	2	-	-	-	-	-	-	-	-	1
	White—Male	44	6	5	-	18	-	1	3	1	10	-
	Female	3	2	-	-	-	-	-	-	-	-	1
	Nonwhite—Male	4	-	-	-	3	-	-	-	-	1	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E916	Accident caused by fire and explosion of combustible material	7,347	6,042	102	35	234	10	38	205	150	189	342
	Male	4,383	3,358	89	35	231	9	33	156	112	155	205
	Female	2,964	2,684	13	-	3	1	5	49	38	34	137
	White—Male	3,184	2,345	78	35	192	8	30	135	94	115	152
	Female	1,994	1,787	9	-	3	1	5	44	33	23	89
	Nonwhite—Male	1,199	1,013	11	-	39	1	3	21	18	40	53
	Female	970	897	4	-	-	-	-	5	5	11	48
E917	Accident caused by hot substance, corrosive liquid, and steam	418	321	-	-	34	-	-	11	37	3	12
	Male	239	167	-	-	34	-	-	7	22	3	6
	Female	179	154	-	-	-	-	-	4	15	-	6
	White—Male	165	108	-	-	23	-	-	6	20	3	5
	Female	123	106	-	-	-	-	-	3	10	-	4
	Nonwhite—Male	74	59	-	-	11	-	-	1	2	-	1
	Female	56	48	-	-	-	-	-	1	5	-	2
E918	Accident caused by radiation	2	-	-	-	-	-	-	-	-	-	2
	Male	1	-	-	-	-	-	-	-	-	-	1
	Female	1	-	-	-	-	-	-	-	-	-	1
	White—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite—Male	1	-	-	-	-	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
E919	Accident caused by firearm	2,344	1,145	226	10	36	19	89	85	3	359	372
	Male	2,034	934	215	10	36	16	82	78	3	343	317
	Female	310	211	11	-	-	3	7	7	-	16	55
	White—Male	1,641	758	197	9	33	14	58	58	1	288	225
	Female	211	144	10	-	-	3	3	3	-	13	35
	Nonwhite—Male	393	176	18	1	3	2	24	20	2	55	92
	Female	99	67	1	-	-	-	4	4	-	3	20
E920	Foreign body entering eye and adnexa	-	-	-	-	-	-	-	-	-	-	-
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,507	646	4	1	-	9	12	92	358	33	352
	Male	897	371	1	-	-	6	10	65	210	24	210
	Female	610	275	3	1	-	3	2	27	148	9	142
	White—Male	753	292	1	-	-	5	10	61	188	22	174
	Female	486	210	3	-	-	3	2	25	135	9	99
	Nonwhite—Male	144	79	-	-	-	1	-	4	22	2	36
	Female	124	65	-	1	-	-	-	2	13	-	43

See footnotes at end of table.

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1965—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Other accidents—Con.											
E922	Inhalation and ingestion of other object causing obstruction or suffocation	329	137	-	-	2	1	1	4	59	3	122
	Male	192	87	-	-	2	1	1	3	31	2	65
	Female	137	50	-	-	-	-	-	1	28	1	57
	White—Male	153	69	-	-	-	1	-	3	25	1	54
	White—Female	97	31	-	-	-	-	-	1	22	1	42
	Nonwhite—Male	39	18	-	-	2	-	1	-	6	1	11
	Nonwhite—Female	40	19	-	-	-	-	-	-	6	-	15
E923	Foreign body entering other orifice	1,138	241	2	-	1	5	4	9	238	10	628
	Male	704	147	2	-	1	4	4	6	133	5	402
	Female	434	94	-	-	-	1	-	3	105	5	226
	White—Male	530	100	2	-	1	3	3	6	109	4	302
	White—Female	336	70	-	-	-	1	-	3	87	5	170
	Nonwhite—Male	174	47	-	-	-	1	1	-	24	1	100
	Nonwhite—Female	98	24	-	-	-	-	-	-	18	-	56
E924	Accidental mechanical suffocation in bed and cradle	728	681	1	-	-	-	2	3	5	8	28
	Male	411	383	1	-	-	-	2	2	3	4	16
	Female	317	298	-	-	-	-	-	1	2	4	12
	White—Male	282	263	-	-	-	-	1	2	2	4	10
	White—Female	190	180	-	-	-	-	-	1	2	2	5
	Nonwhite—Male	129	120	1	-	-	-	1	-	1	-	6
	Nonwhite—Female	127	118	-	-	-	-	-	-	-	2	7
E925	Accidental mechanical suffocation in other and unspecified circumstances	612	251	34	27	77	6	17	10	3	120	67
	Male	472	149	32	27	77	6	15	8	-	115	43
	Female	140	102	2	-	-	-	2	2	3	5	24
	White—Male	378	109	29	25	59	6	14	5	-	105	26
	White—Female	91	66	2	-	-	-	2	2	3	2	14
	Nonwhite—Male	94	40	3	2	18	-	1	3	-	10	17
	Nonwhite—Female	49	36	-	-	-	-	-	-	-	3	10
E926	Lack of care of infants under 1 year of age	9	2	-	-	-	-	-	-	-	-	7
	Male	7	1	-	-	-	-	-	-	-	-	6
	Female	2	1	-	-	-	-	-	-	-	-	1
	White—Male	3	1	-	-	-	-	-	-	-	-	2
	White—Female	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite—Male	4	-	-	-	-	-	-	-	-	-	4
	Nonwhite—Female	1	1	-	-	-	-	-	-	-	-	-
E927	Accidents caused by bites and stings of venomous animals and insects	54	22	6	-	1	2	-	-	-	7	16
	Male	35	12	4	-	1	1	-	-	-	7	10
	Female	19	10	2	-	-	1	-	-	-	-	6
	White—Male	29	11	2	-	1	1	-	-	-	5	9
	White—Female	13	7	1	-	-	1	-	-	-	-	4
	Nonwhite—Male	6	1	2	-	-	-	-	-	-	2	1
	Nonwhite—Female	6	3	1	-	-	-	-	-	-	-	2
E928	Other accidents caused by animals	126	21	71	-	1	8	3	-	-	4	18
	Male	99	14	62	-	1	7	1	-	-	3	11
	Female	27	7	9	-	-	1	2	-	-	1	7
	White—Male	89	14	60	-	-	5	1	-	-	1	8
	White—Female	23	6	9	-	-	1	2	-	-	-	5
	Nonwhite—Male	10	-	2	-	1	2	-	-	-	2	3
	Nonwhite—Female	4	1	-	-	-	-	-	-	-	1	2
E929	Accidental drowning	5,485	691	377	111	47	539	10	28	22	3,453	207
	Male	4,545	401	327	98	44	446	8	22	19	3,011	169
	Female	940	290	50	13	3	93	2	6	3	442	38
	White—Male	3,518	350	218	61	36	364	6	20	15	2,329	119
	White—Female	807	267	38	7	3	87	2	5	1	364	33
	Nonwhite—Male	1,027	51	109	37	8	82	2	2	4	682	50
	Nonwhite—Female	133	23	12	6	-	6	-	1	2	78	5
E930	High and low air pressure	6	-	-	-	-	-	-	-	-	5	1
	Male	6	-	-	-	-	-	-	-	-	5	1
	Female	-	-	-	-	-	-	-	-	-	-	-
	White—Male	6	-	-	-	-	-	-	-	-	5	1
	White—Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E931	Excessive heat and insolation	106	12	2	-	9	2	7	3	2	9	60
	Male	79	10	2	-	9	2	6	3	-	4	43
	Female	27	2	-	-	-	-	1	-	2	5	17
	White—Male	48	7	1	-	3	2	6	1	-	3	25
	White—Female	19	1	-	-	-	-	1	-	2	4	11
	Nonwhite—Male	31	3	1	-	6	-	-	2	-	1	18
	Nonwhite—Female	8	1	-	-	-	-	-	-	-	1	6
E932	Excessive cold	298	57	22	-	8	3	27	2	3	90	86
	Male	234	36	18	-	6	1	23	2	2	76	70
	Female	64	21	4	-	2	2	4	-	1	14	16
	White—Male	166	25	12	-	3	1	21	1	2	48	53
	White—Female	46	14	2	-	1	2	4	-	1	11	11
	Nonwhite—Male	68	11	6	-	3	-	2	1	-	28	17
	Nonwhite—Female	18	7	2	-	1	-	-	-	-	3	5

See footnotes at end of table.

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1965—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Other accidents—Con.											
E933	Hunger, thirst, and exposure	197	13	7	-	4	2	3	-	2	44	122
	Male	142	9	5	-	3	2	3	-	1	39	80
	Female	55	4	2	-	1	-	-	-	1	5	42
	White—Male	90	5	3	-	2	1	3	-	1	30	45
	White—Female	38	4	-	-	1	-	-	-	1	3	29
	Nonwhite—Male	52	4	2	-	1	1	-	-	-	9	35
	Nonwhite—Female	17	-	2	-	-	-	-	-	-	2	13
E934	Cataclysm	431	230	13	-	4	-	93	5	4	50	32
	Male	231	103	11	-	4	-	60	2	3	33	15
	Female	200	127	2	-	-	-	33	3	1	17	17
	White—Male	192	96	10	-	3	-	39	2	1	29	12
	White—Female	176	120	2	-	-	-	22	3	1	15	13
	Nonwhite—Male	39	7	1	-	1	-	21	-	2	4	3
	Nonwhite—Female	24	7	-	-	-	-	11	-	-	2	4
E835	Lightning	149	32	44	-	6	16	5	4	-	35	7
	Male	119	19	38	-	6	14	5	3	-	30	4
	Female	30	13	6	-	-	2	-	1	-	5	3
	White—Male	101	15	31	-	3	14	5	3	-	27	3
	White—Female	19	11	-	-	-	2	-	-	-	5	1
	Nonwhite—Male	18	4	7	-	3	-	-	-	-	3	1
	Nonwhite—Female	11	2	6	-	-	-	-	1	-	-	2
E936	Other and unspecified accidents	2,493	642	43	23	109	43	171	43	116	71	1,232
	Male	1,780	418	40	22	109	37	142	33	63	64	852
	Female	713	224	3	1	-	6	29	10	53	7	380
	White—Male	1,417	360	35	21	94	31	114	29	57	46	630
	White—Female	543	176	3	1	-	6	27	7	49	6	268
	Nonwhite—Male	363	58	5	1	15	6	28	4	6	18	222
	Nonwhite—Female	170	48	-	-	-	-	2	3	4	1	112

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 4-3. Deaths From Motor Vehicle Accidents, by Type of Motor

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the

	Type of motor vehicle involved, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	All motor vehicle accidents (E810-E835)	49,163	326	440	402	456	435	2,059	1,965	1,561	6,822
2	Male	35,584	182	222	232	268	287	1,191	1,275	1,055	5,220
3	Female	13,579	144	218	170	188	148	888	690	506	1,602
4	White—Male	31,144	163	174	186	208	223	954	1,053	925	4,757
5	Female	12,058	123	183	144	157	112	719	551	445	1,447
6	Negro—Male	3,945	15	42	43	56	60	216	209	122	407
7	Female	1,322	18	29	22	29	36	134	130	52	134
8	Other—Male	495	4	6	3	4	4	21	13	8	56
9	Female	199	3	6	4	2	-	15	9	9	21
10	Goods transport vehicle(s), but no other motor vehicle (.0)	3,955	7	75	64	61	49	256	241	186	325
11	Male	3,481	3	38	39	41	32	153	175	153	290
12	Female	474	4	37	25	20	17	103	66	33	35
13	White—Male	3,027	2	33	31	34	19	119	147	129	255
14	Female	410	2	31	23	19	15	90	53	29	31
15	Negro—Male	400	-	4	7	6	12	29	23	22	30
16	Female	43	1	5	2	1	2	11	12	2	3
17	Other—Male	54	1	1	1	1	1	5	5	2	5
18	Female	21	1	1	-	-	-	2	1	2	1
19	Goods transport vehicle and passenger motor vehicle (.1)	4,767	32	27	22	32	19	132	98	108	627
20	Male	3,316	20	8	8	12	10	58	54	65	463
21	Female	1,451	12	19	14	20	9	74	44	43	164
22	White—Male	3,005	19	6	6	10	9	50	48	58	434
23	Female	1,325	10	16	13	16	8	63	38	39	149
24	Negro—Male	269	1	2	2	2	1	8	6	6	26
25	Female	102	2	2	1	3	1	9	6	4	11
26	Other—Male	42	-	-	-	-	-	-	-	1	3
27	Female	24	-	1	-	1	-	2	-	-	4
28	Goods transport vehicle and motorbus (.2)	31	-	1	-	-	-	1	-	1	1
29	Male	25	-	1	-	-	-	1	-	1	1
30	Female	6	-	-	-	-	-	-	-	-	-
31	White—Male	21	-	-	-	-	-	-	-	1	-
32	Female	3	-	-	-	-	-	-	-	-	-
33	Negro—Male	4	-	1	-	-	-	1	-	-	1
34	Female	3	-	-	-	-	-	-	-	-	-
35	Other—Male	-	-	-	-	-	-	-	-	-	-
36	Female	-	-	-	-	-	-	-	-	-	-
37	Goods transport vehicle and unspecified motor vehicle (.3)	223	1	-	-	1	1	3	1	1	22
38	Male	170	-	-	-	1	1	2	-	1	14
39	Female	53	1	-	-	-	-	1	1	-	8
40	White—Male	155	-	-	-	1	1	2	-	1	14
41	Female	51	1	-	-	-	-	1	1	-	7
42	Negro—Male	15	-	-	-	-	-	-	-	-	-
43	Female	2	-	-	-	-	-	-	-	-	1
44	Other—Male	-	-	-	-	-	-	-	-	-	-
45	Female	-	-	-	-	-	-	-	-	-	-
46	Passenger motor vehicle(s), but no other motor vehicle (.4)	37,507	270	314	291	340	348	1,563	1,517	1,188	5,511
47	Male	26,697	151	164	173	204	230	922	976	786	4,194
48	Female	10,810	119	150	118	136	118	641	541	402	1,317
49	White—Male	23,300	134	124	140	155	184	737	803	696	3,822
50	Female	9,587	103	127	99	110	87	526	433	356	1,190
51	Negro—Male	3,031	14	35	31	46	44	170	165	85	327
52	Female	1,083	14	20	16	25	31	106	100	41	112
53	Other—Male	366	3	5	2	3	2	15	8	5	45
54	Female	140	2	3	3	1	-	9	8	5	15
55	Passenger motor vehicle and motorbus (.5)	170	-	1	-	2	-	3	3	4	29
56	Male	118	-	1	-	1	-	2	1	1	27
57	Female	52	-	-	-	1	-	1	2	3	2
58	White—Male	92	-	1	-	1	-	2	1	1	25
59	Female	40	-	-	-	1	-	1	1	1	1
60	Negro—Male	24	-	-	-	-	-	-	-	-	2
61	Female	9	-	-	-	-	-	-	1	1	1
62	Other—Male	2	-	-	-	-	-	-	-	-	-
63	Female	3	-	-	-	-	-	-	-	1	-
64	Passenger motor vehicle and unspecified motor vehicle (.6)	526	7	3	4	3	2	19	7	5	71
65	Male	348	5	2	1	2	2	12	3	1	46
66	Female	178	2	1	3	1	-	7	4	4	25
67	White—Male	317	5	2	1	2	-	10	3	1	45
68	Female	160	1	1	3	1	-	6	4	2	23
69	Negro—Male	27	-	-	-	-	1	1	-	-	1
70	Female	16	1	-	-	-	-	1	-	2	2
71	Other—Male	4	-	-	-	-	1	1	-	-	-
72	Female	2	-	-	-	-	-	-	-	-	-
73	Motorbus(es), but no other motor vehicle (.7)	189	-	1	1	4	2	8	37	24	11
74	Male	121	-	-	1	1	1	3	28	17	6
75	Female	68	-	1	-	3	1	5	9	7	5
76	White—Male	89	-	-	1	-	-	1	20	11	4
77	Female	58	-	1	-	3	-	4	7	6	4
78	Negro—Male	28	-	-	-	1	1	2	8	6	2
79	Female	9	-	-	-	-	1	1	2	-	1
80	Other—Male	4	-	-	-	-	-	-	-	-	-
81	Female	1	-	-	-	-	-	-	-	1	-
82	Motorbus and unspecified motor vehicle (.8)	11	-	-	-	-	-	-	-	-	2
83	Male	8	-	-	-	-	-	-	-	-	1
84	Female	3	-	-	-	-	-	-	-	-	1
85	White—Male	7	-	-	-	-	-	-	-	-	1
86	Female	2	-	-	-	-	-	-	-	-	-
87	Negro—Male	1	-	-	-	-	-	-	-	-	-
88	Female	-	-	-	-	-	-	-	-	-	-
89	Other—Male	-	-	-	-	-	-	-	-	-	-
90	Female	1	-	-	-	-	-	-	-	-	1

Vehicle Involved, Age, Race, and Sex: United States, 1965

International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
6,573	3,707	2,903	2,946	3,039	2,845	2,747	2,580	2,337	2,091	1,986	1,601	946	343	73	15	2	22	1
5,282	3,000	2,235	2,203	2,207	2,030	1,942	1,783	1,567	1,338	1,272	1,025	655	233	47	10	1	13	2
1,291	707	668	743	832	815	805	797	770	753	714	576	291	110	26	5	1	9	3
4,723	2,528	1,894	1,870	1,876	1,757	1,675	1,547	1,367	1,187	1,165	971	614	221	42	6	1	11	4
1,150	595	570	647	711	718	718	742	700	689	675	558	282	105	25	5	1	5	5
482	404	303	295	305	246	241	210	181	131	96	41	38	10	4	2	-	2	6
121	93	80	75	104	89	73	49	62	54	38	16	8	5	1	-	-	4	7
77	68	38	38	26	27	26	26	19	20	11	13	3	2	1	2	-	-	8
20	19	18	21	17	8	14	6	8	10	1	2	1	-	-	-	-	-	9
279	274	278	311	333	305	288	246	218	126	101	95	60	23	4	1	-	5	10
264	260	254	296	312	281	269	222	204	113	84	78	47	18	3	1	-	4	11
15	14	24	15	21	24	19	24	14	13	17	17	13	5	1	-	-	1	12
220	228	217	259	269	245	243	194	183	105	75	71	46	15	2	1	-	4	13
11	10	20	12	16	24	18	22	10	13	16	16	12	5	1	-	-	1	14
39	27	32	32	41	32	23	25	21	5	8	6	1	3	1	-	-	-	15
2	2	2	1	2	-	1	-	3	-	1	1	-	-	-	-	-	-	16
5	5	5	5	2	4	3	3	-	3	1	1	-	-	-	-	-	-	17
2	2	2	2	3	-	-	2	1	-	-	-	1	-	-	-	-	-	18
611	379	328	315	344	306	322	307	263	209	200	128	61	23	4	1	-	1	19
482	295	238	232	240	210	223	192	167	129	125	82	41	17	2	-	-	1	20
129	84	90	83	104	96	99	115	96	80	75	46	20	6	2	1	-	-	21
429	260	210	206	214	188	203	175	149	121	121	79	40	17	2	-	-	1	22
116	73	86	77	89	91	92	105	89	71	74	45	19	6	2	1	-	-	23
40	29	25	24	23	16	17	17	17	7	4	3	1	-	-	-	-	-	24
7	10	3	4	12	5	5	9	6	8	1	1	1	-	-	-	-	-	25
13	6	3	2	3	6	3	-	1	1	-	-	-	-	-	-	-	-	26
6	1	1	2	3	-	2	1	1	1	-	-	-	-	-	-	-	-	27
2	2	-	6	2	2	7	2	2	3	-	-	-	-	-	-	-	-	28
1	2	-	4	1	1	7	2	2	2	-	-	-	-	-	-	-	-	29
1	-	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	30
1	2	-	3	1	1	6	2	2	2	-	-	-	-	-	-	-	-	31
-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	33
1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
39	25	14	16	18	13	20	7	12	10	13	5	3	1	-	-	-	-	37
38	20	10	11	16	10	12	7	7	8	9	2	2	1	-	-	-	-	38
1	5	4	5	2	3	8	-	5	2	4	3	1	-	-	-	-	-	39
35	17	9	8	16	9	12	6	6	7	8	2	2	1	-	-	-	-	40
1	5	3	5	2	3	8	-	5	2	4	3	1	-	-	-	-	-	41
3	3	1	3	-	1	-	1	1	1	1	-	-	-	-	-	-	-	42
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
5,325	2,830	2,147	2,116	2,168	2,029	1,957	1,881	1,690	1,618	1,549	1,279	758	287	64	13	2	15	46
4,257	2,265	1,629	1,521	1,516	1,396	1,325	1,264	1,085	1,008	977	804	521	192	41	9	1	8	47
1,068	565	518	595	652	633	632	617	605	610	572	475	237	95	23	4	1	7	48
3,825	1,885	1,373	1,273	1,276	1,200	1,123	1,093	940	882	891	764	484	184	37	5	1	6	49
957	473	434	516	556	552	557	580	547	561	538	461	230	90	22	4	1	3	50
375	325	229	220	224	182	184	153	130	110	77	28	34	6	3	2	-	2	51
100	76	69	66	85	73	64	35	53	40	34	12	7	5	1	-	-	4	52
57	55	27	28	16	14	18	18	15	16	9	12	3	2	1	2	-	-	53
11	16	15	13	11	8	11	2	5	9	-	2	-	-	-	-	-	-	54
22	10	10	10	11	16	9	11	8	8	8	6	2	-	-	-	-	-	55
17	8	8	6	6	10	6	6	5	5	5	3	2	-	-	-	-	-	56
5	2	2	4	5	6	3	5	3	3	3	3	-	-	-	-	-	-	57
16	7	5	4	5	8	3	4	3	2	3	1	2	-	-	-	-	-	58
5	1	2	2	5	4	2	5	2	3	2	3	-	-	-	-	-	-	59
1	1	3	1	1	2	2	2	2	3	2	2	-	-	-	-	-	-	60
-	1	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	61
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	63
64	37	27	30	36	36	45	29	31	28	27	18	15	-	-	-	-	1	64
38	36	18	21	22	26	28	17	21	18	19	12	10	-	-	-	-	-	65
26	1	9	9	14	10	17	12	10	10	8	6	5	-	-	-	-	1	66
36	30	16	21	19	22	24	16	18	16	19	12	9	-	-	-	-	-	67
21	1	8	7	13	9	17	12	10	8	7	6	5	-	-	-	-	1	68
2	6	2	-	2	3	3	1	3	2	-	-	1	-	-	-	-	-	69
5	-	1	1	1	1	-	-	-	2	-	-	-	-	-	-	-	-	70
-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	72
3	3	3	4	4	19	9	9	13	8	13	11	6	4	-	-	-	-	73
2	3	3	3	3	13	5	6	10	2	7	4	4	2	-	-	-	-	74
1	-	-	1	1	6	4	3	3	6	6	7	2	2	-	-	-	-	75
1	1	2	2	1	10	4	5	10	2	6	3	4	2	-	-	-	-	76
1	-	-	1	1	3	4	3	3	5	5	7	2	2	-	-	-	-	77
-	2	1	-	2	2	1	1	-	-	-	1	-	-	-	-	-	-	78
-	-	-	-	-	3	-	-	-	1	1	-	-	-	-	-	-	-	79
1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
1	-	1	-	-	-	1	-	4	1	-	1	-	-	-	-	-	-	82
1	-	1	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	84
1	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	85
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	86
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90

Table 4-3. Deaths From Motor Vehicle Accidents, by Type of Motor

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the

	Type of motor vehicle involved, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	All motor vehicle accidents (E810-E835)—Con.										
1	Unspecified motor vehicles (.9)	1,784	9	18	20	13	14	74	61	44	223
2	Male	1,300	3	8	10	6	11	38	38	30	178
3	Female	484	6	10	10	7	3	36	23	14	45
4	White—Male	1,131	3	8	7	5	10	33	31	27	157
5	Female	422	6	7	6	7	2	28	14	12	42
6	Negro—Male	146	-	-	3	1	1	5	7	3	18
7	Female	55	-	2	3	-	1	6	9	2	3
8	Other—Male	23	-	-	-	-	-	-	-	-	3
9	Female	7	-	1	1	-	-	2	-	-	-
10	Motor vehicle traffic accidents (E810-E825)	48,050	318	293	331	411	404	1,757	1,907	1,529	6,748
11	Male	34,770	177	150	191	239	271	1,028	1,237	1,035	5,157
12	Female	13,280	141	143	140	172	133	729	670	494	1,591
13	White—Male	30,425	159	121	150	180	208	818	1,019	908	4,700
14	Female	11,798	120	120	116	142	99	597	534	438	1,439
15	Negro—Male	3,863	15	26	39	55	59	194	206	119	401
16	Female	1,287	18	19	20	28	34	119	127	47	131
17	Other—Male	482	3	3	2	4	4	16	12	8	56
18	Female	195	3	4	4	2	-	13	9	9	21
19	Goods transport vehicle(s), but no other motor vehicle (.0)	3,505	6	24	38	41	40	149	214	171	295
20	Male	3,109	3	13	26	29	28	99	155	142	260
21	Female	396	3	11	12	12	12	50	59	29	35
22	White—Male	2,700	2	11	20	23	15	71	129	119	228
23	Female	338	1	8	10	11	11	41	47	25	31
24	Negro—Male	360	-	1	6	5	12	24	22	21	27
25	Female	39	1	3	2	1	1	8	11	2	3
26	Other—Male	49	1	1	-	1	1	4	4	2	5
27	Female	19	1	-	-	-	-	1	1	2	1
28	Goods transport vehicle and passenger motor vehicle (.1)	4,761	32	27	22	32	19	132	98	108	627
29	Male	3,311	20	8	8	12	10	58	54	65	463
30	Female	1,450	12	19	14	20	9	74	44	43	164
31	White—Male	3,000	19	6	6	10	9	50	48	58	434
32	Female	1,324	10	16	13	16	8	63	38	39	149
33	Negro—Male	269	1	2	2	2	1	8	6	6	26
34	Female	102	2	2	1	3	1	9	6	4	11
35	Other—Male	42	-	-	-	-	-	-	-	1	3
36	Female	24	-	1	-	1	-	2	-	-	4
37	Goods transport vehicle and motorbus (.2)	31	-	1	-	-	-	1	-	1	1
38	Male	25	-	1	-	-	-	1	-	1	1
39	Female	6	-	-	-	-	-	-	-	-	-
40	White—Male	21	-	-	-	-	-	-	-	1	-
41	Female	3	-	-	-	-	-	-	-	-	-
42	Negro—Male	4	-	1	-	-	-	1	-	-	1
43	Female	3	-	-	-	-	-	-	-	-	-
44	Other—Male	-	-	-	-	-	-	-	-	-	-
45	Female	-	-	-	-	-	-	-	-	-	-
46	Goods transport vehicle and unspecified motor vehicle (.3)	222	1	-	-	1	1	3	1	1	22
47	Male	169	-	-	-	1	1	2	-	1	14
48	Female	53	1	-	-	-	-	1	1	-	8
49	White—Male	154	-	-	-	1	1	2	-	1	14
50	Female	51	1	-	-	-	-	1	1	-	7
51	Negro—Male	15	-	-	-	-	-	-	-	-	-
52	Female	2	-	-	-	-	-	-	-	-	1
53	Other—Male	-	-	-	-	-	-	-	-	-	-
54	Female	-	-	-	-	-	-	-	-	-	-
55	Passenger motor vehicle(s), but no other motor vehicle (.4)	36,900	263	227	249	316	326	1,381	1,488	1,171	5,474
56	Male	26,293	146	120	146	187	218	817	960	777	4,167
57	Female	10,607	117	107	103	129	108	564	528	394	1,307
58	White—Male	22,944	130	96	116	138	173	653	789	689	3,798
59	Female	9,413	101	90	86	104	78	459	422	353	1,183
60	Negro—Male	2,991	14	22	28	46	43	153	163	83	324
61	Female	1,055	14	14	14	24	30	96	98	36	109
62	Other—Male	358	2	2	2	3	2	11	8	5	45
63	Female	139	2	3	3	1	-	9	8	5	15
64	Passenger motor vehicle and motorbus (.5)	170	-	1	-	2	-	3	3	4	29
65	Male	118	-	1	-	1	-	2	1	1	27
66	Female	52	-	-	-	1	-	1	2	3	2
67	White—Male	92	-	1	-	1	-	2	1	1	25
68	Female	40	-	-	-	1	-	1	1	1	1
69	Negro—Male	24	-	-	-	-	-	-	-	-	2
70	Female	9	-	-	-	-	-	-	1	1	1
71	Other—Male	2	-	-	-	-	-	-	-	-	-
72	Female	3	-	-	-	-	-	-	-	1	-
73	Passenger motor vehicle and unspecified motor vehicle (.6)	524	7	3	4	3	2	19	7	5	71
74	Male	346	5	2	1	2	2	12	3	1	46
75	Female	178	2	1	3	1	-	7	4	4	25
76	White—Male	315	5	2	1	2	-	10	3	1	45
77	Female	160	1	1	3	1	-	6	4	2	23
78	Negro—Male	27	-	-	-	-	1	1	-	-	1
79	Female	16	1	-	-	-	-	1	-	2	2
80	Other—Male	4	-	-	-	-	1	1	-	-	-
81	Female	2	-	-	-	-	-	-	-	-	-
82	Motorbus(es), but no other motor vehicle (.7)	182	-	1	1	3	2	7	37	24	11
83	Male	115	-	-	1	1	1	3	28	17	6
84	Female	67	-	1	-	2	1	4	9	7	5
85	White—Male	84	-	-	1	-	-	1	20	11	4
86	Female	57	-	1	-	2	-	3	7	6	4
87	Negro—Male	27	-	-	-	1	1	2	8	6	2
88	Female	9	-	-	-	-	1	1	2	-	1
89	Other—Male	4	-	-	-	-	-	-	-	-	-
90	Female	1	-	-	-	-	-	-	-	1	-

Vehicle Involved, Age, Race, and Sex: United States, 1965—Con.

International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
227	147	95	138	123	119	89	88	96	80	75	58	41	5	1	-	-	-	1
182	111	74	109	91	83	66	67	63	52	46	40	28	3	1	-	-	-	2
45	36	21	29	32	36	23	21	33	28	29	18	13	2	-	-	-	-	3
159	98	62	94	75	74	56	52	53	49	42	39	27	2	1	-	-	-	4
38	32	17	25	29	31	20	15	33	26	29	16	13	2	-	-	-	-	5
22	11	9	14	12	8	10	10	7	3	4	1	1	1	-	-	-	-	6
6	4	4	2	3	5	2	5	-	2	-	2	-	-	-	-	-	-	7
1	2	3	1	4	1	-	5	3	-	-	-	-	-	-	-	-	-	8
1	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	9
6,492	3,646	2,844	2,899	2,984	2,789	2,689	2,525	2,291	2,061	1,941	1,571	930	339	69	15	2	22	10
5,210	2,942	2,179	2,160	2,160	1,983	1,891	1,743	1,532	1,315	1,242	1,008	647	232	45	10	1	13	11
1,282	704	665	739	824	806	798	782	759	746	699	563	283	107	24	5	1	9	12
4,659	2,477	1,842	1,832	1,834	1,719	1,630	1,512	1,336	1,165	1,136	954	606	220	40	6	1	11	13
1,143	594	568	643	704	710	711	727	691	683	661	545	274	102	23	5	1	5	14
475	398	300	291	301	239	235	205	177	130	95	41	38	10	4	2	-	2	15
119	91	79	75	104	88	73	49	61	53	37	16	8	5	1	-	-	4	16
76	67	37	37	25	25	26	26	19	20	11	13	3	2	1	2	-	-	17
20	19	18	21	16	8	14	6	7	10	1	2	1	-	-	-	-	-	18
252	258	255	288	303	269	252	218	200	113	88	90	59	21	4	1	-	5	19
237	244	231	274	284	246	237	196	187	100	72	74	46	17	3	1	-	4	20
15	14	24	14	19	23	15	22	13	13	16	16	13	4	1	-	-	1	21
196	215	196	239	245	218	216	172	167	92	64	67	45	14	2	1	-	4	22
11	10	20	11	14	23	14	20	10	13	15	15	12	4	1	-	-	1	23
36	24	31	30	37	26	18	21	20	5	7	6	1	3	1	-	-	-	24
2	2	2	1	2	-	1	-	3	-	1	1	-	-	-	-	-	-	25
5	5	4	5	2	2	3	3	-	3	1	1	-	-	-	-	-	-	26
2	2	2	2	3	-	-	2	-	-	-	-	1	-	-	-	-	-	27
610	379	327	313	344	306	322	307	262	208	200	128	61	23	4	1	-	1	28
481	295	237	231	240	210	223	192	166	128	125	82	41	17	2	-	-	1	29
129	84	90	82	104	96	99	115	96	80	75	46	20	6	2	1	-	-	30
428	260	209	205	214	188	203	175	148	120	121	79	40	17	2	-	-	1	31
116	73	86	76	89	91	92	105	89	71	74	45	19	6	2	1	-	-	32
40	29	25	24	23	16	17	17	17	7	4	3	1	-	-	-	-	-	33
7	10	3	4	12	5	5	9	6	8	1	1	1	-	-	-	-	-	34
13	6	3	2	3	6	3	-	1	1	-	-	-	-	-	-	-	-	35
6	1	1	2	3	-	2	1	1	1	-	-	-	-	-	-	-	-	36
2	2	-	6	2	2	7	2	2	3	-	-	-	-	-	-	-	-	37
1	2	-	4	1	1	7	2	2	2	-	-	-	-	-	-	-	-	38
1	-	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	39
1	2	-	3	1	1	6	2	2	2	-	-	-	-	-	-	-	-	40
-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	42
1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
39	24	14	16	18	13	20	7	12	10	13	5	3	1	-	-	-	-	46
38	19	10	11	16	10	12	7	7	8	9	2	2	1	-	-	-	-	47
1	5	4	5	2	3	8	-	5	2	4	3	1	-	-	-	-	-	48
35	16	9	8	16	9	12	6	6	7	8	2	2	1	-	-	-	-	49
1	5	3	5	2	3	8	-	5	2	4	3	1	-	-	-	-	-	50
3	3	1	3	-	1	-	1	1	1	1	-	-	-	-	-	-	-	51
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
5,276	2,789	2,113	2,096	2,145	2,011	1,937	1,857	1,666	1,604	1,519	1,254	744	285	60	13	2	15	55
4,216	2,225	1,598	1,502	1,499	1,386	1,308	1,251	1,071	1,001	960	791	515	192	39	9	1	8	56
1,060	564	515	594	646	625	629	606	595	603	559	463	229	93	21	4	1	7	57
3,788	1,849	1,344	1,257	1,260	1,191	1,106	1,081	929	876	874	751	478	184	35	5	1	6	58
951	473	432	515	551	545	554	569	538	555	526	449	222	88	20	4	1	3	59
372	322	227	218	224	181	184	152	127	109	77	28	34	6	3	2	-	2	60
98	75	68	66	85	72	64	35	52	39	33	12	7	5	1	-	-	4	61
56	54	27	27	15	14	18	18	15	16	9	12	3	2	1	2	-	-	62
11	16	15	13	10	8	11	2	5	9	-	2	-	-	-	-	-	-	63
22	10	10	10	11	16	9	11	8	8	8	6	2	-	-	-	-	-	64
17	8	8	6	6	10	6	6	5	5	5	3	2	-	-	-	-	-	65
5	2	2	4	5	6	3	5	3	3	3	3	-	-	-	-	-	-	66
16	7	5	4	5	8	3	4	3	2	3	1	2	-	-	-	-	-	67
5	1	2	2	5	4	2	5	2	3	2	3	-	-	-	-	-	-	68
1	1	3	1	1	2	2	2	2	3	2	2	-	-	-	-	-	-	69
-	1	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	70
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	72
64	37	26	30	36	36	45	29	30	28	27	18	15	-	-	-	-	1	73
38	36	17	21	22	26	28	17	20	18	19	12	10	-	-	-	-	-	74
26	1	9	9	14	10	17	12	10	10	8	6	5	-	-	-	-	1	75
36	30	15	21	19	22	24	16	17	16	19	12	9	-	-	-	-	-	76
21	1	8	7	13	9	17	12	10	8	7	6	5	-	-	-	-	1	77
2	6	2	-	2	3	3	1	3	2	-	-	1	-	-	-	-	-	78
5	-	1	1	1	1	-	-	-	2	-	-	-	-	-	-	-	-	79
-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	81
2	3	3	4	4	17	8	8	12	8	13	11	6	4	-	-	-	-	82
1	3	3	3	3	11	4	5	9	2	7	4	4	2	-	-	-	-	83
1	-	-	1	1	6	4	3	3	6	6	7	2	2	-	-	-	-	84
-	1	2	2	1	8	4	4	9	2	6	3	4	2	-	-	-	-	85
1	-	-	1	1	3	4	3	3	5	5	7	2	2	-	-	-	-	86
-	2	1	-	2	2	-	1	-	-	-	1	-	-	-	-	-	-	87
-	-	-	-	-	3	-	-	-	1	1	-	-	-	-	-	-	-	88
1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90

Table 4-3. Deaths From Motor Vehicle Accidents, by Type of Motor

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the

	Type of motor vehicle involved, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	Motor vehicle traffic accidents (E810-E825)—Con.										
1	Motorbus and unspecified motor vehicle (.8)	10	-	-	-	-	-	-	-	-	2
2	Male	7	-	-	-	-	-	-	-	-	1
3	Female	3	-	-	-	-	-	-	-	-	1
4	White—Male	6	-	-	-	-	-	-	-	-	1
5	Female	2	-	-	-	-	-	-	-	-	-
6	Negro—Male	1	-	-	-	-	-	-	-	-	-
7	Female	-	-	-	-	-	-	-	-	-	-
8	Other—Male	-	-	-	-	-	-	-	-	-	-
9	Female	1	-	-	-	-	-	-	-	-	1
10	Unspecified motor vehicles (.9)	1,745	9	9	17	13	14	62	59	44	216
11	Male	1,277	3	5	9	6	11	34	36	30	172
12	Female	468	6	4	8	7	3	28	23	14	44
13	White—Male	1,109	3	5	6	5	10	29	29	27	151
14	Female	410	6	4	4	7	2	23	14	12	41
15	Negro—Male	145	-	-	3	1	1	5	7	3	18
16	Female	52	-	-	3	-	1	4	9	2	3
17	Other—Male	23	-	-	-	-	-	-	-	-	3
18	Female	6	-	-	1	-	-	1	-	-	-
19	Motor vehicle nontraffic accidents (E830-E835)	1,113	8	147	71	45	31	302	58	32	74
20	Male	814	5	72	41	29	16	163	38	20	63
21	Female	299	3	75	30	16	15	139	20	12	11
22	White—Male	719	4	53	36	28	15	136	34	17	57
23	Female	260	3	63	28	15	13	122	17	7	8
24	Negro—Male	82	-	16	4	1	1	22	3	3	6
25	Female	35	-	10	2	1	2	15	3	5	3
26	Other—Male	13	1	3	1	-	-	5	1	-	-
27	Female	4	-	2	-	-	-	2	-	-	-
28	Goods transport vehicle(s), but no other motor vehicle (.0)	450	1	51	26	20	9	107	27	15	30
29	Male	372	-	25	13	12	4	54	20	11	30
30	Female	78	1	26	13	8	5	53	7	4	-
31	White—Male	327	-	22	11	11	4	48	18	10	27
32	Female	72	1	23	13	8	4	49	6	4	-
33	Negro—Male	40	-	3	1	1	-	5	1	1	3
34	Female	4	-	2	-	-	1	3	1	-	-
35	Other—Male	5	-	-	1	-	-	1	1	-	-
36	Female	2	-	1	-	-	-	1	-	-	-
37	Goods transport vehicle and passenger motor vehicle (.1)	6	-	-	-	-	-	-	-	-	-
38	Male	5	-	-	-	-	-	-	-	-	-
39	Female	1	-	-	-	-	-	-	-	-	-
40	White—Male	5	-	-	-	-	-	-	-	-	-
41	Female	1	-	-	-	-	-	-	-	-	-
42	Negro—Male	-	-	-	-	-	-	-	-	-	-
43	Female	-	-	-	-	-	-	-	-	-	-
44	Other—Male	-	-	-	-	-	-	-	-	-	-
45	Female	-	-	-	-	-	-	-	-	-	-
46	Goods transport vehicle and motorbus (.2)	-	-	-	-	-	-	-	-	-	-
47	Goods transport vehicle and unspecified motor vehicle (.3)	1	-	-	-	-	-	-	-	-	-
48	Male	1	-	-	-	-	-	-	-	-	-
49	Female	-	-	-	-	-	-	-	-	-	-
50	White—Male	1	-	-	-	-	-	-	-	-	-
51	Female	-	-	-	-	-	-	-	-	-	-
52	Negro—Male	-	-	-	-	-	-	-	-	-	-
53	Female	-	-	-	-	-	-	-	-	-	-
54	Other—Male	-	-	-	-	-	-	-	-	-	-
55	Female	-	-	-	-	-	-	-	-	-	-
56	Passenger motor vehicle(s), but no other motor vehicle (.4)	607	7	87	42	24	22	182	29	17	37
57	Male	404	5	44	27	17	12	105	16	9	27
58	Female	203	2	43	15	7	10	77	13	8	10
59	White—Male	356	4	28	24	17	11	84	14	7	24
60	Female	174	2	37	13	6	9	67	11	3	7
61	Negro—Male	40	-	13	3	-	1	17	2	2	3
62	Female	28	-	6	2	1	1	10	2	5	3
63	Other—Male	8	1	3	-	-	-	4	-	-	-
64	Female	1	-	-	-	-	-	-	-	-	-
65	Passenger motor vehicle and motorbus (.5)	-	-	-	-	-	-	-	-	-	-
66	Passenger motor vehicle and unspecified motor vehicle (.6)	2	-	-	-	-	-	-	-	-	-
67	Male	2	-	-	-	-	-	-	-	-	-
68	Female	-	-	-	-	-	-	-	-	-	-
69	White—Male	2	-	-	-	-	-	-	-	-	-
70	Female	-	-	-	-	-	-	-	-	-	-
71	Negro—Male	-	-	-	-	-	-	-	-	-	-
72	Female	-	-	-	-	-	-	-	-	-	-
73	Other—Male	-	-	-	-	-	-	-	-	-	-
74	Female	-	-	-	-	-	-	-	-	-	-
75	Motorbus(es), but no other motor vehicle (.7)	7	-	-	-	1	-	1	-	-	-
76	Male	6	-	-	-	-	-	-	-	-	-
77	Female	1	-	-	-	1	-	1	-	-	-
78	White—Male	5	-	-	-	-	-	-	-	-	-
79	Female	1	-	-	-	1	-	1	-	-	-
80	Negro—Male	1	-	-	-	-	-	-	-	-	-
81	Female	-	-	-	-	-	-	-	-	-	-
82	Other—Male	-	-	-	-	-	-	-	-	-	-
83	Female	-	-	-	-	-	-	-	-	-	-

Vehicle Involved, Age, Race, and Sex: United States, 1965—Con.

International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1	-	1	-	-	-	1	-	3	1	-	1	-	-	-	-	-	-	1
1	-	1	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	3
1	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	5
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
224	144	95	136	121	119	88	86	96	78	73	58	40	5	1	-	-	-	10
180	110	74	108	89	83	65	67	63	50	45	40	27	3	1	-	-	-	11
44	34	21	28	32	36	23	19	33	28	28	18	13	2	-	-	-	-	12
158	97	62	93	73	74	55	52	53	47	41	39	26	2	1	-	-	-	13
37	31	17	24	29	31	20	13	33	26	28	16	13	2	-	-	-	-	14
21	11	9	14	12	8	10	10	7	3	4	1	1	1	-	-	-	-	15
6	3	4	2	3	5	2	5	-	2	-	2	-	-	-	-	-	-	16
1	2	3	1	4	1	-	5	3	-	-	-	-	-	-	-	-	-	17
1	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	18
81	61	59	47	55	56	58	55	46	30	45	30	16	4	4	-	-	-	19
72	58	56	43	47	47	51	40	35	23	30	17	8	1	2	-	-	-	20
9	3	3	4	8	9	7	15	11	7	15	13	8	3	2	-	-	-	21
64	51	52	38	42	38	45	35	31	22	29	17	8	1	2	-	-	-	22
7	1	2	4	7	8	7	15	9	6	14	13	8	3	2	-	-	-	23
7	6	3	4	4	7	6	5	4	1	1	-	-	-	-	-	-	-	24
2	2	1	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	25
1	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	27
27	16	23	23	30	36	36	28	18	13	13	5	1	2	-	-	-	-	28
27	16	23	22	28	35	32	26	17	13	12	4	1	1	-	-	-	-	29
-	-	-	1	2	1	4	2	1	-	1	1	-	1	-	-	-	-	30
24	13	21	20	24	27	27	22	16	13	11	4	1	1	-	-	-	-	31
-	-	-	1	2	1	4	2	-	-	1	1	-	1	-	-	-	-	32
3	3	1	2	4	6	5	4	1	-	1	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	36
1	-	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	37
1	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	38
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
1	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	40
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
49	41	34	20	23	18	20	24	24	14	30	25	14	2	4	-	-	-	56
41	40	31	19	17	10	17	13	14	7	17	13	6	-	2	-	-	-	57
8	1	3	1	6	8	3	11	10	7	13	12	8	2	2	-	-	-	58
37	36	29	16	16	9	17	12	11	6	17	13	6	-	2	-	-	-	59
6	-	2	1	5	7	3	11	9	6	12	12	8	2	2	-	-	-	60
3	3	2	2	-	1	-	1	3	1	-	-	-	-	-	-	-	-	61
2	1	1	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	62
1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	66
-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
1	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	75
1	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
1	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83

Table 4-3. Deaths From Motor Vehicle Accidents, by Type of Motor

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the

	Type of motor vehicle involved, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	Motor vehicle nontraffic accidents (E830-E835)--Con.										
1	Motorbus and unspecified motor vehicle (.8)----------	1	-	-	-	-	-	-	-	-	-
2	Male----	1	-	-	-	-	-	-	-	-	-
3	Female--	-	-	-	-	-	-	-	-	-	-
4	White-----Male----	1	-	-	-	-	-	-	-	-	-
5	Female--	-	-	-	-	-	-	-	-	-	-
6	Negro-----Male----	-	-	-	-	-	-	-	-	-	-
7	Female--	-	-	-	-	-	-	-	-	-	-
8	Other-----Male----	-	-	-	-	-	-	-	-	-	-
9	Female--	-	-	-	-	-	-	-	-	-	-
10	Unspecified motor vehicle (.9)----------	39	-	9	3	-	-	12	2	-	7
11	Male----	23	-	3	1	-	-	4	2	-	6
12	Female--	16	-	6	2	-	-	8	-	-	1
13	White-----Male----	22	-	3	1	-	-	4	2	-	6
14	Female--	12	-	3	2	-	-	5	-	-	1
15	Negro-----Male----	1	-	-	-	-	-	-	-	-	-
16	Female--	3	-	2	-	-	-	2	-	-	-
17	Other-----Male----	-	-	-	-	-	-	-	-	-	-
18	Female--	1	-	1	-	-	-	1	-	-	-

Vehicle Involved, Age, Race, and Sex: United States, 1965—Con.

International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
3	3	-	2	2	-	1	2	-	2	2	-	1	-	-	-	-	-	10
2	1	-	1	2	-	1	-	-	2	1	-	1	-	-	-	-	-	11
1	2	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	12
1	1	-	1	2	-	1	-	-	2	1	-	1	-	-	-	-	-	13
1	1	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	14
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18

Table 4-4. Deaths From Nontransport Accidents, by Place

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the

	Place of accident, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	All nontransport accidents (E870-E936)	52,289	2,942	1,214	947	706	572	6,381	1,795	1,695	2,436
2	Male	33,469	1,677	723	576	443	354	3,773	1,194	1,358	2,136
3	Female	18,820	1,265	491	371	263	218	2,608	601	337	300
4	White--Male	27,501	1,160	520	432	332	258	2,702	910	1,046	1,733
5	Female	16,101	789	318	251	164	148	1,670	398	244	235
6	Negro--Male	5,503	492	185	138	100	92	1,007	265	292	386
7	Female	2,559	453	166	116	88	67	890	196	83	57
8	Other--Male	465	25	18	6	11	4	64	19	20	17
9	Female	160	23	7	4	11	3	48	7	10	8
10	Home[1] (.0)	24,086	2,128	917	652	485	378	4,560	853	548	496
11	Male	12,951	1,205	535	384	293	225	2,642	473	403	380
12	Female	11,135	923	382	268	192	153	1,918	380	145	116
13	White--Male	10,478	835	368	270	204	148	1,825	336	323	318
14	Female	9,259	578	236	165	102	95	1,176	221	96	83
15	Negro--Male	2,324	354	156	111	82	75	778	133	71	56
16	Female	1,793	329	142	99	82	56	708	154	48	32
17	Other--Male	149	16	11	3	7	2	39	4	9	6
18	Female	83	16	4	4	8	2	34	5	1	1
19	Farm[2] (.1)	2,321	4	37	33	33	31	138	146	192	242
20	Male	2,139	3	31	28	21	19	102	124	170	229
21	Female	182	1	6	5	12	12	36	22	22	13
22	White--Male	1,876	3	29	28	19	16	95	105	141	175
23	Female	148	1	6	4	10	9	30	21	13	8
24	Negro--Male	239	-	1	-	1	3	5	19	28	51
25	Female	28	-	-	1	1	3	5	1	8	5
26	Other--Male	24	-	1	-	1	-	2	-	1	3
27	Female	6	-	-	-	1	-	1	-	1	-
28	Mine and quarry (.2)	554	-	1	1	2	1	5	16	31	54
29	Male	535	-	1	1	1	1	4	10	28	51
30	Female	19	-	-	-	1	-	1	6	3	3
31	White--Male	482	-	1	1	1	-	3	6	18	43
32	Female	12	-	-	-	1	-	1	3	1	2
33	Negro--Male	48	-	-	-	-	1	1	4	10	8
34	Female	7	-	-	-	-	-	-	3	2	1
35	Other--Male	5	-	-	-	-	-	-	-	-	-
36	Female	-	-	-	-	-	-	-	-	-	-
37	Industrial place and premises (.3)	2,582	-	-	1	3	3	7	29	24	121
38	Male	2,535	-	-	1	1	2	4	25	24	117
39	Female	47	-	-	-	2	1	3	4	-	4
40	White--Male	2,120	-	-	1	1	2	4	20	17	107
41	Female	42	-	-	-	2	1	3	4	-	3
42	Negro--Male	388	-	-	-	-	-	-	5	7	9
43	Female	4	-	-	-	-	-	-	-	-	1
44	Other--Male	27	-	-	-	-	-	-	-	-	1
45	Female	1	-	-	-	-	-	-	-	-	-
46	Place for recreation and sport (.4)	875	2	9	17	18	24	70	134	134	170
47	Male	714	2	7	10	12	16	47	104	102	156
48	Female	161	-	2	7	6	8	23	30	32	14
49	White--Male	603	2	6	9	12	12	41	84	81	133
50	Female	152	-	2	7	6	7	22	28	30	13
51	Negro--Male	102	-	1	-	-	4	5	17	20	23
52	Female	6	-	-	-	-	1	1	1	2	1
53	Other--Male	9	-	-	1	-	-	1	3	1	-
54	Female	3	-	-	-	-	-	-	1	-	-
55	Street and highway (.5)	1,923	10	10	8	7	7	42	25	27	109
56	Male	1,540	9	7	7	5	4	32	17	22	87
57	Female	383	1	3	1	2	3	10	8	5	22
58	White--Male	1,277	8	5	6	4	3	26	12	19	73
59	Female	344	1	2	1	1	3	8	5	3	19
60	Negro--Male	244	-	2	1	1	1	5	5	3	14
61	Female	35	-	1	-	1	-	2	3	2	1
62	Other--Male	19	1	-	-	-	-	1	-	-	-
63	Female	4	-	-	-	-	-	-	-	-	2
64	Public building (.6)	1,421	9	4	4	6	4	27	24	31	74
65	Male	1,116	4	2	3	4	4	17	14	22	65
66	Female	305	5	2	1	2	-	10	10	9	9
67	White--Male	980	4	2	3	4	4	17	12	19	54
68	Female	282	5	2	1	2	-	10	7	7	9
69	Negro--Male	117	-	-	-	-	-	-	2	2	11
70	Female	19	-	-	-	-	-	-	2	-	-
71	Other--Male	19	-	-	-	-	-	-	-	1	-
72	Female	4	-	-	-	-	-	-	1	2	-
73	Resident institution (.7)	4,373	105	7	3	5	4	124	15	20	46
74	Male	1,944	61	6	2	4	3	76	9	12	34
75	Female	2,429	44	1	1	1	1	48	6	8	12
76	White--Male	1,779	40	6	2	3	3	54	7	8	30
77	Female	2,316	26	1	1	1	1	30	5	7	9
78	Negro--Male	148	18	-	-	1	-	19	1	4	4
79	Female	106	15	-	-	-	-	15	1	1	3
80	Other--Male	17	3	-	-	-	-	3	1	-	-
81	Female	7	3	-	-	-	-	3	-	-	-
82	Other specified places (.8)	5,843	41	74	118	87	84	404	429	572	882
83	Male	5,117	22	55	82	59	62	280	338	479	817
84	Female	726	19	19	36	28	22	124	91	93	65
85	White--Male	4,085	19	49	76	53	55	252	263	353	652
86	Female	599	11	18	33	25	19	106	74	73	55
87	Negro--Male	912	3	1	4	5	5	18	68	120	159
88	Female	99	6	1	3	3	2	15	17	14	7
89	Other--Male	120	-	5	2	1	2	10	7	6	6
90	Female	28	2	-	-	-	1	3	-	6	3
91	Place not specified (.9)	8,311	643	155	110	60	36	1,004	124	116	242
92	Male	4,878	371	79	58	43	18	569	80	96	200
93	Female	3,433	272	76	52	17	18	435	44	20	42
94	White--Male	3,821	249	54	36	31	15	385	65	67	148
95	Female	2,947	167	51	39	14	13	284	30	14	34
96	Negro--Male	981	117	24	22	10	3	176	11	27	51
97	Female	462	103	22	13	1	5	144	14	6	6
98	Other--Male	76	5	1	-	2	-	8	4	2	1
99	Female	24	2	3	-	2	-	7	-	-	2

[1] Including home premises and any noninstitutional place of residence.
[2] Including buildings and land under cultivation, but excluding farm home and home premises.

of Accident, Age, Race, and Sex: United States, 1965

International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1,968	1,658	1,669	1,989	2,325	2,600	2,756	2,605	2,622	2,573	3,158	3,803	4,332	3,581	1,765	467	66	45	1
1,699	1,411	1,343	1,581	1,792	1,965	2,115	1,990	1,907	1,699	1,800	1,828	1,772	1,290	619	134	27	36	2
269	247	326	408	533	635	641	615	715	874	1,358	1,975	2,560	2,291	1,146	333	39	9	3
1,372	1,096	1,027	1,185	1,371	1,572	1,758	1,667	1,641	1,477	1,622	1,697	1,656	1,215	584	121	24	25	4
211	192	242	300	406	543	543	542	583	748	1,226	1,878	2,450	2,225	1,111	315	31	8	5
294	282	287	368	392	364	334	301	239	199	165	117	100	60	28	10	2	11	6
50	50	78	101	115	88	87	71	127	124	127	93	104	61	32	16	8	1	7
33	33	29	28	29	29	23	22	27	23	13	14	16	15	7	3	1	-	8
8	5	6	7	12	4	11	2	5	2	5	4	6	5	3	2	-	-	9
486	416	517	653	844	1,021	1,094	1,122	1,140	1,268	1,671	2,035	2,331	1,854	891	235	38	13	10
344	293	325	411	511	619	680	727	696	738	848	901	916	644	309	66	15	10	11
142	123	192	242	333	402	414	395	444	530	823	1,134	1,415	1,210	582	169	23	3	12
287	218	240	298	374	487	559	592	606	624	751	839	846	597	280	59	13	6	13
107	100	145	191	258	341	355	348	352	446	732	1,059	1,340	1,168	561	160	17	3	14
50	68	83	104	135	127	116	128	85	104	90	56	65	41	24	5	1	4	15
35	22	45	48	67	60	54	45	90	83	87	71	72	38	20	8	6	-	16
7	7	2	9	2	5	5	7	5	10	7	6	5	6	5	2	1	-	17
-	1	2	3	8	1	5	2	2	1	4	4	3	4	1	1	-	-	18
137	85	89	109	125	149	161	177	152	163	115	80	39	16	5	-	-	1	19
129	78	86	103	116	139	153	167	146	159	112	73	36	12	4	-	-	1	20
8	7	3	6	9	10	8	10	6	4	3	7	3	4	1	-	-	-	21
110	65	68	87	102	129	141	154	135	150	104	66	34	11	4	-	-	-	22
6	5	3	5	8	9	7	10	5	4	3	7	2	2	-	-	-	-	23
15	12	16	15	12	10	10	13	10	9	7	6	-	-	-	-	-	1	24
-	2	-	-	1	1	1	-	1	-	-	-	-	2	1	-	-	-	25
4	1	2	1	2	-	2	-	1	-	1	1	2	1	-	-	-	-	26
2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	27
42	47	41	62	60	58	68	35	22	5	5	2	1	-	-	-	-	-	28
42	45	41	61	60	58	68	34	21	5	4	2	1	-	-	-	-	-	29
-	2	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	30
37	42	39	56	55	55	64	33	20	5	4	2	-	-	-	-	-	-	31
-	2	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	32
5	2	1	4	5	2	4	1	1	-	-	-	-	-	-	-	-	-	33
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	36
236	266	231	262	258	293	304	256	192	61	19	13	7	1	1	-	-	1	37
231	264	229	259	256	285	298	255	187	61	19	11	7	1	1	-	-	1	38
5	2	2	3	2	8	6	1	5	-	-	2	-	-	-	-	-	-	39
197	227	192	207	202	241	247	214	156	52	17	10	7	1	1	-	-	1	40
5	1	2	2	1	7	6	1	5	-	-	2	-	-	-	-	-	-	41
32	34	34	51	49	41	47	38	29	9	2	1	-	-	-	-	-	-	42
-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	43
2	3	3	1	5	3	4	3	2	-	-	-	-	-	-	-	-	-	44
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
63	34	27	27	26	34	29	16	32	22	20	22	9	5	1	-	-	-	46
53	29	22	24	21	30	24	14	26	18	15	20	6	2	1	-	-	-	47
10	5	5	3	5	4	5	2	6	4	5	2	3	3	-	-	-	-	48
41	21	20	20	20	28	22	13	23	16	14	18	5	2	1	-	-	-	49
8	4	5	3	5	4	5	2	6	4	5	2	3	3	-	-	-	-	50
10	7	2	4	1	2	2	1	3	2	1	1	1	-	-	-	-	-	51
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	53
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
117	112	90	118	130	145	136	128	131	117	146	147	117	58	20	6	1	1	55
104	101	79	113	112	124	116	110	109	85	106	102	71	32	12	4	1	1	56
13	11	11	5	18	21	20	18	22	32	40	45	46	26	8	2	-	-	57
82	81	56	81	81	100	94	93	97	75	97	98	65	30	12	4	1	-	58
12	11	10	3	10	18	17	16	20	29	37	45	45	26	8	2	-	-	59
22	17	20	29	30	23	21	17	11	8	7	4	5	2	-	-	-	1	60
1	-	1	2	8	2	2	2	2	3	3	-	1	-	-	-	-	-	61
-	3	3	3	1	1	1	-	1	2	2	-	1	-	-	-	-	-	62
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	63
78	62	65	78	122	108	91	119	132	102	110	84	64	30	13	5	1	1	64
66	53	49	64	102	94	81	101	106	77	78	56	38	19	10	3	-	1	65
12	9	16	14	20	14	10	18	26	25	32	28	26	11	3	2	1	-	66
56	46	40	49	85	78	72	91	94	72	75	53	36	18	10	2	-	1	67
11	6	14	13	14	14	10	15	25	25	32	28	25	11	3	2	1	-	68
9	6	8	15	14	15	8	8	9	3	3	2	1	-	-	1	-	-	69
1	2	2	1	6	-	-	3	1	-	-	-	1	-	-	-	-	-	70
1	1	1	-	3	1	1	2	3	2	-	1	1	1	-	-	-	-	71
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
29	28	38	52	63	69	92	102	177	227	400	627	849	842	459	105	8	1	73
21	22	31	32	43	39	57	61	109	127	200	258	325	302	158	23	4	1	74
8	6	7	20	20	30	35	41	68	100	200	369	524	540	301	82	4	-	75
12	20	24	25	30	28	49	55	95	120	190	243	313	296	154	21	4	1	76
7	5	6	16	15	26	33	40	61	91	189	363	508	529	293	79	4	-	77
9	2	7	7	13	10	7	6	12	6	10	12	10	3	4	2	-	-	78
1	1	1	3	5	4	2	1	6	9	11	6	16	10	7	3	-	-	79
-	-	-	-	-	1	1	-	2	1	-	3	2	3	-	-	-	-	80
-	-	-	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	81
537	356	337	307	333	331	349	249	222	173	120	97	76	39	10	3	-	17	82
503	330	310	287	307	302	312	228	194	154	98	80	51	29	2	2	-	14	83
34	26	27	20	26	29	37	21	28	19	22	17	25	10	8	1	-	3	84
398	256	236	215	240	240	263	187	163	132	79	74	44	25	1	1	-	11	85
30	22	21	12	17	26	29	18	20	17	21	14	24	10	8	-	-	2	86
90	63	61	61	58	50	45	37	27	18	17	6	7	3	-	1	-	3	87
2	3	5	6	5	2	5	3	7	2	1	3	-	-	1	-	-	1	88
15	11	13	11	9	12	4	4	4	4	2	-	-	1	1	-	-	-	89
2	1	1	2	4	1	3	-	1	-	-	-	1	-	-	-	-	-	90
243	252	234	321	364	392	432	401	422	435	552	696	839	736	365	113	18	10	91
206	196	171	227	264	275	326	293	313	275	320	325	321	249	122	36	7	7	92
37	56	63	94	100	117	106	108	109	160	232	371	518	487	243	77	11	3	93
152	120	112	147	182	186	247	235	252	231	291	294	306	235	121	34	6	5	94
25	36	36	55	78	98	81	91	88	132	206	358	503	476	238	72	9	3	95
52	71	55	78	75	84	74	52	52	40	28	29	11	11	-	1	1	2	96
10	19	24	39	32	18	23	17	20	27	25	13	14	11	4	4	2	-	97
2	5	4	2	7	5	5	6	9	4	1	2	4	3	1	1	-	-	98
2	1	3	-	-	1	2	-	1	1	1	-	1	-	1	1	-	-	99

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1965

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Type of motor vehicle involved									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor-bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
United States	49,163	3,955	4,767	31	223	37,507	170	526	189	11	1,784
Male	35,584	3,481	3,316	25	170	26,697	118	348	121	8	1,300
Female	13,579	474	1,451	6	53	10,810	52	178	68	3	484
White--Male	31,144	3,027	3,006	21	155	23,300	92	317	89	7	1,131
Female	12,058	410	1,325	3	51	9,587	40	160	58	2	422
Nonwhite--Male	4,440	454	311	4	15	3,397	26	31	32	1	169
Female	1,521	64	126	3	2	1,223	12	18	10	1	62
Alabama	1,237	99	148	2	-	970	5	4	2	-	7
Male	933	90	99	1	-	727	4	3	2	-	7
Female	304	9	49	1	-	243	1	1	-	-	-
White--Male	698	67	86	1	-	535	1	2	1	-	5
Female	237	7	42	1	-	186	-	1	-	-	-
Nonwhite--Male	235	23	13	-	-	192	3	1	1	-	2
Female	67	2	7	-	-	57	1	-	-	-	-
Alaska	57	12	7	-	-	36	2	-	-	-	-
Male	45	11	4	-	-	28	2	-	-	-	-
Female	12	1	3	-	-	8	-	-	-	-	-
White--Male	32	7	3	-	-	22	-	-	-	-	-
Female	6	-	2	-	-	4	-	-	-	-	-
Nonwhite--Male	13	4	1	-	-	6	2	-	-	-	-
Female	6	1	1	-	-	4	-	-	-	-	-
Arizona	498	47	32	-	-	381	-	8	2	-	28
Male	362	36	19	-	-	286	-	4	2	-	15
Female	136	11	13	-	-	95	-	4	-	-	13
White--Male	296	28	17	-	-	234	-	3	1	-	13
Female	116	7	13	-	-	82	-	4	-	-	10
Nonwhite--Male	66	8	2	-	-	52	-	1	1	-	2
Female	20	4	-	-	-	13	-	-	-	-	3
Arkansas	657	70	55	2	1	511	-	8	1	-	9
Male	472	59	38	2	1	358	-	4	1	-	9
Female	185	11	17	-	-	153	-	4	-	-	-
White--Male	395	53	33	2	1	295	-	4	1	-	6
Female	166	8	17	-	-	137	-	4	-	-	-
Nonwhite--Male	77	6	5	-	-	63	-	-	-	-	3
Female	19	3	-	-	-	16	-	-	-	-	-
California	4,952	314	429	2	53	3,388	10	85	24	4	643
Male	3,565	272	309	2	43	2,380	10	61	20	3	465
Female	1,387	42	120	-	10	1,008	-	24	4	1	178
White--Male	3,263	250	285	2	39	2,182	8	57	16	3	421
Female	1,274	38	110	-	9	928	-	21	4	-	164
Nonwhite--Male	302	22	24	-	4	198	2	4	4	-	44
Female	113	4	10	-	1	80	-	3	-	1	14
Colorado	532	48	54	-	-	424	-	2	2	-	2
Male	385	41	39	-	-	301	-	1	1	-	2
Female	147	7	15	-	-	123	-	1	1	-	-
White--Male	372	40	39	-	-	289	-	1	1	-	2
Female	141	7	15	-	-	117	-	1	1	-	-
Nonwhite--Male	13	1	-	-	-	12	-	-	-	-	-
Female	6	-	-	-	-	6	-	-	-	-	-
Connecticut	439	18	36	-	-	361	6	3	3	-	12
Male	331	16	25	-	-	270	4	3	2	-	11
Female	108	2	11	-	-	91	2	-	1	-	1
White--Male	314	14	25	-	-	257	2	3	2	-	11
Female	101	2	10	-	-	86	2	-	-	-	1
Nonwhite--Male	17	2	-	-	-	13	2	-	-	-	-
Female	7	-	1	-	-	5	-	-	1	-	-
Delaware	110	4	6	-	1	94	-	1	1	-	3
Male	87	4	6	-	1	73	-	-	1	-	2
Female	23	-	-	-	-	21	-	1	-	-	1
White--Male	64	3	5	-	1	52	-	-	1	-	2
Female	17	-	-	-	-	17	-	-	-	-	-
Nonwhite--Male	23	1	1	-	-	21	-	-	-	-	-
Female	6	-	-	-	-	4	-	1	-	-	1
District of Columbia	140	12	6	-	1	109	1	2	3	-	6
Male	89	10	6	-	1	67	-	1	3	-	1
Female	51	2	-	-	-	42	1	1	-	-	5
White--Male	30	4	3	-	-	22	-	-	1	-	-
Female	19	-	-	-	-	16	-	1	-	-	2
Nonwhite--Male	59	6	3	-	1	45	-	1	2	-	1
Female	32	2	-	-	-	26	1	-	-	-	3
Florida	1,660	129	157	6	9	1,157	8	51	9	2	132
Male	1,124	112	107	6	3	766	5	32	5	1	87
Female	536	17	50	-	6	391	3	19	4	1	45
White--Male	900	87	98	5	3	601	5	31	4	1	65
Female	461	15	48	-	6	329	2	18	4	1	38
Nonwhite--Male	224	25	9	1	-	165	-	1	1	-	22
Female	75	2	2	-	-	62	1	1	-	-	7

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1965—Con.

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Type of motor vehicle involved									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor-bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
Georgia	1,400	139	175	1	-	1,052	4	6	6	-	17
Male	1,014	119	123	1	-	747	4	3	2	-	15
Female	386	20	52	-	-	305	-	3	4	-	2
White—Male	778	77	106	1	-	581	2	1	2	-	8
Female	313	14	46	-	-	248	-	1	3	-	1
Nonwhite—Male	236	42	17	-	-	166	2	2	-	-	7
Female	73	6	6	-	-	57	-	2	1	-	1
Hawaii	94	5	9	-	-	78	-	-	1	-	1
Male	65	5	6	-	-	53	-	-	1	-	-
Female	29	-	3	-	-	25	-	-	-	-	1
White—Male	19	1	2	-	-	15	-	-	1	-	-
Female	8	-	1	-	-	7	-	-	-	-	-
Nonwhite—Male	46	4	4	-	-	38	-	-	-	-	-
Female	21	-	2	-	-	18	-	-	-	-	1
Idaho	235	17	21	-	-	192	2	-	1	-	2
Male	158	17	10	-	-	129	1	-	-	-	1
Female	77	-	11	-	-	63	1	-	1	-	1
White—Male	150	16	10	-	-	122	1	-	-	-	1
Female	74	-	11	-	-	60	1	-	1	-	1
Nonwhite—Male	8	1	-	-	-	7	-	-	-	-	-
Female	3	-	-	-	-	3	-	-	-	-	-
Illinois	2,311	154	201	-	13	1,839	14	17	14	-	59
Male	1,643	138	127	-	9	1,296	8	9	8	-	48
Female	668	16	74	-	4	543	6	8	6	-	11
White—Male	1,494	125	120	-	8	1,179	7	8	3	-	44
Female	629	14	71	-	4	512	5	8	5	-	10
Nonwhite—Male	149	13	7	-	1	117	1	1	5	-	4
Female	39	2	3	-	-	31	1	-	1	-	1
Indiana	1,531	112	198	1	12	1,099	4	43	6	1	55
Male	1,095	98	148	1	10	760	2	30	6	1	39
Female	436	14	50	-	2	339	2	13	-	-	16
White—Male	1,029	94	142	1	8	713	2	28	5	1	35
Female	404	14	45	-	2	316	2	13	-	-	12
Nonwhite—Male	66	4	6	-	2	47	-	2	1	-	4
Female	32	-	5	-	-	23	-	-	-	-	4
Iowa	813	84	102	-	12	579	4	9	3	-	20
Male	582	78	63	-	11	407	3	5	2	-	13
Female	231	6	39	-	1	172	1	4	1	-	7
White—Male	577	78	62	-	11	403	3	5	2	-	13
Female	228	6	39	-	1	169	1	4	1	-	7
Nonwhite—Male	5	-	1	-	-	4	-	-	-	-	-
Female	3	-	-	-	-	3	-	-	-	-	-
Kansas	677	70	72	-	-	530	-	1	-	-	4
Male	464	62	53	-	-	345	-	1	-	-	3
Female	213	8	19	-	-	185	-	-	-	-	1
White—Male	442	61	52	-	-	326	-	-	-	-	3
Female	201	8	16	-	-	176	-	-	-	-	1
Nonwhite—Male	22	1	1	-	-	19	-	1	-	-	-
Female	12	-	3	-	-	9	-	-	-	-	-
Kentucky	876	95	89	-	2	675	3	3	2	-	7
Male	668	88	64	-	2	502	2	3	1	-	6
Female	208	7	25	-	-	173	1	-	1	-	1
White—Male	624	84	60	-	1	467	2	3	1	-	6
Female	185	7	23	-	-	153	1	-	-	-	1
Nonwhite—Male	44	4	4	-	1	35	-	-	-	-	-
Female	23	-	2	-	-	20	-	-	1	-	-
Louisiana	1,071	74	86	1	12	805	3	40	5	2	43
Male	792	71	61	-	11	584	2	29	3	2	29
Female	279	3	25	1	1	221	1	11	2	-	14
White—Male	541	47	52	-	8	387	1	24	1	1	20
Female	205	3	20	1	1	163	-	9	1	-	7
Nonwhite—Male	251	24	9	-	3	197	1	5	2	1	9
Female	74	-	5	-	-	58	1	2	1	-	7
Maine	216	18	15	-	-	175	-	1	2	-	5
Male	142	16	10	-	-	111	-	1	1	-	3
Female	74	2	5	-	-	64	-	-	1	-	2
White—Male	141	16	10	-	-	110	-	1	1	-	3
Female	74	2	5	-	-	64	-	-	1	-	2
Nonwhite—Male	1	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Maryland	742	54	57	-	5	594	1	10	3	-	18
Male	561	45	36	-	3	455	1	7	3	-	11
Female	181	9	21	-	2	139	-	3	-	-	7
White—Male	443	32	27	-	3	367	-	6	1	-	7
Female	146	8	10	-	2	116	-	3	-	-	7
Nonwhite—Male	118	13	9	-	-	88	1	1	2	-	4
Female	35	1	11	-	-	23	-	-	-	-	-

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1965—Con.

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Type of motor vehicle involved									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motorbus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
Massachusetts	905	47	42	-	8	766	1	4	6	-	31
Male	651	41	33	-	5	540	-	3	4	-	25
Female	254	6	9	-	3	226	1	1	2	-	6
White—Male	623	40	30	-	5	517	-	3	4	-	24
Female	245	6	9	-	3	217	1	1	2	-	6
Nonwhite—Male	28	1	3	-	-	23	-	-	-	-	1
Female	9	-	-	-	-	9	-	-	-	-	-
Michigan	2,264	120	176	1	1	1,952	4	4	-	-	6
Male	1,642	110	130	1	1	1,390	3	3	-	-	4
Female	622	10	46	-	-	562	1	1	-	-	2
White—Male	1,500	105	121	1	1	1,263	2	3	-	-	4
Female	570	10	45	-	-	512	-	1	-	-	2
Nonwhite—Male	142	5	9	-	-	127	1	-	-	-	-
Female	52	-	1	-	-	50	1	-	-	-	-
Minnesota	908	95	121	-	3	672	3	9	2	-	3
Male	643	88	89	-	3	452	2	5	1	-	3
Female	265	7	32	-	-	220	1	4	1	-	-
White—Male	630	88	89	-	3	440	1	5	1	-	3
Female	255	7	32	-	-	210	1	4	1	-	-
Nonwhite—Male	13	-	-	-	-	12	1	-	-	-	-
Female	10	-	-	-	-	10	-	-	-	-	-
Mississippi	724	76	71	2	2	550	2	6	2	-	13
Male	543	66	59	1	2	398	1	6	1	-	9
Female	181	10	12	1	-	152	1	-	1	-	4
White—Male	350	36	48	1	2	254	1	6	-	-	2
Female	113	2	9	-	-	97	1	-	1	-	3
Nonwhite—Male	193	30	11	-	-	144	-	-	1	-	7
Female	68	8	3	1	-	55	-	-	-	-	1
Missouri	1,349	115	197	1	-	1,026	2	2	-	-	6
Male	964	102	131	1	-	724	1	2	-	-	3
Female	385	13	66	-	-	302	1	-	-	-	3
White—Male	883	96	119	1	-	663	1	2	-	-	1
Female	362	13	66	-	-	279	1	-	-	-	3
Nonwhite—Male	81	6	12	-	-	61	-	-	-	-	2
Female	23	-	-	-	-	23	-	-	-	-	-
Montana	278	42	47	-	-	187	-	1	1	-	-
Male	214	37	34	-	-	142	-	-	1	-	-
Female	64	5	13	-	-	45	-	1	-	-	-
White—Male	190	33	31	-	-	125	-	-	1	-	-
Female	59	5	12	-	-	41	-	1	-	-	-
Nonwhite—Male	24	4	3	-	-	17	-	-	-	-	-
Female	5	-	1	-	-	4	-	-	-	-	-
Nebraska	397	51	64	-	2	278	2	-	-	-	-
Male	288	45	41	-	2	198	2	-	-	-	-
Female	109	6	23	-	-	80	-	-	-	-	-
White—Male	285	45	41	-	2	195	2	-	-	-	-
Female	108	6	23	-	-	79	-	-	-	-	-
Nonwhite—Male	3	-	-	-	-	3	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-
Nevada	173	9	16	-	1	139	-	1	-	-	7
Male	134	9	11	-	1	108	-	-	-	-	5
Female	39	-	5	-	-	31	-	1	-	-	2
White—Male	122	8	10	-	1	98	-	-	-	-	5
Female	38	-	5	-	-	30	-	1	-	-	2
Nonwhite—Male	12	1	1	-	-	10	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-
New Hampshire	138	12	4	-	-	114	-	-	2	1	5
Male	104	12	2	-	-	84	-	-	1	1	4
Female	34	-	2	-	-	30	-	-	1	-	1
White—Male	103	12	2	-	-	83	-	-	1	1	4
Female	33	-	2	-	-	29	-	-	1	-	1
Nonwhite—Male	1	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-
New Jersey	1,138	63	92	-	9	788	8	60	4	-	114
Male	814	52	59	-	6	575	4	32	2	-	84
Female	324	11	33	-	3	213	4	28	2	-	30
White—Male	705	49	49	-	3	496	3	30	2	-	73
Female	277	10	24	-	3	188	3	23	1	-	25
Nonwhite—Male	109	3	10	-	3	79	1	2	-	-	11
Female	47	1	9	-	-	25	1	5	1	-	5
New Mexico	425	52	55	-	-	306	1	-	2	-	9
Male	330	39	37	-	-	245	1	-	1	-	7
Female	95	13	18	-	-	61	-	-	1	-	2
White—Male	284	32	25	-	-	220	1	-	1	-	5
Female	72	8	12	-	-	50	-	-	1	-	1
Nonwhite—Male	46	7	12	-	-	25	-	-	-	-	2
Female	23	5	6	-	-	11	-	-	-	-	1

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1965—Con.

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Type of motor vehicle involved									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motorbus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
New York	2,874	193	137	-	14	2,285	14	45	26	-	160
Male	2,040	153	97	-	6	1,611	8	34	17	-	114
Female	834	40	40	-	8	674	6	11	9	-	46
White—Male	1,808	128	87	-	6	1,439	6	29	11	-	102
Female	738	37	35	-	8	595	4	7	8	-	44
Nonwhite—Male	232	25	10	-	-	172	2	5	6	-	12
Female	96	3	5	-	-	79	2	4	1	-	2
North Carolina	1,636	150	148	1	1	1,314	6	-	3	-	13
Male	1,276	136	105	1	1	1,013	6	-	2	-	12
Female	360	14	43	-	-	301	-	-	1	-	1
White—Male	917	92	88	-	1	722	5	-	2	-	7
Female	252	10	37	-	-	204	-	-	1	-	-
Nonwhite—Male	359	44	17	1	-	291	1	-	-	-	5
Female	108	4	6	-	-	97	-	-	-	-	1
North Dakota	178	24	23	-	-	128	1	1	-	-	1
Male	136	20	16	-	-	98	1	-	-	-	1
Female	42	4	7	-	-	30	-	1	-	-	-
White—Male	130	20	14	-	-	94	1	-	-	-	1
Female	39	4	5	-	-	29	-	1	-	-	-
Nonwhite—Male	6	-	2	-	-	4	-	-	-	-	-
Female	3	-	2	-	-	1	-	-	-	-	-
Ohio	2,369	131	222	1	9	1,897	4	29	4	-	72
Male	1,685	125	145	1	8	1,332	3	16	2	-	53
Female	684	6	77	-	1	565	1	13	2	-	19
White—Male	1,554	117	135	1	8	1,224	3	15	2	-	49
Female	642	5	73	-	1	531	1	13	2	-	16
Nonwhite—Male	131	8	10	-	-	108	-	1	-	-	4
Female	42	1	4	-	-	34	-	-	-	-	3
Oklahoma	759	99	109	-	-	537	5	-	3	-	6
Male	510	85	70	-	-	344	3	-	3	-	5
Female	249	14	39	-	-	193	2	-	-	-	1
White—Male	446	79	62	-	-	295	3	-	2	-	5
Female	216	9	33	-	-	172	1	-	-	-	1
Nonwhite—Male	64	6	8	-	-	49	-	-	1	-	-
Female	33	5	6	-	-	21	1	-	-	-	-
Oregon	670	50	47	1	4	528	1	5	6	-	28
Male	466	40	34	1	4	363	1	3	2	-	18
Female	204	10	13	-	-	165	-	2	4	-	10
White—Male	454	39	33	1	4	353	1	3	2	-	18
Female	201	10	13	-	-	163	-	2	3	-	10
Nonwhite—Male	12	1	1	-	-	10	-	-	-	-	-
Female	3	-	-	-	-	2	-	-	1	-	-
Pennsylvania	2,288	178	197	-	18	1,783	8	25	9	-	70
Male	1,670	153	154	-	12	1,269	7	17	4	-	54
Female	618	25	43	-	6	514	1	8	5	-	16
White—Male	1,555	147	145	-	12	1,178	6	17	2	-	48
Female	563	23	41	-	6	464	1	8	5	-	15
Nonwhite—Male	115	6	9	-	-	91	1	-	2	-	6
Female	55	2	2	-	-	50	-	-	-	-	1
Rhode Island	115	6	7	-	-	100	-	2	-	-	-
Male	90	6	5	-	-	78	-	1	-	-	-
Female	25	-	2	-	-	22	-	1	-	-	-
White—Male	88	4	5	-	-	78	-	1	-	-	-
Female	23	-	2	-	-	20	-	1	-	-	-
Nonwhite—Male	2	2	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	2	-	-	-	-	-
South Carolina	849	67	56	-	-	706	2	5	2	-	11
Male	641	61	34	-	-	531	1	5	2	-	7
Female	208	6	22	-	-	175	1	-	-	-	4
White—Male	419	29	28	-	-	353	-	4	2	-	3
Female	156	5	20	-	-	130	1	-	-	-	-
Nonwhite—Male	222	32	6	-	-	178	1	1	-	-	4
Female	52	1	2	-	-	45	-	-	-	-	4
South Dakota	252	35	56	-	-	157	1	-	-	-	3
Male	178	29	37	-	-	108	1	-	-	-	3
Female	74	6	19	-	-	49	-	-	-	-	-
White—Male	150	26	31	-	-	90	1	-	-	-	2
Female	60	4	15	-	-	41	-	-	-	-	-
Nonwhite—Male	28	3	6	-	-	18	-	-	-	-	1
Female	14	2	4	-	-	8	-	-	-	-	-
Tennessee	1,149	104	144	-	1	882	5	1	6	-	6
Male	850	98	92	-	1	645	4	-	4	-	6
Female	299	6	52	-	-	237	1	1	2	-	-
White—Male	742	90	81	-	1	557	4	-	3	-	6
Female	271	5	50	-	-	213	1	1	1	-	-
Nonwhite—Male	108	8	11	-	-	88	-	-	1	-	-
Female	28	1	2	-	-	24	-	-	1	-	-

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1965—Con.

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Type of motor vehicle involved									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor-bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
Texas	3,122	348	472	8	4	2,243	12	6	6	-	23
Male	2,226	313	322	5	4	1,550	6	3	3	-	20
Female	896	35	150	3	-	693	6	3	3	-	3
White—Male	1,967	282	287	3	4	1,363	3	3	3	-	19
Female	807	33	138	1	-	622	4	3	3	-	3
Nonwhite—Male	259	31	35	2	-	187	3	-	-	-	1
Female	89	2	12	2	-	71	2	-	-	-	-
Utah	299	31	18	-	-	243	2	2	-	-	3
Male	198	26	12	-	-	154	1	2	-	-	3
Female	101	5	6	-	-	89	1	-	-	-	-
White—Male	190	25	11	-	-	148	1	2	-	-	3
Female	94	5	6	-	-	82	1	-	-	-	-
Nonwhite—Male	8	1	1	-	-	6	-	-	-	-	-
Female	7	-	-	-	-	7	-	-	-	-	-
Vermont	131	5	7	-	4	102	1	-	1	1	10
Male	101	5	7	-	3	78	1	-	1	-	6
Female	30	-	-	-	1	24	-	-	-	1	4
White—Male	101	5	7	-	3	78	1	-	1	-	6
Female	30	-	-	-	1	24	-	-	-	1	4
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Virginia	1,037	82	74	-	15	784	3	9	6	-	64
Male	776	70	52	-	11	579	2	8	4	-	50
Female	261	12	22	-	4	205	1	1	2	-	14
White—Male	589	52	41	-	11	435	2	6	2	-	40
Female	203	10	20	-	3	155	1	1	1	-	12
Nonwhite—Male	187	18	11	-	-	144	-	2	2	-	10
Female	58	2	2	-	1	50	-	-	1	-	2
Washington	822	73	73	1	1	633	1	6	5	-	29
Male	576	59	49	1	1	439	1	3	1	-	22
Female	246	14	24	-	-	194	-	3	4	-	7
White—Male	539	55	46	1	1	410	1	3	1	-	21
Female	235	14	24	-	-	183	-	3	4	-	7
Nonwhite—Male	37	4	3	-	-	29	-	-	-	-	1
Female	11	-	-	-	-	11	-	-	-	-	-
West Virginia	484	39	37	-	2	387	4	6	-	-	9
Male	375	38	29	-	1	292	3	5	-	-	7
Female	109	1	8	-	1	95	1	1	-	-	2
White—Male	360	36	29	-	1	280	2	5	-	-	7
Female	103	1	7	-	1	90	1	1	-	-	2
Nonwhite—Male	15	2	-	-	-	12	1	-	-	-	-
Female	6	-	1	-	-	5	-	-	-	-	-
Wisconsin	1,054	68	87	-	2	872	10	3	3	-	9
Male	791	64	66	-	2	640	7	3	1	-	8
Female	263	4	21	-	-	232	3	-	2	-	1
White—Male	770	62	65	-	2	622	7	3	1	-	8
Female	256	4	21	-	-	225	3	-	2	-	1
Nonwhite—Male	21	2	1	-	-	18	-	-	-	-	-
Female	7	-	-	-	-	7	-	-	-	-	-
Wyoming	128	15	13	-	1	99	-	-	-	-	-
Male	95	11	11	-	1	72	-	-	-	-	-
Female	33	4	2	-	-	27	-	-	-	-	-
White—Male	88	11	8	-	1	68	-	-	-	-	-
Female	32	4	2	-	-	26	-	-	-	-	-
Nonwhite—Male	7	-	3	-	-	4	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1965

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
United States	52,289	24,086	2,321	554	2,582	875	1,923	1,421	4,373	5,843	8,311
Male	33,469	12,951	2,139	535	2,535	714	1,540	1,116	1,944	5,117	4,878
Female	18,820	11,135	182	19	47	161	383	305	2,429	726	3,433
White—Male	27,501	10,478	1,876	482	2,120	603	1,277	980	1,779	4,085	3,821
Female	16,101	9,259	148	12	42	152	344	282	2,316	599	2,947
Nonwhite—Male	5,968	2,473	263	53	415	111	263	136	165	1,032	1,057
Female	2,719	1,876	34	7	5	9	39	23	113	127	486
Alabama	1,057	507	63	12	65	11	29	17	40	101	212
Male	695	275	60	12	64	10	25	15	18	93	123
Female	362	232	3	-	1	1	4	2	22	8	89
White—Male	443	167	51	8	42	9	15	13	17	51	70
Female	218	125	-	-	-	1	3	1	18	4	66
Nonwhite—Male	252	108	9	4	22	1	10	2	1	42	53
Female	144	107	3	-	1	-	1	1	4	4	23
Alaska	125	42	-	3	10	1	8	2	2	47	10
Male	94	28	-	3	10	1	5	2	1	37	7
Female	31	14	-	-	-	-	3	-	1	10	3
White—Male	50	15	-	-	8	-	5	2	1	15	4
Female	13	7	-	-	-	-	-	-	-	3	3
Nonwhite—Male	44	13	-	3	2	1	-	-	-	22	3
Female	18	7	-	-	-	-	3	-	1	7	-
Arizona	461	187	17	11	26	16	10	11	17	81	85
Male	332	118	16	10	25	12	6	10	11	63	61
Female	129	69	1	1	1	4	4	1	6	18	24
White—Male	255	95	11	9	22	8	5	9	11	41	44
Female	101	59	-	1	1	4	3	1	4	13	15
Nonwhite—Male	77	23	5	1	3	4	1	1	-	22	17
Female	28	10	1	-	-	-	1	-	2	5	9
Arkansas	696	250	38	1	41	3	15	10	30	109	199
Male	476	138	34	1	41	3	15	9	16	98	121
Female	220	112	4	-	-	-	-	1	14	11	78
White—Male	337	89	21	1	27	3	14	7	13	81	81
Female	143	58	2	-	-	-	-	1	13	9	60
Nonwhite—Male	139	49	13	-	14	-	1	2	3	17	40
Female	77	54	2	-	-	-	-	-	1	2	18
California	4,484	2,282	92	14	177	110	216	146	584	502	361
Male	2,738	1,202	89	13	175	87	173	104	242	436	217
Female	1,746	1,080	3	1	2	23	43	42	342	66	144
White—Male	2,484	1,078	85	13	160	76	147	102	230	396	197
Female	1,634	1,001	3	1	2	19	40	39	332	63	134
Nonwhite—Male	254	124	4	-	15	11	26	2	12	40	20
Female	112	79	-	-	-	4	3	3	10	3	10
Colorado	598	208	31	31	37	10	24	29	64	72	92
Male	404	120	29	31	36	7	22	23	30	63	43
Female	194	88	2	-	1	3	2	6	34	9	49
White—Male	384	113	29	31	36	6	22	20	30	60	37
Female	188	86	2	-	1	3	2	6	33	8	47
Nonwhite—Male	20	7	-	-	-	1	-	3	-	3	6
Female	6	2	-	-	-	-	-	-	1	1	2
Connecticut	588	318	4	2	30	15	17	11	46	72	73
Male	373	175	4	2	30	15	14	7	21	62	43
Female	215	143	-	-	-	-	3	4	25	10	30
White—Male	346	164	4	2	26	13	13	6	21	57	40
Female	203	134	-	-	-	-	3	4	25	10	27
Nonwhite—Male	27	11	-	-	4	2	1	1	-	5	3
Female	12	9	-	-	-	-	-	-	-	-	3
Delaware	127	49	1	-	5	2	5	1	7	9	48
Male	79	32	1	-	5	1	4	-	2	8	26
Female	48	17	-	-	-	1	1	1	5	1	22
White—Male	55	23	1	-	4	1	1	-	1	7	17
Female	39	10	-	-	-	1	1	1	5	1	20
Nonwhite—Male	24	9	-	-	1	-	3	-	1	1	9
Female	9	7	-	-	-	-	-	-	-	-	2
District of Columbia	391	153	1	1	7	4	16	15	27	29	138
Male	256	91	1	1	7	4	13	12	11	23	93
Female	135	62	-	-	-	-	3	3	16	6	45
White—Male	82	24	-	1	1	2	6	6	5	5	32
Female	62	24	-	-	-	-	3	2	14	-	19
Nonwhite—Male	174	67	1	-	6	2	7	6	6	18	61
Female	73	38	-	-	-	-	-	1	2	6	26
Florida	1,613	712	38	23	71	56	43	60	118	299	193
Male	1,088	388	36	21	71	45	38	48	66	255	120
Female	525	324	2	2	-	11	5	12	52	44	73
White—Male	776	280	22	13	55	35	24	41	57	159	90
Female	407	237	2	2	-	11	5	12	50	34	54
Nonwhite—Male	312	108	14	8	16	10	14	7	9	96	30
Female	118	87	-	-	-	-	-	-	2	10	19

See footnotes at end of table.

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1965—Con.

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
Georgia	1,254	669	78	4	81	22	26	26	68	139	141
Male	822	356	69	4	80	22	22	25	33	125	86
Female	432	313	9	-	1	-	4	1	35	14	55
White—Male	502	209	53	3	40	13	15	19	23	81	46
Female	265	186	5	-	1	-	2	1	28	7	33
Nonwhite—Male	320	147	16	1	40	9	7	6	10	44	40
Female	167	125	4	-	-	-	2	-	7	7	22
Hawaii	131	61	3	-	7	6	2	7	10	23	10
Male	100	41	1	-	7	7	1	7	8	21	7
Female	31	20	2	-	-	1	1	-	2	2	3
White—Male	36	16	-	-	1	2	1	1	2	10	3
Female	12	9	1	-	-	1	1	-	-	-	-
Nonwhite—Male	64	25	1	-	6	5	-	6	6	11	4
Female	19	11	1	-	-	-	-	-	2	2	3
Idaho	298	84	21	9	17	10	16	1	8	48	84
Male	222	52	19	9	16	8	11	1	4	39	63
Female	76	32	2	-	1	2	5	-	4	9	21
White—Male	208	51	19	9	15	7	10	1	4	34	58
Female	76	32	2	-	1	2	5	-	4	9	21
Nonwhite—Male	14	1	-	-	1	1	1	-	-	5	5
Female	-	-	-	-	-	-	-	-	-	-	-
Illinois	2,424	1,070	102	23	179	31	118	99	146	287	369
Male	1,654	612	98	23	168	25	103	84	85	250	206
Female	770	458	4	-	11	6	15	15	61	37	163
White—Male	1,349	473	96	18	132	25	83	71	80	197	174
Female	645	355	4	-	9	5	14	14	58	33	153
Nonwhite—Male	305	139	2	5	36	-	20	13	5	53	32
Female	125	103	-	-	2	1	1	1	3	4	10
Indiana	1,296	645	72	5	70	24	52	32	78	110	208
Male	794	323	67	4	69	20	32	28	31	97	123
Female	502	322	5	1	1	4	20	4	47	13	85
White—Male	728	291	66	4	65	19	29	25	27	86	116
Female	476	305	5	1	1	4	19	4	43	12	82
Nonwhite—Male	66	32	1	-	4	1	3	3	4	11	7
Female	26	17	-	-	-	-	1	-	4	1	3
Iowa	847	309	115	5	42	15	18	43	92	75	133
Male	562	176	109	5	41	12	12	29	38	66	74
Female	285	133	6	-	1	3	6	14	54	9	59
White—Male	556	175	109	4	41	12	12	29	38	64	74
Female	284	132	6	-	1	3	6	14	54	9	59
Nonwhite—Male	4	1	-	1	-	-	-	-	-	2	-
Female	1	1	-	-	-	-	-	-	-	-	-
Kansas	590	210	55	10	30	10	14	19	68	68	106
Male	376	114	53	8	30	8	9	13	37	56	48
Female	214	96	2	2	-	2	5	6	31	12	58
White—Male	359	106	53	6	30	7	8	13	36	53	47
Female	204	93	2	-	-	2	5	6	30	10	56
Nonwhite—Male	17	8	-	2	-	1	1	-	1	3	1
Female	10	3	-	2	-	-	-	-	1	2	2
Kentucky	996	490	70	53	58	5	35	17	59	99	110
Male	657	254	68	53	58	4	26	11	29	91	63
Female	339	236	2	-	-	1	9	6	30	8	47
White—Male	593	222	64	52	54	3	23	10	27	83	55
Female	313	219	2	-	-	1	8	6	29	5	43
Nonwhite—Male	64	32	4	1	4	1	3	1	2	8	8
Female	26	17	-	-	-	-	1	-	1	3	4
Louisiana	1,210	474	41	3	82	20	65	20	55	193	257
Male	785	237	36	3	79	16	48	19	25	170	150
Female	425	237	3	-	3	4	17	1	30	23	107
White—Male	439	134	17	3	56	5	19	12	16	102	75
Female	248	131	-	-	3	4	5	1	23	20	61
Nonwhite—Male	346	103	21	-	23	11	29	7	9	68	75
Female	177	106	3	-	-	-	12	-	7	3	46
Maine	252	105	4	3	19	3	9	2	13	38	56
Male	166	65	4	2	18	2	5	2	3	35	32
Female	84	40	-	1	1	1	4	-	10	3	24
White—Male	167	65	4	2	18	2	5	2	3	34	32
Female	84	40	-	1	1	1	4	-	10	3	24
Nonwhite—Male	1	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-
Maryland	872	472	23	3	39	21	43	22	79	71	99
Male	562	276	21	3	39	19	36	18	35	65	70
Female	290	196	2	-	-	2	7	4	44	6	29
White—Male	433	200	14	2	34	14	26	13	30	49	51
Female	214	136	2	-	-	2	5	2	42	4	21
Nonwhite—Male	149	76	7	1	5	5	10	5	5	16	19
Female	76	60	-	-	-	-	2	2	2	2	8

See footnotes at end of table.

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1965—Con.

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
Massachusetts	1,652	805	4	6	60	30	71	34	240	100	302
Male	835	346	4	6	58	24	49	23	89	90	146
Female	817	459	-	-	2	6	22	11	151	10	156
White—Male	794	324	4	6	56	23	48	22	88	84	139
Female	796	446	-	-	2	6	22	11	147	10	152
Nonwhite—Male	41	22	-	-	2	1	1	1	1	6	7
Female	21	13	-	-	-	-	-	-	4	-	4
Michigan	2,053	944	60	12	77	26	62	62	130	224	456
Male	1,257	524	56	11	75	20	47	46	54	200	224
Female	796	420	4	1	2	6	15	16	76	24	232
White—Male	1,087	438	54	11	59	17	45	40	48	168	207
Female	730	371	4	1	2	6	14	16	72	21	223
Nonwhite—Male	170	86	2	-	16	3	2	6	6	32	17
Female	66	49	-	-	-	-	1	-	4	3	9
Minnesota	961	412	100	6	28	9	34	30	114	112	116
Male	647	249	91	6	28	5	25	27	54	96	66
Female	314	163	9	-	-	4	9	3	60	16	50
White—Male	627	236	91	6	27	5	25	26	54	94	63
Female	308	158	9	-	-	4	9	3	60	16	49
Nonwhite—Male	20	13	-	-	1	-	-	1	-	2	3
Female	6	5	-	-	-	-	-	-	-	-	1
Mississippi	814	399	73	6	32	8	20	11	21	87	157
Male	554	222	65	4	32	8	15	9	17	78	104
Female	260	177	8	2	-	-	5	2	4	9	53
White—Male	261	99	30	2	18	7	9	6	9	42	39
Female	117	67	2	-	-	-	3	1	4	5	35
Nonwhite—Male	293	123	35	2	14	1	6	3	8	36	65
Female	143	110	6	2	-	-	2	1	-	4	18
Missouri	1,464	700	114	4	47	17	56	37	145	126	218
Male	902	361	103	4	47	13	47	30	58	109	130
Female	562	339	11	-	-	4	9	7	87	17	88
White—Male	779	297	102	4	46	11	38	24	55	94	108
Female	487	286	11	-	-	4	9	7	79	15	76
Nonwhite—Male	123	64	1	-	1	2	9	6	3	15	22
Female	75	53	-	-	-	-	-	-	8	2	12
Montana	261	71	24	11	19	1	11	5	14	50	55
Male	189	37	23	11	19	1	9	4	8	42	35
Female	72	34	1	-	-	-	2	1	6	8	20
White—Male	177	33	22	11	19	1	8	4	8	37	34
Female	67	32	1	-	-	-	2	-	6	6	20
Nonwhite—Male	12	4	1	-	-	-	1	-	-	5	1
Female	5	2	-	-	-	-	-	1	-	2	-
Nebraska	407	179	51	3	17	12	17	20	56	33	19
Male	264	102	49	3	16	7	12	12	25	29	9
Female	143	77	2	-	1	5	5	8	31	4	10
White—Male	258	99	49	3	16	7	12	11	25	28	8
Female	140	75	2	-	1	5	5	8	30	4	10
Nonwhite—Male	6	3	-	-	-	-	-	1	-	1	1
Female	3	2	-	-	-	-	-	-	1	-	-
Nevada	143	59	3	2	11	6	3	7	7	20	25
Male	100	33	3	1	11	4	2	5	5	18	18
Female	43	26	-	1	-	2	1	2	2	2	7
White—Male	84	27	3	1	11	3	2	5	4	15	13
Female	39	24	-	1	-	2	-	2	2	1	7
Nonwhite—Male	16	6	-	-	-	1	-	-	1	3	5
Female	4	2	-	-	-	-	1	-	-	1	-
New Hampshire	153	81	1	2	3	3	3	1	17	22	20
Male	99	45	1	2	3	3	3	-	9	22	11
Female	54	36	-	-	-	-	-	1	8	-	9
White—Male	99	45	1	2	3	3	3	-	9	22	11
Female	54	36	-	-	-	-	-	1	8	-	9
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,475	825	17	-	73	25	64	48	114	143	166
Male	877	418	17	-	72	16	53	28	50	130	93
Female	598	407	-	-	1	9	11	20	64	13	73
White—Male	700	326	13	-	62	11	37	28	47	107	69
Female	507	334	-	-	1	8	9	20	62	11	62
Nonwhite—Male	177	92	4	-	10	5	16	-	3	23	24
Female	91	73	-	-	-	1	2	-	2	2	11
New Mexico	331	140	21	7	16	8	16	7	17	50	49
Male	230	75	17	7	16	5	15	6	10	43	36
Female	101	65	4	-	-	3	1	1	7	7	13
White—Male	186	70	12	7	14	5	13	5	9	28	23
Female	88	61	1	-	-	3	1	-	7	5	10
Nonwhite—Male	44	5	5	-	2	-	2	1	1	15	13
Female	13	4	3	-	-	-	-	1	-	2	3

See footnotes at end of table.

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1965—Con.

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
New York	4,359	1,981	76	7	132	54	244	160	519	378	808
Male	2,625	982	67	7	130	45	184	125	215	333	537
Female	1,734	999	9	-	2	9	60	35	304	45	271
White—Male	2,218	840	65	7	113	39	157	111	202	277	407
Female	1,554	888	9	-	2	8	59	33	295	34	226
Nonwhite—Male	407	142	2	-	17	6	27	14	13	56	130
Female	180	111	-	-	-	1	1	2	9	11	45
North Carolina	1,408	682	92	6	65	19	26	19	59	183	257
Male	966	393	87	6	65	17	24	15	24	165	170
Female	442	289	5	-	-	2	2	4	35	18	87
White—Male	614	243	52	3	44	13	20	8	18	107	106
Female	278	168	3	-	-	2	2	3	33	14	53
Nonwhite—Male	352	150	35	3	21	4	4	7	6	58	64
Female	164	121	2	-	-	-	-	1	2	4	34
North Dakota	192	81	34	2	3	4	7	4	22	28	7
Male	147	58	31	2	3	4	6	4	11	24	4
Female	45	23	3	-	-	-	1	-	11	4	3
White—Male	137	58	30	2	3	4	3	4	11	19	3
Female	43	23	3	-	-	-	1	-	11	3	2
Nonwhite—Male	10	-	1	-	-	-	3	-	-	5	1
Female	2	-	-	-	-	-	-	-	-	1	1
Ohio	2,567	1,357	100	14	139	29	97	63	264	236	268
Male	1,561	702	85	14	137	28	83	53	123	201	135
Female	1,006	655	15	-	2	1	14	10	141	35	133
White—Male	1,400	624	84	13	123	26	76	49	116	170	119
Female	913	582	15	-	2	1	14	8	137	30	124
Nonwhite—Male	161	78	1	1	14	2	7	4	7	31	16
Female	93	73	-	-	-	-	-	2	4	5	9
Oklahoma	698	313	45	9	38	10	14	20	72	72	105
Male	465	277	39	9	38	10	14	19	27	65	67
Female	233	136	6	-	-	-	-	1	45	7	38
White—Male	405	149	36	7	36	9	13	19	24	55	57
Female	208	119	4	-	-	-	-	1	45	5	34
Nonwhite—Male	60	28	3	2	2	1	1	-	3	10	10
Female	25	17	2	-	-	-	-	-	-	2	4
Oregon	575	225	37	3	71	12	13	19	46	106	43
Male	414	131	32	3	69	9	11	18	21	89	31
Female	161	94	5	-	2	3	2	1	25	17	12
White—Male	394	123	31	3	66	9	11	17	21	83	30
Female	155	88	5	-	2	3	2	1	25	17	12
Nonwhite—Male	20	8	1	-	3	-	-	1	-	6	1
Female	6	6	-	-	-	-	-	-	-	-	-
Pennsylvania	2,987	1,357	81	54	145	48	114	61	210	254	663
Male	1,807	735	75	51	143	41	93	51	84	221	313
Female	1,180	622	6	3	2	7	21	10	126	33	350
White—Male	1,593	637	70	49	125	37	85	48	79	198	265
Female	1,072	555	6	2	2	6	20	10	119	30	322
Nonwhite—Male	214	98	5	2	18	4	8	3	5	23	48
Female	108	67	-	1	-	1	1	-	7	3	28
Rhode Island	230	118	1	-	9	3	8	9	44	17	21
Male	128	63	1	-	8	2	8	8	13	15	10
Female	102	55	-	-	1	1	-	1	31	2	11
White—Male	117	57	1	-	7	1	8	7	13	14	9
Female	99	52	-	-	1	1	-	1	31	2	11
Nonwhite—Male	11	6	-	-	1	1	-	1	-	1	1
Female	3	3	-	-	-	-	-	-	-	-	-
South Carolina	852	326	49	1	44	6	26	18	21	117	244
Male	567	169	46	1	43	4	23	14	9	103	155
Female	285	157	3	-	1	2	3	4	12	14	89
White—Male	289	92	15	-	23	2	16	10	5	51	75
Female	150	82	-	-	1	2	2	2	9	8	44
Nonwhite—Male	278	77	31	1	20	2	7	4	4	52	80
Female	135	75	3	-	-	-	1	2	3	6	45
South Dakota	236	92	37	8	5	3	11	1	14	23	42
Male	164	55	31	8	4	3	10	1	4	19	29
Female	72	37	6	-	1	-	1	-	10	4	13
White—Male	140	43	30	8	3	3	10	-	4	14	25
Female	63	34	5	-	-	-	1	-	9	2	12
Nonwhite—Male	24	12	1	-	1	-	-	1	-	5	4
Female	9	3	1	-	1	-	-	-	1	2	1
Tennessee	1,013	536	70	15	43	13	26	30	40	102	138
Male	659	283	64	15	42	10	24	20	21	84	96
Female	354	253	6	-	1	3	2	10	19	18	42
White—Male	520	215	55	12	34	10	15	18	18	66	77
Female	282	200	5	-	1	3	2	9	18	14	30
Nonwhite—Male	139	68	9	3	8	-	9	2	3	18	19
Female	72	53	1	-	-	-	-	1	1	4	12

See footnotes at end of table.

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1965—Con.

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
Texas	2,695	1,235	147	11	163	63	63	71	200	331	411
Male	1,815	701	134	10	162	50	57	56	93	298	254
Female	880	534	13	1	1	13	6	15	107	33	157
White—Male	1,450	535	124	6	134	42	43	49	81	219	217
Female	752	439	11	1	1	12	6	14	102	29	137
Nonwhite—Male	365	166	10	4	28	8	14	7	12	79	37
Female	128	95	2	-	-	1	-	1	5	4	20
Utah	271	115	17	18	19	2	5	8	26	43	18
Male	183	63	15	18	19	2	4	8	10	33	11
Female	88	52	2	-	-	-	1	-	16	10	7
White—Male	175	61	15	17	19	2	4	8	10	30	9
Female	86	51	2	-	-	-	1	-	16	9	7
Nonwhite—Male	8	2	-	1	-	-	-	-	-	3	2
Female	2	1	-	-	-	-	-	-	-	1	-
Vermont	138	64	5	-	9	3	5	1	13	18	20
Male	83	31	5	-	9	3	5	1	6	16	7
Female	55	33	-	-	-	-	-	-	7	2	13
White—Male	83	31	5	-	9	3	5	1	6	16	7
Female	55	33	-	-	-	-	-	-	7	2	13
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Virginia	1,286	596	50	35	67	18	32	16	126	151	195
Male	830	323	46	33	66	15	26	10	55	134	122
Female	456	273	4	2	1	3	6	6	71	17	73
White—Male	574	213	31	31	41	12	18	7	44	96	81
Female	352	204	4	-	-	3	4	4	61	14	58
Nonwhite—Male	256	110	15	2	25	3	8	3	11	38	41
Female	104	69	-	2	1	-	2	2	10	3	15
Washington	910	377	27	1	72	15	35	26	75	162	120
Male	627	212	25	1	72	13	28	22	40	144	70
Female	283	165	2	-	-	2	7	4	35	18	50
White—Male	583	197	23	1	68	12	28	20	37	130	67
Female	268	157	2	-	-	2	6	4	34	15	48
Nonwhite—Male	44	15	2	-	4	1	-	2	3	14	3
Female	15	8	-	-	-	-	1	-	1	3	2
West Virginia	649	226	22	87	34	6	14	12	22	64	162
Male	455	122	21	87	34	6	9	10	12	59	95
Female	194	104	1	-	-	-	5	2	10	5	67
White—Male	433	113	21	82	34	6	9	9	12	55	92
Female	182	93	1	-	-	-	5	2	10	5	66
Nonwhite—Male	22	9	-	5	-	-	-	1	-	4	3
Female	12	11	-	-	-	-	-	-	-	-	1
Wisconsin	1,069	446	83	5	44	22	40	24	105	102	198
Male	672	238	79	4	41	16	29	20	47	89	109
Female	397	208	4	1	3	6	11	4	58	13	89
White—Male	654	236	79	4	36	16	28	19	46	86	104
Female	387	201	4	1	3	6	11	3	57	13	88
Nonwhite—Male	18	2	-	-	5	-	1	1	1	3	5
Female	10	7	-	-	-	-	-	1	1	-	1
Wyoming	130	47	11	3	4	3	5	7	9	17	24
Male	90	28	10	3	4	2	5	4	4	15	15
Female	40	19	1	-	-	1	-	3	5	2	9
White—Male	86	27	9	3	4	2	5	3	4	15	14
Female	40	19	1	-	-	1	-	3	5	2	9
Nonwhite—Male	4	1	1	-	-	-	-	1	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Section 5. Life Tables

Page

Explanation of the columns of the life table---------- 5-2

Table

5-1. Abridged life tables for total, male, and female population: United States, 1965---------- 5-3

5-2. Abridged life tables by color and sex: United States, 1965---------- 5-4

5-3. Number of survivors at single years of age, out of 100,000 born alive, by color and sex: United States, 1965---------- 5-5

5-4. Expectation of life at single years of age, by color and sex: United States, 1965---------- 5-6

5-5. Life table values by color and sex: Death-registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1965---------- 5-7

5-6. Estimated average length of life in years, by color and sex: Death-registration States, 1900-1928, and United States, 1929-65---------- 5-8

Explanation of the Columns of the Life Table

Column 1—Age interval (x to x + n).—The age interval shown in column 1 is the interval between the two exact ages indicated. For instance, "20-25" means the 5-year interval between the 20th birthday and the 25th.

Column 2—Proportion dying ($_nq_x$).—This column shows the proportion of the cohort who are alive at the beginning of an indicated age interval and who will die before reaching the end of that age interval. For example, for males in the age interval 20-25, the proportion dying is 0.0093—out of every 1,000 males alive and exactly 20 years old at the beginning of the period 9.3 will die before reaching their 25th birthday. In other words, the $_nq_x$ values represent *probabilities* that persons who are alive at the beginning of a specific age interval will die before reaching the beginning of the next age interval. The "proportion dying" column forms the basis of the life table; the life table is so constructed that all other columns are derived from it.

Column 3—Number surviving (l_x).—This column shows the number of persons, starting with a cohort of 100,000 live births, who survive to the exact age marking the beginning of each age interval. The l_x values are computed from the $_nq_x$ values, which are successively applied to the remainder of the original 100,000 persons still alive at the beginning of each age interval. Thus, out of 100,000 male babies born alive, 97,249 will complete the first year of life and enter the second; 96,858 will begin the sixth year; 95,715 will reach age 20; and 13,176 will live to age 85.

Column 4—Number dying ($_nd_x$).—This column shows the number dying in each successive age interval out of 100,000 live births. Out of 100,000 males born alive, 2,751 die in the first year of life, 391 in the succeeding 4 years, 885 in the 5-year period between exact ages 20 and 25, and 13,176 die after reaching age 85. Each figure in column 4 is the difference between two successive figures in column 3.

Columns 5 and 6—Stationary population ($_nL_x$ *and* T_x).—Suppose that a group of 100,000 individuals like that assumed in columns 3 and 4 is born every year and that the proportions dying in each such group in each age interval throughout the lives of the members are exactly those shown in column 2. If there were no migration and if the births were evenly distributed over the calendar year, the survivors of these births would make up what is called a stationary population—stationary because in such a population the number of persons living in any given age group would never change. When an individual left the group, either by death or by growing older and entering the next higher age group, his place would immediately be taken by someone entering from the next lower age group. Thus, a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that population among the various age groups. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons who, each year, reach the birthday which marks the beginning of the age interval indicated in column 1, and column 4 shows the number of persons who die each year in the indicated age interval.

Column 5 shows the number of persons in the stationary population in the indicated age interval. For example, the figure given for males in the age interval 20-25 is 476,391. This means that in a stationary population of males supported by 100,000 annual births and with proportions dying in each age group always in accordance with column 2, a census taken on any date would show 476,391 persons between exact ages 20 and 25.

Column 6 shows the total number of persons in the stationary population (column 5) in the indicated age interval and all subsequent age intervals. For example, in the stationary population of males referred to in the last illustration, column 6 shows that there would be at any given moment a total of 4,747,890 persons who have passed their 20th birthday. The population at all ages 0 and above (in other words, the total population of the stationary community) would be 6,680,064.

Column 7—Average remaining lifetime ($\overset{o}{e}_x$).—The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age on the basis of a given set of age-specific rates of dying. In order to arrive at this value, it is first necessary to observe that the figures in column 5 of the life table can also be interpreted in terms of a single life table cohort without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time (in years) lived between two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus the figure 476,391 for males in the age interval 20-25 is the total number of years lived between the 20th and 25th birthdays by the 95,715 (column 3) who reached the 20th birthday out of 100,000 males born alive. The corresponding figure (4,747,890) in column 6 is the total number of years lived after attaining age 20 by the 95,715 reaching that age. This number of years divided by the number of persons (4,747,890 divided by 95,715) gives 49.6 years as the average remaining lifetime of males at age 20.

Care must be exercised in drawing conclusions from the figures in column 7. Thus in observing in table 5-2 that the average remaining lifetime of white persons is greater than that of nonwhite, one should not conclude that the oldest ages reached by white persons necessarily exceed those attained by the most long-lived nonwhite. The difference in the average length of life results from the fact that a greater proportion of nonwhite persons die before reaching old age. For example, the number surviving to age 65 out of 100,000 born alive is far greater among white persons than among nonwhite; yet the average length of life remaining at age 65 is nearly the same for both groups.

Table 5-1. Abridged Life Tables for Total, Male, and Female Population: United States, 1965

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x+n$	${}_nq_x$	l_x	${}_nd_x$	${}_nL_x$	T_x	e^o_x
TOTAL						
0-1	0.0245	100,000	2,450	97,862	7,015,578	70.2
1-5	.0037	97,550	362	389,334	6,917,716	70.9
5-10	.0022	97,188	212	485,368	6,528,382	67.2
10-15	.0020	96,976	197	484,435	6,043,014	62.3
15-20	.0047	96,779	459	482,842	5,558,579	57.4
20-25	.0063	96,320	611	480,100	5,075,737	52.7
25-30	.0067	95,709	641	476,965	4,595,637	48.0
30-35	.0084	95,068	802	473,428	4,118,672	43.3
35-40	.0121	94,266	1,139	468,671	3,645,244	38.7
40-45	.0183	93,127	1,706	461,675	3,176,573	34.1
45-50	.0286	91,421	2,611	451,053	2,714,898	29.7
50-55	.0447	88,810	3,973	434,704	2,263,845	25.5
55-60	.0671	84,837	5,693	410,738	1,829,141	21.6
60-65	.0981	79,144	7,761	377,251	1,418,403	17.9
65-70	.1472	71,383	10,507	331,644	1,041,152	14.6
70-75	.2048	60,876	12,467	274,113	709,508	11.7
75-80	.2918	48,409	14,127	207,328	435,395	9.0
80-85	.4199	34,282	14,395	134,693	228,067	6.7
85 and over	1.0000	19,887	19,887	93,374	93,374	4.7
MALE						
0-1	0.0275	100,000	2,751	97,588	6,680,064	66.8
1-5	.0040	97,249	391	388,064	6,582,476	67.7
5-10	.0025	96,858	244	483,638	6,194,412	64.0
10-15	.0026	96,614	247	482,529	5,710,774	59.1
15-20	.0068	96,367	652	480,355	5,228,245	54.3
20-25	.0093	95,715	885	476,391	4,747,890	49.6
25-30	.0092	94,830	869	471,973	4,271,499	45.0
30-35	.0106	93,961	997	467,414	3,799,526	40.4
35-40	.0150	92,964	1,397	461,562	3,332,112	35.8
40-45	.0230	91,567	2,106	452,960	2,870,550	31.3
45-50	.0366	89,461	3,270	439,754	2,417,590	27.0
50-55	.0591	86,191	5,095	418,983	1,977,836	22.9
55-60	.0904	81,096	7,329	388,107	1,558,853	19.2
60-65	.1314	73,767	9,694	345,607	1,170,746	15.9
65-70	.1940	64,073	12,433	290,055	825,139	12.9
70-75	.2615	51,640	13,501	224,821	535,084	10.4
75-80	.3486	38,139	13,296	157,374	310,263	8.1
80-85	.4696	24,843	11,667	93,919	152,889	6.2
85 and over	1.0000	13,176	13,176	58,970	58,970	4.5
FEMALE						
0-1	0.0213	100,000	2,133	98,149	7,374,701	73.7
1-5	.0034	97,867	331	390,667	7,276,552	74.4
5-10	.0018	97,536	178	487,192	6,885,885	70.6
10-15	.0015	97,358	145	486,446	6,398,693	65.7
15-20	.0027	97,213	261	485,454	5,912,247	60.8
20-25	.0035	96,952	344	483,929	5,426,793	56.0
25-30	.0043	96,608	416	482,046	4,942,864	51.2
30-35	.0063	96,192	609	479,522	4,460,818	46.4
35-40	.0093	95,583	886	475,844	3,981,296	41.7
40-45	.0139	94,697	1,313	470,419	3,505,452	37.0
45-50	.0209	93,384	1,955	462,351	3,035,033	32.5
50-55	.0309	91,429	2,827	450,468	2,572,682	28.1
55-60	.0449	88,602	3,978	433,668	2,122,214	24.0
60-65	.0668	84,624	5,657	409,796	1,688,546	20.0
65-70	.1060	78,967	8,373	375,058	1,278,750	16.2
70-75	.1574	70,594	11,114	326,582	903,692	12.8
75-80	.2461	59,480	14,639	262,186	577,110	9.7
80-85	.3828	44,841	17,166	181,123	314,924	7.0
85 and over	1.0000	27,675	27,675	133,801	133,801	4.8

274-315 O - 67 - 26

Table 5-2. Abridged Life Tables by Color and Sex: United States, 1965

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x + n$	${}_nq_x$	l_x	${}_nd_x$	${}_nL_x$	T_x	e^o_x
TOTAL WHITE						
0-1	0.0213	100,000	2,134	98,104	7,103,427	71.0
1-5	.0033	97,866	318	390,713	7,005,323	71.6
5-10	.0020	97,548	197	487,210	6,614,610	67.8
10-15	.0019	97,351	188	486,332	6,127,400	62.9
15-20	.0045	97,163	441	484,798	5,641,068	58.1
20-25	.0058	96,722	563	482,216	5,156,270	53.3
25-30	.0057	96,159	544	479,443	4,674,054	48.6
30-35	.0070	95,615	668	476,483	4,194,611	43.9
35-40	.0101	94,947	962	472,500	3,718,128	39.2
40-45	.0159	93,985	1,499	466,469	3,245,628	34.5
45-50	.0259	92,486	2,395	456,902	2,779,159	30.0
50-55	.0414	90,091	3,734	441,690	2,322,257	25.8
55-60	.0632	86,357	5,456	418,943	1,880,567	21.8
60-65	.0929	80,901	7,520	386,686	1,461,624	18.1
65-70	.1402	73,381	10,289	342,254	1,074,938	14.6
70-75	.2018	63,092	12,732	284,668	732,684	11.6
75-80	.2926	50,360	14,737	215,647	448,016	8.9
80-85	.4274	35,623	15,224	139,280	232,369	6.5
85 and over	1.0000	20,399	20,399	93,089	93,089	4.6
WHITE MALE						
0-1	0.0242	100,000	2,419	97,843	6,763,085	67.6
1-5	.0036	97,581	348	389,510	6,665,242	68.3
5-10	.0024	97,233	229	485,555	6,275,732	64.5
10-15	.0024	97,004	237	484,503	5,790,177	59.7
15-20	.0065	96,767	631	482,399	5,305,674	54.8
20-25	.0086	96,136	823	478,632	4,823,275	50.2
25-30	.0078	95,313	745	474,683	4,344,643	45.6
30-35	.0089	94,568	844	470,818	3,869,960	40.9
35-40	.0128	93,724	1,199	465,837	3,399,142	36.3
40-45	.0204	92,525	1,886	458,288	2,933,305	31.7
45-50	.0336	90,639	3,045	446,195	2,475,017	27.3
50-55	.0557	87,594	4,882	426,526	2,028,822	23.2
55-60	.0868	82,712	7,178	396,598	1,602,296	19.4
60-65	.1275	75,534	9,633	354,643	1,205,698	16.0
65-70	.1875	65,901	12,359	299,450	851,055	12.9
70-75	.2592	53,542	13,877	233,510	551,605	10.3
75-80	.3506	39,665	13,906	163,511	318,095	8.0
80-85	.4797	25,759	12,356	96,687	154,584	6.0
85 and over	1.0000	13,403	13,403	57,897	57,897	4.3
WHITE FEMALE						
0-1	0.0183	100,000	1,834	98,378	7,468,335	74.7
1-5	.0029	98,166	287	391,978	7,369,957	75.1
5-10	.0017	97,879	164	488,948	6,977,979	71.3
10-15	.0014	97,715	137	488,250	6,489,031	66.4
15-20	.0025	97,578	244	487,313	6,000,781	61.5
20-25	.0032	97,334	308	485,918	5,513,468	56.6
25-30	.0035	97,026	343	484,305	5,027,550	51.8
30-35	.0051	96,683	490	482,260	4,543,245	47.0
35-40	.0075	96,193	725	479,278	4,060,985	42.2
40-45	.0117	95,468	1,117	474,750	3,581,707	37.5
45-50	.0185	94,351	1,745	467,690	3,106,957	32.9
50-55	.0277	92,606	2,561	456,988	2,639,267	28.5
55-60	.0407	90,045	3,661	441,671	2,182,279	24.2
60-65	.0607	86,384	5,245	419,666	1,740,608	20.1
65-70	.0988	81,139	8,015	386,885	1,320,942	16.3
70-75	.1540	73,124	11,263	339,016	934,057	12.8
75-80	.2464	61,861	15,241	272,734	595,041	9.6
80-85	.3888	46,620	18,124	187,629	322,307	6.9
85 and over	1.0000	28,496	28,496	134,678	134,678	4.7

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x + n$	${}_nq_x$	l_x	${}_nd_x$	${}_nL_x$	T_x	e^o_x
TOTAL NONWHITE						
0-1	0.0401	100,000	4,014	96,661	6,414,385	64.1
1-5	.0061	95,986	588	382,478	6,317,724	65.8
5-10	.0031	95,398	297	476,177	5,935,246	62.2
10-15	.0027	95,101	252	474,933	5,459,069	57.4
15-20	.0062	94,849	585	472,933	4,984,136	52.5
20-25	.0102	94,264	961	469,045	4,511,203	47.9
25-30	.0143	93,303	1,332	463,325	4,042,158	43.3
30-35	.0191	91,971	1,753	455,688	3,578,833	38.9
35-40	.0274	90,218	2,469	445,272	3,123,145	34.6
40-45	.0382	87,749	3,351	430,768	2,677,873	30.5
45-50	.0525	84,398	4,428	411,544	2,247,105	26.6
50-55	.0746	79,970	5,969	385,681	1,835,561	23.0
55-60	.1053	74,001	7,794	351,214	1,449,880	19.6
60-65	.1478	66,207	9,784	307,092	1,098,666	16.6
65-70	.2270	56,423	12,809	250,400	791,574	14.0
70-75	.2390	43,614	10,424	191,788	541,174	12.4
75-80	.2810	33,190	9,327	142,389	349,386	10.5
80-85	.3258	23,863	7,773	99,426	206,997	8.7
85 and over	1.0000	16,090	16,090	107,571	107,571	6.7
NONWHITE MALE						
0-1	0.0442	100,000	4,421	96,305	6,108,169	61.1
1-5	.0065	95,579	620	380,765	6,011,864	62.9
5-10	.0035	94,959	335	473,894	5,631,099	59.3
10-15	.0033	94,624	310	472,428	5,157,205	54.5
15-20	.0084	94,314	794	469,800	4,684,777	49.7
20-25	.0143	93,520	1,342	464,410	4,214,977	45.1
25-30	.0195	92,178	1,795	456,532	3,750,567	40.7
30-35	.0237	90,383	2,145	446,768	3,294,035	36.4
35-40	.0338	88,238	2,983	434,139	2,847,267	32.3
40-45	.0458	85,255	3,908	416,967	2,413,128	28.3
45-50	.0639	81,347	5,201	394,439	1,996,161	24.5
50-55	.0904	76,146	6,883	364,331	1,601,722	21.0
55-60	.1253	69,263	8,679	325,301	1,237,391	17.9
60-65	.1684	60,584	10,204	278,025	912,090	15.1
65-70	.2656	50,380	13,380	218,616	634,065	12.6
70-75	.2868	37,000	10,611	157,896	415,449	11.2
75-80	.3267	26,389	8,622	109,949	257,553	9.8
80-85	.3532	17,767	6,275	72,642	147,604	8.3
85 and over	1.0000	11,492	11,492	74,962	74,962	6.5
NONWHITE FEMALE						
0-1	0.0360	100,000	3,595	97,028	6,736,261	67.4
1-5	.0058	96,405	556	384,238	6,639,233	68.9
5-10	.0027	95,849	260	478,518	6,254,995	65.3
10-15	.0020	95,589	194	477,490	5,776,477	60.4
15-20	.0039	95,395	376	476,128	5,298,987	55.5
20-25	.0063	95,019	596	473,699	4,822,859	50.8
25-30	.0097	94,423	912	469,976	4,349,160	46.1
30-35	.0150	93,511	1,401	464,261	3,879,184	41.5
35-40	.0219	92,110	2,020	455,804	3,414,923	37.1
40-45	.0314	90,090	2,828	443,716	2,959,119	32.8
45-50	.0421	87,262	3,670	427,663	2,515,403	28.8
50-55	.0601	83,592	5,027	406,071	2,087,740	25.0
55-60	.0863	78,565	6,776	376,566	1,681,669	21.4
60-65	.1277	71,789	9,170	336,417	1,305,103	18.2
65-70	.1913	62,619	11,978	283,576	968,686	15.5
70-75	.1973	50,641	9,990	228,352	685,110	13.5
75-80	.2409	40,651	9,791	178,781	456,758	11.2
80-85	.3020	30,860	9,320	130,653	277,977	9.0
85 and over	1.0000	21,540	21,540	147,324	147,324	6.8

Table 5-3. Number of Survivors at Single Years of Age, Out of 100,000 Born Alive, by Color and Sex: United States, 1965

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	97,550	97,249	97,867	97,866	97,581	98,166	95,986	95,579	96,405
2	97,407	97,097	97,733	97,746	97,451	98,056	95,726	95,312	96,151
3	97,316	97,000	97,649	97,665	97,363	97,982	95,581	95,161	96,013
4	97,247	96,924	97,588	97,602	97,294	97,926	95,481	95,051	95,922
5	97,188	96,858	97,536	97,548	97,233	97,879	95,398	94,959	95,849
6	97,129	96,785	97,490	97,493	97,164	97,837	95,314	94,859	95,781
7	97,080	96,728	97,450	97,448	97,110	97,800	95,245	94,780	95,722
8	97,040	96,683	97,415	97,411	97,068	97,768	95,189	94,718	95,671
9	97,006	96,646	97,385	97,379	97,034	97,740	95,142	94,668	95,627
10	96,976	96,614	97,358	97,351	97,004	97,715	95,101	94,624	95,589
11	96,947	96,583	97,333	97,324	96,975	97,691	95,062	94,581	95,554
12	96,916	96,547	97,307	97,295	96,941	97,667	95,021	94,533	95,520
13	96,880	96,502	97,280	97,261	96,898	97,641	94,974	94,476	95,484
14	96,835	96,443	97,249	97,218	96,841	97,612	94,918	94,404	95,443
15	96,779	96,367	97,213	97,163	96,767	97,578	94,849	94,314	95,395
16	96,709	96,270	97,171	97,095	96,673	97,538	94,764	94,202	95,338
17	96,626	96,153	97,123	97,015	96,559	97,493	94,662	94,066	95,271
18	96,531	96,019	97,069	96,924	96,428	97,443	94,544	93,906	95,195
19	96,428	95,872	97,012	96,825	96,286	97,390	94,411	93,724	95,111
20	96,320	95,715	96,952	96,722	96,136	97,334	94,264	93,520	95,019
21	96,206	95,548	96,889	96,614	95,978	97,276	94,102	93,294	94,920
22	96,085	95,372	96,822	96,501	95,812	97,215	93,925	93,046	94,811
23	95,961	95,191	96,753	96,386	95,643	97,153	93,732	92,776	94,692
24	95,835	95,009	96,681	96,271	95,475	97,090	93,525	92,486	94,563
25	95,709	94,830	96,608	96,159	95,313	97,026	93,303	92,178	94,423
26	95,584	94,655	96,533	96,050	95,158	96,962	93,067	91,850	94,271
27	95,460	94,482	96,455	95,943	95,009	96,898	92,815	91,503	94,105
28	95,334	94,311	96,374	95,837	94,863	96,831	92,548	91,140	93,925
29	95,204	94,138	96,287	95,728	94,717	96,760	92,267	90,766	93,727
30	95,068	93,961	96,192	95,615	94,568	96,683	91,971	90,383	93,511
31	94,925	93,779	96,089	95,496	94,414	96,600	91,661	89,992	93,274
32	94,775	93,591	95,977	95,371	94,255	96,509	91,334	89,590	93,016
33	94,616	93,394	95,855	95,239	94,088	96,411	90,988	89,170	92,737
34	94,447	93,186	95,724	95,098	93,912	96,306	90,617	88,722	92,435
35	94,266	92,964	95,583	94,947	93,724	96,193	90,218	88,238	92,110
36	94,072	92,726	95,432	94,785	93,522	96,071	89,788	87,715	91,761
37	93,862	92,469	95,269	94,609	93,303	95,938	89,327	87,153	91,387
38	93,636	92,191	95,093	94,418	93,066	95,794	88,834	86,554	90,986
39	93,391	91,891	94,903	94,211	92,807	95,638	88,308	85,921	90,554
40	93,127	91,567	94,697	93,985	92,525	95,468	87,749	85,255	90,090
41	92,840	91,215	94,475	93,738	92,216	95,283	87,155	84,556	89,591
42	92,529	90,832	94,234	93,468	91,876	95,081	86,523	83,819	89,056
43	92,190	90,414	93,974	93,171	91,502	94,860	85,853	83,042	88,487
44	91,822	89,958	93,691	92,845	91,091	94,617	85,145	82,219	87,889
45	91,421	89,461	93,384	92,486	90,639	94,351	84,398	81,347	87,262
46	90,985	88,919	93,051	92,092	90,143	94,058	83,611	80,423	86,606
47	90,510	88,328	92,691	91,660	89,597	93,738	82,780	79,445	85,918
48	89,992	87,682	92,302	91,185	88,995	93,390	81,900	78,410	85,191
49	89,427	86,972	91,882	90,663	88,330	93,013	80,965	77,311	84,418
50	88,810	86,191	91,429	90,091	87,594	92,606	79,970	76,146	83,592
51	88,137	85,335	90,941	89,465	86,785	92,166	78,911	74,912	82,708
52	87,406	84,401	90,416	88,781	85,893	91,692	77,787	73,608	81,765
53	86,614	83,386	89,852	88,037	84,921	91,182	76,595	72,233	80,761
54	85,758	82,285	89,248	87,230	83,862	90,634	75,334	70,785	79,695
55	84,837	81,096	88,602	86,357	82,712	90,045	74,001	69,263	78,565
56	83,846	79,816	87,911	85,414	81,468	89,412	72,592	67,662	77,368
57	82,783	78,442	87,171	84,398	80,128	88,731	71,105	65,981	76,099
58	81,645	76,975	86,378	83,307	78,692	88,000	69,543	64,231	74,751
59	80,433	75,416	85,530	82,142	77,160	87,219	67,910	62,429	73,317
60	79,144	73,767	84,624	80,901	75,534	86,384	66,207	60,584	71,789
61	77,779	72,032	83,657	79,583	73,815	85,493	64,450	58,716	70,177
62	76,334	70,208	82,623	78,184	72,002	84,539	62,635	56,818	68,480
63	74,796	68,284	81,507	76,693	70,085	83,507	60,723	54,838	66,674
64	73,149	66,242	80,293	75,095	68,054	82,378	58,662	52,706	64,726
65	71,383	64,073	78,967	73,381	65,901	81,139	56,423	50,380	62,619
66	69,492	61,775	77,520	71,547	63,627	79,781	53,988	47,839	60,338
67	67,482	59,359	75,952	69,595	61,240	78,300	51,390	45,122	57,910
68	65,365	56,847	74,269	67,530	58,752	76,696	48,719	42,327	55,417
69	63,158	54,266	72,481	65,360	56,181	74,971	46,097	39,587	52,968
70	60,876	51,640	70,594	63,092	53,542	73,124	43,614	37,000	50,641
71	58,527	48,980	68,612	60,731	50,844	71,156	41,306	34,606	48,470
72	56,110	46,292	66,527	58,279	48,094	69,061	39,154	32,385	46,435
73	53,622	43,584	64,323	55,734	45,306	66,825	37,122	30,308	44,494
74	51,056	40,864	61,979	53,094	42,492	64,429	35,148	28,322	42,582
75	48,409	38,139	59,480	50,360	39,665	61,861	33,190	26,389	40,651
76	45,685	35,419	56,824	47,539	36,837	59,119	31,235	24,498	38,685
77	42,895	32,717	54,018	44,640	34,020	56,211	29,297	22,665	36,696
78	40,054	30,045	51,075	41,678	31,227	53,148	27,404	20,916	34,711
79	37,178	27,416	48,011	38,667	28,469	49,946	25,587	19,278	32,760
80	34,282	24,843	44,841	35,623	25,759	46,620	23,863	17,767	30,860
81	31,379	22,337	41,576	32,561	23,109	43,182	22,236	16,383	29,013
82	28,480	19,909	38,224	29,494	20,534	39,644	20,689	15,109	27,202
83	25,595	17,568	34,790	26,437	18,048	36,013	19,188	13,908	25,392
84	22,729	15,321	31,274	23,401	15,666	32,296	17,679	12,726	23,529
85	19,887	13,176	27,675	20,399	13,403	28,496	16,090	11,492	21,540

Table 5-4. Expectation of Life at Single Years of Age, by Color and Sex: United States, 1965

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	70.2	66.8	73.7	71.0	67.6	74.7	64.1	61.1	67.4
1	70.9	67.7	74.4	71.6	68.3	75.1	65.8	62.9	68.9
2	70.0	66.8	73.5	70.7	67.4	74.2	65.0	62.1	68.0
3	69.1	65.9	72.5	69.7	66.5	73.2	64.1	61.2	67.1
4	68.1	64.9	71.6	68.8	65.5	72.3	63.2	60.2	66.2
5	67.2	64.0	70.6	67.8	64.5	71.3	62.2	59.3	65.3
6	66.2	63.0	69.6	66.8	63.6	70.3	61.3	58.4	64.3
7	65.2	62.0	68.7	65.9	62.6	69.3	60.3	57.4	63.3
8	64.3	61.1	67.7	64.9	61.7	68.4	59.3	56.4	62.4
9	63.3	60.1	66.7	63.9	60.7	67.4	58.4	55.5	61.4
10	62.3	59.1	65.7	62.9	59.7	66.4	57.4	54.5	60.4
11	61.3	58.1	64.7	62.0	58.7	65.4	56.4	53.5	59.5
12	60.4	57.1	63.8	61.0	57.7	64.4	55.5	52.6	58.5
13	59.4	56.2	62.8	60.0	56.8	63.5	54.5	51.6	57.5
14	58.4	55.2	61.8	59.0	55.8	62.5	53.5	50.6	56.5
15	57.4	54.3	60.8	58.1	54.8	61.5	52.5	49.7	55.5
16	56.5	53.3	59.8	57.1	53.9	60.5	51.6	48.7	54.6
17	55.5	52.4	58.9	56.1	52.9	59.5	50.6	47.8	53.6
18	54.6	51.4	57.9	55.2	52.0	58.6	49.7	46.9	52.7
19	53.6	50.5	56.9	54.3	51.1	57.6	48.8	46.0	51.7
20	52.7	49.6	56.0	53.3	50.2	56.6	47.9	45.1	50.8
21	51.8	48.7	55.0	52.4	49.3	55.7	46.9	44.2	49.8
22	50.8	47.8	54.0	51.4	48.3	54.7	46.0	43.3	48.9
23	49.9	46.9	53.1	50.5	47.4	53.7	45.1	42.4	47.9
24	49.0	46.0	52.1	49.6	46.5	52.8	44.2	41.6	47.0
25	48.0	45.0	51.2	48.6	45.6	51.8	43.3	40.7	46.1
26	47.1	44.1	50.2	47.7	44.7	50.9	42.4	39.8	45.1
27	46.1	43.2	49.2	46.7	43.7	49.9	41.5	39.0	44.2
28	45.2	42.3	48.3	45.8	42.8	48.9	40.7	38.1	43.3
29	44.3	41.4	47.3	44.8	41.9	48.0	39.8	37.3	42.4
30	43.3	40.4	46.4	43.9	40.9	47.0	38.9	36.4	41.5
31	42.4	39.5	45.4	42.9	40.0	46.0	38.0	35.6	40.6
32	41.5	38.6	44.5	42.0	39.1	45.1	37.2	34.8	39.7
33	40.5	37.7	43.5	41.0	38.1	44.1	36.3	33.9	38.8
34	39.6	36.8	42.6	40.1	37.2	43.2	35.5	33.1	37.9
35	38.7	35.8	41.7	39.2	36.3	42.2	34.6	32.3	37.1
36	37.7	34.9	40.7	38.2	35.3	41.3	33.8	31.5	36.2
37	36.8	34.0	39.8	37.3	34.4	40.3	33.0	30.7	35.4
38	35.9	33.1	38.9	36.4	33.5	39.4	32.1	29.9	34.5
39	35.0	32.2	37.9	35.4	32.6	38.4	31.3	29.1	33.7
40	34.1	31.3	37.0	34.5	31.7	37.5	30.5	28.3	32.8
41	33.2	30.5	36.1	33.6	30.8	36.6	29.7	27.5	32.0
42	32.3	29.6	35.2	32.7	29.9	35.7	28.9	26.8	31.2
43	31.4	28.7	34.3	31.8	29.0	34.7	28.2	26.0	30.4
44	30.6	27.9	33.4	30.9	28.2	33.8	27.4	25.3	29.6
45	29.7	27.0	32.5	30.0	27.3	32.9	26.6	24.5	28.8
46	28.8	26.2	31.6	29.2	26.5	32.0	25.9	23.8	28.0
47	28.0	25.4	30.7	28.3	25.6	31.1	25.1	23.1	27.3
48	27.1	24.5	29.9	27.5	24.8	30.3	24.4	22.4	26.5
49	26.3	23.7	29.0	26.6	24.0	29.4	23.7	21.7	25.7
50	25.5	22.9	28.1	25.8	23.2	28.5	23.0	21.0	25.0
51	24.7	22.2	27.3	25.0	22.4	27.6	22.3	20.4	24.2
52	23.9	21.4	26.4	24.1	21.6	26.8	21.6	19.7	23.5
53	23.1	20.7	25.6	23.3	20.8	25.9	20.9	19.1	22.8
54	22.3	19.9	24.8	22.6	20.1	25.1	20.2	18.5	22.1
55	21.6	19.2	24.0	21.8	19.4	24.2	19.6	17.9	21.4
56	20.8	18.5	23.1	21.0	18.7	23.4	19.0	17.3	20.7
57	20.1	17.8	22.3	20.3	18.0	22.6	18.3	16.7	20.1
58	19.3	17.2	21.5	19.5	17.3	21.8	17.8	16.1	19.4
59	18.6	16.5	20.7	18.8	16.6	21.0	17.2	15.6	18.8
60	17.9	15.9	20.0	18.1	16.0	20.1	16.6	15.1	18.2
61	17.2	15.2	19.2	17.4	15.3	19.4	16.0	14.5	17.6
62	16.5	14.6	18.4	16.7	14.7	18.6	15.5	14.0	17.0
63	15.9	14.0	17.7	16.0	14.1	17.8	15.0	13.5	16.5
64	15.2	13.4	16.9	15.3	13.5	17.0	14.5	13.0	15.9
65	14.6	12.9	16.2	14.6	12.9	16.3	14.0	12.6	15.5
66	14.0	12.3	15.5	14.0	12.4	15.5	13.6	12.2	15.0
67	13.4	11.8	14.8	13.4	11.8	14.8	13.3	11.9	14.6
68	12.8	11.3	14.1	12.8	11.3	14.1	13.0	11.7	14.3
69	12.2	10.8	13.5	12.2	10.8	13.4	12.7	11.5	13.9
70	11.7	10.4	12.8	11.6	10.3	12.8	12.4	11.2	13.5
71	11.1	9.9	12.2	11.0	9.8	12.1	12.1	11.0	13.1
72	10.6	9.4	11.5	10.5	9.4	11.5	11.7	10.7	12.7
73	10.0	9.0	10.9	9.9	8.9	10.8	11.3	10.4	12.2
74	9.5	8.6	10.3	9.4	8.5	10.2	10.9	10.1	11.7
75	9.0	8.1	9.7	8.9	8.0	9.6	10.5	9.8	11.2
76	8.5	7.7	9.1	8.4	7.6	9.0	10.2	9.5	10.8
77	8.0	7.3	8.6	7.9	7.2	8.5	9.8	9.2	10.3
78	7.6	6.9	8.1	7.4	6.8	7.9	9.4	8.9	9.9
79	7.1	6.5	7.5	7.0	6.4	7.4	9.1	8.6	9.5
80	6.7	6.2	7.0	6.5	6.0	6.9	8.7	8.3	9.0
81	6.2	5.8	6.6	6.1	5.6	6.4	8.3	8.0	8.6
82	5.8	5.4	6.1	5.7	5.3	6.0	7.9	7.6	8.1
83	5.4	5.1	5.6	5.3	4.9	5.5	7.4	7.2	7.6
84	5.0	4.8	5.2	4.9	4.6	5.1	7.0	6.8	7.2
85	4.7	4.5	4.8	4.6	4.3	4.7	6.7	6.5	6.8

Table 5-5. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1965

[Alaska and Hawaii included for 1959 and 1960. For decennial periods prior to 1929-31, data are for groups of registration States as follows: 1900-1902 and 1909-11, 10 States and the District of Columbia; 1919-21, 34 States and the District of Columbia. For 1900-1902 to 1929-31, figures for nonwhite cover only Negroes. However, in no case did the Negro population comprise less than 95 percent of the corresponding nonwhite population]

Age, color, and sex	Number of survivors out of 100,000 born alive (l_x)									Average number of years of life remaining (e^o_x)								
	1965	1964	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902	1965	1964	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
WHITE MALE																		
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	67.6	67.7	67.55	66.31	62.81	59.12	56.34	50.23	48.23
1	97,581	97,553	97,408	96,931	95,188	93,768	91,975	87,674	86,655	68.3	68.4	68.34	67.41	64.98	62.04	60.24	56.26	54.61
5	97,233	97,194	97,015	96,403	94,150	91,738	88,842	82,972	80,864	64.5	64.6	64.61	63.77	61.68	59.38	58.31	55.37	54.43
10	97,004	96,959	96,758	96,069	93,601	90,810	87,530	81,519	79,109	59.7	59.8	59.78	58.98	57.03	54.96	54.15	51.32	50.59
15	96,767	96,719	96,503	95,728	93,089	90,074	86,546	80,549	78,037	54.8	54.9	54.93	54.18	52.33	50.39	49.74	46.91	46.25
20	96,136	96,099	95,908	95,104	92,293	88,904	84,997	79,116	76,376	50.2	50.2	50.25	49.52	47.76	46.02	45.60	42.71	42.19
25	95,313	95,280	95,106	94,294	91,241	87,371	83,061	77,047	73,907	45.6	45.6	45.65	44.93	43.28	41.78	41.60	38.79	38.52
30	94,568	94,543	94,401	93,489	90,092	85,707	80,888	74,810	71,219	40.9	41.0	40.97	40.29	38.80	37.54	37.65	34.87	34.88
35	93,724	93,684	93,589	92,543	88,713	83,812	78,441	72,108	68,245	36.3	36.3	36.31	35.68	34.36	33.33	33.74	31.08	31.29
40	92,525	92,492	92,427	91,173	86,880	81,457	75,733	68,848	64,954	31.7	31.8	31.73	31.17	30.03	29.22	29.86	27.43	27.74
45	90,639	90,598	90,533	89,002	84,285	78,345	72,696	65,115	61,369	27.3	27.4	27.34	26.87	25.87	25.28	26.00	23.86	24.21
50	87,594	87,535	87,424	85,601	80,521	74,288	69,107	60,741	57,274	23.2	23.2	23.22	22.83	21.96	21.51	22.22	20.39	20.76
55	82,712	82,712	82,463	80,496	75,156	68,981	64,574	55,622	52,491	19.4	19.4	19.45	19.11	18.34	17.97	18.59	17.03	17.42
60	75,534	75,578	75,485	73,172	67,787	61,933	58,498	48,987	46,452	16.0	16.0	16.01	15.76	15.05	14.72	15.25	13.98	14.35
65	65,901	66,009	65,834	63,541	58,305	52,964	50,663	40,862	39,245	12.9	13.0	12.97	12.75	12.07	11.77	12.21	11.25	11.51
70	53,542	53,686	53,825	51,735	46,739	41,880	40,873	31,527	30,640	10.3	10.4	10.29	10.07	9.42	9.20	9.51	8.83	9.03
75	39,665	39,934	40,207	38,104	33,404	29,471	29,205	21,585	21,387	8.0	8.1	7.92	7.77	7.17	7.02	7.30	6.75	6.84
80	25,759	26,054	25,993	24,005	19,860	17,221	17,655	12,160	12,266	6.0	6.0	5.89	5.88	5.38	5.26	5.47	5.09	5.10
85	13,403	13,549	13,065	12,015	9,013	7,572	8,154	5,145	5,252	4.3	4.4	4.34	4.35	4.02	3.99	4.06	3.88	3.81
NONWHITE MALE																		
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	61.1	61.1	61.48	58.91	52.33	47.55	47.14	34.05	32.54
1	95,579	95,429	95,301	94,911	91,696	91,268	89,499	78,065	74,674	62.9	63.1	63.50	61.06	56.05	51.08	51.63	42.53	42.46
5	94,959	94,765	94,570	93,921	89,920	88,412	85,195	68,589	64,385	59.3	59.5	59.98	57.69	53.13	48.69	50.18	44.25	45.06
10	94,624	94,430	94,234	93,453	89,211	87,311	83,768	66,377	61,730	54.5	54.7	55.19	52.96	48.54	44.27	45.99	40.65	41.90
15	94,314	94,090	93,874	92,965	88,417	86,152	82,332	64,478	59,667	49.7	49.9	50.39	48.23	43.95	39.83	41.75	36.77	38.26
20	93,520	93,334	93,108	91,941	86,770	83,621	79,057	61,426	56,733	45.1	45.3	45.78	43.73	39.74	35.95	38.36	33.46	35.11
25	92,178	92,026	91,825	90,285	84,055	79,516	74,540	57,736	53,285	40.7	40.9	41.38	39.49	35.94	32.67	35.54	30.44	32.21
30	90,383	90,330	90,270	88,327	80,865	75,083	70,344	54,073	49,867	36.4	36.6	37.05	35.31	32.25	29.45	32.51	27.33	29.25
35	88,238	88,178	88,331	85,940	77,185	70,049	65,873	49,865	46,541	32.3	32.4	32.81	31.21	28.67	26.39	29.54	24.42	26.16
40	85,255	85,236	85,744	82,832	72,830	64,710	61,353	45,414	42,989	28.3	28.5	28.72	27.29	25.23	23.36	26.53	21.57	23.12
45	81,347	81,343	82,075	78,686	67,514	58,432	56,589	40,563	39,230	24.5	24.7	24.89	23.59	22.02	20.59	23.55	18.85	20.09
50	76,146	76,292	77,239	72,891	60,766	51,748	51,880	35,427	34,766	21.0	21.2	21.28	20.25	19.18	17.92	20.47	16.21	17.34
55	69,263	69,380	70,351	65,122	52,867	44,436	46,581	29,754	29,987	17.9	18.0	18.11	17.36	16.67	15.46	17.50	13.82	14.69
60	60,584	60,802	61,669	55,535	44,370	36,790	40,506	23,750	24,194	15.1	15.2	15.29	14.91	14.38	13.15	14.74	11.67	12.62
65	50,390	50,341	51,392	45,198	35,912	29,514	34,042	17,806	19,015	12.6	12.8	12.84	12.75	12.18	10.87	12.07	9.74	10.38
70	37,000	37,422	39,914	35,018	27,688	21,741	26,923	12,295	13,829	11.2	11.4	10.81	10.74	10.06	8.78	9.58	8.00	8.33
75	26,389	27,027	29,064	25,472	19,765	14,419	18,854	7,494	8,892	9.8	9.8	8.93	8.83	8.09	6.99	7.61	6.58	6.60
80	17,767	18,440	19,994	16,904	12,352	8,239	11,615	3,894	4,831	8.3	8.2	6.87	7.07	6.46	5.42	5.83	5.53	5.12
85	11,492	11,931	11,620	9,898	6,492	3,660	5,605	1,747	2,030	6.5	6.3	5.08	5.38	5.08	4.30	4.53	4.48	4.04
WHITE FEMALE																		
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	74.7	74.6	74.19	72.03	67.29	62.67	58.53	53.62	51.08
1	98,166	98,138	98,036	97,645	96,211	95,037	93,608	89,774	88,939	75.1	75.0	74.68	72.77	68.93	64.93	61.51	58.69	56.39
5	97,879	97,842	97,709	97,199	95,309	93,216	90,721	85,349	83,426	71.3	71.3	70.92	69.09	65.57	62.17	59.43	57.67	56.03
10	97,715	97,672	97,525	96,960	94,890	92,466	89,564	83,979	81,723	66.4	66.4	66.05	64.26	60.85	57.65	55.17	53.57	52.15
15	97,578	97,531	97,375	96,756	94,534	91,894	88,712	83,093	80,680	61.5	61.5	61.15	59.39	56.07	53.00	50.67	49.12	47.79
20	97,334	97,282	97,135	96,454	93,984	90,939	87,281	81,750	78,978	56.6	56.6	56.29	54.56	51.38	48.52	46.46	44.88	43.77
25	97,026	96,972	96,844	96,072	93,228	89,524	85,163	79,865	76,588	51.8	51.8	51.45	49.77	46.78	44.25	42.55	40.88	40.05
30	96,683	96,631	96,499	95,605	92,320	87,972	82,740	77,676	73,887	47.0	47.0	46.63	45.00	42.21	39.99	38.72	36.96	36.42
35	96,193	96,135	96,026	94,977	91,211	86,248	80,206	75,200	70,971	42.2	42.2	41.84	40.28	37.70	35.73	34.86	33.09	32.82
40	95,468	95,409	95,326	94,080	89,805	84,256	77,624	72,425	67,935	37.5	37.5	37.13	35.64	33.25	31.52	30.94	29.26	29.17
45	94,351	94,299	94,228	92,725	87,920	81,780	74,871	69,341	64,677	32.9	32.9	32.53	31.12	28.90	27.39	26.98	25.45	25.51
50	92,606	92,586	92,522	90,685	85,267	78,572	71,547	65,629	61,005	28.5	28.5	28.08	26.76	24.72	23.41	23.12	21.74	21.89
55	90,045	90,022	89,967	87,699	81,520	74,321	67,323	61,053	56,509	24.2	24.2	23.81	22.58	20.73	19.60	19.40	18.18	18.43
60	86,384	86,359	86,339	83,279	76,200	68,462	61,704	54,900	50,752	20.1	20.1	19.69	18.64	17.00	16.05	15.93	14.92	15.23
65	81,139	81,075	80,739	76,773	68,701	60,499	54,299	47,086	43,806	16.3	16.3	15.88	15.00	13.56	12.81	12.75	11.97	12.23
70	73,124	73,003	72,507	67,545	58,363	49,932	44,638	37,482	35,206	12.8	12.8	12.38	11.68	10.50	9.98	9.94	9.38	9.59
75	61,861	61,634	60,461	54,397	44,685	37,024	32,777	26,569	25,362	9.6	9.6	9.28	8.87	7.92	7.56	7.62	7.20	7.33
80	46,620	46,440	44,676	38,026	28,882	23,053	20,492	15,929	15,349	6.9	6.9	6.67	6.59	5.88	5.63	5.70	5.35	5.50
85	28,496	28,223	26,046	21,348	14,487	10,937	9,909	7,152	7,149	4.7	4.8	4.66	4.83	4.34	4.24	4.24	4.06	4.10
NONWHITE FEMALE																		
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	67.4	67.2	66.47	62.70	55.51	49.51	46.92	37.67	35.04
1	96,405	96,317	96,172	95,913	93,318	92,796	91,251	81,493	78,525	68.9	68.7	68.10	64.37	58.47	52.33	50.39	45.15	43.54
5	95,849	95,743	95,543	95,055	91,710	90,185	87,149	72,768	68,056	65.3	65.1	64.54	60.93	55.47	49.81	48.70	46.42	46.04
10	95,589	95,496	95,285	94,679	91,092	89,201	85,607	70,508	65,111	60.4	60.3	59.72	56.17	50.83	45.33	44.54	42.84	43.02
15	95,395	95,290	95,057	94,343	90,363	88,088	83,954	68,218	62,384	55.5	55.4	54.85	51.36	46.22	40.87	40.36	39.18	39.79
20	95,019	94,910	94,660	93,544	88,505	85,078	80,154	64,764	59,053	50.8	50.6	50.07	46.77	42.14	37.22	37.15	36.14	36.89
25	94,423	94,303	94,005	92,336	85,961	81,067	75,359	61,430	55,795	46.1	45.9	45.40	42.35	38.31	33.93	34.35	32.97	33.90
30	93,511	93,333	93,070	90,799	83,147	76,816	70,633	58,281	52,773	41.5	41.4	40.83	38.02	34.52	30.67	31.48	29.61	30.70
35	92,110	91,981	91,670	88,805	79,879	72,192	65,857	54,595	49,567	37.1	36.9	36.41	33.82	30.83	27.47	28.58	26.44	27.52
40	90,090	89,948	89,676	86,052	75,908	67,271	61,130	50,568	46,146	32.8	32.7	32.16	29.82	27.31	24.30	25.60	23.34	24.37
45	87,262	87,189	86,793	82,257	71,061	61,365	56,230	45,947	42,279	28.8	28.7	28.14	26.07	24.00	21.39	22.61	20.43	21.36
50	83,592	83,495	82,979	77,007	64,886	54,920	50,780	40,886	37,681	25.0	24.8	24.31	22.67	21.04	18.60	19.76	17.65	18.67
55	78,565	78,102	77,362	70,196	57,419	47,074	44,742	35,415	33,124	21.4	21.4	20.89	19.62	18.44	16.27	17.09	14.98	15.88
60	71,789	71,361	69,941	61,758	49,102	38,761	37,954	28,908	27,524	18.2	18.1	17.83	16.95	16.14	14.22	14.69	12.78	13.60
65	62,619	61,633	60,825	52,358	40,718	30,852	31,044	22,302	21,995	15.5	15.6	15.12	14.54	13.95	12.24	12.41	10.82	11.38
70	50,641	50,558	51,274	42,612	32,579	23,341	24,107	15,871	16,140	13.5	13.4	12.46	12.29	11.81	10.38	10.25	9.22	9.62
75	40,651	40,641	40,540	32,981	24,668	16,576	17,216	10,657	11,066	11.2	11.1	10.10	10.15	9.80	8.62	8.37	7.55	7.90
80	30,860	30,624	30,315	23,712	17,157	10,822	11,151	6,324	6,708	9.0	8.9	7.66	8.15	8.00	6.90	6.58	6.05	6.48
85	21,540	21,506	19,744	15,550	10,658	6,033	5,972	3,029	3,567	6.8	6.7	5.44	6.15	6.38	5.48	5.22	5.09	5.10

Table 5-6. Estimated Average Length of Life in Years, by Color and Sex: Death-Registration States, 1900-1928, and United States, 1929-65

[Estimates based on life table values shown in table 5-5]

Area and year	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES									
1965	70.2	66.8	73.7	71.0	67.6	74.7	64.1	61.1	67.4
1964	70.2	66.9	73.7	71.0	67.7	74.6	64.1	61.1	67.2
1963[1]	69.9	66.6	73.4	70.8	67.5	74.4	63.6	60.9	66.5
1962[1]	70.0	66.8	73.4	70.9	67.6	74.4	64.1	61.5	66.8
1961	70.2	67.0	73.6	71.0	67.8	74.5	64.4	61.9	67.0
1960	69.7	66.6	73.1	70.6	67.4	74.1	63.6	61.1	66.3
1959	69.9	66.8	73.2	70.7	67.5	74.2	63.9	61.3	66.5
1958	69.6	66.6	72.9	70.5	67.4	73.9	63.4	61.0	65.8
1957	69.5	66.4	72.7	70.3	67.2	73.7	63.0	60.7	65.5
1956	69.7	66.7	72.9	70.5	67.5	73.9	63.6	61.3	66.1
1955	69.6	66.7	72.8	70.5	67.4	73.7	63.7	61.4	66.1
1954	69.6	66.7	72.8	70.5	67.5	73.7	63.4	61.1	65.9
1953	68.8	66.0	72.0	69.7	66.8	73.0	62.0	59.7	64.5
1952	68.6	65.8	71.6	69.5	66.6	72.6	61.4	59.1	63.8
1951	68.4	65.6	71.4	69.3	66.5	72.4	61.2	59.2	63.4
1950	68.2	65.6	71.1	69.1	66.5	72.2	60.8	59.1	62.9
1949	68.0	65.2	70.7	68.8	66.2	71.9	60.6	58.9	62.7
1948	67.2	64.6	69.9	68.0	65.5	71.0	60.0	58.1	62.5
1947	66.8	64.4	69.7	67.6	65.2	70.5	59.7	57.9	61.9
1946	66.7	64.4	69.4	67.5	65.1	70.3	59.1	57.5	61.0
1945	65.9	63.6	67.9	66.8	64.4	69.5	57.7	56.1	59.6
1944	65.2	63.6	66.8	66.2	64.5	68.4	56.6	55.8	57.7
1943	63.3	62.4	64.4	64.2	63.2	65.7	55.6	55.4	56.1
1942	66.2	64.7	67.9	67.3	65.9	69.4	56.6	55.4	58.2
1941	64.8	63.1	66.8	66.2	64.4	68.5	53.8	52.5	55.3
1940	62.9	60.8	65.2	64.2	62.1	66.6	53.1	51.5	54.9
1939	63.7	62.1	65.4	64.9	63.3	66.6	54.5	53.2	56.0
1938	63.5	61.9	65.3	65.0	63.2	66.8	52.9	51.7	54.3
1937	60.0	58.0	62.4	61.4	59.3	63.8	50.3	48.3	52.5
1936	58.5	56.6	60.6	59.8	58.0	61.9	49.0	47.0	51.4
1935	61.7	59.9	63.9	62.9	61.0	65.0	53.1	51.3	55.2
1934	61.1	59.3	63.3	62.4	60.5	64.6	51.8	50.2	53.7
1933	63.3	61.7	65.1	64.3	62.7	66.3	54.7	53.5	56.0
1932	62.1	61.0	63.5	63.2	62.0	64.5	53.7	52.8	54.6
1931	61.1	59.4	63.1	62.6	60.8	64.7	50.4	49.5	51.5
1930	59.7	58.1	61.6	61.4	59.7	63.5	48.1	47.3	49.2
1929	57.1	55.8	58.7	58.6	57.2	60.3	46.7	45.7	47.8
DEATH-REGISTRATION STATES									
1928	56.8	55.6	58.3	58.4	57.0	60.0	46.3	45.6	47.0
1927	60.4	59.0	62.1	62.0	60.5	63.9	48.2	47.6	48.9
1926	56.7	55.5	58.0	58.2	57.0	59.6	44.6	43.7	45.6
1925	59.0	57.6	60.6	60.7	59.3	62.4	45.7	44.9	46.7
1924	59.7	58.1	61.5	61.4	59.8	63.4	46.6	45.5	47.8
1923	57.2	56.1	58.5	58.3	57.1	59.6	48.3	47.7	48.9
1922	59.6	58.4	61.0	60.4	59.1	61.9	52.4	51.8	53.0
1921	60.8	60.0	61.8	61.8	60.8	62.9	51.5	51.6	51.3
1920	54.1	53.6	54.6	54.9	54.4	55.6	45.3	45.5	45.2
1919	54.7	53.5	56.0	55.8	54.5	57.4	44.5	44.5	44.4
1918	39.1	36.6	42.2	39.8	37.1	43.2	31.1	29.9	32.5
1917	50.9	48.4	54.0	52.0	49.3	55.3	38.8	37.0	40.8
1916	51.7	49.6	54.3	52.5	50.2	55.2	41.3	39.6	43.1
1915	54.5	52.5	56.8	55.1	53.1	57.5	38.9	37.5	40.5
1914	54.2	52.0	56.8	54.9	52.7	57.5	38.9	37.1	40.8
1913	52.5	50.3	55.0	53.0	50.8	55.7	38.4	36.7	40.3
1912	53.5	51.5	55.9	53.9	51.9	56.2	37.9	35.9	40.0
1911	52.6	50.9	54.4	53.0	51.3	54.9	36.4	34.6	38.2
1910	50.0	48.4	51.8	50.3	48.6	52.0	35.6	33.8	37.5
1909	52.1	50.5	53.8	52.5	50.9	54.2	35.7	34.2	37.3
1908	51.1	49.5	52.8	51.5	49.9	53.3	34.9	33.8	36.0
1907	47.6	45.6	49.9	48.1	46.0	50.4	32.5	31.1	34.0
1906	48.7	46.9	50.8	49.3	47.3	51.4	32.9	31.8	33.9
1905	48.7	47.3	50.2	49.1	47.6	50.6	31.3	29.6	33.1
1904	47.6	46.2	49.1	48.0	46.6	49.5	30.8	29.1	32.7
1903	50.5	49.1	52.0	50.9	49.5	52.5	33.1	31.7	34.6
1902	51.5	49.8	53.4	51.9	50.2	53.8	34.6	32.9	36.4
1901	49.1	47.6	50.6	49.4	48.0	51.0	33.7	32.2	35.3
1900	47.3	46.3	48.3	47.6	46.6	48.7	33.0	32.5	33.5

[1] Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Section 6. Technical Appendix

	Page
Sources of data	6-3
Death and fetal-death statistics	6-3
Standard certificates	6-3
History	6-3
Classification of data	6-6
Classification by occurrence and residence	6-6
Geographic classification	6-6
Age	6-7
Race and color	6-7
Fetal deaths	6-8
Maternal deaths	6-10
Cause of death	6-11
Quality of data	6-13
Completeness of registration	6-13
Massachusetts data	6-13
Quality control procedures	6-14
Computation of rates	6-14
Population bases	6-14
Age-adjusted death rates	6-15
Symbols used in tables	6-15

Figure

6-A. Standard Certificate of Death ---- 6-4

6-B. Standard Certificate of Fetal Death ---- 6-5

Table

6-1. Population of birth- and death-registration States, 1900-1932, and United States, 1900-1965 ---- 6-15

6-2. Estimates of the total resident population of the United States, by age, color, and sex: July 1, 1965 ---- 6-16

6-3. Provisional estimates of the total resident population of the United States, each division and State, Puerto Rico, and Virgin Islands: July 1, 1965 ---- 6-16

6-4. Estimates of the total resident population, by age, for the United States, each division and State: July 1, 1965 ---- 6-17

6-5. Revised estimates of the total resident population of the United States, by age, color, and sex: July 1, 1951-59 ---- 6-18

6-6. Revised estimates of the total resident population of the United States, each division and State: July 1, 1951-59 ---- 6-21

SECTION 6. TECHNICAL APPENDIX

SOURCES OF DATA

Death and fetal-death statistics

Death and fetal-death statistics are based on information obtained from microfilm copies of the original certificates. These copies are received from the registration offices of all States, certain cities, the District of Columbia, and Puerto Rico. The Virgin Islands sends transcripts rather than filmed copies of the certificates. The statistical information on these records is edited, classified, placed on punchcards, transferred to a tape for computer processing, and tabulated in the National Center for Health Statistics (NCHS). Fetal deaths are classified and tabulated separately from all other deaths.

The United States vital statistics system covers the 50 States, the District of Columbia, Puerto Rico, and the Virgin Islands. However, in the statistical tabulations *United States* refers only to the aggregate of the 50 States and the District of Columbia. Alaska has been included in the United States tabulations since 1959 and Hawaii since 1960. Tabulations for Puerto Rico and the Virgin Islands are shown separately in Section 8, Part B, Volume II, *Vital Statistics of the United States, 1965.*

Mortality data for the United States are limited to deaths registered within the United States and include those occurring to nonresident aliens. The data do not cover deaths of U.S. civilians which occur outside the United States. Similarly, the data for Puerto Rico and the Virgin Islands are limited to deaths registered in these areas.

Standard certificates

Standard certificates of death and fetal death, issued by the Public Health Service, have served for many years as the principal means of attaining uniformity in the content of the documents used to collect information on these events. They have been modified in each State to the extent necessitated by the particular needs of the State or by special provisions of the State vital statistics law. However, the certificates of most States conform closely in content and arrangement to the standard certificates.

The first issue of the Standard Certificate of Death appeared shortly before the formation of the registration area. Since then it has been revised periodically by the national vital statistics agency through consultation with State health officers and registrars; Federal agencies concerned with vital statistics; national, State, and county medical societies; and others working in the fields of public health, social welfare, demography, and insurance. This revision procedure has assured careful evaluation of each item in terms of its current and future usefulness for registration, identification, legal, medical, and research purposes. New items have been added when necessary, and old items have been modified to ensure better reporting or in some cases have been dropped when their usefulness appeared to be limited.

The most recent revision of the Standard Certificate of Death occurred in 1955. It was made in close collaboration with the Public Health Conference on Records and Statistics and was recommended to the States for adoption as of January 1, 1956. A major revision of the certificate of fetal death occurred in 1954 and was recommended as of January 1, 1955. However, additional changes were recommended in 1955 to make the certificate conform to the new certificates of live birth and death. The current standard certificates of death and fetal death are shown in figures 6-A and 6-B.

HISTORY

The first death statistics published by the Federal Government concerned events in 1850 and included the entire United States. These statistics were based on information collected during the decennial census of that year. Similar decennial collections were made by census enumerators at each census up to and including the census of 1900, but because of the time interval between the occurrence of a death and the census enumeration, these reports were inaccurate and incomplete.

In 1880 the U.S. Bureau of the Census established a national "registration area" for deaths. This original area consisted of two States—Massachusetts and New Jersey—the District of Columbia, and several large cities having efficient systems for the registration of deaths; by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States and cities included in this expanding area, but the figures for the entire country were still compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the calendar year 1900. In 1902 the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain annually copies of records filed in the vital statistics offices of those States and cities having adequate death-registration systems. At that time not all States had enacted laws requiring the registration of deaths, and in many States

the existing laws were poorly enforced. The growth of the registration area is indicated in table 6-1.

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities located in nonregistration States. In 1900 the registration area included 40.5 percent of the population of the continental United States. The original registration area was predominantly urban and was characterized by a high proportion of white persons. If the reporting cities located in nonregistration States are excluded, the population coverage of the death-registration States is much lower, only 26.2 percent of the total population of the United States.

Statistics of fetal deaths (the term "stillbirth" was used for many years) were first published for the birth-registration area in 1918. However, they were not included in the reports issued for the succeeding 3 years. Beginning with 1922, statistics of fetal deaths have been published each year for the birth-registration area.

Table 6-1 presents for each year through 1932 the estimated midyear population of the United States and

FIGURE 6-A



CERTIFICATE OF DEATH

Form approved. Budget Bureau No. 68-R375.2.

BIRTH NO. STATE OF STATE FILE NO.

1. **PLACE OF DEATH** a. COUNTY; b. CITY, TOWN, OR LOCATION; c. LENGTH OF STAY IN 1b; d. NAME OF HOSPITAL OR INSTITUTION (*If not in hospital, give street address*); e. IS PLACE OF DEATH INSIDE CITY LIMITS? YES ☐ NO ☐

2. **USUAL RESIDENCE** (*Where deceased lived. If institution: Residence before admission*) a. STATE b. COUNTY; c. CITY, TOWN, OR LOCATION; d. STREET ADDRESS; e. IS RESIDENCE INSIDE CITY LIMITS? YES ☐ NO ☐; f. IS RESIDENCE ON A FARM? YES ☐ NO ☐

3. **NAME OF DECEASED** (*Type or print*) *First Middle Last*

4. DATE OF DEATH *Month Day Year*

5. SEX

6. COLOR OR RACE

7. MARRIED ☐ NEVER MARRIED ☐ WIDOWED ☐ DIVORCED ☐

8. DATE OF BIRTH

9. AGE (*In years last birthday*) IF UNDER 1 YEAR *Months Days* IF UNDER 24 HRS. *Hours Min.*

10a. USUAL OCCUPATION (*Give kind of work done during most of working life, even if retired*)

10b. KIND OF BUSINESS OR INDUSTRY

11. BIRTHPLACE (*State or foreign country*)

12. CITIZEN OF WHAT COUNTRY?

13. FATHER'S NAME

14. MOTHER'S MAIDEN NAME

15. WAS DECEASED EVER IN U. S. ARMED FORCES? (*Yes, no, or unknown*) (*If yes, give war or dates of service*)

16. SOCIAL SECURITY NO.

17. **INFORMANT** *Address*

MEDICAL CERTIFICATION

18. **CAUSE OF DEATH** [*Enter only one cause per line for (a), (b), and (c).*]

PART I. DEATH WAS CAUSED BY:

IMMEDIATE CAUSE (a) _____

Conditions, if any, which gave rise to above cause (a), stating the underlying cause last.

DUE TO (b) _____

DUE TO (c) _____

INTERVAL BETWEEN ONSET AND DEATH

PART II. OTHER SIGNIFICANT CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO THE TERMINAL DISEASE CONDITION GIVEN IN PART I(a)

19. WAS AUTOPSY PERFORMED? YES ☐ NO ☐

20a. ACCIDENT ☐ SUICIDE ☐ HOMICIDE ☐

20b. DESCRIBE HOW INJURY OCCURRED. (*Enter nature of injury in Part I or Part II of item 18.*)

20c. TIME OF INJURY *Hour a. m. p. m. Month, Day, Year*

20d. INJURY OCCURRED WHILE AT WORK ☐ NOT WHILE AT WORK ☐

20e. PLACE OF INJURY (*e. g., in or about home, farm, factory, street, office bldg., etc.*)

20f. CITY, TOWN, OR LOCATION COUNTY STATE

21. *I attended the deceased from _____, to _____ and last saw her/him alive on _____*

Death occurred at _____ m on the date stated above; and to the best of my knowledge, from the causes stated.

22a. **SIGNATURE** (*Degree or title*) 22b. ADDRESS 22c. DATE SIGNED

23a. BURIAL, CREMATION, REMOVAL (*Specify*) 23b DATE 23c. NAME OF CEMETERY OR CREMATORY 23d. LOCATION (*City, town, or county*) (*State*)

24. FUNERAL DIRECTOR ADDRESS 25. DATE RECD. BY LOCAL REG. 26. REGISTRAR'S SIGNATURE

1956 REVISION OF STANDARD CERTIFICATE DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE

PHS-788 REV. 11/54

the estimated midyear population of those States included in the registration system. The registration area included the entire United States for the first time in 1933.

Prior to 1940 most of the national mortality tabulations published by the Bureau of the Census were based on data collected from the registration areas. However, beginning with 1940 all published material given in statistical series for the United States prior to the completion of the death-registration area omits data for registration cities located in nonregistration States and includes only statistics for the registration States. This change decreases the mortality statistics coverage of the United States by the exclusion of cities in nonregistration States, but it has advantages in that more reliable population estimates are available for the registration States than for the registration areas.

Rates for the expanding group of death-registration States are approximations of rates for the entire Nation, and general comparisons over a long period of time can be made. More exact trends for parts of the United States can be secured through the use of some constant area such as

FIGURE 6-B

CERTIFICATE OF FETAL DEATH [1]

Form approved. Budget Bureau No.

STATE OF — STATE FILE NO.

1. PLACE OF DELIVERY
a. COUNTY
b. CITY, TOWN, OR LOCATION
c. NAME OF HOSPITAL OR INSTITUTION (*If not in hospital, give street address*)
d. IS PLACE OF DELIVERY INSIDE CITY LIMITS? YES ☐ NO ☐

2. USUAL RESIDENCE OF MOTHER (*Where does mother live?*)
a. STATE b. COUNTY
c. CITY, TOWN, OR LOCATION
d. STREET ADDRESS
e. IS RESIDENCE INSIDE CITY LIMITS? YES ☐ NO ☐
f. IS RESIDENCE ON A FARM? YES ☐ NO ☐

3. NAME OF FETUS (*If given*)

4. SEX OF FETUS — MALE ☐ FEMALE ☐ ☐ UNDETERMINED

5a. THIS DELIVERY — SINGLE ☐ TWIN ☐ TRIPLET ☐

5b. IF TWIN OR TRIPLET, WAS THIS FETUS DELIVERED — 1ST ☐ 2D ☐ 3D ☐

6. DATE OF DELIVERY (*Month*) (*Day*) (*Year*)

FATHER

7. NAME (*First*, *Middle*, *Last*)
8. COLOR OR RACE
9. AGE (*At time of delivery*) YEARS
10. BIRTHPLACE (*State or foreign country*)
11a. USUAL OCCUPATION
11b. KIND OF BUSINESS OR INDUSTRY

MOTHER

12. MAIDEN NAME (*First*, *Middle*, *Last*)
13. COLOR OR RACE
14. AGE (*At time of delivery*) YEARS
15. BIRTHPLACE (*State or foreign country*)
16. PREVIOUS DELIVERIES TO MOTHER (*Do NOT include this fetus*)
a. *How many children are now living?*
b. *How many children were born alive but are now dead?*
c. *How many* PREVIOUS *fetal deaths (fetuses born dead at* ANY *time after conception)?*

17. INFORMANT

18a. LENGTH OF PREGNANCY COMPLETED WEEKS
18b. WEIGHT OF FETUS LB. OZ.
19. LEGITIMATE YES ☐ NO ☐
20. WHEN DID FETUS DIE? BEFORE LABOR ☐ DURING LABOR OR DELIVERY ☐ UNKNOWN ☐
21. WAS AUTOPSY PERFORMED? YES ☐ NO ☐

22. CAUSE OF FETAL DEATH

PART I. FETAL DEATH WAS CAUSED BY: (*Enter only one cause per line for (a), (b), and (c)*)

Fetal or maternal condition directly causing fetal death (do not use such terms as stillbirth or prematurity).
IMMEDIATE CAUSE (a) _____

Fetal and/or maternal conditions, if any, GIVING RISE TO THE ABOVE CAUSE (a) *stating* THE UNDERLYING CAUSE LAST.
DUE TO (b) _____
DUE TO (c) _____

PART II. OTHER SIGNIFICANT CONDITIONS *of fetus or mother which may have* CONTRIBUTED *to fetal death, but, in so far as is known, were not related to cause given in* PART I (a).

I hereby certify that this delivery occurred on the date stated above and the fetus was born dead.

23a. ATTENDANT'S SIGNATURE (*Specify if M. D., D. O., midwife, or other*)
23b. DATE SIGNED
23c. ATTENDANT'S ADDRESS
If not attended by physician
24. SIGNATURE OF AUTHORIZED OFFICIAL TITLE

25a. BURIAL, CREMATION, REMOVAL (*Specify*)
25b. DATE
25c. NAME OF CEMETERY OR CREMATORY
25d. LOCATION (*City, town, or county*) (*State*)

26. FUNERAL DIRECTOR ADDRESS
DATE REC'D BY LOCAL REG.
REGISTRAR'S SIGNATURE

[1] Optional heading—CERTIFICATE OF FETAL DEATH (STILLBIRTH).

1955 REVISION OF STANDARD CERTIFICATE (*Amended*) — DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE
PHS-797 REV. 11-55 — 16—72178-1 — U. S. GOVERNMENT PRINTING OFFICE

the original registration States or the registration States of 1920.

CLASSIFICATION OF DATA

The principal value of vital statistics data is realized through the presentation of rates which are computed by relating the vital events of a class to the population of a similarly defined class. Vital statistics and population statistics must therefore be classified according to similarly defined systems and tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data may result in significant discrepancies.

The general rules used in the classification of geographic and personal items for deaths and fetal deaths are set forth in two *Vital Statistics Instruction Manuals,* Part 4, "Deaths Occurring in 1965, Coding and Punching Instructions," and Part 3, "Live Births and Fetal Deaths Occurring in 1965, Coding and Punching Instructions." The classification of certain important items is discussed on the following pages.

Classification by occurrence and residence

Tabulations for States and other areas within the United States in this report are by place of residence unless otherwise specified in the tables.

The tabulations by place of occurrence and by place of residence are identical for the total United States because deaths and fetal deaths of United States residents occurring outside the country and of foreign residents occurring in the country are not reallocated to the country of residence.

Tabulations by place of occurrence include all deaths occurring in a given county. In residence tabulations, all deaths occurring within the United States are allocated to the usual place of residence of the decedent as reported on the death certificate except as noted below.

In 1964 and 1965, deaths of nonresident aliens occurring in the 50 States and the District of Columbia were allocated as deaths to residents of the balance of the county in which they occurred. For 1963 and earlier years, deaths of nonresident aliens were treated as deaths to residents of the exact place of occurrence, which in most instances was an urban area. No evaluation of the effect of this change has been made.

The same change in the rule for assigning residence of nonresident aliens was made for deaths of residents of Puerto Rico and the Virgin Islands which occurred in the 50 States and the District of Columbia, that is, such deaths were allocated to the balance of the county in which they occurred.

Residence error.—A nationwide test of birth registration completeness in 1950 provided measures of residence error for natality statistics. Comparable measures are not available for deaths. However, many of the qualifications of residence data noted in the birth registration test apply to mortality statistics.

The 1950 test indicates that for the country as a whole, errors in residence reporting result in a significant overstatement of births to residents of urban places and a corresponding understatement for residents of other areas. This situation has assumed special importance because of a concomitant development, the increased utilization of hospitals in cities by residents of nearby places.

With respect to this latter type of error, the amount of movement of hospitalization from place of residence to place of occurrence is smaller for deaths than for births. (See table 1-19 in Section 1 of this volume and table 1-34 in Section 1 of Volume I.) Therefore the error may be assumed to be less for deaths than for births.

Geographic classification

The rules followed in the classification of geographic areas for deaths and fetal deaths are contained in the two instruction manuals referred to previously. The geographic code structure for 1965 was the same as that for 1964 and is given in an instruction manual entitled "Geographic Codes, 1964."

Standard metropolitan statistical areas.—The standard metropolitan statistical areas (SMSA's) used in this report are those established by the U.S. Bureau of the Budget as of 1960 (except in the New England States) and used by the U.S. Bureau of the Census.

Except in the New England States, an SMSA is a county or a group of contiguous counties containing at least one city of 50,000 inhabitants or more or "twin cities" with a combined population of at least 50,000 in the 1960 census. In addition to the county or counties containing such a city or cities, contiguous counties are included in an SMSA if, according to specified cirteria, they are essentially metropolitan in character and are socially and economically integrated with the central city or cities.[1]

In New England the Bureau of the Budget uses towns and cities rather than counties as geographic components of SMSA's. The National Center for Health Statistics cannot use the SMSA classification for these States because its data are not coded to identify all towns. Instead the metropolitan State economic area (MSEA) established by the Bureau of the Census, which is made up of county units, is used.[2]

Standard consolidated areas.—For the metropolitan complexes around New York and Chicago, several contiguous SMSA's and additional counties that do not appear to meet

---

[1]For a more complete discussion, see U.S. Bureau of the Census, *U.S. Census of Population, 1960, Number of Inhabitants, United States Summary,* Final Report PC(1)-1A, Washington, U.S. Government Printing Office, 1961, and U.S. Bureau of the Budget, *Standard Metropolitan Statistical Areas,* Washington, U.S. Government Printing Office, 1961.

[2]For discussion of MSEA's, see U.S. Bureau of the Census, *State Economic Areas,* Washington, U.S. Government Printing Office, 1951, and the first reference cited in footnote 1.

the formal integration criteria for SMSA's but do have strong interrelationships of other kinds have been combined into the New York-Northeastern New Jersey and the Chicago-Northwestern Indiana Standard Consolidated Areas.[3]

Metropolitan and nonmetropolitan counties.—Counties included in SMSA's or in New England MSEA's are called metropolitan counties; all other counties are classified as nonmetropolitan.

Population size groups (formerly "urban" and "rural" areas).—Vital statistics data for cities and certain other urban places in 1965 are classified according to the population enumerated in the 1960 Census of Population. In this report population-size groups refer to two groups, "Urban places" and "Balance of area." "Urban places" consist of the following places:

1. Each incorporated city and other urban places of 10,000 inhabitants or more.
2. Each town in New England and each township in New Jersey and Pennsylvania that had no incorporated municipality as a subdivision and had either 25,000 inhabitants or more or a population of 10,000 to 25,000 and a density of 1,500 persons or more per square mile.
3. Each county in States other than the New England States, New Jersey, and Pennsylvania that had no incorporated municipality within its boundary and had a density of 1,500 persons or more per square mile. (Arlington County, Virginia, is the only county classified as urban under this rule.)

"Balance of area" consists of all other places.

Before 1964 each incorporated city and other urban place of 10,000 or more inhabitants was identified in the tabulations; and cities and other urban places of 2,500 to 10,000 inhabitants were tabulated as a group within each county. These cities and other urban places made up the "urban" population, and the remaining population was classified as "rural." For 1964 and 1965, urban places of 2,500 to 10,000 are included with "Balance of area." The effect of this change has been to eliminate the classifications "urban" and "rural" for 1964 and 1965.

The national and State vital statistics offices have found it impossible to use the definition of "urban" followed in the population census since boundary delineations for many urban unincorporated places were made by the Bureau of the Census for enumeration purposes only and cannot be identified from the vital records. The differences between the urban and rural distribution of the population according to the Bureau of the Census and NCHS definitions are large enough to make undesirable the computation of vital rates from the two sets of data.

Age

The age recorded on the death record is the age at last birthday. With respect to the computation of death rates, the age classification used by the U.S. Bureau of the Census is also based on the age of the person in completed years.

Race and color

Deaths in the United States for 1965 are classified for vital statistics as follows: "white"; Negro; American Indian, Aleut, and Eskimo; Chinese; Japanese; Hawaiian and Part-Hawaiian; and "other nonwhite." The category "white" includes persons reported as white and those reported as Mexican, Puerto Rican, or Cuban. If the racial entry on the death record indicates a mixture of Hawaiian or Part-Hawaiian with any other race, the entry is assigned to the classification "Hawaiian and Part-Hawaiian." If race is given as a mixture of Negro with any other race except Hawaiian and Part-Hawaiian, the race is classified as Negro. Entries of other racial mixtures are classified as other nonwhite.

Race not stated.—For 1965 the number of death records for which the race was not stated was 2,741 or 0.1 percent of the total deaths. Death records with race entry not stated were assigned to a racial designation as follows: If the preceding record was coded white, the code assignment was made to white; if the code was other than white, the assignment was made to Negro. For years prior to 1964, all records with race not stated were assigned to white, except for records for residents of New Jersey for 1962-64.

New Jersey, 1962-64.—The State of New Jersey omitted the race item from its certificates of live birth, death, and fetal death in use in the beginning of 1962. The item was restored during the latter part of 1962. However, the certificate revision without the race item was used for most of 1962 as well as 1963. Therefore figures by race or color for 1962 and 1963 exclude New Jersey. For 1964, 6.8 percent of the death records in use for residents of New Jersey did not contain the race item. For that year the not stated events were assigned, randomly within each local area, to white or Negro on the assumption that the distribution of not stated events by race was the same as that of those with race stated.

Changes in race coding and classification.—The slight changes in the distribution by race observed for some States in 1963, 1964, and 1965 are related to changes in the coding rules for Aleuts and Eskimos and for entries of "oriental," "yellow," or "Mongolian" on the death certificates.

Beginning with 1964 Aleuts and Eskimos have been included with Indians. Previously Aleuts and Eskimos had been classified separately and tabulated with "other races." The change resulted in a substantial decrease in number for the category "other races" for Alaska for 1964 and in a corresponding increase for the category "Indian."

In 1965, as in years prior to 1964, entries of "oriental," "yellow," and "Mongolian" were assigned to a specific category such as "other races," "Chinese," or "Japanese." In 1964 these entries were coded as race not stated and assigned to white or Negro. As a result, the number of deaths classified as Chinese, Japanese, and other races in 1964 were considerably less for some States than they would have been under the procedure used in 1965 and in years prior to 1964.

[3]See footnote 1.

Fetal deaths

In May 1950 the World Health Organization recommended for adoption for international use the definition of fetal death as "death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles."[4] The term "fetal death" was defined on an all-inclusive basis to end confusion arising from usage of such terms as stillbirth, abortion, and miscarriage.

Shortly thereafter this definition of fetal death was adopted by the National Center for Health Statistics as the nationally recommended standard for registration purposes. Previously the nationally recommended definition had been "A fetus showing no evidence of life after complete birth (no action of heart, breathing, or movement of voluntary muscle), if the 20th week of gestation has been reached, should be registered as a still-birth." The new definition has been adopted by about half the States. In most of the other States, a fetal death is defined as a birth of a minimum gestation period which is not a live birth, and live births are defined in varying detail.[5]

As another step toward increasing the comparability of data on fetal deaths for different countries, the World Health Organization recommended that in classifying fetal deaths for statistical purposes they be grouped as early, intermediate, and late. These groups are defined as follows:

Less than 20 completed weeks of gestation (early fetal deaths)----------	Group I
20 completed weeks of gestation but less than 28 (intermediate fetal deaths)-----	Group II
28 completed weeks of gestation and over (late fetal deaths)----------	Group III
Gestation period not classifiable in groups I, II, and III----------	Group IV

Until 1939 the nationally recommended procedure for registration of a fetal death required the filing of both a live-birth and a death certificate. In 1939 a separate Standard Certificate of Stillbirth (fetal death) was created to replace the former procedure. This was revised in 1949 and 1955 and amended in 1956 (see figure 6-B). Separate certificates of fetal death are now in use in all States.

Comparability and completeness of data.—State requirements for registration of fetal deaths vary. The majority of States require registration of fetal deaths of gestations of 20 weeks or more. Table 3-1 in Section 3 shows the minimum period of gestation for which fetal-death registration is required by each State. There is substantial evidence that not all fetal deaths for which registration is required are reported.[6]

Underregistration is more of a problem near the lower limit for those States having a minimum gestation period requirement. Failure to register fetal deaths near the lower limit results to a large degree from underestimation of the gestation period. This is illustrated by the fact that for areas requiring registration of all fetal deaths, the total number reported for 20-23 weeks is higher than the numbers reported for 24-27 and 28-31 weeks. For most of the other areas, however, the opposite is true.

In order to obtain data which are more nearly comparable from year to year and from State to State, most of the tables in Section 3 are based on deaths at gestation of 20 weeks or more. These tables also include fetal deaths of not stated gestation, for it is assumed that most of these occurred at gestation periods of 20 weeks or more. This would not be true of States requiring registration of all fetal deaths. Inclusion of all fetal deaths of not stated gestation for these areas results in some degree of incomparability.

It is possible that some liveborn infants who die shortly after birth, particularly those who are born prematurely and die before the umbilical cord is severed or while the placenta is still attached, may be erroneously reported as fetal deaths. This type of error may be more of a problem in States which lack a precise definition of fetal death.

Massachusetts.—Figures for fetal deaths for 1963 exclude approximately 300 fetal deaths recorded in Boston, primarily to residents of Suffolk County. Microfilm copies of these records were not received in NCHS, and as a consequence the number of fetal deaths for the city, county, and State are understated. The fetal-death rate and ratio for the State underestimate the true figures by about 21 percent.

Period of gestation.—The period of gestation is the number of completed weeks which have elapsed between the first day of the last menstrual period and the date of delivery, irrespective of whether the product of conception was liveborn or born without evidence of life. The first day of the last normal menstrual period (LMP) is used as the initial date since it can be more accurately determined than the date of conception, which usually occurs 2 weeks after LMP. When the period of gestation is reported in

---

[4]National Office of Vital Statistics: *International Recommendations on Definitions of Live Birth and Fetal Death.* PHS Pub. No. 39. Public Health Service. Washington. U.S. Government Printing Office, Oct. 1950.

[5]For definitions used by the States, see National Center for Health Statistics, *State Definitions of Live Births, Fetal Deaths, and Gestation Periods at Which Fetal Deaths Are Registered,* Public Health Service, Washington, D.C., May 1966.

[6]Unpublished fetal mortality data contained in a thesis for Harvard School of Public Health, Apr. 1962, by Carl L. Erhardt, Sc.D., Director, Bureau of Records and Statistics, Department of Health, New York, N.Y.

months on the certificate, it is allocated to gestation intervals in weeks as follows:

1-3 months to under 16 weeks
4 months to 16-19 weeks
5 months to 20-23 weeks
6 months to 24-27 weeks
7 months to 28-31 weeks
8 months to 32-35 weeks
9 months to 40 weeks
10 months or more to 43 weeks and over

It is evident from the data in tables 3-1, 3-15, and 3-17 that there are inaccuracies in the reported period of gestation. The comparatively large proportion of fetal deaths at gestations of 36 weeks is believed to result from erroneous conversion of gestation periods of 9 calendar months to 36 weeks. In addition the heavy concentrations at 40 weeks result partly from failure to calculate the period of gestation for fetuses of normal size. Such errors in reporting are minimized in areas where the gestation period item on the fetal-death certificate requests the first day of the last normal menstrual period. Areas using this wording of the item are California, the District of Columbia, Maryland, (including Baltimore), and New York City. Vermont specifies "date of menses, or if unknown, weeks of gestation." These areas are referred to as LMP areas.

For 1964 there was a noticeable increase over 1963 in the number of fetal deaths with period of gestation not stated which occurred in Maryland, New York City, and Vermont, and for 1965 there was an increase over 1964 in the District of Columbia. These increases were related to changes in NCHS coding precedures for LMP areas. Beginning with 1964 for Maryland, New York City, and Vermont and with 1965 for the District of Columbia, NCHS punched the month, day and year of LMP and the date of delivery; the period of gestation in weeks was calculated electronically. Previously NCHS had punched weeks of gestation for these areas. The weeks of gestation were either calculated from the LMP date by NCHS code-punch operators, were calculated in the LMP areas and entered on the microfilm copy of the certificate, or, especially in the case of Vermont, weeks of gestation were entered in the LMP item rather than the date.

These increases reflect the failure of NCHS to use weeks of gestation if entered on the record instead of LMP date and the difference in the methods used by the areas and by NCHS for calculating weeks of gestation from LMP. When only month and year of LMP were given, the LMP areas estimated the day to compute a gestation period. NCHS procedure provided for computing gestation period only when a complete date (month, day, year) of last normal menses was given.

The increases resulted in an overstatement of the fetal-death ratios for Vermont and the State of New York and a consequent slight overstatement for the United States. The fetal-death ratio is computed using fetal deaths for which gestation period was given as 20 weeks or more or was not stated. Both New York City and Vermont required registration of fetal deaths of all periods of gestation, and some of the fetal deaths of not stated gestation probably belonged to the under 20 weeks group.

Although the new coding procedure was also instituted for California starting with May of 1963, there was no increase in the number of fetal deaths with period of gestation not stated for this area. The proportion of fetal deaths with period of gestation unspecified has been high relative to other areas from the time California replaced the weeks of gestation item with the LMP question. This is probably attributable to the wording of the LMP item on the California fetal-death certificate. The item specified "First day of last normal menses, month, day, year—(Enter only when definite date is known)."

Birth weight.—In practically all registration areas birth weight is reported in terms of pounds and ounces rather than in grams. However, the metric system has been used in tabulating and presenting the statistics to facilitate comparison with data published by other groups in the United States. The equivalents in pounds and ounces of the gram intervals are as follows:

500 grams or less	= 1 lb. 1 oz. or less
501-1,000 grams	= 1 lb. 2 oz. - 2 lb. 3 oz.
1,001-1,500 grams	= 2 lb. 4 oz. - 3 lb. 4 oz.
1,501-2,000 grams	= 3 lb. 5 oz. - 4 lb. 6 oz.
2,001-2,500 grams	= 4 lb. 7 oz. - 5 lb. 8 oz.
2,501-3,000 grams	= 5 lb. 9 oz. - 6 lb. 9 oz.
3,001-3,500 grams	= 6 lb. 10 oz. - 7 lb. 11 oz.
3,501-4,000 grams	= 7 lb. 12 oz. - 8 lb. 13 oz.
4,001-4,500 grams	= 8 lb. 14 oz. - 9 lb. 14 oz.
4,501-5,000 grams	= 9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more	= 11 lb. 1 oz. or more

Race.—The fetus is ordinarily assigned to the race of the parents. If the parents are of different races, the following rules apply: (1) When the parental combination is white-nonwhite, the fetus is assigned to the nonwhite race. (2) When the parental combination is of two nonwhite races, the fetus is assigned to the father's race with two exceptions—if the mother is Hawaiian or Part-Hawaiian, the fetus is assigned to Hawaiian; if the mother is Negro and the father is not Hawaiian, the fetus is assigned to Negro.

When the race of only one parent is missing or ill-defined, the race of the other determines that of the fetus. When race of both parents is missing, the race of the fetus is allocated as described above in the section on race and color.

Total-birth order.—The number of a birth or a fetal death in the total-birth order is the sum of the births and fetal deaths which a mother has had including the birth being recorded. For example, if a mother has previously given birth to two live babies and to one born dead, the next event to occur, whether a live birth or fetal death, is counted as number four in the total-birth order.

In the 1956 revision of the Standard Certificate of Fetal Death, the item on previous fetal loss was changed to include all fetal deaths regardless of gestation period.

The majority of States have adopted this change on their certificates of birth and of fetal death. In these States the proportion of mothers of first liveborn children reported as having had a previous fetal loss has increased because of this change. For this reason, the data in tables 3-10 and 3-12 are not completely comparable with similar data published for years prior to 1956.

The following registration areas requested information on all previous fetal deaths (fetuses born dead at any time after conception) on certificates of both live birth and fetal death in use during all or part of 1965:

Arkansas	Montana
Colorado	Nevada
Connecticut	New York City
Delaware	North Carolina
Florida	Ohio
Georgia	Oklahoma
Hawaii	Oregon
Indiana	Rhode Island
Iowa	South Carolina
Kansas	Utah
Louisiana	Vermont
Maine	Virginia
Minnesota	Washington
Mississippi	West Virginia
Missouri	Wyoming

The registration areas requesting information on previous fetal deaths at gestations of 20 weeks or more and using the same questions on the live-birth and the fetal-death certificates are as follows:

Alabama	New Jersey
Arizona	New Mexico
California	New York (excluding New York City)
District of Columbia	North Dakota
Idaho	Tennessee
Illinois	Texas
Kentucky	Wisconsin
Maryland (including Baltimore)	

In the remaining States the questions regarding previous fetal deaths on the live-birth and the fetal-death certificates differed as follows:

Live-birth certificate	*Fetal-death certificate*
Alaska	
How many children were stillborn (born dead)?	How many previous fetal deaths (fetuses born dead at any time after conception)?
Massachusetts	
Item not on certificate	How many previous fetal deaths of any gestation age?
Michigan	
How many children were stillborn (born dead after 20 weeks pregnancy)?	How many previous fetuses born dead at any time after conception?
Nebraska	
How many children were stillborn (born dead after 20 weeks pregnancy)?	How many previous fetal deaths (fetuses born dead at any time after conception)?
New Hampshire	
How many children were stillborn (born dead after 20 weeks pregnancy)?	How many previous fetal deaths?
Pennsylvania	
How many were delivered dead after sixteen weeks pregnancy?	How many previous fetal deaths of any gestation age?
South Dakota	
How many children were born dead?	How many previous fetal deaths of any gestation age?

Legitimacy status.—Tabulations which include legitimacy as a characteristic include only States which provided for reporting this item on their certificates of live birth and fetal death in 1965. These States are as follows:

Alabama	Maine	Rhode Island
Alaska	Michigan	South Carolina
Delaware	Minnesota	South Dakota
District of Columbia	Mississippi	Tennessee
Florida	Missouri	Texas
Hawaii	Nevada	Utah
Illinois	New Jersey	Washington
Indiana	North Carolina	West Virginia
Iowa	North Dakota	Wisconsin
Kansas	Ohio	Wyoming
Kentucky	Oregon	
Louisiana	Pennsylvania	

There are no quantitative data on the characteristics of unwed mothers who may misreport legitimacy status of the fetus or who fail to register fetal deaths. It may well be that underregistration is greater in the illegitimate group than in the legitimate.

Age of mother.—The fetal-death certificate asks for the mother's "age (at time of delivery)," and the ages are edited in NCHS for upper and lower limits. When mothers are reported to be below 13 years of age, the fetal-death record is inspected and queried if necessary. Mothers reported to be age 50 and above are considered to have age not stated. Age on all fetal-death records with age of mother not stated is allocated according to the age appearing on the record previously processed for a mother of identical color and parity. Parity in this case refers to the total number of live births and fetal deaths the mother has had previously.

Maternal deaths

Maternal deaths are those for which the certifying physician has designated a maternal condition as the under-

lying cause of death. The maternal conditions are those assigned to deliveries and complications of pregnancy, childbirth, and the puerperium (640-689).

Cause of death

Beginning with 1958 the cause-of-death statistics published by the National Center for Health Statistics have been classified in accordance with the Seventh Revision of the International Lists of Diseases and Causes of Death (1955). The Seventh Revision is described in the Manual of the International Statistical Classification.[7]

In addition to specifying the classification, the manual includes special lists of causes recommended for mortality tabulations—the Detailed List, consisting of all three-digit categories; List A, the Intermediate List of 150 Causes for Tabulation of Morbidity and Mortality; and List B, the Abbreviated List of 50 Causes for Tabulation of Mortality.

These lists have been adapted for use in the National Center for Health Statistics. The Each Cause List includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories. The List of 258 Selected Causes of Death is an extension of List A designed so that the original groups can be obtained by combining titles. The List of 60 Selected Causes of Death is an extension of List B; however, certain causes of low frequency in the United States are not shown separately—typhoid fever, cholera, plague, smallpox, typhus and other rickettsial diseases, and malaria. The List of 55 Selected Causes of Infant Death was taken from the Each Cause List. The lists used in NCHS for 1965 are the same as those used for the 1964 data.

Effect of decennial list revisions.—The International Lists, in use in this country since 1900, have been revised decennially in order that the disease classification may be consistent with advances in medical science and changes in diagnostic practice. Each decennial revision of the International Lists has produced some break in comparability of cause-of-death statistics. For the first five revisions the continuity in the mortality trends is not considered a problem of great concern. Van Buren[8] described some of the major shifts in the cause-of-death statistics up to the Fifth Revision (1938) due to changes in the classification of causes of death. Dunn and Shackley[9] measured the change in mortality statistics by cause due to the Fifth Revision. This was done by coding mortality records for 1940 by the 1929 and 1938 revisions. The results of the study have been useful in evaluating the effects of the Fifth Revision and changes in the joint-cause selection procedure.

Sixth Revision.—The Sixth Revision of the International Lists of Diseases and Causes of Death was adopted by the World Health Organization in July 1948 and used for mortality data in the United States from 1949 through 1957. This revision represented a more sweeping change than any previous revision. The classification scheme was expanded considerably to provide specific categories for nonfatal diseases and injuries in order to provide a classification which could be used for coding morbidity as well as mortality records.

In addition to the expanded scope of the Sixth Revision of the International Classification, there was a major change in the method of selection of the cause of death for primary tabulation. A large proportion of death certificates filed annually in the United States report two or more diseases or conditions as causes of death. General statistical practice requires that cases involving more than one cause of death be assigned to a single cause, making it necessary to select the one cause to which the death will be assigned. The method of selection has an important effect upon the resulting statistics.

In 1948 the World Health Assembly adopted, along with the Sixth Revision of the International Lists, a form of medical certification and rules for classification of the underlying cause of death for international use. The form of medical certification in the Standard Certificate of Death is shown in figure 6-A. It is designed to elicit information which will facilitate the selection of the underlying cause of death when two or more causes are recorded. In general if the certification is completed properly, the underlying cause of death entered by the physician is the cause to be tabulated. This procedure, used in the United States beginning with deaths in 1949, differs markedly from that used in previous years. Formerly, definite priority relationships were set up for combinations of causes reported on the death certificate. The single cause to be tabulated was chosen according to these fixed rules.

Comparability between the Sixth and Fifth Revisions.—In order to maintain a time series of mortality rates for comparable causes, the International Conference for the Sixth Revision of the International Lists recommended that deaths for a country as a whole in the year 1949 or 1950 be coded according to both the Sixth and Fifth Revisions. In the United States, 1950 mortality data were used for the dual coding. The differences resulting from the use of the two revisions are expressed by a factor termed the comparability ratio. This is the number of deaths assigned to a particular cause under the Sixth Revision divided by the number of deaths assigned to that cause using the Fifth Revision.[10,11]

---

[7]World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death,* Based on the Recommendations of the Seventh Revision Conference, 1955, Vol. 1. Geneva, Switzerland, 1957.

[8]U.S. Bureau of the Census: Some things you can't prove by mortality statistics, by G. H. Van Buren. *Vital Statistics–Special Reports,* Vol. 12, No. 13. Washington, D.C., Jan. 1940.

[9]U.S. Bureau of the Census: Comparison of cause-of-death assignments by the 1929 and 1938 Revisions of the International Lists, deaths in the United States, 1940, by H. L. Dunn and W. Shackley. *Vital Statistics–Special Reports,* Vol. 19, No. 14. Washington, D.C., June 1944.

[10]National Center for Health Statistics: Comparability of mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics–Special Reports,* Vol. 51, No. 2. Public Health Service. Washington, D.C., Dec. 1963.

[11]National Center for Health Statistics: Comparability ratios based on mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics–Special Reports,* Vol. 51, No. 3. Public Health Service. Washington, D.C., Feb. 1964.

274-315 O - 67 - 27

Seventh Revision.—Beginning with 1955 the decennial conferences for revision of the International Lists are to be held in years ending in 5 rather than later in the decade as had been done previously. This is to make possible the use of the revised classification for mortality data beginning with years ending in 8. The new cycle provides time for assessing the effect of new provisions and variations in interpretation prior to the next census. Thus stable mortality data will be available for use with population figures from the decennial censuses.

Changes in the Seventh Revision were held to a minimum because of the relatively short experience with the Sixth Revision. In compliance with a recommendation of the Expert Committee on Health Statistics, the changes were limited to essential ones and amendments of errors and inconsistencies. Provisions previously contained in an addendum[12] were integrated into the manual.[13] Since these provisions had been used with the Sixth Revision, they did not represent classification changes. The only change made in three-digit categories consisted of rewording a few titles. In a few cases the rewording included redefining morbid conditions classifiable to these categories and transferring certain terms from one category to another. The three-digit categories which were affected are listed in Section 1, Volume 1, of *Vital Statistics of the United States, 1958.* There were also a number of changes in four-digit subcategories, consisting mostly of the addition of subdivisions to provide more detailed classification of malignant neoplasms of specified sites. The three-digit categories for which there were additions, deletions, or changes in the four-digit subcategories are also listed in Section 1 of the 1958 report.

The international rules for selecting the cause of death for primary mortality classification were recast for use with the Seventh Revision to simplify them and to organize them from the viewpoint of the coder making the cause-of-death assignment. The intent of the rules remains the same, that is, to code the cause which the medical certifier judged to be the underlying cause which started the train of events leading directly to death. In recasting the rules, some modifications of interpretations were made—mainly those involving selection of the underlying cause for improperly completed certifications. In adapting coding procedures to reporting practices in the United States, some additional changes in interpretations were made.

In the majority of cases, application of the rules for the Sixth Revision and those for the Seventh resulted in the same code assignment. There were some differences in individual assignments affecting a number of categories. Many of these individual assignments were compensatory and resulted in no detectable discontinuity of trends for various causes of death; the comparability of a number of categories was affected to a limited extent.

Comparability between the Seventh and Sixth Revisions.—In order to estimate the magnitude of the effect of the Seventh Revision upon the comparability of mortality trends for various causes, a 10-percent sample of deaths in 1958 was classified using both the Sixth and Seventh Revisions. The comparability ratios for selected causes and a discussion of the results of this study are published in "Comparability of Mortality Statistics for the Sixth and Seventh Revisions, United States, 1958."[14]

Coding in 1965.—The National Center for Health Statistics annually prepares for its cause-of-death coding clerks an instruction manual which contains decisions and interpretations that apply in that year. These manuals are revised annually chiefly to bring coding procedures into alignment with new developments in reporting practices and in medical opinions as to the etiology and causal relationship of diseases and to eliminate some inconsistencies in coding procedures. Changes incorporated in the 1965 instruction manual[15] affecting the numbers of deaths assigned to particular causes are noted below.

1. Prior to 1965 most cause-of-death sequences stated as duodenal ulcer (541) due to another condition were considered highly improbable, and duodenal ulcer was coded as the underlying cause. Beginning with deaths occurring in 1965, the underlying cause in these cases was assigned as reported.
2. Beginning in 1965, prostatic diseases (610-612) were no longer considered probable causes of the following diseases: hypertension (or a disease specified as hypertensive); myocarditis; cerebral embolism or thrombosis; or coronary embolism, thrombosis, infarction or occlusion.

As a result of these two changes, the death rates for duodenal ulcer and prostatic disease may be somewhat lower than they would have been had the 1964 coding procedures remained in effect. An estimate of the magnitude of these changes has not been made.

Medical certification.—The use of a standard classification list, although essential for State, regional, and international comparison, does not assure strict comparability of the tabulated figures. A high degree of comparability between areas could be attained only if all records of cause of death were reported with equal accuracy and completeness. The medical certification of death can be made only by a qualified person, usually a physician, medical examiner, or a coroner. Therefore the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the ability of the medical attendant to make the proper

---

[12]World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death,* Addendum 1, *Supplementary Interpretations and Instructions for Coding Causes of Death.* Geneva, Switzerland, 1953.

[13]See footnote 7.

[14]National Center for Health Statistics: Comparability of mortality statistics for the Sixth and Seventh Revisions, United States, 1958, by M. M. Faust and A. B. Dolman. *Vital Statistics—Special Reports,* Vol. 51, No. 4. Public Health Service. Washington, D.C., Mar. 1965.

[15]National Center for Health Statistics: Cause-of-death coding for deaths occurring in 1965, Part 2, *Vital Statistics Instruction Manual.* Public Health Service. Washington, D.C., 1964.

diagnosis and by the care with which he completes the death certificate.

The quality of the basic data reported on the death certificate is of fundamental importance in the interpretation of cause-of-death statistics. A pilot study was based on a sample of deaths occurring in Pennsylvania during 3 months of 1956. A representative sample of certificates was selected for particular causes of death. Questionnaires were sent to the physicians who had signed the certificates asking for the diagnostic methods and pertinent findings on which the medical certification of death was based. The returns were reviewed along with the original cause-of-death statement and rated for quality (type and amount) of supporting diagnostic information. For 39 percent of the cases the diagnostic data given were sketchy, and for 58 percent the information was considered good or very good. The quality of the diagnostic information varied considerably with the cause of death. It was concluded that in Pennsylvania the diagnostic data for many disease categories provided an adequate base for medical certification of the cause of death.[16]

In a later follow-back study conducted by NCHS, a national sample of deaths occurring in July and August 1960 was selected from the 10-percent Current Mortality Sample. A questionnaire was sent to the physician, coroner, or medical examiner signing the death certificate and to hospitals and others suggested by the medical examiner as possible added sources of diagnostic information. Eighty-seven percent of the medical certifiers returned a questionnaire with some kind of response. Of those returned, 14 percent contained no useful information. The forms were reviewed by two cardiologists to determine whether or not the cause of death assigned was supported by the diagnostic information provided by the certifier. The results showed that "for cardiovascular-renal diseases as a whole, it is estimated that 70 to 75 percent of the deaths so classified may be considered as a reasonable inference or better."[17]

One index of the quality of reporting causes of death is the proportion of death certificates coded to the Seventh Revision category numbers 780-793 and 795, which are the rubrics for ill-defined and unknown causes of death. While there are cases for which it is not possible to determine the causes of death, this proportion indicates the care and consideration given to the certification by attending physicians. It may also be used as a rough measure of the specificity of the medical diagnosis made by the physicians in various areas and to a small degree the extent to which autopsies are performed and their findings used in determining the underlying cause of death entered on the death certificate. In 1965 1.2 percent of all reported deaths in the United States were assigned to ill-defined or unknown causes. However, this percentage varied among the States from 0.2 to 7.7 percent.

[16]For a more complete report, see "Inquiry Into Diagnostic Evidence Supporting Medical Certifications of Death," by I. M. Moriyama and others, *Am.J.Pub.Health,* Vol. 48, No. 10, Oct. 1958, pp. 1376-1387.

[17]Moriyama, I. M., and others: Evaluation of Diagnostic Information Supporting Medical Certification of Cardiovascular Disease Deaths. Paper presented at a meeting of the American Public Health Association, Kansas City, Mo., Nov. 13, 1963.

Illinois.—For 1964 NCHS did not receive amendments to the cause-of-death information reported on the death records for Illinois. As a result there was a significant overstatement in deaths assigned to symptoms, senility, and ill-defined conditions (780-795) and a significant understatement in deaths from accidents, suicide and homicide. For 1965 NCHS received and used the amendments for Illinois, and the figures for these causes are consistent with the levels observed for 1963 and previous years. The Technical Appendix of the 1964 report discusses in more detail the amount of understatement for these causes for Illinois and the consequent effect on the figures for the total United States.

Ranking causes of death.—The causes included in the List of 60 Selected Causes of Death have been ranked on the basis of the number of deaths assigned to each cause. Two group titles, major cardiovascular-renal diseases and diseases of the cardiovascular system, and the title symptoms, senility, and ill-defined conditions are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked, as in the case of tuberculosis, all forms, its component parts (in this case, tuberculosis of respiratory system and tuberculosis, other forms), are not ranked.

QUALITY OF DATA

Completeness of registration

Although every State has adopted a law requiring the registration of births, deaths, and fetal deaths, these laws are not uniformly observed. In most areas practically all births and deaths are registered. For some areas, however, there is enough underregistration to affect the use of the statistics for certain purposes.

Quantitative information on completeness of death registration is not available. One condition for admission to the national registration areas was a demonstrated registration completeness of at least 90 percent, although the method used in testing completeness was subject to considerable error. It is believed that in the past, death registration for the United States has been more complete than birth registration, but the difference now may be rather small. There is evidence, however, that in certain isolated areas, incomplete registration is still a problem. For example, a study made in a few selected counties of Tennessee, where the death rates for 1949 to 1951 were unusually low, served to locate a number of unregistered deaths.[18] A similar situation may exist in other States.

Massachusetts data

The 1964 statistics for deaths exclude approximately 6,000 events registered in Massachusetts, primarily to residents of the State. Microfilm copies of these records

[18]Tennessee Department of Public Health: Results of survey of death registration completeness. *The Spotlight,* Jan. 1954.

were not received by NCHS. Figures for the United States and the New England Division are also somewhat affected.

Quality control procedures

The underlying cause of death was coded separately from all other items on the death certificate. For 52.9 percent of the records the initial cause-of-death codes were assigned in the registration areas; for the remaining 47.1 percent of the records the original coding was done in NCHS. Of the code assignments in the registration area and in NCHS, 68.5 percent were verified on a 100-percent basis, and the remaining 31.5 percent were verified by inspecting a 10-percent systematic sample.

The coding of all other death data was done simultaneously with card punching from microfilm images (transcripts for the Virgin Islands) of the original certificates. Approximately 82 percent of all cards punched were verified on a 10-percent systematic sample. The expected result from this system of verification is that on the average 2.25 percent of the cards will contain one or more errors. The rest of the cards were verified completely, and the errors remaining are presumably very few.

Except for cause-of-death coding, both systems of verification involve controlling two types of error (coding and punching) at the same time, and the error rates are a combined measure of both types. While it may be assumed that punching errors are randomly distributed across all items on the card, this assumption cannot be made as readily for coding errors. It is possible for systematic errors in coding infrequent events to escape detection during sample verification. For cause-of-death coding, this is controlled by listing the rare and impossible codes from the computer and reverifying the cause-of-death assignment. This type of error is partially controlled for the other items by reverification of randomly selected lots from each operator's work.

The coding and punching of fetal deaths were verified completely because of their relatively small number.

After completion of coding and punching, card counts are balanced against control totals for each shipment of records from a registration area. Impossible codes are selected out during the editing processes on the computer and are either corrected on the basis of reference to the source record or adjusted by arbitrary code assignment. All subsequent operations involved in tabulating and table preparation are verified either during the computer processing or by statistical clerks.

COMPUTATION OF RATES

Population bases

The death rates shown in this report were computed on the basis of population statistics published or made available by the U.S. Bureau of the Census. Rates for 1940, 1950, and 1960 are based on the populations enumerated as of April 1 in the censuses of those years. Rates for all other years are based on the estimated mid-year (July 1) population for the respective years.

Population estimates for 1965.—Preliminary estimates of the total resident population of the United States by age, color, and sex in 1965 are published by the Bureau of the Census in *Current Population Reports*, Series P-25, Number 321, and are shown in table 6-2.

Provisional estimates of the total resident population of each State are published in Series P-25, Number 324, and provisional estimates of the total resident population of Puerto Rico and the Virgin Islands in Series P-25, Number 336. These estimates are shown in table 6-3. The estimated populations for States by broad age groups shown in table 6-4 were prepared by the Bureau of the Census for NCHS and do not appear in the P-25 series.

Revised population estimates for 1961-64.—Death rates for 1961-64 shown in this report are based on revised estimates of the population and thus may differ slightly from those published in previous years. These revised estimates of the population for 1961-64 are published by the Bureau of the Census in *Current Population Reports*, Series P-25, Number 321 (total resident population of the United States by age, color, and sex), Number 324 (total resident population of each State), and Number 336 (total resident population of Puerto Rico and the Virgin Islands).

The differences between death rates by age, color, and sex for the total United States computed by the preliminary and by the revised estimates are negligible. However, the preliminary and revised rates for the States differ slightly.

The greatest differences between the revised and preliminary rates are for Vermont, for which the revised rate for 1964 is 4 percent higher, and Nevada, for which the revised rate for 1963 is 6 percent lower. For the following States the revised rates for 1964 or 1963 are 3 percent higher: New Mexico, Rhode Island, South Dakota, and Arizona. For New Hampshire and Nevada the revised rates are 3 percent lower. For other areas and for 1962 and 1961 the difference between the revised and preliminary rates is 2 percent or less. New Mexico is the only area in 1962 for which the difference in revised rate and preliminary rate is greater than 2 percent; the revised rate is 3 percent higher.

New Jersey.—As indicated previously, data by race or color are not available for New Jersey for 1962 and 1963. Therefore for 1962 and 1963 the National Center for Health Statistics estimated a population by age, color, and sex excluding New Jersey for rates shown by color. The methodology used to estimate the revised population excluding New Jersey is discussed in the Technical Appendix of the 1962 and 1963 reports.

Revised population estimates for 1951-59.—Beginning with the 1963 report, death rates by age, color, and sex for the United States, death rates for States, and age-adjusted death rates for 1951-59 shown in *Vital Statistics of the United States* are based on final intercensal estimates of the population. There is a discussion of how rates for these years differ from those published before 1963 in the Technical Appendix of the 1963 report. The final intercensal estimates of the population by age, color, and sex and estimates for each State for 1951-59 are shown in tables 6-5 and 6-6 of this report.

For this report the estimated average length of life for 1951-59 shown in table 5-6 was recomputed using final intercensal estimates of the population. As a result the estimated average length of life for the years 1951-59 shown in this report are generally slightly higher than those published previously. The increase in length of life in years by color and sex is shown below with the three cases for which the figure based on the final intercensal estimates is lower indicated by a minus sign.

Year	White		Nonwhite	
	Male	Female	Male	Female
1959	-0.1	-	-0.1	-
1958	0.2	0.2	0.4	0.3
1957	0.1	0.2	0.4	0.3
1956	0.2	0.2	0.2	0.2
1955	0.1	0.1	0.2	0.2
1954	0.1	0.1	0.1	0.1
1953	-	0.1	-	0.1
1952	-	-0.1	-	0.1
1951	-	-	0.1	0.1

Age-adjusted death rates

Age-adjusted death rates shown in this report are computed by using the distribution in 10-year age intervals of the enumerated population of the United States in 1940 as a standard population. Each figure represents the rate that would have existed if the age-specific rates of the particular year prevailed in a population whose age distribution was like that of the United States in 1940. The rates for the total population and for each color-sex group were adjusted separately, using the same standard population. It is important not to compare age-adjusted death rates directly with crude rates shown in other tables.

SYMBOLS USED IN TABLES

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

Table 6-1. Population of Birth- and Death-Registration States, 1900-1932, and United States, 1900-1965

[Population enumerated as of April 1 for 1940, 1950, and 1960 and estimated as of July 1 for all other years]

Year	United States[1]		Year	United States[1]		Birth-registration States		Death-registration States	
	Population including Armed Forces abroad	Population residing in area		Population including Armed Forces abroad	Population residing in area	Number of States[2]	Population residing in area	Number of States[2]	Population residing in area
1965	194,583,000	193,818,000	1932	124,949,000	124,840,471	47	118,903,899	47	118,903,899
1964	192,119,000	191,371,000	1931	124,149,000	124,039,648	46	117,455,229	47	118,148,987
1963	189,417,000	188,658,000	1930	123,188,000	123,076,741	46	116,544,946	47	117,238,278
1962	186,656,000	185,890,000	1929	---	121,769,939	46	115,317,450	46	115,317,450
1961	183,756,000	183,057,000	1928	---	120,501,115	44	113,636,160	44	113,636,160
1960	180,007,000	179,323,175	1927	---	119,038,062	40	104,320,830	42	107,084,532
1959	177,264,000	176,513,000	1926	---	117,399,225	35	90,400,590	41	103,822,683
1958	174,141,000	173,320,000	1925	---	115,831,963	33	88,294,564	40	102,031,555
1957	171,274,000	170,371,000	1924	---	114,113,463	33	87,000,295	39	99,318,098
1956	168,221,000	167,306,000	1923	---	111,949,945	30	81,072,123	38	96,788,197
1955	165,275,000	164,308,000	1922	---	110,054,778	30	79,560,746	37	92,702,901
1954	162,391,000	161,164,000	1921	---	108,541,489	27	70,807,090	34	87,814,447
1953	159,565,000	158,242,000	1920	---	106,466,420	23	63,597,307	34	86,079,263
1952	156,954,000	155,687,000	1919	105,062,747	104,512,110	22	61,212,076	33	83,157,982
1951	154,287,000	153,310,000	1918	104,549,886	103,202,801	20	55,153,782	30	79,008,412
1950	151,132,000	150,697,361	1917	103,413,743	103,265,913	20	55,197,952	27	70,234,775
1949	149,188,000	148,665,000	1916	---	101,965,984	11	32,944,013	26	66,971,177
1948	146,631,000	146,093,000	1915	---	100,549,013	10	31,096,697	24	61,894,847
1947	144,126,000	143,446,000	1914	---	99,117,567	---	---	24	60,963,309
1946	141,389,000	140,054,000	1913	---	97,226,814	---	---	23	58,156,740
1945	139,928,000	132,481,000	1912	---	95,331,300	---	---	22	54,847,700
1944	138,397,000	132,885,000	1911	---	93,867,814	---	---	22	53,929,644
1943	136,739,000	134,245,000	1910	---	92,406,536	---	---	20	47,470,437
1942	134,860,000	133,920,000	1909	---	90,491,525	---	---	18	44,223,513
1941	133,402,000	133,121,000	1908	---	88,708,976	---	---	17	38,634,759
1940	131,820,000	131,669,275	1907	---	87,000,271	---	---	15	34,552,837
1939	131,028,000	130,879,718	1906	---	85,436,556	---	---	15	33,782,288
1938	129,969,000	129,824,939	1905	---	83,819,666	---	---	10	21,767,980
1937	128,961,000	128,824,829	1904	---	82,164,974	---	---	10	21,332,076
1936	128,181,000	128,053,180	1903	---	80,632,152	---	---	10	20,943,222
1935	127,362,000	127,250,232	1902	---	79,160,196	---	---	10	20,582,907
1934	126,485,000	126,373,773	1901	---	77,585,128	---	---	10	20,237,453
1933	125,690,000	125,578,763	1900	---	76,094,134	---	---	10	19,965,446

[1]Alaska included beginning 1959, and Hawaii, 1960.

[2]The District of Columbia is not included in "Number of States," but it is represented in all data shown for each year.

Source: U.S. Bureau of the Census: Vital Statistics Rates in the United States, 1900-1940; Historical Statistics of the United States, Colonial Times to 1957; Statistical Abstract of the United States, 1965; Current Population Reports, Series P-25, Nos. 98, 265, 276, 293, and 321.

Table 6-2. Estimates of the Total Resident Population of the United States, by Age, Color, and Sex: July 1, 1965

[Figures include Armed Forces stationed in the United States but exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All ages	193,818,000	95,114,000	98,704,000	170,747,000	83,924,000	86,823,000	23,072,000	11,190,000	11,882,000
Under 1 year	3,857,000	1,969,000	1,888,000	3,219,000	1,647,000	1,572,000	639,000	322,000	316,000
1-4 years	16,577,000	8,463,000	8,114,000	13,942,000	7,136,000	6,806,000	2,635,000	1,327,000	1,308,000
5-9 years	20,519,000	10,426,000	10,092,000	17,540,000	8,939,000	8,601,000	2,979,000	1,487,000	1,491,000
10-14 years	18,956,000	9,635,000	9,321,000	16,324,000	8,319,000	8,005,000	2,632,000	1,316,000	1,317,000
15-19 years	16,954,000	8,559,000	8,395,000	14,802,000	7,488,000	7,315,000	2,152,000	1,071,000	1,081,000
20-24 years	13,333,000	6,539,000	6,794,000	11,721,000	5,759,000	5,962,000	1,611,000	780,000	832,000
25-29 years	11,205,000	5,508,000	5,697,000	9,858,000	4,876,000	4,982,000	1,346,000	631,000	715,000
30-34 years	10,948,000	5,378,000	5,570,000	9,638,000	4,771,000	4,867,000	1,309,000	607,000	703,000
35-39 years	11,920,000	5,828,000	6,092,000	10,577,000	5,213,000	5,364,000	1,343,000	615,000	727,000
40-44 years	12,410,000	6,033,000	6,378,000	11,099,000	5,418,000	5,682,000	1,311,000	615,000	696,000
45-49 years	11,449,000	5,570,000	5,879,000	10,312,000	5,034,000	5,277,000	1,137,000	536,000	602,000
50-54 years	10,571,000	5,146,000	5,424,000	9,538,000	4,653,000	4,885,000	1,033,000	493,000	539,000
55-59 years	9,156,000	4,420,000	4,736,000	8,320,000	4,016,000	4,304,000	836,000	404,000	432,000
60-64 years	7,809,000	3,710,000	4,099,000	7,101,000	3,365,000	3,736,000	708,000	345,000	363,000
65-69 years	6,298,000	2,870,000	3,427,000	5,815,000	2,644,000	3,171,000	483,000	227,000	256,000
70-74 years	5,189,000	2,283,000	2,906,000	4,782,000	2,099,000	2,683,000	407,000	184,000	223,000
75-79 years	3,599,000	1,545,000	2,054,000	3,339,000	1,426,000	1,913,000	260,000	118,000	142,000
80-84 years	1,995,000	820,000	1,175,000	1,839,000	749,000	1,090,000	156,000	71,000	85,000
85 years and over	1,075,000	413,000	662,000	979,000	371,000	608,000	95,000	41,000	54,000

Source: U.S. Bureau of the Census: Estimates of the population of the United States, by age, color, and sex, July 1, 1965, Current Population Reports, Series P-25, No. 321, 1965.

Table 6-3. Provisional Estimates of the Total Resident Population of the United States, Each Division and State, Puerto Rico, and Virgin Islands: July 1, 1965

[Figures include Armed Forces stationed in each area but exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Area	Population	Area	Population	Area	Population
United States	193,818,000	East North Central--Con.		East South Central--Con.	
		Illinois	10,646,000	Alabama	3,463,000
Geographic divisions:		Michigan	8,220,000	Mississippi	2,322,000
New England	11,132,000	Wisconsin	4,145,000		
Middle Atlantic	36,372,000			West South Central:	
East North Central	38,143,000	West North Central:		Arkansas	1,960,000
West North Central	15,878,000	Minnesota	3,555,000	Louisiana	3,534,000
South Atlantic	28,716,000	Iowa	2,760,000	Oklahoma	2,483,000
East South Central	12,810,000	Missouri	4,498,000	Texas	10,552,000
West South Central	18,529,000	North Dakota	652,000		
Mountain	7,776,000	South Dakota	703,000	Mountain:	
Pacific	24,462,000	Nebraska	1,477,000	Montana	706,000
		Kansas	2,234,000	Idaho	692,000
New England:				Wyoming	340,000
Maine	993,000	South Atlantic:		Colorado	1,969,000
New Hampshire	669,000	Delaware	505,000	New Mexico	1,029,000
Vermont	397,000	Maryland	3,521,000	Arizona	1,609,000
Massachusetts	5,349,000	District of Columbia	801,000	Utah	990,000
Rhode Island	891,000	Virginia	4,456,000	Nevada	440,000
Connecticut	2,833,000	West Virginia	1,812,000		
		North Carolina	4,914,000	Pacific:	
Middle Atlantic:		South Carolina	2,543,000	Washington	2,990,000
New York	18,075,000	Georgia	4,358,000	Oregon	1,900,000
New Jersey	6,775,000	Florida	5,805,000	California	18,608,000
Pennsylvania	11,522,000			Alaska	253,000
		East South Central:		Hawaii	711,000
East North Central:		Kentucky	3,179,000		
Ohio	10,247,000	Tennessee	3,846,000	Puerto Rico	2,633,000
Indiana	4,886,000			Virgin Islands	43,300

Source: U.S. Bureau of the Census: Estimates of the population of States, July 1, 1964, with provisional estimates for July 1, 1965, No. 324; and Estimates of the population of Puerto Rico and selected outlying areas, 1950 to 1965, No. 336; Current Population Reports, Series P-25, 1965.

Table 6-4. Estimates of the Total Resident Population, by Age, for the United States, Each Division and State: July 1, 1965

[Figures include Armed Forces stationed in each area, but exclude Armed Forces stationed abroad. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Division and State	Total	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States	193,818,000	20,433,000	56,418,000	59,809,000	38,981,000	18,154,000
Geographic divisions:						
New England	11,132,000	1,136,000	3,089,000	3,357,000	2,368,000	1,192,000
Middle Atlantic	36,372,000	3,531,000	9,821,000	11,258,000	8,186,000	3,668,000
East North Central	38,143,000	4,056,000	11,270,000	11,500,000	7,792,000	3,599,000
West North Central	15,878,000	1,668,000	4,633,000	4,519,000	3,211,000	1,822,000
South Atlantic	28,716,000	3,116,000	8,586,000	9,247,000	5,379,000	2,429,000
East South Central	12,810,000	1,393,000	3,946,000	3,915,000	2,436,000	1,131,000
West South Central	18,529,000	2,088,000	5,647,000	5,727,000	3,492,000	1,594,000
Mountain	7,776,000	912,000	2,431,000	2,388,000	1,366,000	597,000
Pacific	24,462,000	2,532,000	6,989,000	7,899,000	4,748,000	2,122,000
New England:						
Maine	993,000	107,000	288,000	285,000	195,000	111,000
New Hampshire	669,000	69,000	192,000	205,000	135,000	73,000
Vermont	397,000	44,000	118,000	116,000	81,000	45,000
Massachusetts	5,349,000	547,000	1,461,000	1,594,000	1,155,000	603,000
Rhode Island	891,000	89,000	242,000	273,000	192,000	95,000
Connecticut	2,833,000	283,000	788,000	884,000	610,000	265,000
Middle Atlantic:						
New York	18,075,000	1,763,000	4,762,000	5,632,000	4,098,000	1,850,000
New Jersey	6,775,000	666,000	1,858,000	2,142,000	1,485,000	629,000
Pennsylvania	11,522,000	1,102,000	3,201,000	3,484,000	2,603,000	1,189,000
East North Central:						
Ohio	10,247,000	1,062,000	3,042,000	3,126,000	2,056,000	948,000
Indiana	4,886,000	527,000	1,451,000	1,484,000	964,000	467,000
Illinois	10,646,000	1,120,000	2,983,000	3,200,000	2,290,000	1,044,000
Michigan	8,220,000	895,000	2,559,000	2,515,000	1,645,000	701,000
Wisconsin	4,145,000	452,000	1,235,000	1,175,000	837,000	439,000
West North Central:						
Minnesota	3,555,000	395,000	1,084,000	995,000	699,000	387,000
Iowa	2,760,000	285,000	803,000	760,000	565,000	343,000
Missouri	4,498,000	451,000	1,249,000	1,314,000	952,000	525,000
North Dakota	652,000	74,000	205,000	186,000	125,000	62,000
South Dakota	703,000	79,000	213,000	186,000	132,000	77,000
Nebraska	1,477,000	158,000	422,000	414,000	291,000	174,000
Kansas	2,234,000	226,000	657,000	664,000	447,000	254,000
South Atlantic:						
Delaware	505,000	57,000	151,000	160,000	95,000	39,000
Maryland	3,521,000	388,000	1,057,000	1,154,000	682,000	255,000
District of Columbia	801,000	97,000	192,000	262,000	178,000	72,000
Virginia	4,456,000	478,000	1,322,000	1,486,000	817,000	320,000
West Virginia	1,812,000	176,000	547,000	526,000	383,000	182,000
North Carolina	4,914,000	536,000	1,522,000	1,627,000	898,000	354,000
South Carolina	2,543,000	296,000	835,000	819,000	432,000	169,000
Georgia	4,358,000	503,000	1,359,000	1,418,000	795,000	319,000
Florida	5,805,000	585,000	1,601,000	1,795,000	1,099,000	719,000
East South Central:						
Kentucky	3,179,000	339,000	957,000	960,000	608,000	310,000
Tennessee	3,846,000	396,000	1,136,000	1,227,000	755,000	336,000
Alabama	3,463,000	382,000	1,093,000	1,071,000	658,000	284,000
Mississippi	2,322,000	277,000	760,000	657,000	415,000	201,000
West South Central:						
Arkansas	1,960,000	214,000	574,000	557,000	388,000	208,000
Louisiana	3,534,000	431,000	1,145,000	1,081,000	640,000	264,000
Oklahoma	2,483,000	244,000	692,000	745,000	502,000	268,000
Texas	10,552,000	1,200,000	3,236,000	3,344,000	1,962,000	854,000
Mountain:						
Montana	706,000	78,000	220,000	202,000	137,000	66,000
Idaho	692,000	75,000	222,000	199,000	134,000	63,000
Wyoming	340,000	37,000	102,000	97,000	65,000	29,000
Colorado	1,969,000	212,000	589,000	619,000	359,000	170,000
New Mexico	1,029,000	140,000	345,000	306,000	163,000	60,000
Arizona	1,609,000	194,000	493,000	502,000	268,000	118,000
Utah	990,000	125,000	336,000	305,000	161,000	68,000
Nevada	440,000	51,000	124,000	158,000	79,000	23,000
Pacific:						
Washington	2,990,000	299,000	878,000	885,000	612,000	298,000
Oregon	1,900,000	180,000	564,000	581,000	409,000	203,000
California	18,608,000	1,929,000	5,229,000	6,091,000	3,575,000	1,579,000
Alaska	253,000	38,000	90,000	97,000	36,000	6,000
Hawaii	711,000	86,000	228,000	245,000	116,000	36,000

Source: U.S. Bureau of the Census: Current Population Reports, Series P-25, Nos. 324 and 350, and official records.

Table 6-5. Revised Estimates of the Total Resident Population of the United States, by Age, Color, and Sex: July 1, 1951-59

[Figures include Armed Forces stationed in the United States but exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age, color, and sex	1959	1958	1957	1956	1955	1954	1953	1952	1951
TOTAL									
All ages	177,135,000	174,149,000	171,187,000	168,088,000	165,069,000	161,884,000	158,956,000	156,393,000	153,982,000
Under 1 year	4,097,000	4,073,000	4,035,000	3,860,000	3,777,000	3,671,000	3,546,000	3,429,000	3,315,000
1-4 years	16,078,000	15,814,000	15,459,000	15,143,000	14,789,000	14,386,000	14,092,000	13,883,000	14,018,000
5-9 years	18,344,000	17,941,000	17,624,000	17,652,000	16,749,000	16,032,000	15,332,000	14,811,000	13,668,000
10-14 years	16,220,000	15,546,000	15,045,000	13,918,000	13,638,000	13,191,000	12,671,000	11,962,000	11,500,000
15-19 years	12,916,000	12,391,000	11,656,000	11,193,000	10,895,000	10,775,000	10,572,000	10,415,000	10,438,000
20-24 years	10,683,000	10,433,000	10,252,000	10,244,000	10,299,000	10,154,000	10,353,000	10,656,000	11,094,000
25-29 years	10,931,000	11,154,000	11,411,000	11,590,000	11,699,000	11,828,000	11,963,000	12,026,000	12,146,000
30-34 years	12,048,000	12,198,000	12,236,000	12,331,000	12,372,000	12,267,000	12,089,000	12,015,000	11,800,000
35-39 years	12,414,000	12,289,000	12,204,000	12,005,000	11,801,000	11,681,000	11,594,000	11,523,000	11,420,000
40-44 years	11,508,000	11,412,000	11,299,000	11,170,000	11,032,000	10,896,000	10,750,000	10,599,000	10,431,000
45-49 years	10,784,000	10,646,000	10,483,000	10,315,000	10,150,000	9,941,000	9,723,000	9,525,000	9,306,000
50-54 years	9,462,000	9,267,000	9,083,000	8,879,000	8,722,000	8,606,000	8,488,000	8,398,000	8,361,000
55-59 years	8,309,000	8,135,000	7,986,000	7,893,000	7,787,000	7,677,000	7,599,000	7,546,000	7,448,000
60-64 years	7,092,000	7,046,000	7,025,000	6,957,000	6,834,000	6,704,000	6,566,000	6,402,000	6,236,000
65-69 years	6,164,000	6,055,000	5,924,000	5,785,000	5,681,000	5,566,000	5,437,000	5,311,000	5,189,000
70-74 years	4,655,000	4,521,000	4,395,000	4,268,000	4,127,000	3,970,000	3,811,000	3,679,000	3,553,000
75-79 years	2,969,000	2,846,000	2,751,000	2,651,000	2,570,000	2,486,000	2,404,000	2,325,000	2,244,000
80-84 years	1,559,000	1,519,000	1,480,000	1,429,000	1,373,000	1,316,000	1,264,000	1,223,000	1,189,000
85 years and over	901,000	864,000	837,000	804,000	776,000	738,000	701,000	665,000	628,000
MALE									
All ages	87,305,000	85,876,000	84,456,000	82,970,000	81,507,000	79,837,000	78,394,000	77,219,000	76,211,000
Under 1 year	2,082,000	2,072,000	2,054,000	1,963,000	1,923,000	1,867,000	1,805,000	1,746,000	1,685,000
1-4 years	8,178,000	8,045,000	7,864,000	7,708,000	7,526,000	7,325,000	7,175,000	7,071,000	7,146,000
5-9 years	9,329,000	9,126,000	8,968,000	8,986,000	8,529,000	8,165,000	7,809,000	7,545,000	6,961,000
10-14 years	8,249,000	7,910,000	7,658,000	7,085,000	6,944,000	6,716,000	6,453,000	6,090,000	5,850,000
15-19 years	6,481,000	6,206,000	5,814,000	5,566,000	5,415,000	5,365,000	5,265,000	5,180,000	5,198,000
20-24 years	5,201,000	5,051,000	4,942,000	4,930,000	4,938,000	4,730,000	4,809,000	4,966,000	5,296,000
25-29 years	5,365,000	5,475,000	5,600,000	5,683,000	5,722,000	5,765,000	5,817,000	5,840,000	5,899,000
30-34 years	5,893,000	5,967,000	5,979,000	6,023,000	6,035,000	5,974,000	5,869,000	5,849,000	5,749,000
35-39 years	6,050,000	5,993,000	5,961,000	5,874,000	5,779,000	5,720,000	5,675,000	5,651,000	5,601,000
40-44 years	5,638,000	5,602,000	5,555,000	5,499,000	5,437,000	5,375,000	5,308,000	5,247,000	5,171,000
45-49 years	5,312,000	5,249,000	5,174,000	5,095,000	5,019,000	4,922,000	4,822,000	4,736,000	4,636,000
50-54 years	4,667,000	4,578,000	4,497,000	4,403,000	4,332,000	4,279,000	4,223,000	4,180,000	4,166,000
55-59 years	4,073,000	3,993,000	3,925,000	3,885,000	3,840,000	3,794,000	3,765,000	3,753,000	3,718,000
60-64 years	3,393,000	3,384,000	3,390,000	3,373,000	3,330,000	3,284,000	3,234,000	3,173,000	3,109,000
65-69 years	2,895,000	2,859,000	2,813,000	2,760,000	2,722,000	2,676,000	2,620,000	2,564,000	2,509,000
70-74 years	2,153,000	2,098,000	2,046,000	1,991,000	1,931,000	1,865,000	1,796,000	1,741,000	1,689,000
75-79 years	1,328,000	1,279,000	1,244,000	1,205,000	1,174,000	1,140,000	1,107,000	1,075,000	1,042,000
80-84 years	660,000	645,000	631,000	611,000	589,000	566,000	547,000	534,000	525,000
85 years and over	356,000	346,000	340,000	330,000	322,000	308,000	293,000	278,000	261,000
FEMALE									
All ages	89,830,000	88,273,000	86,731,000	85,119,000	83,563,000	82,047,000	80,562,000	79,174,000	77,771,000
Under 1 year	2,015,000	2,000,000	1,981,000	1,897,000	1,855,000	1,803,000	1,742,000	1,683,000	1,630,000
1-4 years	7,901,000	7,770,000	7,595,000	7,436,000	7,262,000	7,063,000	6,916,000	6,812,000	6,873,000
5-9 years	9,015,000	8,815,000	8,656,000	8,667,000	8,220,000	7,866,000	7,523,000	7,266,000	6,707,000
10-14 years	7,971,000	7,636,000	7,387,000	6,833,000	6,694,000	6,475,000	6,218,000	5,872,000	5,650,000
15-19 years	6,436,000	6,185,000	5,842,000	5,627,000	5,481,000	5,409,000	5,307,000	5,235,000	5,239,000
20-24 years	5,482,000	5,383,000	5,310,000	5,315,000	5,361,000	5,423,000	5,544,000	5,690,000	5,798,000
25-29 years	5,563,000	5,678,000	5,811,000	5,907,000	5,976,000	6,063,000	6,146,000	6,186,000	6,247,000
30-34 years	6,155,000	6,230,000	6,256,000	6,308,000	6,337,000	6,293,000	6,220,000	6,167,000	6,052,000
35-39 years	6,364,000	6,296,000	6,243,000	6,131,000	6,023,000	5,961,000	5,919,000	5,872,000	5,819,000
40-44 years	5,871,000	5,810,000	5,743,000	5,671,000	5,596,000	5,521,000	5,443,000	5,353,000	5,259,000
45-49 years	5,473,000	5,397,000	5,309,000	5,220,000	5,131,000	5,019,000	4,902,000	4,789,000	4,670,000
50-54 years	4,796,000	4,689,000	4,586,000	4,476,000	4,390,000	4,327,000	4,266,000	4,217,000	4,194,000
55-59 years	4,236,000	4,142,000	4,061,000	4,008,000	3,947,000	3,882,000	3,833,000	3,793,000	3,730,000
60-64 years	3,698,000	3,662,000	3,635,000	3,584,000	3,504,000	3,420,000	3,331,000	3,229,000	3,127,000
65-69 years	3,268,000	3,196,000	3,112,000	3,025,000	2,958,000	2,890,000	2,817,000	2,747,000	2,680,000
70-74 years	2,502,000	2,423,000	2,350,000	2,277,000	2,195,000	2,106,000	2,015,000	1,938,000	1,864,000
75-79 years	1,642,000	1,567,000	1,507,000	1,446,000	1,395,000	1,345,000	1,297,000	1,251,000	1,203,000
80-84 years	899,000	874,000	849,000	819,000	784,000	749,000	717,000	689,000	664,000
85 years and over	545,000	518,000	497,000	474,000	454,000	430,000	407,000	387,000	367,000
WHITE									
All ages	157,012,000	154,519,000	152,038,000	149,417,000	146,862,000	144,161,000	141,669,000	139,467,000	137,405,000
Under 1 year	3,480,000	3,476,000	3,444,000	3,298,000	3,238,000	3,158,000	3,064,000	2,970,000	2,862,000
1-4 years	13,770,000	13,565,000	13,294,000	13,059,000	12,769,000	12,440,000	12,199,000	12,052,000	12,257,000
5-9 years	15,823,000	15,512,000	12,287,000	15,396,000	14,651,000	14,050,000	13,463,000	13,027,000	11,973,000
10-14 years	14,174,000	13,612,000	13,194,000	12,154,000	11,902,000	11,506,000	11,040,000	10,392,000	9,988,000
15-19 years	11,331,000	10,856,000	10,181,000	9,772,000	9,511,000	9,415,000	9,236,000	9,090,000	9,116,000
20-24 years	9,372,000	9,140,000	8,975,000	8,966,000	9,022,000	8,906,000	9,111,000	9,393,000	9,801,000
25-29 years	9,630,000	9,857,000	10,123,000	10,305,000	10,410,000	10,536,000	10,657,000	10,698,000	10,803,000
30-34 years	10,691,000	10,837,000	10,870,000	10,965,000	11,016,000	10,932,000	10,785,000	10,748,000	10,571,000
35-39 years	11,074,000	10,961,000	10,899,000	10,722,000	10,537,000	10,431,000	10,351,000	10,283,000	10,186,000
40-44 years	10,336,000	10,242,000	10,129,000	10,003,000	9,876,000	9,757,000	9,637,000	9,515,000	9,373,000
45-49 years	9,711,000	9,605,000	9,476,000	9,340,000	9,199,000	9,006,000	8,795,000	8,597,000	8,378,000
50-54 years	8,565,000	8,381,000	8,203,000	8,005,000	7,859,000	7,760,000	7,662,000	7,594,000	7,581,000
55-59 years	7,521,000	7,373,000	7,252,000	7,186,000	7,107,000	7,024,000	6,971,000	6,943,000	6,868,000
60-64 years	6,514,000	6,488,000	6,485,000	6,436,000	6,331,000	6,220,000	6,098,000	5,950,000	5,800,000

Table 6-5. Revised Estimates of the Total Resident Population of the United States, by Age, Color, and Sex: July 1, 1951-59—Con.

[Figures include Armed Forces stationed in the United States but exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age, color, and sex	1959	1958	1957	1956	1955	1954	1953	1952	1951
WHITE—Con.									
65-69 years	5,656,000	5,556,000	5,432,000	5,301,000	5,206,000	5,101,000	4,983,000	4,866,000	4,752,000
70-74 years	4,315,000	4,193,000	4,078,000	3,962,000	3,832,000	3,688,000	3,540,000	3,419,000	3,304,000
75-79 years	2,759,000	2,646,000	2,562,000	2,473,000	2,402,000	2,327,000	2,254,000	2,182,000	2,107,000
80-84 years	1,459,000	1,420,000	1,382,000	1,333,000	1,278,000	1,223,000	1,174,000	1,135,000	1,105,000
85 years and over	832,000	797,000	772,000	742,000	716,000	682,000	648,000	615,000	580,000
WHITE MALE									
All ages	77,514,000	76,319,000	75,133,000	73,875,000	72,634,000	71,216,000	69,987,000	68,969,000	68,114,000
Under 1 year	1,774,000	1,774,000	1,759,000	1,683,000	1,654,000	1,612,000	1,564,000	1,518,000	1,460,000
1-4 years	7,023,000	6,920,000	6,782,000	6,666,000	6,517,000	6,351,000	6,229,000	6,153,000	6,260,000
5-9 years	8,069,000	7,912,000	7,800,000	7,857,000	7,480,000	7,176,000	6,876,000	6,654,000	6,115,000
10-14 years	7,225,000	6,941,000	6,730,000	6,199,000	6,071,000	5,869,000	5,633,000	5,301,000	5,092,000
15-19 years	5,697,000	5,449,000	5,092,000	4,874,000	4,741,000	4,703,000	4,617,000	4,536,000	4,555,000
20-24 years	4,585,000	4,446,000	4,351,000	4,338,000	4,351,000	4,177,000	4,266,000	4,407,000	4,711,000
25-29 years	4,764,000	4,873,000	5,004,000	5,088,000	5,125,000	5,168,000	5,212,000	5,220,000	5,269,000
30-34 years	5,265,000	5,336,000	5,344,000	5,385,000	5,402,000	5,349,000	5,258,000	5,253,000	5,171,000
35-39 years	5,413,000	5,358,000	5,334,000	5,254,000	5,166,000	5,115,000	5,075,000	5,055,000	5,012,000
40-44 years	5,078,000	5,041,000	4,993,000	4,938,000	4,879,000	4,824,000	4,767,000	4,718,000	4,652,000
45-49 years	4,793,000	4,744,000	4,684,000	4,619,000	4,552,000	4,462,000	4,363,000	4,276,000	4,176,000
50-54 years	4,224,000	4,139,000	4,059,000	3,967,000	3,900,000	3,854,000	3,807,000	3,775,000	3,772,000
55-59 years	3,681,000	3,613,000	3,557,000	3,531,000	3,498,000	3,465,000	3,447,000	3,445,000	3,421,000
60-64 years	3,113,000	3,112,000	3,126,000	3,118,000	3,082,000	3,044,000	3,001,000	2,945,000	2,886,000
65-69 years	2,654,000	2,620,000	2,576,000	2,527,000	2,493,000	2,451,000	2,400,000	2,349,000	2,298,000
70-74 years	1,990,000	1,941,000	1,894,000	1,845,000	1,790,000	1,728,000	1,664,000	1,613,000	1,565,000
75-79 years	1,227,000	1,182,000	1,151,000	1,116,000	1,089,000	1,059,000	1,030,000	1,001,000	971,000
80-84 years	613,000	599,000	585,000	567,000	545,000	524,000	507,000	494,000	486,000
85 years and over	327,000	318,000	312,000	304,000	297,000	285,000	271,000	257,000	241,000
WHITE FEMALE									
All ages	79,498,000	78,200,000	76,905,000	75,542,000	74,228,000	72,946,000	71,682,000	70,497,000	69,291,000
Under 1 year	1,706,000	1,702,000	1,685,000	1,615,000	1,584,000	1,546,000	1,500,000	1,452,000	1,402,000
1-4 years	6,747,000	6,645,000	6,512,000	6,393,000	6,252,000	6,089,000	5,971,000	5,899,000	5,996,000
5-9 years	7,754,000	7,600,000	7,486,000	7,538,000	7,171,000	6,874,000	6,587,000	6,373,000	5,858,000
10-14 years	6,950,000	6,671,000	6,464,000	5,955,000	5,830,000	5,637,000	5,407,000	5,090,000	4,896,000
15-19 years	5,634,000	5,406,000	5,089,000	4,897,000	4,770,000	4,712,000	4,619,000	4,554,000	4,561,000
20-24 years	4,787,000	4,693,000	4,624,000	4,627,000	4,671,000	4,729,000	4,845,000	4,986,000	5,090,000
25-29 years	4,866,000	4,984,000	5,119,000	5,217,000	5,285,000	5,369,000	5,446,000	5,478,000	5,534,000
30-34 years	5,428,000	5,501,000	5,527,000	5,580,000	5,615,000	5,583,000	5,527,000	5,494,000	5,400,000
35-39 years	5,660,000	5,603,000	5,565,000	5,468,000	5,371,000	5,316,000	5,276,000	5,228,000	5,175,000
40-44 years	5,258,000	5,201,000	5,136,000	5,066,000	4,997,000	4,933,000	4,870,000	4,797,000	4,720,000
45-49 years	4,919,000	4,861,000	4,792,000	4,721,000	4,647,000	4,544,000	4,432,000	4,321,000	4,203,000
50-54 years	4,340,000	4,242,000	4,143,000	4,038,000	3,959,000	3,906,000	3,855,000	3,819,000	3,808,000
55-59 years	3,839,000	3,760,000	3,694,000	3,656,000	3,609,000	3,559,000	3,524,000	3,498,000	3,448,000
60-64 years	3,402,000	3,376,000	3,359,000	3,318,000	3,249,000	3,176,000	3,098,000	3,005,000	2,913,000
65-69 years	3,002,000	2,936,000	2,856,000	2,774,000	2,713,000	2,650,000	2,582,000	2,517,000	2,454,000
70-74 years	2,325,000	2,253,000	2,185,000	2,118,000	2,042,000	1,959,000	1,876,000	1,806,000	1,740,000
75-79 years	1,532,000	1,465,000	1,411,000	1,357,000	1,313,000	1,268,000	1,224,000	1,181,000	1,135,000
80-84 years	846,000	821,000	797,000	766,000	732,000	699,000	667,000	641,000	619,000
85 years and over	505,000	480,000	460,000	438,000	419,000	398,000	377,000	358,000	339,000
NONWHITE									
All ages	20,124,000	19,630,000	19,149,000	18,671,000	18,207,000	17,722,000	17,287,000	16,927,000	16,578,000
Under 1 year	617,000	596,000	591,000	562,000	540,000	512,000	483,000	459,000	453,000
1-4 years	2,308,000	2,249,000	2,165,000	2,085,000	2,019,000	1,948,000	1,892,000	1,832,000	1,762,000
5-9 years	2,522,000	2,429,000	2,338,000	2,257,000	2,098,000	1,982,000	1,869,000	1,784,000	1,695,000
10-14 years	2,046,000	1,934,000	1,851,000	1,764,000	1,736,000	1,685,000	1,631,000	1,571,000	1,512,000
15-19 years	1,585,000	1,535,000	1,476,000	1,421,000	1,384,000	1,360,000	1,336,000	1,325,000	1,322,000
20-24 years	1,311,000	1,294,000	1,277,000	1,279,000	1,277,000	1,248,000	1,242,000	1,263,000	1,293,000
25-29 years	1,301,000	1,297,000	1,287,000	1,285,000	1,289,000	1,292,000	1,306,000	1,328,000	1,343,000
30-34 years	1,357,000	1,360,000	1,365,000	1,366,000	1,355,000	1,335,000	1,304,000	1,268,000	1,229,000
35-39 years	1,341,000	1,327,000	1,305,000	1,283,000	1,264,000	1,250,000	1,243,000	1,240,000	1,233,000
40-44 years	1,173,000	1,169,000	1,170,000	1,167,000	1,157,000	1,139,000	1,114,000	1,085,000	1,058,000
45-49 years	1,073,000	1,041,000	1,007,000	975,000	951,000	935,000	928,000	928,000	928,000
50-54 years	898,000	886,000	881,000	874,000	863,000	847,000	826,000	804,000	780,000
55-59 years	788,000	762,000	734,000	706,000	680,000	653,000	627,000	603,000	579,000
60-64 years	577,000	558,000	540,000	521,000	503,000	484,000	467,000	452,000	436,000
65-69 years	507,000	499,000	492,000	484,000	475,000	465,000	454,000	445,000	436,000
70-74 years	340,000	328,000	317,000	305,000	294,000	282,000	271,000	260,000	249,000
75-79 years	211,000	200,000	189,000	178,000	168,000	159,000	150,000	143,000	137,000
80-84 years	100,000	99,000	98,000	96,000	95,000	93,000	90,000	88,000	84,000
85 years and over	69,000	67,000	65,000	63,000	60,000	56,000	53,000	50,000	48,000
NONWHITE MALE									
All ages	9,791,000	9,557,000	9,323,000	9,095,000	8,872,000	8,621,000	8,407,000	8,249,000	8,098,000
Under 1 year	308,000	298,000	295,000	280,000	269,000	255,000	241,000	228,000	225,000
1-4 years	1,155,000	1,125,000	1,083,000	1,042,000	1,009,000	974,000	947,000	919,000	885,000
5-9 years	1,260,000	1,214,000	1,168,000	1,128,000	1,049,000	990,000	933,000	891,000	846,000
10-14 years	1,024,000	969,000	928,000	886,000	873,000	847,000	820,000	789,000	758,000

Table 6-5. Revised Estimates of the Total Resident Population of the United States, by Age, Color, and Sex: July 1, 1951-59—Con.

[Figures include Armed Forces stationed in the United States but exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age, color, and sex	1959	1958	1957	1956	1955	1954	1953	1952	1951
NONWHITE MALE--Con.									
15-19 years	783,000	756,000	722,000	691,000	673,000	662,000	648,000	644,000	644,000
20-24 years	616,000	604,000	591,000	591,000	587,000	553,000	543,000	560,000	585,000
25-29 years	604,000	602,000	596,000	595,000	598,000	597,000	606,000	620,000	630,000
30-34 years	628,000	632,000	635,000	637,000	634,000	625,000	611,000	595,000	577,000
35-39 years	636,000	634,000	628,000	620,000	612,000	605,000	600,000	596,000	589,000
40-44 years	560,000	560,000	562,000	562,000	558,000	551,000	541,000	529,000	519,000
45-49 years	519,000	505,000	490,000	477,000	466,000	460,000	458,000	460,000	461,000
50-54 years	443,000	439,000	438,000	436,000	432,000	425,000	416,000	405,000	394,000
55-59 years	391,000	380,000	367,000	354,000	342,000	330,000	318,000	307,000	297,000
60-64 years	281,000	271,000	263,000	255,000	248,000	240,000	234,000	228,000	223,000
65-69 years	242,000	238,000	236,000	233,000	230,000	225,000	220,000	215,000	211,000
70-74 years	163,000	157,000	152,000	146,000	141,000	136,000	132,000	128,000	124,000
75-79 years	101,000	97,000	94,000	89,000	85,000	81,000	77,000	73,000	70,000
80-84 years	47,000	46,000	45,000	44,000	43,000	42,000	41,000	40,000	39,000
85 years and over	30,000	29,000	27,000	26,000	25,000	24,000	22,000	21,000	20,000
NONWHITE FEMALE									
All ages	10,333,000	10,073,000	9,826,000	9,576,000	9,335,000	9,101,000	8,880,000	8,677,000	8,480,000
Under 1 year	309,000	298,000	296,000	282,000	271,000	257,000	242,000	231,000	228,000
1-4 years	1,153,000	1,125,000	1,082,000	1,042,000	1,010,000	974,000	945,000	913,000	876,000
5-9 years	1,261,000	1,215,000	1,170,000	1,128,000	1,049,000	992,000	936,000	893,000	849,000
10-14 years	1,022,000	965,000	923,000	878,000	864,000	838,000	811,000	782,000	754,000
15-19 years	801,000	779,000	753,000	730,000	711,000	697,000	688,000	681,000	679,000
20-24 years	695,000	690,000	686,000	688,000	690,000	695,000	699,000	704,000	708,000
25-29 years	697,000	695,000	692,000	690,000	691,000	694,000	700,000	708,000	713,000
30-34 years	729,000	729,000	730,000	728,000	722,000	710,000	693,000	672,000	652,000
35-39 years	704,000	693,000	678,000	663,000	652,000	645,000	643,000	644,000	644,000
40-44 years	613,000	609,000	608,000	605,000	599,000	588,000	573,000	555,000	539,000
45-49 years	554,000	536,000	517,000	498,000	485,000	475,000	470,000	469,000	467,000
50-54 years	455,000	447,000	443,000	438,000	431,000	422,000	411,000	398,000	386,000
55-59 years	396,000	382,000	367,000	352,000	338,000	323,000	309,000	295,000	282,000
60-64 years	297,000	286,000	276,000	266,000	255,000	244,000	234,000	223,000	214,000
65-69 years	266,000	261,000	256,000	251,000	245,000	240,000	235,000	230,000	225,000
70-74 years	177,000	171,000	165,000	159,000	153,000	146,000	139,000	132,000	125,000
75-79 years	110,000	103,000	96,000	89,000	83,000	78,000	73,000	70,000	67,000
80-84 years	54,000	53,000	53,000	52,000	52,000	51,000	50,000	48,000	45,000
85 years and over	40,000	39,000	38,000	36,000	35,000	33,000	31,000	29,000	27,000

Source: U.S. Bureau of the Census: Estimates of the population of the United States and components of change, by age, color, and sex, 1950 to 1965, Current Population Reports, Series P-25, No. 310, 1965.

(INCLUDES ALASKA & HAWAII)

Table 6-6. Revised Estimates of the Total Resident Population of the United States, Each Division and State: July 1, 1951-59

[Figures include Armed Forces stationed in each area but exclude Armed Forces stationed abroad. Due to rounding to the neareast thousand, detailed figures may not add to totals]

Division and State	1959	1958	1957	1956	1955	1954	1953	1952	1951
United States	177,135,000	174,149,000	171,187,000	168,088,000	165,069,000	161,884,000	158,956,000	156,393,000	153,982,000
Geographic divisions:									
New England	10,436,000	10,218,000	10,030,000	9,929,000	9,871,000	9,832,000	9,627,000	9,358,000	9,288,000
Middle Atlantic	33,935,000	33,548,000	33,065,000	32,699,000	32,407,000	31,991,000	31,418,000	30,821,000	30,357,000
East North Central	35,929,000	35,578,000	34,967,000	34,404,000	33,780,000	33,063,000	32,167,000	31,498,000	30,884,000
West North Central	15,195,000	14,994,000	14,978,000	14,905,000	14,731,000	14,453,000	14,269,000	14,175,000	14,169,000
South Atlantic	25,556,000	25,043,000	24,528,000	23,842,000	23,207,000	22,719,000	22,384,000	22,134,000	21,796,000
East South Central	11,863,000	11,681,000	11,559,000	11,470,000	11,435,000	11,338,000	11,380,000	11,492,000	11,534,000
West South Central	16,658,000	16,399,000	16,200,000	15,839,000	15,581,000	15,209,000	15,164,000	15,214,000	14,991,000
Mountain	6,684,000	6,487,000	6,345,000	6,139,000	5,900,000	5,670,000	5,515,000	5,330,000	5,179,000
Pacific	20,880,000	20,200,000	19,514,000	18,862,000	18,156,000	17,609,000	17,033,000	16,371,000	15,785,000
New England:									
Maine	957,000	944,000	943,000	938,000	934,000	927,000	913,000	915,000	916,000
New Hampshire	596,000	581,000	572,000	566,000	557,000	554,000	547,000	535,000	529,000
Vermont	387,000	380,000	376,000	377,000	375,000	377,000	379,000	375,000	378,000
Massachusetts	5,117,000	5,010,000	4,929,000	4,891,000	4,882,000	4,910,000	4,806,000	4,650,000	4,654,000
Rhode Island	857,000	858,000	851,000	840,000	823,000	816,000	815,000	802,000	784,000
Connecticut	2,523,000	2,446,000	2,359,000	2,316,000	2,300,000	2,249,000	2,168,000	2,081,000	2,028,000
Middle Atlantic:									
New York	16,685,000	16,601,000	16,374,000	16,112,000	15,966,000	15,814,000	15,527,000	15,192,000	14,890,000
New Jersey	6,015,000	5,890,000	5,737,000	5,615,000	5,502,000	5,360,000	5,229,000	5,125,000	5,006,000
Pennsylvania	11,234,000	11,058,000	10,954,000	10,972,000	10,939,000	10,817,000	10,662,000	10,503,000	10,461,000
East North Central:									
Ohio	9,671,000	9,599,000	9,410,000	9,207,000	9,017,000	8,873,000	8,591,000	8,275,000	8,061,000
Indiana	4,613,000	4,583,000	4,529,000	4,458,000	4,363,000	4,264,000	4,182,000	4,148,000	4,096,000
Illinois	9,986,000	9,886,000	9,668,000	9,530,000	9,435,000	9,252,000	9,065,000	8,956,000	8,790,000
Michigan	7,767,000	7,667,000	7,569,000	7,467,000	7,285,000	7,066,000	6,822,000	6,650,000	6,497,000
Wisconsin	3,891,000	3,843,000	3,791,000	3,742,000	3,679,000	3,608,000	3,506,000	3,469,000	3,439,000
West North Central:									
Minnesota	3,366,000	3,313,000	3,274,000	3,240,000	3,172,000	3,113,000	3,050,000	3,030,000	3,010,000
Iowa	2,729,000	2,708,000	2,716,000	2,703,000	2,679,000	2,626,000	2,629,000	2,626,000	2,617,000
Missouri	4,258,000	4,186,000	4,189,000	4,163,000	4,134,000	4,066,000	4,020,000	3,972,000	4,015,000
North Dakota	618,000	606,000	612,000	613,000	615,000	611,000	609,000	608,000	604,000
South Dakota	667,000	656,000	666,000	670,000	663,000	655,000	648,000	651,000	655,000
Nebraska	1,397,000	1,383,000	1,394,000	1,397,000	1,374,000	1,340,000	1,318,000	1,311,000	1,316,000
Kansas	2,160,000	2,142,000	2,128,000	2,119,000	2,093,000	2,042,000	1,994,000	1,977,000	1,950,000
South Atlantic:									
Delaware	441,000	433,000	426,000	408,000	389,000	368,000	351,000	341,000	331,000
Maryland	3,066,000	2,982,000	2,873,000	2,811,000	2,742,000	2,685,000	2,567,000	2,500,000	2,441,000
District of Columbia	761,000	757,000	763,000	759,000	785,000	791,000	810,000	805,000	808,000
Virginia	3,951,000	3,914,000	3,844,000	3,722,000	3,588,000	3,555,000	3,557,000	3,504,000	3,434,000
West Virginia	1,855,000	1,845,000	1,843,000	1,857,000	1,880,000	1,905,000	1,929,000	1,957,000	1,984,000
North Carolina	4,458,000	4,376,000	4,368,000	4,309,000	4,242,000	4,131,000	4,120,000	4,109,000	4,120,000
South Carolina	2,348,000	2,304,000	2,274,000	2,229,000	2,200,000	2,176,000	2,181,000	2,178,000	2,167,000
Georgia	3,868,000	3,804,000	3,766,000	3,701,000	3,636,000	3,602,000	3,558,000	3,584,000	3,531,000
Florida	4,808,000	4,630,000	4,372,000	4,047,000	3,747,000	3,505,000	3,310,000	3,157,000	2,980,000
East South Central:									
Kentucky	2,999,000	2,961,000	2,928,000	2,898,000	2,910,000	2,902,000	2,903,000	2,920,000	2,941,000
Tennessee	3,522,000	3,471,000	3,434,000	3,415,000	3,415,000	3,359,000	3,319,000	3,352,000	3,372,000
Alabama	3,204,000	3,163,000	3,109,000	3,071,000	3,050,000	3,014,000	3,053,000	3,068,000	3,059,000
Mississippi	2,138,000	2,086,000	2,088,000	2,086,000	2,060,000	2,064,000	2,105,000	2,152,000	2,163,000
West South Central:									
Arkansas	1,756,000	1,726,000	1,733,000	1,704,000	1,725,000	1,734,000	1,780,000	1,838,000	1,901,000
Louisiana	3,208,000	3,155,000	3,115,000	3,032,000	2,946,000	2,883,000	2,866,000	2,842,000	2,769,000
Oklahoma	2,289,000	2,267,000	2,282,000	2,273,000	2,250,000	2,209,000	2,182,000	2,219,000	2,210,000
Texas	9,405,000	9,252,000	9,070,000	8,830,000	8,660,000	8,382,000	8,336,000	8,314,000	8,111,000
Mountain:									
Montana	669,000	666,000	667,000	656,000	636,000	624,000	616,000	602,000	596,000
Idaho	657,000	646,000	642,000	628,000	618,000	600,000	596,000	587,000	589,000
Wyoming	320,000	315,000	314,000	312,000	307,000	293,000	290,000	293,000	291,000
Colorado	1,710,000	1,667,000	1,664,000	1,625,000	1,546,000	1,493,000	1,431,000	1,365,000	1,326,000
New Mexico	919,000	886,000	847,000	806,000	785,000	763,000	756,000	735,000	717,000
Arizona	1,261,000	1,193,000	1,125,000	1,053,000	987,000	933,000	894,000	842,000	785,000
Utah	870,000	845,000	826,000	809,000	783,000	750,000	739,000	724,000	706,000
Nevada	279,000	269,000	260,000	250,000	237,000	213,000	195,000	181,000	168,000
Pacific:									
Washington	2,821,000	2,773,000	2,724,000	2,668,000	2,604,000	2,516,000	2,466,000	2,448,000	2,424,000
Oregon	1,746,000	1,718,000	1,712,000	1,698,000	1,659,000	1,626,000	1,601,000	1,582,000	1,556,000
California	15,467,000	14,880,000	14,264,000	13,713,000	13,133,000	12,746,000	12,251,000	11,635,000	11,134,000
Alaska	224,000	224,000	231,000	224,000	222,000	215,000	205,000	189,000	158,000
Hawaii	622,000	605,000	584,000	559,000	539,000	505,000	510,000	517,000	514,000

Source: U.S. Bureau of the Census: Revised estimates of the population of States and components of population change, 1950-1960, Current Population Reports, Series P-25, No. 304, 1965.

U.S. GOVERNMENT PRINTING OFFICE : 1967 O - 274-315

599 a/ sold

(83) SBS

AM3 1.6529